

TABLE 22: MEN
CHRONIC CONDITIONS AND RISK FACTORS BY AGE

2015	OVERALL	AGE (Years)					
		18-24	25-34	35-44	45-54	55-64	65+
% Hypertension	39.7 (36.9-42.5)	NA	18.4 (12.7-24.1)	31.6 (24.4-38.8)	44.5 (37.6-51.4)	59.3 (53.5-65.0)	74.4 (69.9-78.8)
% Diabetes	12.7 (11.0-14.5)	NA	NA	NA	10.3 (6.0-14.7)	23.4 (18.2-28.6)	33.3 (28.3-38.2)
% Current Smoker	24.7 (21.9-27.5)	20.4 (11.7-29.1)	31.7 (24.0-39.4)	28.7 (21.0-36.5)	26.7 (20.1-33.4)	27.9 (22.4-33.5)	11.0 (7.5-14.5)
% Ex Smoker	26.1 (23.6-28.6)	6.5 (1.1-11.9)	16.1 (10.6-21.6)	23.7 (17.0-30.4)	21.8 (15.7-27.8)	34.3 (28.6-40.1)	50.9 (45.5-56.2)
% Never Smoker	49.2 (46.2-52.3)	73.1 (63.5-82.7)	52.2 (44.3-60.1)	47.5 (39.5-55.6)	51.5 (44.3-58.7)	37.7 (32.0-43.4)	38.1 (32.9-43.2)
% Normal Weight	25.8 (22.9-28.6)	41.7 (31.1-52.4)	31.2 (24.0-38.3)	25.1 (17.7-32.6)	15.1 (9.4-20.7)	25.5 (20.1-30.8)	18.8 (14.7-22.8)
% Over Weight	37.1 (34.2-40.0)	32.6 (22.8-42.4)	38.4 (31.0-45.8)	33.6 (26.2-40.9)	40.5 (33.6-47.6)	31.8 (26.3-37.3)	44.1 (38.8-49.3)
% Obese	35.9 (33.0-38.8)	23.5 (14.0-33.0)	29.1 (21.9-36.3)	39.2 (31.3-47.0)	42.8 (35.8-49.7)	42.7 (36.7-48.6)	36.8 (31.7-42.0)
% MI	7.1 (5.8-8.5)	NA	NA	NA	NA	12.4 (8.6-16.2)	19.7 (15.7-23.7)
% Angina (CHD)	6.1 (5.0-7.3)	NA	NA	NA	NA	11.0 (7.4-14.6)	19.3 (15.3-23.4)
% Stroke	3.7 (2.8-4.7)	NA	NA	NA	NA	5.8 (3.2-8.3)	9.8 (6.9-12.8)
% Ever Asthma	14.0 (11.7-16.3)	27.2 (18.0-36.4)	20.2 (13.2-27.2)	9.0 (4.4-13.5)	6.8 (3.7-10.0)	9.2 (6.1-12.4)	13.0 (9.4-16.6)
% Skin Cancer	6.1 (5.0-7.2)	NA	NA	NA	NA	7.2 (4.0-10.4)	23.8 (19.4-28.2)
% Other Cancer	5.9 (4.7-7.1)	NA	NA	NA	NA	6.2 (3.3-9.0)	21.5 (17.3-25.6)
% COPD	6.0 (4.8-7.3)	NA	NA	NA	5.4 (2.4-8.4)	10.4 (6.7-14.2)	11.7 (8.3-15.0)
% Arthritis	23.3 (21.0-25.6)	NA	6.8 (3.3-10.3)	14.4 (8.8-20.1)	23.2 (17.1-29.2)	39.0 (33.2-44.9)	52.2 (46.9-57.4)
% Depressive Disorder	15.4 (13.2-17.6)	16.8 (9.2-24.4)	12.7 (7.6-17.9)	16.4 (10.1-22.6)	14.1 (9.4-18.7)	16.7 (12.0-21.4)	16.1 (12.3-20.0)
% Kidney Disease	2.9 (2.1-3.7)	NA	NA	NA	NA	4.8 (2.2-7.4)	9.1 (6.0-12.2)

TABLE 23: MEN

CHRONIC CONDITIONS AND RISK FACTORS BY EDUCATION

2015	OVERALL	EDUCATION			
		No HS*	HS	Some College	College
% Hypertension	39.7 (36.9-42.5)	45.0 (37.1-52.9)	41.0 (36.2-45.9)	37.5 (32.3-42.7)	35.4 (30.6-40.3)
% Diabetes	12.7 (11.0-14.5)	18.2 (12.6-23.8)	12.3 (9.4-15.2)	12.0 (8.7-15.3)	9.1 (6.6-11.5)
% Current Smoker	24.7 (21.9-27.5)	39.3 (31.0-47.6)	27.3 (22.4-32.2)	24.1 (18.9-29.2)	6.8 (4.0-9.6)
% Ex Smoker	26.1 (23.6-28.6)	26.3 (19.5-33.1)	26.1 (21.8-30.5)	24.9 (20.2-29.7)	27.3 (22.6-32.0)
% Never Smoker	49.2 (46.2-52.3)	34.4 (26.0-42.8)	46.5 (41.3-51.8)	51.0 (45.2-56.8)	65.8 (60.8-70.9)
% Normal Weight	25.8 (22.9-28.6)	35.0 (26.6-43.5)	23.4 (18.8-28.1)	23.0 (18.0-28.0)	24.7 (20.1-29.3)
% Over Weight	37.1 (34.2-40.0)	24.9 (18.2-31.7)	36.6 (31.6-41.7)	40.4 (34.8-46.0)	44.6 (39.2-50.0)
% Obese	35.9 (33.0-38.8)	39.4 (31.1-47.8)	38.3 (33.3-43.3)	35.6 (30.1-41.1)	29.2 (24.4-34.0)
% MI	7.1 (5.8-8.5)	10.3 (5.7-15.0)	6.3 (4.3-8.4)	7.0 (4.7-9.3)	5.5 (3.5-7.4)
% Angina (CHD)	6.1 (5.0-7.3)	6.7 (3.6-9.9)	6.0 (3.9-8.2)	6.3 (4.2-8.5)	5.4 (3.6-7.2)
% Stroke	3.7 (2.8-4.7)	6.7 (3.3-10.1)	2.6 (1.4-3.8)	3.4 (1.8-5.0)	3.2 (1.6-4.8)
% Ever Asthma	14.0 (11.7-16.3)	17.2 (10.7-23.8)	14.5 (10.5-18.5)	14.6 (10.3-18.9)	9.1 (5.9-12.3)
% Skin Cancer	6.1 (5.0-7.2)	4.8 (2.1-7.4)	5.0 (3.3-6.7)	7.1 (4.6-9.5)	8.1 (5.8-10.5)
% Other Cancer	5.9 (4.7-7.1)	7.3 (3.9-10.6)	5.0 (3.4-6.7)	6.2 (3.6-8.8)	5.6 (3.7-7.5)
% COPD	6.0 (4.8-7.3)	8.7 (4.9-12.5)	6.1 (4.1-8.1)	6.6 (3.9-9.3)	2.4 (1.1-3.7)
% Arthritis	23.3 (21.0-25.6)	31.6 (24.5-38.7)	22.7 (18.8-26.5)	22.1 (17.9-26.4)	17.8 (14.3-21.4)
% Depressive Disorder	15.4 (13.2-17.6)	22.4 (15.6-29.3)	13.4 (10.0-16.8)	16.2 (12.0-20.3)	10.6 (7.4-13.9)
% Kidney Disease	2.9 (2.1-3.7)	NA	3.2 (1.6-4.7)	2.5 (1.2-3.7)	NA

*HS: High School

TABLE 24: MEN

CHRONIC CONDITIONS AND RISK FACTORS BY INCOME

2015	OVERALL	INCOME				
		< \$15,000	\$15,000- \$24,999	\$25,000- \$34,999	\$35,000- \$49,999	\$50,000+
% Hypertension	39.7 (36.9-42.5)	55.3 (44.9-65.8)	49.6 (41.4-57.8)	49.8 (39.1-60.4)	34.5 (26.4-42.6)	34.9 (30.8-39.1)
% Diabetes	12.7 (11.0-14.5)	27.4 (18.0-36.8)	19.9 (14.1-25.7)	16.9 (9.6-24.1)	8.2 (4.7-11.8)	8.0 (5.9-10.0)
% Current Smoker	24.7 (21.9-27.5)	42.6 (31.9-53.2)	30.0 (22.2-37.8)	28.9 (18.5-39.3)	21.5 (13.7-29.4)	20.9 (16.6-25.3)
% Ex Smoker	26.1 (23.6-28.6)	24.7 (15.7-33.7)	25.2 (18.3-32.0)	32.5 (22.9-42.2)	25.6 (18.5-32.7)	26.8 (22.9-30.7)
% Never Smoker	49.2 (46.2-52.3)	32.7 (23.4-42.0)	44.8 (36.4-53.2)	38.5 (27.8-49.3)	52.9 (43.8-62.0)	52.3 (47.6-57.0)
% Normal Weight	25.8 (22.9-28.6)	41.2 (30.5-52.0)	24.2 (17.1-31.3)	27.5 (17.6-37.3)	24.1 (16.0-32.1)	21.4 (17.3-25.5)
% Over Weight	37.1 (34.2-40.0)	22.2 (13.9-30.5)	34.2 (26.6-41.9)	33.4 (23.3-43.6)	42.0 (33.2-50.8)	41.0 (36.5-45.5)
% Obese	35.9 (33.0-38.8)	36.3 (25.8-46.8)	38.9 (30.7-47.0)	37.7 (27.2-48.1)	34.0 (25.5-42.3)	36.6 (32.1-41.0)
% MI	7.1 (5.8-8.5)	10.4 (4.9-15.9)	10.3 (6.0-14.6)	9.6 (4.4-14.8)	6.4 (3.2-9.7)	4.6 (2.8-6.3)
% Angina (CHD)	6.1 (5.0-7.3)	NA	10.3 (5.8-14.8)	11.9 (6.4-17.5)	5.7 (2.4-9.0)	3.8 (2.5-5.2)
% Stroke	3.7 (2.8-4.7)	9.3 (4.9-13.7)	7.8 (4.3-11.3)	NA	NA	NA
% Ever Asthma	14.0 (11.7-16.3)	16.3 (9.7-22.9)	13.2 (7.3-19.0)	15.2 (6.6-23.8)	17.3 (9.9-24.8)	13.1 (9.4-16.9)
% Skin Cancer	6.1 (5.0-7.2)	NA	7.1 (3.8-10.3)	NA	6.3 (3.2-9.3)	6.2 (4.4-8.1)
% Other Cancer	5.9 (4.7-7.1)	NA	6.7 (3.3-10.0)	8.8 (3.9-13.8)	6.9 (3.5-10.3)	4.7 (3.0-6.3)
% COPD	6.0 (4.8-7.3)	13.7 (7.2-20.1)	11.7 (6.7-16.6)	8.8 (4.3-13.4)	NA	2.5 (1.3-3.7)
% Arthritis	23.3 (21.0-25.6)	35.7 (26.2-45.3)	31.5 (24.2-38.8)	26.6 (18.6-34.7)	23.6 (16.3-30.9)	17.9 (14.6-21.1)
% Depressive Disorder	15.4 (13.2-17.6)	28.0 (18.9-37.0)	16.4 (10.7-22.1)	22.3 (13.5-31.1)	14.9 (8.4-21.5)	10.5 (7.4-13.5)
% Kidney Disease	2.9 (2.1-3.7)	NA	6.3 (2.8-9.9)	NA	NA	1.1 (0.5-1.7)

TABLE 25: WOMEN
CHRONIC CONDITIONS AND RISK FACTORS BY RACE

2015	OVERALL	RACE		
		Caucasian, NH*	African American, NH	Other, NH
% Hypertension	39.0 (36.7-41.2)	36.8 (34.1-39.6)	48.0 (43.4-52.6)	NA
% Diabetes	12.7 (11.3-14.1)	10.6 (9.0-12.2)	17.0 (14.0-20.0)	NA
% Current Smoker	19.3 (17.3-21.3)	21.3 (18.7-23.9)	15.4 (11.9-18.9)	21.4 (10.7-32.0)
% Ex Smoker	19.1 (17.3-20.9)	24.7 (22.1-27.2)	8.9 (6.8-11.0)	NA
% Never Smoker	61.6 (59.2-64.0)	54.1 (51.0-57.1)	75.7 (71.8-79.6)	63.0 (49.6-76.4)
% Normal Weight	31.7 (29.3-34.1)	37.4 (34.3-40.4)	20.0 (16.1-24.0)	34.5 (20.1-48.9)
% Over Weight	29.0 (26.7-31.3)	27.7 (25.0-30.4)	31.2 (26.6-35.7)	37.7 (23.3-52.2)
% Obese	36.5 (34.0-38.9)	32.2 (29.3-35.2)	47.2 (42.2-52.2)	24.4 (13.1-35.7)
% MI	3.9 (3.2-4.7)	4.5 (3.4-5.5)	3.5 (2.2-4.7)	NA
% Angina (CHD)	4.6 (3.8-5.4)	4.9 (3.8-6.0)	4.1 (2.7-5.4)	7.2 (1.3-13.0)
% Stroke	4.4 (3.6-5.2)	3.7 (2.8-4.6)	5.9 (4.2-7.7)	NA
% Ever Asthma	15.2 (13.4-16.9)	14.1 (12.1-16.2)	15.7 (12.2-19.2)	21.5 (9.6-33.5)
% Skin Cancer	4.4 (3.6-5.1)	6.6 (5.4-7.8)	NA	NA
% Other Cancer	8.1 (6.9-9.3)	10.7 (9.0-12.4)	4.1 (2.5-5.7)	NA
% COPD	9.0 (7.8-10.2)	10.1 (8.5-11.8)	6.6 (4.8-8.4)	NA
% Arthritis	32.0 (29.9-34.2)	35.7 (32.9-38.4)	26.9 (23.3-30.6)	27.2 (15.1-39.3)
% Depressive Disorder	24.5 (22.5-26.5)	27.9 (25.3-30.6)	16.6 (13.4-19.7)	30.5 (18.8-42.2)
% Kidney Disease	2.7 (2.1-3.3)	2.7 (2.0-3.4)	3.1 (1.8-4.4)	NA

*NH: Non-Hispanic

TABLE 26: WOMEN
CHRONIC CONDITIONS AND RISK FACTORS BY AGE

2015	OVERALL	AGE (Years)					
		18-24	25-34	35-44	45-54	55-64	65+
% Hypertension	39.0 (36.7-41.2)	NA	16.7 (11.3-22.0)	26.8 (21.1-32.5)	42.8 (37.4-48.2)	53.8 (49.1-58.4)	70.4 (66.9-74.0)
% Diabetes	12.7 (11.3-14.1)	NA	NA	8.7 (4.9-12.5)	12.4 (8.8-16.0)	19.4 (15.8-22.9)	26.0 (22.5-29.4)
% Current Smoker	19.3 (17.3-21.3)	11.8 (5.8-17.7)	23.5 (17.5-29.5)	20.5 (15.0-25.9)	25.6 (20.6-30.7)	22.2 (18.1-26.2)	11.7 (9.1-14.4)
% Ex Smoker	19.1 (17.3-20.9)	5.6 (1.3-9.8)	14.0 (9.2-18.8)	18.4 (13.5-23.3)	17.2 (12.9-21.4)	21.1 (17.4-24.9)	31.7 (27.9-35.5)
% Never Smoker	61.6 (59.2-64.0)	82.6 (75.6-89.7)	62.5 (55.7-69.3)	61.2 (54.7-67.6)	57.2 (51.6-62.8)	56.7 (52.0-61.4)	56.6 (52.6-60.6)
% Normal Weight	31.7 (29.3-34.1)	35.7 (26.6-44.8)	43.2 (35.8-50.7)	21.6 (16.3-26.9)	27.3 (22.2-32.4)	27.5 (23.2-31.8)	34.8 (30.9-38.8)
% Over Weight	29.0 (26.7-31.3)	27.9 (19.3-36.4)	26.2 (19.6-32.9)	24.9 (19.0-30.7)	28.6 (23.3-33.9)	32.4 (27.8-37.0)	32.6 (28.8-36.5)
% Obese	36.5 (34.0-38.9)	35.0 (25.6-44.4)	27.0 (20.5-33.4)	50.0 (43.2-56.8)	40.4 (34.7-46.2)	37.0 (32.2-41.8)	31.0 (27.3-34.6)
% MI	3.9 (3.2-4.7)	NA	NA	NA	NA	5.8 (3.6-8.0)	10.0 (7.7-12.3)
% Angina (CHD)	4.6 (3.8-5.4)	NA	NA	NA	NA	7.4 (5.0-9.8)	13.0 (10.3-15.7)
% Stroke	4.4 (3.6-5.2)	NA	NA	NA	3.9 (1.8-6.0)	7.6 (5.2-10.0)	10.1 (7.8-12.5)
% Ever Asthma	15.2 (13.4-16.9)	14.9 (8.4-21.5)	17.5 (12.2-22.9)	13.6 (9.2-17.9)	15.5 (11.8-19.3)	16.5 (13.1-19.9)	13.0 (10.3-15.7)
% Skin Cancer	4.4 (3.6-5.1)	NA	NA	NA	2.8 (1.2-4.5)	4.4 (2.7-6.2)	13.6 (10.9-16.2)
% Other Cancer	8.1 (6.9-9.3)	NA	4.9 (2.1-7.6)	NA	7.8 (4.8-10.8)	10.0 (7.1-12.9)	16.8 (13.9-19.7)
% COPD	9.0 (7.8-10.2)	NA	4.8 (2.0-7.7)	4.7 (2.1-7.2)	11.0 (7.6-14.4)	13.2 (10.1-16.3)	15.6 (12.8-18.5)
% Arthritis	32.0 (29.9-34.2)	NA	9.2 (5.2-13.2)	22.0 (16.4-27.6)	31.0 (25.9-36.1)	48.0 (43.4-52.7)	63.0 (59.2-66.8)
% Depressive Disorder	24.5 (22.5-26.5)	16.3 (9.7-22.9)	20.4 (15.1-25.6)	28.6 (22.9-34.3)	31.5 (26.4-36.5)	29.7 (25.6-33.9)	19.8 (17.0-22.9)
% Kidney Disease	2.7 (2.1-3.3)	NA	NA	NA	3.4 (1.4-5.4)	5.2 (3.2-7.3)	5.5 (3.9-7.1)

TABLE 27: WOMEN
CHRONIC CONDITIONS AND RISK FACTORS BY EDUCATION

2015	OVERALL	EDUCATION			
		No HS*	HS	Some College	College
% Hypertension	39.0 (36.7-41.2)	57.3 (50.4-64.1)	42.5 (38.4-46.6)	33.3 (29.4-37.3)	26.9 (23.2-30.6)
% Diabetes	12.7 (11.3-14.1)	22.0 (17.0-27.1)	12.4 (10.1-14.6)	11.6 (9.1-14.1)	7.5 (5.6-9.4)
% Current Smoker	19.3 (17.3-21.3)	32.9 (26.2-39.6)	21.2 (17.7-24.7)	18.1 (14.6-21.6)	7.7 (5.5-9.9)
% Ex Smoker	19.1 (17.3-20.9)	16.7 (12.1-21.4)	18.2 (15.0-21.3)	22.2 (18.6-25.7)	17.9 (14.5-21.2)
% Never Smoker	61.6 (59.2-64.0)	50.4 (43.3-57.4)	60.6 (56.4-64.8)	59.8 (55.3-64.2)	74.4 (70.7-78.2)
% Normal Weight	31.7 (29.3-34.1)	24.8 (18.8-30.9)	27.9 (23.8-32.0)	32.6 (28.0-37.2)	42.2 (37.5-46.8)
% Over Weight	29.0 (26.7-31.7)	32.4 (25.7-39.0)	30.3 (26.3-34.4)	34.8 (30.4-39.2)	25.7 (21.6-29.9)
% Obese	36.5 (34.0-38.9)	41.1 (34.0-48.3)	40.2 (35.7-44.7)	34.8 (30.4-39.2)	29.0 (24.8-33.1)
% MI	3.9 (3.2-4.7)	7.2 (4.3-10.2)	3.9 (2.7-5.1)	3.7 (2.3-5.0)	1.8 (0.8-2.8)
% Angina (CHD)	4.6 (3.8-5.4)	8.9 (5.6-12.2)	4.8 (3.5-6.1)	3.6 (2.4-4.9)	2.4 (1.4-3.4)
% Stroke	4.4 (3.6-5.2)	7.6 (4.7-10.5)	4.7 (3.4-6.0)	4.2 (2.7-5.7)	1.5 (0.7-2.3)
% Ever Asthma	15.2 (13.4-16.9)	18.4 (13.4-23.5)	14.5 (11.4-17.6)	15.8 (12.4-19.2)	12.5 (9.6-15.5)
% Skin Cancer	4.4 (3.6-5.1)	5.1 (2.5-7.7)	5.0 (3.6-6.5)	3.1 (2.0-4.2)	4.4 (3.0-5.8)
% Other Cancer	8.1 (6.9-9.3)	13.6 (9.0-18.2)	8.5 (6.5-10.4)	6.2 (4.5-7.8)	5.9 (4.2-7.6)
% COPD	9.0 (7.8-10.2)	16.5 (11.8-21.1)	9.9 (7.8-11.9)	7.6 (5.7-9.6)	3.7 (2.4-5.0)
% Arthritis	32.0 (29.9-34.2)	50.9 (44.1-57.7)	33.0 (29.3-36.7)	28.9 (25.1-32.8)	20.7 (17.8-23.7)
% Depressive Disorder	24.5 (22.5-26.5)	33.5 (27.2-39.7)	22.9 (19.4-26.4)	25.1 (21.4-28.8)	19.3 (16.0-22.6)
% Kidney Disease	2.7 (2.1-3.3)	3.4 (1.5-5.3)	2.1 (1.3-2.9)	3.5 (2.1-4.9)	2.1 (1.1-3.2)

*HS: High School

TABLE 28: WOMEN
CHRONIC CONDITIONS AND RISK FACTORS BY INCOME

2015	OVERALL	INCOME				
		< \$15,000	\$15,000- \$24,999	\$25,000- \$34,999	\$35,000- \$49,999	\$50,000+
% Hypertension	39.0 (36.7-41.2)	51.7 (44.7-58.8)	45.7 (40.2-51.2)	42.1 (34.2-50.0)	36.3 (29.6-43.0)	29.7 (25.7-33.8)
% Diabetes	12.7 (11.3-14.1)	20.9 (16.1-25.7)	18.1 (14.2-22.0)	15.6 (9.7-21.5)	10.4 (6.4-14.3)	7.0 (5.1-8.8)
% Current Smoker	19.3 (17.3-21.3)	30.5 (24.0-37.0)	27.5 (22.1-32.8)	18.1 (12.1-24.0)	18.5 (12.0-24.9)	12.8 (9.8-15.8)
% Ex Smoker	19.1 (17.3-20.9)	16.3 (11.9-20.7)	18.3 (14.4-22.2)	18.2 (12.3-24.0)	23.0 (16.8-29.2)	20.1 (16.5-23.6)
% Never Smoker	61.6 (59.2-64.0)	53.1 (46.2-60.1)	54.2 (48.6-59.9)	63.8 (56.1-71.5)	58.6 (51.0-66.1)	67.1 (62.9-71.3)
% Normal Weight	31.7 (29.3-34.1)	24.5 (18.4-30.6)	25.5 (20.3-30.7)	30.1 (22.2-37.9)	34.0 (26.6-41.4)	37.0 (32.4-41.6)
% Over Weight	29.0 (26.7-31.7)	24.8 (18.5-31.1)	29.9 (24.6-35.2)	27.1 (19.8-34.3)	27.8 (21.1-34.5)	31.0 (26.6-35.4)
% Obese	36.5 (34.0-38.9)	46.7 (39.3-54.2)	43.0 (37.3-48.7)	42.2 (33.6-50.7)	37.9 (30.3-45.4)	28.3 (24.3-32.3)
% MI	3.9 (3.2-4.7)	7.9 (4.9-10.9)	5.5 (3.2-7.7)	3.6 (1.1-6.0)	2.4 (0.8-4.1)	1.4 (0.5-2.4)
% Angina (CHD)	4.6 (3.8-5.4)	10.2 (7.0-13.5)	5.8 (3.5-8.1)	5.9 (2.8-9.0)	2.7 (0.9-4.5)	1.5 (0.7-2.4)
% Stroke	4.4 (3.6-5.2)	10.0 (6.6-13.4)	6.4 (4.2-8.6)	4.4 (1.7-7.1)	2.5 (0.9-4.2)	0.8 (0.3-1.4)
% Ever Asthma	15.2 (13.4-16.9)	21.2 (15.9-26.5)	16.0 (11.5-20.5)	12.4 (7.6-17.3)	11.6 (7.1-16.2)	13.5 (10.2-16.8)
% Skin Cancer	4.4 (3.6-5.1)	5.0 (2.7-7.3)	3.1 (1.5-4.7)	4.5 (2.1-6.9)	5.3 (2.7-7.8)	3.6 (2.3-5.0)
% Other Cancer	8.1 (6.9-9.3)	11.2 (7.1-15.3)	10.3 (7.1-13.5)	5.1 (2.4-7.8)	9.6 (5.4-13.7)	5.9 (4.1-7.6)
% COPD	9.0 (7.8-10.2)	19.2 (14.5-24.0)	12.7 (9.4-16.1)	8.1 (4.6-11.5)	4.9 (2.3-7.6)	5.0 (3.1-6.9)
% Arthritis	32.0 (29.9-34.2)	48.9 (41.9-55.9)	35.4 (30.4-40.4)	35.1 (27.8-42.4)	27.7 (21.7-33.7)	23.3 (19.9-26.9)
% Depressive Disorder	24.5 (22.5-26.5)	37.1 (30.7-43.6)	28.1 (23.1-33.0)	23.3 (17.0-29.6)	23.0 (16.3-29.6)	18.3 (15.1-21.6)
% Kidney Disease	2.7 (2.1-3.3)	5.6 (3.0-8.2)	3.5 (1.9-5.1)	NA	NA	1.3 (0.6-2.1)

**TABLE 29: CAUCASIAN, NON-HISPANIC
CHRONIC CONDITIONS AND RISK FACTORS BY AGE**

2015	OVERALL	AGE (Years)					
		18-24	25-34	35-44	45-54	55-64	65+
% Hypertension	38.1 (36.0-40.3)	NA	16.0 (11.0-21.0)	25.9 (20.3-31.4)	38.5 (33.2-43.7)	50.9 (46.4-55.4)	68.1 (64.7-71.5)
% Diabetes	11.0 (9.8-12.3)	NA	NA	6.4 (3.1-9.7)	6.1 (3.7-8.5)	14.4 (11.4-17.5)	27.3 (23.9-30.7)
% Current Smoker	22.3 (20.2-24.4)	23.0 (14.7-31.3)	31.1 (24.4-37.8)	25.5 (19.5-31.5)	27.7 (22.4-33.0)	21.9 (18.0-25.8)	9.8 (7.6-12.0)
% Ex Smoker	27.0 (25.0-29.0)	NA	20.5 (15.1-25.9)	25.2 (19.5-30.9)	23.1 (18.5-27.7)	29.2 (25.1-33.9)	43.2 (39.5-47.0)
% Never Smoker	50.7 (48.3-53.1)	68.8 (59.8-77.8)	48.5 (41.5-55.4)	49.3 (42.6-56.0)	49.2 (43.6-54.8)	48.9 (44.4-53.4)	47.0 (43.3-50.7)
% Normal Weight	30.5 (28.3-32.7)	39.7 (30.9-48.5)	42.0 (35.0-49.1)	26.6 (20.5-32.7)	26.3 (21.3-31.3)	25.8 (21.8-29.7)	27.5 (24.2-30.9)
% Over Weight	33.2 (31.0-35.4)	31.4 (22.9-39.9)	30.9 (24.6-37.2)	29.5 (23.5-35.5)	33.6 (28.2-38.9)	32.7 (28.3-37.1)	38.3 (34.7-42.0)
% Obese	34.3 (32.0-36.6)	25.5 (17.0-34.0)	24.6 (18.4-30.8)	41.9 (35.2-48.6)	37.4 (32.0-42.9)	40.4 (35.9-45.0)	33.0 (29.4-36.5)
% MI	6.0 (5.1-7.0)	NA	NA	NA	NA	8.2 (5.6-10.8)	15.6 (12.9-18.3)
% Angina (CHD)	5.9 (5.0-6.8)	NA	NA	NA	NA	9.1 (6.4-11.8)	16.8 (14.1-19.5)
% Stroke	3.7 (3.0-4.4)	NA	NA	NA	NA	4.6 (2.8-6.4)	9.0 (6.9-11.0)
% Ever Asthma	13.0 (11.4-14.7)	16.8 (10.1-23.6)	15.3 (9.7-20.9)	9.3 (5.4-13.3)	10.6 (7.7-13.5)	13.5 (10.5-16.4)	13.5 (10.9-16.2)
% Skin Cancer	7.8 (6.8-8.9)	NA	NA	NA	4.5 (2.4-6.7)	8.6 (5.9-11.4)	22.9 (19.8-26.1)
% Other Cancer	8.7 (7.5-9.8)	NA	NA	NA	6.4 (3.8-9.0)	8.3 (5.9-10.8)	21.1 (18.1-24.2)
% COPD	8.0 (6.9-9.1)	NA	NA	NA	6.8 (4.2-9.4)	12.4 (9.4-15.4)	15.1 (12.5-17.8)
% Arthritis	30.4 (28.3-32.4)	NA	10.8 (6.6-15.1)	20.6 (14.9-26.3)	27.3 (22.3-32.2)	42.6 (38.2-47.0)	56.6 (52.9-60.3)
% Depressive Disorder	22.4 (20.5-24.3)	23.4 (15.8-31.1)	19.7 (14.4-25.0)	26.3 (20.4-32.1)	24.0 (19.5-28.4)	23.3 (19.6-27.0)	19.2 (16.4-22.1)
% Kidney Disease	2.5 (2.0-3.1)	NA	NA	NA	NA	3.8 (2.1-5.6)	6.8 (5.0-8.6)

**TABLE 30: CAUCASIAN, NON-HISPANIC
CHRONIC CONDITIONS AND RISK FACTORS BY EDUCATION**

2015	OVERALL	EDUCATION			
		No HS*	HS	Some College	College
% Hypertension	38.1 (36.0-40.3)	53.4 (45.8-61.1)	40.3 (36.5-44.1)	36.3 (32.4-40.3)	28.6 (25.3-31.8)
% Diabetes	11.0 (9.8-12.3)	17.9 (13.0-22.9)	11.8 (9.6-14.0)	10.0 (7.7-12.2)	7.3 (5.5-9.0)
% Current Smoker	22.3 (20.2-24.4)	40.8 (33.1-48.6)	26.5 (22.6-30.3)	21.0 (17.2-24.8)	7.4 (5.5-9.3)
% Ex Smoker	27.0 (25.0-29.0)	24.9 (19.0-30.9)	27.2 (23.6-30.9)	28.2 (24.4-32.0)	26.1 (22.7-29.5)
% Never Smoker	50.7 (48.3-53.1)	34.2 (26.9-41.6)	46.3 (42.1-50.5)	50.8 (46.4-55.3)	66.5 (62.8-70.1)
% Normal Weight	30.5 (28.3-32.7)	28.7 (21.4-35.9)	26.8 (23.0-30.7)	31.1 (26.8-35.3)	36.0 (32.1-40.0)
% Over Weight	33.2 (31.0-35.4)	27.1 (20.6-33.7)	34.8 (30.8-38.8)	33.5 (29.3-37.7)	34.0 (30.2-37.8)
% Obese	34.3 (32.0-36.6)	43.1 (35.4-50.9)	36.7 (32.7-40.7)	33.0 (28.8-37.2)	27.5 (24.0-31.0)
% MI	6.0 (5.1-7.0)	10.9 (6.5-15.3)	5.8 (4.3-7.3)	6.2 (4.5-7.9)	3.4 (2.2-4.5)
% Angina (CHD)	5.9 (5.0-6.8)	9.0 (5.5-12.4)	6.4 (4.7-8.1)	5.5 (3.9-7.0)	4.1 (2.9-5.3)
% Stroke	3.7 (3.0-4.4)	8.4 (4.8-12.1)	3.4 (2.4-4.4)	3.1 (1.9-4.3)	2.1 (1.2-3.1)
% Ever Asthma	13.0 (11.4-14.7)	20.3 (14.1-26.5)	12.7 (9.7-15.6)	12.6 (9.8-15.4)	10.1 (7.7-12.4)
% Skin Cancer	7.8 (6.8-8.9)	9.0 (5.3-12.8)	7.2 (5.6-8.8)	7.6 (5.6-9.6)	8.4 (6.5-10.3)
% Other Cancer	8.7 (7.5-9.8)	13.7 (9.0-18.4)	9.5 (7.6-11.5)	7.0 (5.2-8.9)	6.6 (5.0-8.1)
% COPD	8.0 (6.9-9.1)	16.4 (11.5-21.4)	9.0 (7.1-10.9)	7.0 (5.2-8.8)	3.0 (1.9-4.1)
% Arthritis	30.4 (28.3-32.4)	50.0 (42.3-57.6)	31.6 (28.1-35.2)	28.3 (24.7-31.9)	20.1 (17.4-22.7)
% Depressive Disorder	22.4 (20.5-24.3)	34.8 (27.5-42.1)	20.9 (17.7-24.0)	23.1 (19.5-26.6)	16.7 (13.8-19.6)
% Kidney Disease	2.5 (2.0-3.1)	NA	1.9 (1.1-2.7)	3.7 (2.4-4.9)	1.8 (1.0-2.6)

*HS: High School

**TABLE 31: CAUCASIAN, NON-HISPANIC
CHRONIC CONDITIONS AND RISK FACTORS BY INCOME**

2015	OVERALL	INCOME				
		< \$15,000	\$15,000- \$24,999	\$25,000- \$34,999	\$35,000- \$49,999	\$50,000+
% Hypertension	38.1 (36.0-40.3)	51.1 (42.3-60.0)	49.5 (43.1-55.8)	47.7 (39.5-55.8)	36.3 (30.1-42.6)	32.0 (28.8-35.3)
% Diabetes	11.0 (9.8-12.3)	20.8 (14.8-26.8)	20.0 (15.1-24.9)	13.5 (8.0-18.9)	9.0 (5.9-12.1)	7.2 (5.7-8.8)
% Current Smoker	22.3 (20.2-24.4)	39.9 (31.0-48.9)	31.5 (25.3-37.6)	26.1 (18.1-34.1)	22.4 (16.0-28.7)	17.9 (14.6-21.1)
% Ex Smoker	27.0 (25.0-29.0)	27.0 (19.7-34.4)	27.0 (21.5-32.5)	34.1 (26.1-42.1)	27.4 (21.4-33.2)	26.4 (23.3-29.5)
% Never Smoker	50.7 (48.3-53.1)	33.0 (24.5-41.5)	41.5 (35.1-47.9)	39.8 (31.7-48.0)	50.2 (43.1-57.3)	55.8 (52.1-59.5)
% Normal Weight	30.5 (28.3-32.7)	34.2 (25.5-43.0)	26.7 (20.8-32.6)	29.1 (21.3-36.9)	31.3 (24.6-38.0)	30.0 (26.5-33.5)
% Over Weight	33.2 (31.0-35.4)	23.4 (16.4-30.4)	33.1 (27.0-39.2)	29.3 (22.1-36.6)	34.3 (27.7-41.0)	36.4 (32.9-40.0)
% Obese	34.3 (32.0-36.6)	41.7 (32.4-51.1)	38.0 (31.9-44.2)	39.6 (31.2-48.0)	34.1 (27.3-41.0)	31.7 (28.3-35.2)
% MI	6.0 (5.1-7.0)	10.8 (6.3-15.3)	9.9 (6.5-13.4)	9.4 (5.3-13.5)	6.2 (3.5-8.9)	3.6 (2.2-4.9)
% Angina (CHD)	5.9 (5.0-6.8)	12.6 (8.0-17.2)	9.4 (6.0-12.9)	11.8 (7.4-16.2)	4.2 (2.2-6.2)	3.2 (2.2-4.2)
% Stroke	3.7 (3.0-4.4)	8.1 (4.6-11.6)	8.4 (5.4-11.3)	6.7 (3.4-10.1)	NA	1.1 (0.5-1.8)
% Ever Asthma	13.0 (11.4-14.7)	18.4 (12.4-24.5)	12.5 (8.2-16.7)	10.0 (5.9-14.2)	12.1 (7.5-16.8)	12.5 (9.8-15.3)
% Skin Cancer	7.8 (6.8-8.9)	8.2 (4.4-12.1)	8.4 (5.5-11.4)	10.0 (5.6-14.3)	8.9 (5.8-12.0)	6.4 (4.9-8.0)
% Other Cancer	8.7 (7.5-9.8)	11.9 (6.7-17.2)	14.4 (10.1-18.6)	8.6 (5.0-12.2)	11.8 (7.7-15.9)	5.6 (4.3-7.0)
% COPD	8.0 (6.9-9.1)	24.0 (17.2-30.8)	16.6 (12.3-21.0)	9.8 (5.8-13.7)	6.3 (3.6-8.9)	3.6 (2.4-4.8)
% Arthritis	30.4 (28.3-32.4)	54.6 (45.6-63.5)	41.6 (35.4-47.7)	34.7 (27.3-42.1)	30.6 (24.5-36.7)	22.1 (19.3-24.9)
% Depressive Disorder	22.4 (20.5-24.3)	39.8 (31.5-48.1)	30.2 (24.5-36.0)	24.9 (18.0-31.8)	21.2 (15.1-27.3)	15.2 (12.6-17.8)
% Kidney Disease	2.5 (2.0-3.1)	4.0 (1.8-6.2)	4.8 (2.4-7.2)	NA	NA	1.1 (0.6-1.7)

**TABLE 32: AFRICAN AMERICAN, NON-HISPANIC
CHRONIC CONDITIONS AND RISK FACTORS BY AGE**

2015	OVERALL	AGE (Years)					
		18-24	25-34	35-44	45-54	55-64	65+
% Hypertension	45.7 (42.0-49.4)	NA	22.6 (14.6-30.6)	36.9 (27.8-46.1)	54.7 (46.4-62.9)	67.3 (60.6-74.1)	86.4 (82.0-90.9)
% Diabetes	17.1 (14.5-19.7)	NA	NA	11.2 (5.0-17.4)	21.6 (14.8-28.4)	33.7 (26.5-40.8)	33.9 (27.4-40.4)
% Current Smoker	21.2 (17.9-24.6)	NA	22.7 (13.8-31.6)	23.0 (13.8-32.2)	22.9 (15.2-30.6)	31.2 (24.0-38.4)	15.9 (10.0-21.7)
% Ex Smoker	13.1 (10.7-15.4)	NA	NA	NA	10.1 (4.5-15.6)	25.2 (18.1-32.2)	30.7 (24.0-37.4)
% Never Smoker	65.7 (62.0-69.5)	89.7 (81.9-97.5)	71.5 (62.0-80.9)	68.8 (59.3-78.4)	67.0 (58.5-75.5)	43.6 (36.2-51.0)	53.4 (46.1-60.8)
% Normal Weight	23.7 (20.1-27.4)	34.5 (20.9-48.1)	27.3 (18.1-36.5)	17.2 (8.9-25.5)	11.6 (5.8-17.4)	27.0 (20.1-33.9)	26.7 (20.0-33.3)
% Over Weight	31.4 (27.8-35.1)	27.2 (15.6-38.9)	30.9 (21.4-40.5)	27.3 (18.7-35.8)	35.5 (27.0-44.0)	31.5 (24.6-38.3)	36.5 (29.2-43.8)
% Obese	43.4 (39.4-47.4)	38.2 (24.9-51.6)	39.2 (29.2-49.2)	52.0 (41.8-62.1)	51.4 (42.6-60.2)	41.2 (33.5-49.1)	36.8 (29.7-44.0)
% MI	5.0 (3.5-6.5)	NA	NA	NA	NA	9.4 (5.3-13.6)	11.2 (6.8-15.6)
% Angina (CHD)	4.5 (3.2-5.8)	NA	NA	NA	NA	7.7 (4.2-11.2)	13.5 (8.5-18.6)
% Stroke	5.0 (3.8-6.3)	NA	NA	NA	NA	10.2 (6.2-14.3)	13.6 (9.0-18.2)
% Ever Asthma	15.7 (12.7-18.6)	22.2 (11.3-33.0)	24.1 (15.5-32.7)	12.3 (6.4-18.3)	11.5 (7.0-16.0)	12.3 (7.8-16.7)	10.2 (5.8-14.6)
% Skin Cancer	NA	NA	NA	NA	NA	NA	NA
% Other Cancer	4.8 (3.3-6.2)	NA	NA	NA	NA	7.4 (3.5-11.2)	13.3 (8.7-17.9)
% COPD	6.6 (5.0-8.2)	NA	NA	NA	9.5 (5.1-14.0)	13.2 (8.0-18.3)	9.3 (5.8-12.8)
% Arthritis	24.8 (21.9-27.7)	NA	NA	12.9 (6.9-18.8)	29.4 (22.0-36.8)	43.5 (36.0-50.9)	64.2 (57.5-71.0)
% Depressive Disorder	15.5 (12.9-18.1)	NA	10.1 (4.5-15.6)	15.6 (9.0-22.3)	23.5 (16.7-30.4)	23.2 (16.6-29.8)	14.4 (9.5-19.4)
% Kidney Disease	3.7 (2.5-4.9)	NA	NA	NA	NA	7.5 (3.7-11.3)	8.9 (4.7-13.2)

**TABLE 33: AFRICAN AMERICAN, NON-HISPANIC
CHRONIC CONDITIONS AND RISK FACTORS BY EDUCATION**

2015	OVERALL	EDUCATION			
		No HS*	HS	Some College	College
% Hypertension	45.7 (42.0-49.4)	52.1 (43.4-60.8)	47.0 (40.7-53.3)	37.7 (30.9-44.6)	44.6 (36.7-52.6)
% Diabetes	17.1 (14.5-19.7)	23.8 (17.1-30.4)	14.8 (11.1-18.6)	17.0 (11.8-22.3)	11.3 (7.4-15.3)
% Current Smoker	21.2 (17.9-24.6)	32.0 (23.6-40.5)	19.4 (14.1-24.7)	21.3 (14.9-27.6)	NA
% Ex Smoker	13.1 (10.7-15.4)	16.9 (10.8-23.1)	13.0 (9.2-16.7)	11.6 (7.3-15.9)	8.3 (4.6-12.0)
% Never Smoker	65.7 (62.0-69.5)	51.0 (41.9-60.2)	67.7 (61.7-73.6)	67.1 (60.0-74.2)	84.2 (78.6-89.9)
% Normal Weight	23.7 (20.1-27.4)	32.8 (23.7-42.0)	20.7 (15.1-26.4)	20.3 (14.1-26.5)	21.2 (14.9-27.5)
% Over Weight	31.4 (27.8-35.1)	29.2 (21.4-36.9)	30.2 (24.2-36.1)	32.3 (24.9-39.7)	37.5 (28.7-46.3)
% Obese	43.4 (39.4-47.4)	37.3 (28.4-46.3)	47.7 (41.0-54.3)	45.3 (37.6-53.1)	39.9 (31.5-48.2)
% MI	5.0 (3.5-6.5)	7.8 (3.6-12.0)	4.3 (2.1-6.6)	3.6 (1.3-5.8)	4.1 (1.1-7.1)
% Angina (CHD)	4.5 (3.2-5.8)	6.4 (3.1-9.7)	4.5 (2.4-6.5)	NA	NA
% Stroke	5.0 (3.8-6.3)	6.7 (3.4-9.9)	4.2 (2.6-5.9)	5.4 (2.7-8.1)	NA
% Ever Asthma	15.7 (12.7-18.6)	15.7 (9.0-22.3)	16.1 (11.2-20.9)	17.1 (11.1-23.1)	12.1 (6.9-17.4)
% Skin Cancer	NA	NA	NA	NA	NA
% Other Cancer	4.8 (3.3-6.2)	6.5 (2.9-10.2)	2.7 (1.4-3.9)	6.0 (2.4-9.7)	4.9 (2.0-7.8)
% COPD	6.6 (5.0-8.2)	7.0 (3.6-10.4)	7.4 (4.7-10.0)	6.7 (2.9-10.5)	3.4 (1.4-5.5)
% Arthritis	24.8 (21.9-27.7)	34.7 (27.0-42.3)	23.5 (18.9-28.1)	20.7 (15.4-25.9)	18.1 (13.0-23.1)
% Depressive Disorder	15.5 (12.9-18.1)	22.8 (15.9-29.7)	11.6 (8.1-15.1)	15.3 (10.3-20.3)	13.1 (8.2-18.0)
% Kidney Disease	3.7 (2.5-4.9)	NA	4.4 (2.3-6.5)	NA	NA

*HS: High School

**TABLE 34: AFRICAN AMERICAN, NON-HISPANIC
CHRONIC CONDITIONS AND RISK FACTORS BY INCOME**

2015	OVERALL	INCOME				
		< \$15,000	\$15,000- \$24,999	\$25,000- \$34,999	\$35,000- \$49,999	\$50,000+
% Hypertension	45.7 (42.0-49.4)	57.4 (48.7-66.1)	47.8 (40.2-55.3)	44.5 (32.4-56.6)	36.3 (25.3-47.3)	41.5 (33.0-50.0)
% Diabetes	17.1 (14.5-19.7)	26.3 (18.8-33.8)	18.3 (13.3-23.4)	19.7 (10.8-28.6)	10.0 (4.9-15.1)	11.7 (6.7-16.8)
% Current Smoker	21.2 (17.9-24.6)	30.0 (21.9-38.2)	25.7 (18.5-32.9)	NA	NA	17.6 (9.9-25.3)
% Ex Smoker	13.1 (10.7-15.4)	14.5 (8.6-20.3)	13.0 (8.8-17.2)	13.8 (6.4-21.2)	17.3 (8.6-26.0)	9.5 (5.0-14.0)
% Never Smoker	65.7 (62.0-69.5)	55.5 (46.8-64.1)	61.3 (53.8-68.9)	70.8 (59.7-82.0)	67.0 (55.2-78.9)	72.9 (64.6-81.1)
% Normal Weight	23.7 (20.1-27.4)	27.1 (19.1-35.2)	20.1 (13.7-26.4)	27.9 (16.4-39.3)	20.2 (9.5-30.8)	19.6 (11.9-27.2)
% Over Weight	31.4 (27.8-35.1)	24.6 (16.8-32.4)	30.8 (23.8-37.9)	28.9 (16.9-40.9)	37.1 (25.1-49.1)	32.2 (24.1-40.4)
% Obese	43.4 (39.4-47.4)	45.4 (36.4-54.5)	47.3 (39.3-55.2)	43.3 (30.5-56.0)	42.7 (30.7-54.7)	46.2 (37.1-55.3)
% MI	5.0 (3.5-6.5)	6.4 (2.9-9.9)	5.4 (2.3-8.5)	NA	NA	NA
% Angina (CHD)	4.5 (3.2-5.8)	6.0 (3.0-9.0)	NA	NA	NA	NA
% Stroke	5.0 (3.8-6.3)	10.4 (6.1-14.6)	6.7 (3.7-9.6)	NA	NA	NA
% Ever Asthma	15.7 (12.7-18.6)	18.7 (12.7-24.8)	17.6 (11.2-24.1)	NA	NA	NA
% Skin Cancer	NA	NA	NA	NA	NA	NA
% Other Cancer	4.8 (3.3-6.2)	NA	NA	NA	NA	NA
% COPD	6.6 (5.0-8.2)	13.5 (8.5-18.5)	6.0 (2.8-9.1)	NA	NA	NA
% Arthritis	24.8 (21.9-27.7)	37.3 (29.5-45.0)	27.0 (20.9-33.2)	25.6 (16.7-34.4)	17.6 (9.0-26.2)	14.9 (9.3-20.5)
% Depressive Disorder	15.5 (12.9-18.1)	26.0 (19.0-32.9)	15.1 (10.0-20.1)	20.1 (10.5-29.7)	NA	10.4 (5.0-15.8)
% Kidney Disease	3.7 (2.5-4.9)	6.9 (2.9-11.0)	5.4 (2.4-8.3)	NA	NA	NA

NOTES

The following variables were used:

Indicator/Descriptor	BRFSS Variable	Definition
Diabetes	DIABETE3	Yes = 1 No = 2, 3 or 4
Hypertension	BPHIGH4	Yes = 1 No = 2, 3 or 4
Under Weight	BMI5CAT	BMI5CAT = 1
Normal Weight	BMI5CAT	BMI5CAT = 2
Over Weight	BMI5CAT	BMI5CAT = 3
Obese	BMI5CAT	BMI5CAT = 4
Stroke	CVDSTRK3	Yes = 1, No = 2
MI (Heart Attack)	CV DINFR4	Yes = 1, No = 2
Heart Disease (Angina)	CVDCRHD4	Yes = 1, No = 2
MI or Heart Disease	CV DINFR4, CVDCRHD4	Either CV DINFR4 = 1 or CVDCRHD4 = 1
Current Smoker	SMOKER3	SMOKER3 = 1 or 2
Ex Smoker	SMOKER3	SMOKER3 = 3
Never Smoker	SMOKER3	SMOKER3 = 4
Ever Asthma	ASTHMA3	Yes = 1, No = 2
COPD	CHCCOPD1	Yes = 1, No = 2
Skin Cancer	CHCSCNCR	Yes = 1, No = 2
Cancer Other than Skin Cancer	CHCOCNCR	Yes = 1, No = 2
Arthritis	HAVARTH3	Yes = 1, No = 2
Depressive Disorder	ADDEPEV2	Yes = 1, No = 2
Kidney Disease	CHCKIDNY	Yes = 1, No = 2
Gender	SEX	Male = 1, Female = 2
Race	_RACE_G1	1=White, Non-Hispanic 2=Black, Non-Hispanic 3=Hispanic 4=Other Race Only, Non-Hispanic
Age Category	_AGE_G	1 = 18-24 years 2 = 25-34 years 3 = 35-44 years 4 = 45-54 years 5 = 55-64 years 6 = 65+ years
Education Level	_EDUCAG	1 = Less than High School 2 = High School graduate 3 = Some College 4 = College Graduate
Household Income Level	_INCOMG	1 = < \$15,000 2 = \$15,000-\$24,999 3 = \$25,000-\$34,999 4 = \$35,000-\$49,999 5 = \$50,000 +

Where the response was 'Don't Know', 'Refused' or blank, the value was set to missing.