



Louisiana Ryan White HIV/AIDS Part B CBO Program Statewide Annual Report April 1, 2016 - March 31, 2017

Community Based Organizations (CBOs) funded by Louisiana's Ryan White (RW) Part B program served 2,667 persons living with HIV, approximately 12% (2,667/21,419) of persons living with HIV in Louisiana.

The program served a larger proportion of persons who are female and white compared to the larger HIV+ population in Louisiana.

Over 70% (n=1,895) of clients served live below the federal poverty level (FPL).

The majority of clients served (89%) had health insurance.

CHARACTERISTICS OF CLIENTS SERVED

NUMBER OF CLIENTS SERVED* 2,667

Gender

	n	%
Female	840	31.5%
Male	1,799	67.5%
Transgender	28	1.0%

Race/Ethnicity

	n	%
Black	1,763	66.1%
Hispanic	40	1.5%
White	794	29.8%
Other	70	2.6%

Age Group

	n	%
0-12	3	0.1%
13-24	173	6.5%
25-44	1,124	42.1%
45-64	1,264	47.4%
65+	103	3.9%

Percentage of FPL

	n	%
Below 100	1,895	71.1%
100-199	666	25.0%
200-299	99	3.7%
300+	7	0.3%

Primary Health Insurance Type

	n	%
Medicaid	1,208	45.3%
Medicare	721	27.0%
Other Public	20	0.7%
Private	420	15.7%
Uninsured	276	10.3%
Unknown	22	0.8%

TOTAL HIV+ POPULATION FOR THE STATE

NUMBER OF PEOPLE LIVING WITH HIV† 21,419

Gender


	n	%
Female	6,191	28.9%
Male	15,008	70.1%
Transgender	220	1.0%

Race/Ethnicity

	n	%
Black	14,673	68.5%
Hispanic	944	4.4%
White	5,519	25.8%
Other	283	1.3%

Age Group

	n	%
0-12	56	0.3%
13-24	1,108	5.2%
25-44	9,286	43.4%
45-64	9,807	45.8%
65+	1,162	5.4%



* Includes all clients who received a service between April 1, 2016 and March 31, 2017 from a RW Part B CBO.

† Includes all persons diagnosed with HIV on or before March 31, 2017 who were last known to be alive and living in Louisiana.



Louisiana Ryan White HIV/AIDS Part B CBO Program Statewide Annual Report April 1, 2016 - March 31, 2017

UTILIZATION



Non-medical case management was provided to 99% (n=2,651) of clients.

Food bank/home-delivered meals and medical transportation were the second and third most utilized services with 59% (n=1,565) and 57% (n=1,524) respectively of clients receiving these services.


Encounters for non-medical case management were most frequently classified as follow-up or monitoring, followed by treatment adherence counseling, case conferencing, and referral/advocacy.

SERVICES PROVIDED

	No. Clients	No. Units	Units per Client	No. Encounters	Encounters per Client
Emergency Financial Assistance	252	66,349	263.3	309	1.2
Food Bank/Home-Delivered Meals	1,565	225,990	144.4	11,180	7.1
Housing Assistance	559	673,761	1,205.3	2,832	5.1
Medical Transportation Services	1,524	352,237	231.1	12,111	7.9
Mental Health Services	109	673	6.2	598	5.5
Non-Medical Case Management	2,651	117,556	44.3	62,037	23.4
Oral Health Care	288	172,048	597.4	516	1.8
Psychosocial Support	96	2,048	21.3	574	6.0
Substance Use Services	40	1,492	37.3	226	5.7



No. of Encounters and Clients by Type of Encounter for Non-Medical Case Management, Apr 2016 - Mar 2017





Louisiana Ryan White HIV/AIDS Part B CBO Program Statewide Annual Report April 1, 2016 - March 31, 2017

CLINICAL OUTCOMES

A total of 96% (1,965/2,055) of clients were defined as in care. These clients had at least one CD4 or viral load test reported in the past year.

Seventy-five percent (1,546/2,055) of clients were virally suppressed. These clients had a viral load test reported in the past year with the most recent result <200 copies/mL.

For clients served by RW Part B CBO program who were in care, 79% (1,546/1,965) were virally suppressed. For the larger HIV+ population living in Louisiana who were in care, 81% (12,143/14,907) were virally suppressed.

Clients who are white, Hispanic and black, older and have higher incomes were more likely to be virally suppressed.

Clients with who are uninsured are less likely to be virally suppressed. Only 56% (95/171) of those who are uninsured achieved viral suppression compared to 81% (242/300) of those with private health insurance.


Clients Served by RW Part B CBOs vs Louisiana HIV+ Population

	Total	No. In Care*	% In Care*	No. VS†	% VS†
Served by RW Part B CBOs	2,667	2,481	93.0%	1,546	58.0%
LA HIV+ Population*	20,317	14,907	73.4%	12,143	59.8%

*Clients defined as 'in care' had at least one CD4 or Viral Load reported between April 1, 2016 and March 31, 2017.

†Clients defined as 'Virally Suppressed' had at least one Viral Load reported between April 1, 2016 and March 31, 2017 with the most recent result <200 copies/mL.

‡Includes persons diagnosed before April 1, 2016 and last known to be alive and living in Louisiana as of March 31, 2017.




Gender

	Total	No. In Care*	% In Care*	No. VS†	% VS†
Female	840	791	94.2%	609	72.5%
Male	1,799	1,663	92.4%	1,292	71.8%
Transgender	28	27	96.4%	21	75.0%

*Clients defined as 'in care' had at least one CD4 or Viral Load reported between April 1, 2016 and March 31, 2017.

†Clients defined as 'Virally Suppressed' had at least one Viral Load reported between April 1, 2016 and March 31, 2017 with the most recent result <200 copies/mL.




Race/Ethnicity

	Total	No. In Care*	% In Care*	No. VS†	% VS†
Black	1,763	1,636	92.8%	1,221	69.3%
Hispanic	40	37	92.5%	34	85.0%
White	794	744	93.7%	618	77.8%
Other	70	64	91.4%	49	70.0%

*Clients defined as 'in care' had at least one CD4 or Viral Load reported between April 1, 2016 and March 31, 2017.

†Clients defined as 'Virally Suppressed' had at least one Viral Load reported between April 1, 2016 and March 31, 2017 with the most recent result <200 copies/mL.





Louisiana Ryan White HIV/AIDS Part B CBO Program Statewide Annual Report April 1, 2016 - March 31, 2017


CLINICAL OUTCOMES

Age Group

	Total	No. In Care*	% In Care*	No. VS†	% VS†
13-24	173	162	93.6%	114	65.9%
25-44	1,124	1,036	92.2%	746	66.4%
45-64	1,264	1,183	93.6%	974	77.1%
65+	103	97	94.2%	86	83.5%

*Clients defined as 'in care' had at least one CD4 or Viral Load reported between April 1, 2016 and March 31, 2017.

†Clients defined as 'Virally Suppressed' had at least one Viral Load reported between April 1, 2016 and March 31, 2017 with the most recent result <200 copies/mL.




Percentage of FPL

	Total	No. In Care*	% In Care*	No. VS†	% VS†
Below 100	1,895	1,764	93.1%	1,309	69.1%
100-199	666	618	92.8%	525	78.8%
200+	106	99	93.4%	88	83.0%

*Clients defined as 'in care' had at least one CD4 or Viral Load reported between April 1, 2016 and March 31, 2017.

†Clients defined as 'Virally Suppressed' had at least one Viral Load reported between April 1, 2016 and March 31, 2017 with the most recent result <200 copies/mL.




Primary Health Insurance Type

	Total	No. In Care*	% In Care*	No. VS†	% VS†
Medicaid	1,208	1,141	94.5%	856	70.9%
Medicare	721	683	94.7%	574	79.6%
Private	420	394	93.8%	326	77.6%
Uninsured	276	240	87.0%	152	55.1%
Unknown	22	19	86.4%	13	59.1%

*Clients defined as 'in care' had at least one CD4 or Viral Load reported between April 1, 2016 and March 31, 2017.

†Clients defined as 'Virally Suppressed' had at least one Viral Load reported between April 1, 2016 and March 31, 2017 with the most recent result <200 copies/mL.





Louisiana Ryan White HIV/AIDS Part B CBO Program

Statewide Annual Report

April 1, 2016 - March 31, 2017

UNMET NEED

Unmet need includes persons who are defined as out of care. These persons know their positive HIV status and are not receiving HIV-related medical care. Persons living with HIV who have no evidence of receiving a viral load test or CD4 count within a 12-month period meet the definition of unmet need.

Twenty-seven percent (5,410/20,317) of PLWH in Louisiana met the definition for unmet need between April 1, 2016 and March 31, 2017.

Males, Hispanics, and persons 65 years and older were most likely not to be receiving HIV-related medical care.

Regions supported by Ryan White Part B CBOs with the largest proportion of people with unmet need include Lake Charles and Shreveport.

NUMBER OF PEOPLE LIVING WITH HIV WHO MEET UNMET NEED CRITERIA * 5,410

Gender

	No. In Care*	% In Care*	No. Not In Care†	% Not In Care†
Female	4,552	77.0%	1,359	22.9%
Male	10,191	71.7%	4,012	28.2%
Transgender	164	80.7%	39	19.2%

*Persons defined as 'in care' had at least one CD4 or Viral Load reported between April 1, 2016 and March 31, 2017.

†Persons defined as 'not in care' or meeting criteria for 'unmet need' did not have a CD4 or Viral Load reported between April 1, 2016 and March 31, 2017.

Age Group

	No. In Care*	% In Care*	No. Not In Care†	% Not In Care†
0-12	46	83.6%	9	16.3%
13-24	641	75.5%	208	24.4%
25-44	6,377	73.5%	2,293	26.4%
45-64	7,036	73.3%	2,559	26.6%
65+	807	70.2%	341	29.7%

*Persons defined as 'in care' had at least one CD4 or Viral Load reported between April 1, 2016 and March 31, 2017.

†Persons defined as 'not in care' or meeting criteria for 'unmet need' did not have a CD4 or Viral Load reported between April 1, 2016 and March 31, 2017.

Race/Ethnicity

	No. In Care*	% In Care*	No. Not In Care†	% Not In Care†
Black	10,316	74.2%	3,575	25.7%
Hispanic	450	51.5%	423	48.4%
White	3,955	74.9%	1,323	25.0%
Other	186	67.6%	89	32.3%

*Persons defined as 'in care' had at least one CD4 or Viral Load reported between April 1, 2016 and March 31, 2017.

†Persons defined as 'not in care' or meeting criteria for 'unmet need' did not have a CD4 or Viral Load reported between April 1, 2016 and March 31, 2017.

Region of Current Residence

	No. In Care*	% In Care*	No. Not In Care†	% Not In Care†
Region 1	5,213	73.9%	1,835	26.0%
Region 2	3,855	79.0%	1,023	20.9%
Region 3	671	77.9%	190	22.0%
Region 4	1,075	70.7%	444	29.2%
Region 5	610	60.2%	402	39.7%
Region 6	640	69.8%	276	30.1%
Region 7	1,165	65.8%	604	34.1%
Region 8	708	68.9%	319	31.0%
Region 9	970	75.3%	317	24.6%

*Persons defined as 'in care' had at least one CD4 or Viral Load reported between April 1, 2016 and March 31, 2017.

†Persons defined as 'not in care' or meeting criteria for 'unmet need' did not have a CD4 or Viral Load reported between April 1, 2016 and March 31, 2017.

*Includes persons diagnosed before April 1, 2016 and last known to be alive and living in Louisiana as of March 31, 2017 with no CD4 or Viral Load reported between April 1, 2016 and March 31, 2017.