

## **Attachment 2 – Region 2**

---

## REGION 2

### Table of Contents

<b>A. General Information</b> .....	3
HIV/AIDS Status .....	3
Background Characteristics .....	5
<b>B. Health Insurance, Employment, and Income</b> .....	8
Health Insurance .....	8
Employment and Income .....	15
<b>C. Primary Medical Care</b> .....	18
Overall Health .....	24
Health-Seeking Behavior .....	25
Medication Adherence .....	28
Referrals to Other Medical Services .....	29
Out of Care .....	30
Pre- and Post-Natal Care .....	33
Other Medical Conditions .....	34
<b>D. Housing</b> .....	35
<b>E. Childcare</b> .....	49
<b>F. Transportation</b> .....	51
<b>G. Mental Health and Substance Use</b> .....	60
<b>H. Other Services</b> .....	75
<b>I. Support Services</b> .....	86
<b>J. Positive Prevention</b> .....	95
Sources of HIV/AIDS Information .....	103
Sexual Behavior in the Last Three Months .....	104
<b>K. Additional Comments</b> .....	110

## A. General Information

### HIV/AIDS Status

Figure 2A.1: HIV/AIDS Status of Respondents (N=430)





Table 2A.1: Length of Time Since HIV/AIDS Diagnosis

Years	HIV Infection (N=431)	AIDS Diagnosis (N=86)
0-1	18%	33%
2-4	19%	19%
5-9	29%	26%
10-14	17%	13%
15-19	11%	7%
20+	5%	3%
<b>Total</b>	<b>100%</b>	<b>100%</b>

**Figure 2A.2: Respondents Living in Louisiana At Time of HIV Diagnosis (N=445)**




**Table 2A.2: Place Where Respondents Were Told of HIV Diagnosis**


Location	Number	Percent
HIV/AIDS CBO	30	7%
Hospital/ER	132	30%
Local health center	112	26%
Doctor's office	97	22%
Organization that provides other services	14	3%
Other	53	12%
<b>Total</b>	<b>438</b>	<b>100</b>

**Background Characteristics**

**Figure 2A.3: Gender of Respondents (N=435)**




**Figure 2A.4: Race of Respondents (N=440)**




- 9 out of 393 (2%) respondents consider themselves to be Latino/a/Hispanic


**Figure 2A.5: Age of Respondents (N=434)**



**Figure 2A.6: Highest Level of Education Completed by Respondents (N=436)**



**Figure 2A.7: Current Marital Status of Respondents (N=439)**



Language Preference

**Figure 2A.8: Language Preference of Respondents**

- All but one respondent said English was their preferred language


Citizenship of Respondents

- 434 out of 440 (99%) are United States citizens.
- All respondents who reported not being United States citizens are living in the United States legally.

## B. Health Insurance, Employment, and Income

### Health Insurance

**Figure 2B.1: Health Insurance Needs and Services Used**




**Table 2B.1: Health Insurance Needs and Services Used**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Assistance with health insurance co-payments	24%	14%	22%	40%	275
Assistance with health insurance premiums	23%	15%	21%	42%	302




**Figure 2B.1a: Health Insurance Needs and Services Used, African-American Males**



**Table 2B.1a: Health Insurance Needs and Services Used, African-American Males**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Assistance with health insurance premiums	20%	16%	20%	44%	109
Assistance with health insurance co-payments	26%	17%	21%	37%	101


**Figure 2B.1b: Health Insurance Needs and Services Used, African-American Females**



**Table 2B.1b: Health Insurance Needs and Services Used, African-American Females**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Assistance with health insurance co-payments	22%	12%	21%	44%	131
Assistance with health insurance premiums	25%	12%	20%	44%	147


**Figure 2B.1c: Health Insurance Needs and Services Used, White Males**



**Table 2B.1c: Health Insurance Needs and Services, White Males**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Assistance with health insurance co-payments	35%	6%	35%	24%	17
Assistance with health insurance premiums	19%	13%	38%	31%	16


**Figure 2B.1d: Health Insurance Needs and Services, White Females**




**Table 2B.1d: Health Insurance Needs and, White Females**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Assistance with health insurance co-payments	17%	25%	8%	50%	12
Assistance with health insurance premiums	17%	17%	8%	58%	12

**Figure 2B.2: Health Insurance Covers HIV/AIDS Related Medical Care (N=424)**




**Figure 2B.3: Barriers to Obtaining Health Insurance Coverage (N=161)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.


**Figure 2B.4: Sources of Health Insurance for Respondents With Insurance (N=260)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.

**Employment and Income**


**Figure 2B.5: Employment Situation in the Last Six Months (N=436)**



**Figure 2B.6: Reasons for Not Being Employed in the Last Six Months (N=234)**



**Figure 2B.7: Reported Monthly Income of Respondents (N=433)**




**Table 2B.2: Mean Number of People per Household by Income (N=441)**

Monthly Income	Mean Number of People
No monthly income	1.2
\$1- \$500	1.8
\$501- \$1,000	1.9
\$1,001- \$1,500	2.7
\$1,501- \$2,000	1.9
\$2,001- \$2,500	2.2
\$2,501- \$3,000	2.3
\$3,001- \$3,500	2.5
More than \$3,500	2.6




**Figure 2B.8: Sources of Household Income (N=450)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

## C. Primary Medical Care


**Figure 2C.1: Need and Use of HIV/AIDS-Related Medical Services in the Last Six Months**



**Table 2C.1: Need and Use of HIV/AIDS-Related Medical Services in the Last Six Months**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
HIV/AIDS medical care	75%	5%	5%	15%	355
General medical care	66%	9%	5%	20%	341
Dental care	51%	20%	9%	21%	348
Medications	66%	7%	6%	21%	336
Eye care	40%	21%	12%	27%	342
Case manager	59%	7%	8%	27%	328
Information on other services	40%	10%	16%	34%	325
Specialty medical care	41%	8%	5%	45%	295
Alternative therapies	12%	10%	17%	61%	298
Help taking medications	22%	7%	4%	67%	304
Home health services	13%	6%	6%	75%	303
Hospice	6%	3%	5%	85%	294


**Figure 2C.1a: Need and Use of HIV/AIDS-Related Medical Services in the Last Six Months, African-American Males**



**Table 2C.1a.: Need and Use of HIV/AIDS-Related Medical Services in the Last Six Months, African-American Males**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
HIV/AIDS medical care	71%	8%	4%	18%	129
General medical care	61%	11%	5%	22%	122
Medications	64%	5%	6%	25%	114
Case manager	56%	8%	7%	29%	111
Dental care	42%	21%	9%	30%	118
Eye care	30%	23%	14%	33%	117
Information on other services	37%	8%	17%	39%	109
Help taking medications	24%	9%	3%	64%	106
Alternative therapies	13%	8%	13%	66%	104
Specialty medical care	16%	7%	5%	71%	91
Home health services	12%	5%	8%	75%	106
Hospice	9%	3%	2%	86%	102

**Figure 2C.1b: Need and Use of HIV/AIDS-Related Medical Services in the Last Six Months, African-American Females**



**Table 2C.1b: Need and Use of HIV/AIDS-Related Medical Services in the Last Six Months, African-American Females**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
HIV/AIDS medical care	74%	4%	7%	15%	168
Dental care	57%	20%	8%	15%	171
General medical care	68%	7%	6%	19%	163
Eye care	48%	20%	12%	20%	166
Medications	65%	7%	6%	22%	165
Case manager	61%	6%	6%	26%	163
Information on other services	44%	10%	16%	30%	163
Specialty medical care	53%	10%	6%	31%	157
Alternative therapies	13%	11%	16%	61%	142
Help taking medications	23%	5%	5%	67%	148
Home health services	15%	5%	6%	74%	146
Hospice	6%	2%	7%	85%	143

**Figure 2C.1c: Need and Use of HIV/AIDS-Related Medical Services in the Last Six Months, White Males**

[Too few responses to this question.]

**Table 2C.1c: Need and Use of HIV/AIDS-Related Medical Services in the Last Six Months, White Males**

[Too few responses to this question.]


**Figure 2C.1d: Need and Use of HIV/AIDS-Related Medical Services in the Last Six Months, White Females**

[Too few responses to this question.]

**Table 2C.1d: Need and Use of HIV/AIDS-Related Medical Services in the Last Six Months, White Females**


[Too few responses to this question.]

**Figure 2C.2: Barriers to HIV/AIDS-Related Medical Services in the Last Six Months (N=227)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.

**Figure 2C.2a: Barriers to HIV/AIDS-Related Medical Services in the Last Six Months, African-American Males (N=87)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

**Figure 2C.2b: Barriers to HIV/AIDS-Related Medical Services in the Last Six Months, African-American Females (N=100)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

**Figure 2C.2c: Barriers to HIV/AIDS-Related Medical Services in the Last Six Months, White Males**


[Too few responses to this question.]

**Figure 2C.2d: Barriers to HIV/AIDS-Related Medical Services in the Last Six Months, White Females**

[Too few responses to this question.]

**Overall Health**


**Figure 2C.3: Self-reported Overall Health Status (N=439)**






**Health-Seeking Behavior**


**Figure 2C.4: Time From HIV Diagnosis to HIV/AIDS-Related Medical Care (N=427)**




**Figure 2C.5: Have Sought HIV/AIDS-Related Medical Care in Last Six Months (N=426)**



**Figure 2C.6: Level of Medical Care Received by Respondents (N=317)**




**Figure 2C.7: Reasons for Not Seeking HIV/AIDS-Related Medical Care in the Last Six Months (N=71)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.


**Figure 2C.8: Places Where Respondent Regularly Receives HIV/AIDS-Related Medical Care (N=420)**



Note: Categories reporting 0% response are not included in the figures.


**Medication Adherence**

**Figure 2C.9: Adherence to Medications Prescribed by Doctor (N=336)**



- 91 out of 427 (21.3%) of respondents reported they have not been prescribed medications.

**Figure 2C.10: Reasons for Not Taking HIV/AIDS Medications (N=102)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

Categories reporting 0% response are not included in the figures.

The percentages in this figure exclude those respondents who indicate in survey question 22 and 23 that they have not been prescribed medications and those who indicate in question 22 that they always take their medications as prescribed.

**Referrals to Other Medical Services**

**Figure 2C.11: Service Referrals at the Time of HIV Diagnosis (N=414)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.


**\*Eight percent of all respondents (n=450) reported not being referred to services at the time of HIV diagnosis.**

**Out of Care**


**Figure 2C.12: HIV Positive for Five Years or More (N=429)**




**Figure 2C.13: Percentage of Respondents HIV Positive for At Least Five Years Who Have Been Out of Treatment for at Least 12 Months (N=269)**



**Figure 2C.14: Reason for Being Out of Care (N=86)**




**Figure 2C.15: Barriers to Receiving HIV/AIDS-Related Medical Care (N=103)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.

**Figure 2C.16: Reasons for Getting Back Into Care (N=99)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.

**Figure 2C.17: Assistance That Would Have Helped Respondent Get Back Into Care (N=284)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.




**Pre- and Post-Natal Care**

**Figure 2C.18: Females Who Are Pregnant or Have Been Pregnant in the Last 12 Months (N=230)**



- 16 of the 20 (80%) females who have been pregnant received medication to prevent transmission of HIV to their child.

**Figure 2C.19: Medical Care for Newborn Child (N=18)**




### Other Medical Conditions

**Table 2C.2: Percentage of Respondents Who Have Been Diagnosed With and Are Receiving Treatment for Other Medical Conditions in the Last Six Months**

<b>Condition</b>	<b>% diagnosed (N=450)</b>	<b>% treated</b>	<b>N</b>
Sexually transmitted disease	10%	90%	39
Hepatitis A or B	6%	54%	24
Hepatitis C	14%	64%	50
Tuberculosis	2%	89%	9
Mental health disorder	9%	89%	38
Heart disease	4%	88%	16
High blood pressure	15%	97%	59
Diabetes	6%	96%	24
Pneumonia	6%	95%	19
Other	6%	86%	14

## D. Housing


**Figure 2D.1: Need and Use of HIV/AIDS-Related Housing Services in the Last Six Months**



**Table 2D.1: Need and Use of HIV/AIDS-Related Housing Services in the Last Six Months**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Money to pay utilities	24%	23%	18%	35%	322
Money to pay rent/mortgage	22%	19%	18%	42%	315
Help finding a place to live	18%	15%	12%	55%	324
Permanent independent housing	14%	17%	15%	54%	294
Temporary short term housing	11%	11%	9%	70%	284
House for persons living with HIV/AIDS	9%	10%	11%	71%	280
Housing where I can live with my children	7%	9%	7%	77%	272
Nursing home	3%	3%	3%	91%	270


**Figure 2D.1a: Need and Use of HIV/AIDS-Related Housing Services in the Last Six Months, African-American Males**



**Table 2D.1a: Need and Use of HIV/AIDS-Related Housing Services in the Last Six Months, African-American Males**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Money to pay utilities	20%	22%	18%	41%	113
Money to pay rent/mortgage	23%	17%	18%	42%	110
Help finding a place to live	18%	10%	18%	54%	122
Permanent independent housing	15%	12%	20%	53%	107
Temporary short term housing	7%	10%	14%	70%	103
House for persons living with HIV/AIDS	7%	10%	14%	69%	104
Housing where I can live with my children	6%	3%	6%	85%	99
Nursing home	6%	2%	5%	87%	98


**Figure 2D.1b: Need and Use of HIV/AIDS-Related Housing Services in the Last Six Months, African-American Females**



**Table 2D.1b: Need and Use of HIV/AIDS-Related Housing Services in the Last Six Months, African-American Females**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Money to pay utilities	26%	25%	17%	33%	155
Money to pay rent/mortgage	20%	21%	17%	42%	152
Permanent independent housing	15%	24%	8%	53%	135
Help finding a place to live	17%	21%	7%	55%	150
Temporary short term housing	13%	13%	6%	68%	135
Housing where I can live with my children	9%	14%	7%	70%	128
House for persons living with HIV/AIDS	9%	12%	9%	71%	129
Nursing home	1%	5%	2%	92%	128


**Figure 2D.1c: Need and Use of HIV/AIDS-Related Housing Services in the Last Six Months, White Males**



**Table 2D.1c: Need and Use of HIV/AIDS-Related Housing Services in the Last Six Months, White Males**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Money to pay utilities	35%	20%	15%	30%	20
Money to pay rent/mortgage	28%	11%	11%	50%	18
Help finding a place to live	18%	14%	0%	68%	22
Permanent independent housing	5%	10%	10%	76%	21
Housing where my children can live with me	0%	0%	0%	100%	17
Temporary short term housing	10%	0%	5%	85%	20
House for persons living with HIV/AIDS	5%	5%	0%	90%	19
Nursing home	0%	0%	0%	100%	18


**Figure 2D.1d: Need and Use of HIV/AIDS-Related Housing Services in the Last Six Months, White Females**



**Table 2D.1d: Need and Use of HIV/AIDS-Related Housing Services in the Last Six Months, White Females**


Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Money to pay utilities	46%	23%	15%	15%	13
Money to pay rent/mortgage	29%	14%	14%	43%	14
Housing where I can live with my children	18%	9%	0%	73%	11
Temporary short term housing	18%	9%	9%	64%	11
Permanent independent housing	8%	0%	23%	69%	13
Help finding a place to live	8%	8%	17%	67%	12
House for persons living with HIV/AIDS	8%	8%	17%	67%	12
Nursing home	0%	0%	0%	100%	11

**Figure 2D.2: Barriers to HIV/AIDS-Related Housing Services in the Last Six Months (N=325)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.


**Figure 2D.2a: Barriers to HIV/AIDS-Related Housing Services in the Last Six Months, African-American Males (N=121)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.




**Figure 2D.2b: Barriers to HIV/AIDS-Related Housing Services in the Last Six Months, African-American Females (N=151)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.

**Figure 2D.2c: Barriers to HIV/AIDS-Related Housing Services in the Last Six Months, White Males (N=20)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.


**Figure 2D.2d: Barriers to HIV/AIDS-Related Housing Services in the Last Six Months, White Females**

[Too few responses to this question.]


**Table 2D.2: Places Where Respondents Live Now and 6 Months Ago**

Housing	Current		6 Months Ago	
	Percent	N	Percent	N
Owens: apartment/house/trailer	23%	86	23%	53
Rents: apartment/house/trailer	44%	166	42%	98
Parents/ relatives	12%	47	15%	23
Someone else's place	10%	36	9%	20
Rooming/boarding house	1%	2	0%	1
Assisted living	4%	16	4%	9
Half-way house	2%	7	1%	3
Nursing home	1%	2	0%	1
Homeless	1%	4	2%	5
Homeless shelter	1%	5	-	-
Domestic violence shelter	-	-	1%	2
Other housing provided by the city	1%	4	1%	2
Hospice	-	-	-	-
Jail/prison	<1%	1	1%	2
Other	1%	5	2%	4
<b>Total</b>	<b>100%</b>	<b>381</b>	<b>100%</b>	<b>236</b>

**Figure 2D.3: Length of Time at Current Residence (N=432)**




**Figure 2D.4: Housing Related Barriers That Stop Respondent from Taking Care of Their HIV/AIDS (N=450)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

**Figure 2D.5: Problems Obtaining Housing in Last Six Months (N=387)**




**Figure 2D.6: Barriers to Obtaining Housing (N=102)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

**Figure 2D.7: Nights Spent Homeless or Without a Place to Sleep (N=360)**




- Mean number of nights spent homeless or without a place to sleep: 34 (s.d. = 88)

**Figure 2D.8: Monthly Rent/Mortgage Contributions (N=356)**




- Respondents reported an average contribution of \$388.89 (s.d. = \$385.38) to their monthly rent or mortgage. Range = \$0.00 to \$4500.

**Figure 2D.9: Receiving Monthly Housing Subsidy (N=415)**




**Figure 2D.10: Increase Per Month in Rent/Mortgage That Would Cause Respondents to Move (N=292)**



**Table 2D.3: Incarcerated in the Past 12 Months**


<b>Incarceration</b>	<b>Percent</b>	<b>N</b>
Percentage of respondents in prison/jail in the past 12 months	9%	413
Percentage of incarcerated respondents who reported prison nursing staff knew their HIV status	56%	34
Percentage of incarcerated respondents who reported receiving HIV/AIDS medical care while in prison/Jail	83%	35

**Figure 2D.11: Type of Assistance Received When Released from Jail/Prison (N=36)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

**Figure 2D.12: Barriers to Accessing HIV/AIDS Services after Release from Jail/Prison (N=19)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.



## E. Childcare

Figure 2E.1: Respondents Living with Children Under the Age of 18 (N=395)






Figure 2E.2: Percentage of Respondents with HIV Positive Child (N=151)




**Figure 2E.3: Reasons for Needing Help Caring for Children During Past Six Months**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.


**Figure 2E.4: Barrier to Accessing Childcare Services (N=120)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

## F. Transportation


**Figure 2F.1: Need and Use of HIV/AIDS-Related Transportation Services in the Last Six Months**



**Table 2F.1: Need and Use of HIV/AIDS-Related Transportation Services in the Last Six Months**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
To get medical care	43%	9%	5%	43%	340
To get medications	29%	10%	7%	53%	308
To get other services	20%	13%	12%	56%	302
To run errands	13%	14%	9%	64%	293
To get to work	7%	7%	10%	76%	284


**Figure 2F.1a: Need and Use of HIV/AIDS-Related Transportation Services in the Last Six Months, African-American Males**



**Table 2F.1a: Need and Use of HIV/AIDS-Related Transportation Services in the Last Six Months, African-American Males**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
To get medical care	42%	10%	7%	42%	118
To get other services	23%	12%	12%	52%	105
To get medications	27%	10%	10%	53%	111
To run errands	15%	10%	10%	64%	105
To get to work	5%	8%	12%	74%	98


**Figure 2F.1b: Need and Use of HIV/AIDS-Related Transportation Services in the Last Six Months, African-American Females**



**Table 2F.1b: Need and Use of HIV/AIDS-Related Transportation Services in the Last Six Months, African-American Females**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
To get medical care	44%	9%	4%	43%	164
To get medications	31%	10%	5%	54%	147
To get other services	18%	16%	10%	56%	147
To run errands	12%	16%	8%	64%	141
To get to work	6%	9%	8%	76%	139


**Figure 2F.1c: Need and Use of HIV/AIDS-Related Transportation Services in the Last Six Months, White Males**



**Table 2F.1c: Need and Use of HIV/AIDS-Related Transportation Services in the Last Six Months, White Males**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
To get medical care	38%	0%	0%	63%	24
To get medications	30%	0%	0%	70%	20
To get other services	20%	0%	5%	75%	20
To run errands	10%	5%	0%	85%	20
To get to work	6%	0%	0%	94%	18


**Figure 2F.1d: Need and Use of HIV/AIDS-Related Transportation Services in the Last Six Months, White Females**



**Table 2F.1d: Need and Use of HIV/AIDS-Related Transportation Services in the Last Six Months, White Females**


Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
To get medical care	57%	7%	7%	29%	14
To get medications	29%	14%	14%	43%	14
To run errands	8%	39%	8%	46%	13
To get other services	0%	0%	23%	77%	13
To get to work	0%	0%	23%	77%	13

**Figure 2F.2: Barriers to Accessing HIV/AIDS-Related Transportation Services in the Last Six Months (N=269)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.


**Figure 2F.2a: Barriers to Accessing HIV/AIDS-Related Transportation Services in the Last Six Months, African-American Males (N=102)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.




**Figure 2F.2b: Barriers to Accessing HIV/AIDS-Related Transportation Services in the Last Six Months, African-American Females (N=126)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

**Figure 2F.2c: Barriers to Accessing HIV/AIDS-Related Transportation Services in the Last Six Months, White Males (N=14)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

Categories reporting 0% response are not included in the figures.


**Figure 2F.2d: Barriers to Accessing HIV/AIDS-Related Transportation Services in the Last Six Months, White Females**

[Too few responses to this question.]


**Figure 2F.3: Usual Means of Transportation to HIV/AIDS Services (N=350)**



**Figure 2F.4: Who Pays for Transportation Services (N=312)**




**Figure 2F.5: Barriers to Getting Places in General (N=251)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

## G. Mental Health and Substance Use


**Figure 2G.1: Need and Use of HIV/AIDS-Related Mental Health/Substance Use Services in the Last Six Months**



**Table 2G.1: Need and Use of HIV/AIDS-Related Mental Health/Substance Use Services in the Last Six Months**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Mental health counseling - individual	25%	6%	6%	63%	288
Mental health counseling - group	16%	3%	7%	74%	287
Inpatient substance use treatment	9%	3%	3%	85%	268
Outpatient substance use treatment	8%	4%	4%	85%	267


**Figure 2G.1a: Need and Use of HIV/AIDS-Related Mental Health/Substance Use Services in the Last Six Months, African-American Males**



**Table 2G.1a: Need and Use of HIV/AIDS-Related Mental Health/Substance Use Services in the Last Six Months, African-American Males**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Mental health counseling - individual	22%	9%	6%	63%	97
Mental health counseling - group	11%	6%	9%	73%	96
Outpatient substance use treatment	9%	8%	4%	80%	93
Inpatient substance use treatment	10%	6%	2%	82%	90


**Figure 2G.1b: Need and Use of HIV/AIDS-Related Mental Health/Substance Use Services in the Last Six Months, African-American Females**



**Table 2G.1b: Need and Use of HIV/AIDS-Related Mental Health/Substance Use Services in the Last Six Months, African-American Females**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Mental health counseling - individual	26%	4%	6%	64%	135
Mental health counseling - group	20%	2%	6%	72%	138
Inpatient substance use treatment	9%	3%	3%	85%	129
Outpatient substance use treatment	9%	2%	3%	86%	126

**Figure 2G.1c: Need and Use of HIV/AIDS-Related Mental Health/Substance Use Services in the Last Six Months, White Males**



**Table 2G.1c: Need and Use of HIV/AIDS-Related Mental Health/Substance Use Services in the Last Six Months, White Males**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Mental health counseling - individual	22%	4%	0%	74%	23
Inpatient substance use treatment	10%	0%	0%	90%	21
Mental health counseling - group	9%	0%	0%	91%	22
Outpatient substance use treatment	5%	0%	0%	95%	19


**Figure 2G.1d: Need and Use of HIV/AIDS-Related Mental Health/Substance Use Services in the Last Six Months, White Females**

[Too few responses to this question.]

**Table 2G.1d: Need and Use of HIV/AIDS-Related Mental Health/Substance Use Services in the Last Six Months, White Females**


[Too few responses to this question.]

**Figure 2G.2: Barriers to HIV/AIDS-Related Mental Health Services in the Last Six Months (N=309)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.


**Figure 2G.2a: Barriers to HIV/AIDS-Related Mental Health Services in the Last Six Months, African-American Males (N=118)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.




**Figure 2G.2b: Barriers to HIV/AIDS-Related Mental Health Services in the Last Six Months, African-American Females (N=143)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.

**Figure 2G.2c: Barriers to HIV/AIDS-Related Mental Health Services in the Last Six Months, White Males (N=20)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.

**Figure 2G.2d: Barriers to HIV/AIDS-Related Mental Health Services in the Last Six Months, White Females**


[Too few responses to this question.]

**Figure 2G.3: Barriers to HIV/AIDS-Related Substance Use Services in the Last Six Months (N=329)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

**Figure 2G.3a: Barriers to HIV/AIDS-Related Substance Use Services in the Last Six Months, African-American Males (N=120)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.

**Figure 2G.3b: Barriers to HIV/AIDS-Related Substance Use Services in the Last Six Months, African-American Females (N=158)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

**Figure 2G.3c: Barriers to HIV/AIDS-Related Substance Use Services in the Last Six Months, White Males (N=18)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.


**Figure 2G.3d: Barriers to HIV/AIDS-Related Substance Use Services in the Last Six Months, White Females**

[Too few responses to this question.]


**Figure 2G.4: Report Feeling These Emotions Over the Last Two Weeks**




**Figure 2G.5: Received Mental Health Services in Last Six Months (N=404)**




**Figure 2G.6: Types of Mental Health Counseling Received (N=110)**




**Figure 2G.7: Received Prescriptions for Mental Health Reasons (N=379)**




**Figure 2G.8: Received Mental Health Medications Needed (N=113)**




**Figure 2G.9: Hospitalized for Mental Health Reasons in Last Six Months (N=415)**



**Figure 2G.10: In Treatment for Substance Use in Last Six Months (N=418)**




**Figure 2G.11: Type of Substances Used in the Past Six Months (N=450)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.



**Figure 2G.12: Used Injection Drugs in the Past Three Months (N=405)**



**Figure 2G.13: Shared Needle With Others in Last Three Months**

[Too few responses to this question.]


**Figure 2G.14: Used a Clean Needle Last Time**

[Too few responses to this question.]


**Figure 2G.15: Knows Where to Get Clean Needles**

[Too few responses to this question.]

**Figure 2G.16: If Using Substances, Expresses a Desire to Stop (N=214)**



**Figure 2G.17: Services Would Most Likely Use to Help With Substance Use**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

## H. Other Services

Figure 2H.1: Need and Use of Other HIV/AIDS-Related Services in the Last Six Months





Table 2H.1: Need and Use of Other HIV/AIDS-Related Services in the Last Six Months

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Financial assistance w/ utilities	26%	21%	18%	35%	335
Financial assistance w/ critical needs	12%	17%	18%	52%	313
Nutritional counseling	31%	6%	10%	53%	337
Nutritional supplements	25%	7%	13%	55%	319
Information for improved health	27%	5%	11%	57%	314
Spiritual counseling	21%	6%	10%	63%	309
Health services in the home	12%	7%	10%	71%	312
Services for physical functioning	12%	4%	8%	75%	305
Grief counseling	9%	3%	7%	81%	299
Caregiver support counseling	11%	5%	3%	82%	310
Child abuse/neglect counseling	3%	4%	2%	91%	304


**Figure 2H.1a: Need and Use of Other HIV/AIDS-Related Services in the Last Six Months, African-American Males**



**Table 2H.1a: Need and Use of Other HIV/AIDS-Related Services in the Last Six Months, African-American Males**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Financial assistance w/ utilities	20%	21%	23%	36%	114
Financial assistance w/ critical needs	8%	19%	20%	53%	108
Nutritional supplements	25%	7%	14%	53%	111
Nutritional counseling	27%	9%	10%	54%	117
Information for improved health	24%	8%	8%	60%	106
Spiritual counseling	18%	5%	12%	65%	111
Health services in the home	9%	9%	13%	68%	107
Services for physical functioning	15%	3%	9%	73%	105
Caregiver support counseling	12%	3%	2%	83%	107
Grief counseling	7%	1%	7%	85%	101
Child abuse/neglect counseling	1%	3%	1%	95%	104


**Figure 1H.1b: Need and Use of Other HIV/AIDS-Related Services in the Last Six Months, African-American Females**



**Table 2H.1b: Need and Use of Other HIV/AIDS-Related Services in the Last Six Months, African-American Females**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Financial assistance w/ utilities	31%	19%	17%	33%	165
Financial assistance w/ critical needs	16%	16%	19%	50%	151
Nutritional counseling	34%	5%	9%	52%	164
Information for improved health	31%	4%	10%	56%	153
Nutritional supplements	25%	7%	10%	58%	155
Spiritual counseling	21%	8%	8%	63%	145
Health services in the home	13%	7%	8%	73%	153
Services for physical functioning	11%	5%	8%	76%	146
Grief counseling	11%	6%	5%	78%	144
Caregiver support counseling	11%	5%	2%	82%	149
Child abuse/neglect counseling	3%	5%	3%	89%	147


**Figure 2H.1c: Need and Use of Other HIV/AIDS-Related Services in the Last Six Months, White Males**



**Table 2H.1c: Need and Use of Other HIV/AIDS-Related Services in the Last Six Months, White Males**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Financial assistance w/ utilities	30%	17%	17%	35%	23
Information for improved health	38%	0%	17%	46%	24
Nutritional supplements	35%	0%	17%	48%	23
Spiritual counseling	29%	0%	13%	58%	24
Nutritional counseling	28%	0%	12%	60%	25
Services for physical functioning	17%	4%	4%	75%	24
Health services in the home	18%	0%	5%	77%	22
Financial assistance w/ critical needs	9%	9%	4%	78%	23
Caregiver support counseling	8%	8%	4%	79%	24
Grief counseling	4%	4%	9%	83%	23
Child abuse/neglect counseling	4%	4%	0%	91%	23


**Figure 2H.1d: Need and Use of Other HIV/AIDS-Related Services in the Last Six Months, White Females**



**Table 2H.1d: Need and Use of Other HIV/AIDS-Related Services in the Last Six Months, White Females**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Financial assistance w/ utilities	36%	14%	0%	50%	14
Nutritional counseling	29%	0%	7%	64%	14
Nutritional supplements	21%	0%	14%	64%	14
Financial assistance w/ critical needs	7%	14%	14%	64%	14
Spiritual counseling	21%	0%	7%	71%	14
Information for improved health	14%	0%	14%	71%	14
Caregiver support counseling	7%	0%	7%	86%	14
Services for physical functioning	7%	0%	7%	86%	14
Grief counseling	7%	0%	7%	87%	15
Health services in the home	0%	7%	0%	93%	14

**Figure 2H.2: Need and Use of Other HIV/AIDS-Related Services Early in HIV Diagnosis**




**Table 2H.2: Need and Use of Other HIV/AIDS-Related Services Early in HIV Diagnosis**

Services	Used service	Couldn't get services	Didn't know about services	Didn't need services	N
Testing and diagnosis for immune system status	62%	4%	8%	26%	334
Referrals to medical and support services	58%	6%	8%	28%	332
Counseling about living with HIV	50%	7%	10%	34%	358
Opportunities to talk with other PLWHA	41%	6%	12%	40%	325




**Figure 2H.2a: Need and Use of Other HIV/AIDS-Related Services Early in HIV Diagnosis, African-American Males**



**Table 2H.2a: Need and Use of Other HIV/AIDS-Related Services Early in HIV Diagnosis, African-American Males**

Services	Used service	Couldn't get services	Didn't know about services	Didn't need services	N
Testing and diagnosis for immune system status	62%	3%	12%	24%	118
Referrals to medical and support services	58%	5%	9%	27%	117
Counseling about living with HIV	48%	10%	8%	34%	124
Opportunities to talk with other PLWHA	38%	8%	17%	37%	115


**Figure 2H.2b: Need and Use of Other HIV/AIDS-Related Services Early in HIV Diagnosis, African-American Females**



**Table 2H.2b: Need and Use of Other HIV/AIDS-Related Services Early in HIV Diagnosis, African-American Females**

Services	Used service	Couldn't get services	Didn't know about services	Didn't need services	N
Testing and diagnosis for immune system status	62%	4%	7%	27%	159
Referrals to medical and support services	60%	4%	7%	29%	159
Counseling about living with HIV	53%	4%	9%	34%	176
Opportunities to talk with other PLWHA	46%	5%	8%	41%	155


**Figure 2H.2c: Need and Use of Other HIV/AIDS-Related Services Early in HIV Diagnosis, White Males**



**Table 2H.2c: Need and Use of Other HIV/AIDS-Related Services Early in HIV Diagnosis, White Males**

Services	Used service	Couldn't get services	Didn't know about services	Didn't need services	N
Testing and diagnosis for immune system status	61%	4%	0%	35%	23
Referrals to medical and support services	46%	4%	8%	42%	24
Counseling about living with HIV	26%	4%	13%	57%	23
Opportunities to talk with other PLWHA	27%	5%	5%	64%	22


**Figure 2H.2d: Need and Use of Other HIV/AIDS-Related Services Early in HIV Diagnosis, White Females**



**Table 2H.2d: Need and Use of Other HIV/AIDS-Related Services Early in HIV Diagnosis, White Females**

Services	Used service	Couldn't get services	Didn't know about services	Didn't need services	N
Referrals to medical and support services	69%	23%	0%	8%	13
Counseling about living with HIV	57%	7%	21%	14%	14
Testing and diagnosis for immune system status	79%	7%	0%	14%	14
Opportunities to talk with other PLWHA	38%	8%	23%	31%	13


**Figure 2H.3: Barriers to HIV/AIDS-Related Services Early in Their Diagnosis (N=370)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

## I. Support Services


**Figure 2I.1: Need and Use of HIV/AIDS-Related Support Services in the Last Six Months**



**Table 2I.1: Need and Use of HIV/AIDS-Related Support Services in the Last Six Months**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Meals brought to my home	7%	10%	10%	72%	308
A break for me or my caregiver	12%	10%	9%	68%	307
Legal advice	22%	10%	16%	52%	315
Food bank or food vouchers	22%	18%	20%	40%	336


**Figure 2l.1a: Need and Use of HIV/AIDS-Related Support Services in the Last Six Months, African-American Males**



**Table 2l.1a: Need and Use of HIV/AIDS-Related Support Services in the Last Six Months, African-American Males**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Food bank or food vouchers	19%	18%	20%	43%	118
Legal advice	21%	11%	17%	52%	112
A break for me or my caregiver	10%	12%	8%	70%	111
Meals brought to my home	6%	11%	8%	75%	108

**Figure 2I.1b: Need and Use of HIV/AIDS-Related Support Services in the Last Six Months, African-American Females**




**Table 2I.1b: Need and Use of HIV/AIDS-Related Support Services in the Last Six Months, African-American Females**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Food bank or food vouchers	23%	17%	21%	39%	161
Legal advice	22%	9%	18%	52%	152
A break for me or my caregiver	17%	8%	10%	65%	143
Meals brought to my home	10%	11%	10%	69%	150



**Figure 2l.1c: Need and Use of HIV/AIDS-Related Support Services in the Last Six Months, White Males**



**Table 2l.1c: Need and Use of HIV/AIDS-Related Support Services in the Last Six Months, White Males**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Food bank or food vouchers	29%	17%	17%	38%	24
Legal advice	23%	14%	9%	55%	22
Meals brought to my home	0%	5%	9%	86%	22
A break for me or my caregiver	5%	5%	0%	90%	21


**Figure 2l.1d: Need and Use of HIV/AIDS-Related Support Services in the Last Six Months, White Females**

[Too few responses to this question.]

**Table 2l.1d: Need and Use of HIV/AIDS-Related Support Services in the Last Six Months, White Females**


[Too few responses to this question.]

**Figure 2l.2: Barriers to HIV/AIDS-Related Support Services in the Last Six Months (N=450)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

**Figure 2l.2a Barriers to HIV/AIDS-Related Support Services in the Last Six Months, African-American Males (N=163)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

**Figure 2l.1b: Barriers to HIV/AIDS-Related Support Services in the Last Six Months, African-American Females (N=212)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

**Figure 2l.1c: Barriers to HIV/AIDS-Related Support Services in the Last Six Months, White Males (N=27)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.


**Figure 2l.1d: Barriers to HIV/AIDS-Related Support Services in the Last Six Months, White Females**

[Too few responses to this question.]

**Figure 2l.3: Time Between HIV Diagnosis and Disclosure of Status (N=419)**




**Figure 2l.4: Reasons for Not Disclosing HIV Status Earlier (N=352)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

**Figure 21.5: Others Who Know of Respondents' HIV Status (N=450)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

**Figure 21.6: Experienced Negative Reactions After Disclosing HIV Status (N=450)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

**Figure 21.7: Have Family or Friends for Help (N=406)**



## J. Positive Prevention

Figure 2J.1: Need and Use of HIV/AIDS-Related Prevention Services in the Last Six Months





Table 2J.1: Need and Use of HIV/AIDS-Related Prevention Services in the Last Six Months

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Free condoms	58%	4%	5%	33%	378
Information about safer sex	57%	4%	5%	34%	352
Health education for prevention for positives	50%	6%	8%	36%	338
Information about HIV testing	50%	4%	4%	41%	341
Information about telling others about my HIV status	43%	4%	9%	48%	335

**Figure 2J.1a: Need and Use of HIV/AIDS-Related Prevention Services in the Last Six Months, African-American Males**




**Table 2J.1a: Need and Use of HIV/AIDS-Related Prevention Services in the Last Six Months, African-American Males**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Information about safer sex	62%	2%	7%	30%	125
Free condoms	60%	2%	7%	31%	135
Health education for prevention for positives	53%	5%	9%	32%	116
Information about HIV testing	50%	3%	8%	39%	117
Information about telling others about my HIV status	38%	5%	10%	47%	116




**Figure 2J.1b: Need and Use of HIV/AIDS-Related Prevention Services in the Last Six Months, African-American Females**



**Table 2J.1b: Need and Use of HIV/AIDS-Related Prevention Services in the Last Six Months, African-American Females**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Free condoms	58%	5%	5%	32%	184
Information about safer sex	56%	6%	5%	33%	170
Health education for prevention for positives	51%	7%	8%	34%	166
Information about HIV testing	52%	5%	4%	39%	167
Information about telling others about my HIV status	42%	5%	10%	44%	165


**Figure 2J.1c: Need and Use of HIV/AIDS-Related Prevention Services in the Last Six Months, White Males**



**Table 2J.1c: Need and Use of HIV/AIDS-Related Prevention Services in the Last Six Months, White Males**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Free condoms	52%	0%	0%	48%	23
Health education for prevention for positives	43%	0%	4%	52%	34
Information about HIV testing	45%	0%	0%	55%	22
Information about safer sex	43%	0%	0%	57%	23
Information about telling others about my HIV status	32%	0%	5%	65%	22


**Figure 2J.1d: Need and Use of HIV/AIDS-Related Prevention Services in the Last Six Months, White Females**



**Table 2J.1d: Need and Use of HIV/AIDS-Related Prevention Services in the Last Six Months, White Females**


Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Information about safer sex	62%	0%	8%	31%	13
Free condoms	57%	0%	0%	43%	14
Health education for prevention for positives	38%	8%	8%	46%	13
Information about HIV testing	31%	0%	0%	69%	13
Information about telling others about my HIV status	23%	0%	8%	69%	13

**Figure 2J.2: Barriers to HIV/AIDS-Related Prevention Services in the Last Six Months (N=202)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

**Figure 2J.2a: Barriers to HIV/AIDS-Related Prevention Services in the Last Six Months, African-American Males (N=77)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

**Figure 2J.2b: Barriers to HIV/AIDS-Related Prevention Services in the Last Six Months, African-American Females (N=91)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

**Figure 2J.2c: Barriers to HIV/AIDS-Related Prevention Services in the Last Six Months, White Males (N=11)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.


Categories reporting 0% response are not included in the figures.

**Figure 2J.2d: Barriers to HIV/AIDS-Related Prevention Services in the Last Six Months, White Females**

[Too few responses to this question.]

**Sources of HIV/AIDS Information**


**Figure 2J.3: Identified Source of HIV/AIDS information (N=450)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

**Sexual Behavior in the Last Three Months**

**Figure 2J.4: Had Sex in Last Three Months (N=408)**




**Figure 2J.5: Number of Sex Partners in the Last Three Months (N=186)**







**Figure 2J.6: Have Condoms with Them or at Home (N=418)**




**Figure 2J.7: Used Condom Last Time Had Sex in Last Three Months (N=194)**




**Figure 2J.8a: Condom Use in the Past Three Months with Male Partner (N=132)**



**Figure 2J.8b: Condom Use in the Past Three Months with Female Partner (N=50)**



**Figure 2J.8c: Condom Use in the Past Three Months with a Partner of Unknown HIV/AIDS Status (N=51)**




**Figure 2J.8d: Condom Use in the Past Three Months with a Partner who Uses Injection Drugs**

[Too few responses to this question.]


**Figure 2J.8e: Condom Use in the Past Three Months When Had Sex in Exchange for Money or Drugs**

[Too few responses to this question.]

**Figure 2J.8f: Condom Use in the Past Three Months While Drunk or High (N=36)**




**Figure 2J.9: Reasons for Not Using Condoms in the Last Three Months (N=198)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

**Figure 2J.10: Importance That Sexual Partners Have Same HIV/AIDS Status (N=395)**



**Figure 2J.11: Know HIV Status of Most Recent Sex Partner**



## K. Additional Comments

Figure 2K.1: Aware of HIV Planning or Advisory Committee (N=392)





Figure 2K.2: Currently Participate on HIV Planning or Advisory Committee (N=162)



**Figure 2K.3: Respondents Opinion on Length of Survey (N=399)**

