

Louisiana HIV, AIDS, Early Syphilis, & Congenital Syphilis Surveillance

Quarterly Report

September 30, 2025



Louisiana Department of Health
Office of Public Health
STI, HIV, and Hepatitis Program
1450 Poydras Street, Suite 2136
New Orleans, Louisiana 70112
504.568.7474
<http://dhh.louisiana.gov/hiv>
www.lahhub.org



**Louisiana Department of Health
Office of Public Health
STI, HIV, & Hepatitis Surveillance Program**

Katye Magee, MPA
Director, Bureau of Infectious Disease

Sam Burgess, DHA
Director, STI/HIV/Hepatitis Program

Anthony James, MS, MA, MSHCM
Deputy Director - Programs

Franda Thomas, MEd
Deputy Director - Operations

Tsegaye Assefa, MBA
Financial Operations Manager

Jacquelyn Naomi Bickham, MPA
Prevention Manager

Michael A. Carter
Field Operations Manager

Jimmy Gale
Capacity Building Community Mobilization Unit Manager

Will F. Henderson III, MSIS
Health Systems Manager

Billy Robinson, PhD
Evaluation Manager

Erika Sugimori, MPH
Services Manager

Debbie Wendell, PhD, MPH
Data Management/Analysis Manager

Editor/Production:
Jacob Chávez, MSAS
Elizabeth Lindsay, MPH

HIV Field Epidemiologists:

Susan B. Brodie, MSPH, CLS (ASCP), HIV Field Epidemiologist Supervisor

Tarsia Williams, *Regions 1 & 3*

Angela Everette, MPH, *Region 1*

Nechole Farlough, CLS (ASCP), *Regions 2 & 9*

Leticia Collins, MBA, CLS (ASCP), *Regions 4, 5 & 6*

Regional STD Supervisors:

Phazal Rahaman, *Region 1*

Mary Riley, *Region 2*

Nashaine Dees-Duperclay, *Region 3*

Lamkaie Bolden, *Region 4*

Patrick Williams, *Region 5*

Kenneth Nash, *Region 6*

Calandre Singh, *Region 7*

Crissey Brown, *Region 8*

Dawanda Thompson, *Region 9*

TABLE OF CONTENTS

Contents	Page
Surveillance Summary	1
Abbreviations	3
Louisiana: People Living with HIV	4
People newly diagnosed with HIV	6
People newly diagnosed with AIDS	7
People diagnosed with Primary and Secondary Syphilis	8
People diagnosed with Early non-Primary non-Secondary Syphilis	9
Congenital Syphilis Cases	10
Parish: People Living with HIV	11
People diagnosed with Early Syphilis	12
Metro New Orleans: People Living with HIV	13
People newly diagnosed with HIV and AIDS	15
People diagnosed with Early Syphilis	16
Metro Baton Rouge: People Living with HIV	17
People newly diagnosed with HIV and AIDS	19
People diagnosed with Early Syphilis	20
Public Health Regions: Map & HIV/AIDS Counts	21
Region 1: People Living with HIV	22
Region 2: People Living with HIV	23
Region 3: People Living with HIV	24
Region 4: People Living with HIV	25
Region 5: People Living with HIV	26
Region 6: People Living with HIV	27
Region 7: People Living with HIV	28
Region 8: People Living with HIV	29
Region 9: People Living with HIV	30
Regions 1-5: People newly diagnosed with HIV	31
Regions 6-9: People newly diagnosed with HIV	32
Regions 1-5: People newly diagnosed with AIDS	33
Regions 6-9: People newly diagnosed with AIDS	34
Regions 1-5: People diagnosed with Primary and Secondary Syphilis	35
Regions 6-9: People diagnosed with Primary and Secondary Syphilis	36
Regions 1-5: People diagnosed with Early non-Primary non-Secondary Syphilis	37
Regions 6-9: People diagnosed with Early non-Primary non-Secondary Syphilis	38
List of Figures	
Louisiana: 10-Year Trends People Living with HIV (2015-2024)	5
Louisiana: 10-Year Trends Newly Diagnosed with HIV (2015-2024)	6
Louisiana: 10-Year Trends Newly Diagnosed with AIDS (2015-2024)	7
Louisiana: 10-Year Trends People Diagnosed with P&S Syphilis (2015-2024)	8
Louisiana: 10-Year Trends People Diagnosed with Early non-P&S Syphilis (2015-2024)	9
Louisiana: 10-Year Trends Reported Congenital Syphilis Cases (2015-2024)	10

Surveillance Summary – Third Quarter 2025

State and National Context

In 2023, Louisiana ranked fourth in the nation for HIV diagnosis rates, with 18.8 new diagnoses per 100,000 population. For primary and secondary (P&S) syphilis, the state ranked eighth nationally with a rate of 26.1 per 100,000 population. HIV burden remains especially high in Louisiana's largest metro areas: the New Orleans metropolitan statistical area MSA ranked sixth for HIV diagnosis rates the Baton Rouge (MSA) ranked tenth, with 23.1 and 21.3 diagnoses per 100,000 population, respectively. Louisiana also ranked seventh in the nation for congenital syphilis in 2023, with a rate of 193 cases per 100,000 live births and 109 cases reported.

HIV

As of September 30, 2025, 24,037 people were living with HIV (PLWH) in Louisiana among whom 46% (n=11,159) had received an AIDS diagnosis. In 2024, 862 people were newly diagnosed with HIV. Of those, 26% (n=227) were diagnosed in Region 1 (New Orleans), and 18% (n=152) in Region 2 (Baton Rouge). Gay, bisexual, and other men who have sex with men (GBM) continue to represent the leading reported risk factor for HIV acquisition in Louisiana. Among people newly diagnosed with HIV in 2024 who reported a risk factor, 59% identified as GBM, and an additional 2% identified as both GBM and a person who injects drugs. As of September 2025, 48% of all people living with HIV in Louisiana with a known risk factor were GBM.

Early Syphilis

From January 1 through September 30, 2025, 1,167 people were newly diagnosed with early syphilis in Louisiana. This included 609 diagnoses of primary or secondary syphilis and 558 diagnoses of early non-primary non-secondary (early non-P&S) syphilis. Regionally, 15% (n=176) of these diagnoses were diagnosed in Region 1 (New Orleans), and 17% (n=202) were diagnosed in Region 2 (Baton Rouge). Among people diagnosed with early syphilis in Louisiana from January 1 to September 30, 2025 who reported risk, 68% reported heterosexual activity, 37% reported any form of illegal drug use, and 34% identified as gay, bisexual, or other men who have sex with men (GBM). Individuals could report more than one risk factor.

Congenital Syphilis

From January 1 through September 30 2025, 65 cases were reported in Louisiana. These cases were linked to 44 mothers. Among these mothers, 19% (n=12) resided in Region 4 (Lafayette), 61% (n=39) were Black, and 38% (n=24) were between 30 to 34 years of age at delivery. These data are preliminary and are subject to change.

Demographic Highlights and Disparities

Across HIV, AIDS, and early syphilis, the majority of new diagnoses continue to occur among men. In 2024, 72% of people newly diagnosed with HIV and AIDS were male, and in the third quarter of 2025, men accounted for 64% of early syphilis diagnoses. Black Louisianans continue to experience disproportionate impacts from HIV and STIs. Although they represent only 32% of the state's population, Black individuals accounted for 66% of new HIV diagnoses and 71% of AIDS diagnoses in 2024. In the third quarter of 2025, 62% of early syphilis diagnoses with a reported race/ethnicity were among Black individuals. Adolescents and young adults remain highly affected. In 2024, 24% of new HIV diagnoses occurred in individuals aged 13 to 24, and 35% were among those aged 25 to 34. A similar pattern was observed for early syphilis in the third quarter of 2025, with 19% of diagnoses in the 13–24 age group and 36% among those aged 25–34.

* A syphilis diagnosis with less than one year duration is considered to be "early syphilis." This designation covers the primary, secondary, and early non-P&S stages of syphilis.

Changes to Gender Variable

The gender variable now encompasses five genders: man, woman, transgender man, transgender woman, and additional gender identity. The gender category “additional gender identity” was added to include those who identified as gender queer, gender non-conforming, or non-binary. Gender defaults to birth sex unless a gender identity different from birth sex has been collected from medical chart review, case management notes, or during a partner services interview. People of transgender and additional gender identities are likely undercounted.

Changes to Syphilis Case Definition

The Quarterly Report includes revisions to the surveillance case definition for syphilis as approved by the Council of State and Territorial Epidemiologists (CSTE) effective January 1, 2018. Of note, the nomenclature for “Early latent syphilis” has been changed to “Early non-primary non-secondary syphilis.” Throughout the Quarterly Report it has been abbreviated to “Early non-P&S syphilis.”

Congenital Syphilis Case Definition

A case of congenital syphilis (CS) occurs when a pregnant woman diagnosed with inadequately treated syphilis passes the infection on to her infant in utero or during delivery. This may result in stillbirth, death of the newborn, or significant future health and developmental problems. A wide spectrum of severity exists, from inapparent infection to severe cases that are clinically apparent at birth. An infant or child (aged less than 2 years) may have signs such as hepatosplenomegaly, rash, condyloma lata, snuffles, jaundice (nonviral hepatitis), pseudoparalysis, anemia, or edema (nephrotic syndrome and/or malnutrition). An older child may have stigmata (e.g., interstitial keratitis, nerve deafness, anterior bowing of shins, frontal bossing, mulberry molars, Hutchinson teeth, saddle nose, rhagades, or Clutton joints).

Time Periods for this Quarterly Report (Third Quarter 2025 Report):

People Living with HIV – As of September 30, 2025
 People Newly Diagnosed with HIV – Calendar Year 2024
 People Newly Diagnosed with AIDS– Calendar Year 2024
 People Newly Diagnosed with P&S Syphilis– January 1 to September 30, 2025
 People Newly Diagnosed with Early non-P&S Syphilis– January 1 to September 30, 2025
 Cases of Congenital Syphilis– January 1 to September 30, 2025

Future Quarterly Report:

Fourth Quarter 2025 Report: Release in February 2026
 People Living with HIV- As of December 31, 2025
 People Newly Diagnosed with HIV and AIDS, Calendar Year 2024
 People Newly Diagnosed with P&S Syphilis, January-December 2025
 People Newly Diagnosed with Early non-P&S Syphilis, January-December 2025
 Cases of Congenital Syphilis, January-December 2025

Abbreviations

AGI	Additional Gender Identity
Asian/PI	Asian/Pacific Islander
CDC	Centers for Disease Control and Prevention
CS	Congenital Syphilis
FPHC	Female presumed heterosexual contact
FSF	Female sex with female
HRH	High risk heterosexual contact
PWID	Persons who inject drugs
GBM	Gay, bisexual, and other men who have sex with men
GBM/PWID	Gay, bisexual, and other men who have sex with men & inject drugs
NH	Non-Hispanic
PLWH	Persons living with HIV
P&S	Primary and secondary syphilis
NIR	No Identified Risk

**Persons Living with HIV
Louisiana
as of September 30, 2025**

24,037 persons are currently living with HIV/AIDS in Louisiana.

Number of persons living with HIV: **12,878**

Number of persons living with AIDS: **11,159**

	No.	%
Gender		
Man	16,893	70.3
Woman	6,612	27.5
Trans Woman	504	2.1
Trans Man	18	0.1
Additional Gender Identity	10	0.0
Current Age		
0-12	14	0.1
13-19	97	0.4
20-24	620	2.6
25-29	1,438	6.0
30-34	2,323	9.7
35-39	2,971	12.4
40-44	2,884	12.0
45-49	2,709	11.3
50-54	2,379	9.9
55-59	2,558	10.6
60+	6,044	25.1
Total	24,037	100.0


	Man		Woman		Trans Woman		Trans Man		Additional Gender Identity		LA State Totals	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity												
American Indian	41	0.2	11	0.2	1	0.2	-	-	-	-	53	0.2
Asian/PI	103	0.6	24	0.4	3	0.6	-	-	-	-	130	0.5
Black, NH	10,394	61.5	5,236	79.2	402	79.8	10	55.6	6	60.0	16,048	66.8
Hispanic/Latinx	1,366	8.1	314	4.7	49	9.7	5	27.8	1	10.0	1,735	7.2
Multi-race	202	1.2	72	1.1	7	1.4	-	-	-	-	281	1.2
White, NH	4,781	28.3	951	14.4	42	8.3	3	16.7	3	30.0	5,780	24.0
Unknown	6	0.0	4	0.1	-	-	-	-	-	-	10	0.0
Total	16,893	100.0	6,612	100.0	504	100.0	18	100.0	10	100.0	24,037	100.0

Persons Living with HIV Louisiana as of September 30, 2025

Exposure Category	Man		Woman		Trans Woman		Trans Man		Additional Gender Identity		LA State Totals	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
GBM	9,974	69.9	-	-	-	-	1	16.7	8	88.9	9,983	47.7
Trans women - sex with men	-	-	-	-	448	90.9	-	-	-	-	448	2.1
GBM/PWID	846	5.9	-	-	-	-	-	-	-	-	846	4.0
Trans women - sex with men/PWID	-	-	-	-	40	8.1	-	-	-	-	40	0.2
PWID	923	6.5	624	10.1	2	0.4	3	50.0	-	-	1,552	7.4
HRH	2,410	16.9	4,412	71.7	3	0.6	2	33.3	1	11.1	6,828	32.6
FPHC	-	-	982	16.0	-	-	-	-	-	-	982	4.7
Transfusion/Hemophilia	28	0.2	21	0.3	-	-	-	-	-	-	49	0.2
Perinatal	95	0.7	112	1.8	-	-	-	-	-	-	207	1.0
Confirmed Other	-	-	1	0.0	-	-	-	-	-	-	1	0.0
Total	14,276	100.0	6,152	100.0	493	100.0	6	100.0	9	100.0	20,936	100.0

	Male	Female	Trans woman	Trans man	AGI	Total
No Identified Risk	2,617	460	11	12	1	3,101

10-Year Trends in Persons Living with HIV Louisiana, 2015-2024



Persons Newly Diagnosed with HIV Louisiana, January - December 2024

In 2024, **862** persons were newly diagnosed with HIV in Louisiana.


	No.	%
Gender		
Man	623	72.3
Woman	209	24.2
Trans Woman	24	2.8
Trans Man	5	0.6
Additional Gender Identity	1	0.1
Age at Diagnosis		
0-12	1	0.1
13-24	207	24.0
25-34	305	35.4
35-44	175	20.3
45+	174	20.2
Race/Ethnicity		
American Indian	3	0.3
Asian/PI	7	0.8
Black, NH	566	65.7
Hispanic/Latinx	80	9.3
Multi-race	10	1.2
White, NH	195	22.6
Unknown	1	0.1
Total	862	100.0

	No.	%
Exposure Category		
GBM	370	58.9
Trans women - sex with men	23	3.7
GBM/PWID	13	2.1
PWID	41	6.5
HRH	89	14.2
FPHC	90	14.3
Perinatal	2	0.3
Total	628	100.0

NIR New HIV - Louisiana

No Identified Risk 234

**10-Year Trends in New HIV Diagnoses
Louisiana, 2015-2024**



Persons Newly Diagnosed with AIDS Louisiana, January - December 2024

In 2024, 318 persons were newly diagnosed with AIDS in Louisiana.

	No.	%
Gender		
Man	230	72.3
Woman	78	24.5
Trans Woman	10	3.1
Age at Diagnosis		
13-24	26	8.2
25-34	93	29.2
35-44	96	30.2
45+	103	32.4
Race/Ethnicity		
Asian/PI	2	0.6
Black, NH	226	71.1
Hispanic/Latinx	26	8.2
Multi-race	2	0.6
White, NH	62	19.5
Total	318	100.0


	No.	%
Exposure Category		
GBM	128	50.8
Trans women - sex with men	10	4.0
GBM/PWID	8	3.2
PWID	18	7.1
HRH	56	22.2
FPHC	31	12.3
Perinatal	1	0.4
Total	252	100.0

New AIDS Diagnoses with

NIR Louisiana, 2024

No Identified Risk 66

**10-Year Trends in New AIDS Diagnoses
Louisiana, 2015-2024**



People Diagnosed with P&S Syphilis Louisiana, January - June 2025

Between January 1 and September 30, 2025, 609 people were diagnosed with P&S Syphilis in Louisiana.


	No.	%
Gender		
Man	389	63.9
Woman	211	34.6
Trans Woman	8	1.3
Trans Man	1	0.2
Age at Diagnosis		
13-24	175	28.7
25-34	211	34.6
35-44	129	21.2
45+	94	15.4
Race/Ethnicity		
American Indian	1	0.2
Black, NH	374	61.4
Hispanic/Latinx	17	2.8
Multi-race	27	4.4
White, NH	177	29.1
Unknown	13	2.1
Total	609	100.0

<i>Diagnoses with a Reported Risk*No. %</i>	
FSF	24 4.8
GBM	148 29.3
GBM/PWID	2 0.4
HRH	129 25.5
Heterosexual contact	231 45.7
Illegal drug use (all types)	191 37.8
Incarceration	67 13.3
PWID	17 3.4
Trans women - sex with men	7 1.4
Trans women - sex with men/PWID	0 0.0
Transactional sex	28 5.5

No Identified Risk 104

* >1 reported risk per diagnoses possible. Diagnoses with No Identified Risk excluded from denominator for risk percent calculations.

10-Year Trends in P & S Syphilis Diagnoses Louisiana, 2015-2024



People Diagnosed with Early non-P&S Syphilis Louisiana, January - September 2025

Between January 1 and September 30, 2025, 558 people were diagnosed with Early non-P&S Syphilis in Louisiana.


	No.	%
Gender		
Man	352	63.1
Woman	190	34.1
Trans Woman	16	2.9
Age at Diagnosis		
13-24	116	20.8
25-34	214	38.4
35-44	139	24.9
45+	89	15.9
Race/Ethnicity		
American Indian	1	0.2
Asian/PI	3	0.5
Black, NH	352	63.1
Hispanic/Latinx	27	4.8
Multi-race	29	5.2
White, NH	139	24.9
Unknown	7	1.3
Total	558	100.0

<i>Diagnoses with a Reported Risk*</i>		
	No.	%
FSF	8	2.0
GBM	154	38.9
GBM/PWID	0	0.0
HRH	77	19.4
Heterosexual contact	171	43.2
Illegal drug use (all types)	138	34.8
Incarceration	35	8.8
PWID	7	1.8
Trans women - sex with men	7	1.8
Trans women - sex with men/PWID	0	0.0
Transactional sex	14	3.5

No Identified Risk 162

* >1 reported risk per diagnosis possible. Diagnoses with No Identified Risk excluded from denominator for risk percent calculations.

10-Year Trends in Early non-P&S Syphilis Diagnoses Louisiana, 2015-2024




Congenital Syphilis Cases January - September 2025 Louisiana

As of September 30 2025, a total of 64 mothers and 65 infants have been linked to congenital syphilis cases. The counts in the table below reflect the unique number of mothers.

	No.	%
Age at Delivery		
13-19	3	4.7
20-24	15	23.4
25-29	11	17.2
30-34	24	37.5
35-39	8	12.5
40-44	3	4.7
Race/Ethnicity		
Black, NH	39	60.9
Hispanic/Latinx	5	7.8
Multi-race	4	6.3
White, NH	16	25.0
Region at Delivery		
Region 1	10	15.6
Region 2	5	7.8
Region 3	3	4.7
Region 4	12	18.8
Region 5	4	6.3
Region 6	9	14.1
Region 7	9	14.1
Region 8	4	6.3
Region 9	8	12.5
Total	64	100.0

10-Year Trends in Reported Congenital Syphilis Cases Louisiana, 2015-2024



**People Living with HIV by Parish
as of September 30, 2025**

<i>Parish</i>	<i>No. PLWH</i>	<i>Parish</i>	<i>No. PLWH</i>
Acadia	135	Sabine	28
Allen	236	St. Bernard	242
Ascension	319	St. Charles	127
Assumption	54	St. Helena	37
Avoyelles	174	St. James	81
Beauregard	56	St. John the Baptist	209
Bienville	50	St. Landry	334
Bossier	364	St. Martin	162
Caddo	1,495	St. Mary	108
Calcasieu	745	St. Tammany	677
Caldwell	21	Tangipahoa	508
Cameron	8	Tensas	27
Catahoula	32	Terrebonne	264
Claiborne	51	Union	53
Concordia	63	Vermilion	119
De Soto	68	Vernon	84
East Baton Rouge	4,248	Washington	252
East Carroll	21	Webster	83
East Feliciana	154	West Baton Rouge	133
Evangeline	154	West Carroll	25
Franklin	68	West Feliciana	105
Grant	60	Winn	77
Iberia	181		
Iberville	254		
Jackson	72		
Jefferson	2,254		
Jefferson Davis	82		
LaSalle	111		
Lafayette	1,019		
Lafourche	202		
Lincoln	121		
Livingston	331		
Madison	44		
Morehouse	77		
Natchitoches	136		
Orleans	5,170		
Ouachita	852		
Plaquemines	58		
Pointe Coupee	69		
Rapides	599		
Red River	19		
Richland	75		

Total People Living with HIV: 24,037

People Diagnosed with Early Syphilis* by Parish
January - September 2025

<i>Parish</i>	<i>No. Diagnoses</i>	<i>Parish</i>	<i>No. Diagnoses</i>
Acadia	19	Sabine	3
Allen	0	St. Bernard	5
Ascension	14	St. Charles	10
Assumption	5	St. Helena	1
Avoyelles	3	St. James	3
Beauregard	0	St. John the Baptist	9
Bienville	4	St. Landry	28
Bossier	36	St. Martin	16
Caddo	152	St. Mary	5
Calcasieu	24	St. Tammany	19
Caldwell	3	Tangipahoa	37
Cameron	0	Tensas	0
Catahoula	0	Terrebonne	24
Claiborne	3	Union	4
Concordia	2	Vermilion	8
De Soto	4	Vernon	7
East Baton Rouge	170	Washington	10
East Carroll	0	Webster	6
East Feliciana	2	West Baton Rouge	6
Evangeline	4	West Carroll	4
Franklin	3	West Feliciana	0
Grant	4	Winn	2
Iberia	24		
Iberville	8		
Jackson	4		
Jefferson	58		
Jefferson Davis	6		
LaSalle	2		
Lafayette	71		
Lafourche	35		
Lincoln	7		
Livingston	31		
Madison	5		
Morehouse	9		
Natchitoches	9		
Orleans	111		
Ouachita	76		
Plaquemines	2		
Pointe Coupee	2		
Rapides	37		
Red River	2		
Richland	9		

Total Early Syphilis Diagnoses: 1,167

* A syphilis diagnosis with less than one year duration is considered "early syphilis." This designation covers the primary, secondary, and early non-P&S stages of syphilis.

People Living with HIV Metro New Orleans as of September 30, 2025

Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, & St. Tammany Parishes

8,818 people are currently living with HIV/AIDS in Metro New Orleans.

Number of persons living with HIV: 4,628

Number of persons living with AIDS: 4,190

	No.	%
Gender		
Man	6,371	72.2
Woman	2,186	24.8
Trans Woman	248	2.8
Trans Man	9	0.1
Additional Gender Identity	4	0.0
Current Age		
0-12	3	0.0
13-19	32	0.4
20-24	168	1.9
25-29	432	4.9
30-34	794	9.0
35-39	1,069	12.1
40-44	1,046	11.9
45-49	962	10.9
50-54	836	9.5
55-59	1,006	11.4
60+	2,470	28.0
Total	8,818	100.0

	Man		Woman		Trans Woman		Trans Man		Additional Gender Identity		Metro New Orleans Totals	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity												
American Indian	14	0.2	3	0.1	1	0.4	-	-	-	-	18	0.2
Asian/PI	45	0.7	8	0.4	2	0.8	-	-	-	-	55	0.6
Black, NH	3,697	58.0	1,711	78.3	196	79.0	4	44.4	2	50.0	5,610	63.6
Hispanic/Latinx	603	9.5	176	8.1	26	10.5	3	33.3	1	25.0	809	9.2
Multi-race	83	1.3	25	1.1	3	1.2	-	-	-	-	111	1.3
White, NH	1,924	30.2	261	11.9	20	8.1	2	22.2	1	25.0	2,208	25.0
Unknown	5	0.1	2	0.1	-	-	-	-	-	-	7	0.1
Total	6,371	100.0	2,186	100.0	248	100.0	9	100.0	4	100.0	8,818	100.0

**People Living with HIV
Metro New Orleans
as of September 30, 2025**

Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, & St. Tammany Parishes

Exposure Category	Man		Woman		Trans Woman		Trans Man		Additional Gender Identity		Metro New Orleans Totals	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
GBM	4,067	73.4	-	-	-	-	-	-	3	75.0	4,070	52.3
Trans women - sex with men	-	-	-	-	220	90.2	-	-	-	-	220	2.8
GBM/PWID	303	5.5	-	-	-	-	-	-	-	-	303	3.9
Trans women - sex with men/PWID	-	-	-	-	23	9.4	-	-	-	-	23	0.3
PWID	294	5.3	188	9.4	-	-	2	66.7	-	-	484	6.2
HRH	832	15.0	1,446	72.4	1	0.4	1	33.3	1	25.0	2,281	29.3
FPHC	-	-	306	15.3	-	-	-	-	-	-	306	3.9
Transfusion/Hemophilia	13	0.2	9	0.5	-	-	-	-	-	-	22	0.3
Perinatal	33	0.6	47	2.4	-	-	-	-	-	-	80	1.0
Total	5,542	100.0	1,996	100.0	244	100.0	3	100.0	4	100.0	7,789	100.0

	<i>Male</i>	<i>Female</i>	<i>Trans women</i>	<i>Trans men</i>	<i>AGI</i>	<i>Total</i>
No Identified Risk	829	190	4	6	0	1,029

People Newly Diagnosed with HIV and AIDS Metro New Orleans

Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, & St. Tammany Parishes

Persons Diagnosed with HIV January - December 2024

In 2024, **258** people were newly diagnosed with HIV in Metro New Orleans.

	No.	%
Gender		
Man	187	72.5
Woman	58	22.5
Trans Woman	12	4.7
Additional Gender Identity	1	0.4
Age at Diagnosis		
13-24	49	19.0
25-34	106	41.1
35-44	43	16.7
45+	60	23.3
Race/Ethnicity		
American Indian	2	0.8
Asian/PI	2	0.8
Black, NH	163	63.2
Hispanic/Latinx	36	14.0
Multi-race	2	0.8
White, NH	52	20.2
Unknown	1	0.4
Total	258	100.0

	No.	%
Exposure Category		
GBM	108	60.7
Trans women - sex with men	11	6.2
GBM/PWID	5	2.8
PWID	12	6.7
HRH	20	11.2
FPHC	22	12.4
Total	178	100.0

Metro New Orleans New HIV Diagnoses with NIR 2024

No Identified Risk 80

People Diagnosed with AIDS January - December 2024

In 2024, **92** people were newly diagnosed with AIDS in Metro New Orleans.

	No.	%
Gender		
Man	66	71.7
Woman	22	23.9
Trans Woman	4	4.3
Age at Diagnosis		
13-24	5	5.4
25-34	27	29.3
35-44	23	25.0
45+	37	40.2
Race/Ethnicity		
Black, NH	63	68.5
Hispanic/Latinx	13	14.1
White, NH	16	17.4
Total	92	100.0

	No.	%
Exposure Category		
GBM	35	47.9
Trans women - sex with men	4	5.5
GBM/PWID	3	4.1
PWID	8	11.0
HRH	17	23.3
FPHC	6	8.2
Total	73	100.0

Metro New Orleans New AIDS Diagnoses with NIR 2024

No Identified Risk 19

People Diagnosed with Early Syphilis Metro New Orleans

Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, & St. Tammany Parishes

People Diagnosed with P&S Syphilis January - September 2025

Between January 1 and September 30, 2025, 99 people were newly diagnosed with P&S Syphilis in Metro New Orleans.

	No.	%		No.	%
Gender			<i>Diagnoses with a Reported Risk*</i>		
Man	80	80.8	FSF	3	4.0
Woman	19	19.2	GBM	40	53.3
Age at Diagnosis			GBM/PWID	1	1.3
13-24	21	21.2	HRH	14	18.7
25-34	32	32.3	Heterosexual contact	23	30.7
35-44	26	26.3	Illegal drug use (all types)	21	28.0
45+	20	20.2	Incarceration	6	8.0
Race/Ethnicity			PWID	1	1.3
Black, NH	62	62.6	Trans women - sex with men	7	9.3
Hispanic/Latinx	9	9.1	Trans women - sex with men/PWID	0	0.0
Multi-race	3	3.0	Transactional sex	5	6.7
White, NH	22	22.2			
Unknown	3	3.0	<u>No Identified Risk 24</u>		
Total	99	100.0			

People Diagnosed with Early non-P&S Syphilis January - September 2025

Between January 1 and September 30, 2025, 118 people were newly diagnosed with Early non-P&S Syphilis in Metro New Orleans.

	No.	%		No.	%
Gender			<i>Diagnoses with a Reported Risk*</i>		
Man	81	68.6	FSF	1	1.3
Woman	30	25.4	GBM	37	49.3
Trans Woman	7	5.9	GBM/PWID	0	0.0
Age at Diagnosis			HRH	17	22.7
13-24	15	12.7	Heterosexual contact	23	30.7
25-34	41	34.7	Illegal drug use (all types)	24	32.0
35-44	41	34.7	Incarceration	6	8.0
45+	21	17.8	PWID	0	0.0
Race/Ethnicity			Trans women - sex with men	7	9.3
Asian/PI	2	1.7	Trans women - sex with men/PWID	0	0.0
Black, NH	76	64.4	Transactional sex	6	8.0
Hispanic/Latinx	13	11.0			
Multi-race	5	4.2	<u>No Identified Risk 47</u>		
White, NH	20	16.9			
Unknown	2	1.7			
Total	118	100.0			

* >1 reported risk per diagnoses possible. Diagnoses with No Identified Risk excluded from denominator for risk percent calculations.

**People Living with HIV
Metro Baton Rouge
as of September 30, 2025**

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, & West Feliciana Parishes

5,650 people are currently living with HIV/AIDS in Metro Baton Rouge.

Number of persons living with HIV: **2,964**

Number of persons living with AIDS: **2,686**

	No.	%
Gender		
Man	3,589	63.5
Woman	1,953	34.6
Trans Woman	102	1.8
Trans Man	5	0.1
Additional Gender Identity	1	0.0
Current Age		
0-12	2	0.0
13-19	23	0.4
20-24	154	2.7
25-29	298	5.3
30-34	509	9.0
35-39	675	11.9
40-44	733	13.0
45-49	683	12.1
50-54	603	10.7
55-59	610	10.8
60+	1,360	24.1
Total	5,650	100.0

	Man		Woman		Trans Woman		Trans Man		Additional Gender Identity		Metro Baton Rouge Totals	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity												
American Indian	6	0.2	2	0.1	-	-	-	-	-	-	8	0.1
Asian/PI	17	0.5	6	0.3	1	1.0	-	-	-	-	24	0.4
Black, NH	2,691	75.0	1,704	87.3	84	82.4	5	100.0	1	100.0	4,485	79.4
Hispanic/Latinx	164	4.6	47	2.4	7	6.9	-	-	-	-	218	3.9
Multi-race	31	0.9	15	0.8	1	1.0	-	-	-	-	47	0.8
White, NH	680	18.9	179	9.2	9	8.8	-	-	-	-	868	15.4
Total	3,589	100.0	1,953	100.0	102	100.0	5	100.0	1	100.0	5,650	100.0

**People Living with HIV
Metro Baton Rouge
as of September 30, 2025**

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, & West Feliciana Parishes

Exposure Category	Man		Woman		Trans Woman		Trans Man		Metro Baton Rouge Totals	
	No.	%	No.	%	No.	%	No.	%	No.	%
GBM	1,912	61.6	-	-	-	-	-	-	1,912	37.6
Trans women - sex with men	-	-	-	-	92	90.2	-	-	92	1.8
GBM/PWID	174	5.6	-	-	-	-	-	-	174	3.4
Trans women - sex with men/PWID	-	-	-	-	9	8.8	-	-	9	0.2
PWID	271	8.7	183	9.7	-	-	-	-	454	8.9
HRH	714	23.0	1,414	75.3	1	1.0	1	100.0	2,130	41.9
FPHC	-	-	249	13.3	-	-	-	-	249	4.9
Transfusion/Hemophilia	4	0.1	6	0.3	-	-	-	-	10	0.2
Perinatal	28	0.9	27	1.4	-	-	-	-	55	1.1
Total	3,103	100.0	1,879	100.0	102	100.0	1	100.0	5,085	100.0

	Male	Female	Trans women	Trans men	AGI	Total
No Identified Risk	486	74	0	4	1	565

People Newly Diagnosed with HIV and AIDS Metro Baton Rouge

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, & West Feliciana Parishes

People Diagnosed with HIV January - December 2024

In 2024, **170** people were newly diagnosed with HIV in Metro Baton Rouge.

	No.	%
Gender		
Man	116	68.2
Woman	46	27.1
Trans Woman	5	2.9
Trans Man	3	1.8
Age at Diagnosis		
13-24	35	20.6
25-34	64	37.6
35-44	36	21.2
45+	35	20.6
Race/Ethnicity		
Asian/PI	2	1.2
Black, NH	111	65.3
Hispanic/Latinx	12	7.1
Multi-race	2	1.2
White, NH	43	25.3
Total	170	100.0

	No.	%
Exposure Category		
GBM	76	56.3
Trans women - sex with men	5	3.7
PWID	10	7.4
HRH	20	14.8
FPHC	23	17.0
Perinatal	1	0.7
Total	135	100.0

Metro Baton Rouge New HIV Diagnoses with NIR January - December 2024

No Identified Risk 35

People Diagnosed with AIDS January - December 2024

In 2024, **67** people were newly diagnosed with AIDS in Metro Baton Rouge.

	No.	%
Gender		
Man	43	64.2
Woman	20	29.9
Trans Woman	4	6.0
Age at Diagnosis		
13-24	6	9.0
25-34	19	28.4
35-44	20	29.9
45+	22	32.8
Race/Ethnicity		
Black, NH	54	80.6
Hispanic/Latinx	3	4.5
White, NH	10	14.9
Total	67	100.0

	No.	%
Exposure Category		
GBM	19	33.9
Trans women - sex with men	4	7.1
GBM/PWID	2	3.6
PWID	4	7.1
HRH	18	32.1
FPHC	9	16.1
Total	56	100.0

Metro Baton Rouge New AIDS Diagnoses with NIR 2024

No Identified Risk 11

People Diagnosed with Early Syphilis Metro Baton Rouge

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, & West Feliciana Parishes

People Diagnosed with P&S Syphilis January - September 2025

Between January 1 through September 30, 2025, **136** people were newly diagnosed with P&S Syphilis in Metro Baton Rouge.

	No.	%
Gender		
Man	90	66.2
Woman	45	33.1
Trans Woman	1	0.7
Age at Diagnosis		
13-24	32	23.5
25-34	58	42.6
35-44	30	22.1
45+	16	11.8
Race/Ethnicity		
Black, NH	84	61.8
Hispanic/Latinx	2	1.5
Multi-race	7	5.1
White, NH	38	27.9
Unknown	5	3.7
Total	136	100.0

<i>Diagnoses with a Reported Risk*</i>	No.	%
FSF	3	4.0
GBM	40	53.3
GBM/PWID	0	0.0
HRH	31	41.3
Heterosexual contact	47	62.7
Illegal drug use (all types)	30	40.0
Incarceration	10	13.3
PWID	2	2.7
Trans women - sex with men	7	9.3
Trans women - sex with men/PWID	0	0.0
Transactional sex	6	8.0

No Identified Risk 24

People Diagnosed with Early non-P&S Syphilis January - September 2025

Between January 1 through September 30, 2025, **98** people were newly diagnosed with Early non-P&S Syphilis in Metro Baton Rouge.

	No.	%
Gender		
Man	74	75.5
Woman	22	22.4
Trans Woman	2	2.0
Age at Diagnosis		
13-24	17	17.3
25-34	42	42.9
35-44	25	25.5
45+	14	14.3
Race/Ethnicity		
Black, NH	66	67.3
Hispanic/Latinx	8	8.2
Multi-race	5	5.1
White, NH	17	17.3
Unknown	2	2.0
Total	98	100.0

<i>Diagnoses with a Reported Risk*</i>	No.	%
FSF	0	0.0
GBM	31	41.3
GBM/PWID	0	0.0
HRH	11	14.7
Heterosexual contact	17	22.7
Illegal drug use (all types)	14	18.7
Incarceration	1	1.3
PWID	1	1.3
Trans women - sex with men	7	9.3
Trans women - sex with men/PWID	0	0.0
Transactional sex	1	1.3

No Identified Risk 42

* >1 reported risk per diagnoses possible. Diagnoses with No Identified Risk excluded from denominator for risk percent calculations.

Persons Living with HIV/AIDS by Region as of September 30, 2025

New HIV/AIDS Diagnoses and PLWH by Region

	New HIV Diagnoses 2024 Calendar Year	New AIDS Diagnoses 2024 Calendar Year	Persons Living with HIV(nonAIDS) thru 9-30-2025	Persons Living with AIDS thru 9-30-2025	Persons Living with HIV or AIDS thru 9-30-2025
Region 1	227	78	4,058	3,666	7,724
Region 2	152	61	2,768	2,514	5,282
Region 3	42	21	539	506	1,045
Region 4	87	38	1,166	938	2,104
Region 5	47	20	626	501	1,127
Region 6	48	12	697	503	1,200
Region 7	103	38	1,248	1,046	2,294
Region 8	98	30	820	636	1,456
Region 9	58	20	956	849	1,805
State Total	862	318	12,878	11,159	24,037



- Region 1** (New Orleans): Jefferson, Orleans, Plaquemines, St. Bernard
- Region 2** (Baton Rouge): Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana
- Region 3** (Houma): Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne
- Region 4** (Lafayette): Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermilion
- Region 5** (Lake Charles): Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis
- Region 6** (Alexandria): Avoyelles, Catahoula, Concordia, Grant, LaSalle, Rapides, Vernon, Winn
- Region 7** (Shreveport): Bienville, Bossier, Caddo, Claiborne, De Soto, Natchitoches, Red River, Sabine, Webster
- Region 8** (Monroe): Caldwell, East Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, West Carroll
- Region 9** (Hammond/Slidell): Livingston, St. Helena, St. Tammany, Tangipahoa, Washington

**People Living with HIV
Region 1: New Orleans Region
as of September 30, 2025**

Jefferson, Orleans, Plaquemines & St. Bernard Parishes

	No.	%
Gender		
Man	5,587	72.3
Woman	1,890	24.5
Trans Woman	235	3.0
Trans Man	8	0.1
Additional Gender Identity	4	0.1
Current Age		
0-12	3	0.0
13-19	29	0.4
20-24	146	1.9
25-29	368	4.8
30-34	697	9.0
35-39	923	11.9
40-44	928	12.0
45-49	839	10.9
50-54	731	9.5
55-59	873	11.3
60+	2,187	28.3
Total	7,724	100.0

Race/Ethnicity	Man		Woman		Trans Woman		Trans Man		Additional Gender Identity		Region 1 Totals	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
American Indian	12	0.2	3	0.2	1	0.4	-	-	-	-	16	0.2
Asian/PI	41	0.7	6	0.3	2	0.9	-	-	-	-	49	0.6
Black, NH	3,299	59.0	1,512	80.0	184	78.3	4	50.0	2	50.0	5,001	64.7
Hispanic/Latinx	542	9.7	161	8.5	26	11.1	3	37.5	1	25.0	733	9.5
Multi-race	77	1.4	23	1.2	3	1.3	-	-	-	-	103	1.3
White, NH	1,611	28.8	183	9.7	19	8.1	1	12.5	1	25.0	1,815	23.5
Unknown	5	0.1	2	0.1	-	-	-	-	-	-	7	0.1
Total	5,587	100.0	1,890	100.0	235	100.0	8	100.0	4	100.0	7,724	100.0

Exposure Category	Man		Woman		Trans Woman		Trans Man		Additional Gender Identity		Region 1 Totals	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
GBM	3,554	73.2	-	-	-	-	-	-	3	75.0	3,557	52.2
Trans women - sex with men	-	-	-	-	207	89.6	-	-	-	-	207	3.0
GBM/PWID	271	5.6	-	-	-	-	-	-	-	-	271	4.0
Trans women - sex with men/PWID	-	-	-	-	23	10.0	-	-	-	-	23	0.3
PWID	255	5.2	160	9.3	-	-	1	50.0	-	-	416	6.1
HRH	740	15.2	1,259	73.1	1	0.4	1	50.0	1	25.0	2,002	29.4
FPHC	-	-	254	14.8	-	-	-	-	-	-	254	3.7
Transfusion/Hemophilia	11	0.2	9	0.5	-	-	-	-	-	-	20	0.3
Perinatal	27	0.6	40	2.3	-	-	-	-	-	-	67	1.0
Total	4,858	100.0	1,722	100.0	231	100.0	2	100.0	4	100.0	6,817	100.0

	Male	Female	Trans woman	Trans man	AGI	Total
No Identified Risk	729	168		4	6	907

**People Living with HIV
Region 2: Baton Rouge Region
as of September 30, 2025**

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, & West Feliciana Parishes

	No.	%
Gender		
Man	3,349	63.4
Woman	1,833	34.7
Trans Woman	94	1.8
Trans Man	5	0.1
Additional Gender Identity	1	0.0
Current Age		
0-12	2	0.0
13-19	20	0.4
20-24	142	2.7
25-29	278	5.3
30-34	486	9.2
35-39	633	12.0
40-44	690	13.1
45-49	644	12.2
50-54	560	10.6
55-59	564	10.7
60+	1,263	23.9
Total	5,282	100.0

	Man		Woman		Trans Woman		Trans Man		Additional Gender Identity		Region 2 Totals	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity												
American Indian	4	0.1	2	0.1	-	-	-	-	-	-	6	0.1
Asian/PI	17	0.5	5	0.3	1	1.1	-	-	-	-	23	0.4
Black, NH	2,592	77.4	1,637	89.3	79	84.0	5	100.0	1	100.0	4,314	81.7
Hispanic/Latinx	144	4.3	39	2.1	6	6.4	-	-	-	-	189	3.6
Multi-race	29	0.9	15	0.8	1	1.1	-	-	-	-	45	0.9
White, NH	563	16.8	135	7.4	7	7.4	-	-	-	-	705	13.3
Total	3,349	100.0	1,833	100.0	94	100.0	5	100.0	1	100.0	5,282	100.0

Exposure Category	Man		Woman		Trans Woman		Trans Man		Region 2 Totals	
	No.	%	No.	%	No.	%	No.	%	No.	%
GBM	1,784	61.5	-	-	-	-	-	-	1,784	37.5
Trans women - sex with men	-	-	-	-	84	89.4	-	-	84	1.8
GBM/PWID	158	5.5	-	-	-	-	-	-	158	3.3
Trans women - sex with men/PWID	-	-	-	-	9	9.6	-	-	9	0.2
PWID	250	8.6	171	9.7	-	-	-	-	421	8.8
HRH	677	23.4	1,333	75.6	1	1.1	1	100.0	2,012	42.3
FPHC	-	-	229	13.0	-	-	-	-	229	4.8
Transfusion/Hemophilia	3	0.1	6	0.3	-	-	-	-	9	0.2
Perinatal	27	0.9	25	1.4	-	-	-	-	52	1.1
Total	2,899	100.0	1,764	100.0	94	100.0	1	100.0	4,758	100.0

	Male	Female	Trans woman	Trans man	AGI	Total
No Identified Risk	450	69	0	4	1	524

**People Living with HIV
Region 3: Houma Region
as of September 30, 2025**

Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, & Terrebonne Parishes

	No.	%
Gender		
Man	702	67.2
Woman	324	31.0
Trans Woman	17	1.6
Additional Gender Identity	2	0.2
Current Age		
0-12	3	0.3
13-19	3	0.3
20-24	24	2.3
25-29	75	7.2
30-34	111	10.6
35-39	131	12.5
40-44	126	12.1
45-49	112	10.7
50-54	106	10.1
55-59	113	10.8
60+	241	23.1
Total	1,045	100.0

Race/Ethnicity	Man		Woman		Trans Woman		Additional Gender Identity		Region 3 Totals	
	No.	%	No.	%	No.	%	No.	%	No.	%
American Indian	3	0.4	1	0.3	-	-	-	-	4	0.4
Asian/PI	1	0.1	2	0.6	-	-	-	-	3	0.3
Black, NH	381	54.3	225	69.4	14	82.4	1	50.0	621	59.4
Hispanic/Latinx	57	8.1	19	5.9	1	5.9	-	-	77	7.4
Multi-race	14	2.0	2	0.6	-	-	-	-	16	1.5
White, NH	245	34.9	75	23.1	2	11.8	1	50.0	323	30.9
Unknown	1	0.1	-	-	-	-	-	-	1	0.1
Total	702	100.0	324	100.0	17	100.0	2	100.0	1045	100.0

Exposure Category	Man		Woman		Trans Woman		Additional Gender Identity		Region 3 Totals	
	No.	%	No.	%	No.	%	No.	%	No.	%
GBM	440	72.6	-	-	-	-	2	100.0	442	47.7
Trans women - sex with men	-	-	-	-	16	94.1	-	-	16	1.7
GBM/PWID	22	3.6	-	-	-	-	-	-	22	2.4
Trans women - sex with men/PWID	-	-	-	-	1	5.9	-	-	1	0.1
PWID	39	6.4	23	7.6	-	-	-	-	62	6.7
HRH	99	16.3	212	70.2	-	-	-	-	311	33.5
FPHC	-	-	59	19.5	-	-	-	-	59	6.4
Perinatal	6	1.0	8	2.6	-	-	-	-	14	1.5
Total	606	100.0	302	100.0	17	100.0	2	100.0	927	100.0

	Male	Female	Trans woman	AGI	Total
No Identified Risk	96	22	0	0	118

**People Living with HIV
Region 4: Lafayette Region
as of September 30, 2025**

Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, & Vermilion Parishes

	No.	%
Gender		
Man	1,588	75.5
Woman	480	22.8
Trans Woman	36	1.7
Current Age		
0-12	1	0.0
13-19	4	0.2
20-24	58	2.8
25-29	164	7.8
30-34	223	10.6
35-39	291	13.8
40-44	244	11.6
45-49	192	9.1
50-54	186	8.8
55-59	203	9.6
60+	538	25.6
Total	2,104	100.0

Race/Ethnicity	Man		Woman		Trans Woman		Region 4 Totals	
	No.	%	No.	%	No.	%	No.	%
American Indian	2	0.1	1	0.2	-	-	3	0.1
Asian/PI	10	0.6	4	0.8	-	-	14	0.7
Black, NH	809	50.9	317	66.0	27	75.0	1,153	54.8
Hispanic/Latinx	126	7.9	29	6.0	3	8.3	158	7.5
Multi-race	20	1.3	4	0.8	-	-	24	1.1
White, NH	621	39.1	125	26.0	6	16.7	752	35.7
Total	1,588	100.0	480	100.0	36	100.0	2,104	100.0

Exposure Category	Man		Woman		Trans Woman		Region 4 Totals	
	No.	%	No.	%	No.	%	No.	%
GBM	991	76.0	-	-	-	-	991	55.9
Trans women - sex with men	-	-	-	-	32	94.1	32	1.8
GBM/PWID	79	6.1	-	-	-	-	79	4.5
Trans women - sex with men/PWID	-	-	-	-	2	5.9	2	0.1
PWID	67	5.1	46	10.6	-	-	113	6.4
HRH	156	12.0	324	74.7	-	-	480	27.1
FPHC	-	-	58	13.4	-	-	58	3.3
Transfusion/Hemophilia	3	0.2	1	0.2	-	-	4	0.2
Perinatal	8	0.6	4	0.9	-	-	12	0.7
Confirmed Other	-	-	1	0.2	-	-	1	0.1
Total	1,304	100.0	434	100.0	34	100.0	1,772	100.0

	Male	Female	Trans woman	Total
No Identified Risk	284	46	2	332

**People Living with HIV
Region 5: Lake Charles Region
as of September 30, 2025**

Allen, Beauregard, Calcasieu, Cameron, & Jefferson Davis Parishes

	No.	%
Gender		
Man	856	76.0
Woman	255	22.6
Trans Woman	16	1.4
Current Age		
0-12	1	0.1
13-19	2	0.2
20-24	38	3.4
25-29	64	5.7
30-34	101	9.0
35-39	136	12.1
40-44	127	11.3
45-49	139	12.3
50-54	112	9.9
55-59	119	10.6
60+	288	25.6
Total	1,127	100.0

Race/Ethnicity	Man		Woman		Trans Woman		Region 5 Totals	
	No.	%	No.	%	No.	%	No.	%
Asian/PI	7	0.8	1	0.4	-	-	8	0.7
Black, NH	422	49.3	160	62.7	15	93.8	597	53.0
Hispanic/Latinx	108	12.6	8	3.1	-	-	116	10.3
Multi-race	9	1.1	6	2.4	1	6.3	16	1.4
White, NH	310	36.2	80	31.4	-	-	390	34.6
Total	856	100.0	255	100.0	16	100.0	1,127	100.0

Exposure Category	Man		Woman		Trans Woman		Region 5 Totals	
	No.	%	No.	%	No.	%	No.	%
GBM	422	63.8	-	-	-	-	422	46.2
Trans women - sex with men	-	-	-	-	16	100.0	16	1.8
GBM/PWID	51	7.7	-	-	-	-	51	5.6
PWID	70	10.6	37	15.6	-	-	107	11.7
HRH	112	16.9	155	65.4	-	-	267	29.2
FPHC	-	-	35	14.8	-	-	35	3.8
Transfusion/Hemophilia	3	0.5	-	-	-	-	3	0.3
Perinatal	3	0.5	10	4.2	-	-	13	1.4
Total	661	100.0	237	100.0	16	100.0	914	100.0

	Male	Female	Trans woman	Total
No Identified Risk	195	18	0	213

**People Living with HIV
Region 6: Alexandria Region
as of September 30, 2025**

Avoyelles, Catahoula, Concordia, Grant, LaSalle, Rapides, Vernon, & Winn Parishes

	No.	%
Gender		
Man	897	74.8
Woman	283	23.6
Trans Woman	19	1.6
Trans Man	1	0.1
Current Age		
0-12	4	0.3
13-19	3	0.3
20-24	29	2.4
25-29	70	5.8
30-34	129	10.8
35-39	153	12.8
40-44	140	11.7
45-49	151	12.6
50-54	130	10.8
55-59	118	9.8
60+	273	22.8
Total	1,200	100.0

Race/Ethnicity	Man		Woman		Trans Woman		Trans Man		Region 6 Totals	
	No.	%	No.	%	No.	%	No.	%	No.	%
American Indian	2	0.2	-	-	-	-	-	-	2	0.2
Asian/PI	3	0.3	2	0.7	-	-	-	-	5	0.4
Black, NH	457	50.9	215	76.0	9	47.4	-	-	681	56.8
Hispanic/Latinx	169	18.8	6	2.1	8	42.1	1	100.0	184	15.3
Multi-race	10	1.1	5	1.8	-	-	-	-	15	1.3
White, NH	256	28.5	55	19.4	2	10.5	-	-	313	26.1
Total	897	100.0	283	100.0	19	100.0	1	100.0	1,200	100.0

Exposure Category	Man		Woman		Trans Woman		Trans Man		Region 6 Totals	
	No.	%	No.	%	No.	%	No.	%	No.	%
GBM	467	65.3	-	-	-	-	1	100.0	468	46.9
Trans women - sex with men	-	-	-	-	13	86.7	-	-	13	1.3
GBM/PWID	50	7.0	-	-	-	-	-	-	50	5.0
Trans women - sex with men/PWID	-	-	-	-	1	6.7	-	-	1	0.1
PWID	68	9.5	23	8.6	1	6.7	-	-	92	9.2
HRH	121	16.9	198	74.2	-	-	-	-	319	32.0
FPHC	-	-	43	16.1	-	-	-	-	43	4.3
Transfusion/Hemophilia	2	0.3	-	-	-	-	-	-	2	0.2
Perinatal	7	1.0	3	1.1	-	-	-	-	10	1.0
Total	715	100.0	267	100.0	15	100.0	1	100.0	998	100.0

	Male	Female	Trans woman	Total
No Identified Risk	182	16	4	202

**People Living with HIV
Region 7: Shreveport Region
as of September 30, 2025**

Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, & Webster Parishes

	No.	%
Gender		
Man	1,572	68.5
Woman	675	29.4
Trans Woman	43	1.9
Trans Man	2	0.1
Additional Gender Identity	2	0.1
Current Age		
13-19	12	0.5
20-24	76	3.3
25-29	185	8.1
30-34	284	12.4
35-39	319	13.9
40-44	267	11.6
45-49	280	12.2
50-54	200	8.7
55-59	205	8.9
60+	466	20.3
Total	2,294	100.0

	Man		Woman		Trans Woman		Trans Man		Additional Gender Identity		Region 7 Totals	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity												
American Indian	10	0.6	3	0.4	-	-	-	-	-	-	13	0.6
Asian/PI	12	0.8	2	0.3	-	-	-	-	-	-	14	0.6
Black, NH	1,094	69.6	546	80.9	37	86.0	1	50.0	2	100.0	1,680	73.2
Hispanic/Latinx	59	3.8	14	2.1	3	7.0	-	-	-	-	76	3.3
Multi-race	20	1.3	6	0.9	1	2.3	-	-	-	-	27	1.2
White, NH	377	24.0	104	15.4	2	4.7	1	50.0	-	-	484	21.1
Total	1,572	100.0	675	100.0	43	100.0	2	100.0	2	100.0	2,294	100.0

	Man		Woman		Trans Woman		Trans Man		Additional Gender Identity		Region 7 Totals	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Exposure Category												
GBM	944	73.7	-	-	-	-	-	-	2	100.0	946	48.7
Trans women - sex with men	-	-	-	-	39	90.7	-	-	-	-	39	2.0
GBM/PWID	91	7.1	-	-	-	-	-	-	-	-	91	4.7
Trans women - sex with men/PWID	-	-	-	-	3	7.0	-	-	-	-	3	0.2
PWID	54	4.2	72	11.7	-	-	1	100.0	-	-	127	6.5
HRH	184	14.4	380	61.8	1	2.3	-	-	-	-	565	29.1
FPHC	-	-	153	24.9	-	-	-	-	-	-	153	7.9
Transfusion/Hemophilia	1	0.1	3	0.5	-	-	-	-	-	-	4	0.2
Perinatal	7	0.5	7	1.1	-	-	-	-	-	-	14	0.7
Total	1,281	100.0	615	100.0	43	100.0	1	100.0	2	100.0	1,942	100.0

	Male	Female	Trans woman	Trans man	AGI	Total
No Identified Risk	291	60	0	1	0	352

**People Living with HIV
Region 8: Monroe Region
as of September 30, 2025**

Caldwell, East Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, & West Carroll Parishes

	No.	%
Gender		
Man	1,034	71.0
Woman	402	27.6
Trans Woman	18	1.2
Trans Man	1	0.1
Additional Gender Identity	1	0.1
Current Age		
13-19	19	1.3
20-24	61	4.2
25-29	137	9.4
30-34	154	10.6
35-39	165	11.3
40-44	164	11.3
45-49	162	11.1
50-54	157	10.8
55-59	130	8.9
60+	307	21.1
Total	1,456	100.0

Race/Ethnicity	Man		Woman		Trans Woman		Trans Man		Additional Gender Identity		Region 8 Totals	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
American Indian	4	0.4	1	0.2	-	-	-	-	-	-	5	0.3
Asian/PI	7	0.7	-	-	-	-	-	-	-	-	7	0.5
Black, NH	675	65.3	316	78.6	17	94.4	-	-	-	-	1,008	69.2
Hispanic/Latinx	83	8.0	18	4.5	1	5.6	1	100.0	-	-	103	7.1
Multi-race	15	1.5	6	1.5	-	-	-	-	-	-	21	1.4
White, NH	250	24.2	60	14.9	-	-	-	-	1	100.0	311	21.4
Unknown	-	-	1	0.2	-	-	-	-	-	-	1	0.1
Total	1034	100.0	402	100.0	18	100.0	1	100.0	1	100.0	1,456	100.0

Exposure Category	Man		Woman		Trans Woman		Trans Man		Additional Gender Identity		Region 8 Totals	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
GBM	594	70.1	-	-	-	-	-	-	1	100.0	595	48.2
Trans women - sex with men	-	-	-	-	17	100.0	-	-	-	-	17	1.4
GBM/PWID	53	6.3	-	-	-	-	-	-	-	-	53	4.3
PWID	45	5.3	33	8.9	-	-	-	-	-	-	78	6.3
HRH	152	17.9	254	68.8	-	-	-	-	-	-	406	32.9
FPHC	-	-	71	19.2	-	-	-	-	-	-	71	5.8
Transfusion/Hemophilia	1	0.1	2	0.5	-	-	-	-	-	-	3	0.2
Perinatal	2	0.2	9	2.4	-	-	-	-	-	-	11	0.9
Total	847	100.0	369	100.0	17	100.0	1	100.0	1	100.0	1,234	100.0

	Male	Female	Trans woman	AGI	Total
No Identified Risk	187	33	1	0	222

People Living with HIV
Region 9: Hammond/Slidell Region
as of September 30, 2025

Livingston, St. Helena, St. Tammany, Tangipahoa, & Washington Parishes

	No.	%
Gender		
Man	1,308	72.5
Woman	470	26.0
Trans Woman	26	1.4
Trans Man	1	0.1
Current Age		
13-19	5	0.3
20-24	46	2.5
25-29	97	5.4
30-34	138	7.6
35-39	220	12.2
40-44	198	11.0
45-49	190	10.5
50-54	197	10.9
55-59	233	12.9
60+	481	26.6
Total	1,805	100.0

Race/Ethnicity	Man		Woman		Trans Woman		Trans Man		Region 9 Totals	
	No.	%	No.	%	No.	%	No.	%	No.	%
American Indian	4	0.3	-	-	-	-	-	-	4	0.2
Asian/PI	5	0.4	2	0.4	-	-	-	-	7	0.4
Black, NH	665	50.8	308	65.5	20	76.9	-	-	993	55.0
Hispanic/Latinx	78	6.0	20	4.3	1	3.8	-	-	99	5.5
Multi-race	8	0.6	5	1.1	1	3.8	-	-	14	0.8
White, NH	548	41.9	134	28.5	4	15.4	1	100.0	687	38.1
Unknown	-	-	1	0.2	-	-	-	-	1	0.1
Total	1,308	100.0	470	100.0	26	100.0	1	100.0	1,805	100.0

Exposure Category	Man		Woman		Trans Woman		Trans Man		Region 9 Totals	
	No.	%	No.	%	No.	%	No.	%	No.	%
GBM	778	70.4	-	-	-	-	-	-	778	49.4
Trans women - sex with men	-	-	-	-	24	92.3	-	-	24	1.5
GBM/PWID	71	6.4	-	-	-	-	-	-	71	4.5
Trans women - sex with men/PWID	-	-	-	-	1	3.8	-	-	1	0.1
PWID	75	6.8	59	13.3	1	3.8	1	100.0	136	8.6
HRH	169	15.3	297	67.2	-	-	-	-	466	29.6
FPHC	-	-	80	18.1	-	-	-	-	80	5.1
Transfusion/Hemophilia	4	0.4	-	-	-	-	-	-	4	0.3
Perinatal	8	0.7	6	1.4	-	-	-	-	14	0.9
Total	1,105	100.0	442	100.0	26	100.0	1	100.0	1,574	100.0

	Male	Female	Trans woman	Trans man	Total
No Identified Risk	203	28	0	0	231

People Newly Diagnosed with HIV
Regions 1 - 5
January - December 2024

	Region 1		Region 2		Region 3		Region 4		Region 5	
	No.	%	No.	%	No.	%	No.	%	No.	%
Gender										
Man	165	72.7	102	67.1	34	81.0	71	81.6	35	74.5
Woman	52	22.9	43	28.3	6	14.3	16	18.4	12	25.5
Trans Woman	9	4.0	4	2.6	2	4.8	-	-	-	-
Trans Man	-	-	3	2.0	-	-	-	-	-	-
Additional Gender Identity	1	0.4	-	-	-	-	-	-	-	-
Age at Diagnosis										
13-24	44	19.4	31	20.4	7	16.7	18	20.7	14	29.8
25-34	96	42.3	57	37.5	11	26.2	30	34.5	13	27.7
35-44	37	16.3	32	21.1	15	35.7	19	21.8	11	23.4
45+	50	22.0	32	21.1	9	21.4	20	23.0	9	19.1
Race/Ethnicity										
American Indian	2	0.9	-	-	-	-	-	-	-	-
Asian/PI	2	0.9	2	1.3	-	-	2	2.3	-	-
Black, NH	145	63.9	105	69.1	25	59.5	52	59.8	27	57.4
Hispanic/Latinx	29	12.8	9	5.9	4	9.5	11	12.6	5	10.6
Multi-race	2	0.9	1	0.7	1	2.4	-	-	-	-
White, NH	46	20.3	35	23.0	12	28.6	22	25.3	15	31.9
Unknown	1	0.4	-	-	-	-	-	-	-	-
Regional Totals	227	100.0	152	100.0	42	100.0	87	100.0	47	100.0

	Region 1		Region 2		Region 3		Region 4		Region 5	
	No.	%	No.	%	No.	%	No.	%	No.	%
Exposure Category										
GBM	93	61.2	65	55.1	20	55.6	41	73.2	22	64.7
Trans women - sex with men	8	5.3	4	3.4	2	5.6	-	-	-	-
GBM/PWID	4	2.6	-	-	2	5.6	1	1.8	1	2.9
PWID	10	6.6	8	6.8	2	5.6	2	3.6	2	5.9
HRH	16	10.5	20	16.9	8	22.2	11	19.6	4	11.8
FPHC	21	13.8	20	16.9	2	5.6	1	1.8	5	14.7
Perinatal	-	-	1	0.8	-	-	-	-	-	-
Regional Totals	152	100.0	118	100.0	36	100.0	56	100.0	34	100.0

New HIV Diagnoses with
NIR Regions 1 - 5,
2024

	Region 1	Region 2	Region 3	Region 4	Region 5
No Identified Risk	75	34	6	31	13

People Newly Diagnosed with HIV
Regions 6 - 9
January - December 2024

	Region 6		Region 7		Region 8		Region 9	
	No.	%	No.	%	No.	%	No.	%
Gender								
Man	36	75.0	70	68.0	64	65.3	46	79.3
Woman	12	25.0	29	28.2	29	29.6	10	17.2
Trans Woman	-	-	3	2.9	4	4.1	2	3.4
Trans Man	-	-	1	1.0	1	1.0	-	-
Age at Diagnosis								
0-12	1	2.1	-	-	-	-	-	-
13-24	16	33.3	32	31.1	34	34.7	11	19.0
25-34	11	22.9	33	32.0	32	32.7	22	37.9
35-44	12	25.0	19	18.4	20	20.4	10	17.2
45+	8	16.7	19	18.4	12	12.2	15	25.9
Race/Ethnicity								
American Indian	-	-	1	1.0	-	-	-	-
Asian/PI	1	2.1	-	-	-	-	-	-
Black, NH	29	60.4	77	74.8	78	79.6	28	48.3
Hispanic/Latinx	4	8.3	2	1.9	7	7.1	9	15.5
Multi-race	-	-	4	3.9	1	1.0	1	1.7
White, NH	14	29.2	19	18.4	12	12.2	20	34.5
Regional Totals	48	100.0	103	100.0	98	100.0	58	100.0

	Region 6		Region 7		Region 8		Region 9	
	No.	%	No.	%	No.	%	No.	%
Exposure Category								
GBM	19	57.6	36	47.4	41	56.2	33	66.0
Trans women - sex with men	-	-	3	3.9	4	5.5	2	4.0
GBM/PWID	1	3.0	3	3.9	-	-	1	2.0
PWID	4	12.1	5	6.6	5	6.8	3	6.0
HRH	4	12.1	13	17.1	6	8.2	7	14.0
FPHC	4	12.1	16	21.1	17	23.3	4	8.0
Perinatal	1	3.0	-	-	-	-	-	-
Regional Totals	33	100.0	76	100.0	73	100.0	50	100.0

New HIV Diagnoses with NRR

Regions 6-9, 2024

	Region 6	Region 7	Region 8	Region 9
No Identified Risk	15	27	25	8

People Newly Diagnosed with AIDS
Regions 1 - 5
January - December 2024

	Region 1		Region 2		Region 3		Region 4		Region 5	
	No.	%								
Gender										
Man	56	71.8	39	63.9	17	81.0	31	81.6	17	85.0
Woman	18	23.1	18	29.5	4	19.0	7	18.4	2	10.0
Trans Woman	4	5.1	4	6.6	-	-	-	-	1	5.0
Age at Diagnosis										
13-24	4	5.1	5	8.2	1	4.8	4	10.5	2	10.0
25-34	23	29.5	17	27.9	4	19.0	14	36.8	4	20.0
35-44	19	24.4	19	31.1	11	52.4	11	28.9	8	40.0
45+	32	41.0	20	32.8	5	23.8	9	23.7	6	30.0
Race/Ethnicity										
Asian/PI	-	-	-	-	-	-	2	5.3	-	-
Black, NH	53	67.9	48	78.7	11	52.4	24	63.2	9	45.0
Hispanic/Latinx	11	14.1	3	4.9	2	9.5	3	7.9	3	15.0
Multi-race	-	-	-	-	-	-	1	2.6	1	5.0
White, NH	14	17.9	10	16.4	8	38.1	8	21.1	7	35.0
Regional Totals	78	100.0	61	100.0	21	100.0	38	100.0	20	100.0

	Region 1		Region 2		Region 3		Region 4		Region 5	
	No.	%								
Exposure Category										
GBM	28	46.7	15	30.0	14	73.7	19	70.4	10	66.7
Trans women - sex with men	4	6.7	4	8.0	-	-	-	-	1	6.7
GBM/PWID	3	5.0	2	4.0	-	-	1	3.7	1	6.7
PWID	6	10.0	4	8.0	2	10.5	1	3.7	1	6.7
HRH	14	23.3	17	34.0	3	15.8	4	14.8	1	6.7
FPHC	5	8.3	8	16.0	-	-	1	3.7	1	6.7
Perinatal	-	-	-	-	-	-	1	3.7	-	-
Regional Totals	60	100.0	50	100.0	19	100.0	27	100.0	15	100.0

New AIDS Diagnoses with

NIR Regions 1 - 5, 2024

	Region 1	Region 2	Region 3	Region 4	Region 5
No Identified Risk	18	11	2	11	5

**People Newly Diagnosed with AIDS
Regions 6 - 9
January - December 2024**

	Region 6		Region 7		Region 8		Region 9	
	No.	%	No.	%	No.	%	No.	%
Gender								
Man	10	83.3	26	68.4	19	63.3	15	75.0
Woman	1	8.3	12	31.6	11	36.7	5	25.0
Trans Woman	1	8.3	-	-	-	-	-	-
Age at Diagnosis								
13-24	2	16.7	3	7.9	3	10.0	2	10.0
25-34	4	33.3	14	36.8	6	20.0	7	35.0
35-44	3	25.0	8	21.1	11	36.7	6	30.0
45+	3	25.0	13	34.2	10	33.3	5	25.0
Race/Ethnicity								
Black, NH	7	58.3	32	84.2	24	80.0	18	90.0
Hispanic/Latinx	1	8.3	-	-	2	6.7	1	5.0
White, NH	4	33.3	6	15.8	4	13.3	1	5.0
Regional Totals	12	100.0	38	100.0	30	100.0	20	100.0

	Region 6		Region 7		Region 8		Region 9	
	No.	%	No.	%	No.	%	No.	%
Exposure Category								
GBM	5	55.6	17	51.5	8	36.4	12	70.6
Trans women - sex with men	1	11.1	-	-	-	-	-	-
GBM/PWID	-	-	1	3.0	-	-	-	-
PWID	-	-	1	3.0	3	13.6	-	-
HRH	2	22.2	7	21.2	6	27.3	2	11.8
FPHC	1	11.1	7	21.2	5	22.7	3	17.6
Regional Totals	9	100.0	33	100.0	22	100.0	17	100.0

New AIDS Diagnoses with

NIR Regions 6 -9, 2024

	Region 6	Region 7	Region 8	Region 9
No Identified Risk	3	5	8	3

People Diagnosed with P&S Syphilis
Regions 1-5
January - September 2025

	Region 1		Region 2		Region 3		Region 4		Region 5	
	No.	%	No.	%	No.	%	No.	%	No.	%
Gender										
Man	66	81.5	78	67.8	27	81.8	50	56.8	11	68.8
Woman	15	18.5	36	31.3	6	18.2	36	40.9	5	31.3
Trans Woman	-	-	1	0.9	-	-	2	2.3	-	-
Age at Diagnosis										
13-24	17	21.0	30	26.1	8	24.2	25	28.4	2	12.5
25-34	27	33.3	49	42.6	7	21.2	33	37.5	3	18.8
35-44	20	24.7	23	20.0	9	27.3	18	20.5	8	50.0
45+	17	21.0	13	11.3	9	27.3	12	13.6	3	18.8
Race/Ethnicity										
American Indian	-	-	-	-	1	3.0	-	-	-	-
Black, NH	51	63.0	80	69.6	10	30.3	47	53.4	5	31.3
Hispanic/Latinx	8	9.9	2	1.7	1	3.0	3	3.4	-	-
Multi-race	2	2.5	6	5.2	4	12.1	3	3.4	1	6.3
White, NH	17	21.0	22	19.1	17	51.5	30	34.1	10	62.5
Unknown	3	3.7	5	4.3	-	-	5	5.7	-	-
Regional Totals	81	100.0	115	100.0	33	100.0	88	100.0	16	100.0

	Region 1		Region 2		Region 3		Region 4		Region 5		
	No.	%	No.	%	No.	%	No.	%	No.	%	
<i>Diagnoses with a Reported Risk*</i>											
FSF		3	5.2	2	2.2	1	3.1	2	2.6	0	0.0
GBM		33	56.9	38	40.9	9	28.1	19	25.0	1	10.0
GBM/PWID		1	1.7	0	0.0	0	0.0	0	0.0	0	0.0
HRH		9	15.5	26	28.0	14	43.8	13	17.1	1	10.0
Heterosexual contact		17	29.3	36	38.7	9	28.1	45	59.2	4	40.0
Illegal drug use (all types)		15	25.9	20	21.5	17	53.1	27	35.5	6	60.0
Incarceration		3	5.2	5	5.4	6	18.8	5	6.6	0	0.0
PWID		1	1.7	1	1.1	0	0.0	2	2.6	1	10.0
Trans women - sex with men		7	12.1	7	7.5	7	21.9	7	9.2	7	70.0
Trans women - sex with men/PWID		0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transactional sex		3	5.2	4	4.3	2	6.3	3	3.9	0	0.0

	Region 1	Region 2	Region 3	Region 4	Region 5
No Identified Risk	23	22	1	12	6

* >1 reported risk per diagnosis possible. Diagnoses with No Identified Risk excluded from denominator for risk percent calculations.

**People Diagnosed with P&S Syphilis
Regions 6-9
January - September 2025**

	Region 6		Region 7		Region 8		Region 9	
	No.	%	No.	%	No.	%	No.	%
Gender								
Man	19	61.3	80	61.1	26	43.3	32	59.3
Woman	11	35.5	49	37.4	34	56.7	19	35.2
Trans Woman	1	3.2	2	1.5	-	-	2	3.7
Trans Man	-	-	-	-	-	-	1	1.9
Age at Diagnosis								
13-24	8	25.8	56	42.7	19	31.7	10	18.5
25-34	13	41.9	40	30.5	17	28.3	22	40.7
35-44	6	19.4	16	12.2	16	26.7	13	24.1
45+	4	12.9	19	14.5	8	13.3	9	16.7
Race/Ethnicity								
Black, NH	14	45.2	101	77.1	38	63.3	28	51.9
Hispanic/Latinx	1	3.2	-	-	2	3.3	-	-
Multi-race	3	9.7	3	2.3	3	5.0	2	3.7
White, NH	13	41.9	27	20.6	17	28.3	24	44.4
Regional Totals	31	100.0	131	100.0	60	100.0	54	100.0

	Region 6		Region 7		Region 8		Region 9	
	No.	%	No.	%	No.	%	No.	%
<i>Diagnoses with a Reported Risk*</i>	No.	%	No.	%	No.	%	No.	%
FSF	0	0.0	6	5.2	7	14.0	3	6.1
GBM	6	27.3	23	20.0	5	10.0	14	28.6
GBM/PWID	1	4.5	0	0.0	0	0.0	0	0.0
HRH	8	36.4	38	33.0	9	18.0	11	22.4
Heterosexual contact	12	54.5	52	45.2	34	68.0	22	44.9
Illegal drug use (all types)	11	50.0	52	45.2	21	42.0	22	44.9
Incarceration	1	4.5	24	20.9	14	28.0	9	18.4
PWID	1	4.5	7	6.1	3	6.0	1	2.0
Trans women - sex with men	7	31.8	7	6.1	7	14.0	7	14.3
Trans women - sex with men/PWID	0	0.0	0	0.0	0	0.0	0	0.0
Transactional sex	3	13.6	5	4.3	2	4.0	6	12.2
No Identified Risk			9		16		10	

* >1 reported risk per diagnosis possible. Diagnoses with No Identified Risk excluded from denominator for risk percent calculations.

**People Diagnosed with Early non-P&S Syphilis
Regions 1-5
January - September 2025**

	Region 1		Region 2		Region 3		Region 4		Region 5	
	No.	%								
Gender										
Man	68	71.6	66	75.9	38	65.5	53	64.6	12	85.7
Woman	21	22.1	19	21.8	20	34.5	25	30.5	2	14.3
Trans Woman	6	6.3	2	2.3	-	-	4	4.9	-	-
Age at Diagnosis										
13-24	13	13.7	14	16.1	11	19.0	17	20.7	1	7.1
25-34	29	30.5	39	44.8	20	34.5	31	37.8	10	71.4
35-44	33	34.7	21	24.1	17	29.3	16	19.5	2	14.3
45+	20	21.1	13	14.9	10	17.2	18	22.0	1	7.1
Race/Ethnicity										
Asian/PI	2	2.1	-	-	-	-	1	1.2	-	-
Black, NH	61	64.2	62	71.3	27	46.6	44	53.7	4	28.6
Hispanic/Latinx	10	10.5	6	6.9	4	6.9	3	3.7	-	-
Multi-race	4	4.2	5	5.7	8	13.8	4	4.9	2	14.3
White, NH	16	16.8	12	13.8	17	29.3	29	35.4	8	57.1
Unknown	2	2.1	2	2.3	2	3.4	1	1.2	-	-
Regional Totals	95	100.0	87	100.0	58	100.0	82	100.0	14	100.0

	Region 1		Region 2		Region 3		Region 4		Region 5	
	No.	%								
<i>Diagnoses with a Reported Risk*</i>										
FSF	0	0.0	0	0.0	1	2.0	0	0.0	0	0.0
GBM	26	52.0	28	56.0	25	49.0	26	44.8	6	66.7
GBM/PWID	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
HRH	11	22.0	10	20.0	12	23.5	5	8.6	0	0.0
Heterosexual contact	17	34.0	15	30.0	17	33.3	24	41.4	2	22.2
Illegal drug use (all types)	14	28.0	10	20.0	19	37.3	13	22.4	3	33.3
Incarceration	3	6.0	0	0.0	3	5.9	3	5.2	0	0.0
PWID	0	0.0	0	0.0	1	2.0	0	0.0	0	0.0
Trans women - sex with men	7	14.0	7	14.0	7	13.7	7	12.1	7	77.8
Trans women - sex with men/PWID	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transactional sex	3	6.0	1	2.0	1	2.0	0	0.0	0	0.0

	Region 1	Region 2	Region 3	Region 4	Region 5
No Identified Risk	45	37	7	24	5

* >1 reported risk per diagnosis possible. Diagnoses with No Identified Risk excluded from denominator for risk percent calculations.

People Diagnosed with Early non-P&S Syphilis
Regions 6-9
January - September 2025

	Region 6		Region 7		Region 8		Region 9	
	No.	%	No.	%	No.	%	No.	%
Gender								
Man	18	69.2	39	44.3	32	50.0	26	59.1
Woman	7	26.9	48	54.5	32	50.0	16	36.4
Trans Woman	1	3.8	1	1.1	-	-	2	4.5
Age at Diagnosis								
13-24	3	11.5	33	37.5	18	28.1	6	13.6
25-34	11	42.3	28	31.8	28	43.8	18	40.9
35-44	6	23.1	18	20.5	12	18.8	14	31.8
45+	6	23.1	9	10.2	6	9.4	6	13.6
Race/Ethnicity								
American Indian	-	-	1	1.1	-	-	-	-
Black, NH	16	61.5	68	77.3	46	71.9	24	54.5
Hispanic/Latinx	-	-	1	1.1	-	-	3	6.8
Multi-race	-	-	2	2.3	2	3.1	2	4.5
White, NH	10	38.5	16	18.2	16	25.0	15	34.1
Regional Totals	26	100.0	88	100.0	64	100.0	44	100.0

	Region 6		Region 7		Region 8		Region 9	
	No.	%	No.	%	No.	%	No.	%
<i>Diagnoses with a Reported Risk*</i>	No.	%	No.	%	No.	%	No.	%
FSF	0	0.0	6	8.0	0	0.0	1	2.9
GBM	7	43.8	11	14.7	13	25.0	12	34.3
GBM/PWID	0	0.0	0	0.0	0	0.0	0	0.0
HRH	3	18.8	19	25.3	9	17.3	8	22.9
Heterosexual contact	4	25.0	44	58.7	30	57.7	18	51.4
Illegal drug use (all types)	6	37.5	32	42.7	25	48.1	16	45.7
Incarceration	1	6.3	13	17.3	8	15.4	4	11.4
PWID	1	6.3	2	2.7	2	3.8	1	2.9
Trans women - sex with men	7	43.8	7	9.3	7	13.5	7	20.0
Trans women - sex with men/PWID	0	0.0	0	0.0	0	0.0	0	0.0
Transactional sex	1	6.3	4	5.3	2	3.8	2	5.7
	Region 6		Region 7		Region 8		Region 9	
No Identified Risk	10		13		12		9	

* >1 reported risk per diagnosis possible. Diagnoses with No Identified Risk excluded from denominator for risk percent calculations.

