Louisiana Department of Health 628 North 4th Street Baton Rouge, LA 70802



GENERAL SAFETY / LOSS PREVENTION MANUAL

Revised: June 2016

October 2017 April 2018 May 2020 July 2022 July 2024

TABLE OF CONTENTS

PART I: **Departmental Safety Policy Statement** page 3 **PART II: Applicability** page 4 **Implementation** PART III: page 4 **PART IV:** Responsibilities page 4 **General Safety/Loss Prevention Plan** PART V: page 5 PART VI: **Procedures for Conducting Safety** Inspections and Hazard Assessment/Control page 14 PART VII: **Safety Program Forms** page 17 Exhibit A: LDH Undersecretary Responsibility **Exhibit B: LDH Safety Manager/Director Responsibility** Exhibit C: Assistant Secretary/Division Director Responsibility **Exhibit D: Safety Coordinator Responsibility Exhibit E: Safety Officer Responsibility Exhibit F: Safety Committee Responsibility Exhibit G: Employee Safety Responsibility Exhibit H: Safety Meeting Report Exhibit I: Inspection Summary Report Exhibit J: Hazard Control Log Exhibit K: Job Safety Analysis Work Sheet**

Exhibit L: Accident Investigation Form DA 2000 and DA3000

Exhibit M: Safety Rules

Part I DEPARTMENTAL SAFETY POLICY STATEMENT





Bruce D. Greenstein SECRETARY

Louisiana Department of Health Office of the Secretary

DEPARTMENTAL SAFETY POLICY STATEMENT

Secretary Statement of Policy

It is the policy of the Louisiana Department of Health (LDH) to provide safe and efficient services to the patients/clients of the State of Louisiana and safe working environment for the employees of the Department. Each LDH employee must willingly assist management in accomplishing this goal, which cannot be achieved without safe work practices. This policy, with certain procedural requirements, will serve as a guide to offices' in developing internal procedures to fit their particular operations. It is the Departments objective to follow federal, state, and local codes/policies to maintain safe and healthy work conditions.

Safe work habits are criteria for satisfactory job performance. Each employee is responsible for immediately reporting accidents, unsafe conditions and work practices to supervisory staff and taking effective actions to minimize risk to themselves and others.

Each Assistant Secretary is responsible for ensuring both he/she and his/her employees are oriented and trained to follow applicable safety rules/policies and procedures outlined in the Department's Safety Policy, the Departments General Safety and Loss Prevention Manual, office procedures, and/or work location plans as they may be amended in the future.

It is the Department's intent to provide good supervision, effective training, and safe equipment for employees to perform their work. The success of the LDH Safety Program will be based on the joint commitment of management and staff to minimize and eliminate hazards to visitors, clients/patients, employees, and property.

Bruce Greenstein, LDH Secretary

4.21.2025

Bienville Building 628 N. Fourth St. • P.O. Box 629 • Baton Rouge, Louisiana 70821-0629 Phope (225) 342-9500 • Fax: (225) 342-5568 • www.ldh.la.gov

An Equal Opportunity Employer

PART II APPLICABILITY

The LDH Safety/Loss Prevention Manual applies to all offices within the Louisiana Department of Health.

PART III IMPLEMENTATION

This policy and procedural manual will be effective January 2012.

PART IV RESPONSIBILITIES

LDH Office of Management and Finance (OMF) will be responsible for management, coordination, and monitoring of safety efforts and the reduction of loss severity in LDH by:

- 1. Implementing policies and establishing a LDH Departmental General Safety/Loss Prevention Manual necessary to formalize an effective general safety program within the entire Department.
- 2. Assisting offices with the development of resources necessary for safety program implementation and enhancement.
- 3. Providing information to senior executive management (Secretary/Deputy Secretary/Undersecretary) regarding the effectiveness of the safety program within the Department and providing consultative services in such areas as program compliance, loss trends, identification of problem areas and assistance regarding program enhancement.
- 4. Reviewing offices' procedures/policies to ensure compliance with Department policy and the Departmental Safety/Loss Prevention Manual.
- 5. Assist offices with the development of both external and internal policies/procedures to meet Departmental safety needs.
- 6. Coordinating intra-departmental Safety/Loss Prevention matters.
- 7. Serving as the Departmental liaison to the Office of Risk Management, or their Third Party Administrator regarding Safety/Loss Prevention matters.
- 8. Promoting and coordinating Departmental efforts in the areas of Occupational Health programs (i.e. Blood-borne pathogens).

Departmental office's safety compliance ultimately falls upon the responsibility of the Undersecretary, and/or their designee. The LDH offices' Assistant Secretary/Director is required to implement safe procedures within their Offices/Divisions/Bureau/Unit/24-hr facility and ensure compliance with LDH policies/procedures, State and Federal laws, and accrediting bodies.

Each LDH office shall comply with the Departmental Safety/Loss Prevention Plan, which reflects the commitment of all levels of management to comply with the LDH safety program. This plan is to be kept on file for review and updating as needed.

Office safety procedures must address the following:

1. Appointment of an office/regional Safety Coordinator to coordinate safety efforts within the office/region and to serve as a liaison between the offices' Assistant Secretary/Director and the LDH Safety Manager/Director. Other duties of the office

- Safety Coordinator will be to develop office safety procedures, identify safety resources, and to advise the offices' Assistant Secretary/Director on the status of the offices' safety program compliance.
- 2. Appointment of division/regional Safety Officer at each ORM work location to coordinate safety efforts within the site/division/region and to serve as a liaison between the offices/regional Safety Coordinator and the LDH Safety Manager/Director. Other duties of the office Safety Officer will be to assist the office/regional Safety Coordinator in the development of site/division/regional safety procedures, identify safety resources, and to advise the offices/regional Safety Coordinator on the status of the division/regional safety program compliance.
- 3. Establishment and implementation of emergency preparedness plans and security plan in each work location (i.e.: regional/field office) to comply with ORM guidelines. NOTE: offices may develop a single emergency preparedness plans and security plan that is applicable to all work locations where the LDH Safety Manager/Director has determined program/work location safety needs are essentially the same.
- 4. Documentation of ORM compliance of all work locations maintained at the operating location, a summary within the offices' main office and/or regional/field office.

(See Exhibit A-E, Assignment of Safety Responsibilities)

PART V General Safety/Loss Prevention Plan

All ORM work locations of the LDH (offices, division, bureau, unit, and 24-hr facility) must have general safety and loss prevention plan, emergency preparedness plan, and security plan, which comply with the requirements of ORM. Either the work locations have an individual safety plan or, if the work location houses employees of several LDH offices, a joint plan will suffice where all of the employees be included in the plan(s) addressing the safety of the combined work locations.

Work locations of fewer than fifteen (15) employees may either have their own safety plan or participate in the safety plan of the nearest organizational entity of the same LDH office that has an established safety plan. (Example: a satellite clinic could be a part of the main clinic).

LDH offices and/or LDH Human Resources shall have and maintain documentation that all LDH employees have read and understand the LDH Safety Rules and the LDH General Safety/Loss Prevention Plan.

A. ELEMENTS OF A GENERAL SAFETY/LOSS PREVENTION PLAN

In situations where work locations are substantially similar in staff and work conditions, offices may find it convenient to develop a safety plan that is applicable to all such work locations with accommodations made to allow local variances to be addressed. (Example: field office work locations may have one plan that is utilized by all field offices they should add addendums to that plan to address local variances.)

1. MANAGEMENT POLICY STATEMENT

LDH Safety Policy Statement is located in part 1, pg. 3, of the LDH General Safety/Loss Prevention Manual. The Departmental Safety Policy Statement shall be posted at all work locations.

2. RESPONSIBILITY FOR SAFETY

The responsibility for safety shall be addressed in safety plans of every work location in accordance with the LDH Safety Policy Statement and ORM guidelines.

3. SAFETY INSPECTIONS OF WORK SITES

Work site safety inspection programs are to be established at all work locations in compliance with ORM requirements. Responsibility for the inspections will rest with the work location safety coordinator/officer to ensure inspections are conducted and documented. Reports of inspections will be kept at the work location for a minimum of three (3) years.

All safety inspection forms will contain the following information:

- 1. The address of the work location;
- 2. The person(s) performing the safety inspection;
- 3. Work site problem(s) and location of the problem at the work location;
- 4. Why the problem(s) exists; and
- 5. What actions have been taken and who has been informed of the problem.

In the interest of consistency within the LDH, the reporting of safety inspections and any identified problems shall comply with the procedures contained in the LDH General Safety/Loss Prevention Manual, Part VI, Section B., entitled, "Safety Inspections of Work Sites." The report form, in Part VII, Exhibit G, is entitled, "INSPECTION SUMMARY REPORT."

4. ACCIDENT/INCIDENT INVESTIGATIONS

In accordance with ORM, an investigation and subsequent report will be made of all accidents resulting in medical treatment, loss time, or death. The purpose of the investigation(s) will be to ascertain all facts surrounding an accident through careful questioning and investigation of activities contributing to the event. The objective is to document all the facts and causes of the accident and to determine the actions necessary to prevent recurrence.

For standardization of accident, investigation within the LDH, all work locations are to use the DA2000 form. For a visitor or client the DA3000 is to be utilized.

An **accident** is defined as "an unplanned event(s) that caused personal injury or property damage." An **incident** is defined as "an unplanned event(s) that could have caused personal injury or property damage." All accidents/incidents, including those occurring to non-employees at a work setting that result in injury, shall be investigated by the supervisor or other designated office personnel responsible for the area in which the accident/incident occurred. After acquiring the necessary medical aid for the injured person, the supervisor shall begin investigating the accident/incident by following these steps:

- 1. Immediately assemble facts surrounding the accident/incident.
 - a. If possible, have the injured person tell what happened, sign a statement regarding the incident and the believed extent of injury (DON'T FIX BLAME OR FIND FAULT JUST GET THE FACTS).

- 2. Survey the accident/incident scene for information.
- 3. Determine if there are witnesses. If so, get their account of the accident/incident, SEPARATELY.
- 4. Record all information.
- 5. Complete the proper Accident/Incident Investigation Form
- 6. The office safety coordinator/officer is to complete the root cause analysis.
- 7. The original form is to be retained by the offices/regional safety coordinator where the accident occurred.

5. SAFETY MEETINGS

LDH safety procedures shall provide for safety coordinators/officers and supervisors, to meet with work location employees on a monthly or quarterly basis based on their Agency Rating. The Office of Risk Management-Loss Prevention determines the classification.

- "Class A" will meet monthly.
- "Class B" will meet at least quarterly.

Meetings must be documented indicating the date, persons attending, and topics discussed. The safety meeting sign off form, provided in this manual, is designed to record the above data. Safety meetings can be incorporated into other meetings such as staff meetings. However, at minimum the meeting will provide a systematic method to examine work practice(s) or condition(s) for unsafe and potentially unsafe acts or conditions that have produced or have the potential to produce personal injury or property loss.

The safety meeting should solicit effective methods to prevent occurrence or recurrence of accidents and/or property damage. Any variance from the safety meeting sign off form shall provide the same information for documentation and safety audit purposes.

Documentation of "Safety Meetings", as well as "Safety Inspections" shall be kept on file for a minimum of three (3) years. The Office of Risk Management-Loss Prevention Section carries safety audits out each year, for the previous year. Therefore, documentation must be on hand to verify that all required safety elements have been carried out to meet the established minimum standards.

A legible record (hard copy) shall be kept showing:

- Topics discussed (must be included in course name if using an online platform in place of a scanned or hard copy),
- Employees receiving the information,
- Instructor's name,
- Teaching aids used,
- Date of training,
- Total number of employees on staff,
- Total number of employees in attendance at the training,
- Original signatures of employees on attendance sheets, or employee's initials next to typed names on attendance sheets or verification of "received and read" by e-mails,

- certificates of completion,
- training transcripts, and
- Employee suggestions or follow up

Training transcripts of meetings, certificates of course completion, and read receipts without the safety meeting topic clearly indicated **will not** be accepted.

Note: A maximum of 25% of the required meetings are allowed to be "policy review only" meetings. The remainder of the meetings may include policy as well, but they must also cover specific safety and health topics, encourage discussion when possible, and strive for a variety of content from year to year. New material is available from ORM, its TPA, and/or its broker of record.

6. SAFETY RULES

Each office shall provide for the establishment of the following safety rules relative to the specific work being performed by subordinate organizational units. These rules shall be uniformly enforced and made a part of the LDH safety plan. Documentation shall indicate that all staff have received and understand the safety rules. Safety rules may be modified to fit individual offices.

7. EMPLOYEE TRAINING

The following training is **required** for LDH employees:

- Blood Borne Pathogen Training is required within the first 90 days of employment, then every 5 years thereafter, for employees who do not work in high-risk situations.
- High Risk Blood Borne Pathogen (in-person or virtual) Training is required within the first 90 days of employment, and annually thereafter for high-risk employees aka: professional health care provider who provides invasive procedures, such as injection of vaccines or medications to and for patients on a daily basis, employee that works in a healthcare clinic/laboratory, employee that visit the home of clients for services, employee that conduct inspections of healthcare facilities (hospital, nursing home, clinics) and/or food service establishments, employee that handle water/waste/sewage samples, employee assigned to a LDH Emergency Preparedness Site (with exception to Regional/State Emergency Operations Center)
- Defensive Driver Training is required within the first 90 days of employment, then every 3 years thereafter.
- Drug Free Workplace Training is required within the first 90 days of of employment, then every 5 years thereafter.
- Sexual Harassment Training is required within the first 90 days of employment, then every year thereafter.
- Transitional Return to Work training is required within the first 90 days of employment, and every 5 years thereafter.
- LDH Safety Rule Training is required within the first 90 days of employment, and annually thereafter.
- LDH General Safety and Loss Prevention Manual Training is required within the first 90 days of employment, and every 5 years thereafter.

• LDH Active Shooter Training is required within 90 days of employment.

All training specified above, as well as required training for any other topics listed elsewhere throughout the entire Loss Prevention Manual, must be conducted within the indicated timeline for that topic, regardless of the date parameters allowed by the agency's chosen training platform.

Additionally, 24-hr facilities shall develop and implement a training program for

- a) each new employee;
- b) an existing employee on a new job;
- c) when new jobs are created; and
- d) use of required personal protective equipment (PPE) and where to get assistance as needed.

NOTE: It is recommended that all employees receive documented instruction in job-specific safety areas of their particular job in a formalized orientation program or by the supervisor.

Such programs shall be incorporated into 24-hr facility and/or office policy and shall be furnished for review by the LDH Safety Manager/Director upon request.

- a) Hazard recognition and method of corrective action;
- b) Involvement of employees in accident prevention programs;
- c) Awareness and acceptance of employee safety;
- d) Provision of information to employees on accident causes, occupational health hazards and accident prevention programs;
- e) Compliance with all Safety/Loss Prevention rules, regulations and guidelines; or
- f) Training in the areas appropriate for the job.

Supervisory Training

In order to promote a safe work place, affect reductions of LDH loss severity, and fulfill management's obligation to provide a safe work place and work condition.

Class A Plan

Supervisory Training is required by law for those facilities under a Class "A" Plan and offices are required to establish programs to train supervisors in conducting: safety meetings, safety inspections, accident investigations, and safety analysis.

Class B Plan

It is recommended that Supervisory Training be offered for offices/division/bureau/unit under a Class "B" Plan to train supervisors in conducting: safety meetings, safety inspections, accident investigations, and safety analysis.

Documentation of safety training, as well as safety meetings, for employees and/or supervisors must be kept on file a minimum of at least three (3) years for safety audit purposes.

8. JOB SAFETY ANALYSIS (JSA) PROGRAM

The purpose of the JSA Program is to identify hazards, which can exist among certain jobs, develop work procedures, which will eliminate or reduce identified job hazards, and serve as an accident investigation tool.

A. Objectives of the JSA Program are:

- a) To systematically evaluate jobs and work methods to eliminate hazards and potential hazards;
- b) To develop a tool to assist in the teaching of safe work procedures; and
- c) To provide a framework for accident analysis.

B. Procedures/Responsibilities

- a) Within each office/bureau/division/unit/facility, the Assistant Secretary/ Director shall establish procedures to develop and maintain the JSA Program at each work location.
- b) First-line supervisors and/or other designated staff are to perform job safety analysis and shall be instructed to select jobs to be analyzed by the following factors listed in order of importance:
 - 1. Trend Jobs that repeatedly produce accidents should be analyzed for job safety.
 - 2. Potential Severity If a job has the potential for severe injury or property damage, it should be analyzed for job safety.
 - 3. Death If an individual is killed while performing a job task, as a direct result of the task being performed.
 - 4. The first-line supervisor or other designated staff who is responsible for performing a job safety analysis should conduct the JSA by using the following steps:
 - a. Break the job down into its basic steps (usually less than twelve).
 - b. For each step, identify any potential accident(s) or hazard(s) that can exist.
 - c. For each step, give recommended safe job procedures that address any identified potential accident(s) or hazard(s).
 - d. The JSA Work sheet form (Exhibit I), contained in Part VII: Safety Forms may be used in conducting job safety analysis.

9. RECORD KEEPING

A. Department

The ORM maintains the LDH's statistical data indicating the status of the Department's compliance, loss severity, loss trends, statistical records of accident, claims and loss experience indicating the effectiveness of Departmental safety efforts.

a. The LDH Safety Manager/Director will maintain a list of Office Safety Coordinators/Officers and assist them to ensure their

office/division/bureau/unit/24-hr facility safety programs is maintained and records are kept for a minimum of three (3) years.

B. Office

Each office/division/bureau of the Assistant Secretary/Director will:

- a) Maintain a record of the status of the loss prevention program of each work location.
- b) Maintain a record of the person designated as safety coordinator/officers at the offices' work location(s).
- c) Include in its budget request and legislative proposal package for compliance of the loss prevention program.
- d) Ensure the availability of funding for any incentive/reward.

C. Work Locations

Each work location will maintain reports and/or forms of all First Reports of Injury, Safety Inspection, Incident/Accident Investigation, Hazard Control, Safety Meetings, First Aid, Job Safety Analysis, and any other needed/related forms and/or documentation for a period of no less than three (3) years from the end of the year for which the records pertain. Each work locations safety officer shall submit up the chain of command to its regional/field office safety coordinator, copies of required records necessary for annual ORM Safety Audits.

10. FIRST AID

- A. Only if it takes 15 minutes or more to attain medical treatment, the office/division/bureau/unit/24-hr facility' policies will need to address systematically the provision of training to ensure at least one employee per work location and shift is trained as a first responder and the provisions (gauze and band aids only) of a first aid kit is available at each worksite,
- B. Each work location shall maintain a current record of staff trained to deliver first aid included should be an annual inspection of the first aid kit ((gauze and band aids only) at the work location(s).
- C. It is recommended each work location maintain a basic fluid spill kit as an additional precaution.

11. HAZARD CONTROL PROGRAM

Purpose to establish a systematic method of recognizing, evaluating, and controlling hazards prior to injury to staff, visitors, and/or property. Offices shall develop procedures to implement the LDH Hazard Control Program at all work locations.

- 1. Objectives of the program are:
 - a) To train and require employees to examine and maintain a written record of working conditions, tools, equipment, or work practices that have the potential to cause harm to people, property, or the environment.

- b) To provide a timely method of discussion, evaluation, risk assessment, and hazard control.
- c) To provide upward communication in the organization relative to hazards and downward communication from LDH management on actions taken to eliminate such.
- d) To provide a consistent method of managing hazards until they are eliminated.

2. General Procedures/Responsibilities

- a) Within each office/division/bureau, the Assistant Secretary/Director will establish procedures to develop and maintain the Hazard Control Program at each work location.
- b) Each first-line supervisor, safety coordinator, and other personnel designated to conduct safety inspections will be trained in the program and will be responsible for continuously detecting, inspecting, correcting, and controlling potential unsafe acts or unsafe conditions that could create a safety hazard.
- c) The supervisor, safety coordinator, and other personnel designated to conduct safety inspections, upon suspicion/report of hazard(s) shall be responsible for taking immediate temporary control (ITC) to assure that the suspected hazard does not expose life, property, or the environment to danger.
- d) The supervisor is responsible for logging hazards in the Hazard Control Log, reviewing entries made by employees, taking ITC and any other action to eliminate the hazard as soon as possible. Specific procedures and forms for the Hazard Control Log are included in Section VII: Safety Program Forms.
- e) If hazard elimination or control is beyond the ability or authority of the supervisor, and/or safety coordinator, the supervisor must report the hazard to his/her appointing authority. Higher-level supervisors, in turn, must report the hazard upward until the proper level of authority to abate the hazard has been reached, and corrective measures have been taken.

12. EMERGENCY PREPAREDNESS PROGRAM

Each work location shall establish within his/her offices/division/bureau an Emergency Preparedness Program (EPP), relative to office safety procedures to ensure the safe evacuation or placement of employees and rapid control of hazards during a life threatening situation at all work locations within his/her authority. Such life threatening situations as hurricane, tornado, chemical spill, earthquake, terrorist attack, and fire or explosion shall be included in written EPP and taught to each employee. Evacuation drills (such as fire drill) and internal placement drills (such as chemical spill or tornado drills) shall be conducted at least once a year.

The objectives of such a program will be to:

- a. To prevent and control emergency situations,
- b. To warn employees of an actual or impending disaster and prepare them for possible evacuation, and
- c. To establish safe routes of exit.

The LDH Safety Manager/Director is available for assistance in development of evacuation plans. A copy of the LDH Bienville Building Emergency Preparedness Plan for the Bienville Building is available on the LDH Safety and Security website to assist as a guideline.

13. SAFETY RESPONSIBILITY DOCUMENTATION

Offices shall address in their safety procedures the responsibility for adhering to the safety plan, safety rules, safety procedures, and safety training as an on-going responsibility of every LDH employee. Failure to adhere to safety rules, policies, or the safety plan for the work location, when it can be clearly shown that the employee has been trained, instructed, and/or counseled in proper safe work performance shall be considered poor work performance and failure to properly perform the duties of one's position. Such incidents may subject the employee to disciplinary action. This policy applies to all employees from executive managerial to the front-line employee to ensure a safe work environment.

B. AUDIT OF THE GENERAL SAFETY/LOSS PREVENTION PLAN

1. INTRODUCTION

The 1980 legislation creating the Office of Risk Management (ORM) also created the Loss Prevention Unit, within the ORM, to assist state agencies in the prevention and reduction of employee job-related accidents, injuries and property losses. Assistance includes auditing agency programs and incentives for compliance.

ORM has determined that every state agency will be under either a Class "A" or Class "B" operating safety plan. The class criterion is as follows:

- a. Class "A" Safety Plan the plan required of agencies where worker's compensation rate per \$100 of payroll is \$5 or more for classification with highest amount of payroll;
- b. Class "B" Safety Plan the plan required of agencies where worker's compensation rate per \$100 of payroll is less than \$5 for classification with highest amount of payroll.

The ORM will notify each agency regarding which class operating safety plan they are under. The Class "A" Safety Plan is more stringent or requires that certain elements of the safety plan be performed more often (An example would be that a Class "A" requires safety inspections and safety meetings be conducted monthly, while a Class "B" requires safety inspections and safety meetings be conducted at least quarterly.). Both Class "A" and "B" operating safety plans must address the following:

- 1. Department Safety Policy Statement
- 2. Responsibility for Safety
- 3. Safety Inspections
- 4. Accident Investigations
- 5. Safety Meetings
- 6. Safety Rules

- 7. Safety Training
- 8. Record Keeping
- 9. First Aid
- 10. Emergency Preparedness
- 11. Comprehensive Hazard Control
- 12. Implemented Job Safety Analysis (JSA) Program
- 13. Policy and Procedures (see Part VI: Procedures for Conducting Safety Inspections and Accident Investigations)

2. AUDIT PROCEDURES and APPEAL PROCESS

Annual audits will be performed between January and March by ORM to determine if a particular agency complies with existing statutes and the state loss prevention program. Audits cover six (6) separate programs or lines of insurance, which include the following:

- a) General Safety/Loss Prevention
- b) Driver Safety
- c) Bonds & Crime
- d) Equipment (Boilers & Machinery) Management
- e) Water Vessel Operator Safety Program
- f) Aircraft Safety

Copies of the ORM Sample Audit Form can be found on the LDH Safety and Security website.

An agency may request a pre-audit by the ORM, such pre-audit can be used to determine if the agency is in compliance, what needs to be accomplished, and certify if it is not in compliance (or meeting the minimum standards set by the ORM). Pre-audits should be requested between July and December or the 1st half of a fiscal year when the agency has time to take any necessary action(s) to meet minimum standards or the Loss Prevention Program.

Any agency which has undergone a loss prevention audit and has received certification from the ORM as being in compliance with State law and loss prevention standards prescribed by the ORM; shall receive a credit to be applied to the agency's annual self-insured premium per line of insurance coverage, excluding the coverage for road hazards and medical malpractice, equal to five percent (5%) of the agency's total annual self-insured premium paid per line of coverage.

An agency, which has failed to receive certification after undergoing a loss prevention audit by the ORM, shall be liable for a penalty of five percent (5%) of the **agency's total annual self-insured premium** paid per line of coverage, excluding the coverage for road hazards and medical malpractice. The ORM shall notify such agency of the penalty at least sixty (60) days prior to assessing the penalty.

An agency may, after a period of six (6) months from the agency's receipt of the notice of noncompliance, request that a subsequent audit be performed if such

agency can demonstrate that the deficiencies cited in their previous audit have been remedied.

PART VI PROCEDURES FOR CONDUCTING SAFETY INSPECTIONS AND HAZARD ASSESSMENT/CONTROL

INTRODUCTION

LDH policy requires specific procedures and forms be used for certain functions of the safety plan. Facilities wanting to use other forms than those required by the LDH General Safety/Loss Prevention Manual may submit requests to the LDH Safety Manager/Director for exemption, along with specific justification for consideration.

SAFETY INSPECTIONS OF WORK SITES

The administrative head of each work location or his/her designee(s) shall periodically conduct safety inspections of the work location. Complex work locations may be divided into areas to accomplish safety inspections.

Such inspections shall occur:

- a) Every three (3) months for work locations with Class "B" Safety Plans.
- b) Work locations with Class "A" Safety Plans are required to conduct the inspections monthly.

1. Objectives of the Safety Inspections are:

- a) To keep each area of State owned or operated grounds and facilities free from safety and fire hazards and effectively control or isolate people and property from exposure to potential hazards;
- b) To ensure each area in all LDH owned or operated grounds and facilities is inspected at least once every three months for the purpose of eliminating potential safety and fire hazards (every month for those work locations under a Class "A" Safety Plan)
- c) To eliminate or immediately control potential safety or fire hazards at their source when possible; to report those hazards to the administrative head of the agency when appropriate;
- d) To document on the LDH Building Inspection Form. Inspections with hazards detected, immediate temporary control taken, and action taken to eliminate the hazards from recurring;
- e) To summarize hazards which cannot be eliminated within thirty (30) days of recognition on the Hazards Over Thirty Days Summary and forward it to the agency head, the office/regional safety coordinator and the LDH Safety Manager/Director; and
- f) To enable the agency head to audit and evaluate the work location to detect, correct and control potential hazards.

2. Specific Procedures for Inspections

a) The work location administrator or his/her designee will complete the LDH Building Inspection Form for their area. He/She will remain

- accountable for the thoroughness and accuracy of the information on this document.
- b) The work location administrator or his/her designee will meet with the first line supervisors and employees to explain the purpose and objectives of the program. Each employee should be encouraged to assist in identifying, eliminating, or effectively controlling potential safety and fire hazards.
- c) Suggested items to look for:
 - a) Slip or trip hazards (i e., cut, torn or broken floor covers, extension cords, etc.);
 - b) Foreign materials which could cause loss of balance (i e., food, grease, water, etc.);
 - c) Holes or protrusions (i.e., eroded, broken or sunken walking surfaces, etc.); and
 - d) Temporary accumulation of flammable or combustible materials.
- d) The completed forms shall remain at the work location for at least three (3) years.
- e) Questions concerning the form shall be referred to the offices' safety coordinator or LDH Safety Manager.

HAZARD CONTROL PROGRAM

- 1. Procedures
 - a) The work location administrator or his designee will maintain a Hazard Control Log for each operating area.
 - b) The work location administrator his/her designee will meet with supervisors to explain the purpose, objectives and procedures for implementing and managing the hazard control program.
 - c) Supervisors will introduce the program and explain its purpose, objectives and procedures to all employees. The employees should understand that this program would assist them in communicating potential hazards to management for corrective action.

2. Responsibility

- a) Each employee of the agency will be responsible for detecting and reporting unsafe acts or unsafe conditions to the work location administrator or his/her designee.
- b) The work location administrator or designee, upon suspicion of a hazard will be responsible for taking immediate temporary control (ITC) to assure that the suspected hazard does not expose people, property or the environment to danger.
- c) The work location administrator or designee is responsible for entering hazardous acts/conditions in the Hazard Control Log.
- d) If hazard elimination or control is beyond the ability or authority of the work location administrator, he/she must report the hazard to his/her superior or until the proper level of ability or authority to abate the hazard has been reached and corrective action taken.

3. Hazard Priority and Communication

- a) The work location administrator will determine the priority of enacting a long-term solution.
- b) The work location administrator should seek counsel from his/her subordinates (and superior as necessary) in determining methods of effective corrective action to abate the hazard.
- c) Each person exposed to the hazard will be informed of the immediate temporary control (ITC) and of the hazard itself.
- 4. Maintenance and Distribution of Forms
 - a) LDH Hazard Control Log is to be retained in the originating work area for at least three (3) years.

PART VII SAFETY PROGRAM FORMS

All forms attached shall be used unless prior approval is obtained from the LDH Safety Manager/Director. Forms are also available on the ORM website under Loss Prevention Forms.

LDH Undersecretary Responsibilities

Departmental office's safety compliance ultimately falls upon the responsibility of the Undersecretary, and/or their designee.

.

- 1. Has full responsibility for safety within all LDH offices/division/bureau/unit/24 hour facility.
- 2. Authorizes necessary expenditures to provide safe work conditions
- 3. Approves safety policies as formulated by the LDH Safety Manager/Director.
- 4. Participates in the safety and loss prevention program as recommended by the LDH Safety Manage/Director.

LDH Safety/Security and Administrative Services Director Responsibilities

The LDH Safety/Security & Administrative Services Director is appointed by the LDH Undersecretary and is responsible for managing, coordinating, and monitoring safety practices at all LDH work location codes through a network of appointed safety coordinators/officers that functionally report to the LDH Safety/Security & Administrative Services Director.

Other Responsibilities include:

- 1. Has full responsibility for overall LDH General Safety and Loss Prevention Program.
- 2. Has direct access to LDH Senior Executive Management (Secretary, Deputy Secretary, and Undersecretary) regarding safety and security matters.
- 3. Serves as chairman of the LDH Safety Committee
- 4. Demonstrates leadership to all safety coordinators/officers.
- 5. Maintains open communication with the safety coordinators/officers.
- 6. Provides support and guidance to the safety coordinators/officers.
- 7. Analyzes accident records/claims data
- 8. Conducts educational activities
- 9. Assists in coordination and compliance of annual compliance/full ORM safety audits
- 10. Issues necessary reports showing safety performance and accident trends.
- 11. Execute work orders promptly.
- 12. Inspects work areas for compliance with safe work practices and safety rules.
- 13. Conducts random site visits/inspections to ensure LDH work locations are complying with LDH General Safety and Loss Prevention Program and LDH Policies/Procedures.

Assistant Secretary/Director Responsibilities

The LDH offices' Assistant Secretary/Director is required to implement safe procedures within their Offices/Divisions/Bureau/Unit/24-hr facility and ensure compliance with LDH policies/procedures, State and Federal laws, and accrediting bodies.

- 1. Has responsibility for safety within office/division/bureau/unit/24 hour facility.
- 2. Authorizes necessary expenditures to provide safe work conditions
- 3. Approves safety policies as formulated by the offices Safety Coordinator for offices' division/regional locations.
- 4. Participates in the safety and loss prevention program

Safety Coordinators Responsibilities

Safety Coordinators are responsible for implementation and compliance with the LDH General Safety and Loss Prevention Plan and all LDH safety related practices/procedures and is to be accountable for results as measured by criteria such as incident rates and safety audit scores as established by the Office of Risk Management (ORM).

- 1. Resolve questions and make necessary recommendations to correct unsafe conditions.
- 2. Make regular facility inspections to determine if safework practices are being observed, and ensure that unsafe conditions do not exist.
- 3. Actively participate and follow the LDH General Safety and Loss Prevention Plan and all safety related policies/procedures of the Department.
- 4. Plan, coordinate, perform, or delegate all safety training and testing given to employees.
- 5. Maintain appropriate records of safety meetings, training, and testing (as applicable).
- 6. Review safety related corrective actions with the employees.
- 7. Personally perform safety inspection and review safety inspection reports and unsafe conditions report by supervisors, employees, or others. Make or obtain corrections as required to maintain a safe workplace and ensure compliance.
- 8. Conduct regular safety meeting with employees to promote safety awareness and compliance with the LDH General Safety and Loss Prevention Program.
- 9. Investigate accidents/incidents and assist supervisors with the completion of Accident/incident Report.
- 10. Complete the DA2000 form's Root Cause Analysis and submit the DA2000 form within 24 hour of accident/injury to the LDH Workers Compensation Claim submittal staff in LDH Human Resources and the LDH Safety Manager/Director.
- 11. Ensure employees complete the DA2041 form in a timely manner and submit directly to ORM or their Third Party Administrator, office safety coordinator, and LDH Safety Manager/Director within 48 hours of an auto accident to include any photos, police report number, witness statements, etc.
- 12. Review reports of first aid incident and reportable injuries to determine possible preventive actions. Take immediate corrective actions as required.
- 13. Ensure that specific programs (i.e., blood borne pathogen, etc.) are implemented and complied with consistently.

Safety Officer Responsibilities

Safety Officers are responsible for implementation and compliance with the LDH General Safety and Loss Prevention Plan and all safety related practices/procedures and is to be accountable for results as measured by criteria such as incident rates and safety audit scores as established by the Office of Risk Management (ORM). Safety Officers report to the office/regional Safety Coordinator.

- 1. Resolve questions and make necessary recommendations to correct unsafe conditions at worksite location.
- 2. Make regular facility inspections to determine if safework practices are being observed, and ensure that unsafe conditions do not exist.
- 3. Documents walk-through and submits completed forms to the offices safety coordinator
- 4. Actively participate and follow the LDH General Safety and Loss Prevention Plan and all safety related policies/procedures of the Department.
- 5. Plan, coordinate, and perform safety meetings and maintain appropriate records and submits completed forms to the office safety coordinator.
- 6. Review safety related corrective actions with the employees.
- 7. Personally perform safety inspection and review safety inspection reports and unsafe conditions report by supervisors, employees, or others. Make or obtain corrections as required to maintain a safe workplace and ensure compliance.
- 8. Investigate accidents/incidents and assist supervisors with the completion of Accident/incident Report.
- 9. Complete the DA2000 form's Root Cause Analysis and submit the DA2000 form within 24 hour of accident/injury to the LDH Workers Compensation Claim submittal staff in LDH Human Resources, offices safety coordinator, and the LDH Safety Manager/Director.
- 10. Ensure employees complete the DA2041 form in a timely manner and submit directly to ORM or their Third Party Administrator, office safety coordinator, office safety officer, and LDH Safety Manager/Director within 48 hours of an auto accident to include any photos, police report number, witness statements, etc.
- 11. Review reports of first aid incident and reportable injuries to determine possible preventive actions. Take immediate corrective actions as required.
- 12. Ensure that specific programs (i.e., blood borne pathogen, etc.) are implemented and complied with consistently.

Safety Committee Responsibility

In order to promote better communication and active engagement of employees with the LDH General Safety and Loss Prevention Plan, a Safety Committee will be established for the Office of the Secretary/Office of Management and Finance. Its primary function is to serve as a two-way channel of communication and to promote safety awareness throughout the workplace.

Organization:

The Safety Committee is comprised of the all headquarter office/Division/Bureau/Unit Safety Coordinators/Officers and other interested personnel. The members of the Safety Committee will meet quarterly. The Office of the Secretary/Office of Management and Finance Safety Manager/Director will chair the meeting.

Functions:

- 1. The Safety Committee has the following functions
- 2. Conduct and review monthly safety inspection of the facility.
- 3. Review, make recommendations, update safety rules, and safe operating procedures.
- 4. Review accidents and incidents reports reported since the last meeting, and suggest means for preventing future occurrences.
- 5. Convey, review, and comment on safety suggestions submitted by LDH employees.
- 6. Promote safety awareness among all employees through safe attitudes and day-to-day inter actions.
- 7. Other matters pertinent to LDH safety and security

Employee Safety Responsibilities

The primary responsibility of Louisiana Department of Health employees is to perform their duties in a safe manner in order to prevent injury to themselves and others.

As a condition of employment employees must become familiar with, observe, and obey LDH Safety Rules and established policies for safety and loss prevention while at work. Additionally, employees must learn the approved safe practices and procedures that apply to their work.

Before beginning a new assignment, an employee should review applicable and appropriate safety rules. If an employee has any questions about any safety related issues please discuss with your super visor first. If after discussing a safety situation with his or her supervisor, an employee still has questions or concerns, he or she is required to contact their Safety Coordinator.

NO EMPLOYEE IS EVER REQUIRED to perform work that he or she believes is unsafe, or that he or she think is likely to cause injury or health risk to themselves or others.

EXHIBIT F SAFETY MEETING REPORT

Agency:		Quarter or Month:			
Section:		% Participation (total # EE attending/total # EE): %			
Safety Manager/Instructor:		Date of Meeting:			
Subject of Meeting:					
Materials/Methods Used:					
I have received and read the materials regarding the safety meeting topic above.					
Print Name		Signature / Initials			

Make copies of this sheet for additional signatures. EXHIBIT F SAFETY MEETING REPORT

Comments/Suggestions/Remarks:	

Louisiana Department of Health Quarterly Building Inspection Form

Date:	
Building:	
Inspector's Name:	

	FIRE SAFETY AN	ID EN	ERG	ENCY E	EQUIPMENT
	Item	Yes	No	N/A	Comments
1	Are all fire extinguishers visible & accessible? Are they fully charged? (check for needle in the green) Is the pin in place & secure?				
2	Are fire extinguisher tags in place and less than one year old? (check punched date for year & month)				
3	Is the fire alarm system functioning properly and has it been tested within the past year? (look for green inspection tag by alarm control panel)				
4	Are smoke alarms functioning correctly? (test each alarm, push test button)				
5	Are all exits marked with exit signs and illuminated? (if battery operated, push test button)				
6	Are evacuation plans posted near doors?				
7	Are all doors and hallways leading to an exit, free to access with no possibility of being locked in?				
8	Are exit routes kept free of obstructions?				
9	Do exit doors open outwards? Will fire & exit doors close and latch properly?				
10	Has a fire / evacuation drill been conducted within the past year?				
11	Do portable heaters have automatic shut off if tipped over? Are portable heaters operated away from flammable materials?				
12	Are emergency phone numbers posted? (ex: security, fire, ambulance)				
13	Are emergency lights functioning correctly? (test by pushing button)				
14	Are 1st aid kits visible & accessible? Are they stocked? Are expiration dates current?				
_	Are BBP spill kits stocked and accessible?				
16	Is there at least 18" clearance for all sprinkler heads?				
17	Are boxes, paper or other combustible items allowed to accumulate that would present a fire hazard?				
	BUILDING	AND	OFFIC	CE SAF	ETY
	Item	Yes	No	N/A	Comments
1	Are there any slip / trip / fall hazards located inside or outside of the building?				

Louisiana Department of Health Quarterly Building Inspection Form

2	In areas that may be wet, greasy or slippery are floor mats or other anti-slip material used and in good condition?						
3	Are service holes, man holes, drains, etc. properly covered?						
4	Is the building well lit, inside & outside?						
5	Are floors in good condition with no loose or broken flooring?						
6	Are stairways in good condition with handrails in place? Are stair treads in good condition?						
7	Does the building have any pest problems?						
8	Are all ceiling tiles in place and in good condition throughout the building?						
9	Is the building secure? Are all outside doors locked at the end of each day? Are all locks and other security devices functioning properly?						
10	If equipped, is the security system for the building working properly?						
11	Are all maintenance and mechanical areas secure? (i.e. boiler rooms, air handlers)						-
12	Do any windows have broken panes?						
13	Are all elevators working correctly? Are elevators equipped with an emergency phone?						
. 1.7	Is the parking lot in good condition? (i.e. no potholes, parking lines visible, etc.)						j
13	Are there any water leaks in the building? Note exact location of leaks if it can be determined.					- 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2	
16	Are all plumbing systems working properly? (toilet flushing problems, drainage problems, leaks from faucets, pipes, etc.)						
	Is the Hazard Control Log posted?						
	Are safety rules posted?						
19	Do employees stand on chairs/desks instead of approved ladders/stepstools?						
				-			
	ELECTRICAL SAFE	ETY A	ND S	TORAC	SE METHODS		
	Item	Yes	No	N/A		Comments	
	Are all breaker boxes labeled correctly? Are empty breaker slots covered? Are the doors closed?						
	Do panel boxes have any hot spots? If so, note location of hot spot & which panel box.						
3	Check extension cords: are they properly grounded and adequately sized for the current being drawn? Are they placed in a manner to prevent tripping?						

Louisiana Department of Health Quarterly Building Inspection Form

4	Are there any surge protectors plugged into other surge protectors? Only one surge protector allowed per outlet.	
5	Check extension cords: are they damaged in any way?	
6	Are outlets & switches covered properly?	
7	Are storage areas neat? Are items stacked properly? Are heavier items stored below shoulder height?	
8	Do top shelves have overhang?	
9	Are all custodial areas in good condition? Are chemicals stored in appropriate container? Is this area secure?	
10	Are flammable items stored in proper cabinets and/or containers?	
11	Are oxygen and/or acetylene tanks secured properly?	
		sues & Concerns Noted by the Inspector
	Item	Comments
_		
Upor	n completion send a copy to the Loss Prevention	n Representative and keep a copy for your file. Any hazards found
Upor	n completion send a copy to the Loss Prevention be reported to the Loss Prevention Representa	n Representative and keep a copy for your file. Any hazards found ative for corrections and/or follow-up.
Upor	n completion send a copy to the Loss Prevention be reported to the Loss Prevention Representa	n Representative and keep a copy for your file. Any hazards found ative for corrections and/or follow-up.
shall	n completion send a copy to the Loss Prevention be reported to the Loss Prevention Representa	In Representative and keep a copy for your file. Any hazards found ative for corrections and/or follow-up.
shall	be reported to the Loss Prevention Representa	ative for corrections and/or follow-up.
shall	be reported to the Loss Prevention Representa	ative for corrections and/or follow-up.

HAZARD CONTROL LOG

HC-1-90

DEPARTMEN	NT:			AGENCY:					
LOCATION							DATE:		
DATE	HAZARD	IMMEDIATE TEN		LONG-TERM SOLUTION		HAZARD D	ETECTED	PRIORIT	SCHEDULED/DATE COMPLETION
				9.200 TQ20 (1.185 2.55)					
						7			
					Cere				
OFFICE OF P.O. BOX	OT CORRECTED AFTE F RISK MANAGEMENT 91106 UGE, LOUISIANA 7	, LOSS PREVENTION			s	PAYS	E = EMERGEN A = TODAY B = ONE WEE	ICY	ORITY C = ONE MONTH D = THREE MONTH
REVIEWED	BY:		DATE:		RE	VIEWED BY:			DATE:

JSA FORM JSA WORKSHEET (FORM JSA-1-00)

REQUIRED AND/OR RECOMMENDE	OF PERSON WHO DOES JOB	SUPERVISOR:	ANALYSIS BY:		
Language and the second of the	ATION:		REVIEWED BY:		
SEQUENCE OF BASIC JOB STEPS	D PERSONAL PROTECT	TIVE EQUIPMENT:	APPROVED BY:		
	POTENTIAL ACC	CIDENTS OR HAZARDS	RECOMMENDED-SAFE-JOB-PROCEDURES.		

JSA 1-00 STATE OF LOUISIANA

STATE EMPLOYEE INCIDENT/ACCIDENT ANALYSIS FORM - DA2000

OFFICE OF RISK MANAGEMENT - UNIT OF RISK ANALYSIS AND LOSS PREVENTION

WORKER'S COMPENSATION - FOR AGENCY USE ONLY

- > This form is NOT for use in reporting a claim. The claim reporting form can be found at: www.laorm.com
- Required for <u>all</u> incidents/accidents <u>except</u> auto accidents, for which a police report serves as the investigation document.
- > Keep completed forms on file at the location where the audit/compliance review will occur.

(PLEASE TYPE OR PRINT)

1. AGENCY NAME and LOCATION CODE:	
2. ACCIDENT DATE and TIME:	3. REPORTING DATE:
4. EMPLOYEE NAME (LAST, FIRST):	
5. JOB TITLE:	
6. IMMEDIATE SUPERVISOR:	
7. DESCRIBE IN DETAIL HOW INCIDENT/ACCIDE	ENT OCCURRED: (USE ADDITIONAL SHEET IF NECESSARY):
8. PARISH WHERE OCCURRED:	9. PARISH OF DOMICILE:
10. WAS MEDICAL TREATMENT REQUIRED?	YN?
11. EXACT LOCATION WHERE EVENT OCCURR	ED:
12. NAME(S) OF WITNESS(ES):	
13. NAME OF PERSON COMPLETING THIS SEC	TION OF REPORT:
14. SIGNATURE:	15. DATE:

This form is for internal use only and is prepared in anticipation of litigation.

STATE EMPLOYEE INCIDENT/ACCIDENT INVESTIGATION FORM - DA2000

MANAGEMENT SECTION

16. NAME OF PERSON COMPLETING THIS SECTION OF REPORT:
17. POSITION/TITLE:
18. IS THE PERSON COMPLETING REPORT TRAINED IN ACCIDENT INVESTIGATION?YN
19. WAS EQUIPMENT INVOLVED?YN (If no, skip to question 20)
A. TYPE OF EQUIPMENT:
B. IS THERE A JSA FOR EQUIPMENT?YN C. DATE LAST JSA PERFORMED:
D. MOST RECENT DATE AFFECTED EMPLOYEE RECEIVED TRAINING ON THE JSA:
20. HAVE SIMILAR ACCIDENT/INCIDENTS OCCURRED?YN
21. DID INCIDENT INVOLVE SAME INDIVIDUAL?YN 22. SAME LOCATION?YN
23. WAS THE SCENE VISITED DURING THE INVESTIGATION?YN
A. DATE & TIME: B. ARE PICTURES/VIDEO AVAILABLE?YN
C. IF NO, REASON FOR NOT VISITING:
ROOT CAUSE ANALYSIS
UNSAFE ACT (PRIMARY): Failure to comply with policies/procedures Failure to use appropriate equipment/technique Inattentiveness Inadequate/lack of JSA/standards Incomplete or no policies/procedures Inadequate training on policies/procedures Inadequate adherence of policies/procedures
Other (specify)
Detailed explanation of checked box
WHY WAS ACT COMMITTED:
UNSAFE CONDITION (PRIMARY): Inappropriate equip/tool Inadequate maintenance Inadequate training Wet surface Worn/broken/defective building components Broken equipment Inadequate guard Electrical hazard Fire Hazard
Other (specify)
Detailed explanation of checked box
WHY DID CONDITION EXIST:
CONTRIBUTORY FACTORS (IF ANY):
IMMEDIATE ACTION TAKEN TO PREVENT RECURRENCE:
LONG RANGE ACTION TO BE TAKEN:
WHAT ADDITIONAL ASSISTANCE IS NEEDED TO PREVENT RECURRENCE:

This form is for internal use only and is prepared in anticipation of litigation.

FORM DA 2000 REVISED 05/2024

VISITOR/CLIENT POST INCIDENT/ACCIDENT INITIAL INFORMATION FORM - DA 3000

OFFICE OF RISK MANAGEMENT - UNIT OF RISK ANALYSIS AND LOSS PREVENTION

GENERAL LIABILITY - FOR AGENCY USE ONLY

- > This form is NOT for use in reporting a claim. The claim reporting form can be found at: www.laorm.com
- Required for <u>all</u> incidents/accidents <u>except</u> vehicle accidents for which a police report serves as the proper documentation.
- > Keep completed forms on file at the location where the audit/compliance review will occur.

(PLEASE TYPE OR PRINT)

1. AGENCY NAME and LOCATION CODE:	
2. DATE and TIME of INCIDENT/ACCIDENT:	3. REPORTING DATE:
4. VISITOR/CLIENT NAME (LAST, FIRST):	
5. VISITOR/CLIENT ADDRESS:	
6. VISITOR'S/CLIENT'S TELEPHONE #:	
7. VISITOR'S/CLIENT'S DETAILED DESCRIPTION	ON OF HOW ACCIDENT OCCURRED:
8. DID ANY EMPLOYEE ASK THE VISITOR/CLI	ENT IF HE/SHE WAS INJURED?YN
9. DID THE VISITOR/CLIENT VERBALLY EXPR	ESS AN INJURY TO ANY PART OF HIS/HER BODY?YN
(IF NO, SKIP TO Q. 10)	
A. WHICH PART OF HIS/HER BODY W	AS INJURED? PLEASE BE SPECIFIC (e.g., RIGHT FOREARM, LEFT WRIST
LOWER RIGHT ABDOMEN)	
B. WAS MEDICAL CARE OFFERED?	YN
1. DID THE VISITOR/CLIENT A	ACCEPT MEDICAL CARE?YESNO
10. WERE THERE ANY WITNESS(ES)?Y	N (IF NO, SKIP TO Q. 11)
A. WITNESS'S NAME, ADDRESS, and	TELEPHONE # (use additional sheet if needed)
B. WITNESS STATEMENT(S) ATTACH	FD2 Y N

FORM DA 3000 Revised 05/2024

This form is for internal use only and is prepared in anticipation of litigation.

VISITOR/CLIENT POST INCIDENT/ACCIDENT INITIAL INFORMATION FORM - DA 3000 11. DETAILED DESCRIPTION OF INCIDENT/ACCIDENT LOCATION _____ A. IS THIS LOCATION IN A ☐ STATE-OWNED OR ☐ LEASED BUILDING? B. IS THIS SPACE SHARED WITH NON-STATE EMPLOYEES? ___Y ___N 12. DID THE PERSON CONDUCTING THE INVESTIGATION OBSERVE ANYTHING THAT WAS DIFFERENT THAN THE VISITOR'S/CLIENT'S/WITNESS'S ACCOUNT? ___Y ___N IF YES, PLEASE PROVIDE A BRIEF SUMMARY: 13. CHECK THE APPROPRIATE ENVIRONMENTAL CONDITION(S) THAT IS/ARE APPLICABLE TO THE INCIDENT/ACCIDENT: RAINING SUNNY CLOUDY FOGGY COLD HOT LIGHTING WIND ☐ OTHER WEATHER CONDITION(S) _____ ☐ WEATHER NOT A FACTOR 14. CHECK THE APPROPRIATE BOX(ES) THAT PERTAINS TO THE INCIDENT/ACCIDENT: ☐ STAIRS ☐ PARKING LOT ☐ GARAGE ☐ SIDEWALK ☐ ELEVATORS ☐ GRATING ☐ SPONSORED ACTIVITY ☐ DORMITORY ☐ WAITING ROOM ☐ WALKWAYS ☐ RAILINGS ☐ FURNITURE ☐ LIQUID ON FLOOR - TYPE OF LIQUID ____ ☐ FLOORING - DESCRIBE THE TYPE OF FLOOR AND TYPE OF WAX _____ ☐ EQUIPMENT (SPECIFY TYPE) _____ _____ STATE-OWNED? ___Y _ N ☐ OTHER CONDITION(S): ____ 15. IF THE INCIDENT/ACCIDENT INVOLVED ITEMS THAT CAN BE RETAINED (e.g., furniture, muffler, exam table), THE CLAIMS UNIT REQUIRES THAT THE ITEM BE TAGGED WITH THE DATE OF INCIDENT/ACCIDENT AND NAME OF VISITOR/CLIENT. IF THE STATE-OWNED ITEM IS BROKEN OR DAMAGED, IT MUST BE PLACED IN A SECURED AREA AFTER BEING THE TAG CANNOT BE REMOVED OR THE BROKE/DAMAGE ITEM CANNOT BE SURPLUS/DISCARDED UNTIL NOTIFIED BY THE CLAIMS UNIT. IF APPLICABLE, WERE THESE STEPS FOLLOWED? ___Y ___N 16. WAS THE VISITOR/CLIENT AUTHORIZED TO BE IN THIS AREA? ___Y ___N 17. DID ANY EMPLOYEE OBSERVE ANYTHING BEFORE/AFTER THAT IS REVELANT TO THE ACCIDENT? ___Y ___N (IF NO, SKIP TO Q. 18) A. WAS A STATEMENT OBTAINED AND ATTACHED? ___Y ___N 18. DID THE SUPERVISOR OR AGENCY SAFETY OFFICER RECEIVE A REPORT OF ANY OBSERVED CONDITIONS? ___Y ___N 19. WERE PICTURES/VIDEO TAKEN AND ARE THEY ATTACHED TO REPORT? ___Y ___N 20. NAME AND POSITION OF EMPLOYEE FILLING OUT THIS REPORT: DATE

FORM DA 3000 Revised 05/2024 This form is for internal use only and is prepared in anticipation of litigation.

LDH Safety Rules

- Horseplay, fighting, gambling, possession of firearms (where not authorized by management to carry firearms), alcoholic beverages, illegal drugs, or usage of unauthorized/non-physician prescribed drugs will not be tolerated in the work place.
- 2. Prior to the start of work by employees, supervisors must be notified of any permanent or temporary impairment that may reduce their ability to perform in a safe manner.
- Use personal protective equipment for protection from potential hazards that cannot be eliminated.
- Operate equipment only if trained and authorized.
- Inspect the workstation for potential hazards.
- Immediately report any unsafe condition(s) and/or act(s) to your supervisor.
- 7. When doubtful of the safety of work or method to be used, ask the supervisor for assistance.
- 8. Immediately report all accidents or property damage to a supervisor, regardless of how minor the accident may initially appear.
- 9. Never throw any object in the work area.
- Maintain an orderly environment and work procedure. A designated area should be used to store all tools and equipment. Put scrap and waste material in a refuse container.
- 11. Immediately report any smoke, fire or unusual odor(s) to a supervisor.
- 12. Keep paper away from hot objects.
- 13. Never attempt to catch a falling object.
- 14. If work creates a potential slip or trip hazard, correct the hazard immediately or use safety tape and tag the area to identify the hazard before leaving it unattended. Call on a supervisor if assistance is needed.
- 15. Fasten restraint belts before starting any motor vehicle.
- 16. Obey all safety instructions and signs.
- 17. Comply with all traffic signs, signals, markers and persons designated to direct traffic.
- 18. Know Departmental rules regarding first aid, evacuation routes and fire department notification.
- 19. Obey Departmental rules and procedures specific to departmental operations.
- 20. All LDH facilities/sites are tobacco free