

**Addendum #3**

**305PUR-DHHRFP-MEDS-UPGRADE-MVA**

**Medicaid Eligibility Data systems**

**Medical Vendor Administration**

**Department of Health and Hospitals**

**Proposal Due Date and Time: March 9, 2012/4:00 P.M. CST**

**2.2.2. Phase 1 Deliverables**

**Implementation of the following software products:**

- **Decoupled Web Presentation Layer (Front-End)**

Create and implement a web-enabled presentation layer – Presentation layer must constitute an entirely new graphical —look and feel that embraces contemporary web design standards as put in place in other state government Medicaid operations venues. Web presentation layer design must include both the internal MEDS analyst screens, as well as the public facing Online Medicaid Application (OLA). Web presentation layer must be de-coupled from program logic, and must interface both with the new hardware architecture outlined in this document as well as the legacy MEDS systems.

Architecture shall allow for multiple cascading style sheet (CSS) formats to be used for displaying the presentation layer appropriate to a variety of device platforms, including smart phones, tablets, and a variety of PC platforms. Web presentation layer must also be Section 508 compliant for members of the public with disabilities. Presentation layer shall also be interoperable across all major web browser types such as, but not limited to, the latest versions of Internet Explorer, Mozilla Firefox, Google Chrome, and Apple Safari. The current online application is available online; further details regarding MEDS screens can be found in the resources library.