

LA.CLI.049 Hospital Bed

Effective Date:		Accountable Dept.:	LA Medicaid Utilization Management
Last Reviewed Date:	11/08/2023		

Summary of Changes:

08/03/2023 Changes to coverage language.

11/08/2023 Annual Review. New template. Formatting only changes.

Scope:

This policy applies to all Humana Healthy Horizons™ in Louisiana (Plan) associates who administer, review, or communicate covered physical and behavioral health benefits and services to eligible enrolled members.

Purpose:

The purpose of this policy is to define Hospital Bed services and the criteria for medical necessity for Humana Healthy Horizons in Louisiana.

Policy:

All hospital beds require prior authorization.

Procedures:

Standard hospital beds are approved if the member is ~~confined to a bed~~ unable to safely get out of bed alone and their condition necessitates positioning the body in a way that is not possible in an ordinary bed. Elevation of the head/upper body less than 30 degrees does not usually require the use of a hospital bed.

Prior authorization requests for all covered hospital beds (as described in this section) must include the following:

1. The member requires positioning of the body in ways not feasible with an ordinary bed due to a medical condition that is expected to last for at least one month; **or**
2. The member requires the head of the bed to be elevated more than 30 degrees most of the time due to congestive heart failure, chronic pulmonary disease, or problems with aspiration. Pillows or wedges must have been tried and failed; **and-or**
3. The member has a condition that requires special attachments (such as a trapeze, foot board, or traction equipment) that cannot be fixed and used on an ordinary home bed.

NOTE: More specific criteria may apply as described for each covered hospital bed type.

Hospital Beds, Fixed and Variable Height

A fixed height hospital bed is one with manual head and leg elevation adjustments but no height adjustment. A variable height hospital bed is one with manual height adjustment and manual head and leg elevation adjustments.

In addition to the required documentation for PA requests as described under Hospital Beds above, the request must also include that the member has a condition that requires special attachments (such as a trapeze, foot board, or traction equipment) that cannot be fixed and used on an ordinary home bed.

Furthermore, requests for a variable height bed must document that the member requires a bed height different than a fixed height hospital bed to permit safe transfers to a chair or for adequate bed care.

Hospital Bed, Semi-Electric

A semi-electric hospital bed is one with manual height adjustment and electric head and leg elevation adjustments.

In addition to the required documentation as previously listed under Hospital Beds, the PA request must document that the member requires a bed height different than a fixed height hospital bed to permit safe transfers to a chair or for adequate bed care. The PA request must also include that the member **is alone for extended periods of time,** requires frequent and immediate changes in body position and **member/caregiver** can operate the bed controls independently.

Hospital Bed, Total Electric

A total electric hospital bed is one with electric height adjustment and electric head and leg elevation adjustments.

In addition to the required documentation as previously listed under Hospital Beds, the PA request must document that the member requires a bed height different than a fixed height hospital bed to permit safe transfers to a chair or for adequate bed care. The PA request must also include that the member is alone for extended periods of time, requires frequent and immediate changes in body position and can operate the bed controls independently.

Documentation submitted on the PA request must also indicate one of the following:

1. The member has tried multiple means of transfer and can only transfer with a total electric bed; and
2. The member has a caregiver with a documented medical condition stating an inability to use a crank on a semi-electric bed.

Hospital Bed Mattresses

Hospital bed mattresses are considered part of the hospital bed and will only be approved to replace mattresses that are no longer functional when the member meets the criteria to receive a hospital bed.

Egg-Crate Mattresses & Alternating Air Pressure Mattresses/Pads

Egg-crate mattresses and alternating air pressure mattresses/pads are devices used to relieve pressure and prevent the occurrence of decubitus ulcers. The pads include gel, air, dry and water pressure pads for mattresses, and mattress-size pads.

The PA request must include:

1. Documentation on the lesions, the member's condition, positioning, nutritional status (including serum albumen and total protein levels with the initial request), and detailed descriptions of prior treatments used and the outcomes of the treatments; and
2. Documentation showing the presence of stage three or stage four decubitus ulcers affecting at least two pressure bearing surfaces; and
3. For subsequent PA requests, documentation must show signs of healing. The presence of new decubitus must be explained and may be a basis for denial without extenuating circumstances.

Hospital Bed, Pediatric without Safety Enclosure

A pediatric hospital bed without an added safety enclosure is covered when **ALL** the following criteria are met. The member must:

1. Be under 21 years of age; and
2. Meet the criteria for a hospital bed (see Hospital Bed Criteria in this section); and
3. Have a medical condition that prevents the use of a standard size hospital bed and is best met by a pediatric sized hospital bed; and
4. Have a medical condition that requires positioning of the body ordered by the physician so that the head of the bed elevation is greater than 30 degrees or have documented problems with aspirations.
5. Have a medical condition that is expected to last greater than 6 months which requires positioning of the body in ways that are not feasible with an ordinary bed, or hospital bed.

In addition, the following criteria must be met:

1. The desired medical benefit is not attainable using an ordinary bed. All alternative methods have been tried and failed; and
2. An ordinary bed cannot be modified or adapted by commercially available items to meet the medical needs; and
3. Pillows and wedges must have been considered and ruled out.

Hospital Bed, Pediatric with Safety Enclosure

A pediatric hospital bed with an added safety enclosure is covered when **ALL** the following criteria are met. The absence of a pediatric hospital bed with safety enclosure would result in the member being institutionalized. The member must:

1. Be under 21 years of age; and
2. Have one of the following diagnoses: brain injury, moderate to severe cerebral palsy, seizure disorder (with daily seizure activity taking anti-seizure medication), developmental disability, or severe behavior disorder (this list is not all inclusive); and
3. Meet the criteria for a hospital bed (see Hospital Bed Criteria in this section); and
4. Have a medical condition that puts him/her at risk for falling off or seriously injuring himself/herself while in an ordinary bed, standard size hospital bed, or a pediatric sized hospital bed; and
5. Have a history of behavior involving unsafe mobility (climbing out of bed - more than standing at the side of the bed) that puts the member at risk for serious injury while in an ordinary bed, standard hospital bed, or pediatric hospital bed; and
6. Be cognitively impaired and have communication impairments. The member is mobile, and his/her unrestricted mobility has resulted in documented injuries; and
7. Have tried less costly alternatives which were unsuccessful, including any of the following (not all inclusive):
 - a. Rail protectors
 - b. Medications to address seizures and/or behaviors
 - c. Helmets for head banging
 - d. Baby monitors and bed alarm systems
 - e. Behavior modification strategies
 - f. Removal of safety hazards and installation of child protection devices (e.g., baby gate, safety doorknob) in the member's room
 - g. Placement of mattress on the floor
 - h. Physical and environmental factors for behavior have been eliminated. These include, but are not limited to, hunger, thirst, toileting, pain, restlessness, fatigue due to sleep deprivation, acute physical illness, temperature, noise levels, lighting, medication side effects, over/under stimulation or a change in caregivers or routine.

Exclusion Criteria

Non-coverage of the pediatric hospital bed includes, but is not limited to the following:

1. Lack of caregiver monitoring of member's safety.
2. The safety enclosure frames are used as a restraint or for the convenience of family or caregiver.
3. An ordinary bed, typically sold as furniture, which consists of a frame, box spring, and mattress.
4. Institutional type hospital beds (e.g., oscillating beds, spring-base beds, circulating beds, continuous lateral rotation beds, and Stryker frame beds);
5. Enclosed beds for members with 24-hour care from caregivers who are required to be awake and actively caring for the child.

6. Enclosed bed systems that are not approved by the FDA (e.g., Vail Enclosure Bed, Posey Bed Enclosure System); and
7. The hospital beds where manufacturer is not registered and cleared to market with the FDA.

Documentation Requirements

The following documentation must be submitted to support the medical necessity for this equipment:

1. ~~Prior Authorization Form – (PA-01 Form)~~

2.1. Physician prescription.

3.2. Louisiana Medicaid Pediatric Hospital Bed Evaluation (BHSF-PHB-Form 1) completed by a Louisiana State licensed physician and physical or occupational therapist in its entirety (see Appendix G); and

4.3. Original manufacturer's price.

5.4. A copy of the "State of Louisiana — Louisiana Department of Health (LDH) — Medicaid Pediatric Hospital Bed Evaluation" form must be used with all prior authorization requests for a pediatric hospital bed. A copy of the form can be downloaded here: [Medicaid | Department of Health | State of Louisiana | \(lamedicaid.com\)](#)

Definitions:

Contract References:

Medicaid Managed Care Organization Contract Attachment C: In Lieu of Services

References:

Louisiana Department of Health, Durable Medical Equipment Provider Manual, Chapter eighteen of the Medicaid Services Manual; [DME \(lamedicaid.com\)](#). **Accessed 08/3/2023**

Version Control:

08/22/2022 Policy creation. Tiffany LeBlanc

08/22/2023 Policy review and adoption. Patricia Jones, Dr. Ian Nathanson

08/03/2023 Language modifications. Tiffany LeBlanc.

Owner:	Barbara McCarthy	Executive Team Member:	LORI DUNNE
Accountable VP / Director:	Nicole Thibodeaux		

Non-Compliance:

Failure to comply with any part of Humana’s policies, procedures, and guidelines may result in disciplinary actions up to and including termination of employment, services, or relationship with Humana. In addition, state and/or federal agencies may take action in accordance with applicable laws, rules, and regulations.

Any unlawful act involving Humana systems or information may result in Humana turning over all evidence of unlawful activity to appropriate authorities. Information on handling sanctions related to noncompliance with this policy may be found in the Expectations for Performance, and Critical Offenses policies, both of which may be found in the Associate Support Center via Humana’s secure intranet on Hi! (Workday & Apps/Associate Support Center).