

<b>Subject:</b>	Cooling Devices and Combined Cooling/Heating Devices	<b>Publish Date:</b>	07/10/201912/27/2018
<b>Document #:</b>	DME.00037	<b>Last Review Date:</b>	067/026/20198
<b>Status:</b>	Revised		

## Description/Scope

This document addresses the devices utilized for the treatment of pain and swelling after trauma and surgery and for musculoskeletal and other conditions. Included are both passive cold therapy devices and active cold therapy devices, as well as devices that combine compression, vibration or heat therapy in the same device.

**Note:** This document does not address the use of whole body or head cooling devices for adult or pediatric individuals with *acute neurologic injury or after sudden cardiac death*.

**Note:** This document does not address the use of compression pumps for *deep vein thrombosis prophylaxis*.

**Note:** This document does not address the use of cold therapy for *prevention of hair loss* related to chemotherapy.

## Position Statement

### Investigational and Not Medically Necessary:

Active or passive cooling devices (with or without pneumatic compression or vibration) are considered **investigational and not medically necessary** for all uses, including but not limited to recovery after orthopedic surgery or trauma.

Active or passive devices that combine cooling and heating are considered **investigational and not medically necessary** for all uses.

## Rationale

This Medical Policy provides assistance in understanding Healthy Blue's standard Medicaid benefit plan. When evaluating coverage for a specific member benefit, reference to federal and state law, as well as contractual requirements may be necessary, since these may differ from our standard benefit plan. In the event of a conflict with standard plan benefits, federal, state and/or contractual requirements will govern. Before using this policy, please check all federal, state and/or contractual requirements applicable to the specific benefit plan coverage. Healthy Blue reserves the right to modify its Policies and Guidelines as necessary and in accordance with legal and contractual requirements. This Medical Policy is provided for informational purposes. It does not constitute medical advice. Healthy Blue may also use tools and criteria developed by third parties, to assist us in administering health benefits. Healthy Blue's Policies and Guidelines are intended to be used in accordance with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.

Federal and State law, as well as contract language, including definitions and specific contract provisions/exclusions, take precedence over Medical Policy and must be considered first in determining eligibility for coverage. The member's contract benefits in effect on the date that services are rendered must be used. Medical Policy, which addresses medical efficacy, should be considered before utilizing medical opinion in adjudication. Medical technology is constantly evolving, and we reserve the right to review and update Medical Policy periodically.

No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from the health plan.

## Medical Policy

### Cooling Devices and Combined Cooling/Heating Devices

---

#### *General Considerations*

Icepacks (cryotherapy) and compressive wraps are standard treatment of musculoskeletal injuries and after orthopedic surgery to control both pain and swelling. To document the effectiveness of various cooling devices in comparison to standard methods of cryotherapy, randomized controlled trials (RCTs) are required. The goal of such studies is to demonstrate a greater likelihood of incremental benefit compared to conventional cryotherapy when used in the outpatient setting. Both conventional cryotherapy and the passive cooling devices are essentially designed to provide cold therapy, with the primary difference being that water recirculation is more convenient with passive cooling devices. To document a medical benefit of passive devices (i.e., beyond user or medical staff convenience), the trial design must control the number of exchanges of ice bags and episodes of water recirculation. In contrast, active cooling devices are designed to provide a steady low temperature, which might provide a unique benefit compared to the more variable temperature achieved with ice packs or passive cooling devices. Benefit is typically focused on pain control and swelling, and trials investigating these devices need to focus on these aspects of care. The discussion below focuses only on randomized studies.

In 2016 the American Academy of Orthopaedic Surgeons reviewed the literature addressing the use of cryotherapy following knee arthroplasty in their guideline for surgical management of osteoarthritis of the knee. Their conclusion was that “Moderate evidence supports that cryotherapy devices after knee arthroplasty (KA) do not improve outcomes.”

#### *Passive Cooling Devices*

Passive cooling devices involve non-mechanically powered methods to circulate the cold water through a compressive device applied to the treatment area. The Cryo/Cuff<sup>®</sup> device, for instance, consists of an insulated container filled with iced water that is attached to a compressive cuff. Another example of a passive device is the Polar Care Cub<sup>™</sup> unit, which consists of pads held in place with elastic straps, which may also provide compression. The pads are attached to a built-in hand pump that circulates the water through the pads at the same time as increasing the compression around the joint.

Schroder and Passler describe a small randomized trial that compared the Cryo/Cuff device to traditional ice therapy in 44 subjects that had undergone repair of the anterior cruciate ligament (ACL) (Schroder, 1994). Those receiving ice therapy received an ice bag 3 times per day postoperatively, while the Cryo/Cuff group used the device. While those randomized to the Cryo/Cuff group reported significant decreases in pain, swelling and analgesic use, it was not reported how frequently the cold water was recirculated in the device as compared to the 3

[This Medical Policy provides assistance in understanding Healthy Blue’s standard Medicaid benefit plan. When evaluating coverage for a specific member benefit, reference to federal and state law, as well as contractual requirements may be necessary, since these may differ from our standard benefit plan. In the event of a conflict with standard plan benefits, federal, state and/or contractual requirements will govern. Before using this policy, please check all federal, state and/or contractual requirements applicable to the specific benefit plan coverage. Healthy Blue reserves the right to modify its Policies and Guidelines as necessary and in accordance with legal and contractual requirements. This Medical Policy is provided for informational purposes. It does not constitute medical advice. Healthy Blue may also use tools and criteria developed by third parties, to assist us in administering health benefits. Healthy Blue’s Policies and Guidelines are intended to be used in accordance with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.](#)

Federal and State law, as well as contract language, including definitions and specific contract provisions/exclusions, take precedence over Medical Policy and must be considered first in determining eligibility for coverage. The member’s contract benefits in effect on the date that services are rendered must be used. Medical Policy, which addresses medical efficacy, should be considered before utilizing medical opinion in adjudication. Medical technology is constantly evolving, and we reserve the right to review and update Medical Policy periodically.

No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from the health plan.

## Medical Policy

### Cooling Devices and Combined Cooling/Heating Devices

---

times daily ice pack changes. Additionally, subjects in this study were hospitalized for 14 days postoperatively, which is significantly longer than is practiced today.

Whitelaw and colleagues reported on the results of a trial that randomized 102 subjects undergoing knee arthroscopy in the outpatient setting to receive either a Cryo/Cuff device or traditional ice therapy (Whitelaw, 1995). The number of exchanges of ice packs and water recirculation was not reported. There was no significant difference in average pain assessment, while those in the Cryo/Cuff group reported decreased pain medication use compared to the control group.

Healy and colleagues reported that the Cryo/Cuff device provided no benefit to pain control or swelling compared to ice packs in an RCT of 76 participants (105 knees) undergoing total knee arthroplasty (Healy, 1994). No data was provided on the number of ice pack exchanges, although the water was recirculated in the Cryo/Cuff device every 1 to 4 hours. The duration of therapy and whether or not it was applied in the inpatient or outpatient setting is not clear from the published article.

Edwards and colleagues studied the outcomes of 71 subjects undergoing ACL reconstruction who were randomized to receive either Cryo/Cuff therapy with ice water, Cryo/Cuff therapy with room temperature water or no cold therapy (Edwards, 1996). Therefore, this trial did not include the relevant control group treated with conventional ice packs. Nevertheless, there were no significant differences in analgesic use or pain assessment among the three groups, including the group that received no cold therapy.

Levy and colleagues also compared the outcomes in a trial randomizing 80 participants (100 knees) undergoing total knee arthroplasty to receive either passive cold therapy with a Cryo/Cuff device or no cold therapy (Levy, 1993). The Cryo/Cuff group reported a significant decrease in blood loss and mild decrease in analgesic requirements. Similar to the Edwards trial, this trial did not include the relevant control group of ice packs.

An RCT by Meyer-Marcotty and others involved 54 subjects who underwent wrist arthroscopy and were randomized evenly to receive treatment with either standard care or with the Cryo/Cuff device (2011). Follow-up was conducted 1, 8, and 21 days postoperatively. The authors noted that there was no significant benefit of the Cryo/Cuff device versus standard care with regard to pain, swelling, ROM, and subjective impairment assessed using the DASH score.

Another RCT by Brandsson suffers from the same limitation; in this study of 50 subjects undergoing ACL repair, there was no group which received standard therapy with ice packs (Brandsson, 1996).

[This Medical Policy provides assistance in understanding Healthy Blue's standard Medicaid benefit plan. When evaluating coverage for a specific member benefit, reference to federal and state law, as well as contractual requirements may be necessary, since these may differ from our standard benefit plan. In the event of a conflict with standard plan benefits, federal, state and/or contractual requirements will govern. Before using this policy, please check all federal, state and/or contractual requirements applicable to the specific benefit plan coverage. Healthy Blue reserves the right to modify its Policies and Guidelines as necessary and in accordance with legal and contractual requirements. This Medical Policy is provided for informational purposes. It does not constitute medical advice. Healthy Blue may also use tools and criteria developed by third parties, to assist us in administering health benefits. Healthy Blue's Policies and Guidelines are intended to be used in accordance with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.](#)

~~Federal and State law, as well as contract language, including definitions and specific contract provisions/exclusions, take precedence over Medical Policy and must be considered first in determining eligibility for coverage. The member's contract benefits in effect on the date that services are rendered must be used. Medical Policy, which addresses medical efficacy, should be considered before utilizing medical opinion in adjudication. Medical technology is constantly evolving, and we reserve the right to review and update Medical Policy periodically.~~

~~No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from the health plan.~~

## Medical Policy

### Cooling Devices and Combined Cooling/Heating Devices

---

Raynor and colleagues conducted a meta-analysis of studies investigating the use of cryotherapy following anterior cruciate ligament (ACL) reconstruction (2005). The authors identified six studies that met criteria and that were included in the analysis. They concluded that, while some individual studies did find significant impact on pain, drainage, or range of motion (ROM), the pooled analysis did not when controlling for data quality. In addition, the studies included in the analysis involved mostly small study populations and multiple groups, diluting the power of the findings.

The most recent study addressing the use of a passive cooling device was published in 2015 by Yu and colleagues, who described a prospective, single-blind (subject side) study involving 59 subjects who underwent elbow arthrolysis. Randomization assigned 31 subjects to receive postoperative treatment with the Cryo/Cuff device 3 times a day for 60 minutes each session for 1 week. The control group included 28 subjects, who received no postoperative cryotherapy. For postoperative days 1 through 7, visual analog scale scores of pain indicated significantly better pain control in the cryotherapy group ( $p < 0.05$ ). This difference was not sustained beyond this point, as no differences were noted at postoperative week 2 or at 3 months ( $p > 0.05$ ). This finding was supported by analgesic consumption data, which showed that the cryotherapy group utilized less sufentanil compared to the control group ( $p < 0.01$ ). No differences in postoperative blood loss, range of motion, or scores on the Mayo Elbow Performance Score tool were reported. One limitation to the study was the lack of conventional application of cold therapy in the control group.

In summary, the available scientific literature is insufficient to document that the use of passive cooling systems is associated with a greater likelihood of incremental benefit compared to standard ice packs. Many of the published randomized studies failed to include the relevant control group of standard ice packs. Studies that did include a control group of standard ice packs reported inconsistent results (Healy, 1994), and some studies reported no significant benefit of passive cooling devices compared to no cold therapy (Edwards, 1996).

#### *Active Cooling Devices*

In contrast, a literature search identified only a small number of RCTs that compared the outcomes of an active cooling device with traditional ice therapy. Konrath and colleagues reported on the results of a trial that randomized 103 participants undergoing ACL reconstruction to 1 of 4 different postoperative cold therapy strategies; (1 & 2) active cooling with a Polar Care™ pad set at a temperature of 40 to 50 degrees or 70 to 80 degrees centigrade, respectively; (3) ice packs; and (4) no cold therapy (Konrath, 1996). Both the water in the Polar Care pad and the ice packs were changed every 4 hours. The length of hospital stay, ROM at discharge, use of oral and intramuscular

[This Medical Policy provides assistance in understanding Healthy Blue's standard Medicaid benefit plan. When evaluating coverage for a specific member benefit, reference to federal and state law, as well as contractual requirements may be necessary, since these may differ from our standard benefit plan. In the event of a conflict with standard plan benefits, federal, state and/or contractual requirements will govern. Before using this policy, please check all federal, state and/or contractual requirements applicable to the specific benefit plan coverage. Healthy Blue reserves the right to modify its Policies and Guidelines as necessary and in accordance with legal and contractual requirements. This Medical Policy is provided for informational purposes. It does not constitute medical advice. Healthy Blue may also use tools and criteria developed by third parties, to assist us in administering health benefits. Healthy Blue's Policies and Guidelines are intended to be used in accordance with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.](#)

Federal and State law, as well as contract language, including definitions and specific contract provisions/exclusions, take precedence over Medical Policy and must be considered first in determining eligibility for coverage. The member's contract benefits in effect on the date that services are rendered must be used. Medical Policy, which addresses medical efficacy, should be considered before utilizing medical opinion in adjudication. Medical technology is constantly evolving, and we reserve the right to review and update Medical Policy periodically.

No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from the health plan.

## Medical Policy

### Cooling Devices and Combined Cooling/Heating Devices

---

pain medicine and drain output were not significantly different between groups. These results suggest that the active cooling device is similar to ice packs, but there is inadequate evidence to demonstrate that the active cooling device is associated with a greater likelihood of incremental benefit.

Modabber (2013) reported on a study evaluating an active cooling device called the Hilotherm<sup>®</sup> Clinic (Hilotherm GmbH, Argenbühl-Eisenharz, Germany) for the postoperative treatment of unilateral zygomatic bone fractures. This study involved 42 subjects that were randomly assigned to treatment with either a Hilotherm cooling face mask or conventional cooling compresses (n=21 for each group). Cooling was initiated as soon as possible after surgery until postoperative day 3 and was applied continuously for 12 hours daily. Subjects were followed for 28 days. A statistically significant reduction in swelling was noted in the Hilotherm group vs. controls on postoperative day 1 (p=0.00002), day 2 (p=0.00036), day 3 (p=0.00217), and on day 7 (p=0.01907). Pain, as measured by visual analog scale, was significantly reduced in the device group vs. the control group on postoperative days 1 and 2 (p=0.00105 and p=0.00003 respectively). No statistically significant difference could be seen on postoperative day 7. Neurological function, as measured by cotton, pin prick, and blunt touch test of the upper lip, demonstrated significant improvement only on day 1 (p=0.00775), but not thereafter. Eye motility and diplopia testing was found to be significantly different between groups only on day 1 (p=0.019). Although the results of this study are encouraging, it is limited by its small size.

Thienpoint and others (2014) reported the results of a quasi-randomized controlled study involving 116 subjects who underwent knee arthroscopy. Subjects were assigned to undergo postoperative cryotherapy with either the cTreatment<sup>®</sup> device (n=58) or standard cold packs (n=58). Complete follow-up data was available for 100 subjects (86.2%). Using a per-protocol analysis, the authors reported no significant differences between groups at the 6 week follow-up point with regard to ROM, straight leg raising, walking without aid, swelling, hematoma, length of stay, blood loss, or inflammatory response. Only active flexion at 66 weeks was noted to be significantly different, with the benefit in favor of the control group (102° vs. 114°; p=0.0235). This is one of the most robust studies available addressing the use of active cryotherapy devices. These negative findings indicate that the use of such devices may not provide any significant benefits for individuals undergoing knee arthroscopy.

Results of a prospective, non-blind RCT were reported by Ruffilli in 2015. This study involved 47 subjects undergoing ACL reconstruction assigned to either active cryotherapy with the Hilotherm device (n=23) vs. treatment with ice bags (n=24). When compared to the control group, the Hilotherm group had lower pain perception as measured by visual analog scale (p<0.0001), less blood loss (p<0.0001), less knee volume increase at the patellar apex and 10 cm proximal to the superior patellar pole (p=0.013 and p=0.001, respectively), and higher range of motion in the first postoperative day (p<0.0001). There were no differences noted in analgesic drug

[This Medical Policy provides assistance in understanding Healthy Blue's standard Medicaid benefit plan. When evaluating coverage for a specific member benefit, reference to federal and state law, as well as contractual requirements may be necessary, since these may differ from our standard benefit plan. In the event of a conflict with standard plan benefits, federal, state and/or contractual requirements will govern. Before using this policy, please check all federal, state and/or contractual requirements applicable to the specific benefit plan coverage. Healthy Blue reserves the right to modify its Policies and Guidelines as necessary and in accordance with legal and contractual requirements. This Medical Policy is provided for informational purposes. It does not constitute medical advice. Healthy Blue may also use tools and criteria developed by third parties, to assist us in administering health benefits. Healthy Blue's Policies and Guidelines are intended to be used in accordance with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.](#)

Federal and State law, as well as contract language, including definitions and specific contract provisions/exclusions, take precedence over Medical Policy and must be considered first in determining eligibility for coverage. The member's contract benefits in effect on the date that services are rendered must be used. Medical Policy, which addresses medical efficacy, should be considered before utilizing medical opinion in adjudication. Medical technology is constantly evolving, and we reserve the right to review and update Medical Policy periodically.

No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from the health plan.

## Medical Policy

### Cooling Devices and Combined Cooling/Heating Devices

---

consumption. The authors concluded that the Hilotherm group showed significantly better results in the first postoperative day, but that additional studies with higher number of subjects and longer follow-up are required to assess the beneficial effects of the Hilotherm device.

Bech and others conducted a non-blind RCT involving 78 subjects undergoing primary total knee arthroplasty (2015). Subjects were assigned to treatment with the Donjoy® Iceman® cooling device (n=37) or standard care with ice bags (n=34). Measurement of pain intensity, passive range of motion, nausea or vomiting, opioid use, blood loss, and lower limb function were assessed at 48 hours, and the Western Ontario and McMaster University Osteoarthritis Index (WOMAC) and hospital length of stay were assessed at 6 weeks. There were no statistically significant between-group differences in nausea or vomiting, opioid use, change in hemoglobin at 24-48 hours after surgery, passive range of motion, WOMAC, or LOS.

In 2017 Ruffilli and others published the results of a small RCT involving 50 subjects who underwent knee arthroplasty and were assigned to postoperative care with either the Hilotherm active cooling device (n=24) or with crushed ice pack, (n=26). The authors reported no significant differences between groups on postoperative days 1, 3, and 7 with regard to postoperative pain, analgesic consumption, active knee range of motion, drain output, transfusion requirement, or total blood loss.

Several RCTs compared active cooling devices to no cold therapy, which is not relevant to the documentation of benefit compared to standard therapy with ice packs (Barber, 1998; Cohn, 1989; Dervin, 1998).

#### *Other Cooling Devices and Indications*

A literature search identified several recent RCTs evaluating the use of devices that combine cooling and compression simultaneously. Su and colleagues reported on the results of an RCT of 280 subjects who underwent total knee arthroplasty (2012). Study participants were randomized to receive post-operative cryotherapy with either the Game Ready™ cryopneumatic device or ice packs with static compression. Upon discharge from the hospital, cryotherapy treatments were given in an application cycle of 1 hour on and 30 minutes off. Compliance rates were similar for the two groups. Blinded evaluations were conducted for 187 (67%) of the original 208 subjects. The investigators reported finding no significant difference between the groups with regard to visual analog score (VAS) for pain, ROM, 6-minute walk test, timed up and go test, or knee girth. The Game Ready group reported a significant decrease in narcotic consumption, from 680 mg to 509 mg morphine equivalents, over the first 2 weeks (14 mg less per day).

This Medical Policy provides assistance in understanding Healthy Blue's standard Medicaid benefit plan. When evaluating coverage for a specific member benefit, reference to federal and state law, as well as contractual requirements may be necessary, since these may differ from our standard benefit plan. In the event of a conflict with standard plan benefits, federal, state and/or contractual requirements will govern. Before using this policy, please check all federal, state and/or contractual requirements applicable to the specific benefit plan coverage. Healthy Blue reserves the right to modify its Policies and Guidelines as necessary and in accordance with legal and contractual requirements. This Medical Policy is provided for informational purposes. It does not constitute medical advice. Healthy Blue may also use tools and criteria developed by third parties, to assist us in administering health benefits. Healthy Blue's Policies and Guidelines are intended to be used in accordance with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.

Federal and State law, as well as contract language, including definitions and specific contract provisions/exclusions, take precedence over Medical Policy and must be considered first in determining eligibility for coverage. The member's contract benefits in effect on the date that services are rendered must be used. Medical Policy, which addresses medical efficacy, should be considered before utilizing medical opinion in adjudication. Medical technology is constantly evolving, and we reserve the right to review and update Medical Policy periodically.

No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from the health plan.

## Medical Policy

### Cooling Devices and Combined Cooling/Heating Devices

Another RCT of the Game Ready device was published by Waterman and others (2012). Their study involved 36 subjects who had undergone ACL reconstruction surgery. The subjects were randomized to undergo cryotherapy with either ice or the Game Ready device for 30 minutes, at least 3 times per day. Evaluations were made at 1, 2, and 6 weeks postoperatively. Compliance during the first 2 weeks was not significantly different between the two groups (100% for Game Ready and 83% for icing). The primary outcome measure, visual analog scale (VAS) of pain, was not comparable at baseline, with the Game Ready having a VAS of 54.9 compared to the ice group with a VAS of 35.6 ( $p=0.01$ ). This significantly limits interpretation of the results. There were no significant differences between the groups for knee circumference, the Lysholm short form-36, SF-36, or single assessment numerical evaluation (SANE) scores. A greater percentage of subjects treated with the Game Ready device discontinued narcotic use by 6 weeks (83% vs. 28%;  $p=0.0008$ ).

Two of these studies do demonstrate a significant benefit in decreased narcotic requirement, but not for any other endpoint. The incremental value to this benefit is unclear compared to standard ice cryotherapy. Further studies are warranted to fully understand this issue.

VibraCool® (PainCareLabs, Atlanta, GA) combines vibration and cooling, in the form of reusable ice packs, in one device. The device combines high-frequency low-amplitude vibration and cryotherapy, which is claimed to activate the gate control mechanism and relieve pain. In addition, the device makers assert that use of ice will reduce inflammation while the vibration will increase blood flow to the affected area to promote healing. There is no available data in the published peer-reviewed literature which addresses the use of and any benefits related to treatment which combines vibration and cooling therapy. Further studies are needed to assess the efficacy of this therapy compared to standard therapy modalities.

#### Combined Cooling/Heating Devices

The available literature regarding either active or passive devices that combine the ability to provide cold and heat therapy is currently insufficient to allow conclusions regarding their effectiveness. At this time, only one such device is available, the VitalWrap™ system. There is no available data in the published peer-reviewed literature regarding this active cooling/warming device in comparison to other methods of cooling or heating. Data addressing any incremental benefit over standard therapy modalities from the use of these types of devices is required to assess their efficacy in treating any type of condition.

#### Summary

This Medical Policy provides assistance in understanding Healthy Blue's standard Medicaid benefit plan. When evaluating coverage for a specific member benefit, reference to federal and state law, as well as contractual requirements may be necessary, since these may differ from our standard benefit plan. In the event of a conflict with standard plan benefits, federal, state and/or contractual requirements will govern. Before using this policy, please check all federal, state and/or contractual requirements applicable to the specific benefit plan coverage. Healthy Blue reserves the right to modify its Policies and Guidelines as necessary and in accordance with legal and contractual requirements. This Medical Policy is provided for informational purposes. It does not constitute medical advice. Healthy Blue may also use tools and criteria developed by third parties, to assist us in administering health benefits. Healthy Blue's Policies and Guidelines are intended to be used in accordance with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.

Federal and State law, as well as contract language, including definitions and specific contract provisions/exclusions, take precedence over Medical Policy and must be considered first in determining eligibility for coverage. The member's contract benefits in effect on the date that services are rendered must be used. Medical Policy, which addresses medical efficacy, should be considered before utilizing medical opinion in adjudication. Medical technology is constantly evolving, and we reserve the right to review and update Medical Policy periodically.

No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from the health plan.

## Cooling Devices and Combined Cooling/Heating Devices

Overall, the quality of evidence addressing the use of various devices for cooling/heating/compression for postoperative therapy is weak. Adie and colleagues support this conclusion in a 2012 Cochrane review that concluded:

Potential benefits of cryotherapy on blood loss, postoperative pain, and range of motion may be too small to justify its use, and the quality of the evidence was very low or low for all main outcomes. This needs to be balanced against potential inconveniences and expenses of using cryotherapy. **Well designed** Well-designed randomised trials are required to improve the quality of the evidence.

The use of passive or active cooling devices, with or without compression, has been proposed as a method of decreasing pain and improving post-operative function. As noted above, the overall quality of the available evidence is poor, and to-date the evidence addressing these proposed benefits is weak. Another proposed benefit of the use of these types of devices is decreased use of opioid and other pain medications. The available studies that have included changes in opioid use as a study endpoint have reported mixed results. Additionally, the majority of studies look at short-term outcomes in the immediate post-operative period, and there is little data currently available to address how such devices impact pain and pain medication use in the long-term. Larger, well-designed and conducted trials are warranted to address this issue.

### Background/Overview

Cold and compression therapy following surgery or musculoskeletal and soft tissue injury has long been accepted in the medical field as an effective tool for reducing inflammation, pain and swelling. Ice packs and various bandages and wraps are commonly used. Continuous cooling devices can be broadly subdivided into those providing passive cold therapy, and those providing active cold therapy using a mechanical device.

#### *Passive Devices*

The Cryo/Cuff device (Aircast, Inc., Boca Raton, FL) and the Polar Care Cub devices (Breg, Inc., Vista, CA) are examples of passive cooling devices. These devices use a method other than an electric pump to circulate cooled water from a cooling device to the area targeted for treatment. This may include gravity-fed or hand-pumped mechanisms.

#### *Active devices*

[This Medical Policy provides assistance in understanding Healthy Blue's standard Medicaid benefit plan. When evaluating coverage for a specific member benefit, reference to federal and state law, as well as contractual requirements may be necessary, since these may differ from our standard benefit plan. In the event of a conflict with standard plan benefits, federal, state and/or contractual requirements will govern. Before using this policy, please check all federal, state and/or contractual requirements applicable to the specific benefit plan coverage. Healthy Blue reserves the right to modify its Policies and Guidelines as necessary and in accordance with legal and contractual requirements. This Medical Policy is provided for informational purposes. It does not constitute medical advice. Healthy Blue may also use tools and criteria developed by third parties, to assist us in administering health benefits. Healthy Blue's Policies and Guidelines are intended to be used in accordance with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.](#)

Federal and State law, as well as contract language, including definitions and specific contract provisions/exclusions, take precedence over Medical Policy and must be considered first in determining eligibility for coverage. The member's contract benefits in effect on the date that services are rendered must be used. Medical Policy, which addresses medical efficacy, should be considered before utilizing medical opinion in adjudication. Medical technology is constantly evolving, and we reserve the right to review and update Medical Policy periodically.

No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from the health plan.



## Medical Policy

### Cooling Devices and Combined Cooling/Heating Devices

In active (mechanical) devices, a motorized pump both circulates cold water and may also provide pneumatic compression. For example, the AutoChill® device (Aircast, Inc., Boca Raton, FL), which may be used in conjunction with a Cryo/Cuff, consists of a pump that automatically exchanges water from the cuff to the cooler, eliminating the need for manual water recycling. The Hot/Ice Thermal Blanket™ (Thermo Temp Inc., Tampa, FL) is another example of an active cooling device, which consists of two rubber pads connected by a rubber hose to the main cooling unit. Fluid is then circulated via the hose through the thermal blankets. The temperature of the fluid is controlled by the main unit and can be either hot or cold. The Polar Care 300 and 500 devices (Breg, Inc., Vista, CA) are other types of active cooling devices. Unlike the Polar Care Cub, the 300 and 500 devices have an electric pump which circulates water for cooling through the pad.

The Game Ready Accelerated Recovery System (Game Ready Inc., Berkeley, CA) is an example of an active cooling device combined with a pneumatic component. The system consists of various soft wraps and a computer controlled unit to circulate the water through the wraps.

The VitalWrap (VitalWear Inc., South San Francisco, CA) is an active heating/cooling device that allows the user to circulate either hot or cold fluid through the system. The VitalWrap system consists of a bladder filled body wrap/pad, tubing and a reservoir/pump device. Cooled or heated water may be added to the pump reservoir and then circulated through the tubing to the body wrap/pad and then back to the reservoir. The benefits of this type of device above other cooling or heating methods have not been established at this time.

#### Definitions

**Active cooling or heating device:** A device that provides cooling or heating with the use of mechanical circulation of the thermal medium from a reservoir that may cool or heat the medium before returning it to the site of injury.

**Passive cooling or heating device:** A device that provides cooling or heating without the benefit of mechanical circulation of the thermal medium.

#### Coding

*The following codes for treatments and procedures applicable to this document are included below for informational purposes. Inclusion or exclusion of a procedure, diagnosis or device code(s) does not constitute or imply member coverage or provider*

[This Medical Policy provides assistance in understanding Healthy Blue's standard Medicaid benefit plan. When evaluating coverage for a specific member benefit, reference to federal and state law, as well as contractual requirements may be necessary, since these may differ from our standard benefit plan. In the event of a conflict with standard plan benefits, federal, state and/or contractual requirements will govern. Before using this policy, please check all federal, state and/or contractual requirements applicable to the specific benefit plan coverage. Healthy Blue reserves the right to modify its Policies and Guidelines as necessary and in accordance with legal and contractual requirements. This Medical Policy is provided for informational purposes. It does not constitute medical advice. Healthy Blue may also use tools and criteria developed by third parties, to assist us in administering health benefits. Healthy Blue's Policies and Guidelines are intended to be used in accordance with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.](#)

Federal and State law, as well as contract language, including definitions and specific contract provisions/exclusions, take precedence over Medical Policy and must be considered first in determining eligibility for coverage. The member's contract benefits in effect on the date that services are rendered must be used. Medical Policy, which addresses medical efficacy, should be considered before utilizing medical opinion in adjudication. Medical technology is constantly evolving, and we reserve the right to review and update Medical Policy periodically.

No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from the health plan.

**Cooling Devices and Combined Cooling/Heating Devices**

*reimbursement policy. Please refer to the member's contract benefits in effect at the time of service to determine coverage or non-coverage of these services as it applies to an individual member.*

**When services are Investigational and Not Medically Necessary:**

**HCPCS**

- E0218 Fluid circulating cold pad with pump, any type
- E0236 Pump for water circulating pad
- E0217 Water circulating heat pad with pump [when specified as a cooling/heating combination device]
- E0676 Intermittent limb compression device (includes all accessories), not otherwise specified [when specified as a compression cooling device for pain therapy]
- E1399 Durable medical equipment, miscellaneous [when specified as an active cooling device with heating, ~~or~~ compression, or vibration for pain therapy]  
 Note: HCPCS code E0675 Pneumatic compression device, high pressure, rapid inflation/deflation cycle, for arterial insufficiency (unilateral and bilateral system) is not correct coding for a pain therapy device; if used to describe a device addressed in this document it would be considered investigational and not medically necessary.

**ICD-10 Diagnosis**

All diagnoses

**References**

**Peer Reviewed Publications:**

1. Barber FA. A comparison of crushed ice and continuous flow cold therapy. Am J Knee Surg. 2000; 13(2):97-101.
2. Barber FA, McGuire DA, Click S. Continuous-flow cold therapy for outpatient anterior cruciate ligament reconstruction. Arthroscopy. 1998; 14(2):130-135.
3. Brandsson S, Rydgren B, Hedner T, et al. Postoperative analgesic effects of an external cooling system and intra-articular bupivacaine/morphine after arthroscopic cruciate ligament surgery. Knee Surg Sports Traumatol Arthrosc. 1996; 4(4):200-205.
4. Cohn BT, Draeger RI, Jackson DW. The effects of cold therapy in the postoperative management of pain in patients undergoing anterior cruciate ligament reconstruction. Am J Sports Med. 1989; 17(3):344-349.

[This Medical Policy provides assistance in understanding Healthy Blue’s standard Medicaid benefit plan. When evaluating coverage for a specific member benefit, reference to federal and state law, as well as contractual requirements may be necessary, since these may differ from our standard benefit plan. In the event of a conflict with standard plan benefits, federal, state and/or contractual requirements will govern. Before using this policy, please check all federal, state and/or contractual requirements applicable to the specific benefit plan coverage. Healthy Blue reserves the right to modify its Policies and Guidelines as necessary and in accordance with legal and contractual requirements. This Medical Policy is provided for informational purposes. It does not constitute medical advice. Healthy Blue may also use tools and criteria developed by third parties, to assist us in administering health benefits. Healthy Blue’s Policies and Guidelines are intended to be used in accordance with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.](#)

Federal and State law, as well as contract language, including definitions and specific contract provisions/exclusions, take precedence over Medical Policy and must be considered first in determining eligibility for coverage. The member’s contract benefits in effect on the date that services are rendered must be used. Medical Policy, which addresses medical efficacy, should be considered before utilizing medical opinion in adjudication. Medical technology is constantly evolving, and we reserve the right to review and update Medical Policy periodically.

No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from the health plan.

## Medical Policy

### Cooling Devices and Combined Cooling/Heating Devices

5. Dervin GF, Taylor DE, Keene GC. Effects of cold and compression dressings on early postoperative outcomes for the arthroscopic anterior cruciate ligament reconstruction patient. *J Orthop Sports Phys Ther.* 1998; 27(6):403-406.
6. Edwards DJ, Rimmer M, Keene GC. The use of cold therapy in the postoperative management of patients undergoing arthroscopic anterior cruciate ligament reconstruction. *Am J Sports Med.* 1996; 24(2):193-195.
7. Healy WL, Seidman J, Pfeifer BA, Brown DG. Cold compressive dressing after total knee arthroplasty. *Clin Orthop Relat Res.* 1994; 299:143-149.
8. Hochberg J. A randomized prospective study to assess the efficacy of two cold-therapy treatments following carpal tunnel release. *J Hand Ther.* 2001; 14(3):208-215.
9. Konrath GA, Lock T, Goitz HT, Scheidler J. The use of cold therapy after anterior cruciate ligament reconstruction. A prospective, randomized study and literature review. *Am J Sports Med.* 1996; 24(5):629-633.
10. Levy AS, Marmar E. The role of cold compression dressings in the postoperative treatment of total knee arthroplasty. *Clin Orthop Rel Res.* 1993; 297:174-178.
11. Meyer-Marcotty M, Jungling O, Vaske B, et al. Standardized combined cryotherapy and compression using Cryo/Cuff after wrist arthroscopy. *Knee Surg Sports Traumatol Arthrosc.* 2011; 19(2):314-319.
12. Modabber A, Rana M, Ghassemi A, et al. Three-dimensional evaluation of postoperative swelling in treatment of zygomatic bone fractures using two different cooling therapy methods: a randomized, observer-blind, prospective study. *Trials.* 2013; 14:238.
13. Raynor MC, Pietrobon R, Guller U, Higgins LD. Cryotherapy after ACL reconstruction: a meta-analysis. *J Knee Surg.* 2005; 18(2):123-129.
14. Ruffilli A, Buda R, Castagnini F, et al. Temperature-controlled continuous cold flow device versus traditional icing regimen following anterior cruciate ligament reconstruction: a prospective randomized comparative trial. *Arch Orthop Trauma Surg.* 2015; 135(10):1405-1410.
15. Ruffilli A, Castagnini F, Traina F, et al. Temperature-controlled continuous cold flow device after total knee arthroplasty: a randomized controlled trial study. *J Knee Surg.* 2017; 30(7):675-681.
16. Saito N, Horiuchi H, Kobayashi S, et al. Continuous local cooling for pain relief following total hip arthroplasty. *J Arthroplasty.* 2004; 19(3):334-337.
17. Schroder D, Passler HH. Combination of cold and compression after knee surgery. A prospective randomized trial. *Knee Surg Sports Traumatol Arthrosc.* 1994; 2(3):158-165.
18. Su EP, Perna M, Boettner F, et al. A prospective, multi-center, randomised trial to evaluate the efficacy of a cryopneumatic device on total knee arthroplasty recovery. *J Bone Joint Surg Br.* 2012; 94(11 Suppl A):153-156.
19. Thienpont E. Does advanced cryotherapy reduce pain and narcotic consumption after knee arthroplasty? *Clin Orthop Relat Res.* 2014; 472(11):3417-3423.

[This Medical Policy provides assistance in understanding Healthy Blue's standard Medicaid benefit plan. When evaluating coverage for a specific member benefit, reference to federal and state law, as well as contractual requirements may be necessary, since these may differ from our standard benefit plan. In the event of a conflict with standard plan benefits, federal, state and/or contractual requirements will govern. Before using this policy, please check all federal, state and/or contractual requirements applicable to the specific benefit plan coverage. Healthy Blue reserves the right to modify its Policies and Guidelines as necessary and in accordance with legal and contractual requirements. This Medical Policy is provided for informational purposes. It does not constitute medical advice. Healthy Blue may also use tools and criteria developed by third parties, to assist us in administering health benefits. Healthy Blue's Policies and Guidelines are intended to be used in accordance with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.](#)

Federal and State law, as well as contract language, including definitions and specific contract provisions/exclusions, take precedence over Medical Policy and must be considered first in determining eligibility for coverage. The member's contract benefits in effect on the date that services are rendered must be used. Medical Policy, which addresses medical efficacy, should be considered before utilizing medical opinion in adjudication. Medical technology is constantly evolving, and we reserve the right to review and update Medical Policy periodically.

No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from the health plan.

## Cooling Devices and Combined Cooling/Heating Devices

20. Waterman B, Walker JJ, Swaims C, et al. The efficacy of combined cryotherapy and compression compared with cryotherapy alone following anterior cruciate ligament reconstruction. *J Knee Surg.* 2012; 25(2):155-160.
21. Bech M, Moorhen J, Cho M, et al. Device or ice: the effect of consistent cooling using a device compared with intermittent cooling using an ice bag after total knee arthroplasty. *Physiother Can.* 2015; 67(1):48-55.
22. Whitelaw GP, DeMuth KA, Demos HA, et al. The use of the Cryo/Cuff versus ice and elastic wrap in the postoperative care of knee arthroscopy patients. *Am J Knee Surg.* 1995; 8(1):28-31.
23. Yu SY, Chen S, Yan HD, Fan CY. Effect of cryotherapy after elbow arthrolysis: a prospective, single-blinded, randomized controlled study. *Arch Phys Med Rehabil.* 2015; 96(1):1-6.

### Government Agency, Medical Society, and Other Authoritative Publications:

1. Adie S, Kwan A, Naylor JM, et al. Cryotherapy following total knee replacement. *Cochrane Database Syst Rev.* 2012;(9):CD007911.
2. Bleakley C, McDonough S, Gardner E, et al. Cold-water immersion (cryotherapy) for preventing and treating muscle soreness after exercise. *Cochrane Database Syst Rev.* 2012;(2):CD008262.
3. McGrory BJ, Weber KL, Jevsevar DS, Sevarino K. Surgical management of osteoarthritis of the knee: evidence-based guideline. *J Am Acad Orthop Surg.* 2016; 24(8):e87-93.

## Index

Aircast Cryo/Strap®  
AutoChill Device  
BioCryo Cold Compression System  
Cold Rush® Cold Therapy System  
Cooling Devices  
Cryo/Cuff  
cTreatment®  
Donjoy Iceman  
Game Ready Accelerated Recovery System  
HiloTherm®  
Hot/Ice Thermal Blanket  
IceMan® Cryotherapy Unit  
Kinex ThermoComp™ Device  
Polar Care Cub  
Polar Pack®

[This Medical Policy provides assistance in understanding Healthy Blue’s standard Medicaid benefit plan. When evaluating coverage for a specific member benefit, reference to federal and state law, as well as contractual requirements may be necessary, since these may differ from our standard benefit plan. In the event of a conflict with standard plan benefits, federal, state and/or contractual requirements will govern. Before using this policy, please check all federal, state and/or contractual requirements applicable to the specific benefit plan coverage. Healthy Blue reserves the right to modify its Policies and Guidelines as necessary and in accordance with legal and contractual requirements. This Medical Policy is provided for informational purposes. It does not constitute medical advice. Healthy Blue may also use tools and criteria developed by third parties, to assist us in administering health benefits. Healthy Blue’s Policies and Guidelines are intended to be used in accordance with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.](#)

Federal and State law, as well as contract language, including definitions and specific contract provisions/exclusions, take precedence over Medical Policy and must be considered first in determining eligibility for coverage. The member’s contract benefits in effect on the date that services are rendered must be used. Medical Policy, which addresses medical efficacy, should be considered before utilizing medical opinion in adjudication. Medical technology is constantly evolving, and we reserve the right to review and update Medical Policy periodically.

No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from the health plan.

**Cooling Devices and Combined Cooling/Heating Devices**

Power Play ice bags

- Prothermo
- NanoTherm™
- TEC Thermoelectric Cooling System
- Thermacure
- VascuTherm2®
- VascuTherm3®
- VascuTherm4®
- VibraCool®
- VitalWear Cold/Hot Wrap
- VitalWrap
- VPULSE®™

**The use of specific product names is illustrative only. It is not intended to be a recommendation of one product over another, and is not intended to represent a complete listing of all products available.**

**Document History**

Status	Date	Action
<u>Revised</u>	<u>06/06/2019</u>	<u>Medical Policy &amp; Technology Assessment Committee (MPTAC) review. Added devices which combine cooling and vibration to the Investigational and not medically necessary statement. Updated Coding, Rationale and Index sections.</u>
	12/27/2018	Updated Coding section with 01/01/2019 HCPCS changes.
Reviewed	07/26/2018	<del>Medical Policy &amp; Technology Assessment Committee (MPTAC) review.</del> Updated Rationale and References sections.
	05/15/2018	The document header wording updated from “Current Effective Date” to “Publish Date.”
	12/27/2017	Updated Rationale section.
Reviewed	08/03/2017	MPTAC review. Updated Rationale and References sections.
Reviewed	08/04/2016	MPTAC review. Updated Reference and Index sections. Removed ICD-9 codes from Coding section.
Reviewed	08/06/2015	MPTAC review. Updated Rationale, Background, and Reference sections.
Reviewed	08/14/2014	MPTAC review. Updated Rationale, Coding and Reference sections.

This Medical Policy provides assistance in understanding Healthy Blue’s standard Medicaid benefit plan. When evaluating coverage for a specific member benefit, reference to federal and state law, as well as contractual requirements may be necessary, since these may differ from our standard benefit plan. In the event of a conflict with standard plan benefits, federal, state and/or contractual requirements will govern. Before using this policy, please check all federal, state and/or contractual requirements applicable to the specific benefit plan coverage. Healthy Blue reserves the right to modify its Policies and Guidelines as necessary and in accordance with legal and contractual requirements. This Medical Policy is provided for informational purposes. It does not constitute medical advice. Healthy Blue may also use tools and criteria developed by third parties, to assist us in administering health benefits. Healthy Blue’s Policies and Guidelines are intended to be used in accordance with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.

Federal and State law, as well as contract language, including definitions and specific contract provisions/exclusions, take precedence over Medical Policy and must be considered first in determining eligibility for coverage. The member’s contract benefits in effect on the date that services are rendered must be used. Medical Policy, which addresses medical efficacy, should be considered before utilizing medical opinion in adjudication. Medical technology is constantly evolving, and we reserve the right to review and update Medical Policy periodically.

No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from the health plan.

**Medical Policy****Cooling Devices and Combined Cooling/Heating Devices**

---

New                      08/08/2013                      MPTAC review. Initial document development.

CHANGES

This Medical Policy provides assistance in understanding Healthy Blue’s standard Medicaid benefit plan. When evaluating coverage for a specific member benefit, reference to federal and state law, as well as contractual requirements may be necessary, since these may differ from our standard benefit plan. In the event of a conflict with standard plan benefits, federal, state and/or contractual requirements will govern. Before using this policy, please check all federal, state and/or contractual requirements applicable to the specific benefit plan coverage. Healthy Blue reserves the right to modify its Policies and Guidelines as necessary and in accordance with legal and contractual requirements. This Medical Policy is provided for informational purposes. It does not constitute medical advice. Healthy Blue may also use tools and criteria developed by third parties, to assist us in administering health benefits. Healthy Blue’s Policies and Guidelines are intended to be used in accordance with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.

~~Federal and State law, as well as contract language, including definitions and specific contract provisions/exclusions, take precedence over Medical Policy and must be considered first in determining eligibility for coverage. The member’s contract benefits in effect on the date that services are rendered must be used. Medical Policy, which addresses medical efficacy, should be considered before utilizing medical opinion in adjudication. Medical technology is constantly evolving, and we reserve the right to review and update Medical Policy periodically.~~

~~No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from the health plan.~~