



Medical Policy

Subject:	Serologic Testing for Biomarkers of Irritable Bowel Syndrome (IBS)	Publish Date:	12/16/2020
Document#:	LAB.00037	Last Review Date:	11/05/2020
Status:	New		

Description/Scope

This document addresses the use of serological testing for biomarkers to aid in the screening, diagnosis and management of irritable bowel syndrome (IBS), including testing performed with IBSDetex™ (Quest Diagnostics, Secaucus, New Jersey), ibs-smart™ (Gemelli Biotech, Los Angeles, CA) and IBSchek® (Commonwealth Diagnostics International, Inc, Salem, MA). This document does not address any other type of testing for IBS including breath tests, fecal analysis, gene expression profiling or imaging.

Note: For additional information regarding related documents, please see:

- **LAB.00016 Fecal Analysis in the Diagnosis of Intestinal Disorders**
- **LAB.00024 Immune Cell Function Assay**

Position Statement

Investigational and Not Medically Necessary:

Serological testing for biomarkers of irritable bowel syndrome (for example, CdtB and anti-vinculin), using tests such as, IBSDetex, ibs-smart or IBSchek, is considered investigational and not medically necessary for screening, diagnosis or management of irritable bowel syndrome, and for all other indications.

Rationale

Differentiating IBS from other digestive disorders is a complex task for clinicians. Symptom-based diagnosis is usually guided by the Rome IV criteria and is the most widely employed method in practice today. An important shortcoming of the Rome criteria is its lack of validation. As such, there is mounting interest in identifying alternative methods of testing techniques for more definitive diagnosis. One such method is the use of serologic markers. The IBSDetex, ibs-smart and IBSchek are three serologic marker tests currently on
This Medical Policy provides assistance in understanding Healthy Blue’s standard Medicaid benefit plan. When evaluating coverage for a specific member benefit, reference to federal and state law, as well as contractual requirements may be necessary, since these may differ from our standard benefit plan. In the event of a conflict with standard plan benefits, federal, state and/or contractual requirements will govern. Before using this policy, please check all federal, state and/or contractual requirements applicable to the specific benefit plan coverage. Healthy Blue reserves the right to modify its Policies and Guidelines as necessary and in accordance with legal and contractual requirements. This Medical Policy is provided for informational purposes. It does not constitute medical advice. Healthy Blue may also use tools and criteria developed by third parties, to assist us in administering health benefits. Healthy Blue’s Policies and Guidelines are intended to be used in accordance with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.

Federal and State law, as well as contract language, including definitions and specific contract provisions/exclusions, take precedence over Medical Policy and must be considered first in determining eligibility for coverage. The member’s contract benefits in effect on the date that services are rendered must be used. Medical Policy, which addresses medical efficacy, should be considered before utilizing medical opinion in adjudication. Medical technology is constantly evolving, and we reserve the right to review and update Medical Policy periodically.

No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from the health plan.

Medical Policy

Serological Testing for Biomarkers of Irritable Bowel Syndrome (IBS)

the market intended to aid providers in diagnosing and ruling out IBS through detection of circulating anti-CdtB and anti-vinculin antibodies.

In 2015, Pimentel and colleagues recruited 2375 subjects from a large-scale trial already underway (TARGET 3) with diarrhea-predominant IBS (IBS-D) based on Rome criteria, to assess circulating anti-CdtB and anti-vinculin antibodies as potential biomarkers for IBS-D. For comparison, additional subjects were recruited with inflammatory bowel disease (IBD) (n=142) and celiac disease (n=121), in addition to healthy controls (n=43). Enzyme-linked immunosorbent assay (ELISA) was used to determine plasma levels of anti-CdtB and anti-vinculin antibodies and then compared between groups. Relative to IBD, healthy controls and celiac disease, anti-CdtB and anti-vinculin plasma levels were significantly higher in IBS-D subjects (p<0.001; both). Both markers specificity was lower in differentiating IBS from celiac disease. For anti-CdtB the specificity and sensitivity were 91.6% and 43.7, respectively, and for anti-vinculin 83.8%, 32.6, respectively. Although results of this trial suggest that anti-CdtB and anti-vinculin antibodies are elevated in IBS-D compared to non-IBS subjects, their use in clinical practice remains undefined. Further investigation into cut-offs for confirmatory diagnosis, including characterizing variability within populations is warranted.

In 2017, a very similar study conducted by Rezaie and colleagues recruited subjects with IBS-D (n=2375) from the same TARGET 3 trial. Healthy controls (n=43) and individuals with mixed IBS (IBS-M) (n=25) or IBS with constipation (IBS-C) (n=30) were also recruited. Again, ELISA was used to analyze plasma levels of anti-CdtB and anti-vinculin antibodies. Plasma levels of anti-CdtB and anti-vinculin antibodies were highest in IBS-D and lowest in IBS-C and healthy controls (p<0.001), whereas plasma levels in IBS-C subjects were not statistically different from controls (p>0.1). Positivity for anti-CdtB or anti-vinculin resulted in a statistically significant negative gradient from IBS-D (58.1%) to IBS-M (44.0%), IBS-C (26.7%), and controls (16.3%) (p<0.001). Authors conclude that anti-CdtB and anti-vinculin antibodies may prove useful in the diagnosis of IBS-M and IBS-D, but their value in the diagnosis of IBS-C was not demonstrated in this trial. Further investigation into the clinical utility of these biomarkers is warranted.

The use of ELISA testing for anti-CdtB and anti-vinculin in IBS-D diagnosis was found to suffer from epitope instability, as such, a trial was conducted by Morales and colleagues in 2019 incorporating epitope stabilization into testing. Plasma samples from a cohort of IBS-D subjects from the large-scale TARGET 3 clinical trial were retrospectively collected. After epitope stabilization, CdtB and vinculin were used in ELISA testing. Samples from 100 IBS-D and 31 IBD subjects were tested. IBS-D subjects had higher anti-CdtB titers (p=0.0001) and higher anti-vinculin titers (p=0.004) than IBD subjects. The specificity and

This Medical Policy provides assistance in understanding Healthy Blue's standard Medicaid benefit plan. When evaluating coverage for a specific member benefit, reference to federal and state law, as well as contractual requirements may be necessary, since these may differ from our standard benefit plan. In the event of a conflict with standard plan benefits, federal, state and/or contractual requirements will govern. Before using this policy, please check all federal, state and/or contractual requirements applicable to the specific benefit plan coverage. Healthy Blue reserves the right to modify its Policies and Guidelines as necessary and in accordance with legal and contractual requirements. This Medical Policy is provided for informational purposes. It does not constitute medical advice. Healthy Blue may also use tools and criteria developed by third parties, to assist us in administering health benefits. Healthy Blue's Policies and Guidelines are intended to be used in accordance with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.

Federal and State law, as well as contract language, including definitions and specific contract provisions/exclusions, take precedence over Medical Policy and must be considered first in determining eligibility for coverage. The member's contract benefits in effect on the date that services are rendered must be used. Medical Policy, which addresses medical efficacy, should be considered before utilizing medical opinion in adjudication. Medical technology is constantly evolving, and we reserve the right to review and update Medical Policy periodically.

No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from the health plan.

Medical Policy

Serological Testing for Biomarkers of Irritable Bowel Syndrome (IBS)

sensitivity of anti-CdtB's ability to differentiate IBS-D from IBD were 93.5% and 43.0%, respectively. The specificity and sensitivity of anti-vinculin were 90.9% and 52.2%, respectively. Study authors concluded that performing epitope stabilization for CdtB and vinculin enhances the validity of ELISAs for anti-CdtB and anti-vinculin in distinguishing IBS-D from IBD. Epitope stabilization of ELISA testing may help further define what role, if any, anti-CdtB and anti-vinculin may play in understanding immunity in functional bowel diseases.

In 2019 a retrospective cohort study was published by Talley and colleagues which enrolled participants from 2 studies already in progress: (a) a random, population-based study with subjects diagnosed (using Rome criteria) with IBS (n=63) or functional diarrhea (FD) (n=61) and healthy control subjects (n=246), and (b) an outpatient-based study with subjects diagnosed with IBS (n=256) and/or FD (n=55) or organic gastrointestinal (GI) disease (n=182) diagnosed by an independent clinician. Using ELISA testing, serum levels of anti-CdtB and anti-vinculin antibodies were determined. Compared to healthy controls, individuals with symptoms of FD had a significantly higher mean value of anti-CdtB (mean=2.46 [Standard Deviation {SD}=0.72] vs mean=2.14 [SD=0.77]; p=0.005) and IBS/FD overlap versus healthy controls (mean=2.47 [SD=0.78] vs mean=2.14 [SD=0.77]; p=0.02). There were no significant differences in anti-CdtB levels in IBS and FD outpatients or IBS/FD subgroups compared with subjects with organic GI disease. Measurement of serum levels of anti-vinculin did not demonstrate significant differences between IBS and FD or healthy controls, or between IBS and FD or organic GI disease controls. This study did not demonstrate that anti-CdtB or anti-vinculin successfully distinguished IBS diarrhea from organic GI disease.

A meta-analysis conducted by Carrasco-Labra and colleagues (2019) searched the literature through 2017 and sought to summarize the available evidence on the usefulness of diagnostic tests to aid clinicians in differentiating organic causes of chronic watery diarrhea (such as IBS), from FD. Although a total of 38 studies were included, only 2 included serologic tests of anti-CdtB and anti-vinculin antibodies. Authors concluded:

Moderate to low certainty in the evidence indicates that available fecal and blood tests may play a role in the diagnostic workup of adult patients with functional diarrhea. At the moment, no tests are available to reliably rule in irritable bowel syndrome.

Recent recommendations from the American Gastroenterological Association (AGA) on the Laboratory Evaluation of Functional Diarrhea and IBS-D in Adults include the following statement which highlights the lack of available evidence on the use of serologic biomarkers for management of IBS: "In patients presenting
This Medical Policy provides assistance in understanding Healthy Blue's standard Medicaid benefit plan. When evaluating coverage for a specific member benefit, reference to federal and state law, as well as contractual requirements may be necessary, since these may differ from our standard benefit plan. In the event of a conflict with standard plan benefits, federal, state and/or contractual requirements will govern. Before using this policy, please check all federal, state and/or contractual requirements applicable to the specific benefit plan coverage. Healthy Blue reserves the right to modify its Policies and Guidelines as necessary and in accordance with legal and contractual requirements. This Medical Policy is provided for informational purposes. It does not constitute medical advice. Healthy Blue may also use tools and criteria developed by third parties, to assist us in administering health benefits. Healthy Blue's Policies and Guidelines are intended to be used in accordance with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.

Federal and State law, as well as contract language, including definitions and specific contract provisions/exclusions, take precedence over Medical Policy and must be considered first in determining eligibility for coverage. The member's contract benefits in effect on the date that services are rendered must be used. Medical Policy, which addresses medical efficacy, should be considered before utilizing medical opinion in adjudication. Medical technology is constantly evolving, and we reserve the right to review and update Medical Policy periodically.

No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from the health plan.

Medical Policy

Serological Testing for Biomarkers of Irritable Bowel Syndrome (IBS)

with chronic diarrhea, the AGA makes no recommendation for the use of currently available serologic tests for diagnosis of IBS. (No recommendation; knowledge gap)” (Smalley, 2019).

Summary

Confirmatory diagnosis of the ideology of chronic watery diarrhea presents an ongoing challenge for clinicians. Although use of serologic biomarkers, like anti-CdtB and anti-vinculin antibodies may hold promise, their association with IBS pathophysiology and clinical utility remain unclear.

Background/Overview

Irritable bowel syndrome (IBS) is a chronic condition that affects the large intestine. Signs and symptoms include cramping, abdominal pain, bloating, gas, diarrhea and constipation. The prevalence of IBS in the United States is estimated to be 12-15%. Diagnosis of IBS is usually made based on a set of symptom-based criteria referred to as the Rome criteria. Some clinicians may employ biomarkers to aid in diagnosis but their use varies widely and there is a lack of guidance regarding their diagnostic role and clinical utility. The IBSDetex™, ibs-smart™ and IBScheck® are three serologic marker tests currently on the market intended to aid providers in diagnosing and ruling out IBS through detection of circulating anti-CdtB and anti-vinculin antibodies. The IBSDetex and ibs-smart collection kits use a blood sample collected via venipuncture. The IBSchek is a home-based capillary blood sample collection. Both tests provide biomarker levels for clinician interpretation within approximately 2-3 days.

IBS is not curable. Treatment for IBS typically includes management of symptoms through changes in dietary practices in addition to pharmaceuticals, probiotics, and mental health support; treatment plans are tailored to the individual.

Definitions

Biomarker: A characteristic that is objectively measured and evaluated as an indicator of normal biological processes, pathogenic processes, or pharmacologic response to a therapeutic intervention.

This Medical Policy provides assistance in understanding Healthy Blue’s standard Medicaid benefit plan. When evaluating coverage for a specific member benefit, reference to federal and state law, as well as contractual requirements may be necessary, since these may differ from our standard benefit plan. In the event of a conflict with standard plan benefits, federal, state and/or contractual requirements will govern. Before using this policy, please check all federal, state and/or contractual requirements applicable to the specific benefit plan coverage. Healthy Blue reserves the right to modify its Policies and Guidelines as necessary and in accordance with legal and contractual requirements. This Medical Policy is provided for informational purposes. It does not constitute medical advice. Healthy Blue may also use tools and criteria developed by third parties, to assist us in administering health benefits. Healthy Blue’s Policies and Guidelines are intended to be used in accordance with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.

Federal and State law, as well as contract language, including definitions and specific contract provisions/exclusions, take precedence over Medical Policy and must be considered first in determining eligibility for coverage. The member’s contract benefits in effect on the date that services are rendered must be used. Medical Policy, which addresses medical efficacy, should be considered before utilizing medical opinion in adjudication. Medical technology is constantly evolving, and we reserve the right to review and update Medical Policy periodically.

No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from the health plan.

Serological Testing for Biomarkers of Irritable Bowel Syndrome (IBS)

Functional GI disorders: Gastrointestinal disorders that cause symptoms that are often debilitating, but are not currently associated with any physical damage, such as irritable bowel syndrome (IBS) and functional dyspepsia.

Organic GI disease: A gastrointestinal disease with measurable physiological changes, such as the villi damage caused by gluten in celiac disease and the intestinal inflammation found in Crohn's disease.

Rome criteria: An international effort to create criteria based on scientific data to help in the diagnosis and treatment of functional gastrointestinal disorders. These criteria include abdominal pain and discomfort lasting on average of at least 1 day a week in the last 3 months, associated with at least 2 of the following factors: Pain and discomfort are related to defecation, the frequency of defecation is altered, or stool consistency is altered.

Coding

The following codes for treatments and procedures applicable to this document are included below for informational purposes. Inclusion or exclusion of a procedure, diagnosis or device code(s) does not constitute or imply member coverage or provider reimbursement policy. Please refer to the member's contract benefits in effect at the time of service to determine coverage or non-coverage of these services as it applies to an individual member.

When services are Investigational and Not Medically Necessary:

When the code describes a procedure indicated in the Position Statement section as investigational and not medically necessary

CPT

0164U

Gastroenterology (irritable bowel syndrome [IBS]), immunoassay for antiCdtB and anti-vinculin antibodies, utilizing plasma, algorithm for elevated or not elevated qualitative results

ibs-smart™, Gemelli Biotech, Gemelli Biotech

0176U

Cytolethal distending toxin B (CdtB) and vinculin IgG antibodies by immunoassay (ie, ELISA)

IBSchek®, Commonwealth Diagnostics International, Inc, Commonwealth Diagnostics International, Inc

This Medical Policy provides assistance in understanding Healthy Blue's standard Medicaid benefit plan. When evaluating coverage for a specific member benefit, reference to federal and state law, as well as contractual requirements may be necessary, since these may differ from our standard benefit plan. In the event of a conflict with standard plan benefits, federal, state and/or contractual requirements will govern. Before using this policy, please check all federal, state and/or contractual requirements applicable to the specific benefit plan coverage. Healthy Blue reserves the right to modify its Policies and Guidelines as necessary and in accordance with legal and contractual requirements. This Medical Policy is provided for informational purposes. It does not constitute medical advice. Healthy Blue may also use tools and criteria developed by third parties, to assist us in administering health benefits. Healthy Blue's Policies and Guidelines are intended to be used in accordance with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.

Federal and State law, as well as contract language, including definitions and specific contract provisions/exclusions, take precedence over Medical Policy and must be considered first in determining eligibility for coverage. The member's contract benefits in effect on the date that services are rendered must be used. Medical Policy, which addresses medical efficacy, should be considered before utilizing medical opinion in adjudication. Medical technology is constantly evolving, and we reserve the right to review and update Medical Policy periodically.

No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from the health plan.

Medical Policy

Serological Testing for Biomarkers of Irritable Bowel Syndrome (IBS)

ICD-10 Diagnosis

All diagnoses

References

Peer Reviewed Publications:

1. Morales W, Rezaie A, Barlow G, Pimentel M. Second-generation biomarker testing for irritable bowel syndrome using plasma anti-CdtB and anti-vinculin levels. Dig Dis Sci. 2019; 64(11):3115-3121.
2. Pimentel M, Morales W, Rezaie A, et al. Development and validation of a biomarker for diarrhea-predominant irritable bowel syndrome in human subjects. PLoS One. 2015;10:e0126438.
3. Rezaie A, Park SC, Morales W, et al. Assessment of anti-vinculin and anti-cytolethal distending toxin B antibodies in subtypes of irritable bowel syndrome. Dig Dis Sci. 2017; 62(6):1480-1485.
4. Talley NJ, Holtmann G, Walker MM, et al. Circulating anti-cytolethal distending toxin B and anti-vinculin antibodies as biomarkers in community and healthcare populations with functional dyspepsia and irritable bowel syndrome. Clin Transl Gastroenterol. 2019; 10(7): e00064.

Government Agency, Medical Society, and Other Authoritative Publications:

1. Carrasco-Labra Alonso, Lyubov Lytvyn, Yngve Falck-Ytte, et al. AGA technical review on the evaluation of functional diarrhea and diarrhea-predominant irritable bowel syndrome in adults (IBS-D). Gastroenterology. 2019; 157(3):859-880.
2. Smalley W, Falck-Ytter C, Carrasco-Labra A, et al. AGA Clinical practice guidelines on the laboratory evaluation of functional diarrhea and diarrhea-predominant irritable bowel syndrome in adults (IBS-D). Gastroenterology. 2019;157(3):851-854.

Websites for Additional Information

1. National Institutes of Health. National Institute of Diabetes and Digestive and Kidney Diseases (NIDDK). Irritable Bowel Syndrome (IBS). Available at: <https://www.niddk.nih.gov/health-information/digestive-diseases/irritable-bowel-syndrome>. Accessed on September 08, 2020.

Index

This Medical Policy provides assistance in understanding Healthy Blue’s standard Medicaid benefit plan. When evaluating coverage for a specific member benefit, reference to federal and state law, as well as contractual requirements may be necessary, since these may differ from our standard benefit plan. In the event of a conflict with standard plan benefits, federal, state and/or contractual requirements will govern. Before using this policy, please check all federal, state and/or contractual requirements applicable to the specific benefit plan coverage. Healthy Blue reserves the right to modify its Policies and Guidelines as necessary and in accordance with legal and contractual requirements. This Medical Policy is provided for informational purposes. It does not constitute medical advice. Healthy Blue may also use tools and criteria developed by third parties, to assist us in administering health benefits. Healthy Blue’s Policies and Guidelines are intended to be used in accordance with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.

Federal and State law, as well as contract language, including definitions and specific contract provisions/exclusions, take precedence over Medical Policy and must be considered first in determining eligibility for coverage. The member’s contract benefits in effect on the date that services are rendered must be used. Medical Policy, which addresses medical efficacy, should be considered before utilizing medical opinion in adjudication. Medical technology is constantly evolving, and we reserve the right to review and update Medical Policy periodically.

No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from the health plan.


Serological Testing for Biomarkers of Irritable Bowel Syndrome (IBS)

IBSchek
Ibs-smart

The use of specific product names is illustrative only. It is not intended to be a recommendation of one product over another, and is not intended to represent a complete listing of all products available.

Document History

<u>Status</u>	<u>Date</u>	<u>Action</u>
<u>New</u>	<u>11/05/2020</u>	<u>Medical Policy & Technology Assessment Committee (MPTAC) review. Initial document development.</u>



This Medical Policy provides assistance in understanding Healthy Blue’s standard Medicaid benefit plan. When evaluating coverage for a specific member benefit, reference to federal and state law, as well as contractual requirements may be necessary, since these may differ from our standard benefit plan. In the event of a conflict with standard plan benefits, federal, state and/or contractual requirements will govern. Before using this policy, please check all federal, state and/or contractual requirements applicable to the specific benefit plan coverage. Healthy Blue reserves the right to modify its Policies and Guidelines as necessary and in accordance with legal and contractual requirements. This Medical Policy is provided for informational purposes. It does not constitute medical advice. Healthy Blue may also use tools and criteria developed by third parties, to assist us in administering health benefits. Healthy Blue’s Policies and Guidelines are intended to be used in accordance with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.

Federal and State law, as well as contract language, including definitions and specific contract provisions/exclusions, take precedence over Medical Policy and must be considered first in determining eligibility for coverage. The member’s contract benefits in effect on the date that services are rendered must be used. Medical Policy, which addresses medical efficacy, should be considered before utilizing medical opinion in adjudication. Medical technology is constantly evolving, and we reserve the right to review and update Medical Policy periodically.

No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from the health plan.