

Clinical Policy: Ibandronate Injection (Boniva)

Reference Number: LA.PHAR.189

Effective Date: 09.18.21

Last Review Date: 05.06.24 06.02.2 Coding Implications
Line of Business: Medicaid Revision Log

See Important Reminder at the end of this policy for important regulatory and legal information.

Please note: This policy is for medical benefit

Description

Ibandronate injection (Boniva®) is a bisphosphonate.

FDA Approved Indication(s)

Boniva is indicated for:

• <u>Postmenopausal osteoporosis (PMO)</u>: <u>Treatment the treatment</u> of osteoporosis in postmenopausal women- (PMO). In postmenopausal women with osteoporosis, Boniva increases bone mineral density (BMD) and reduces the incidence of vertebral fractures.

Limitation(s) of use: Optimal duration of use has not been determined. For patients at low-risk for fracture, consider drug discontinuation after 3 to 5 years of use.

Policy/Criteria

Provider must submit documentation (such as office chart notes, lab results or other clinical information) supporting that member has met all approval criteria.

It is the policy of Louisiana Healthcare Connections that Boniva injection is **medically necessary** when the following criteria are met:

I. Initial Approval Criteria

- **A.** Osteoporosis (must meet all):
 - 1. Diagnosis of PMO;
 - 2. Age \geq 18 years or documentation of closed epiphyses on x-ray;
 - 3. Failure of a 12-month trial of an oral bisphosphonate* (see Appendix B; generic alendronate is preferred) at up to maximally indicated doses, unless contraindicated or clinically significant adverse effects are experienced;
 - *Prior authorization may be required.
 - Member must use generic ibandronate injection, unless contraindicated or clinically significant adverse effects are experienced;
 - 4.5. Dose does not exceed both of the following (a and b):
 - a. 3 mg every 3 months;
 - b. 1 syringe every 3 months.

Approval duration:-6 months

Formatted: Normal, No bullets or numbering



B. Other diagnoses/indications (must meet 1 or 2):

- If this drug has recently (within the last 6 months) undergone a label change (e.g., newly approved indication, age expansion, new dosing regimen) that is not yet reflected in this policy, refer to LA.PMN.255
- 2. If the requested use (e.g., diagnosis, age, dosing regimen) is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized) AND criterion 1 above does not apply, refer to the off-label use policy LA.PMN.53

II. Continued Therapy

A. Osteoporosis (must meet all):

- 1. Currently receiving medication via Louisiana Healthcare Connections benefit or member has previously met initial approval criteria;
- 2. Member is responding positively to therapy;
- Member must use generic ibandronate injection, unless contraindicated or clinically significant adverse effects are experienced;
- 3.4. If request is for a dose increase, new dose does not exceed both of the following (a and b):
 - a. 3 mg every 3 months;
 - b. 1 syringe every 3 months.

Approval duration: 12 months

B. Other diagnoses/indications (must meet 1 or 2):

- If this drug has recently (within the last 6 months) undergone a label change (e.g., newly approved indication, age expansion, new dosing regimen) that is not yet reflected in this policy, refer to LA.PMN.255
- 2. If the requested use (e.g., diagnosis, age, dosing regimen) is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized) AND criterion 1 above does not apply, refer to the off-label use policy LA.PMN.53

III. Diagnoses/Indications for which coverage is NOT authorized:

A. Non-FDA approved indications, which are not addressed in this policy, unless there is sufficient documentation of efficacy and safety according to the off label use policy LA.PMN.53

IV. Appendices/General Information

Appendix A: Abbreviation/Acronym Key

BMD: bone mineral density

FDA: Food and Drug Administration PMO: postmenopausal osteoporosis

Appendix B: Therapeutic Alternatives

This table provides a listing of preferred alternative therapy recommended in the approval criteria. The drugs listed here <u>may not be a formulary agent and</u> may require prior authorization.



Drug Name	Dosing Regimen	Dose Limit/
		Maximum Dose
Oral bisphosphonates		
alendronate	Treatment/prevention: PMO	Varies 40 mg/day
(Fosamax [®])	Treatment: GIO, male osteoporosis	70 mg/week
	Treatment: Paget disease	
	See prescribing information for dose. 10 mg	
	PO QD or 70 mg PO once weekly	
Fosamax [®] Plus D	Treatment: PMO, male osteoporosis	70 mg / 5600 IU/
(alendronate /	See prescribing information for dose.70 mg	week
cholecalciferol)	alendronate /2800 IU vitamin D3 or 70 mg	
	alendronate /5600 IU vitamin D3 PO once	
	weekly	
risedronate	Actonel:	Actonel:
(Actonel [®] , Atelvia [®])	Treatment/prevention: PMO, GIO	5 mg/day
	Treatment: male osteoporosis	35 mg/week
	Treatment: Paget disease	150 mg/month
	5 mg PO QD or	
	35 mg PO once weekly or	
	75 mg PO QD taken on two consecutive	Atelvia:
	days each month or 150 mg PO once	35 mg/week
	<u>monthly</u>	
	Atelvia:	
	Treatment: PMO	
	See prescribing information for dose.35 mg	
	PO once weekly	
ibandronate (Boniva®)	Treatment/prevention: PMO	150 mg/month
	See prescribing information for dose. 150 mg	_
	PO once monthly	

Therapeutic alternatives are listed as Brand name® (generic) when the drug is available by brand name only and generic (Brand name®) when the drug is available by both brand and generic.

Appendix C: Contraindications/Boxed Warnings

- Contraindication(s): hypocalcemia, hypersensitivity
- Boxed warning(s): none reported

V. Dosage and Administration

•	Dosage and Administra	HUII		
	Indication	Dosing Regimen	Maximum Dose	 Formatted Table
	PMO	3 mg IV every 3 months	3 mg/3 months	

VI. Product Availability

Single-use prefilled syringe: 3 mg/3 mL

VII. References

 BonivaIbandronate Sodium Injection Prescribing Information. South San Francisco, CA: Genentech USA, Inc.; April 2019. Weston, FL: Apotex Corp.; September 2022. Available at

CLINICAL POLICY

Ibandronate Injection



https://www.gene.com.dailymed.nlm.nih.gov/dailymed/fda/fdaDrugXsl.cfm?setid=9fad4982-95af-d711-f50a-867311835143. Accessed November 1, 2022October 19, 2023.

 Clinical Pharmacology [database online]. Tampa, FL: Elsevier; 20222023. URL: www.clinicalkeys.com/pharmacology.

Osteoporosis Diagnosis, Fracture Risk, and Treatment

- Shoback D, Rosen CJ, Black DM, et al. Pharmacological management of osteoporosis in postmenopausal women: an endocrine society guideline update. J Clin Endocrinol Metab; March 2020, 105(3): 587-594.
- 4. Eastell R, Rosen CJ, Black DM, et al. Pharmacological management of osteoporosis in postmenopausal women: An Endocrine Society Clinical Practice Guideline. J Clin Endocrinol Metab; 2019, 104: 1595–1622.
- Camacho PM, Petak SM, Brinkley N et al. American Association of Clinical Endocrinologists/American College of Endocrinology clinical practice guidelines for the diagnosis and treatment of postmenopausal osteoporosis-2020 update. Endocr Pract. 2020;26(1):1-46.
- National Osteoporosis Foundation Clinician's Guide to Prevention and Treatment of Osteoporosis. Osteoporosis International 2014. Available at: https://cdn.nof.org/wp-content/uploads/2016/01/995.pdf. Accessed November 1, 2022.
- LeBogg MS, Greenspan SL, Insongna KL, et al. Clinician's guide to prevention and treatment of osteoporosis. Osteoporo Int. 2022 Oct;33(10):2049-2102. doi:10.1007/s00198-021-05900-y. Epub 2022 Apr 28. Erratum in: Osteroporos Int. 2022 Jul 28.
- 7. Siris ES, Adler R, Bilezikian J, et al. The clinical diagnosis of osteoporosis: a position statement from the National Bone Health Alliance Working Group. Osteoporos Int (2014) 25:1439–1443. DOI 10.1007/s00198-014-2655-z.
- 8. Hodsman AB, Bauder DC, Dempster DW, et al. Parathyroid hormone and teriparatide for the treatment of osteoporosis: a review of the evidence and suggested guidelines for its use. Endocr Rev. 2005 Aug;26(5):688-703. Epub 2005 Mar 15.

Coding Implications

Codes referenced in this clinical policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

HCPCS Codes	Description
J1740	Injection, ibandronate sodium, 1 mg

Reviews, Revisions, and Approvals	Date	LDH Approval Date
Converted corporate to local policy.	03.21	09.18.21
References reviewed and updated.	07.22	08.18.22
Template changes applied to other diagnoses/indications and	06.02.23	10.05.23
continued therapy section. References reviewed and updated.		
Added verbiage this policy is for medical benefit only.		



Reviews, Revisions, and Approvals	Date	LDH Approval Date
Annual review: added criteria that member must use generic ibandronate injection; clarified failure of "generic" alendronate is preferred; clarified dosage regimens in Appendix B per PI; references reviewed and updated	05.06.24	

Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. LHCC makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable LHCC administrative policies and procedures.

This clinical policy is effective as of the date determined by LHCC. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. LHCC retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom LHCC has no control or right of control. Providers are not agents or employees of LHCC.



This clinical policy is the property of LHCC. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

©20243 Louisiana Healthcare Connections. All rights reserved. All materials are exclusively owned by Louisiana Healthcare Connections and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Louisiana Healthcare Connections. You may not alter or remove any trademark, copyright or other notice contained herein. Louisiana Healthcare Connections is a registered trademarks exclusively owned by Louisiana Healthcare Connections.