

Attendee Report

GoToWebinar

Generated

Oct 24, 2013 07:42 AM PDT

General Information

Webinar Name

Louisiana Standards Part 1 & 2 TSS Water

Webinar ID

527433250

Actual Start Date/Time

Oct 23, 2013 05:47 PM CDT

Actual Duration (minutes)

54

Clicked Registration Link

251

Opened Invitation

69

Total Attended

56

Session Details

Attended	Interest Rating	First Name
Yes	73	Janet

Last Name	Email	Registration Date	Join Time	Leave Time	In Session Duration* (minutes)	Organization
Claxton	janet.claxton@la.gov	Oct 23, 2013 05:48 PM CDT	Oct 23, 2013 05:48 PM CDT	Oct 23, 2013 06:06 PM CDT	18.27	uno

Unsubscribed

Questions Asked by Attendee

No

Q: test quesstion

A: test

Yes

73

Lynn

Yes

77

Vincent

Yes

72

Craig

Chance	lynn.chance@gsaengineers.com	Oct 21, 2013 08:47 AM CDT	Oct 23, 2013 06:18 PM CDT	Oct 23, 2013 06:41 PM CDT	22.68	GSA Consulting Engineers, Inc.
Fouchi	vfouchi@swbno.org	Oct 16, 2013 12:57 PM CDT	Oct 23, 2013 06:02 PM CDT	Oct 23, 2013 06:41 PM CDT	38.77	S&WB of New Orleans
Gautreaux	cgautreaux@lus.org	Oct 16, 2013 08:08 AM CDT	Oct 23, 2013 05:49 PM CDT	Oct 23, 2013 06:41 PM CDT	51.48	Lafayette Utilities System

No

Q: 1.0 A reference to the DHH Engineering Services Permit application and DHH needs to review the document and add all information needed by DHH instead of delaying issuance of a permit because an operator's certification number when the number is not required on the form. There are other similar instances in the form that need to be resolved.

A: --unanswered--

Q: 1.1 This section describes a detailed facility plan. This detail is not required on all projects. The requirements for a facility plan should only be required when funding is to be via DHH SRF loan.

A: --unanswered--

Q: 1.1.2 Profiles are not required for all projects. This provision should be amended to allow for profiles to be omitted from projects that do not require profile details.

A: --unanswered--

Q: DHH currently only allows submittal of complete stamped and signed documents. Why can't partially complete documents be submitted as is allowed for review comments and then have comments addressed on final documents

A: --unanswered--

Q: 1.0.f Why does DHH need a cost estimate when funding is not being provided by DHH. The cost estimate has no purpose in the technical review for permit issuance.

A: --unanswered--

Q: 2.14 I do not agree with the comment to delete the pipe color coding. Color coding is a valuable visual key to contents a pipe is carrying.

A: --unanswered--

Q: 1.1.13 Reporting on project financing has no bearing on the technical aspects for issuance of a DHH permit.

No

No

Yes	77	doug
Yes	66	Dave
Yes	35	TOM
Yes	20	Caleb
Yes	54	NETTIE
Yes	72	Steven
Yes	59	Mary
Yes	77	sharon
Yes	77	Barry

clark	doug.clark@mcwanepipe.com	Oct 23, 2013 04:42 PM CDT	Oct 23, 2013 06:02 PM CDT	Oct 23, 2013 06:41 PM CDT	39.12	mcwane pipe
Wittner	dawittner@gmail.com	Oct 16, 2013 08:17 AM CDT	Oct 23, 2013 06:02 PM CDT	Oct 23, 2013 06:08 PM CDT	5.75	City of Mandeville
WILSON	twilson@tpcg.org	Oct 23, 2013 02:08 PM CDT	Oct 23, 2013 06:05 PM CDT	Oct 23, 2013 06:41 PM CDT	36.02	Consolidated Waterworks District No. 1
Michaelson	michaelson16@gmail.com	Oct 22, 2013 03:24 PM CDT	Oct 23, 2013 05:54 PM CDT	Oct 23, 2013 06:41 PM CDT	46.72	
BROWN	nettie.brown@shreveportla.gov	Oct 16, 2013 06:44 AM CDT	Oct 23, 2013 05:55 PM CDT	Oct 23, 2013 06:41 PM CDT	46	City of Shreveport/Amiss Lab
Bass	sbass@swbno.org	Oct 17, 2013 03:18 PM CDT	Oct 23, 2013 06:00 PM CDT	Oct 23, 2013 06:40 PM CDT	40.52	Sewerage & Water Board of New Orleans
Trahan	mtrahan@tpcg.org	Oct 23, 2013 07:15 AM CDT	Oct 23, 2013 05:58 PM CDT	Oct 23, 2013 06:41 PM CDT	42.93	Consolidated Waterworks Terrebonne
gillum	gillum2300@gmail.com	Oct 20, 2013 06:27 AM CDT	Oct 23, 2013 05:58 PM CDT	Oct 23, 2013 06:41 PM CDT	42.33	patterson water system
Gahagan	bgahagan@tricoeur.com	Oct 17, 2013 11:14 AM CDT	Oct 23, 2013 06:02 PM CDT	Oct 23, 2013 06:41 PM CDT	58.38	TriCoeur Services

No

No

No

No

No

No

No

No

No

Yes	46	Mary
Yes	26	Henry
Yes	79	William
Yes	71	Steve
Yes	79	James
Yes	73	JM
Yes	64	Sean
Yes	77	Carl
Yes	62	Larry

Danka	mdanka@cox.net	Oct 21, 2013 12:03 PM CDT	Oct 23, 2013 05:54 PM CDT	Oct 23, 2013 06:41 PM CDT	46.28	CB&I
Heier	hheier@hotmail.com	Oct 17, 2013 08:30 PM CDT	Oct 23, 2013 06:09 PM CDT	Oct 23, 2013 06:41 PM CDT	31.72	For Sanitary Alliance
Roland	wdr@paealex.com	Oct 17, 2013 11:21 AM CDT	Oct 23, 2013 05:51 PM CDT	Oct 23, 2013 06:41 PM CDT	49.47	Pan-American Engineers-Alexandria, Inc.
Ernst	steve@resolvewaterinc.com	Oct 15, 2013 09:21 PM CDT	Oct 23, 2013 06:28 PM CDT	Oct 23, 2013 06:41 PM CDT	12.55	Resolve Systems, Inc.
Downey	jimdowney333@aol.com	Oct 18, 2013 10:50 AM CDT	Oct 23, 2013 05:48 PM CDT	Oct 23, 2013 06:41 PM CDT	53.07	Rapides Island Water
Drake	jmdrake@cox.net	Oct 22, 2013 08:28 AM CDT	Oct 23, 2013 05:55 PM CDT	Oct 23, 2013 06:41 PM CDT	45.45	LES
Benton	sean.benton@ci.monroe.la.us	Oct 15, 2013 09:12 PM CDT	Oct 23, 2013 05:53 PM CDT	Oct 23, 2013 06:41 PM CDT	47.65	City of Monroe Water System
Mayer	carlgmayer@yahoo.com	Oct 22, 2013 10:16 PM CDT	Oct 23, 2013 05:55 PM CDT	Oct 23, 2013 06:40 PM CDT	44.9	CBB Water System, Inc.
Cramer	lcramer@sellersandassociates.com	Oct 17, 2013 08:29 AM CDT	Oct 23, 2013 05:47 PM CDT	Oct 23, 2013 06:22 PM CDT	35.28	Sellers & Associates, Inc.

No

No

No

No

No

Q: Is the State fire marshal to be part of the review process

A: --unanswered--

Q: Reviewing authority and enforcement are by which agency?

A: --unanswered--

No

Q: please put the slide up that show the outline of Part 1

A: --unanswered--

Q: Is the messenger working Ok so that we can ask quesitons?

A: --unanswered--

Q: Please put the website up once more

A: --unanswered--

No

Q: Will the slide presentations today be available for later review?

A: --unanswered--

No

No

Yes	44	Douglas
Yes	20	Steve
Yes	77	Dirk
Yes	35	PARRISH
Yes	80	Joe
Yes	20	myron
Yes	76	Joseph
Yes	41	Stephanie
Yes	70	Fahmida

McLeod	doug@mcleodengineer.com	Oct 19, 2013 11:35 PM CDT	Oct 23, 2013 05:59 PM CDT	Oct 23, 2013 06:41 PM CDT	41.63	Consulting Forensic Engineer
Ernst	skernst@msn.com	Oct 23, 2013 06:06 PM CDT	Oct 23, 2013 06:06 PM CDT	Oct 23, 2013 06:33 PM CDT	26.97	Resolve Systems, Inc
Barrios	dirkb@lpwdla.com	Oct 21, 2013 11:16 AM CDT	Oct 23, 2013 05:55 PM CDT	Oct 23, 2013 06:41 PM CDT	45.53	Lafourche Parish Water District No. 1
VALEGA	diversionh2o@eatel.net	Oct 16, 2013 02:39 PM CDT	Oct 23, 2013 05:47 PM CDT	Oct 23, 2013 06:41 PM CDT	53.25	DIVERSION WATER CO LLC
Smith	joejackwwt@aol.com	Oct 17, 2013 12:07 PM CDT	Oct 23, 2013 05:47 PM CDT	Oct 23, 2013 06:41 PM CDT	53.38	Town of Arcadia
romero	mromero@jeffparish.net	Oct 16, 2013 06:26 AM CDT	Oct 23, 2013 06:04 PM CDT	Oct 23, 2013 06:34 PM CDT	29.3	Jefferson Parish water
Van Marcke	waterplant@ci.thibodaux.la.us	Oct 22, 2013 03:38 PM CDT	Oct 23, 2013 06:37 PM CDT	Oct 23, 2013 06:41 PM CDT	3.87	City of Thibodaux Water Plant
Briggs	smb@sellersandassociates.com	Oct 23, 2013 05:10 PM CDT	Oct 23, 2013 05:47 PM CDT	Oct 23, 2013 06:41 PM CDT	53.48	Sellers & Associates, Inc.
Nilufar	fahmida.nilufar@cbi.com	Oct 21, 2013 01:49 PM CDT	Oct 23, 2013 05:59 PM CDT	Oct 23, 2013 06:41 PM CDT	41.2	CB&I

No

No

No

No

No

No

No

No

No

Yes	72	SHARON
Yes	62	Dale
Yes	69	Cheryl
Yes	71	Anne
Yes	76	CHRIS
Yes	79	Blake
Yes	20	Fred
Yes	72	Timothy
Yes	20	Don

GILLUM	pwp@cox-internet.com	Oct 16, 2013 04:43 AM CDT	Oct 23, 2013 06:27 PM CDT	Oct 23, 2013 06:41 PM CDT	13.42	CITY OF PATTERSON
LeBlanc	dwleblanc@dubrocengr.com	Oct 17, 2013 08:37 AM CDT	Oct 23, 2013 06:02 PM CDT	Oct 23, 2013 06:41 PM CDT	38.77	Dubroc Engineering
McEntyre	bpems505@bellsouth.net	Oct 16, 2013 08:28 AM CDT	Oct 23, 2013 06:09 PM CDT	Oct 23, 2013 06:41 PM CDT	31.68	Sligo Water System
Adrian	anne.adrian@shell.com	Oct 23, 2013 08:56 AM CDT	Oct 23, 2013 05:55 PM CDT	Oct 23, 2013 06:41 PM CDT	45.5	Shell Chemical LP
WALKER	chrisjwalker71@hotmail.com	Oct 18, 2013 08:45 AM CDT	Oct 23, 2013 06:02 PM CDT	Oct 23, 2013 06:33 PM CDT	30.43	TOWN OF SIBLEY
Fogleman	blake.fogleman@gmail.com	Oct 21, 2013 02:34 PM CDT	Oct 23, 2013 05:50 PM CDT	Oct 23, 2013 06:41 PM CDT	50.32	EES, Inc.
Mogharrebi	f_mogharrebi@yahoo.com	Oct 21, 2013 11:10 AM CDT				
Poche	tim.poche@taylorporter.com	Oct 23, 2013 10:41 AM CDT	Oct 23, 2013 05:58 PM CDT	Oct 23, 2013 06:41 PM CDT	42.67	Taylor, Porter, Brooks & Phillips
Denova	drdenova@dow.com	Oct 23, 2013 07:15 AM CDT	Oct 23, 2013 06:00 PM CDT	Oct 23, 2013 06:41 PM CDT	41	The Dow Chemical Co.

No

No

No

No

Q: For industrial facilities that have captive PWS's serving only the industrial site, will provisions be made to allow for Department flexibility or other discretionary application. Many of these standards do not apply well to the industrial sites.

A: --unanswered--

No

No

No

No

No

Yes	58	David
Yes	56	Rich
Yes	70	MICHAEL
Yes	46	Madeline
Yes	78	Rickey
Yes	80	Qiana
Yes	37	KIM
Yes	67	John
Yes	80	David

Dammon	david.dammon@gmail.com	Oct 16, 2013 08:19 AM CDT	Oct 23, 2013 05:47 PM CDT	Oct 23, 2013 06:41 PM CDT	53.47	Dammon Engineering Inc.
Ercolini	rercolini@tescocontrols.com	Oct 22, 2013 08:34 AM CDT	Oct 23, 2013 05:50 PM CDT	Oct 23, 2013 06:41 PM CDT	50.33	Tesco Controls, Inc.
SOBERT	msobert@tpcg.org	Oct 15, 2013 08:54 PM CDT	Oct 23, 2013 06:00 PM CDT	Oct 23, 2013 06:41 PM CDT	40.42	Consolidated Waterworks District #1 Terrebonne Parish
Goddard	mgoddard@swbno.org	Oct 16, 2013 02:06 PM CDT	Oct 23, 2013 06:02 PM CDT	Oct 23, 2013 06:40 PM CDT	37.95	SWBNO
Robert	rrobert@scpwater.org	Oct 23, 2013 11:39 AM CDT	Oct 23, 2013 05:57 PM CDT	Oct 23, 2013 06:41 PM CDT	43.62	St. Charles Parish
Maple	qiana.maple@shreveportla.gov	Oct 17, 2013 01:34 PM CDT				City of Shreveport
PATIN	kpatin@rosedale.brcoxmail.com	Oct 17, 2013 08:50 AM CDT	Oct 23, 2013 05:58 PM CDT	Oct 23, 2013 06:41 PM CDT	43.08	village of rosedale
Brown	jdbrown@maxfoote.com	Oct 17, 2013 08:17 AM CDT	Oct 23, 2013 05:52 PM CDT	Oct 23, 2013 06:41 PM CDT	49	Max Foote Construction Co., Inc.
Bertucci	dbertucci@jeffparish.net	Oct 16, 2013 06:11 PM CDT				East Jefferson water

No

No

No

Q: Exactly what is GOWC
A: --unanswered--

No

No

No

No

No

No

Yes	20	Gwen
Yes	77	BJ
Yes	32	Beau
Yes	78	Jared
Yes	76	Gail
Yes	78	Mike
Yes	58	Scott
No		Dennis
No		Allen

Aucoin	gwen@lacombecare.com	Oct 15, 2013 04:39 PM CDT	Oct 23, 2013 06:40 PM CDT	Oct 23, 2013 06:41 PM CDT	.25	Lacombe NUrsing Centre
Francis	bjfrancisjr@apwwla.com	Oct 22, 2013 09:59 AM CDT	Oct 23, 2013 05:58 PM CDT	Oct 23, 2013 06:41 PM CDT	42.4	Assumption Parish Waterworks
Pleasant	beau@biglakeroad.net	Oct 18, 2013 07:50 AM CDT	Oct 23, 2013 05:58 PM CDT	Oct 23, 2013 06:41 PM CDT	42.92	Charles Ladner & Associates, Inc.
Allemand	jareda@lpwdla.com	Oct 16, 2013 08:16 AM CDT	Oct 23, 2013 05:55 PM CDT	Oct 23, 2013 06:41 PM CDT	45.52	Lafourche Parish Water Dist. No.1
McDavid	gemc david@charter.net	Oct 22, 2013 05:46 PM CDT	Oct 23, 2013 05:57 PM CDT	Oct 23, 2013 06:41 PM CDT	43.23	Chataignier water system Inc
Walker	mwalker@lma.org	Oct 23, 2013 04:58 PM CDT	Oct 23, 2013 05:48 PM CDT	Oct 23, 2013 06:32 PM CDT	44.6	LMA
Foster	scottf@dsaengineering.com	Oct 16, 2013 08:33 AM CDT	Oct 23, 2013 05:57 PM CDT	Oct 23, 2013 06:41 PM CDT	43.73	Milton water system, president
McGehee	dmcgehee@brwater.com	Oct 23, 2013 03:59 PM CDT				BRWC
Cox	acox@dipra.org	Oct 18, 2013 04:40 PM CDT				Ductile Iron Pipe Research Association

No

No

No

No

No

No

No

No

No

No

Lonnie

No

sheree

No

clarence

No

Delos

No

Roy

No

Larry

No

Terry

No

Patrick

No

Danny

Lindsey	lindslee1373@bellsouth.net	Oct 15, 2013 04:56 PM CDT				Four Forks Water System
taillon	sheree.taillon@la.gov	Oct 21, 2013 10:53 AM CDT	Oct 23, 2013 05:47 PM CDT	Oct 23, 2013 06:41 PM CDT	53.6	DHH
beebe	csbeebe2@yahoo.com	Oct 23, 2013 11:19 AM CDT				town of hornbeck
Williams	drwilliams@uiwater.com	Oct 16, 2013 10:12 AM CDT				Utilities, Inc./NAWC
Waggenspack	roy@owenandwhite.com	Oct 16, 2013 08:15 AM CDT				Owen and White, Inc.
Landty	l.landry@bossierparishla.gov	Oct 15, 2013 04:53 PM CDT				Consolidated Waterworks/Sewerage Dist. #1, Parish of Bossier
Vice	tjvice@live.com	Oct 22, 2013 12:23 PM CDT				Town of Vinton
Kerr	pkerr@brwater.com	Oct 15, 2013 04:44 PM CDT				Baton Rouge Water Co
Martin	dfmartin@bellsouth.net	Oct 16, 2013 08:33 AM CDT				dfmartin@bellsouth.net

No

No

Spam Button

No

No

No

No

No

No

No

Greg

No

john

No

Susan

No

Robert

No

ronald

No

Frank

No

Tom

No

Glenn

No

kellie

Gorden	ggordon@stpgov.org	Oct 16, 2013 03:39 PM CDT	St. Tammany Parish Govt.
leblanc	jleblanc@lus.org	Oct 16, 2013 09:16 AM CDT	Lafayette Utility System
Richard	susanr@dsaengineering.com	Oct 16, 2013 10:46 AM CDT	LES
Gilbride	k5ope@yahoo.com	Oct 15, 2013 06:34 PM CDT	Gilbride's Aqua Service
lloyd	ronald@h2osystemsinc.com	Oct 23, 2013 06:17 AM CDT	H2O Systems Inc
Mott	fmott@plaquemine.org	Oct 23, 2013 06:27 AM CDT	
Schwartz	tntswatz@aol.com	Oct 16, 2013 07:28 AM CDT	
McCall	glenn@fenstermaker.com	Oct 21, 2013 11:16 AM CDT	Fenstermaker
mayer	kmayer@tulane.edu	Oct 18, 2013 09:58 AM CDT	Tulane University

No

No

No

No

No

No

No

No

No

No

Cinderella

No

Rick

No

cheryl

No

Benjamin

No

Stephen

No

Mark

No

Renee

No

r

No

Gwendolyn

Miller	cty17999@centurytel.net	Oct 15, 2013 04:49 PM CDT	Village of Cankton Water System
Nowlin	rnowlin@npgov.org	Oct 16, 2013 09:56 AM CDT	PJAL/Natchitoches Parish Gov.
mcentyre	bpems505@yahoo.com	Oct 23, 2013 06:17 PM CDT	sligo water
Pattillo	ben@manchacgroup.com	Oct 15, 2013 04:44 PM CDT	Manchac Consulting Group, Inc.
Langlinais	sjlcompany@aol.com	Oct 18, 2013 07:33 PM CDT	S J Langlinais & Assoc. inc.
Niewodowski	mark.niewodowski@mcwa nepipe.com	Oct 18, 2013 03:08 PM CDT	McWane
Roberts	robertsr@legis.la.gov	Oct 15, 2013 04:43 PM CDT	St. Tammany Parish Govt.
grimball	ross@rcce.co	Oct 16, 2013 12:30 PM CDT	resource consulting
Ross Young	young_gr@hammond.org	Oct 17, 2013 03:35 PM CDT	CITY OF HAMMOND

No

No

No

No

No

No

No

No

No

No

Michael

No

Tom

No

Byron

No

Melissa

No

Jamie

No

Glenn

No

Jake

No

Rusty

No

Fred

Walette	mwallette@greenwoodla.org	Oct 16, 2013 06:54 AM CDT	Town of Greenwood
McHugh	tmchugh@lma.org	Oct 23, 2013 08:31 AM CDT	Louisiana Municipal Association
Braud	braud@dow.com	Oct 23, 2013 07:13 AM CDT	
Doise	melissaclerkoilcity@yahoo.com	Oct 18, 2013 09:22 AM CDT	Town of Oil City
Etheridge	jamie.etheridge@walker-la.gov	Oct 17, 2013 02:48 PM CDT	City of Walker
Brasseaux	mayoe@carencro.org	Oct 16, 2013 05:36 PM CDT	City of Carencro
Groby	jpgroby@sbgp.net	Oct 17, 2013 08:26 AM CDT	St. Bernard Parish Govt / Water
Reeves	rustree@centurytel.net	Oct 17, 2013 08:44 AM CDT	LRWA
Raiford	fred.raiford@walker-la.gov	Oct 17, 2013 02:51 PM CDT	City of Walker

No

No

No

No

No

Bounce

No

No

No

No

LAWRENCE

No

julie

No

Joe E.

No

Wendy

No

Christopher

No

STANTON

No

Keith

No

T. Lynn

No

Bruce

MESSMER	lmessmertesi@yahoo.com	Oct 18, 2013 10:00 AM CDT	TESI
knight	olddriverwater@hotmail.com	Oct 15, 2013 04:42 PM CDT	Old River Water Works
Bickham	joebickhamsr@bellsouth.net	Oct 16, 2013 10:45 AM CDT	
Mistretta	wendy.mistretta@la.gov	Oct 18, 2013 02:19 PM CDT	DHH/ OPH Engineering Services
Knotts	chris.knotts@la.gov	Oct 18, 2013 04:13 PM CDT	DOTD
HUEY	shueyjr@comcast.net	Oct 17, 2013 11:44 AM CDT	
Gauthier	keith.gauthier@vetaffairs.la.gov	Oct 16, 2013 08:27 AM CDT	La. Veterans Home
Rogers	thomas.rogers2@va.gov	Oct 16, 2013 08:08 AM CDT	Alexandria VA Health Care System
Guidry	bruceguidrycwc@centurytel.net	Oct 22, 2013 02:51 PM CDT	Cecilia Water Corp.

No

No

No

No

No

No

No

No

No

No

Vern

No

Glenn

No

Bhuban

No

Lisa

No

Eugene

No

Carlos

*If an attendee left and rejoined the session, the In Session Duration column only includes their first visit.

Breland	mayor@townofsterlington.com	Oct 16, 2013 09:50 AM CDT	LMA
Turner	glenn.turner@mmlh.com	Oct 18, 2013 10:01 AM CDT	MML&H
Ghimire	bhubanghimire@hotmail.com	Oct 21, 2013 07:54 AM CDT	BCG engineering
Cormier	clerk@fordoche.org	Oct 21, 2013 08:21 AM CDT	Town of Fordoche
Owen	eho@brwater.com	Oct 23, 2013 05:28 PM CDT	Baton Rouge Water Company
Carpenter	mc063052@aol.com	Oct 23, 2013 07:47 PM CDT	Village of Calvin

No

No

No

No

No

No