



**State of Louisiana**  
Louisiana Department of Health  
Office of Public Health

September 14, 2018

Brent Vidrine  
Superintendent  
City of Monroe School District  
P.O. Box 4180  
Monroe, LA 71211-4180

RE: Results of School Drinking Water Lead Testing  
Barkdull Faulk Elementary School (SCH065006)  
2110 Jackson Street, Monroe, LA 71202

Dear Mr. Vidrine,

Act 632 of the 2018 Regular Session required the Louisiana Department of Health (LDH) to establish a pilot program for drinking water testing at 12 public elementary schools that were constructed prior to 1986 or which may otherwise be susceptible to drinking water contamination. Thank you for your participation and cooperation in this pilot program.

On September 11, 2018 a total of 12 water samples were collected from Barkdull Faulk Elementary School in accordance with guidance provided in the Environmental Protection Agency's (EPA's) - 3Ts for Reducing Lead in Drinking Water in Schools Manual (2006). Attached are the lead and copper sample results. Please note that the sample result for sample point ID "TCR-050" is for a sample collected from the water system.

All sample results are below the state recommended action level of 0.015 mg/L for lead and 1.3 mg/L for copper.

Although these results indicate no current issues with lead in the drinking water, LDH recommends that all schools follow the guidance provided in the EPA-3T's manual to safeguard against lead in the drinking water. The EPA's 3Ts manual was developed to assist schools with lead in drinking water prevention programs. This guidance is intended for use by school officials responsible for the maintenance and/or safety of school's drinking water. This document along with other helpful information is available for on EPA's website at: <https://www.epa.gov/dwreginfo/3ts-reducing-lead-drinking-water-schools-and-child-care-facilities>.

Please feel free to contact me regarding any of the enclosed information.

Sincerely,

A handwritten signature in blue ink that reads "Amanda A. Laughlin".

Amanda A. Laughlin, P.E.  
Chief Engineer and Safe Drinking Water Administrator  
Louisiana Department of Health

Attachment

cc: Cleveland Mouton, Principal, Barkdull Elementary School



State of Louisiana  
Louisiana Department of Health  
Public Health Laboratories  
1209 Leesville Avenue  
Baton Rouge, LA 70802  
225-219-5200  
<http://www.dhh.la.gov/lab>



September 13, 2018

The following analytical results have been obtained for the indicated sample(s) which was submitted to this laboratory:

---

<b>Sample Pt. Description:</b>	KITCHEN 2-COMPARTMENT SINK, EAST WALL	Sample ID:	B1804150-001
<b>Sample Pt ID:</b>	SK01	Sample Type:	Special
<b>PWS ID:</b>	LA1073031	Sample Collector:	Steve Ray
<b>Water System Name:</b>	MONROE WATER SYSTEM	Collection date:	9/11/2018 5:49:00AM
<b>Facility ID:</b>	SCH065006	Lab Submittal date:	9/12/2018 10:45:00AM
<b>Collection Address:</b>	1st Draw		

---

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	<0.1	mg/L	0.1	1.3	

---

<b>Sample Pt. Description:</b>	KITCHEN 2-COMPARTMENT SINK, SOUTH WALL	Sample ID:	B1804150-002
<b>Sample Pt ID:</b>	SK02	Sample Type:	Special
<b>PWS ID:</b>	LA1073031	Sample Collector:	Steve Ray
<b>Water System Name:</b>	MONROE WATER SYSTEM	Collection date:	9/11/2018 5:53:00AM
<b>Facility ID:</b>	SCH065006	Lab Submittal date:	9/12/2018 10:45:00AM
<b>Collection Address:</b>	1st Draw		

---

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	<0.1	mg/L	0.1	1.3	

---

<b>Sample Pt. Description:</b>	TANK FOUNTAIN, MAIN ENTRANCE	Sample ID:	B1804150-003
<b>Sample Pt ID:</b>	DF01	Sample Type:	Special
<b>PWS ID:</b>	LA1073031	Sample Collector:	Steve Ray
<b>Water System Name:</b>	MONROE WATER SYSTEM	Collection date:	9/11/2018 5:59:00AM
<b>Facility ID:</b>	SCH065006	Lab Submittal date:	9/12/2018 10:45:00AM
<b>Collection Address:</b>	1st Draw		

---

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	<0.1	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	TANK FOUNTAIN, OFFICE	Sample ID:	B1804150-004
<b>Sample Pt ID:</b>	DF02	Sample Type:	Special
PWS ID:	LA1073031	Sample Collector:	Steve Ray
Water System Name:	MONROE WATER SYSTEM	Collection date:	9/11/2018 6:00:00AM
Facility ID:	SCH065006	Lab Submittal date:	9/12/2018 10:45:00AM
Collection Address:	1st Draw		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	<0.1	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	BI-LEVEL WATER COOLER, LOW, PK-1STGD	Sample ID:	B1804150-005
<b>Sample Pt ID:</b>	DF03	Sample Type:	Special
PWS ID:	LA1073031	Sample Collector:	Steve Ray
Water System Name:	MONROE WATER SYSTEM	Collection date:	9/11/2018 6:02:00AM
Facility ID:	SCH065006	Lab Submittal date:	9/12/2018 10:45:00AM
Collection Address:	1st Draw		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	<0.1	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	BI-LEVEL WATER COOLER, HIGH, PK-1STGD	Sample ID:	B1804150-006
<b>Sample Pt ID:</b>	DF04	Sample Type:	Special
PWS ID:	LA1073031	Sample Collector:	Steve Ray
Water System Name:	MONROE WATER SYSTEM	Collection date:	9/11/2018 6:04:00AM
Facility ID:	SCH065006	Lab Submittal date:	9/12/2018 10:45:00AM
Collection Address:	1st Draw		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	<0.1	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	KITCHEN 2-COMPARTMENT SINK, EAST WALL	Sample ID:	B1804150-007
<b>Sample Pt ID:</b>	SK01	Sample Type:	Special
PWS ID:	LA1073031	Sample Collector:	Steve Ray
Water System Name:	MONROE WATER SYSTEM	Collection date:	9/11/2018 5:50:00AM
Facility ID:	SCH065006	Lab Submittal date:	9/12/2018 10:45:00AM
Collection Address:	Flush Sample		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	<0.1	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	KITCHEN 2-COMPARTMENT SINK, SOUTH WALL	Sample ID:	B1804150-008
<b>Sample Pt ID:</b>	SK02	Sample Type:	Special
PWS ID:	LA1073031	Sample Collector:	Steve Ray
Water System Name:	MONROE WATER SYSTEM	Collection date:	9/11/2018 5:54:00AM
Facility ID:	SCH065006	Lab Submittal date:	9/12/2018 10:45:00AM
Collection Address:	Flush Sample		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	<0.1	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	SOUTH GRAND @ GRAYLING	Sample ID:	B1804150-009
<b>Sample Pt ID:</b>	TCR-050	Sample Type:	Special
PWS ID:	LA1073031	Sample Collector:	Steve Ray
Water System Name:	MONROE WATER SYSTEM	Collection date:	9/11/2018 6:51:00AM
Facility ID:	DS0950	Lab Submittal date:	9/12/2018 10:45:00AM
Collection Address:	Distribution		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	<0.1	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	TANK FOUNTAIN, MAIN ENTRANCE	Sample ID:	B1804150-010
<b>Sample Pt ID:</b>	DF01	Sample Type:	Special
PWS ID:	LA1073031	Sample Collector:	Steve Ray
Water System Name:	MONROE WATER SYSTEM	Collection date:	9/11/2018 6:16:00AM
Facility ID:	SCH065006	Lab Submittal date:	9/12/2018 10:45:00AM
Collection Address:	Flush Sample		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	<0.1	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	TANK FOUNTAIN, OFFICE	Sample ID:	B1804150-011
<b>Sample Pt ID:</b>	DF02	Sample Type:	Special
PWS ID:	LA1073031	Sample Collector:	Steve Ray
Water System Name:	MONROE WATER SYSTEM	Collection date:	9/11/2018 6:17:00AM
Facility ID:	SCH065006	Lab Submittal date:	9/12/2018 10:45:00AM
Collection Address:	Flush Sample		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	<0.1	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	BI-LEVEL WATER COOLER, LOW, PK-1STGD	Sample ID:	B1804150-012
<b>Sample Pt ID:</b>	DF03	Sample Type:	Special
PWS ID:	LA1073031	Sample Collector:	Steve Ray
Water System Name:	MONROE WATER SYSTEM	Collection date:	9/11/2018 6:35:00AM
Facility ID:	SCH065006	Lab Submittal date:	9/12/2018 10:45:00AM
Collection Address:	Flush Sample		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	<0.1	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	BI-LEVEL WATER COOLER, HIGH, PK-1STGD	Sample ID:	B1804150-013
<b>Sample Pt ID:</b>	DF04	Sample Type:	Special
PWS ID:	LA1073031	Sample Collector:	Steve Ray
Water System Name:	MONROE WATER SYSTEM	Collection date:	9/11/2018 6:36:00AM
Facility ID:	SCH065006	Lab Submittal date:	9/12/2018 10:45:00AM
Collection Address:	Flush Sample		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	<0.1	mg/L	0.1	1.3	

Reviewed by: Aaron Hawkins