



**State of Louisiana**  
Louisiana Department of Health  
Office of Public Health

September 14, 2018

Don Coker, PhD  
Superintendent  
Ouachita Parish School Board  
P.O. Box 1642  
Monroe, LA 71210-1642

RE: Results of School Drinking Water Lead Testing  
Drew Elementary School (SCH037007)  
1132 Highway 15, West Monroe, LA 71291

Dear Mr. Coker,

Act 632 of the 2018 Regular Session required the Louisiana Department of Health (LDH) to establish a pilot program for drinking water testing at 12 public elementary schools that were constructed prior to 1986 or which may otherwise be susceptible to drinking water contamination. Thank you for your participation and cooperation in this pilot program.

On September 12, 2018 a total of 28 water samples were collected from Drew Elementary School in accordance with guidance provided in the Environmental Protection Agency's (EPA's) - 3Ts for Reducing Lead in Drinking Water in Schools Manual (2006). Attached are the lead and copper sample results. Please note that the sample result for sample point ID "TCR-013" is for a sample collected from the water system.

All sample results are below the state recommended action level of 0.015 mg/L for lead and 1.3 mg/L for copper.

Although these results indicate no current issues with lead in the drinking water, LDH recommends that all schools follow the guidance provided in the EPA-3T's manual to safeguard against lead in the drinking water. The EPA's 3Ts manual was developed to assist schools with lead in drinking water prevention programs. This guidance is intended for use by school officials responsible for the maintenance and/or safety of school's drinking water. This document along with other helpful information is available for on EPA's website at: <https://www.epa.gov/dwreginfo/3ts-reducing-lead-drinking-water-schools-and-child-care-facilities>.

Please feel free to contact me regarding any of the enclosed information.

Sincerely,

A handwritten signature in blue ink, appearing to read "Amanda Laughlin".

Amanda A. Laughlin, P.E.  
Chief Engineer and Safe Drinking Water Administrator  
Louisiana Department of Health

Attachment

cc: Sharyl Boudreau, Principal, Drew Elementary School



State of Louisiana  
Louisiana Department of Health  
Public Health Laboratories  
1209 Leesville Avenue  
Baton Rouge, LA 70802  
225-219-5200  
<http://www.dhh.la.gov/lab>



September 14, 2018

The following analytical results have been obtained for the indicated sample(s) which was submitted to this laboratory:

<b>Sample Pt. Description:</b>	BI-LEVEL WATER COOLER, LOW, CAFETERIA	Sample ID:	B1804230-001
<b>Sample Pt ID:</b>	DF01	Sample Type:	Special
<b>PWS ID:</b>	LA1073100	Sample Collector:	Steve Ray
<b>Water System Name:</b>	CHENIERE DREW NORTH WATER SYSTEM	Collection date:	9/12/2018 6:04:00AM
<b>Facility ID:</b>	SCH037007	Lab Submittal date:	9/13/2018 11:00:00AM
<b>Collection Address:</b>	1st Draw		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	0.4	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	TANK FOUNTAIN (ELKAY), 4-5GD	Sample ID:	B1804230-002
<b>Sample Pt ID:</b>	DF03	Sample Type:	Special
<b>PWS ID:</b>	LA1073100	Sample Collector:	Steve Ray
<b>Water System Name:</b>	CHENIERE DREW NORTH WATER SYSTEM	Collection date:	9/12/2018 6:07:00AM
<b>Facility ID:</b>	SCH037007	Lab Submittal date:	9/13/2018 11:00:00AM
<b>Collection Address:</b>	1st Draw		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	0.2	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	TANK FOUNTAIN (HALSEY), 4-5GD	Sample ID:	B1804230-003
<b>Sample Pt ID:</b>	DF04	Sample Type:	Special
<b>PWS ID:</b>	LA1073100	Sample Collector:	Steve Ray
<b>Water System Name:</b>	CHENIERE DREW NORTH WATER SYSTEM	Collection date:	9/12/2018 6:08:00AM
<b>Facility ID:</b>	SCH037007	Lab Submittal date:	9/13/2018 11:00:00AM
<b>Collection Address:</b>	1st Draw		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	0.2	mg/L	0.1	1.3	

**Sample Pt. Description:** BI-LEVEL WATER COOLER, HIGH, COMPUTER RM  
**Sample Pt ID:** DF05  
 PWS ID: LA1073100  
 Water System Name: CHENIERE DREW NORTH WATER SYSTEM  
 Facility ID: SCH037007  
 Collection Address: 1st Draw

Sample ID: B1804230-004  
 Sample Type: Special  
 Sample Collector: Steve Ray  
 Collection date: 9/12/2018 6:12:00AM  
 Lab Submittal date: 9/13/2018 11:00:00AM

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	0.1	mg/L	0.1	1.3	

**Sample Pt. Description:** BI-LEVEL WATER COOLER, LOW, 3RDGD W  
**Sample Pt ID:** DF08  
 PWS ID: LA1073100  
 Water System Name: CHENIERE DREW NORTH WATER SYSTEM  
 Facility ID: SCH037007  
 Collection Address: 1st Draw

Sample ID: B1804230-005  
 Sample Type: Special  
 Sample Collector: Steve Ray  
 Collection date: 9/12/2018 6:31:00AM  
 Lab Submittal date: 9/13/2018 11:00:00AM

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	0.001	mg/L	0.001	0.015	
Copper	0.1	mg/L	0.1	1.3	

**Sample Pt. Description:** BI-LEVEL WATER COOLER, HIGH, 3RDGD E  
**Sample Pt ID:** DF09  
 PWS ID: LA1073100  
 Water System Name: CHENIERE DREW NORTH WATER SYSTEM  
 Facility ID: SCH037007  
 Collection Address: 1st Draw

Sample ID: B1804230-006  
 Sample Type: Special  
 Sample Collector: Steve Ray  
 Collection date: 9/12/2018 6:32:00AM  
 Lab Submittal date: 9/13/2018 11:00:00AM

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	0.2	mg/L	0.1	1.3	

**Sample Pt. Description:** TANK FOUNTAIN, K-1STGD  
**Sample Pt ID:** DF11  
 PWS ID: LA1073100  
 Water System Name: CHENIERE DREW NORTH WATER SYSTEM  
 Facility ID: SCH037007  
 Collection Address: 1st Draw

Sample ID: B1804230-007  
 Sample Type: Special  
 Sample Collector: Steve Ray  
 Collection date: 9/12/2018 6:49:00AM  
 Lab Submittal date: 9/13/2018 11:00:00AM

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	<0.1	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	TANK FOUNTAIN, K-1STGD	Sample ID:	B1804230-008
<b>Sample Pt ID:</b>	DF12	Sample Type:	Special
PWS ID:	LA1073100	Sample Collector:	Steve Ray
Water System Name:	CHENIERE DREW NORTH WATER SYSTEM	Collection date:	9/12/2018 6:50:00AM
Facility ID:	SCH037007	Lab Submittal date:	9/13/2018 11:00:00AM
Collection Address:	1st Draw		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	<0.1	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	BUBBLER, RM 107	Sample ID:	B1804230-009
<b>Sample Pt ID:</b>	DF13	Sample Type:	Special
PWS ID:	LA1073100	Sample Collector:	Steve Ray
Water System Name:	CHENIERE DREW NORTH WATER SYSTEM	Collection date:	9/12/2018 7:00:00AM
Facility ID:	SCH037007	Lab Submittal date:	9/13/2018 11:00:00AM
Collection Address:	1st Draw		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	0.006	mg/L	0.001	0.015	
Copper	0.3	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	BUBBLER, RM 105	Sample ID:	B1804230-010
<b>Sample Pt ID:</b>	DF14	Sample Type:	Special
PWS ID:	LA1073100	Sample Collector:	Steve Ray
Water System Name:	CHENIERE DREW NORTH WATER SYSTEM	Collection date:	9/12/2018 7:01:00AM
Facility ID:	SCH037007	Lab Submittal date:	9/13/2018 11:00:00AM
Collection Address:	1st Draw		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	0.006	mg/L	0.001	0.015	
Copper	0.2	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	BUBBLER, RM 103	Sample ID:	B1804230-011
<b>Sample Pt ID:</b>	DF15	Sample Type:	Special
PWS ID:	LA1073100	Sample Collector:	Steve Ray
Water System Name:	CHENIERE DREW NORTH WATER SYSTEM	Collection date:	9/12/2018 7:03:00AM
Facility ID:	SCH037007	Lab Submittal date:	9/13/2018 11:00:00AM
Collection Address:	1st Draw		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	0.004	mg/L	0.001	0.015	
Copper	0.2	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	TANK FOUNTAIN, LEFT, NEAR GYM	Sample ID:	B1804230-012
<b>Sample Pt ID:</b>	DF16	Sample Type:	Special
PWS ID:	LA1073100	Sample Collector:	Steve Ray
Water System Name:	CHENIERE DREW NORTH WATER SYSTEM	Collection date:	9/12/2018 7:13:00AM
Facility ID:	SCH037007	Lab Submittal date:	9/13/2018 11:00:00AM
Collection Address:	1st Draw		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	0.2	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	3-COMPARTMENT SINK, FOOD PREP, KITCHEN	Sample ID:	B1804230-013
<b>Sample Pt ID:</b>	SK03	Sample Type:	Special
PWS ID:	LA1073100	Sample Collector:	Steve Ray
Water System Name:	CHENIERE DREW NORTH WATER SYSTEM	Collection date:	9/12/2018 5:56:00AM
Facility ID:	SCH037007	Lab Submittal date:	9/13/2018 11:00:00AM
Collection Address:	1st Draw		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	0.003	mg/L	0.001	0.015	
Copper	0.2	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	2-COMPARTMENT SINK, KITCHEN	Sample ID:	B1804230-014
<b>Sample Pt ID:</b>	SK05	Sample Type:	Special
PWS ID:	LA1073100	Sample Collector:	Steve Ray
Water System Name:	CHENIERE DREW NORTH WATER SYSTEM	Collection date:	9/12/2018 6:00:00AM
Facility ID:	SCH037007	Lab Submittal date:	9/13/2018 11:00:00AM
Collection Address:	1st Draw		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	0.003	mg/L	0.001	0.015	
Copper	0.2	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	BI-LEVEL WATER COOLER, HIGH, 3RDGD W	Sample ID:	B1804230-015
<b>Sample Pt ID:</b>	DF07	Sample Type:	Special
PWS ID:	LA1073100	Sample Collector:	Steve Ray
Water System Name:	CHENIERE DREW NORTH WATER SYSTEM	Collection date:	9/12/2018 6:30:00AM
Facility ID:	SCH037007	Lab Submittal date:	9/13/2018 11:00:00AM
Collection Address:	1st Draw		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	0.001	mg/L	0.001	0.015	
Copper	0.1	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	BI-LEVEL WATER COOLER, LOW, CAFETERIA	Sample ID:	B1804230-016
<b>Sample Pt ID:</b>	DF01	Sample Type:	Special
PWS ID:	LA1073100	Sample Collector:	Steve Ray
Water System Name:	CHENIERE DREW NORTH WATER SYSTEM	Collection date:	9/12/2018 6:21:00AM
Facility ID:	SCH037007	Lab Submittal date:	9/13/2018 11:00:00AM
Collection Address:	Flush Sample		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	<0.1	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	TANK FOUNTAIN (ELKAY), 4-5GD	Sample ID:	B1804230-017
<b>Sample Pt ID:</b>	DF03	Sample Type:	Special
PWS ID:	LA1073100	Sample Collector:	Steve Ray
Water System Name:	CHENIERE DREW NORTH WATER SYSTEM	Collection date:	9/12/2018 6:24:00AM
Facility ID:	SCH037007	Lab Submittal date:	9/13/2018 11:00:00AM
Collection Address:	Flush Sample		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	<0.1	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	TANK FOUNTAIN (HALSEY), 4-5GD	Sample ID:	B1804230-018
<b>Sample Pt ID:</b>	DF04	Sample Type:	Special
PWS ID:	LA1073100	Sample Collector:	Steve Ray
Water System Name:	CHENIERE DREW NORTH WATER SYSTEM	Collection date:	9/12/2018 6:25:00AM
Facility ID:	SCH037007	Lab Submittal date:	9/13/2018 11:00:00AM
Collection Address:	Flush Sample		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	<0.1	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	BI-LEVEL WATER COOLER, HIGH, COMPUTER RM	Sample ID:	B1804230-019
<b>Sample Pt ID:</b>	DF05	Sample Type:	Special
PWS ID:	LA1073100	Sample Collector:	Steve Ray
Water System Name:	CHENIERE DREW NORTH WATER SYSTEM	Collection date:	9/12/2018 6:38:00AM
Facility ID:	SCH037007	Lab Submittal date:	9/13/2018 11:00:00AM
Collection Address:	Flush Sample		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	<0.1	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	BI-LEVEL WATER COOLER, LOW, 3RDGD W	Sample ID:	B1804230-020
<b>Sample Pt ID:</b>	DF08	Sample Type:	Special
PWS ID:	LA1073100	Sample Collector:	Steve Ray
Water System Name:	CHENIERE DREW NORTH WATER SYSTEM	Collection date:	9/12/2018 6:47:00AM
Facility ID:	SCH037007	Lab Submittal date:	9/13/2018 11:00:00AM
Collection Address:	Flush Sample		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	0.1	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	BI-LEVEL WATER COOLER, HIGH, 3RDGD E	Sample ID:	B1804230-021
<b>Sample Pt ID:</b>	DF09	Sample Type:	Special
PWS ID:	LA1073100	Sample Collector:	Steve Ray
Water System Name:	CHENIERE DREW NORTH WATER SYSTEM	Collection date:	9/12/2018 6:54:00AM
Facility ID:	SCH037007	Lab Submittal date:	9/13/2018 11:00:00AM
Collection Address:	Flush Sample		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	<0.1	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	TANK FOUNTAIN, K-1STGD	Sample ID:	B1804230-022
<b>Sample Pt ID:</b>	DF11	Sample Type:	Special
PWS ID:	LA1073100	Sample Collector:	Steve Ray
Water System Name:	CHENIERE DREW NORTH WATER SYSTEM	Collection date:	9/12/2018 7:05:00AM
Facility ID:	SCH037007	Lab Submittal date:	9/13/2018 11:00:00AM
Collection Address:	Flush Sample		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	<0.1	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	TANK FOUNTAIN, K-1STGD	Sample ID:	B1804230-023
<b>Sample Pt ID:</b>	DF12	Sample Type:	Special
PWS ID:	LA1073100	Sample Collector:	Steve Ray
Water System Name:	CHENIERE DREW NORTH WATER SYSTEM	Collection date:	9/12/2018 7:06:00AM
Facility ID:	SCH037007	Lab Submittal date:	9/13/2018 11:00:00AM
Collection Address:	Flush Sample		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	<0.1	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	BUBBLER, RM 107	Sample ID:	B1804230-024
<b>Sample Pt ID:</b>	DF13	Sample Type:	Special
PWS ID:	LA1073100	Sample Collector:	Steve Ray
Water System Name:	CHENIERE DREW NORTH WATER SYSTEM	Collection date:	9/12/2018 7:07:00AM
Facility ID:	SCH037007	Lab Submittal date:	9/13/2018 11:00:00AM
Collection Address:	Flush Sample		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	0.001	mg/L	0.001	0.015	
Copper	<0.1	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	BUBBLER, RM 105	Sample ID:	B1804230-025
<b>Sample Pt ID:</b>	DF14	Sample Type:	Special
PWS ID:	LA1073100	Sample Collector:	Steve Ray
Water System Name:	CHENIERE DREW NORTH WATER SYSTEM	Collection date:	9/12/2018 7:09:00AM
Facility ID:	SCH037007	Lab Submittal date:	9/13/2018 11:00:00AM
Collection Address:	Flush Sample		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	<0.1	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	BUBBLER, RM 103	Sample ID:	B1804230-026
<b>Sample Pt ID:</b>	DF15	Sample Type:	Special
PWS ID:	LA1073100	Sample Collector:	Steve Ray
Water System Name:	CHENIERE DREW NORTH WATER SYSTEM	Collection date:	9/12/2018 7:11:00AM
Facility ID:	SCH037007	Lab Submittal date:	9/13/2018 11:00:00AM
Collection Address:	Flush Sample		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	<0.1	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	TANK FOUNTAIN, LEFT, NEAR GYM	Sample ID:	B1804230-027
<b>Sample Pt ID:</b>	DF16	Sample Type:	Special
PWS ID:	LA1073100	Sample Collector:	Steve Ray
Water System Name:	CHENIERE DREW NORTH WATER SYSTEM	Collection date:	9/12/2018 7:29:00AM
Facility ID:	SCH037007	Lab Submittal date:	9/13/2018 11:00:00AM
Collection Address:	Flush Sample		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	0.2	mg/L	0.1	1.3	



<b>Sample Pt. Description:</b>	3-COMPARTMENT SINK, FOOD PREP, KITCHEN	Sample ID:	B1804230-028
<b>Sample Pt ID:</b>	SK03	Sample Type:	Special
PWS ID:	LA1073100	Sample Collector:	Steve Ray
Water System Name:	CHENIERE DREW NORTH WATER SYSTEM	Collection date:	9/12/2018 5:58:00AM
Facility ID:	SCH037007	Lab Submittal date:	9/13/2018 11:00:00AM
Collection Address:	Flush Sample		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	<0.1	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	2-COMPARTMENT SINK, KITCHEN	Sample ID:	B1804230-029
<b>Sample Pt ID:</b>	SK05	Sample Type:	Special
PWS ID:	LA1073100	Sample Collector:	Steve Ray
Water System Name:	CHENIERE DREW NORTH WATER SYSTEM	Collection date:	9/12/2018 6:01:00AM
Facility ID:	SCH037007	Lab Submittal date:	9/13/2018 11:00:00AM
Collection Address:	Flush Sample		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	<0.1	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	1929 HWY 15	Sample ID:	B1804230-030
<b>Sample Pt ID:</b>	TCR-013	Sample Type:	Special
PWS ID:	LA1073100	Sample Collector:	Steve Ray
Water System Name:	CHENIERE DREW NORTH WATER SYSTEM	Collection date:	9/12/2018 7:41:00AM
Facility ID:	DS0950	Lab Submittal date:	9/13/2018 11:00:00AM
Collection Address:	Distribution		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	<0.1	mg/L	0.1	1.3	

<b>Sample Pt. Description:</b>	BI-LEVEL WATER COOLER, HIGH, 3RDGD W	Sample ID:	B1804230-031
<b>Sample Pt ID:</b>	DF07	Sample Type:	Special
PWS ID:	LA1073100	Sample Collector:	Steve Ray
Water System Name:	CHENIERE DREW NORTH WATER SYSTEM	Collection date:	9/12/2018 6:46:00AM
Facility ID:	SCH037007	Lab Submittal date:	9/13/2018 11:00:00AM
Collection Address:	Flush Sample		

Component Name	Results	Units	Rep. Limit	MCL	Qualifiers
<b>Lead and Copper (200.8)</b>					
Lead	<0.001	mg/L	0.001	0.015	
Copper	0.1	mg/L	0.1	1.3	

Reviewed by: Aaron Hawkins