



Kathleen Babineaux Blanco
GOVERNOR

Frederick P. Cerise,
M.D., M.P.H.
Secretary
Department of
Health & Hospitals
P. O. Box 629
Baton Rouge, LA
70821-0629

Mike D. McDaniel,
Ph.D.
Secretary
Department of
Environmental Quality
P. O. Box 4301
Baton Rouge, LA
70821-4301

Dwight Landreneau
Secretary
Department of
Wildlife & Fisheries
P. O. Box 98000
Baton Rouge, LA
70898-9000

The following fish consumption advisory was issued on March 8, 2006 by the Department of Health & Hospitals, the Department of Environmental Quality, and the Department of Wildlife & Fisheries. For more information, please contact:

DHH
Shannon Soileau
(888) 293-7020

DEQ
Chris Pichler
(225) 219-3615

DWF
Joe Shepard
(225) 765-2331

FISH CONSUMPTION ADVISORY FOR BAYOU DORCHEAT

In response to recent sampling and analysis of fish-mercury data, the Louisiana Department of Health & Hospitals (DHH), Department of Environmental Quality (DEQ), and Department of Wildlife & Fisheries (DWF) are issuing the following advisory for Bayou Dorcheat in Webster parish where unacceptable levels of mercury have been detected in largemouth bass, spotted bass, black crappie, freshwater drum (gaspergou), **flathead catfish** and bowfin (choupique, grinnel). The advisory area includes Bayou Dorcheat from the Arkansas State Line to its confluence with Lake Bistineau. **This advisory supercedes a previous advisory issued on July 1, 2004.**

DHH, DEQ, and DWF advise that the following precautions be taken when eating fish taken from Bayou Dorcheat:


- **Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass, spotted bass, black crappie, freshwater drum, flathead catfish and bowfin combined from the advisory area (a meal is considered to be half a pound of fish for adults and children).**
- **Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of largemouth bass, spotted bass, black crappie, freshwater drum, flathead catfish and bowfin combined from the advisory area (a meal is considered to be half a pound of fish for adults and children).**

- **Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to 4 meals per month. Louisiana fish consumption advisories are based on the estimate that the average Louisiana resident eats 4 fish meals per month (1 meal = ½ pound). If you or your family members eat more than 4 meals of fish a month from local water bodies, you might increase your health risks. You can contact the Office of Public Health toll free at 1-888-293-7020 for more information about eating fish that contain chemicals.**


Mercury is an element that occurs naturally in the environment. It is released into the environment through natural processes and human activities. Consequently, there are small amounts of mercury in lakes, rivers, and oceans. Here, the mercury is turned into methylmercury, a form that is particularly harmful to an unborn baby or young child. Fish absorb methylmercury as they feed on aquatic organisms. Nearly all fish contain trace amounts of methylmercury. Larger fish, especially those that feed on other fish, contain more methylmercury than smaller fish. Therefore, in general, it is recommended that smaller fish be consumed instead of larger ones.

People are exposed throughout their lives to low levels of mercury. One way they can be exposed to mercury is from eating contaminated fish. Pregnant women can pass mercury from the fish they eat to their unborn babies, and nursing mothers can pass the mercury to their infants through their breast milk. Health effects from harmful levels of mercury can include nervous system and kidney damage. Developing fetuses are more sensitive to the toxic effects of mercury, especially in the first trimester of pregnancy. In addition to developing fetuses, infants and children are more sensitive to the effects of mercury; therefore, consumption advisories are issued at lower fish tissue concentration levels for these groups.


This advisory is issued as a precaution. Further sampling will be carried out by DEQ to determine the need for modifications to this advisory, including an adjustment of the boundaries if necessary. If you have consumed largemouth bass, spotted bass, black crappie, freshwater drum, flathead catfish or bowfin from these waters, it is not likely that there is an immediate need to be concerned about the effects of mercury. However, you should consult your personal doctor if you are concerned.




Jimmy Guidry, M.D.
State Health Officer and Medical Director
Department of Health & Hospitals



Sharon G. Howard
Assistant Secretary, Office of Public Health
Department of Health & Hospitals



Frederick P. Cerise, M.D., M.P.H.
Secretary
Department of Health & Hospitals



Mike D. McDaniel, Ph.D.
Secretary
Department of Environmental Quality



Dwight Landreneau
Secretary
Department of Wildlife & Fisheries