

Louisiana Office of Public Health Laboratories

Test Name	Confirmation or Further Identification of a Pure Isolate of <i>Yersinia enterocolitica</i>
PHL Location	Office of Public Health Laboratory Baton Rouge
CPT Code	87077, 87046
Synonyms	N/A
Brief Description of Test	Confirmatory test for <i>Yersinia enterocolitica</i> and the biotyping for epidemiological purposes.
Possible Results	<i>Yersinia enterocolitica</i> biotype (1, 2, 3, 4, 5) is the final result for the specimen.
Reference Range	N/A
Specimen Type	Pure viable isolate of <i>Yersinia enterocolitica</i> from any source.
Specimen Container(s):	Agar slant in screw cap tube that will support growth of the organism. Specimens must be labeled with the two patient identifiers which match the identifiers on the lab submission form.
Minimum volume accepted:	N/A
Collection Instructions	N/A
Storage and Transport Instructions	Specimens should be maintained at ambient temperatures or refrigerated temperatures (2°C to 37°C) to protect viability. Do not freeze or ship frozen. The specimen should be received in the State Lab as soon as possible after the original collection date to allow for prompt epidemiological investigation.
Causes for Rejection	<ul style="list-style-type: none"> • Leaking or broken container. • The Lab form 93 is missing required information. • No Lab form 93 received with specimen. • Mislabeled or Unlabeled specimen • Specimen temperature unacceptable upon receipt
Limitations of the Procedure	Culture submitted must be pure and viable.
Interfering Substances	N/A

References	Manual of Clinical Microbiology 10 th Edition
Additional Information	<p>Use Lab Form 93 and supply the following information:</p> <ul style="list-style-type: none"> • Patient's first and last name • Second Unique Identifier • Gender • Date of birth • Date specimen was collected • Source of specimen • Test requested • Submitter's name, address, telephone number, fax number and contact person
Release Date	4/2018
<p>Warning: If you have printed a copy of this information please be advised that the Louisiana Office of Public Health Laboratories website and methods are updated on a regular basis. Please check the on-line version of this document to ensure you are relying on the most recent release.</p>	