



# 2016 LIST OF LABORATORIES CERTIFIED BY THE LOUISIANA FOR DRINKING WATER ANALYSES – CHEMISTRY



Current as of February 10, 2016

**ALS Group USA, Corporation dba ALS Environmental Houston HRMS**  
10450 Stancliff Road Suite 115  
Houston , TX 77099  
(281) 530-5656

**Contact Person:**  
**Tomia King-Cormier**  
tonia.cormier@alsglobal.com

**EPA Laboratory #:** TX02694  
**TNI Laboratory #:** TNI00027

**LADHH Secondary AB (TNI-NELAP)**

**Certificate Number:** LA160023

**Issue Date:** 01-01-2016

**Expiration Date:** 12-31-2016

### Organic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
2,3,7,8-TCDD (Dioxin)	EPA 1613	GC-HRMS						

**American Water Central Laboratory**  
**1115 South Illinois Street**  
**Belleville, IL 62220**  
**(618) 235-3600**

**Contact Person:**  
**Bill Deckelmann**  
**bill.deckelmann@amwater.com**

**EPA Laboratory #: IL00028**  
**TNI Laboratory #: TNI02194**

**LADHH Secondary AB (TNI-NELAP)**

**Certificate Number: LA160010**

**Issue Date: 01-01-2016**

**Expiration Date: 12-31-2016**

**Inorganic Parameters**

<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>
Alkalinity as CaCO <sub>3</sub>	SM2320B	TITR	Aluminum	EPA 200.8	ICP-MS	Antimony	EPA 200.8	ICP-MS
Arsenic	EPA 200.8	ICP-MS	Barium	EPA 200.8	ICP-MS	Beryllium	EPA 200.8	ICP-MS
Bromate	EPA 300.1	IC-COND	Bromide	EPA 300.1	IC-COND	Cadmium	EPA 200.8	ICP-MS
Calcium	EPA 200.7	ICP-AES	Chloride	EPA 300.0	IC-COND	Chlorite	EPA 300.1	IC-COND
Chromium	EPA 200.7	ICP-AES	Chromium	EPA 200.8	ICP-MS	Chromium (VI)	EPA 218.7	IC-UV
Color	SM 2120B	OTHER	Conductivity	SM 2510B	COND	Copper	EPA 200.8	ICP-MS
Corrosivity (Langlier Index)	SM 2330B	OTHER	Cyanide	EPA 335.4	AUTO	Dissolved Organic Carbon (DOC)	SM 5310C	TOC-FID
Fluoride	EPA 300.0	IC-COND	Hardness as CaCO <sub>3</sub> (calcium)	EPA 200.7	ICP-AES	Hardness as CaCO <sub>3</sub> (calcium)	SM 2340B	OTHER
Hardness as CaCO <sub>3</sub> (total)	EPA 200.7	ICP-AES	Hardness as CaCO <sub>3</sub> (total)	SM 2340B	OTHER	Iron	EPA 200.7	ICP-AES
Lead	EPA 200.8	ICP-MS	Magnesium	EPA 200.7	ICP-AES	Manganese	EPA 200.8	ICP-MS
Mercury	EPA 200.8	ICP-MS	Mercury	EPA 245.1	CVAAS	Molybdenum	EPA 200.8	ICP-MS
Nickel	EPA 200.8	ICP-MS	Nitrate as N	EPA 300.0	IC-COND	Nitrate-Nitrite as N	EPA 300.0	IC-COND
Nitrite as N	EPA 300.0	IC-COND	Odor	SM 2150B	OTHER	Orthophosphate as P	EPA 300.0	IC-COND
Perchlorate	EPA 314.0	IC-COND	pH	SM 4500-H <sup>+</sup> B	ISE	Selenium	EPA 200.8	ICP-MS
Silica as SiO <sub>2</sub>	EPA 200.7	ICP-AES	Silver	EPA 200.8	ICP-MS	Sodium	EPA 200.7	ICP-AES
Sulfate	EPA 300.0	IC-COND	Thallium	EPA 200.8	ICP-MS	Total Dissolved Solids (TDS)	SM 2540C	GRAV
Total Organic Carbon (TOC)	SM 5310C	TOC-FID	Turbidity	EPA 180.1	TURB	UV254	SM 5910B	UV/VIS
Zinc	EPA 200.8	ICP-MS						

**Organic Parameters**

<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>
1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.2	GC-MS	1,1,2,2-Tetrachloroethane	EPA 524.2	GC-MS
1,1,2-Trichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.2	GC-MS

1,1-Dichloropropene	EPA 524.2	GC-MS	1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,3-Trichloropropane	EPA 524.2	GC-MS
1,2,4-Trichlorobenzene	EPA 524.2	GC-MS	1,2,4-Trimethylbenzene	EPA 524.2	GC-MS	1,2-Dibromo-3-chloropropane (DBCP)	EPA 504.1	GC-ECD
1,2-Dibromoethane (EDB)	EPA 504.1	GC-ECD	1,2-Dichlorobenzene	EPA 524.2	GC-MS	1,2-Dichloroethane	EPA 524.2	GC-MS
1,2-Dichloropropane	EPA 524.2	GC-MS	1,3,5-Trimethylbenzene	EPA 524.2	GC-MS	1,3-Dichlorobenzene	EPA 524.2	GC-MS
1,3-Dichloropropane	EPA 524.2	GC-MS	1,4-Dichlorobenzene	EPA 524.2	GC-MS	2,2-Dichloropropane	EPA 524.2	GC-MS
2,4-D	EPA 515.3	GC-ECD	2-Chlorotoluene	EPA 524.2	GC-MS	3-Hydroxycarbofuran	EPA 531.1	HPLC-FLUOR
4-Chlorotoluene	EPA 524.2	GC-MS	4-Isopropyltoluene	EPA 524.2	GC-MS	Alachlor	EPA 525.2	GC-MS
Aldicarb	EPA 531.1	HPLC-FLUOR	Aldicarb Sulfone	EPA 531.1	HPLC-FLUOR	Aldicarb Sulfoxide	EPA 531.1	HPLC-FLUOR
Aldrin	EPA 525.2	GC-MS	Atrazine	EPA 525.2	GC-MS	Benzene	EPA 524.2	GC-MS
Benzo(a)pyrene (PAHs)	EPA 525.2	GC-MS	Bis(2-ethylhexyl) phthalate	EPA 525.2	GC-MS	Bromoacetic Acid	EPA 552.3	GC-ECD
Bromobenzene	EPA 524.2	GC-MS	Bromochloromethane	EPA 524.2	GC-MS	Bromodichloromethane	EPA 524.2	GC-MS
Bromoform	EPA 524.2	GC-MS	Butachlor	EPA 525.2	GC-MS	Carbaryl	EPA 531.1	HPLC-FLUOR
Carbofuran	EPA 531.1	HPLC-FLUOR	Carbon Tetrachloride	EPA 524.2	GC-MS	Chlordane (tech.)	EPA 505	GC-ECD
Chloroacetic Acid	EPA 552.3	GC-ECD	Chlorobenzene	EPA 524.2	GC-MS	Chloroethane	EPA 524.2	GC-MS
Chloroform	EPA 524.2	GC-MS	cis-1,2-Dichloroethylene	EPA 524.2	GC-MS	cis-1,3-Dichloropropene	EPA 524.2	GC-MS
Dalapon	EPA 515.3	GC-ECD	Di(2-ethylhexyl) Adipate	EPA 525.2	GC-MS	Dibromoacetic Acid	EPA 552.3	GC-ECD
Dibromochloromethane	EPA 524.2	GC-MS	Dibromomethane	EPA 524.2	GC-MS	Dicamba	EPA 515.3	GC-ECD
Dichloroacetic Acid	EPA 552.3	GC-ECD	Dichlorodifluoromethane	EPA 524.2	GC-MS	Dichloromethane	EPA 524.2	GC-MS
Dieldrin	EPA 525.2	GC-MS	Dinoseb	EPA 515.3	GC-ECD	Diquat	EPA 549.2	HPLC-UV
Endothall	EPA 548.1	GC-MS	Endrin	EPA 525.2	GC-MS	Ethylbenzene	EPA 524.2	GC-MS
gamma-BHC (Lindane)	EPA 525.2	GC-MS	Glyphosate	EPA 547	HPLC-FLUOR	Heptachlor	EPA 525.2	GC-MS
Heptachlor Epoxide	EPA 525.2	GC-MS	Hexachlorobenzene	EPA 525.2	GC-MS	Hexachlorobutadiene	EPA 524.2	GC-MS
Hexachlorocyclopentadiene	EPA 525.2	GC-MS	Isopropylbenzene	EPA 524.2	GC-MS	Methomyl	EPA 531.1	HPLC-FLUOR
Methoxychlor	EPA 525.2	GC-MS	Methyl Bromide (Bromomethane)	EPA 524.2	GC-MS	Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS
Methyl tert-butyl Ether (MTBE)	EPA 524.2	GC-MS	Metolachlor	EPA 525.2	GC-MS	Metribuzin	EPA 525.2	GC-MS
Molinate	EPA 525.2	GC-MS	Naphthalene	EPA 524.2	GC-MS	n-Butylbenzene	EPA 524.2	GC-MS
n-Propylbenzene	EPA 524.2	GC-MS	Oxamyl	EPA 531.1	HPLC-FLUOR	PCBs as Aroclors (screen)	EPA 505	GC-ECD
Pentachlorophenol	EPA 515.3	GC-ECD	Picloram	EPA 515.3	GC-ECD	Propachlor	EPA 525.2	GC-MS
sec-Butylbenzene	EPA 524.2	GC-MS	Silvex (2,4,5-TP)	EPA 515.3	GC-ECD	Simazine	EPA 525.2	GC-MS
Styrene	EPA 524.2	GC-MS	tert-Butylbenzene	EPA 524.2	GC-MS	Tetrachloroethylene	EPA 524.2	GC-MS
Toluene	EPA 524.2	GC-MS	Total Haloacetic Acids (HAA5)	EPA 552.3	GC-ECD	Total Trihalomethanes (THMs)	EPA 524.2	GC-MS
Toxaphene	EPA 505	GC-ECD	trans-1,2-Dichloroethylene	EPA 524.2	GC-MS	trans-1,3-Dichloropropene	EPA 524.2	GC-MS
Trichloroacetic Acid	EPA 552.3	GC-ECD	Trichloroethylene	EPA 524.2	GC-MS	Trichlorofluoromethane	EPA 524.2	GC-MS
Vinyl Chloride	EPA 524.2	GC-MS	Xylenes (total)	EPA 524.2	GC-MS			

**Ana-Lab Corporation**  
**2600 Dudley Road**  
**Kilgore, TX 75662**  
**(903) 984-0551**

**Contact Person:**  
**Tracey Varvel**  
**tvarvel@ana-lab.com**

**EPA Laboratory #: TX00063**  
**TNI Laboratory #: TNI00014**

**LADHH Secondary AB (TNI-NELAP)**

**Certificate Number: LA160016**

**Issue Date: 01-01-2016**

**Expiration Date: 12-31-2016**

**Inorganic Parameters**

<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>
Alkalinity as CaCO <sub>3</sub>	SM2320B	TITR	Aluminum	EPA 200.8	ICP-MS	Antimony	EPA 200.8	ICP-MS
Arsenic	EPA 200.8	ICP-MS	Barium	EPA 200.8	ICP-MS	Beryllium	EPA 200.8	ICP-MS
Boron	EPA 200.7	ICP-AES	Bromate	EPA 300.1	IC-COND	Bromide	EPA 300.0	IC-COND
Cadmium	EPA 200.8	ICP-MS	Calcium	EPA 200.7	ICP-AES	Chlorate	EPA 300.1	IC-COND
Chloride	EPA 300.0	IC-COND	Chlorine (free residual)	SM 4500-Cl F	TITR	Chlorine (free residual)	SM 4500-Cl G	UV-VIS
Chlorine (total residual)	SM 4500-Cl F	TITR	Chlorine (total residual)	SM 4500-Cl G	UV-VIS	Chlorite	EPA 300.1	IC-COND
Chromium	EPA 200.8	ICP-MS	Conductivity	SM 2510B	COND	Copper	EPA 200.8	ICP-MS
Corrosivity (Langlier Index)	SM 2330B	OTHER	Cyanide	SM 4500-CN E	UV-VIS	Cyanide (amenable)	SM 4500-CN G	OTHER
Dissolved Organic Carbon (DOC)	SM 5310C	TOC-FID	Fluoride	EPA 300.0	IC-COND	Hardness as CaCO <sub>3</sub> (calcium)	SM 2340B	OTHER
Hardness as CaCO <sub>3</sub> (total)	EPA 130.2	TITR	Hardness as CaCO <sub>3</sub> (total)	SM 2340B	OTHER	Hardness as CaCO <sub>3</sub> (total)	SM 2340C	TITR
Iron	EPA 200.7	ICP-AES	Lead	EPA 200.8	ICP-MS	Magnesium	EPA 200.7	ICP-AES
Manganese	EPA 200.8	ICP-MS	Mercury	EPA 245.1	CVAAS	Molybdenum	EPA 200.8	ICP-MS
Nickel	EPA 200.8	ICP-MS	Nitrate as N	EPA 300.0	IC-COND	Nitrate-Nitrite as N	EPA 300.0	IC-COND
Nitrite as N	EPA 300.0	IC-COND	Odor	SM 2150B	OTHER	Orthophosphate as P	EPA 300.0	IC-COND
Perchlorate	EPA 314.0	IC-COND	Perchlorate	EPA 331.0	LC/ESI/MS	pH	SM 4500-H <sup>+</sup> B	ISE
Potassium	EPA 200.7	ICP-AES	Selenium	EPA 200.8	ICP-MS	Silica as SiO <sub>2</sub>	EPA 200.7	ICP-AES
Silver	EPA 200.8	ICP-MS	Sodium	EPA 200.7	ICP-AES	Sulfate	EPA 300.0	IC-COND
Surfactants-MBAS	SM 5540C	UV-VIS	Temperature	SM 2550B	OTHER	Thallium	EPA 200.8	ICP-MS
Total Dissolved Solids (TDS)	EPA 160.1	GRAV	Total Dissolved Solids (TDS)	SM 2540C	GRAV	Total Organic Carbon (TOC)	SM 5310C	TOC-FID
UV254	SM 5910B	UV/VIS	Vanadium	EPA 200.8	ICP-MS	Zinc	EPA 200.8	ICP-MS

## Organic Parameters

<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>
1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.2	GC-MS	1,1,2,2-Tetrachloroethane	EPA 524.2	GC-MS
1,1,2-Trichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.2	GC-MS
1,1-Dichloropropene	EPA 524.2	GC-MS	1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,3-Trichloropropane	EPA 504.1	GC-ECD
1,2,3-Trichloropropane	EPA 524.2	GC-MS	1,2,4-Trichlorobenzene	EPA 524.2	GC-MS	1,2,4-Trimethylbenzene	EPA 524.2	GC-MS
1,2-Dibromo-3-chloropropane (DBCP)	EPA 504.1	GC-ECD	1,2-Dibromoethane (EDB)	EPA 504.1	GC-ECD	1,2-Dichlorobenzene	EPA 524.2	GC-MS
1,2-Dichloroethane	EPA 524.2	GC-MS	1,2-Dichloropropane	EPA 524.2	GC-MS	1,3,5-Trimethylbenzene	EPA 524.2	GC-MS
1,3-Dichlorobenzene	EPA 524.2	GC-MS	1,3-Dichloropropane	EPA 524.2	GC-MS	1,4-Dichlorobenzene	EPA 524.2	GC-MS
2,2-Dichloropropane	EPA 524.2	GC-MS	2,4-D	EPA 515.1	GC-ECD	2-Chlorotoluene	EPA 524.2	GC-MS
3-Hydroxycarbofuran	EPA 531.1	HPLC-FLUOR	4-Chlorotoluene	EPA 524.2	GC-MS	4-Isopropyltoluene	EPA 524.2	GC-MS
Alachlor	EPA 525.2	GC-MS	Aldicarb	EPA 531.1	HPLC-FLUOR	Aldicarb Sulfoxide	EPA 531.1	HPLC-FLUOR
Aldrin	EPA 525.2	GC-MS	Atrazine	EPA 525.2	GC-MS	Benzene	EPA 524.2	GC-MS
Benzo(a)pyrene (PAHs)	EPA 525.2	GC-MS	Bis(2-ethylhexyl) phthalate	EPA 525.2	GC-MS	Bromoacetic Acid	EPA 552.2	GC-ECD
Bromobenzene	EPA 524.2	GC-MS	Bromochloroacetic Acid	EPA 552.2	GC-ECD	Bromochloromethane	EPA 524.2	GC-MS
Bromodichloromethane	EPA 524.2	GC-MS	Bromoform	EPA 524.2	GC-MS	Butachlor	EPA 525.2	GC-MS
Butyl benzyl phthalate	EPA 525.2	GC-MS	Carbaryl	EPA 531.1	HPLC-FLUOR	Carbofuran	EPA 531.1	HPLC-FLUOR
Carbon Tetrachloride	EPA 524.2	GC-MS	Chlordane (tech.)	EPA 508	GC-ECD	Chloroacetic Acid	EPA 552.2	GC-ECD
Chlorobenzene	EPA 524.2	GC-MS	Chloroethane	EPA 524.2	GC-MS	Chloroform	EPA 524.2	GC-MS
cis-1,2-Dichloroethylene	EPA 524.2	GC-MS	cis-1,3-Dichloropropene	EPA 524.2	GC-MS	Dalapon	EPA 515.1	GC-ECD
Di(2-ethylhexyl) Adipate	EPA 525.2	GC-MS	Dibromoacetic Acid	EPA 552.2	GC-ECD	Dibromochloromethane	EPA 524.2	GC-MS
Dibromomethane	EPA 524.2	GC-MS	Dicamba	EPA 515.1	GC-ECD	Dichloroacetic Acid	EPA 552.2	GC-ECD
Dichlorodifluoromethane	EPA 524.2	GC-MS	Dichloromethane	EPA 524.2	GC-MS	Dieldrin	EPA 525.2	GC-MS
Diethyl phthalate	EPA 525.2	GC-MS	Dimethyl phthalate	EPA 525.2	GC-MS	Di-n-butyl phthalate	EPA 525.2	GC-MS
Dinoseb	EPA 515.1	GC-ECD	Ethylbenzene	EPA 524.2	GC-MS	Fluorene	EPA 525.2	GC-MS
gamma-BHC (Lindane)	EPA 525.2	GC-MS	Glyphosate	EPA 547	HPLC-FLUOR	Heptachlor	EPA 525.2	GC-MS
Heptachlor Epoxide	EPA 525.2	GC-MS	Hexachlorobenzene	EPA 525.2	GC-MS	Hexachlorobutadiene	EPA 524.2	GC-MS
Hexachlorocyclopentadiene	EPA 525.2	GC-MS	Indeno(1,2,3-cd)pyrene	EPA 525.2	GC-MS	Isopropylbenzene	EPA 524.2	GC-MS
Methiocarb	EPA 531.1	HPLC-FLUOR	Methoxychlor	EPA 525.2	GC-MS	Methyl Bromide (Bromomethane)	EPA 524.2	GC-MS
Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS	Methyl tert-butyl Ether (MTBE)	EPA 524.2	GC-MS	Metolachlor	EPA 525.2	GC-MS
Naphthalene	EPA 524.2	GC-MS	n-Butylbenzene	EPA 524.2	GC-MS	n-Propylbenzene	EPA 524.2	GC-MS
Oxamyl	EPA 531.1	HPLC-FLUOR	Pentachlorophenol	EPA 515.1	GC-ECD	Picloram	EPA 515.1	GC-ECD
Propachlor	EPA 525.2	GC-MS	sec-Butylbenzene	EPA 524.2	GC-MS	Silvex (2,4,5-TP)	EPA 515.1	GC-ECD
Simazine	EPA 525.2	GC-MS	Styrene	EPA 524.2	GC-MS	tert-Butylbenzene	EPA 524.2	GC-MS
Tetrachloroethylene	EPA 524.2	GC-MS	Toluene	EPA 524.2	GC-MS	Total Haloacetic Acids (HAA5)	EPA 552.2	GC-ECD
Total Trihalomethanes (THMs)	EPA 524.2	GC-MS	Toxaphene	EPA 508	GC-ECD	trans-1,2-Dichloroethylene	EPA 524.2	GC-MS

trans-1,3-Dichloropropene	EPA 524.2	GC-MS	Trichloroacetic Acid	EPA 552.2	GC-ECD	Trichloroethylene	EPA 524.2	GC-MS
Trichlorofluoromethane	EPA 524.2	GC-MS	Vinyl Chloride	EPA 524.2	GC-MS	Xylenes (total)	EPA 524.2	GC-MS

**ARS International, LLC**  
**2609 North River Road**  
**Port Allen, LA 70767**  
**(225) 381-2991**

**Contact Person:**  
**William Perry**  
**wperry@amrad.com**

**EPA Laboratory #: LA01131**  
**TNI Laboratory #: TNI00266**

**LADHH Primary AB (TNI-NELAP)**

**Certificate Number: LA160026**

**Issue Date: 01-01-2016**

**Expiration Date: 12-31-2016**

**Radiological Parameters**

<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>
Barium-133	EPA 901.1	GS-HR	Cesium-134	EPA 901.1	GS-HR	Cesium-137	EPA 901.1	GS-HR
Cobalt-60	EPA 901.1	GS-HR	Gamma Emitters	EPA 901.1	GS-HR	Gross Alpha	EPA 900.0	PC
Gross Beta	EPA 900.0	PC	Radioactive Cesium	EPA 901.1	GS-HR	Radioactive Iodine (Iodine-131)	EPA 901.1	GS-HR
Radium-226	EPA 903.0	PC	Radium-228	EPA 904.0	PC	Strontium-89	EPA 905.0	PC
Strontium-90	EPA 905.0	PC	Tritium	EPA 906.0	LSC	Uranium	EPA 200.8	ICP-MS
Zinc-65	EPA 901.1	GS-HR						

**City of Fort Worth Water Department Centralized Water & Wastewater Laboratory**  
**2600 S.E. Loop 820**  
**Fort Worth, TX 76140**  
**(817) 392-5900**

**Contact Person:**  
**Connie Dunn**  
**connie.dunn@fortworthtexas.gov**

**EPA Laboratory #: TX00017**  
**TNI Laboratory #: TNI00013**

**LADHH Secondary AB (TNI-NELAP)**

**Certificate Number: LA160017**

**Issue Date: 01-01-2016**

**Expiration Date: 12-31-2016**

**Inorganic Parameters**

<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>
Aluminum	EPA 200.8	ICP-MS	Antimony	EPA 200.8	ICP-MS	Arsenic	EPA 200.8	ICP-MS
Barium	EPA 200.8	ICP-MS	Beryllium	EPA 200.8	ICP-MS	Bromate	EPA 300.1	IC-COND
Bromide	EPA 300.1	IC-COND	Cadmium	EPA 200.8	ICP-MS	Chromium	EPA 200.8	ICP-MS
Copper	EPA 200.8	ICP-MS	Corrosivity (Langlier Index)	SM 2330B	OTHER	Fluoride	EPA 300.0	IC-COND
Fluoride	SM 4500-F C	ISE	Hardness as CaCO <sub>3</sub> (total)	SM 2340C	TITR	Lead	EPA 200.8	ICP-MS
Manganese	EPA 200.8	ICP-MS	Mercury	EPA 200.8	ICP-MS	Nickel	EPA 200.8	ICP-MS
Nitrate as N	EPA 300.0	IC-COND	Nitrite as N	EPA 300.0	IC-COND	Nitrite as N	EPA 353.2	AUTO
Orthophosphate as P	EPA 300.0	IC-COND	Selenium	EPA 200.8	ICP-MS	Silver	EPA 200.8	ICP-MS
Sulfate	EPA 300.0	IC-COND	Thallium	EPA 200.8	ICP-MS	Turbidity	SM 2130B	TURB
Zinc	EPA 200.8	ICP-MS						

**Organic Parameters**

<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>
1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.2	GC-MS	1,1,2,2-Tetrachloroethane	EPA 524.2	GC-MS
1,1,2-Trichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.2	GC-MS
1,1-Dichloropropene	EPA 524.2	GC-MS	1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,3-Trichloropropane	EPA 524.2	GC-MS
1,2,4-Trichlorobenzene	EPA 524.2	GC-MS	1,2,4-Trimethylbenzene	EPA 524.2	GC-MS	1,2-Dichlorobenzene	EPA 524.2	GC-MS
1,2-Dichloroethane	EPA 524.2	GC-MS	1,2-Dichloropropane	EPA 524.2	GC-MS	1,3,5-Trimethylbenzene	EPA 524.2	GC-MS
1,3-Dichlorobenzene	EPA 524.2	GC-MS	1,3-Dichloropropane	EPA 524.2	GC-MS	1,4-Dichlorobenzene	EPA 524.2	GC-MS
2,2-Dichloropropane	EPA 524.2	GC-MS	2-Chlorotoluene	EPA 524.2	GC-MS	4-Chlorotoluene	EPA 524.2	GC-MS
4-Isopropyltoluene	EPA 524.2	GC-MS	Alachlor	EPA 525.2	GC-MS	Aldrin	EPA 525.2	GC-MS
Atrazine	EPA 525.2	GC-MS	Benzene	EPA 524.2	GC-MS	Benzo(a)pyrene (PAHs)	EPA 525.2	GC-MS
Bis(2-ethylhexyl) phthalate	EPA 525.2	GC-MS	Bromoacetic Acid	EPA 552.2	GC-ECD	Bromobenzene	EPA 524.2	GC-MS
Bromochloromethane	EPA 524.2	GC-MS	Bromodichloromethane	EPA 524.2	GC-MS	Bromoform	EPA 524.2	GC-MS

Butachlor	EPA 525.2	GC-MS	Butyl benzyl phthalate	EPA 525.2	GC-MS	Carbon Tetrachloride	EPA 524.2	GC-MS
Chloroacetic Acid	EPA 552.2	GC-ECD	Chlorobenzene	EPA 524.2	GC-MS	Chloroethane	EPA 524.2	GC-MS
Chloroform	EPA 524.2	GC-MS	cis-1,2-Dichloroethylene	EPA 524.2	GC-MS	cis-1,3-Dichloropropene	EPA 524.2	GC-MS
Di(2-ethylhexyl) Adipate	EPA 525.2	GC-MS	Dibromoacetic Acid	EPA 552.2	GC-ECD	Dibromochloromethane	EPA 524.2	GC-MS
Dibromomethane	EPA 524.2	GC-MS	Dichloroacetic Acid	EPA 552.2	GC-ECD	Dichlorodifluoromethane	EPA 524.2	GC-MS
Dichloromethane	EPA 524.2	GC-MS	Dieldrin	EPA 525.2	GC-MS	Diethyl phthalate	EPA 525.2	GC-MS
Dimethyl phthalate	EPA 525.2	GC-MS	Di-n-butyl phthalate	EPA 525.2	GC-MS	Endrin	EPA 525.2	GC-MS
Ethylbenzene	EPA 524.2	GC-MS	Fluorene	EPA 525.2	GC-MS	gamma-BHC (Lindane)	EPA 525.2	GC-MS
Heptachlor	EPA 525.2	GC-MS	Heptachlor Epoxide	EPA 525.2	GC-MS	Hexachlorobenzene	EPA 525.2	GC-MS
Hexachlorobutadiene	EPA 524.2	GC-MS	Hexachlorocyclopentadiene	EPA 525.2	GC-MS	Indeno(1,2,3-cd)pyrene	EPA 525.2	GC-MS
Isopropylbenzene	EPA 524.2	GC-MS	Methoxychlor	EPA 525.2	GC-MS	Methyl Bromide (Bromomethane)	EPA 524.2	GC-MS
Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS	Methyl tert-butyl Ether (MTBE)	EPA 524.2	GC-MS	Metolachlor	EPA 525.2	GC-MS
Metribuzin	EPA 525.2	GC-MS	Naphthalene	EPA 524.2	GC-MS	n-Butylbenzene	EPA 524.2	GC-MS
n-Propylbenzene	EPA 524.2	GC-MS	Pentachlorophenol	EPA 525.2	GC-MS	Propachlor	EPA 525.2	GC-MS
Pyrene	EPA 525.2	GC-MS	sec-Butylbenzene	EPA 524.2	GC-MS	Simazine	EPA 525.2	GC-MS
Styrene	EPA 524.2	GC-MS	tert-Butylbenzene	EPA 524.2	GC-MS	Tetrachloroethylene	EPA 524.2	GC-MS
Toluene	EPA 524.2	GC-MS	Total Haloacetic Acids (HAA5)	EPA 552.2	GC-ECD	Total Trihalomethanes (THMs)	EPA 524.2	GC-MS
trans-1,2-Dichloroethylene	EPA 524.2	GC-MS	trans-1,3-Dichloropropene	EPA 524.2	GC-MS	Trichloroacetic Acid	EPA 552.2	GC-ECD
Trichloroethylene	EPA 524.2	GC-MS	Trichlorofluoromethane	EPA 524.2	GC-MS	Trifluralin	EPA 525.2	GC-MS
Vinyl Chloride	EPA 524.2	GC-MS	Xylenes (total)	EPA 524.2	GC-MS			

**Curtis Environmental Services, Inc.**  
**185 Belle Terre Boulevard**  
**LaPlace, LA 70068**  
**(985) 653-0000**

**Contact Person:**  
**Selissa Mitchell**  
**labsupervisor@curtislab.com**

**EPA Laboratory #:** LA00955  
**TNI Laboratory #:** N/A

**LADHH Primary AB (STATE)**

**Certificate Number:** LA160024

**Issue Date:** 01-01-2016

**Expiration Date:** 12-31-2016

**Inorganic Parameters**

<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>
Alkalinity as CaCO3	SM2320B	TITR	Chlorine (total residual)	SM 4500-Cl G	UV-VIS	Chlorite	EPA 300.1	IC-COND
Dissolved Organic Carbon (DOC)	SM 5310B	TOC-IR	Total Organic Carbon (TOC)	SM 5310B	TOC-IR	Turbidity	SM 2130B	TURB



**Dow Chemical-Louisiana Operations-Plaquemine**  
**21255 Louisiana Highway 1, Building 3502**  
**Plaquemine, LA 70765**  
**(225) 353-1619**

**Contact Person:**  
**Sonja Delatte**  
**smdelatte@dow.com**

**EPA Laboratory #:** LA00965  
**TNI Laboratory #:** N/A

**LADHH Primary AB (STATE)**

**Certificate Number:** LA160014

**Issue Date:** 01-01-2016

**Expiration Date:** 12-31-2016

**Inorganic Parameters**

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Total Organic Carbon (TOC)	SM 5310B	TOC-IR						

**Entek Environmental Laboratories**  
**14285 Airline Highway**  
**Baton Rouge, LA 70817**  
**(225) 756-2706**

**Contact Person:**  
**Juliette Schwaller**  
**juliette.entek@gmail.com**

**EPA Laboratory #:** LA00029  
**TNI Laboratory #:** N/A

**LADHH Primary AB (STATE)**

**Certificate Number:** LA160007

**Issue Date:** 01-01-2016

**Expiration Date:** 12-31-2016

**Inorganic Parameters**

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Alkalinity as CaCO3	SM2320B	TITR	Aluminum	EPA 200.7	ICP-AES	Barium	EPA 200.7	ICP-AES
Boron	EPA 200.7	ICP-AES	Cadmium	EPA 200.7	ICP-AES	Calcium	SM 3111B	FAAS
Chloride	EPA 300.0	IC-COND	Chromium	EPA 200.7	ICP-AES	Color	SM 2120B	OTHER
Fluoride	EPA 300.0	IC-COND	Hardness as CaCO <sub>3</sub> (calcium)	SM 2340B	OTHER	Iron	EPA 200.7	ICP-AES

Magnesium	SM 3111B	FAAS	Manganese	EPA 200.7	ICP-AES	Mercury	EPA 245.1	CVAAS
Nickel	EPA 200.7	ICP-AES	Nitrate as N	EPA 300.0	IC-COND	Nitrite as N	EPA 300.0	IC-COND
Odor	SM 2150B	OTHER	pH	SM 4500-H <sup>+</sup> B	ISE	Potassium	SM 3111B	FAAS
Silver	SM 3111B	FAAS	Sodium	SM 3111B	FAAS	Sulfate	EPA 300.0	IC-COND
Total Dissolved Solids (TDS)	SM 2540C	GRAV	Turbidity	EPA 180.1	TURB	Zinc	EPA 200.7	ICP-AES

### Organic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.2	GC-MS	1,1,2,2-Tetrachloroethane	EPA 524.2	GC-MS
1,1,2-Trichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.2	GC-MS
1,1-Dichloropropene	EPA 524.2	GC-MS	1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,3-Trichloropropane	EPA 524.2	GC-MS
1,2,4-Trichlorobenzene	EPA 524.2	GC-MS	1,2-Dichlorobenzene	EPA 524.2	GC-MS	1,2-Dichloroethane	EPA 524.2	GC-MS
1,2-Dichloropropane	EPA 524.2	GC-MS	1,3-Dichlorobenzene	EPA 524.2	GC-MS	1,3-Dichloropropane	EPA 524.2	GC-MS
1,4-Dichlorobenzene	EPA 524.2	GC-MS	2,2-Dichloropropane	EPA 524.2	GC-MS	2-Chlorotoluene	EPA 524.2	GC-MS
4-Chlorotoluene	EPA 524.2	GC-MS	4-Isopropyltoluene	EPA 524.2	GC-MS	Benzene	EPA 524.2	GC-MS
Bromobenzene	EPA 524.2	GC-MS	Bromochloromethane	EPA 524.2	GC-MS	Bromodichloromethane	EPA 524.2	GC-MS
Bromoform	EPA 524.2	GC-MS	Carbon Tetrachloride	EPA 524.2	GC-MS	Chlorobenzene	EPA 524.2	GC-MS
Chloroethane	EPA 524.2	GC-MS	Chloroform	EPA 524.2	GC-MS	cis-1,2-Dichloroethylene	EPA 524.2	GC-MS
cis-1,3-Dichloropropene	EPA 524.2	GC-MS	Dibromochloromethane	EPA 524.2	GC-MS	Dibromomethane	EPA 524.2	GC-MS
Dichlorodifluoromethane	EPA 524.2	GC-MS	Dichloromethane	EPA 524.2	GC-MS	Ethylbenzene	EPA 524.2	GC-MS
Hexachlorobutadiene	EPA 524.2	GC-MS	Isopropylbenzene	EPA 524.2	GC-MS	Methyl Bromide (Bromomethane)	EPA 524.2	GC-MS
Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS	Naphthalene	EPA 524.2	GC-MS	n-Butylbenzene	EPA 524.2	GC-MS
n-Propylbenzene	EPA 524.2	GC-MS	sec-Butylbenzene	EPA 524.2	GC-MS	tert-Butylbenzene	EPA 524.2	GC-MS
Tetrachloroethylene	EPA 524.2	GC-MS	Toluene	EPA 524.2	GC-MS	Total Trihalomethanes (THMs)	EPA 524.2	GC-MS
trans-1,2-Dichloroethylene	EPA 524.2	GC-MS	trans-1,3-Dichloropropene	EPA 524.2	GC-MS	Trichloroethylene	EPA 524.2	GC-MS
Trichlorofluoromethane	EPA 524.2	GC-MS	Vinyl Chloride	EPA 524.2	GC-MS	Xylenes (total)	EPA 524.2	GC-MS

**EMSL Analytical, Inc.**  
**200 Route 130 North**  
**Cinnaminson, NJ 08077**  
**(856) 220-3675**

**Contact Person:**  
**Bonnie Soles**  
**bsoles@emsl.com**

**EPA Laboratory #: NJ00337**  
**TNI Laboratory #: TNI01273**

**LADHH Secondary AB (TNI-NELAP)**

**Certificate Number: LA160011**

**Issue Date: 01-01-2016**

**Expiration Date: 12-31-2016**

**Inorganic Parameters**

<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>
Asbestos	EPA 100.1	TEM	Asbestos	EPA 100.2	TEM			

**Environmental Science Corporation**  
**12065 Lebanon Road**  
**Mt. Juliet, TN 37122**  
**(615) 758-5858**

**Contact Person:**  
**Shari Pfalmer**  
**spfalmer@esclabsciences.com**

**EPA Laboratory #: TN00003**  
**TNI Laboratory #: TNI01354**

**LADHH Secondary AB (TNI-NELAP)**

**Certificate Number: LA160001**

**Issue Date: 01-01-2016**

**Expiration Date: 12-31-2016**

**Inorganic Parameters**

<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>
Alkalinity as CaCO3	SM2320B	TITR	Aluminum	EPA 200.7	ICP-AES	Antimony	EPA 200.8	ICP-MS
Arsenic	EPA 200.8	ICP-MS	Barium	EPA 200.7	ICP-AES	Barium	EPA 200.8	ICP-MS
Beryllium	EPA 200.7	ICP-AES	Beryllium	EPA 200.8	ICP-MS	Bromide	EPA 300.0	IC-COND
Cadmium	EPA 200.7	ICP-AES	Cadmium	EPA 200.8	ICP-MS	Calcium	EPA 200.7	ICP-AES
Chloride	EPA 300.0	IC-COND	Chlorine (total residual)	SM 4500-Cl G	UV-VIS	Chromium	EPA 200.7	ICP-AES
Chromium	EPA 200.8	ICP-MS	Chromium (VI) (dissolved)	EPA 218.6	IC-UV	Color	SM 2120B	OTHER

Conductivity	SM 2510B	COND	Copper	EPA 200.7	ICP-AES	Copper	EPA 200.8	ICP-MS
Cyanide	EPA 335.4	AUTO	Cyanide	SM 4500-CN <sup>-</sup> C	OTHER	Cyanide	SM 4500-CN <sup>-</sup> E	UV-VIS
Cyanide (amenable)	SM 4500-CN <sup>-</sup> G	OTHER	Dissolved Organic Carbon (DOC)	SM 5310C	TOC-FID	Fluoride	EPA 300.0	IC-COND
Fluoride	SM 4110B	IC-COND	Hardness as CaCO <sub>3</sub> (calcium)	EPA 200.7	ICP-AES	Hardness as CaCO <sub>3</sub> (total)	EPA 200.7	ICP-AES
Hardness as CaCO <sub>3</sub> (total)	SM 2340B	OTHER	Hardness as CaCO <sub>3</sub> (total)	SM 2340C	TITR	Iron	EPA 200.7	ICP-AES
Lead	EPA 200.8	ICP-MS	Magnesium	EPA 200.7	ICP-AES	Mercury	EPA 245.1	CVAAS
Nickel	EPA 200.7	ICP-AES	Nickel	EPA 200.8	ICP-MS	Nitrate as N	EPA 300.0	IC-COND
Nitrate as N	EPA 353.2	AUTO	Nitrate as N	SM 4110B	IC-COND	Nitrate-Nitrite as N	EPA 300.0	IC-COND
Nitrate-Nitrite as N	EPA 353.2	AUTO	Nitrite as N	EPA 300.0	IC-COND	Nitrite as N	EPA 353.2	AUTO
Odor	SM 2150B	OTHER	Orthophosphate as P	SM 4500-P E	UV-VIS	Perchlorate	EPA 314.0	IC-COND
pH	EPA 150.1	ISE	pH	SM 4500-H <sup>+</sup> B	ISE	Selenium	EPA 200.8	ICP-MS
Silica as SiO <sub>2</sub>	EPA 200.7	ICP-AES	Silver	EPA 200.7	ICP-AES	Silver	EPA 200.8	ICP-MS
Sodium	EPA 200.7	ICP-AES	Sulfate	EPA 300.0	IC-COND	Sulfate	SM 4110B	IC-COND
Surfactants-MBAS	SM 5540C	UV-VIS	Thallium	EPA 200.8	ICP-MS	Total Dissolved Solids (TDS)	SM 2540C	GRAV
Total Organic Carbon (TOC)	SM 5310C	TOC-FID	Turbidity	EPA 180.1	TURB	Turbidity	SM 2130B	TURB
UV254	SM 5910B	UV/VIS	Zinc	EPA 200.7	ICP-AES	Zinc	EPA 200.8	ICP-MS

### Organic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.2	GC-MS	1,1,2,2-Tetrachloroethane	EPA 524.2	GC-MS
1,1,2-Trichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.2	GC-MS
1,1-Dichloropropene	EPA 524.2	GC-MS	1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,4-Trichlorobenzene	EPA 524.2	GC-MS
1,2,4-Trimethylbenzene	EPA 524.2	GC-MS	1,2-Dibromo-3-chloropropane (DB	EPA 504.1	GC-ECD	1,2-Dibromoethane (EDB)	EPA 504.1	GC-ECD
1,2-Dichlorobenzene	EPA 524.2	GC-MS	1,2-Dichloroethane	EPA 524.2	GC-MS	1,2-Dichloropropane	EPA 524.2	GC-MS
1,3,5-Trimethylbenzene	EPA 524.2	GC-MS	1,3-Dichlorobenzene	EPA 524.2	GC-MS	1,4-Dichlorobenzene	EPA 524.2	GC-MS
2,2-Dichloropropane	EPA 524.2	GC-MS	2-Chlorotoluene	EPA 524.2	GC-MS	4-Chlorotoluene	EPA 524.2	GC-MS
4-Isopropyltoluene	EPA 524.2	GC-MS	Benzene	EPA 524.2	GC-MS	Bromoacetic Acid	EPA 552.2	GC-ECD
Bromobenzene	EPA 524.2	GC-MS	Bromochloroacetic Acid	EPA 552.2	GC-ECD	Bromochloromethane	EPA 524.2	GC-MS
Bromodichloromethane	EPA 524.2	GC-MS	Bromoform	EPA 524.2	GC-MS	Carbon Tetrachloride	EPA 524.2	GC-MS
Chloroacetic Acid	EPA 552.2	GC-ECD	Chlorobenzene	EPA 524.2	GC-MS	Chloroethane	EPA 524.2	GC-MS
Chloroform	EPA 524.2	GC-MS	cis-1,2-Dichloroethylene	EPA 524.2	GC-MS	Dibromoacetic Acid	EPA 552.2	GC-ECD
Dibromochloromethane	EPA 524.2	GC-MS	Dibromomethane	EPA 524.2	GC-MS	Dichloroacetic Acid	EPA 552.2	GC-ECD
Dichlorodifluoromethane	EPA 524.2	GC-MS	Dichloromethane	EPA 524.2	GC-MS	Ethylbenzene	EPA 524.2	GC-MS
Hexachlorobutadiene	EPA 524.2	GC-MS	Isopropylbenzene	EPA 524.2	GC-MS	Methyl Bromide (Bromomethane)	EPA 524.2	GC-MS
Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS	Methyl tert-butyl Ether (MTBE)	EPA 524.2	GC-MS	Naphthalene	EPA 524.2	GC-MS

n-Butylbenzene	EPA 524.2	GC-MS	n-Propylbenzene	EPA 524.2	GC-MS	sec-Butylbenzene	EPA 524.2	GC-MS
Styrene	EPA 524.2	GC-MS	tert-Butylbenzene	EPA 524.2	GC-MS	Tetrachloroethylene	EPA 524.2	GC-MS
Toluene	EPA 524.2	GC-MS	Total Haloacetic Acids (HAA5)	EPA 552.2	GC-ECD	Total Trihalomethanes (THMs)	EPA 524.2	GC-MS
trans-1,2-Dichloroethylene	EPA 524.2	GC-MS	trans-1,3-Dichloropropene	EPA 524.2	GC-MS	Trichloroacetic Acid	EPA 552.2	GC-ECD
Trichloroethylene	EPA 524.2	GC-MS	Trichlorofluoromethane	EPA 524.2	GC-MS	Vinyl Chloride	EPA 524.2	GC-MS
Xylenes (total)	EPA 524.2	GC-MS						

**Eurofins Eaton Analytical, Inc.**  
**750 Royal Oaks Drive Suite 100**  
**Monrovia, CA 91016**  
**(626) 386-1100**

**Contact Person:**  
**Alma Capati**  
**alma.capati@eurofinsus.com**

**EPA Laboratory #:** CA00006  
**TNI Laboratory #:** TNI01223

**LADHH Secondary AB (TNI-NELAP)**

**Certificate Number:** LA160003

**Issue Date:** 01-01-2016

**Expiration Date:** 12-31-2016

**Inorganic Parameters**

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Alkalinity as CaCO <sub>3</sub>	SM2320B	TITR	Aluminum	EPA 200.7	ICP-AES	Aluminum	EPA 200.8	ICP-MS
Antimony	EPA 200.8	ICP-MS	Arsenic	EPA 200.8	ICP-MS	Asbestos	EPA 100.2	TEM
Barium	EPA 200.7	ICP-AES	Barium	EPA 200.8	ICP-MS	Beryllium	EPA 200.7	ICP-AES
Beryllium	EPA 200.8	ICP-MS	Bromate	EPA 300.1	IC-COND	Bromate	EPA 317.0	IC-COND
Bromide	EPA 300.0	IC-COND	Bromide	EPA 300.1	IC-COND	Cadmium	EPA 200.7	ICP-AES
Cadmium	EPA 200.8	ICP-MS	Calcium	EPA 200.7	ICP-AES	Chlorate	EPA 300.0	IC-COND
Chlorate	EPA 300.1	IC-COND	Chloride	EPA 300.0	IC-COND	Chlorine Dioxide	SM 4500-ClO <sub>2</sub> C	TITR
Chlorine (free residual)	SM 4500-Cl G	UV-VIS	Chlorine (total residual)	SM 4500-Cl G	UV-VIS	Chlorite	EPA 300.0	IC-COND
Chlorite	EPA 300.1	IC-COND	Chromium	EPA 200.7	ICP-AES	Chromium	EPA 200.8	ICP-MS
Chromium (VI) (dissolved)	EPA 218.6	IC-UV	Color	SM 2120B	OTHER	Conductivity	SM 2510B	COND
Copper	EPA 200.7	ICP-AES	Copper	EPA 200.8	ICP-MS	Corrosivity (Langlier Index)	SM 2330B	OTHER
Cyanide	EPA 335.4	AUTO	Cyanide	SM 4500-CN <sup>-</sup> F	ISE	Cyanide (amenable)	SM 4500-CN <sup>-</sup> G	OTHER
Dissolved Organic Carbon (DOC)	SM 5310C	TOC-FID	Fluoride	EPA 300.0	IC-COND	Fluoride	SM 4500-F <sup>-</sup> C	ISE
Hardness as CaCO <sub>3</sub> (calcium)	EPA 200.7	ICP-AES	Hardness as CaCO <sub>3</sub> (calcium)	SM 2340B	OTHER	Hardness as CaCO <sub>3</sub> (total)	EPA 200.7	ICP-AES
Hardness as CaCO <sub>3</sub> (total)	SM 2340B	OTHER	Iron	EPA 200.7	ICP-AES	Lead	EPA 200.8	ICP-MS

Magnesium	EPA 200.7	ICP-AES	Manganese	EPA 200.7	ICP-AES	Manganese	EPA 200.8	ICP-MS
Mercury	EPA 245.1	CVAAS	Nickel	EPA 200.7	ICP-AES	Nickel	EPA 200.8	ICP-MS
Nitrate as N	EPA 300.0	IC-COND	Nitrate as N	EPA 353.2	AUTO	Nitrate-Nitrite as N	EPA 300.0	IC-COND
Nitrite as N	EPA 300.0	IC-COND	Nitrite as N	EPA 353.2	AUTO	Odor	SM 2150B	OTHER
Orthophosphate as P	EPA 365.1	AUTO	Orthophosphate as P	SM 4500-P E	UV-VIS	Perchlorate	EPA 314.0	IC-COND
Perchlorate	EPA 331.0	LC/ESI/MS	pH	EPA 150.1	ISE	pH	SM 4500-H <sup>+</sup> B	ISE
Potassium	EPA 200.7	ICP-AES	Selenium	EPA 200.8	ICP-MS	Silica as SiO <sub>2</sub>	EPA 200.7	ICP-AES
Silica as SiO <sub>2</sub>	SM 4500-Si D	UV-VIS	Silica as SiO <sub>2</sub>	SM 4500-SiO2 C	UV-VIS	Silver	EPA 200.7	ICP-AES
Silver	EPA 200.8	ICP-MS	Sodium	EPA 200.7	ICP-AES	Sulfate	EPA 300.0	IC-COND
Surfactants-MBAS	SM 5540C	UV-VIS	Thallium	EPA 200.8	ICP-MS	Total Dissolved Solids (TDS)	SM 2540C	GRAV
Total Organic Carbon (TOC)	SM 5310C	TOC-FID	Turbidity	EPA 180.1	TURB	Turbidity	SM 2130B	TURB
Uranium	EPA 200.8	ICP-MS	UV254	SM 5910B	UV/VIS	Zinc	EPA 200.7	ICP-AES
Zinc	EPA 200.8	ICP-MS						

### Organic Parameters

<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>
1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.3	GC-MS
1,1,2,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,2-Trichloroethane	EPA 524.2	GC-MS	1,1,2-Trichloroethane	EPA 524.3	GC-MS
1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.3	GC-MS
1,1-Dichloropropene	EPA 524.2	GC-MS	1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,3-Trichloropropane	EPA 504.1	GC-ECD
1,2,3-Trichloropropane	EPA 524.2	GC-MS	1,2,4-Trichlorobenzene	EPA 524.2	GC-MS	1,2,4-Trichlorobenzene	EPA 524.3	GC-MS
1,2,4-Trimethylbenzene	EPA 524.2	GC-MS	1,2-Dibromo-3-chloropropane (DB	EPA 504.1	GC-ECD	1,2-Dibromo-3-chloropropane (DBCP	EPA 551.1	GC-ECD
1,2-Dibromoethane (EDB)	EPA 504.1	GC-ECD	1,2-Dibromoethane (EDB)	EPA 551.1	GC-ECD	1,2-Dichlorobenzene	EPA 524.2	GC-MS
1,2-Dichlorobenzene	EPA 524.3	GC-MS	1,2-Dichloroethane	EPA 524.2	GC-MS	1,2-Dichloroethane	EPA 524.3	GC-MS
1,2-Dichloropropane	EPA 524.2	GC-MS	1,2-Dichloropropane	EPA 524.3	GC-MS	1,3,5-Trimethylbenzene	EPA 524.2	GC-MS
1,3-Dichlorobenzene	EPA 524.2	GC-MS	1,3-Dichloropropane	EPA 524.2	GC-MS	1,4-Dichlorobenzene	EPA 524.2	GC-MS
1,4-Dichlorobenzene	EPA 524.3	GC-MS	2,2-Dichloropropane	EPA 524.2	GC-MS	2,3,7,8-TCDD (Dioxin)	EPA 1613	GC-HRMS
2,4-D	EPA 515.4	GC-ECD	2-Chlorotoluene	EPA 524.2	GC-MS	3-Hydroxycarbofuran	EPA 531.2	HPLC-FLUOR
4-Chlorotoluene	EPA 524.2	GC-MS	4-Isopropyltoluene	EPA 524.2	GC-MS	Alachlor	EPA 505	GC-ECD
Alachlor	EPA 525.2	GC-MS	Aldicarb	EPA 531.2	HPLC-FLUOR	Aldicarb Sulfone	EPA 531.2	HPLC-FLUOR
Aldicarb Sulfoxide	EPA 531.2	HPLC-FLUOR	Aldrin	EPA 505	GC-ECD	Aldrin	EPA 525.2	GC-MS
Atrazine	EPA 525.2	GC-MS	Bentazon	EPA 515.4	GC-ECD	Benzene	EPA 524.2	GC-MS
Benzene	EPA 524.3	GC-MS	Benzo(a)pyrene (PAHs)	EPA 525.2	GC-MS	Bis(2-ethylhexyl) phthalate	EPA 525.2	GC-MS
Bromoacetic Acid	SM 6251B	GC-ECD	Bromobenzene	EPA 524.2	GC-MS	Bromochloroacetic Acid	SM 6251B	GC-ECD
Bromochloromethane	EPA 524.2	GC-MS	Bromodichloromethane	EPA 524.2	GC-MS	Bromodichloromethane	EPA 551.1	GC-ECD
Bromoform	EPA 524.2	GC-MS	Bromoform	EPA 551.1	GC-ECD	Butachlor	EPA 525.2	GC-MS

Carbaryl	EPA 531.2	HPLC-FLUOR	Carbofuran	EPA 531.2	HPLC-FLUOR	Carbon Tetrachloride	EPA 524.2	GC-MS
Carbon Tetrachloride	EPA 524.3	GC-MS	Chlordane (tech.)	EPA 505	GC-ECD	Chlordane (tech.)	EPA 525.2	GC-MS
Chloroacetic Acid	SM 6251B	GC-ECD	Chlorobenzene	EPA 524.2	GC-MS	Chlorobenzene	EPA 524.3	GC-MS
Chloroethane	EPA 524.2	GC-MS	Chloroform	EPA 524.2	GC-MS	Chloroform	EPA 551.1	GC-ECD
cis-1,2-Dichloroethylene	EPA 524.2	GC-MS	cis-1,2-Dichloroethylene	EPA 524.3	GC-MS	cis-1,3-Dichloropropene	EPA 524.2	GC-MS
Dalapon	EPA 515.4	GC-ECD	Di(2-ethylhexyl) Adipate	EPA 525.2	GC-MS	Dibromoacetic Acid	SM 6251B	GC-ECD
Dibromochloromethane	EPA 524.2	GC-MS	Dibromochloromethane	EPA 551.1	GC-ECD	Dibromomethane	EPA 524.2	GC-MS
Dicamba	EPA 515.4	GC-ECD	Dichloroacetic Acid	SM 6251B	GC-ECD	Dichlorodifluoromethane	EPA 524.2	GC-MS
Dichloromethane	EPA 524.2	GC-MS	Dichloromethane	EPA 524.3	GC-MS	Dieldrin	EPA 505	GC-ECD
Dieldrin	EPA 525.2	GC-MS	Dinoseb	EPA 515.4	GC-ECD	Diquat	EPA 549.2	HPLC-UV
Endothall	EPA 548.1	GC-MS	Endrin	EPA 505	GC-ECD	Endrin	EPA 525.2	GC-MS
Ethylbenzene	EPA 524.2	GC-MS	Ethylbenzene	EPA 524.3	GC-MS	gamma-BHC (Lindane)	EPA 505	GC-ECD
gamma-BHC (Lindane)	EPA 525.2	GC-MS	Glyphosate	EPA 547	HPLC-FLUOR	Heptachlor	EPA 505	GC-ECD
Heptachlor	EPA 525.2	GC-MS	Heptachlor Epoxide	EPA 505	GC-ECD	Heptachlor Epoxide	EPA 525.2	GC-MS
Hexachlorobenzene	EPA 525.2	GC-MS	Hexachlorobutadiene	EPA 524.2	GC-MS	Hexachlorocyclopentadiene	EPA 525.2	GC-MS
Isopropylbenzene	EPA 524.2	GC-MS	Methomyl	EPA 531.2	HPLC-FLUOR	Methoxychlor	EPA 505	GC-ECD
Methoxychlor	EPA 525.2	GC-MS	Methyl Bromide (Bromomethane)	EPA 524.2	GC-MS	Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS
Methyl tert-butyl Ether (MTBE)	EPA 524.2	GC-MS	Metolachlor	EPA 525.2	GC-MS	Metribuzin	EPA 525.2	GC-MS
Molinate	EPA 525.2	GC-MS	Naphthalene	EPA 524.2	GC-MS	n-Butylbenzene	EPA 524.2	GC-MS
n-Propylbenzene	EPA 524.2	GC-MS	Oxamyl	EPA 531.2	HPLC-FLUOR	PCBs as Aroclors (screen)	EPA 505	GC-ECD
Pentachlorophenol	EPA 515.4	GC-ECD	Pentachlorophenol	EPA 525.2	GC-MS	Picloram	EPA 515.4	GC-ECD
Propachlor	EPA 525.2	GC-MS	sec-Butylbenzene	EPA 524.2	GC-MS	Silvex (2,4,5-TP)	EPA 515.4	GC-ECD
Simazine	EPA 525.2	GC-MS	Styrene	EPA 524.2	GC-MS	Styrene	EPA 524.3	GC-MS
tert-Butylbenzene	EPA 524.2	GC-MS	Tetrachloroethylene	EPA 524.2	GC-MS	Tetrachloroethylene	EPA 524.3	GC-MS
Toluene	EPA 524.2	GC-MS	Toluene	EPA 524.3	GC-MS	Total Haloacetic Acids (HAA5)	SM 6251B	GC-ECD
Total Trihalomethanes (THMs)	EPA 524.2	GC-MS	Total Trihalomethanes (THMs)	EPA 524.3	GC-MS	Total Trihalomethanes (THMs)	EPA 551.1	GC-ECD
Toxaphene	EPA 505	GC-ECD	trans-1,2-Dichloroethylene	EPA 524.2	GC-MS	trans-1,2-Dichloroethylene	EPA 524.3	GC-MS
trans-1,3-Dichloropropene	EPA 524.2	GC-MS	Trichloroacetic Acid	SM 6251B	GC-ECD	Trichloroethylene	EPA 524.2	GC-MS
Trichloroethylene	EPA 524.3	GC-MS	Trichlorofluoromethane	EPA 524.2	GC-MS	Vinyl Chloride	EPA 524.2	GC-MS
Vinyl Chloride	EPA 524.3	GC-MS	Xylenes (total)	EPA 524.2	GC-MS	Xylenes (total)	EPA 524.3	GC-MS

### **Radiological Parameters**

<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>
Gross Alpha	EPA 900.0	PC	Gross Alpha	SM 7110C	PC	Gross Beta	EPA 900.0	PC
Radium-226	GA	GS-HR	Radium-228	GA	GS-HR	Radon-222	SM 7500-Rn B	LSC
Uranium (nat)	EPA 200.8	ICP-MS						

**Eurofins Eaton Analytical, Inc. - South Bend**  
**110 South Hill Street**  
**South Bend, IN 46617**  
**(574) 233-4777**

**Contact Person:**  
**Dale Piechocki**  
**dalepiechocki@eurofinsus.com**

**EPA Laboratory #: IN00035**  
**TNI Laboratory #: TNI00617**

**LADHH Secondary AB (TNI-NELAP)**

**Certificate Number: LA160002**

**Issue Date: 01-01-2016**

**Expiration Date: 12-31-2016**

**Inorganic Parameters**

<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>
Alkalinity as CaCO <sub>3</sub>	SM2320B	TITR	Aluminum	EPA 200.8	ICP-MS	Antimony	EPA 200.8	ICP-MS
Arsenic	EPA 200.8	ICP-MS	Barium	EPA 200.8	ICP-MS	Beryllium	EPA 200.8	ICP-MS
Bromate	EPA 300.1	IC-COND	Bromate	EPA 317.0	IC-COND	Bromide	EPA 300.0	IC-COND
Cadmium	EPA 200.8	ICP-MS	Calcium	EPA 200.7	ICP-AES	Chlorate	EPA 300.0	IC-COND
Chloride	EPA 300.0	IC-COND	Chlorine (free residual)	SM 4500-Cl G	UV-VIS	Chlorine (total residual)	SM 4500-Cl G	UV-VIS
Chlorite	EPA 300.0	IC-COND	Chromium	EPA 200.8	ICP-MS	Chromium (VI) (dissolved)	EPA 218.6	IC-UV
Chromium (VI)	EPA 218.7	IC-UV	Color	SM 2120B	OTHER	Conductivity	SM 2510B	COND
Copper	EPA 200.8	ICP-MS	Corrosivity (Langlier Index)	SM 2330B	OTHER	Cyanide	EPA 335.4	AUTO
Dissolved Organic Carbon (DOC)	SM 5310C	TOC-FID	Fluoride	EPA 300.0	IC-COND	Fluoride	SM 4500-F <sup>-</sup> C	ISE
Hardness as CaCO <sub>3</sub> (calcium)	SM 2340B	OTHER	Hardness as CaCO <sub>3</sub> (total)	SM 2340B	OTHER	Iron	EPA 200.7	ICP-AES
Lead	EPA 200.8	ICP-MS	Magnesium	EPA 200.7	ICP-AES	Manganese	EPA 200.8	ICP-MS
Mercury	EPA 245.1	CVAAS	Molybdenum	EPA 200.8	ICP-MS	Nickel	EPA 200.8	ICP-MS
Nitrate as N	EPA 300.0	IC-COND	Nitrate as N	EPA 353.2	AUTO	Nitrate-Nitrite as N	EPA 353.2	AUTO
Nitrite as N	EPA 353.2	AUTO	Orthophosphate as P	SM 4500-P E	UV-VIS	Perchlorate	EPA 331.0	LC/ESI/MS
pH	EPA 150.1	ISE	Potassium	EPA 200.7	ICP-AES	Selenium	EPA 200.8	ICP-MS
Silica as SiO <sub>2</sub>	EPA 200.7	ICP-AES	Silver	EPA 200.8	ICP-MS	Sodium	EPA 200.7	ICP-AES
Sulfate	EPA 300.0	IC-COND	Thallium	EPA 200.8	ICP-MS	Total Dissolved Solids (TDS)	SM 2540C	GRAV
Total Organic Carbon (TOC)	SM 5310C	TOC-FID	Turbidity	EPA 180.1	TURB	Uranium	EPA 200.8	ICP-MS
UV254	SM 5910B	UV/VIS	Vanadium	EPA 200.8	ICP-MS	Zinc	EPA 200.8	ICP-MS



## Organic Parameters

<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>
1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.2	GC-MS	1,1,2,2-Tetrachloroethane	EPA 524.2	GC-MS
1,1,2-Trichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.2	GC-MS
1,1-Dichloropropene	EPA 524.2	GC-MS	1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,3-Trichloropropane	EPA 524.2	GC-MS
1,2,4-Trichlorobenzene	EPA 524.2	GC-MS	1,2,4-Trimethylbenzene	EPA 524.2	GC-MS	1,2-Dibromo-3-chloropropane (DBCP)	EPA 504.1	GC-ECD
1,2-Dibromoethane (EDB)	EPA 504.1	GC-ECD	1,2-Dichlorobenzene	EPA 524.2	GC-MS	1,2-Dichloroethane	EPA 524.2	GC-MS
1,2-Dichloropropane	EPA 524.2	GC-MS	1,3,5-Trimethylbenzene	EPA 524.2	GC-MS	1,3-Dichlorobenzene	EPA 524.2	GC-MS
1,3-Dichloropropane	EPA 524.2	GC-MS	1,4-Dichlorobenzene	EPA 524.2	GC-MS	2,2-Dichloropropane	EPA 524.2	GC-MS
2,4,5-T	EPA 515.3	GC-ECD	2,4-D	EPA 515.3	GC-ECD	2,4-DB	EPA 515.3	GC-ECD
2-Chlorotoluene	EPA 524.2	GC-MS	3-Hydroxycarbofuran	EPA 531.2	HPLC-FLUOR	4-Chlorotoluene	EPA 524.2	GC-MS
4-Isopropyltoluene	EPA 524.2	GC-MS	Acifluorfen	EPA 515.3	GC-ECD	Alachlor	EPA 525.2	GC-MS
Aldicarb	EPA 531.2	HPLC-FLUOR	Aldicarb Sulfone	EPA 531.2	HPLC-FLUOR	Aldicarb Sulfoxide	EPA 531.2	HPLC-FLUOR
Aldrin	EPA 525.2	GC-MS	Atrazine	EPA 525.2	GC-MS	Bentazon	EPA 515.3	GC-ECD
Benzene	EPA 524.2	GC-MS	Benzo(a)pyrene (PAHs)	EPA 525.2	GC-MS	Bis(2-ethylhexyl) phthalate	EPA 525.2	GC-MS
Bromoacetic Acid	EPA 552.2	GC-ECD	Bromobenzene	EPA 524.2	GC-MS	Bromochloroacetic Acid	EPA 552.2	GC-ECD
Bromochloromethane	EPA 524.2	GC-MS	Bromodichloromethane	EPA 524.2	GC-MS	Bromodichloromethane	EPA 551.1	GC-ECD
Bromoform	EPA 524.2	GC-MS	Bromoform	EPA 551.1	GC-ECD	Butachlor	EPA 525.2	GC-MS
Butyl benzyl phthalate	EPA 525.2	GC-MS	Carbaryl	EPA 531.2	HPLC-FLUOR	Carbofuran	EPA 531.2	HPLC-FLUOR
Carbon Tetrachloride	EPA 524.2	GC-MS	Chlordane (tech.)	EPA 505	GC-ECD	Chloroacetic Acid	EPA 552.2	GC-ECD
Chlorobenzene	EPA 524.2	GC-MS	Chloroethane	EPA 524.2	GC-MS	Chloroform	EPA 524.2	GC-MS
Chloroform	EPA 551.1	GC-ECD	cis-1,2-Dichloroethylene	EPA 524.2	GC-MS	cis-1,3-Dichloropropene	EPA 524.2	GC-MS
Dalapon	EPA 515.3	GC-ECD	Di(2-ethylhexyl) Adipate	EPA 525.2	GC-MS	Dibromoacetic Acid	EPA 552.2	GC-ECD
Dibromochloromethane	EPA 524.2	GC-MS	Dibromochloromethane	EPA 551.1	GC-ECD	Dibromomethane	EPA 524.2	GC-MS
Dicamba	EPA 515.3	GC-ECD	Dichloroacetic Acid	EPA 552.2	GC-ECD	Dichlorodifluoromethane	EPA 524.2	GC-MS
Dichloromethane	EPA 524.2	GC-MS	Dichloroprop	EPA 515.3	GC-ECD	Dieldrin	EPA 525.2	GC-MS
Diethyl phthalate	EPA 525.2	GC-MS	Dimethyl phthalate	EPA 525.2	GC-MS	Di-n-butyl phthalate	EPA 525.2	GC-MS
Dinoseb	EPA 515.3	GC-ECD	Diquat	EPA 549.2	HPLC-UV	Endothall	EPA 548.1	GC-MS
Endrin	EPA 525.2	GC-MS	Ethylbenzene	EPA 524.2	GC-MS	Fluorene	EPA 525.2	GC-MS
gamma-BHC (Lindane)	EPA 525.2	GC-MS	Glyphosate	EPA 547	HPLC-FLUOR	Heptachlor	EPA 525.2	GC-MS
Heptachlor Epoxide	EPA 525.2	GC-MS	Hexachlorobenzene	EPA 525.2	GC-MS	Hexachlorobutadiene	EPA 524.2	GC-MS
Hexachlorocyclopentadiene	EPA 525.2	GC-MS	Indeno(1,2,3-cd)pyrene	EPA 525.2	GC-MS	Isopropylbenzene	EPA 524.2	GC-MS
Methiocarb	EPA 531.2	HPLC-FLUOR	Methomyl	EPA 531.2	HPLC-FLUOR	Methoxychlor	EPA 525.2	GC-MS
Methyl Bromide (Bromomethane)	EPA 524.2	GC-MS	Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS	Methyl tert-butyl Ether (MTBE)	EPA 524.2	GC-MS
Metolachlor	EPA 525.2	GC-MS	Metribuzin	EPA 525.2	GC-MS	Molinate	EPA 525.2	GC-MS
Naphthalene	EPA 524.2	GC-MS	n-Butylbenzene	EPA 524.2	GC-MS	n-Propylbenzene	EPA 524.2	GC-MS

Oxamyl	EPA 531.2	HPLC-FLUOR	Paraquat	EPA 549.2	HPLC-UV	PCBs as Aroclors (screen)	EPA 505	GC-ECD
Pentachlorophenol	EPA 515.3	GC-ECD	Picloram	EPA 515.3	GC-ECD	Propachlor	EPA 525.2	GC-MS
Propoxur (Baygon)	EPA 531.2	HPLC-FLUOR	sec-Butylbenzene	EPA 524.2	GC-MS	Silvex (2,4,5-TP)	EPA 515.3	GC-ECD
Simazine	EPA 525.2	GC-MS	Styrene	EPA 524.2	GC-MS	tert-Butylbenzene	EPA 524.2	GC-MS
Tetrachloroethylene	EPA 524.2	GC-MS	Toluene	EPA 524.2	GC-MS	Total Haloacetic Acids (HAA5)	EPA 552.2	GC-ECD
Total Trihalomethanes (THMs)	EPA 524.2	GC-MS	Total Trihalomethanes (THMs)	EPA 551.1	GC-ECD	Toxaphene	EPA 505	GC-ECD
trans-1,2-Dichloroethylene	EPA 524.2	GC-MS	trans-1,3-Dichloropropene	EPA 524.2	GC-MS	Trichloroacetic Acid	EPA 552.2	GC-ECD
Trichloroethylene	EPA 524.2	GC-MS	Trichlorofluoromethane	EPA 524.2	GC-MS	Trifluralin	EPA 525.2	GC-MS
Vinyl Chloride	EPA 524.2	GC-MS	Xylenes (total)	EPA 524.2	GC-MS			

### Radiological Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Gross Alpha	SM 7110B	PC	Gross Alpha	SM 7110C	PC	Gross Beta	SM 7110B	PC
Radium-226	SM 7500-Ra B	PC	Radium-228	SM 7500-Ra D	PC	Radon-222	SM 7500-Rn B	LSC
Tritium	EPA 906.0	LSC	Uranium (nat)	EPA 200.8	ICP-MS			

**GEL Laboratories, LLC**  
**2040 Savage Road**  
**Charleston, SC 29407**  
**(843) 556-8171**

**Contact Person:**  
**Nancy Mattern**  
**nancy.mattern@gel.com**

**EPA Laboratory #: SC00012**  
**TNI Laboratory #: TNI00188**

**LADHH Secondary AB (TNI-NELAP)**

**Certificate Number: LA160006**

**Issue Date: 01-01-2016**

**Expiration Date: 12-31-2016**

### Inorganic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Alkalinity as CaCO3	SM2320B	TITR	Aluminum	EPA 200.7	ICP-AES	Aluminum	EPA 200.8	ICP-MS
Antimony	EPA 200.8	ICP-MS	Arsenic	EPA 200.8	ICP-MS	Barium	EPA 200.7	ICP-AES
Barium	EPA 200.8	ICP-MS	Beryllium	EPA 200.7	ICP-AES	Beryllium	EPA 200.8	ICP-MS
Bromide	EPA 300.0	IC-COND	Cadmium	EPA 200.7	ICP-AES	Cadmium	EPA 200.8	ICP-MS

Calcium	EPA 200.7	ICP-AES	Chloride	EPA 300.0	IC-COND	Chlorine (total residual)	SM 4500-Cl G	UV-VIS
Chromium	EPA 200.7	ICP-AES	Chromium	EPA 200.8	ICP-MS	Color	EPA 110.2	OTHER
Color	SM 2120B	OTHER	Conductivity	SM 2510B	COND	Copper	EPA 200.7	ICP-AES
Copper	EPA 200.8	ICP-MS	Fluoride	EPA 300.0	IC-COND	Iron	EPA 200.7	ICP-AES
Lead	EPA 200.8	ICP-MS	Magnesium	EPA 200.7	ICP-AES	Manganese	EPA 200.7	ICP-AES
Manganese	EPA 200.8	ICP-MS	Mercury	EPA 245.1	CVAAS	Mercury	EPA 245.2	CVAAS
Molybdenum	EPA 200.7	ICP-AES	Molybdenum	EPA 200.8	ICP-MS	Nickel	EPA 200.7	ICP-AES
Nickel	EPA 200.8	ICP-MS	Nitrate as N	EPA 300.0	IC-COND	Nitrate as N	SM 4500-NO3 <sup>-</sup>	AUTO
Nitrate-Nitrite as N	EPA 300.0	IC-COND	Nitrate-Nitrite as N	EPA 353.2	AUTO	Nitrite as N	EPA 300.0	IC-COND
Odor	SM 2150B	OTHER	Orthophosphate as P	EPA 300.0	IC-COND	Perchlorate	EPA 314.0	IC-COND
pH	EPA 150.1	ISE	Selenium	EPA 200.8	ICP-MS	Silica as SiO <sub>2</sub>	EPA 200.7	ICP-AES
Silver	EPA 200.7	ICP-AES	Silver	EPA 200.8	ICP-MS	Sodium	EPA 200.7	ICP-AES
Sulfate	EPA 300.0	IC-COND	Thallium	EPA 200.8	ICP-MS	Total Dissolved Solids (TDS)	EPA 160.1	GRAV
Total Dissolved Solids (TDS)	SM 2540C	GRAV	Turbidity	EPA 180.1	TURB	Turbidity	SM 2130B	TURB
Uranium	EPA 200.8	ICP-MS	Vanadium	EPA 200.7	ICP-AES	Vanadium	EPA 200.8	ICP-MS
Zinc	EPA 200.7	ICP-AES	Zinc	EPA 200.8	ICP-MS			

### Organic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.2	GC-MS	1,1,2,2-Tetrachloroethane	EPA 524.2	GC-MS
1,1,2-Trichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.2	GC-MS
1,1-Dichloropropene	EPA 524.2	GC-MS	1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,3-Trichloropropane	EPA 504.1	GC-ECD
1,2,3-Trichloropropane	EPA 524.2	GC-MS	1,2,4-Trichlorobenzene	EPA 524.2	GC-MS	1,2,4-Trimethylbenzene	EPA 524.2	GC-MS
1,2-Dibromo-3-chloropropane (DBCP)	EPA 504.1	GC-ECD	1,2-Dibromoethane (EDB)	EPA 504.1	GC-ECD	1,2-Dichlorobenzene	EPA 524.2	GC-MS
1,2-Dichloroethane	EPA 524.2	GC-MS	1,2-Dichloropropane	EPA 524.2	GC-MS	1,3,5-Trimethylbenzene	EPA 524.2	GC-MS
1,3-Dichlorobenzene	EPA 524.2	GC-MS	1,3-Dichloropropane	EPA 524.2	GC-MS	1,4-Dichlorobenzene	EPA 524.2	GC-MS
2,2-Dichloropropane	EPA 524.2	GC-MS	2-Chlorotoluene	EPA 524.2	GC-MS	4-Chlorotoluene	EPA 524.2	GC-MS
4-Isopropyltoluene	EPA 524.2	GC-MS	Benzene	EPA 524.2	GC-MS	Bromoacetic Acid	EPA 552.2	GC-ECD
Bromobenzene	EPA 524.2	GC-MS	Bromochloroacetic Acid	EPA 552.2	GC-ECD	Bromochloromethane	EPA 524.2	GC-MS
Bromodichloromethane	EPA 524.2	GC-MS	Bromoform	EPA 524.2	GC-MS	Carbon Tetrachloride	EPA 524.2	GC-MS
Chloroacetic Acid	EPA 552.2	GC-ECD	Chlorobenzene	EPA 524.2	GC-MS	Chloroethane	EPA 524.2	GC-MS
Chloroform	EPA 524.2	GC-MS	cis-1,2-Dichloroethylene	EPA 524.2	GC-MS	cis-1,3-Dichloropropene	EPA 524.2	GC-MS
Dibromoacetic Acid	EPA 552.2	GC-ECD	Dibromochloromethane	EPA 524.2	GC-MS	Dibromomethane	EPA 524.2	GC-MS
Dichloroacetic Acid	EPA 552.2	GC-ECD	Dichlorodifluoromethane	EPA 524.2	GC-MS	Dichloromethane	EPA 524.2	GC-MS
Ethylbenzene	EPA 524.2	GC-MS	Hexachlorobutadiene	EPA 524.2	GC-MS	Isopropylbenzene	EPA 524.2	GC-MS
Methyl Bromide (Bromomethane)	EPA 524.2	GC-MS	Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS	Methyl tert-butyl Ether (MTBE)	EPA 524.2	GC-MS
Naphthalene	EPA 524.2	GC-MS	n-Butylbenzene	EPA 524.2	GC-MS	n-Propylbenzene	EPA 524.2	GC-MS

sec-Butylbenzene	EPA 524.2	GC-MS	Styrene	EPA 524.2	GC-MS	tert-Butylbenzene	EPA 524.2	GC-MS
Tetrachloroethylene	EPA 524.2	GC-MS	Toluene	EPA 524.2	GC-MS	Total Haloacetic Acids (HAA5)	EPA 552.2	GC-ECD
Total Trihalomethanes (THMs)	EPA 524.2	GC-MS	trans-1,2-Dichloroethylene	EPA 524.2	GC-MS	trans-1,3-Dichloropropene	EPA 524.2	GC-MS
Trichloroacetic Acid	EPA 552.2	GC-ECD	Trichloroethylene	EPA 524.2	GC-MS	Trichlorofluoromethane	EPA 524.2	GC-MS
Vinyl Chloride	EPA 524.2	GC-MS	Xylenes (total)	EPA 524.2	GC-MS			

**Radiological Parameters**

<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>
Cesium-134	EPA 901.1	GS-HR	Cesium-137	EPA 901.1	GS-HR	Gamma Emitters	EPA 901.1	GS-HR
Gross Alpha	EPA 00-02	PC	Gross Alpha	EPA 900.0	PC	Gross Beta	EPA 900.0	PC
Radioactive Iodine (Iodine-131)	EPA 901.1	GS-HR	Radioactive Iodine (Iodine-131)	EPA 902.0	PC	Radium-226	EPA 903.0	PC
Radium-226	EPA 903.1	ASC	Radium-228	EPA 904.0	PC	Radon-222	SM 7500-Rn B	LSC
Strontium-89	EPA 905.0	PC	Strontium-90	EPA 905.0	PC	Total Alpha Radium	EPA 903.0	PC
Tritium	EPA 906.0	LSC	Uranium (nat)	ASTM D5174-02	LP	Uranium	ASTM D5174-97	LP
Uranium	DOE U-02	AS	Uranium (nat)	EPA 200.8	ICP-MS			

**Hoffman Analytic Serices, Inc. dba Alloway**  
**1776 Marion-Waldo Road**  
**Marion, OH 43302**  
**(740) 389-5991**

**Contact Person:**  
**Rhonda Morris**  
**rhonda.morris@alloway.com**

**EPA Laboratory #: OH01320**  
**TNI Laboratory #: TNI01646**

**LADHH Secondary AB (TNI-NELAP)**

**Certificate Number: LA160012**

**Issue Date: 01-01-2016**

**Expiration Date: 12-31-2016**

**Inorganic Parameters**

<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>
Alkalinity as CaCO3	SM2320B	TITR	Aluminum	EPA 200.7	ICP-AES	Antimony	EPA 200.8	ICP-MS
Arsenic	EPA 200.8	ICP-MS	Barium	EPA 200.7	ICP-AES	Barium	EPA 200.8	ICP-MS
Beryllium	EPA 200.8	ICP-MS	Bromate	EPA 300.1	IC-COND	Cadmium	EPA 200.8	ICP-MS
Chlorate	EPA 300.0	IC-COND	Chlorate	EPA 300.1	IC-COND	Chloride	EPA 300.0	IC-COND

Chlorite	EPA 300.0	IC-COND	Chlorite	EPA 300.1	IC-COND	Chromium	EPA 200.7	ICP-AES
Chromium	EPA 200.8	ICP-MS	Color	SM 2120B	OTHER	Copper	EPA 200.7	ICP-AES
Copper	EPA 200.8	ICP-MS	Cyanide	EPA 335.4	AUTO	Dissolved Organic Carbon (DOC)	SM 5310B	TOC-IR
Fluoride	SM 4500-F <sup>-</sup> C	ISE	Hardness as CaCO <sub>3</sub> (calcium)	EPA 200.7	ICP-AES	Hardness as CaCO <sub>3</sub> (calcium)	SM 3120B	ICP-AES
Iron	EPA 200.7	ICP-AES	Lead	EPA 200.8	ICP-MS	Manganese	EPA 200.7	ICP-AES
Mercury	EPA 245.1	CVAAS	Nickel	EPA 200.7	ICP-AES	Nickel	EPA 200.8	ICP-MS
Nitrate as N	EPA 353.2	AUTO	Nitrate as N	SM 4500-NO <sub>3</sub> <sup>-</sup> F	AUTO	Nitrite as N	EPA 353.2	AUTO
Odor	SM 2150B	OTHER	Selenium	EPA 200.8	ICP-MS	Silver	EPA 200.7	ICP-AES
Silver	EPA 200.8	ICP-MS	Sodium	EPA 200.7	ICP-AES	Sulfate	EPA 300.0	IC-COND
Surfactants-MBAS	SM 5540C	UV-VIS	Thallium	EPA 200.8	ICP-MS	Total Dissolved Solids (TDS)	SM 2540C	GRAV
Total Organic Carbon (TOC)	SM 5310B	TOC-IR	UV254	SM 5910B	UV/VIS	Zinc	EPA 200.7	ICP-AES

### Organic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.2	GC-MS	1,1,2-Tetrachloroethane	EPA 524.2	GC-MS
1,1,2-Trichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloropropene	EPA 524.2	GC-MS
1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,3-Trichloropropane	EPA 504.1	GC-ECD	1,2,4-Trimethylbenzene	EPA 524.2	GC-MS
1,2-Dibromo-3-chloropropane (DBCP)	EPA 504.1	GC-ECD	1,2-Dibromoethane (EDB)	EPA 504.1	GC-ECD	1,2-Dichlorobenzene	EPA 524.2	GC-MS
1,2-Dichloroethane	EPA 524.2	GC-MS	1,2-Dichloropropane	EPA 524.2	GC-MS	1,3,5-Trimethylbenzene	EPA 524.2	GC-MS
1,3-Dichlorobenzene	EPA 524.2	GC-MS	1,3-Dichloropropane	EPA 524.2	GC-MS	1,4-Dichlorobenzene	EPA 524.2	GC-MS
2,2-Dichloropropane	EPA 524.2	GC-MS	2,4-D	EPA 515.1	GC-ECD	2-Chlorotoluene	EPA 524.2	GC-MS
3-Hydroxycarbofuran	EPA 531.2	HPLC-FLUOR	4-Chlorotoluene	EPA 524.2	GC-MS	4-Isopropyltoluene	EPA 524.2	GC-MS
Alachlor	EPA 525.2	GC-MS	Aldicarb	EPA 531.2	HPLC-FLUOR	Aldicarb Sulfone	EPA 531.2	HPLC-FLUOR
Aldicarb Sulfoxide	EPA 531.2	HPLC-FLUOR	Aldrin	EPA 508	GC-ECD	Atrazine	EPA 525.2	GC-MS
Benzene	EPA 524.2	GC-MS	Benzo(a)pyrene (PAHs)	EPA 525.2	GC-MS	Bis(2-ethylhexyl) phthalate	EPA 525.2	GC-MS
Bromoacetic Acid	EPA 552.2	GC-ECD	Bromobenzene	EPA 524.2	GC-MS	Bromochloroacetic Acid	EPA 552.2	GC-ECD
Bromochloromethane	EPA 524.2	GC-MS	Bromodichloromethane	EPA 524.2	GC-MS	Bromoform	EPA 524.2	GC-MS
Butachlor	EPA 525.2	GC-MS	Carbaryl	EPA 531.2	HPLC-FLUOR	Carbofuran	EPA 531.2	HPLC-FLUOR
Carbon Tetrachloride	EPA 524.2	GC-MS	Chlordane (tech.)	EPA 508	GC-ECD	Chloroacetic Acid	EPA 552.2	GC-ECD
Chlorobenzene	EPA 524.2	GC-MS	Chloroethane	EPA 524.2	GC-MS	Chloroform	EPA 524.2	GC-MS
cis-1,2-Dichloroethylene	EPA 524.2	GC-MS	cis-1,3-Dichloropropene	EPA 524.2	GC-MS	Dalapon	EPA 515.1	GC-ECD
Di(2-ethylhexyl) Adipate	EPA 525.2	GC-MS	Dibromoacetic Acid	EPA 552.2	GC-ECD	Dibromochloromethane	EPA 524.2	GC-MS
Dibromomethane	EPA 524.2	GC-MS	Dicamba	EPA 515.1	GC-ECD	Dichloroacetic Acid	EPA 552.2	GC-ECD
Dichlorodifluoromethane	EPA 524.2	GC-MS	Dichloromethane	EPA 524.2	GC-MS	Dieldrin	EPA 508	GC-ECD
Dinoseb	EPA 515.1	GC-ECD	Diquat	EPA 549.2	HPLC-UV	Endothall	EPA 548.1	GC-MS
Endrin	EPA 508	GC-ECD	Ethylbenzene	EPA 524.2	GC-MS	gamma-BHC (Lindane)	EPA 508	GC-ECD

Glyphosate	EPA 547	HPLC-FLUOR	Heptachlor	EPA 508	GC-ECD	Heptachlor Epoxide	EPA 508	GC-ECD
Hexachlorobenzene	EPA 508	GC-ECD	Hexachlorobenzene	EPA 525.2	GC-MS	Hexachlorobutadiene	EPA 524.2	GC-MS
Hexachlorocyclopentadiene	EPA 508	GC-ECD	Hexachlorocyclopentadiene	EPA 525.2	GC-MS	Isopropylbenzene	EPA 524.2	GC-MS
Methomyl	EPA 531.2	HPLC-FLUOR	Methoxychlor	EPA 508	GC-ECD	Methyl Bromide (Bromomethane)	EPA 524.2	GC-MS
Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS	Methyl tert-butyl Ether (MTBE)	EPA 524.2	GC-MS	Metolachlor	EPA 525.2	GC-MS
Metribuzin	EPA 525.2	GC-MS	Naphthalene	EPA 524.2	GC-MS	n-Butylbenzene	EPA 524.2	GC-MS
n-Propylbenzene	EPA 524.2	GC-MS	Oxamyl	EPA 531.2	HPLC-FLUOR	PCBs as Aroclors (screen)	EPA 508	GC-ECD
PCBs as Decachlorobiphenyl	EPA 508A	GC-ECD	Pentachlorophenol	EPA 515.1	GC-ECD	Picloram	EPA 515.1	GC-ECD
Propachlor	EPA 508	GC-ECD	Propachlor	EPA 525.2	GC-MS	sec-Butylbenzene	EPA 524.2	GC-MS
Silvex (2,4,5-TP)	EPA 515.1	GC-ECD	Simazine	EPA 525.2	GC-MS	Styrene	EPA 524.2	GC-MS
tert-Butylbenzene	EPA 524.2	GC-MS	Tetrachloroethylene	EPA 524.2	GC-MS	Toluene	EPA 524.2	GC-MS
Total Haloacetic Acids (HAA5)	EPA 552.2	GC-ECD	Total Trihalomethanes (THMs)	EPA 524.2	GC-MS	Toxaphene	EPA 508	GC-ECD
trans-1,2-Dichloroethylene	EPA 524.2	GC-MS	trans-1,3-Dichloropropene	EPA 524.2	GC-MS	Trichloroacetic Acid	EPA 552.2	GC-ECD
Trichloroethylene	EPA 524.2	GC-MS	Trichlorofluoromethane	EPA 524.2	GC-MS	Vinyl Chloride	EPA 524.2	GC-MS
Xylenes (total)	EPA 524.2	GC-MS						

**Jefferson Parish Water Quality Lab**  
**3600 Jefferson Highway Building E**  
**Jefferson, LA 70121**  
**(504) 838-4300**

**Contact Person:**  
**Kristen Ragan**  
**sgrant@jeffparish.net**

**EPA Laboratory #:** LA00002  
**TNI Laboratory #:** N/A

**LADHH Primary AB (STATE)**

**Certificate Number:** LA160009

**Issue Date:** 01-01-2016

**Expiration Date:** 12-31-2016

**Inorganic Parameters**

<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>
Aluminum	EPA 200.8	ICP-MS	Antimony	EPA 200.8	ICP-MS	Arsenic	EPA 200.8	ICP-MS
Barium	EPA 200.8	ICP-MS	Beryllium	EPA 200.8	ICP-MS	Cadmium	EPA 200.8	ICP-MS
Chromium	EPA 200.8	ICP-MS	Copper	EPA 200.8	ICP-MS	Dissolved Organic Carbon (DOC)	SM 5310C	TOC-FID
Fluoride	SM 4500-F <sup>-</sup> C	ISE	Lead	EPA 200.8	ICP-MS	Manganese	EPA 200.8	ICP-MS
Mercury	EPA 200.8	ICP-MS	Molybdenum	EPA 200.8	ICP-MS	Nickel	EPA 200.8	ICP-MS
Nitrate as N	EPA 300.0	IC-COND	Nitrate-Nitrite as N	EPA 300.0	IC-COND	Nitrite as N	EPA 300.0	IC-COND

Selenium	EPA 200.8	ICP-MS	Silver	EPA 200.8	ICP-MS	Thallium	EPA 200.8	ICP-MS
Total Organic Carbon (TOC)	SM 5310C	TOC-FID	UV254	SM 5910B	UV/VIS	Vanadium	EPA 200.8	ICP-MS
Zinc	EPA 200.8	ICP-MS						

### Organic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Alachlor	EPA 505	GC-ECD	Atrazine	EPA 505	GC-ECD	Bromoacetic Acid	EPA 552.2	GC-ECD
Bromochloroacetic Acid	EPA 552.2	GC-ECD	Bromodichloromethane	EPA 502.2	GC-ELCD/PID	Bromoform	EPA 502.2	GC-ELCD/PID
Chloroacetic Acid	EPA 552.2	GC-ECD	Chloroform	EPA 502.2	GC-ELCD/PID	Dalapon	EPA 552.2	GC-ECD
Dibromoacetic Acid	EPA 552.2	GC-ECD	Dibromochloromethane	EPA 502.2	GC-ELCD/PID	Dichloroacetic Acid	EPA 552.2	GC-ECD
Simazine	EPA 505	GC-ECD	Total Haloacetic Acids (HAA5)	EPA 552.2	GC-ECD	Total Trihalomethanes (THMs)	EPA 502.2	GC-ELCD/PID
Trichloroacetic Acid	EPA 552.2	GC-ECD						

**National Testing Laboratories, Ltd.**  
**556 South Mansfield Street**  
**Ypsilanti, MI 48197**  
**(734) 483-8333**

**Contact Person:**  
**Chrissy MacMillan**  
**cmacmillan@ntllabs.com**

**EPA Laboratory #: MI00044**  
**TNI Laboratory #: TNI02138**

**LADHH Primary AB (TNI-NELAP)**

**Certificate Number: LA160015**

**Issue Date: 01-01-2016**

**Expiration Date: 12-31-2016**

### Inorganic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Alkalinity as CaCO3	SM2320B	TITR	Aluminum	EPA 200.7	ICP-AES	Antimony	EPA 200.8	ICP-MS
Antimony	SM 3113B	GFAAS	Arsenic	EPA 200.8	ICP-MS	Arsenic	SM 3113B	GFAAS
Barium	EPA 200.7	ICP-AES	Barium	EPA 200.8	ICP-MS	Beryllium	EPA 200.7	ICP-AES
Beryllium	EPA 200.8	ICP-MS	Boron	EPA 200.7	ICP-AES	Bromate	EPA 300.1	IC-COND
Bromate	EPA 326.0	IC-UV/VIS	Bromide	EPA 300.0	IC-COND	Bromide	EPA 300.1	IC-COND
Cadmium	EPA 200.7	ICP-AES	Cadmium	EPA 200.8	ICP-MS	Calcium	EPA 200.7	ICP-AES
Chlorate	EPA 300.1	IC-COND	Chloride	EPA 300.0	IC-COND	Chlorine Dioxide	SM 4500-ClO2 C	TITR
Chlorine (free residual)	SM 4500-Cl G	UV-VIS	Chlorine (total residual)	SM 4500-Cl G	UV-VIS	Chlorite	EPA 300.1	IC-COND
Chromium	EPA 200.7	ICP-AES	Chromium	EPA 200.8	ICP-MS	Color	SM 2120B	OTHER

Conductivity	SM 2510B	COND	Copper	EPA 200.7	ICP-AES	Copper	EPA 200.8	ICP-MS
Fluoride	EPA 300.0	IC-COND	Hardness as CaCO <sub>3</sub> (calcium)	SM 2340B	OTHER	Hardness as CaCO <sub>3</sub> (total)	SM 2340C	TITR
Iron	EPA 200.7	ICP-AES	Lead	EPA 200.8	ICP-MS	Lead	SM 3113B	GFAAS
Magnesium	EPA 200.7	ICP-AES	Manganese	EPA 200.7	ICP-AES	Manganese	EPA 200.8	ICP-MS
Mercury	EPA 200.8	ICP-MS	Nickel	EPA 200.7	ICP-AES	Nickel	EPA 200.8	ICP-MS
Nitrate as N	EPA 300.0	IC-COND	Nitrate-Nitrite as N	EPA 300.0	IC-COND	Nitrite as N	EPA 300.0	IC-COND
Odor	SM 2150B	OTHER	Orthophosphate as P	EPA 300.0	IC-COND	pH	EPA 150.1	ISE
Potassium	EPA 200.7	ICP-AES	Selenium	EPA 200.8	ICP-MS	Selenium	SM 3113B	GFAAS
Silica as SiO <sub>2</sub>	EPA 200.7	ICP-AES	Silver	EPA 200.7	ICP-AES	Silver	EPA 200.8	ICP-MS
Sodium	EPA 200.7	ICP-AES	Sulfate	EPA 300.0	IC-COND	Surfactants-MBAS	SM 5540C	UV-VIS
Thallium	EPA 200.8	ICP-MS	Total Dissolved Solids (TDS)	SM 2540C	GRAV	Total Organic Carbon (TOC)	SM 5310C	TOC-FID
Total Suspended Solids (TSS)	SM 2540C	GRAV	Turbidity	SM 2130B	TURB	Uranium	EPA 200.8	ICP-MS
Vanadium	EPA 200.7	ICP-AES	Vanadium	EPA 200.8	ICP-MS	Zinc	EPA 200.7	ICP-AES
Zinc	EPA 200.8	ICP-MS						

### Organic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.2	GC-MS	1,1,2,2-Tetrachloroethane	EPA 524.2	GC-MS
1,1,2-Trichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.2	GC-MS
1,1-Dichloropropene	EPA 524.2	GC-MS	1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,3-Trichloropropane	EPA 504.1	GC-ECD
1,2,4-Trichlorobenzene	EPA 524.2	GC-MS	1,2,4-Trimethylbenzene	EPA 524.2	GC-MS	1,2-Dibromo-3-chloropropane (DBCP)	EPA 504.1	GC-ECD
1,2-Dibromoethane (EDB)	EPA 504.1	GC-ECD	1,2-Dichlorobenzene	EPA 524.2	GC-MS	1,2-Dichloroethane	EPA 524.2	GC-MS
1,2-Dichloropropane	EPA 524.2	GC-MS	1,3,5-Trimethylbenzene	EPA 524.2	GC-MS	1,3-Dichlorobenzene	EPA 524.2	GC-MS
1,3-Dichloropropane	EPA 524.2	GC-MS	1,4-Dichlorobenzene	EPA 524.2	GC-MS	2,2-Dichloropropane	EPA 524.2	GC-MS
2,4-D	EPA 515.4	GC-ECD	2-Chlorotoluene	EPA 524.2	GC-MS	3-Hydroxycarbofuran	EPA 531.2	HPLC-FLUOR
4-Chlorotoluene	EPA 524.2	GC-MS	4-Isopropyltoluene	EPA 524.2	GC-MS	Alachlor	EPA 525.2	GC-MS
Aldicarb	EPA 531.2	HPLC-FLUOR	Aldicarb Sulfone	EPA 531.2	HPLC-FLUOR	Aldicarb Sulfoxide	EPA 531.2	HPLC-FLUOR
Aldrin	EPA 505	GC-ECD	Aldrin	EPA 525.2	GC-MS	Atrazine	EPA 525.2	GC-MS
Bentazon	EPA 515.4	GC-ECD	Benzene	EPA 524.2	GC-MS	Benzo(a)pyrene (PAHs)	EPA 525.2	GC-MS
Bis(2-ethylhexyl) phthalate	EPA 525.2	GC-MS	Bromoacetic Acid	EPA 552.2	GC-ECD	Bromobenzene	EPA 524.2	GC-MS
Bromochloromethane	EPA 524.2	GC-MS	Bromodichloromethane	EPA 524.2	GC-MS	Bromoform	EPA 524.2	GC-MS
Butachlor	EPA 525.2	GC-MS	Carbaryl	EPA 531.2	HPLC-FLUOR	Carbofuran	EPA 531.2	HPLC-FLUOR
Carbon Tetrachloride	EPA 524.2	GC-MS	Chlordane (tech.)	EPA 505	GC-ECD	Chloroacetic Acid	EPA 552.2	GC-ECD
Chlorobenzene	EPA 524.2	GC-MS	Chloroethane	EPA 524.2	GC-MS	Chloroform	EPA 524.2	GC-MS
cis-1,2-Dichloroethylene	EPA 524.2	GC-MS	cis-1,3-Dichloropropene	EPA 524.2	GC-MS	Dalapon	EPA 515.4	GC-ECD
Dalapon	EPA 552.2	GC-ECD	Di(2-ethylhexyl) Adipate	EPA 525.2	GC-MS	Dibromoacetic Acid	EPA 552.2	GC-ECD



Dibromochloromethane	EPA 524.2	GC-MS	Dibromomethane	EPA 524.2	GC-MS	Dicamba	EPA 515.4	GC-ECD
Dichloroacetic Acid	EPA 552.2	GC-ECD	Dichlorodifluoromethane	EPA 524.2	GC-MS	Dichloromethane	EPA 524.2	GC-MS
Dieldrin	EPA 505	GC-ECD	Dieldrin	EPA 525.2	GC-MS	Dinoseb	EPA 515.4	GC-ECD
Diquat	EPA 549.2	HPLC-UV	Endothall	EPA 548.1	GC-MS	Endrin	EPA 505	GC-ECD
Endrin	EPA 525.2	GC-MS	Ethylbenzene	EPA 524.2	GC-MS	gamma-BHC (Lindane)	EPA 505	GC-ECD
gamma-BHC (Lindane)	EPA 525.2	GC-MS	Glyphosate	EPA 547	HPLC-FLUOR	Heptachlor	EPA 505	GC-ECD
Heptachlor	EPA 525.2	GC-MS	Heptachlor Epoxide	EPA 505	GC-ECD	Heptachlor Epoxide	EPA 525.2	GC-MS
Hexachlorobenzene	EPA 505	GC-ECD	Hexachlorobenzene	EPA 525.2	GC-MS	Hexachlorobutadiene	EPA 524.2	GC-MS
Hexachlorocyclopentadiene	EPA 505	GC-ECD	Hexachlorocyclopentadiene	EPA 525.2	GC-MS	Isopropylbenzene	EPA 524.2	GC-MS
Methomyl	EPA 531.2	HPLC-FLUOR	Methoxychlor	EPA 505	GC-ECD	Methoxychlor	EPA 525.2	GC-MS
Methyl Bromide (Bromomethane)	EPA 524.2	GC-MS	Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS	Methyl tert-butyl Ether (MTBE)	EPA 524.2	GC-MS
Metolachlor	EPA 525.2	GC-MS	Metribuzin	EPA 525.2	GC-MS	Molinate	EPA 525.2	GC-MS
Naphthalene	EPA 524.2	GC-MS	n-Butylbenzene	EPA 524.2	GC-MS	n-Propylbenzene	EPA 524.2	GC-MS
Oxamyl	EPA 531.2	HPLC-FLUOR	PCBs as Aroclors (screen)	EPA 505	GC-ECD	Pentachlorophenol	EPA 515.4	GC-ECD
Picloram	EPA 515.4	GC-ECD	Propachlor	EPA 525.2	GC-MS	sec-Butylbenzene	EPA 524.2	GC-MS
Silvex (2,4,5-TP)	EPA 515.4	GC-ECD	Simazine	EPA 525.2	GC-MS	Styrene	EPA 524.2	GC-MS
tert-Butylbenzene	EPA 524.2	GC-MS	Tetrachloroethylene	EPA 524.2	GC-MS	Thiobencarb	EPA 525.2	GC-MS
Toluene	EPA 524.2	GC-MS	Total Haloacetic Acids (HAA5)	EPA 552.2	GC-ECD	Total Trihalomethanes (THMs)	EPA 524.2	GC-MS
Toxaphene	EPA 505	GC-ECD	trans-1,2-Dichloroethylene	EPA 524.2	GC-MS	trans-1,3-Dichloropropene	EPA 524.2	GC-MS
Trichloroacetic Acid	EPA 552.2	GC-ECD	Trichloroethylene	EPA 524.2	GC-MS	Trichlorofluoromethane	EPA 524.2	GC-MS
Trifluralin	EPA 505	GC-ECD	Trifluralin	EPA 525.2	GC-MS	Vinyl Chloride	EPA 524.2	GC-MS
Xylenes (total)	EPA 524.2	GC-MS						

**NovaChem Laboratories, Inc.**  
**5172 College Corner Pike**  
**Oxford, OH 45056**  
**(513) 523-3605**

**Contact Person:**  
**Bernard Bubnis**  
**bbubnis@novachemlabs.com**

**EPA Laboratory #:** OH00286  
**TNI Laboratory #:** TNI01198

**LADHH Primary AB (TNI-NELAP)**

**Certificate Number:** LA160018

**Issue Date:** 01-01-2016

**Expiration Date:** 12-31-2016

**Inorganic Parameters**

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Bromate	EPA 300.1	IC-COND	Bromide	EPA 300.1	IC-COND	Chlorate	EPA 300.1	IC-COND
Chlorite	EPA 300.1	IC-COND						

**Pace Analytical Services, Inc.-Florida**  
**8 East Tower Circle**  
**Ormond Beach, FL 32174**  
**(386) 672-5668**

**Contact Person:**  
**Lynn Baylor**  
**lynn.baylor@pacelabs.com**

**EPA Laboratory #:** FL01264  
**TNI Laboratory #:** TNI00459

**LADHH Secondary AB (TNI-NELAP)**

**Certificate Number:** LA160013

**Issue Date:** 01-01-2016

**Expiration Date:** 12-31-2016

**Inorganic Parameters**

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Alkalinity as CaCO3	SM2320B	TITR	Aluminum	EPA 200.7	ICP-AES	Aluminum	EPA 200.8	ICP-MS
Antimony	EPA 200.8	ICP-MS	Arsenic	EPA 200.8	ICP-MS	Barium	EPA 200.7	ICP-AES
Barium	EPA 200.8	ICP-MS	Beryllium	EPA 200.7	ICP-AES	Beryllium	EPA 200.8	ICP-MS
Bromate	EPA 300.1	IC-COND	Bromide	EPA 300.0	IC-COND	Bromide	EPA 300.1	IC-COND
Cadmium	EPA 200.7	ICP-AES	Cadmium	EPA 200.8	ICP-MS	Calcium	EPA 200.7	ICP-AES

Chlorate	EPA 300.1	IC-COND	Chloride	EPA 300.0	IC-COND	Chlorine Dioxide	SM 4500-ClO <sub>2</sub> C	TITR
Chlorine (free residual)	SM 4500-Cl D	AMP	Chlorine (total residual)	SM 4500-Cl D	AMP	Chlorite	EPA 300.1	IC-COND
Chromium	EPA 200.7	ICP-AES	Chromium	EPA 200.8	ICP-MS	Chromium (VI) (dissolved)	EPA 218.6	IC-UV
Chromium (VI)	EPA 218.7	IC-UV	Color	SM 2120B	OTHER	Conductivity	SM 2510B	COND
Copper	EPA 200.7	ICP-AES	Copper	EPA 200.8	ICP-MS	Corrosivity (Langlier Index)	SM 2330B	OTHER
Cyanide	EPA 335.4	AUTO	Dissolved Organic Carbon (DOC)	SM 5310B	TOC-IR	Fluoride	EPA 300.0	IC-COND
Hardness as CaCO <sub>3</sub> (calcium)	EPA 200.7	ICP-AES	Hardness as CaCO <sub>3</sub> (calcium)	SM 2340B	OTHER	Hardness as CaCO <sub>3</sub> (total)	EPA 200.7	ICP-AES
Hardness as CaCO <sub>3</sub> (total)	SM 2340B	OTHER	Iron	EPA 200.7	ICP-AES	Lead	EPA 200.8	ICP-MS
Magnesium	EPA 200.7	ICP-AES	Manganese	EPA 200.7	ICP-AES	Manganese	EPA 200.8	ICP-MS
Mercury	EPA 245.1	CVAAS	Nickel	EPA 200.7	ICP-AES	Nickel	EPA 200.8	ICP-MS
Nitrate as N	EPA 300.0	IC-COND	Nitrate as N	EPA 353.2	AUTO	Nitrate-Nitrite as N	EPA 300.0	IC-COND
Nitrate-Nitrite as N	EPA 353.2	AUTO	Nitrite as N	EPA 300.0	IC-COND	Nitrite as N	EPA 353.2	AUTO
Odor	SM 2150B	OTHER	Orthophosphate as P	EPA 300.0	IC-COND	Orthophosphate as P	EPA 365.1	AUTO
Perchlorate	EPA 331.0	LC/ESI/MS	pH	SM 4500-H <sup>+</sup> B	ISE	Potassium	EPA 200.7	ICP-AES
Residue-Filterable (TDS)	SM 2540C	GRAV	Selenium	EPA 200.8	ICP-MS	Silica as SiO <sub>2</sub>	EPA 200.7	ICP-AES
Silica as SiO <sub>2</sub>	SM 4500-Si D	UV-VIS	Silver	EPA 200.7	ICP-AES	Silver	EPA 200.8	ICP-MS
Sodium	EPA 200.7	ICP-AES	Sulfate	EPA 300.0	IC-COND	Surfactants-MBAS	SM 5540C	UV-VIS
Thallium	EPA 200.8	ICP-MS	Total Dissolved Solids (TDS)	SM 2540C	GRAV	Total Organic Carbon (TOC)	SM 5310B	TOC-IR
Turbidity	EPA 180.1	TURB	Uranium	EPA 200.8	ICP-MS	UV254	SM 5910B	UV/VIS
Zinc	EPA 200.7	ICP-AES	Zinc	EPA 200.8	ICP-MS			

### Organic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.2	GC-MS	1,1,2,2-Tetrachloroethane	EPA 524.2	GC-MS
1,1,2-Trichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.2	GC-MS
1,1-Dichloropropene	EPA 524.2	GC-MS	1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,3-Trichloropropane	EPA 504.1	GC-ECD
1,2,3-Trichloropropane	EPA 524.2	GC-MS	1,2,4-Trichlorobenzene	EPA 524.2	GC-MS	1,2,4-Trimethylbenzene	EPA 524.2	GC-MS
1,2-Dibromo-3-chloropropane (DBCP)	EPA 504.1	GC-ECD	1,2-Dibromoethane (EDB)	EPA 504.1	GC-ECD	1,2-Dichlorobenzene	EPA 524.2	GC-MS
1,2-Dichloroethane	EPA 524.2	GC-MS	1,2-Dichloropropane	EPA 524.2	GC-MS	1,3,5-Trimethylbenzene	EPA 524.2	GC-MS
1,3-Dichlorobenzene	EPA 524.2	GC-MS	1,3-Dichloropropane	EPA 524.2	GC-MS	1,4-Dichlorobenzene	EPA 524.2	GC-MS
1,4-Dioxane	EPA 522	GC-MS	2,2-Dichloropropane	EPA 524.2	GC-MS	2,4,5-T	EPA 515.3	GC-ECD
2,4-D	EPA 515.3	GC-ECD	2,4-DB	EPA 515.3	GC-ECD	2-Chlorotoluene	EPA 524.2	GC-MS
3-Hydroxycarbofuran	EPA 531.1	HPLC-FLUOR	4-Chlorotoluene	EPA 524.2	GC-MS	4-Isopropyltoluene	EPA 524.2	GC-MS
Acifluorfen	EPA 515.3	GC-ECD	Alachlor	EPA 508.1	GC-ECD	Aldicarb	EPA 531.1	HPLC-FLUOR
Aldicarb Sulfone	EPA 531.1	HPLC-FLUOR	Aldicarb Sulfoxide	EPA 531.1	HPLC-FLUOR	Aldrin	EPA 525.2	GC-MS
Atrazine	EPA 508.1	GC-ECD	Bentazon	EPA 515.3	GC-ECD	Benzene	EPA 524.2	GC-MS

Benzo(a)pyrene (PAHs)	EPA 525.2	GC-MS	Bis(2-ethylhexyl) phthalate	EPA 525.2	GC-MS	Bromoacetic Acid	EPA 552.2	GC-ECD
Bromobenzene	EPA 524.2	GC-MS	Bromochloroacetic Acid	EPA 552.2	GC-ECD	Bromochloromethane	EPA 524.2	GC-MS
Bromodichloromethane	EPA 524.2	GC-MS	Bromoform	EPA 524.2	GC-MS	Butachlor	EPA 508.1	GC-ECD
Butachlor	EPA 525.2	GC-MS	Carbaryl	EPA 531.1	HPLC-FLUOR	Carbofuran	EPA 531.1	HPLC-FLUOR
Carbon Tetrachloride	EPA 524.2	GC-MS	Chlordane (tech.)	EPA 508.1	GC-ECD	Chloroacetic Acid	EPA 552.2	GC-ECD
Chlorobenzene	EPA 524.2	GC-MS	Chloroethane	EPA 524.2	GC-MS	Chloroform	EPA 524.2	GC-MS
cis-1,2-Dichloroethylene	EPA 524.2	GC-MS	cis-1,3-Dichloropropene	EPA 524.2	GC-MS	Dalapon	EPA 515.3	GC-ECD
Di(2-ethylhexyl) Adipate	EPA 525.2	GC-MS	Dibromoacetic Acid	EPA 552.2	GC-ECD	Dibromochloromethane	EPA 524.2	GC-MS
Dibromomethane	EPA 524.2	GC-MS	Dicamba	EPA 515.3	GC-ECD	Dichloroacetic Acid	EPA 552.2	GC-ECD
Dichlorodifluoromethane	EPA 524.2	GC-MS	Dichloromethane	EPA 524.2	GC-MS	Dichloroprop	EPA 515.3	GC-ECD
Dieldrin	EPA 508.1	GC-ECD	Dieldrin	EPA 525.2	GC-MS	Diethyl phthalate	EPA 525.2	GC-MS
Dimethyl phthalate	EPA 525.2	GC-MS	Di-n-butyl phthalate	EPA 525.2	GC-MS	Dinoseb	EPA 515.3	GC-ECD
Diquat	EPA 549.2	HPLC-UV	Endothall	EPA 548.1	GC-MS	Endrin	EPA 508.1	GC-ECD
Ethylbenzene	EPA 524.2	GC-MS	Fluorene	EPA 525.2	GC-MS	gamma-BHC (Lindane)	EPA 508.1	GC-ECD
Ethylbenzene	EPA 524.2	GC-MS	gamma-BHC (Lindane)	EPA 508.1	GC-ECD	Glyphosate	EPA 547	HPLC-FLUOR
Heptachlor	EPA 508.1	GC-ECD	Heptachlor Epoxide	EPA 508.1	GC-ECD	Hexachlorobenzene	EPA 508.1	GC-ECD
Hexachlorobutadiene	EPA 524.2	GC-MS	Hexachlorocyclopentadiene	EPA 508.1	GC-ECD	Indeno(1,2,3-cd)pyrene	EPA 524.2	GC-MS
Isopropylbenzene	EPA 524.2	GC-MS	Methiocarb	EPA 531.1	HPLC-FLUOR	Methomyl	EPA 531.1	HPLC-FLUOR
Methoxychlor	EPA 508.1	GC-ECD	Methyl Bromide (Bromomethane)	EPA 524.2	GC-MS	Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS
Methyl tert-butyl Ether (MTBE)	EPA 524.2	GC-MS	Metolachlor	EPA 508.1	GC-ECD	Metolachlor	EPA 525.2	GC-MS
Metribuzin	EPA 508.1	GC-ECD	Naphthalene	EPA 524.2	GC-MS	n-Butylbenzene	EPA 524.2	GC-MS
n-Propylbenzene	EPA 524.2	GC-MS	Oxamyl	EPA 531.1	HPLC-FLUOR	PCBs as Aroclors (screen)	EPA 508.1	GC-ECD
Pentachlorophenol	EPA 515.3	GC-ECD	Picloram	EPA 515.3	GC-ECD	Propachlor	EPA 508.1	GC-ECD
Propachlor	EPA 525.2	GC-MS	sec-Butylbenzene	EPA 524.2	GC-MS	Silvex (2,4,5-TP)	EPA 515.3	GC-ECD
Simazine	EPA 508.1	GC-ECD	Styrene	EPA 524.2	GC-MS	tert-Butylbenzene	EPA 524.2	GC-MS
Tetrachloroethylene	EPA 524.2	GC-MS	Toluene	EPA 524.2	GC-MS	Total Haloacetic Acids (HAA5)	EPA 552.2	GC-ECD
Total Trihalomethanes (THMs)	EPA 524.2	GC-MS	Toxaphene	EPA 508.1	GC-ECD	trans-1,2-Dichloroethylene	EPA 524.2	GC-MS
trans-1,3-Dichloropropene	EPA 524.2	GC-MS	Trichloroacetic Acid	EPA 552.1	GC-ECD	Trichloroethylene	EPA 524.2	GC-MS
Trichlorofluoromethane	EPA 524.2	GC-MS	Trifluralin	EPA 525.2	GC-MS	Vinyl Chloride	EPA 524.2	GC-MS
Xylenes (total)	EPA 524.2	GC-MS						

**Pace Analytical Services, Inc.-Minneapolis**  
**1700 Elm Street SE Suite 200**  
**Minneapolis, MN 55414**  
**(612) 607-1700**

**Contact Person:**  
**Melanie Ollila**  
**melanie.ollola@pacelabs.com**

**EPA Laboratory #: MN00064**  
**TNI Laboratory #: TNI00223**

**LADHH Secondary AB (TNI-NELAP)**

**Certificate Number: LA160021**

**Issue Date: 01-01-2016**

**Expiration Date: 12-31-2016**

**Inorganic Parameters**

<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>
Aluminum	EPA 200.8	ICP-MS	Antimony	EPA 200.8	ICP-MS	Arsenic	EPA 200.8	ICP-MS
Barium	EPA 200.8	ICP-MS	Beryllium	EPA 200.8	ICP-MS	Cadmium	EPA 200.8	ICP-MS
Chloride	EPA 300.0	IC-COND	Chromium	EPA 200.8	ICP-MS	Copper	EPA 200.8	ICP-MS
Fluoride	EPA 300.0	IC-COND	Hardness as CaCO <sub>3</sub> (total)	SM 2340B	OTHER	Lead	EPA 200.8	ICP-MS
Manganese	EPA 200.8	ICP-MS	Mercury	EPA 200.8	ICP-MS	Mercury	EPA 245.1	CVAAS
Nickel	EPA 200.8	ICP-MS	Nitrate as N	EPA 300.0	IC-COND	Nitrite as N	EPA 300.0	IC-COND
Selenium	EPA 200.8	ICP-MS	Silver	EPA 200.8	ICP-MS	Sulfate	EPA 300.0	IC-COND
Thallium	EPA 200.8	ICP-MS	Zinc	EPA 200.8	ICP-MS			

**Organic Parameters**

<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>
1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.2	GC-MS	1,1,2,2-Tetrachloroethane	EPA 524.2	GC-MS
1,1,2-Trichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.2	GC-MS
1,1-Dichloropropene	EPA 524.2	GC-MS	1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,3-Trichloropropane	EPA 524.2	GC-MS
1,2,4-Trichlorobenzene	EPA 524.2	GC-MS	1,2,4-Trimethylbenzene	EPA 524.2	GC-MS	1,2-Dichlorobenzene	EPA 524.2	GC-MS
1,2-Dichloroethane	EPA 524.2	GC-MS	1,2-Dichloropropane	EPA 524.2	GC-MS	1,3-Dichlorobenzene	EPA 524.2	GC-MS
1,4-Dichlorobenzene	EPA 524.2	GC-MS	2,2-Dichloropropane	EPA 524.2	GC-MS	2,3,7,8-TCDD (Dioxin)	EPA 1613	GC-HRMS
2-Chlorotoluene	EPA 524.2	GC-MS	4-Chlorotoluene	EPA 524.2	GC-MS	Benzene	EPA 524.2	GC-MS
Bromobenzene	EPA 524.2	GC-MS	Bromochloromethane	EPA 524.2	GC-MS	Bromodichloromethane	EPA 524.2	GC-MS
Bromoform	EPA 524.2	GC-MS	Carbon Tetrachloride	EPA 524.2	GC-MS	Chlorobenzene	EPA 524.2	GC-MS
Chloroethane	EPA 524.2	GC-MS	Chloroform	EPA 524.2	GC-MS	cis-1,2-Dichloroethylene	EPA 524.2	GC-MS

cis-1,3-Dichloropropene	EPA 524.2	GC-MS	Dibromochloromethane	EPA 524.2	GC-MS	Dibromomethane	EPA 524.2	GC-MS
Dichlorodifluoromethane	EPA 524.2	GC-MS	Dichloromethane	EPA 524.2	GC-MS	Ethylbenzene	EPA 524.2	GC-MS
Hexachlorobutadiene	EPA 524.2	GC-MS	Isopropylbenzene	EPA 524.2	GC-MS	Methyl Bromide (Bromomethane)	EPA 524.2	GC-MS
Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS	Methyl tert-butyl Ether (MTBE)	EPA 524.2	GC-MS	Naphthalene	EPA 524.2	GC-MS
n-Butylbenzene	EPA 524.2	GC-MS	n-Propylbenzene	EPA 524.2	GC-MS	sec-Butylbenzene	EPA 524.2	GC-MS
Styrene	EPA 524.2	GC-MS	tert-Butylbenzene	EPA 524.2	GC-MS	Tetrachloroethylene	EPA 524.2	GC-MS
Toluene	EPA 524.2	GC-MS	Total Trihalomethanes (THMs)	EPA 524.2	GC-MS	trans-1,2-Dichloroethylene	EPA 524.2	GC-MS
trans-1,3-Dichloropropene	EPA 524.2	GC-MS	Trichloroethylene	EPA 524.2	GC-MS	Trichlorofluoromethane	EPA 524.2	GC-MS
Vinyl Chloride	EPA 524.2	GC-MS	Xylenes (total)	EPA 524.2	GC-MS			

**Pace Analytical Services, Inc.-Pittsburgh**  
**1638 Roseytown Road Suites 2,3,&4**  
**Greensburg, PA 15601**  
**(724) 850-5600**

**Contact Person:**  
**Nasreen DeRubeis**  
**nasreen.derubeis@pacelabs.com**

**EPA Laboratory #: PA01457**  
**TNI Laboratory #: TNI02141**

**LADHH Secondary AB (TNI-NELAP)**

**Certificate Number: LA160004**

**Issue Date: 01-01-2016**

**Expiration Date: 12-31-2016**

**Radiological Parameters**

<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>
Gamma Emitters	EPA 901.1	GS-HR	Gross Alpha	EPA 900.0	PC	Gross Alpha	SM 7110C	PC
Gross Beta	EPA 900.0	PC	Radium-226	EPA 903.1	ASC	Radium-228	EPA 904.0	PC
Radon-222	SM 7500-Rn B	LSC	Strontium-90	EPA 905.0	PC	Total Alpha Radium	EPA 903.0	PC
Tritium	EPA 906.0	LSC	Uranium (nat)	ASTM D5174-97	LP	Uranium (nat)	EPA 908.0	PC

**SGS Accutest Inc. – Lafayette  
500 Ambassador Caffery Pkwy  
Scott, LA 70583-8544  
(337) 237-4775**

**Contact Person:  
Karen Rodrigue-Varnado  
karenrv@accutest.com**

**EPA Laboratory #: LA00013  
TNI Laboratory #: TNI01404**

**LADHH Primary AB (TNI-NELAP)**

**Certificate Number: LA160020**

**Issue Date: 01-01-2016**

**Expiration Date: 12-31-2016**

**Inorganic Parameters**

<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>
Alkalinity as CaCO3	SM2320B	TITR	Aluminum	EPA 200.8	ICP-MS	Antimony	EPA 200.8	ICP-MS
Arsenic	EPA 200.8	ICP-MS	Barium	EPA 200.8	ICP-MS	Beryllium	EPA 200.8	ICP-MS
Cadmium	EPA 200.8	ICP-MS	Chloride	EPA 300.0	IC-COND	Chromium	EPA 200.8	ICP-MS
Copper	EPA 200.8	ICP-MS	Fluoride	EPA 300.0	IC-COND	Lead	EPA 200.8	ICP-MS
Manganese	EPA 200.8	ICP-MS	Mercury	EPA 245.1	CVAAS	Molybdenum	EPA 200.8	ICP-MS
Nickel	EPA 200.8	ICP-MS	Nitrate as N	EPA 300.0	IC-COND	Nitrate-Nitrite asN	SM 4500-NO3 <sup>-</sup> E	UV-VIS
Selenium	EPA 200.8	ICP-MS	Silver	EPA 200.8	ICP-MS	Sulfate	EPA 300.0	IC-COND
Thallium	EPA 200.8	ICP-MS	Total Organic Carbon (TOC)	SM 5310B	TOC-IR	Vanadium	EPA 200.8	ICP-MS
Zinc	EPA 200.8	ICP-MS						

**Organic Parameters**

<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>
1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.2	GC-MS	1,1,2,2-Tetrachloroethane	EPA 524.2	GC-MS
1,1,2-Trichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.2	GC-MS
1,1-Dichloropropene	EPA 524.2	GC-MS	1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,3-Trichloropropane	EPA 524.2	GC-MS
1,2,4-Trichlorobenzene	EPA 524.2	GC-MS	1,2,4-Trimethylbenzene	EPA 524.2	GC-MS	1,2-Dibromo-3-chloropropane (DBCP)	EPA 504.1	GC-ECD
1,2-Dibromoethane (EDB)	EPA 504.1	GC-ECD	1,2-Dichlorobenzene	EPA 524.2	GC-MS	1,2-Dichloroethane	EPA 524.2	GC-MS
1,2-Dichloropropane	EPA 524.2	GC-MS	1,3,5-Trimethylbenzene	EPA 524.2	GC-MS	1,3-Dichlorobenzene	EPA 524.2	GC-MS
1,3-Dichloropropane	EPA 524.2	GC-MS	1,4-Dichlorobenzene	EPA 524.2	GC-MS	2,2-Dichloropropane	EPA 524.2	GC-MS
2-Chlorotoluene	EPA 524.2	GC-MS	4-Chlorotoluene	EPA 524.2	GC-MS	4-Isopropyltoluene	EPA 524.2	GC-MS
Benzene	EPA 524.2	GC-MS	Bromoacetic Acid	EPA 552.3	GC-ECD	Bromobenzene	EPA 524.2	GC-MS
Bromochloromethane	EPA 524.2	GC-MS	Bromodichloromethane	EPA 524.2	GC-MS	Bromoform	EPA 524.2	GC-MS

Carbon Tetrachloride	EPA 524.2	GC-MS	Chloroacetic Acid	EPA 552.2	GC-ECD	Chlorobenzene	EPA 524.2	GC-MS
Chloroethane	EPA 524.2	GC-MS	Chloroform	EPA 524.2	GC-MS	cis-1,2-Dichloroethylene	EPA 524.2	GC-MS
cis-1,3-Dichloropropene	EPA 524.2	GC-MS	Dibromoacetic Acid	EPA 552.3	GC-ECD	Dibromochloromethane	EPA 524.2	GC-MS
Dibromomethane	EPA 524.2	GC-MS	Dichloroacetic Acid	EPA 552.2	GC-ECD	Dichlorodifluoromethane	EPA 524.2	GC-MS
Dichloromethane	EPA 524.2	GC-MS	Ethylbenzene	EPA 524.2	GC-MS	Hexachlorobutadiene	EPA 524.2	GC-MS
Isopropylbenzene	EPA 524.2	GC-MS	Methyl Bromide (Bromomethane)	EPA 524.2	GC-MS	Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS
Methyl tert-butyl Ether (MTBE)	EPA 524.2	GC-MS	Naphthalene	EPA 524.2	GC-MS	n-Butylbenzene	EPA 524.2	GC-MS
n-Propylbenzene	EPA 524.2	GC-MS	sec-Butylbenzene	EPA 524.2	GC-MS	Styrene	EPA 524.2	GC-MS
tert-Butylbenzene	EPA 524.2	GC-MS	Tetrachloroethylene	EPA 524.2	GC-MS	Toluene	EPA 524.2	GC-MS
Total Haloacetic Acids (HAA5)	EPA 552.3	GC-ECD	Total Trihalomethanes (THMs)	EPA 524.2	GC-MS	trans-1,2-Dichloroethylene	EPA 524.2	GC-MS
trans-1,3-Dichloropropene	EPA 524.2	GC-MS	Trichloroacetic Acid	EPA 552.3	GC-ECD	Trichloroethylene	EPA 524.2	GC-MS
Trichlorofluoromethane	EPA 524.2	GC-MS	Vinyl Chloride	EPA 524.2	GC-MS	Xylenes (total)	EPA 524.2	GC-MS

**SGS Accutest Inc. - Wheat Ridge**  
**4039 Youngfield Street**  
**Wheat Ridge, CO 80033**  
**(303) 425-6021**

**Contact Person:**  
**Kaprie Surprenant**  
**kapries@accutest.com**

**EPA Laboratory #: CO00049**  
**TNI Laboratory #: TNI01950**

**LADHH Secondary AB (TNI-NELAP)**

**Certificate Number: LA160025**

**Issue Date: 01-01-2016**

**Expiration Date: 12-31-2016**

**Inorganic Parameters**

<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>
Alkalinity as CaCO <sub>3</sub>	SM2320B	TITR	Aluminum	EPA 200.7	ICP-AES	Aluminum	EPA 200.8	ICP-MS
Antimony	EPA 200.8	ICP-MS	Arsenic	EPA 200.8	ICP-MS	Barium	EPA 200.7	ICP-AES
Barium	EPA 200.8	ICP-MS	Beryllium	EPA 200.8	ICP-MS	Bromide	EPA 300.0	IC-COND
Cadmium	EPA 200.8	ICP-MS	Calcium	EPA 200.7	ICP-AES	Chloride	EPA 300.0	IC-COND
Chlorine (total residual)	SM 4500-Cl G	UV-VIS	Chromium	EPA 200.7	ICP-AES	Chromium	EPA 200.8	ICP-MS
Color	SM 2120B	OTHER	Conductivity	SM 2510B	COND	Copper	EPA 200.7	ICP-AES
Copper	EPA 200.8	ICP-MS	Cyanide	EPA 335.4	AUTO	Fluoride	EPA 300.0	IC-COND
Hardness as CaCO <sub>3</sub> (total)	SM 2340B	OTHER	Iron	EPA 200.7	ICP-AES	Lead	EPA 200.8	ICP-MS



Magnesium	EPA 200.7	ICP-AES	Manganese	EPA 200.7	ICP-AES	Manganese	EPA 200.8	ICP-MS
Mercury	EPA 245.1	CVAAS	Molybdenum	EPA 200.8	ICP-MS	Nickel	EPA 200.7	ICP-AES
Nickel	EPA 200.8	ICP-MS	Nitrate as N	EPA 300.0	IC-COND	Nitrate-Nitrite as N	EPA 300.0	IC-COND
Nitrite as N	EPA 300.0	IC-COND	Odor	SM 2150B	OTHER	Orthophosphate as P	EPA 300.0	IC-COND
pH	EPA 150.1	ISE	pH	SM 4500-H <sup>+</sup> B	ISE	Potassium	EPA 200.7	ICP-AES
Selenium	EPA 200.8	ICP-MS	Silver	EPA 200.7	ICP-AES	Silver	EPA 200.8	ICP-MS
Sodium	EPA 200.7	ICP-AES	Sulfate	EPA 300.0	IC-COND	Thallium	EPA 200.8	ICP-MS
Total Dissolved Solids (TDS)	SM 2540C	GRAV	Total Organic Carbon (TOC)	SM 5310C	TOC-FID	Turbidity	SM 2130B	TURB
Uranium	EPA 200.8	ICP-MS	UV254	SM 5910B	UV/VIS	Vanadium	EPA 200.7	ICP-AES
Zinc	EPA 200.8	ICP-MS	Zinc	EPA 200.8	ICP-MS			

### Organic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.2	GC-MS	1,1,2,2-Tetrachloroethane	EPA 524.2	GC-MS
1,1,2-Trichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.2	GC-MS
1,1-Dichloropropene	EPA 524.2	GC-MS	1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,3-Trichloropropane	EPA 524.2	GC-MS
1,2,4-Trichlorobenzene	EPA 524.2	GC-MS	1,2,4-Trimethylbenzene	EPA 524.2	GC-MS	1,2-Dibromo-3-chloropropane (DBCP)	EPA 504.1	GC-ECD
1,2-Dibromoethane (EDB)	EPA 504.1	GC-ECD	1,2-Dichlorobenzene	EPA 524.2	GC-MS	1,2-Dichloroethane	EPA 524.2	GC-MS
1,2-Dichloropropane	EPA 524.2	GC-MS	1,3,5-Trimethylbenzene	EPA 524.2	GC-MS	1,3-Dichlorobenzene	EPA 524.2	GC-MS
1,3-Dichloropropane	EPA 524.2	GC-MS	1,4-Dichlorobenzene	EPA 524.2	GC-MS	2,2-Dichloropropane	EPA 524.2	GC-MS
2,4-D	EPA 515.4	GC-ECD	2-Chlorotoluene	EPA 524.2	GC-MS	3-Hydroxycarbofuran	EPA 531.1	HPLC-FLUOR
4-Chlorotoluene	EPA 524.2	GC-MS	4-Isopropyltoluene	EPA 524.2	GC-MS	Alachlor	EPA 525.2	GC-MS
Aldicarb	EPA 531.1	HPLC-FLUOR	Aldicarb Sulfone	EPA 531.1	HPLC-FLUOR	Aldicarb Sulfoxide	EPA 531.1	HPLC-FLUOR
Atrazine	EPA 525.2	GC-MS	Benzene	EPA 524.2	GC-MS	Benzo(a)pyrene (PAHs)	EPA 525.2	GC-MS
Bis(2-ethylhexyl) phthalate	EPA 525.2	GC-MS	Bromoacetic Acid	EPA 552.2	GC-ECD	Bromobenzene	EPA 524.2	GC-MS
Bromochloromethane	EPA 524.2	GC-MS	Bromodichloromethane	EPA 524.2	GC-MS	Bromoform	EPA 524.2	GC-MS
Butachlor	EPA 525.2	GC-MS	Carbaryl	EPA 531.1	HPLC-FLUOR	Carbofuran	EPA 531.1	HPLC-FLUOR
Carbon Tetrachloride	EPA 524.2	GC-MS	Chloroacetic Acid	EPA 552.2	GC-ECD	Chlorobenzene	EPA 524.2	GC-MS
Chloroethane	EPA 524.2	GC-MS	Chloroform	EPA 524.2	GC-MS	cis-1,2-Dichloroethylene	EPA 524.2	GC-MS
cis-1,3-Dichloropropene	EPA 524.2	GC-MS	Dalapon	EPA 515.4	GC-ECD	Di(2-ethylhexyl) Adipate	EPA 525.2	GC-MS
Dibromoacetic Acid	EPA 552.2	GC-ECD	Dibromochloromethane	EPA 524.2	GC-MS	Dibromomethane	EPA 524.2	GC-MS
Dicamba	EPA 515.4	GC-ECD	Dichloroacetic Acid	EPA 552.2	GC-ECD	Dichlorodifluoromethane	EPA 524.2	GC-MS
Dichloromethane	EPA 524.2	GC-MS	Dinoseb	EPA 515.4	GC-ECD	Diquat	EPA 549.2	HPLC-UV
Endothall	EPA 548.1	GC-MS	Ethylbenzene	EPA 524.2	GC-MS	Glyphosate	EPA 547	HPLC-FLUOR
Hexachlorobutadiene	EPA 524.2	GC-MS	Isopropylbenzene	EPA 524.2	GC-MS	Methiocarb	EPA 531.1	HPLC-FLUOR
Methomyl	EPA 531.1	HPLC-FLUOR	Methyl Bromide (Bromomethane)	EPA 524.2	GC-MS	Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS

Methyl tert-butyl Ether (MTBE)	EPA 524.2	GC-MS	Metolachlor	EPA 525.2	GC-MS	Metribuzin	EPA 525.2	GC-MS
Naphthalene	EPA 524.2	GC-MS	n-Butylbenzene	EPA 524.2	GC-MS	n-Propylbenzene	EPA 524.2	GC-MS
Oxamyl	EPA 531.1	HPLC-FLUOR	Paraquat	EPA 549.2	HPLC-UV	Pentachlorophenol	EPA 515.4	GC-ECD
Picloram	EPA 515.4	GC-ECD	Propachlor	EPA 525.2	GC-MS	Propoxur (Baygon)	EPA 531.1	HPLC-FLUOR
sec-Butylbenzene	EPA 524.2	GC-MS	Silvex (2,4,5-TP)	EPA 515.4	GC-ECD	Simazine	EPA 525.2	GC-MS
Styrene	EPA 524.2	GC-MS	tert-Butylbenzene	EPA 524.2	GC-MS	Tetrachloroethylene	EPA 524.2	GC-MS
Toluene	EPA 524.2	GC-MS	Total Haloacetic Acids (HAA5)	EPA 552.2	GC-ECD	Total Trihalomethanes (THMs)	EPA 524.2	GC-MS
trans-1,2-Dichloroethylene	EPA 524.2	GC-MS	trans-1,3-Dichloropropene	EPA 524.2	GC-MS	Trichloroacetic Acid	EPA 552.2	GC-ECD
Trichloroethylene	EPA 524.2	GC-MS	Trichlorofluoromethane	EPA 524.2	GC-MS	Vinyl Chloride	EPA 524.2	GC-MS
Xylenes (total)	EPA 524.2	GC-MS						

**Summit Environmental Technologies, Inc.**  
**3310 Win Street**  
**Cuyahoga Falls, OH 44223**  
**(330) 253-8211**

**Contact Person:**  
**Meegan Dougherty**  
**mdougherty@settek.com**

**EPA Laboratory #:** OH00923  
**TNI Laboratory #:** TNI00583

**LADHH Secondary AB (TNI-NELAP)**

**Certificate Number:** LA160022

**Issue Date:** 01-01-2016

**Expiration Date:** 12-31-2016

**Inorganic Parameters**

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Alkalinity as CaCO <sub>3</sub>	SM2320B	TITR	Aluminum	EPA 200.7	ICP-AES	Aluminum	EPA 200.8	ICP-MS
Antimony	EPA 200.8	ICP-MS	Arsenic	EPA 200.8	ICP-MS	Barium	EPA 200.7	ICP-AES
Barium	EPA 200.8	ICP-MS	Beryllium	EPA 200.7	ICP-AES	Beryllium	EPA 200.8	ICP-MS
Boron	EPA 200.7	ICP-AES	Bromate	EPA 300.1	IC-COND	Bromide	EPA 300.0	IC-COND
Bromide	EPA 300.1	IC-COND	Cadmium	EPA 200.7	ICP-AES	Cadmium	EPA 200.8	ICP-MS
Calcium	EPA 200.7	ICP-AES	Chlorate	EPA 300.1	IC-COND	Chloride	EPA 300.0	IC-COND
Chlorite	EPA 300.1	IC-COND	Chromium	EPA 200.7	ICP-AES	Chromium	EPA 200.8	ICP-MS
Conductivity	SM 2510B	COND	Copper	EPA 200.7	ICP-AES	Copper	EPA 200.8	ICP-MS
Corrosivity (Langlier Index)	SM 2330B	OTHER	Cyanide	SM 4500-CN <sup>-</sup> E	UV-VIS	Cyanide (amenable)	SM 4500-CN <sup>-</sup> G	OTHER
Fluoride	EPA 300.0	IC-COND	Hardness as CaCO <sub>3</sub> (calcium)	SM 2340B	OTHER	Hardness as CaCO <sub>3</sub> (total)	SM 2340B	OTHER
Iron	EPA 200.7	ICP-AES	Lead	EPA 200.8	ICP-MS	Magnesium	EPA 200.7	ICP-AES

Manganese	EPA 200.7	ICP-AES	Manganese	EPA 200.8	ICP-MS	Mercury	EPA 245.1	CVAAS
Molybdenum	EPA 200.7	ICP-AES	Molybdenum	EPA 200.8	ICP-MS	Nickel	EPA 200.7	ICP-AES
Nickel	EPA 200.8	ICP-MS	Nitrate as N	EPA 300.0	IC-COND	Nitrate-Nitrite as N	EPA 300.0	IC-COND
Nitrite as N	EPA 300.0	IC-COND	Odor	SM 2150B	OTHER	Orthophosphate as P	EPA 300.0	IC-COND
Perchlorate	EPA 314.0	IC-COND	pH	SM 4500-H <sup>+</sup> B	ISE	Potassium	EPA 200.7	ICP-AES
Selenium	EPA 200.8	ICP-MS	Silica as SiO <sub>2</sub>	EPA 200.7	ICP-AES	Silver	EPA 200.7	ICP-AES
Silver	EPA 200.8	ICP-MS	Sodium	EPA 200.7	ICP-AES	Sulfate	EPA 300.0	IC-COND
Surfactants-MBAS	SM 5540C	UV-VIS	Thallium	EPA 200.8	ICP-MS	Total Dissolved Solids (TDS)	SM 2540C	GRAV
Total Organic Carbon (TOC)	SM 5310B	TOC-IR	Turbidity	EPA 180.1	TURB	Vanadium	EPA 200.7	ICP-AES
Vanadium	EPA 200.8	ICP-MS	Zinc	EPA 200.7	ICP-AES	Zinc	EPA 200.8	ICP-MS

### Organic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.2	GC-MS	1,1,2,2-Tetrachloroethane	EPA 524.2	GC-MS
1,1,2-Trichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.2	GC-MS
1,1-Dichloropropene	EPA 524.2	GC-MS	1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,3-Trichloropropane	EPA 524.2	GC-MS
1,2,4-Trichlorobenzene	EPA 524.2	GC-MS	1,2,4-Trimethylbenzene	EPA 524.2	GC-MS	1,2-Dibromo-3-chloropropane (DBCP)	EPA 504.1	GC-ECD
1,2-Dibromoethane (EDB)	EPA 504.1	GC-ECD	1,2-Dichlorobenzene	EPA 524.2	GC-MS	1,2-Dichloroethane	EPA 524.2	GC-MS
1,2-Dichloropropane	EPA 524.2	GC-MS	1,3,5-Trimethylbenzene	EPA 524.2	GC-MS	1,3-Dichlorobenzene	EPA 524.2	GC-MS
1,3-Dichloropropane	EPA 524.2	GC-MS	1,4-Dichlorobenzene	EPA 524.2	GC-MS	2,2-Dichloropropane	EPA 524.2	GC-MS
2,3,7,8-TCDD (Dioxin)	EPA 1613	GC-HRMS	2,4-D	EPA 515.1	GC-ECD	2-Chlorotoluene	EPA 524.2	GC-MS
3-Hydroxycarbofuran	EPA 531.2	HPLC-FLUOR	4-Chlorotoluene	EPA 524.2	GC-MS	4-Isopropyltoluene	EPA 524.2	GC-MS
Alachlor	EPA 525.2	GC-MS	Aldicarb	EPA 531.2	HPLC-FLUOR	Aldicarb Sulfone	EPA 531.2	HPLC-FLUOR
Aldicarb Sulfoxide	EPA 531.2	HPLC-FLUOR	Aldrin	EPA 508	GC-ECD	Aldrin	EPA 525.2	GC-MS
Atrazine	EPA 525.2	GC-MS	Benzene	EPA 524.2	GC-MS	Benzo(a)pyrene (PAHs)	EPA 525.2	GC-MS
Bis(2-ethylhexyl) phthalate	EPA 525.2	GC-MS	Bromoacetic Acid	EPA 552.2	GC-ECD	Bromobenzene	EPA 524.2	GC-MS
Bromochloroacetic Acid	EPA 552.2	GC-ECD	Bromochloromethane	EPA 524.2	GC-MS	Bromodichloromethane	EPA 524.2	GC-MS
Bromoform	EPA 524.2	GC-MS	Butachlor	EPA 525.2	GC-MS	Carbaryl	EPA 531.2	HPLC-FLUOR
Carbofuran	EPA 531.2	HPLC-FLUOR	Carbon Tetrachloride	EPA 524.2	GC-MS	Chlordane (tech.)	EPA 508	GC-ECD
Chloroacetic Acid	EPA 552.2	GC-ECD	Chlorobenzene	EPA 524.2	GC-MS	Chloroform	EPA 524.2	GC-MS
cis-1,2-Dichloroethylene	EPA 524.2	GC-MS	cis-1,3-Dichloropropene	EPA 524.2	GC-MS	Dalapon	EPA 515.1	GC-ECD
Di(2-ethylhexyl) Adipate	EPA 525.2	GC-MS	Dibromoacetic Acid	EPA 552.2	GC-ECD	Dibromochloromethane	EPA 524.2	GC-MS
Dibromomethane	EPA 524.2	GC-MS	Dicamba	EPA 515.1	GC-ECD	Dichloroacetic Acid	EPA 552.2	GC-ECD
Dichlorodifluoromethane	EPA 524.2	GC-MS	Dichloromethane	EPA 524.2	GC-MS	Dieldrin	EPA 508	GC-ECD
Dinoseb	EPA 515.1	GC-ECD	Diquat	EPA 549.2	HPLC-UV	Endothall	EPA 548.1	GC-MS
Endrin	EPA 508	GC-ECD	Ethylbenzene	EPA 524.2	GC-MS	gamma-BHC (Lindane)	EPA 508	GC-ECD

Glyphosate	EPA 547	HPLC-FLUOR	Heptachlor	EPA 508	GC-ECD	Heptachlor Epoxide	EPA 508	GC-ECD
Hexachlorobenzene	EPA 525.2	GC-MS	Hexachlorocyclopentadiene	EPA 525.2	GC-MS	Isopropylbenzene	EPA 524.2	GC-MS
Methiocarb	EPA 531.2	HPLC-FLUOR	Methomyl	EPA 531.2	HPLC-FLUOR	Methoxychlor	EPA 508	GC-ECD
Methoxychlor	EPA 525.2	GC-MS	Methyl Bromide (Bromomethane)	EPA 524.2	GC-MS	Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS
Methyl tert-butyl Ether (MTBE)	EPA 524.2	GC-MS	Metolachlor	EPA 525.2	GC-MS	Metribuzin	EPA 525.2	GC-MS
Molinate	EPA 525.2	GC-MS	Naphthalene	EPA 524.2	GC-MS	n-Butylbenzene	EPA 524.2	GC-MS
n-Propylbenzene	EPA 524.2	GC-MS	Oxamyl	EPA 531.2	HPLC-FLUOR	PCBs as Aroclors (screen)	EPA 508	GC-ECD
Pentachlorophenol	EPA 515.1	GC-ECD	Pentachlorophenol	EPA 525.2	GC-MS	Picloram	EPA 515.1	GC-ECD
Propachlor	EPA 525.2	GC-MS	Propoxur (Baygon)	EPA 531.2	HPLC-FLUOR	sec-Butylbenzene	EPA 524.2	GC-MS
Silvex (2,4,5-TP)	EPA 515.1	GC-ECD	Simazine	EPA 525.2	GC-MS	Styrene	EPA 524.2	GC-MS
tert-Butylbenzene	EPA 524.2	GC-MS	Tetrachloroethylene	EPA 524.2	GC-MS	Toluene	EPA 524.2	GC-MS
Total Haloacetic Acids (HAA5)	EPA 552.2	GC-ECD	Total Trihalomethanes (THMs)	EPA 524.2	GC-MS	Toxaphene	EPA 508	GC-ECD
trans-1,2-Dichloroethylene	EPA 524.2	GC-MS	Trichloroacetic Acid	EPA 552.2	GC-ECD	Trichloroethylene	EPA 524.2	GC-MS
Trichlorofluoromethane	EPA 524.2	GC-MS	Vinyl Chloride	EPA 524.2	GC-MS	Xylenes (total)	EPA 524.2	GC-MS

### Radiological Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Gross Alpha	EPA 900.0	PC	Gross Alpha	SM 7110C	PC	Gross Beta	EPA 900.0	PC
Radium-226	EPA 903.0	PC	Radium-228	EPA 904.0	PC	Uranium (nat)	EPA 200.8	ICP-MS
Uranium (nat)	EPA 908.0	PC						

**TestAmerica-Knoxville**  
**5815 Middlebrook Pike**  
**Knoxville, TN 37921**  
**(865) 291-3000**

**Contact Person:**  
**Kevin McGee**  
**kevin.mcgee@testamericainc.com**

**EPA Laboratory #: TN00009**  
**TNI Laboratory #: TNI00189**

**LADHH Secondary AB (TNI-NELAP)**

**Certificate Number: LA160005**

**Issue Date: 01-01-2016**

**Expiration Date: 12-31-2016**

### Organic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
2,3,7,8-TCDD (Dioxin)	EPA 1613	GC-HRMS						

**TestAmerica-Savannah**  
**5102 LaRoche Avenue**  
**Savannah, GA 31404**  
**(912) 354-7858**

**Contact Person:**  
**Dianne Mosley**  
**dianne.mosley@testamericainc.com**

**EPA Laboratory #: GA00006**  
**TNI Laboratory #: TNI00593**

**LADHH Secondary AB (TNI-NELAP)**

**Certificate Number: LA160019**

**Issue Date: 01-01-2016**

**Expiration Date: 12-31-2016**

**Inorganic Parameters**

<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>
Alkalinity as CaCO <sub>3</sub>	SM2320B	TITR	Aluminum	EPA 200.7	ICP-AES	Aluminum	EPA 200.8	ICP-MS
Antimony	EPA 200.8	ICP-MS	Arsenic	EPA 200.8	ICP-MS	Barium	EPA 200.7	ICP-AES
Barium	EPA 200.8	ICP-MS	Beryllium	EPA 200.7	ICP-AES	Beryllium	EPA 200.8	ICP-MS
Boron	EPA 200.7	ICP-AES	Bromate	EPA 300.1	IC-COND	Bromide	EPA 300.1	IC-COND
Cadmium	EPA 200.7	ICP-AES	Cadmium	EPA 200.8	ICP-MS	Calcium	EPA 200.7	ICP-AES
Chlorate	EPA 300.1	IC-COND	Chloride	EPA 300.0	IC-COND	Chloride	EPA 325.2	AUTO
Chlorite	EPA 300.1	IC-COND	Chromium	EPA 200.7	ICP-AES	Chromium	EPA 200.8	ICP-MS
Color	EPA 110.2	OTHER	Color	SM 2120B	OTHER	Conductivity	SM 2510B	COND
Copper	EPA 200.7	ICP-AES	Copper	EPA 200.8	ICP-MS	Corrosivity (Langlier Index)	SM 2330B	OTHER
Cyanide	EPA 335.4	AUTO	Cyanide	SM 4500-CN <sup>-</sup> E	UV-VIS	Cyanide (amenable)	SM 4500-CN <sup>-</sup> G	OTHER
Dissolved Organic Carbon (DOC)	SM 5310B	TOC-IR	Fluoride	EPA 300.0	IC-COND	Hardness as CaCO <sub>3</sub> (total)	EPA 130.2	TITR
Hardness as CaCO <sub>3</sub> (total)	SM 2340B	OTHER	Hardness as CaCO <sub>3</sub> (total)	SM 2340C	TITR	Iron	EPA 200.7	ICP-AES
Lead	EPA 200.8	ICP-MS	Magnesium	EPA 200.7	ICP-AES	Manganese	EPA 200.7	ICP-AES
Manganese	EPA 200.8	ICP-MS	Mercury	EPA 200.8	ICP-MS	Mercury	EPA 245.1	CVAAS
Molybdenum	EPA 200.7	ICP-AES	Molybdenum	EPA 200.8	ICP-MS	Nickel	EPA 200.7	ICP-AES
Nickel	EPA 200.8	ICP-MS	Nitrate as N	EPA 300.0	IC-COND	Nitrate as N	EPA 353.2	AUTO
Nitrate-Nitrite as N	EPA 300.0	IC-COND	Nitrate-Nitrite as N	EPA 353.2	AUTO	Nitrite as N	EPA 300.0	IC-COND
Nitrite as N	EPA 353.2	AUTO	Odor	EPA 140.1	OTHER	Odor	SM 2150B	OTHER
Orthophosphate as P	EPA 365.1	AUTO	Orthophosphate as P	SM 4500-P F	AUTO	pH	EPA 150.1	ISE
pH	SM 4500-H <sup>+</sup> B	ISE	Potassium	EPA 200.7	ICP-AES	Selenium	EPA 200.8	ICP-MS
Silica as SiO <sub>2</sub>	EPA 200.7	ICP-AES	Silver	EPA 200.7	ICP-AES	Silver	EPA 200.8	ICP-MS
Sodium	EPA 200.7	ICP-AES	Sulfate	EPA 300.0	IC-COND	Surfactants-MBAS	EPA 425.1	UV-VIS

Surfactants-MBAS	SM 5540C	UV-VIS	Thallium	EPA 200.8	ICP-MS	Total Dissolved Solids (TDS)	EPA 160.1	GRAV
Total Dissolved Solids (TDS)	SM 2540C	GRAV	Total Organic Carbon (TOC)	SM 5310B	TOC-IR	Turbidity	EPA 180.1	TURB
Turbidity	SM 2130B	TURB	UV254	SM 5910B	UV/VIS	Vanadium	EPA 200.7	ICP-AES
Vanadium	EPA 200.8	ICP-MS	Zinc	EPA 200.7	ICP-AES	Zinc	EPA 200.8	ICP-MS

### Organic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.2	GC-MS	1,1,2,2-Tetrachloroethane	EPA 524.2	GC-MS
1,1,2-Trichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.2	GC-MS
1,1-Dichloropropene	EPA 524.2	GC-MS	1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,3-Trichloropropane	EPA 504.1	GC-ECD
1,2,3-Trichloropropane	EPA 524.2	GC-MS	1,2,4-Trichlorobenzene	EPA 524.2	GC-MS	1,2,4-Trimethylbenzene	EPA 524.2	GC-MS
1,2-Dibromo-3-chloropropane (DBCP)	EPA 504.1	GC-ECD	1,2-Dibromoethane (EDB)	EPA 504.1	GC-ECD	1,2-Dichlorobenzene	EPA 524.2	GC-MS
1,2-Dichloroethane	EPA 524.2	GC-MS	1,2-Dichloropropane	EPA 524.2	GC-MS	1,3,5-Trimethylbenzene	EPA 524.2	GC-MS
1,3-Dichlorobenzene	EPA 524.2	GC-MS	1,3-Dichloropropane	EPA 524.2	GC-MS	1,4-Dichlorobenzene	EPA 524.2	GC-MS
2,2-Dichloropropane	EPA 524.2	GC-MS	2,4-D	EPA 515.1	GC-ECD	2-Chlorotoluene	EPA 524.2	GC-MS
3-Hydroxycarbofuran	EPA 531.1	HPLC-FLUOR	4-Chlorotoluene	EPA 524.2	GC-MS	4-Isopropyltoluene	EPA 524.2	GC-MS
Alachlor	EPA 525.2	GC-MS	Aldicarb	EPA 531.1	HPLC-FLUOR	Aldicarb Sulfone	EPA 531.1	HPLC-FLUOR
Aldicarb Sulfoxide	EPA 531.1	HPLC-FLUOR	Aldrin	EPA 508	GC-ECD	Aldrin	EPA 525.2	GC-MS
Atrazine	EPA 525.2	GC-MS	Bentazon	EPA 515.1	GC-ECD	Benzene	EPA 524.2	GC-MS
Benzo(a)pyrene (PAHs)	EPA 525.2	GC-MS	Bis(2-ethylhexyl) phthalate	EPA 525.2	GC-MS	Bromoacetic Acid	EPA 552.2	GC-ECD
Bromobenzene	EPA 524.2	GC-MS	Bromochloromethane	EPA 524.2	GC-MS	Bromodichloromethane	EPA 524.2	GC-MS
Bromoform	EPA 524.2	GC-MS	Butachlor	EPA 525.2	GC-MS	Butyl benzyl phthalate	EPA 525.2	GC-MS
Carbaryl	EPA 531.1	HPLC-FLUOR	Carbofuran	EPA 531.1	HPLC-FLUOR	Carbon Tetrachloride	EPA 524.2	GC-MS
Chlordane (tech.)	EPA 508	GC-ECD	Chloroacetic Acid	EPA 552.2	GC-ECD	Chlorobenzene	EPA 524.2	GC-MS
Chloroethane	EPA 524.2	GC-MS	Chloroform	EPA 524.2	GC-MS	cis-1,2-Dichloroethylene	EPA 524.2	GC-MS
cis-1,2-Dichloropropene	EPA 524.2	GC-MS	Dalapon	EPA 515.1	GC-ECD	Di(2-ethylhexyl) Adipate	EPA 525.2	GC-MS
Dibromoacetic Acid	EPA 552.2	GC-ECD	Dibromochloromethane	EPA 524.2	GC-MS	Dibromomethane	EPA 524.2	GC-MS
Dicamba	EPA 515.1	GC-ECD	Dichloroacetic Acid	EPA 552.2	GC-ECD	Dichlorodifluoromethane	EPA 524.2	GC-MS
Dichloromethane	EPA 524.2	GC-MS	Dieldrin	EPA 508	GC-ECD	Dieldrin	EPA 525.2	GC-MS
Diethyl phthalate	EPA 525.2	GC-MS	Dimethyl phthalate	EPA 525.2	GC-MS	Di-n-butyl phthalate	EPA 525.2	GC-MS
Dinoseb	EPA 515.1	GC-ECD	Diquat	EPA 549.2	HPLC-UV	Endothall	EPA 548.1	GC-MS
Endrin	EPA 508	GC-ECD	Endrin	EPA 525.2	GC-MS	Ethylbenzene	EPA 524.2	GC-MS
Fluorene	EPA 525.2	GC-MS	gamma-BHC (Lindane)	EPA 508	GC-ECD	gamma-BHC (Lindane)	EPA 525.2	GC-MS
Glyphosate	EPA 547	HPLC-FLUOR	Heptachlor	EPA 508	GC-ECD	Heptachlor	EPA 525.2	GC-MS
Heptachlor Epoxide	EPA 508	GC-ECD	Heptachlor Epoxide	EPA 525.2	GC-MS	Hexachlorobenzene	EPA 525.2	GC-MS

Hexachlorobutadiene	EPA 524.2	GC-MS	Hexachlorocyclopentadiene	EPA 525.2	GC-MS	Isopropylbenzene	EPA 524.2	GC-MS
Methiocarb	EPA 531.1	HPLC-FLUOR	Methomyl	EPA 531.1	HPLC-FLUOR	Methoxychlor	EPA 508	GC-ECD
Methoxychlor	EPA 525.2	GC-MS	Methyl Bromide (Bromomethane)	EPA 524.2	GC-MS	Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS
Methyl tert-butyl Ether (MTBE)	EPA 524.2	GC-MS	Metolachlor	EPA 525.2	GC-MS	Metribuzin	EPA 525.2	GC-MS
Molinate	EPA 525.2	GC-MS	Naphthalene	EPA 524.2	GC-MS	n-Butylbenzene	EPA 524.2	GC-MS
n-Propylbenzene	EPA 524.2	GC-MS	Oxamyl	EPA 531.1	HPLC-FLUOR	PCBs as Aroclors (screen)	EPA 508	GC-ECD
Pentachlorophenol	EPA 515.1	GC-ECD	Picloram	EPA 515.1	GC-ECD	Propachlor	EPA 525.2	GC-MS
Propoxur (Baygon)	EPA 531.1	HPLC-FLUOR	Pyrene	EPA 525.2	GC-MS	sec-Butylbenzene	EPA 524.2	GC-MS
Silvex (2,4,5-TP)	EPA 515.1	GC-ECD	Simazine	EPA 525.2	GC-MS	Styrene	EPA 524.2	GC-MS
tert-Butylbenzene	EPA 524.2	GC-MS	Tetrachloroethylene	EPA 524.2	GC-MS	Toluene	EPA 524.2	GC-MS
Total Haloacetic Acids (HAA5)	EPA 552.2	GC-ECD	Total Trihalomethanes (THMs)	EPA 524.2	GC-MS	Toxaphene	EPA 508	GC-ECD
trans-1,2-Dichloroethylene	EPA 524.2	GC-MS	trans-1,3-Dichloropropene	EPA 524.2	GC-MS	Trichloroacetic Acid	EPA 552.2	GC-ECD
Trichloroethylene	EPA 524.2	GC-MS	Trichlorofluoromethane	EPA 524.2	GC-MS	Trifluralin	EPA 525.2	GC-MS
Vinyl Chloride	EPA 524.2	GC-MS	Xylenes (total)	EPA 524.2	GC-MS			

**TestAmerica-St. Louis**  
**13715 Rider Trail North**  
**Earth City, MO 63045**  
**(314) 298-8566**

**Contact Person:**  
**Marti Ward**  
**marti.ward@testamericainc.com**

**EPA Laboratory #: MO00054**  
**TNI Laboratory #: TNI00602**

**LADHH Secondary AB (TNI-NELAP)**

**Certificate Number: LA160008**

**Issue Date: 01-01-2016**

**Expiration Date: 12-31-2016**

**Radiological Parameters**

<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>	<b>Analyte</b>	<b>Method</b>	<b>Tech.</b>
Gamma Emitters	EPA 901.1	GS-HR	Gross Beta	EPA 900.0	PC	Radium-226	EPA 903.0	PC
Radium-228	EPA 904.0	PC	Strontium-90	DOE Sr-02	PC	Strontium-90	EPA 905.0	PC
Tritium	EPA 906.0	LSC						

**CERTIFYING AGENCY**

**Louisiana Department of Health and Hospitals  
Office of Public Health  
Laboratory Certification Program  
1209 Leesville Avenue  
Baton Rouge, LA 70802**

**Contact Person:  
Donnell Ward  
donnell.ward@la.gov  
225-219-5247**

**AB = Accreditation Body  
Tech = Technology**

**NELAP= National Environmental Laboratory Accreditation Program  
TNI= The NELAC Institute**