



Colorectal Cancer Screening 2014- 2018

Louisiana Behavior Risk Factor Surveillance System

Bureau of Informatics

Louisiana Department of Health/Office of Public Health

March 6, 2020

The Behavioral Risk Factor Surveillance System (BRFSS) is the nation's premier system of health-related telephone surveys that collect state data about U.S. residents regarding their health-related risk behaviors, chronic health conditions, and use of preventive services. Established in 1984 with 15 states, BRFSS now collects data in all 50 states as well as the District of Columbia and three U.S. territories. BRFSS completes more than 400,000 adult interviews each year, making it the largest continuously conducted health survey system in the world.

Information is collected from non-institutionalized residents of Louisiana aged 18 years and older using randomly selected cell phone and land line telephone numbers. All data is self-reported and subject to associated bias. If the respondent did not know the answer to a question or declined to answer the question, the data was set to missing.

BRFSS colorectal cancer screening questions are administered to respondents who are 45 years and older on even years of the survey. Charts 1 through 24 plot this colorectal cancer screen information broken out by sex, race, age, education status and income level from Louisiana BRFSS 2014, 2016 and 2017. Tables 1 through 13 have the point estimates and confidence intervals for this data.

Where sample size was insufficient to supply a valid estimate (unweighted denominator less than 50 unweighted respondents or the Coefficient of Variation (CV) was higher than 30 percent, NA (not available) was entered in the table cell.

For any questions or comments, please contact:

Laurie M. Freyder MPH

Louisiana BRFSS Coordinator

Louisiana Department of Health/Office of Public Health

1450 Poydras Street, Suite 1845

New Orleans. LA 70112

(504) 568-8191

laurie.freyder@la.gov

CHART 1




CHART 2




CHART 3




CHART 4




TABLE 1: CHOLORECTAL CANCER SCREEN 2014-2016

Year		2014	2016	2018
Blood Stool Test		34.1 (32.4-35.8)	30.4 (28.2-32.5)	30.5 (28.2-32.7)
Time Since Last Blood Stool Test	1 – 11 Months	30.7 (27.8-33.6)	29.2 (25.3-33.0)	34.3 (29.9-38.7)
	12 – 23 Months	18.2 (15.8-20.7)	16.2 (13.0-19.4)	16.8 (13.4-20.1)
	24-35 Months	10.3 (8.4-12.2)	7.9 (6.0-9.9)	9.5 (7.1-12.0)
	36-59 Months	12.4 (10.3-14.4)	14.1 (11.1-17.1)	9.9 (7.4-12.5)
	60+ Months	28.4 (25.6-31.2)	32.6 (28.8-36.4)	29.5 (25.5-33.5)
Ever Sigmoidoscopy or Colonoscopy		66.2 (64.4-68.0)	66.6 (64.1-69.0)	70.0 (67.7-72.4)
	Sigmoidoscopy	2.8 (2.0-3.5)	2.0 (1.2-2.8)	2.5 (1.5-3.5)
	Colonoscopy	97.2 (96.4-98.0)	98.0 (97.2-98.8)	97.5 (96.5-98.5)
Time Since Last Sigmoidoscopy/Colonoscopy	1 – 11 Months	25.5 (23.6-27.5)	24.8 (22.2-27.5)	23.9 (21.4-26.5)
	12 – 23 Months	18.0 (16.3-19.7)	16.4 (14.3-18.5)	16.9 (14.7-19.0)
	24-35 Months	14.7 (13.1-16.2)	16.6 (14.4-18.8)	14.7 (12.7-16.8)
	36-59 Months	21.4 (19.6-23.2)	18.8 (16.6-20.9)	22.3 (19.9-24.7)
	60-120 Months	15.0 (13.4-16.6)	17.3 (15.2-19.4)	16.9 (14.7-19.1)
	10 + Years	5.4 (4.4-6.4)	6.1 (4.8-7.4)	5.3 (4.2-6.4)

CHART 5




CHART 6




CHART 7




CHART 8




CHART 9




CHART 10




CHART 11




CHART 12




TABLE 2: 2014 COLORECTAL SCREEN BY GENDER AND BY RACE

2014		Men	Women	White	Black
Blood Stool Test		33.1 (30.4-35.8)	34.9 (32.7-37.1)	34.2 (32.2-36.3)	33.7 (30.2-37.2)
Time Since Last Blood Stool Test	1 – 11 Months	30.9 (26.2-35.7)	30.5 (26.9-34.1)	27.1 (23.8-30.3)	34.9 (28.8-41.0)
	12 – 23 Months	18.3 (14.2-22.3)	18.2 (15.3-21.2)	17.6 (14.8-20.4)	20.6 (15.5-25.7)
	24-35 Months	9.1 (6.3-11.8)	11.3 (8.7-13.8)	11.2 (8.8-13.6)	8.1 (4.8-11.4)
	36-59 Months	14.6 (11.0-18.2)	10.5 (8.2-12.9)	11.7 (9.3-14.1)	15.1 (10.6-19.5)
	60+ Months	27.2 (22.8-31.5)	29.5 (25.9-33.1)	32.4 (29.0-35.9)	21.3 (15.9-26.7)
Ever Sigmoidoscopy or Colonoscopy		63.5 (60.6-66.4)	68.5 (66.3-70.6)	68.2 (66.2-70.3)	62.4 (58.7-66.1)
	Sigmoidoscopy	2.7 (1.6-3.8)	2.8 (1.8-3.9)	2.8 (1.9-3.7)	2.9 (1.4-4.5)
	Colonoscopy	97.3 (96.2-98.4)	97.2 (96.1-98.2)	97.2 (96.3-98.1)	97.1 (95.5-98.6)
Time Since Last Sigmoidoscopy/Colonoscopy	1 – 11 Months	25.2 (22.0-28.3)	25.8 (23.4-28.3)	22.9 (20.7-25.1)	32.0 (27.6-36.4)
	12 – 23 Months	18.4 (15.7-21.2)	17.7 (15.6-19.8)	18.6 (16.6-20.6)	18.3 (14.7-22.0)
	24-35 Months	15.9 (13.2-18.6)	13.7 (11.8-15.5)	14.6 (12.7-16.4)	13.9 (10.6-17.2)
	36-59 Months	20.6 (17.7-23.5)	22.0 (19.7-24.3)	22.1 (20.0-24.3)	19.2 (15.4-23.0)
	60-120 Months	14.5 (11.9-17.0)	15.4 (13.3-17.4)	15.4 (13.5-17.4)	13.5 (10.3-16.7)
	10 + Years	5.4 (3.8-7.0)	5.4 (4.2-6.6)	6.3 (5.1-7.5)	3.1 (1.4-4.8)

TABLE 3: 2016 COLORECTAL SCREEN BY GENDER AND BY RACE

2016		Men	Women	White	Black
Blood Stool Test		28.0 (24.7-31.4)	32.3 (29.6-35.1)	30.4 (27.9-32.8)	31.7 (26.9-36.6)
Time Since Last Blood Stool Test	1 – 11 Months	28.8 (22.5-35.2)	29.4 (24.5-34.3)	25.1 (20.8-29.3)	39.8 (30.7-48.9)
	12 – 23 Months	18.5 (12.8-24.1)	14.6 (10.9-18.3)	14.6 (11.2-18.1)	20.0 (12.4-27.6)
	24-35 Months	7.7 (4.6-10.8)	8.1 (5.6-10.6)	7.8 (5.6-10.1)	7.0 (3.0-11.0)
	36-59 Months	13.1 (8.4-17.7)	14.9 (10.8-18.9)	14.4 (10.8-18.0)	12.5 (6.3-18.6)
	60+ Months	32.0 (25.9-38.1)	33.1 (28.2-37.9)	38.0 (33.4-42.7)	20.7 (13.4-28.0)
Ever Sigmoidoscopy or Colonoscopy		63.1 (59.1-67.1)	69.5 (66.6-72.4)	68.9 (66.2-71.7)	62.3 (56.9-67.6)
	Sigmoidoscopy	NA	2.0 (0.9-3.2)	2.1 (1.2-2.9)	NA
	Colonoscopy	98.1 (96.9-99.2)	98.0 (96.8-99.1)	97.9 (97.1-98.8)	99.0 (97.9-100.0)
Time Since Last Sigmoidoscopy/Colonoscopy	1 – 11 Months	25.3 (20.8-29.8)	24.5 (21.3-27.6)	21.2 (18.5-23.9)	35.5 (28.6-42.3)
	12 – 23 Months	17.3 (13.7-20.9)	15.7 (13.2-18.2)	16.9 (14.3-19.4)	14.1 (10.0-18.1)
	24-35 Months	17.3 (13.5-21.1)	16.1 (13.5-18.7)	16.1 (13.6-18.5)	18.9 (13.5-24.3)
	36-59 Months	19.2 (15.5-22.9)	18.4 (15.8-21.0)	19.1 (16.7-21.6)	17.4 (12.5-22.2)
	60-120 Months	14.8 (11.6-18.0)	19.2 (16.5-21.9)	19.3 (16.8-21.8)	11.5 (7.2-15.8)
	10 + Years	6.1 (3.9-8.3)	6.1 (4.6-7.7)	7.4 (5.7-9.0)	2.7 (1.1-4.3)

TABLE 4: 2018 COLORECTAL SCREEN BY GENDER AND BY RACE

2018		Men	Women	White	Black
Blood Stool Test		29.7 (26.4-33.0)	30.9 (27.9-34.0)	30.5 (27.8-33.1)	31.9 (27.0-37.8)
Time Since Last Blood Stool Test	1 – 11 Months	33.5 (26.9-40.2)	34.0 (28.2-39.8)	30.7 (26.0-35.4)	41.2 (31.4-51.0)
	12 – 23 Months	16.7 (11.9-21.5)	17.1 (12.3-21.8)	14.8 (11.2-18.3)	20.4 (12.6-28.3)
	24-35 Months	9.7 (6.0-13.5)	9.5 (6.2-12.8)	7.9 (5.4-10.4)	13.5 (7.3-19.7)
	36-59 Months	13.5 (8.9-18.0)	7.0 (4.3-9.8)	11.1 (7.8-14.4)	7.4 (3.4-11.5)
	60+ Months	26.6 (21.1-32.1)	32.4 (26.6-38.38.1)	35.5 (30.5-40.5)	17.4 (11.0-23.9)
Ever Sigmoidoscopy or Colonoscopy		68.8 (65.2-72.4)	71.3 (68.2-74.3)	70.9 (68.1-73.7)	68.2 (63.2-73.1)
	Sigmoidoscopy	2.7 (1.2-4.3)	NA	1.9 (1.0-2.9)	NA
	Colonoscopy	97.3 (95.7-98.8)	97.7 (96.3-99.1)	98.1 (97.1-99.0)	97.3 (95.6-99.1)
Time Since Last Sigmoidoscopy/Colonoscopy	1 – 11 Months	24.7 (20.8-28.6)	23.3 (19.9-26.8)	21.6 (18.8-24.4)	28.4 (22.5-34.3)
	12 – 23 Months	18.4 (15.0-21.8)	15.7 (13.0-18.4)	16.2 (13.8-18.7)	16.9 (12.6-21.1)
	24-35 Months	16.5 (13.4-19.5)	13.0 (10.2-15.8)	14.9 (12.5-17.3)	16.7 (11.9-21.6)
	36-59 Months	21.8 (18.2-25.4)	22.8 (19.5-26.0)	21.0 (18.4-23.7)	25.3 (19.5-31.1)
	60-120 Months	14.3 (11.3-17.3)	19.1 (15.9-22.3)	20.0 (17.1-22.8)	9.1 (5.5-12.6)
	10 + Years	4.4 (3.0-5.9)	6.1 (4.5-7.7)	6.3 (4.9-7.6)	NA

CHART 13




CHART 14




CHART 15




CHART 16




TABLE 5: 2014 COLORECTAL SCREEN BY AGE

2014		45-54 Years	55-64 Years	65+ years
Blood Stool Test		18.1 (14.7-21.5)	31.9 (29.1-34.8)	44.5 (42.0-47.1)
Time Since Last Blood Stool Test	1 – 11 Months	30.7 (20.8-40.6)	30.4 (25.3-35.4)	30.5 (26.8-34.3)
	12 – 23 Months	20.9 (12.3-29.6)	17.4 (13.1-21.6)	18.4 (15.3-21.5)
	24-35 Months	14.2 (7.3-21.2)	9.2 (6.0-12.3)	10.0 (7.6-12.4)
	36-59 Months	11.2 (4.9-17.6)	14.9 (10.9-18.9)	11.1 (8.6-13.5)
	60+ Months	22.9 (14.3-31.5)	28.2 (23.2-33.3)	30.0 (26.5-33.6)
Ever Sigmoidoscopy or Colonoscopy		43.3 (38.9-47.7)	67.4 (64.5-70.3)	77.6 (75.4-79.8)
	Sigmoidoscopy	NA	1.9 (0.8-3.0)	3.3 (2.2-4.4)
	Colonoscopy	96.4 (94.1-98.9)	98.1 (97.0-99.2)	96.7 (95.6-97.8)
Time Since Last Sigmoidoscopy/Colonoscopy	1 – 11 Months	34.7 (28.2-41.1)	23.9 (20.7-27.1)	24.2 (21.7-26.8)
	12 – 23 Months	21.1 (15.8-26.4)	17.1 (14.4-19.8)	17.8 (15.5-20.1)
	24-35 Months	11.7 (7.6-15.8)	13.8 (11.2-16.4)	15.9 (13.7-18.2)
	36-59 Months	19.4 (13.9-24.9)	21.8 (18.7-24.8)	21.8 (19.4-24.3)
	60-120 Months	8.7 (5.2-12.1)	17.5 (14.5-20.4)	15.0 (12.8-17.1)
	10 + Years	4.5 (2.0-7.0)	6.0 (4.3-7.7)	5.2 (3.9-6.5)

TABLE 6: 2016 COLORECTAL SCREEN BY AGE

2016		45-54 Years	55-64 Years	65+ years
Blood Stool Test		14.7 (10.5-18.9)	26.7 (23.2-30.2)	41.8 (38.6-45.0)
Time Since Last Blood Stool Test	1 – 11 Months	30.8 (16.5-45.1)	34.3 (26.7-41.8)	25.5 (21.1-29.9)
	12 – 23 Months	25.1 (10.9-39.3)	15.3 (10.0-20.7)	15.1 (11.3-19.0)
	24-35 Months	NA	5.4 (2.3-8.6)	9.6 (6.9-12.3)
	36-59 Months	NA	11.5 (6.6-16.4)	16.4 (12.2-20.7)
	60+ Months	27.5 (13.3-41.6)	33.4 (26.5-40.4)	33.3 (28.5-38.1)
Ever Sigmoidoscopy or Colonoscopy		49.3 (42.8-55.8)	66.1 (62.2-70.0)	76.0 (73.1-78.9)
	Sigmoidoscopy	NA	NA	1.8 (1.0-2.7)
	Colonoscopy	99.2 (98.2-100.0)	98.0 (96.7-99.3)	98.2 (97.3-99.0)
Time Since Last Sigmoidoscopy/Colonoscopy	1 – 11 Months	23.8 (16.6-30.9)	23.5 (19.2-27.8)	25.6 (21.9-29.3)
	12 – 23 Months	19.9 (12.7-27.1)	15.4 (11.9-18.8)	16.1 (13.4-18.8)
	24-35 Months	20.3 (12.6-27.9)	17.7 (14.0-21.5)	14.6 (12.2-17.1)
	36-59 Months	16.8 (10.2-23.4)	18.4 (14.8-22.0)	19.9 (17.0-22.8)
	60-120 Months	12.8 (7.0-18.6)	19.7 (15.8-23.5)	17.0 (14.5-19.6)
	10 + Years	NA	5.3 (3.4-7.2)	6.7 (5.0-8.4)

TABLE 7: 2018 COLORECTAL SCREEN BY AGE

2018		45-54 Years	55-64 Years	65+ years
Blood Stool Test		21.3 (16.2-26.5)	24.2 (21.0-27.4)	39.7 (36.2-43.3)
Time Since Last Blood Stool Test	1 – 11 Months	40.4 (26.0-54.8)	36.9 (29.7-44.0)	31.5 (25.8-37.3)
	12 – 23 Months	NA	17.3 (11.8-22.9)	16.3 (11.9-20.6)
	24-35 Months	NA	8.3 (4.4-12.2)	9.1 (6.0-12.2)
	36-59 Months	NA	11.0 (6.9-15.2)	10.0 (6.4-13.6)
	60+ Months	20.6 (11.1-30.1)	26.5 (20.1-32.8)	33.1 (27.4-38.7)
Ever Sigmoidoscopy or Colonoscopy		54.7 (48.9-60.4)	69.8 (65.8-73.8)	77.1 (73.9-80.3)
	Sigmoidoscopy	NA	NA	2.4 (1.3-3.5)
	Colonoscopy	96.8 (94.3-99.3)	97.6 (95.4-99.9)	97.6 (96.5-98.7)
Time Since Last Sigmoidoscopy/Colonoscopy	1 – 11 Months	31.7 (24.0-39.3)	22.1 (18.3-25.9)	22.6 (18.9-26.3)
	12 – 23 Months	20.0 (13.7-26.3)	17.3 (13.6-21.1)	15.7 (12.9-18.5)
	24-35 Months	14.7 (9.5-19.9)	13.9 (10.5-17.3)	15.5 (12.5-18.6)
	36-59 Months	16.4 (10.7-22.1)	21.9 (17.9-25.8)	24.2 (20.7-27.7)
	60-120 Months	11.0 (5.3-16.7)	20.5 (16.3-24.7)	16.1 (13.4-18.8)
	10 + Years	6.2 (3.0-9.4)	4.3 (2.6-6.0)	5.9 (4.3-7.5)

CHART 17




CHART 18




CHART 19




CHART 20




TABLE 8: 2014 COLORECTAL SCREEN BY EDUCATION LEVEL

2014		No HS	HS Diploma	Some College	College Degree
Blood Stool Test		29.3 (24.7-33.8)	33.9 (31.0-36.9)	37.5 (34.2-40.8)	33.8 (30.7-36.9)
Time Since Last Blood Stool Test	1 – 11 Months	38.3 (29.0-47.5)	32.6 (27.4-37.7)	29.0 (23.9-34.1)	23.5 (18.8-28.2)
	12 – 23 Months	21.1 (13.2-29.1)	17.7 (13.6-21.9)	21.1 (16.5-25.6)	12.7 (9.1-16.3)
	24-35 Months	NA	11.4 (8.0-14.7)	9.4 (6.0-12.7)	11.5 (7.8-15.2)
	36-59 Months	10.2 (5.0-15.4)	11.7 (8.1-15.2)	11.9 (8.1-15.7)	16.2 (11.9-20.5)
	60+ Months	22.2 (14.3-30.1)	26.7 (22.0-31.4)	28.6 (23.4-33.9)	36.1 (30.7-41.4)
Ever Sigmoidoscopy or Colonoscopy		52.2 (47.0-57.3)	65.5 (62.5-68.5)	70.6 (67.4-73.8)	73.9 (70.8-76.9)
	Sigmoidoscopy	NA	2.2 (1.0-3.3)	3.3 (1.7-4.9)	2.8 (1.5-4.0)
	Colonoscopy	96.9 (94.5-99.3)	97.8 (96.7-99.0)	96.7 (95.1-98.3)	97.2 (96.0-98.5)
Time Since Last Sigmoidoscopy/Colonoscopy	1 – 11 Months	33.9 (27.2-40.6)	22.1 (19.0-25.3)	25.8 (22.0-29.5)	25.6 (22.2-29.0)
	12 – 23 Months	15.6 (10.4-20.8)	19.9 (16.9-23.0)	18.2 (15.0-21.4)	16.3 (13.5-19.0)
	24-35 Months	12.7 (8.0-17.3)	15.8 (12.8-18.9)	14.2 (11.4-17.0)	14.7 (12.1-17.3)
	36-59 Months	16.4 (10.9-21.8)	22.0 (18.8-25.3)	20.2 (16.9-23.4)	24.7 (21.4-28.0)
	60-120 Months	14.4 (9.1-19.7)	14.5 (11.8-17.3)	16.2 (13.1-19.3)	14.5 (11.9-17.2)
	10 + Years	7.1 (3.4-10.8)	5.5 (3.9-7.2)	5.4 (3.8-7.1)	4.2 (2.7-5.7)

TABLE 9: 2016 COLORECTAL SCREEN BY EDUCATION LEVEL

2016		No HS	HS Diploma	Some College	College Degree
Blood Stool Test		27.5 (21.6-33.5)	29.1 (25.5-32.6)	34.2 (29.9-38.5)	30.3 (26.4-34.2)
Time Since Last Blood Stool Test	1 – 11 Months	31.1 (19.5-42.7)	29.2 (22.6-35.8)	30.3 (23.1-37.5)	25.6 (18.6-32.5)
	12 – 23 Months	24.3 (12.6-36.1)	15.5 (10.7-20.3)	16.5 (10.7-22.4)	10.3 (6.5-14.0)
	24-35 Months	NA	6.8 (3.6-10.0)	5.0 (2.1-7.9)	13.4 (8.4-18.3)
	36-59 Months	NA	15.5 (10.0-21.0)	13.8 (8.8-18.8)	11.8 (6.7-16.9)
	60+ Months	21.1 (10.7-31.5)	32.9 (26.5-39.4)	34.3 (27.3-41.4)	39.0 (31.3-46.6)
Ever Sigmoidoscopy or Colonoscopy		56.1 (49.1-63.1)	62.7 (58.6-66.8)	71.0 (66.4-75.5)	77.4 (73.7-81.0)
	Sigmoidoscopy	NA	NA	NA	NA
	Colonoscopy	98.4 (96.4-100.0)	97.0 (95.1-99.0)	98.4 (97.3-99.5)	98.7 (97.8-99.6)
Time Since Last Sigmoidoscopy/Colonoscopy	1 – 11 Months	29.9 (21.2-38.7)	26.2 (21.4-31.0)	22.4 (17.8-27.1)	22.5 (18.4-26.5)
	12 – 23 Months	16.6 (10.2-23.0)	16.3 (12.5-20.1)	14.3 (10.7-17.9)	18.7 (14.7-22.7)
	24-35 Months	16.0 (9.6-22.4)	17.1 (13.2-21.1)	18.7 (14.4-23.0)	13.7 (10.1-17.3)
	36-59 Months	17.4 (10.3-24.6)	18.7 (14.9-22.6)	16.7 (13.0-20.4)	22.2 (18.3-26.0)
	60-120 Months	11.5 (6.6-16.5)	16.1 (12.2-19.9)	21.0 (16.7-25.2)	18.5 (15.0-22.0)
	10 + Years	8.4 (3.5-13.4)	5.5 (3.5-7.6)	6.9 (4.5-9.3)	4.5 (2.8-6.1)

TABLE 10: 2018 COLORECTAL SCREEN BY EDUCATION LEVEL

2018		No HS	HS Diploma	Some College	College Degree
Blood Stool Test		30.8 (23.7-38.0)	30.2 (26.5-33.8)	31.1 (26.8-35.3)	30.3 (26.8-33.8)
Time Since Last Blood Stool Test	1 – 11 Months	40.1 (26.0-54.3)	32.4 (25.4-39.5)	35.9 (27.9-43.8)	29.5 (23.2-35.7)
	12 – 23 Months	18.5 (8.6-28.5)	14.1 (9.2-19.1)	20.5 (13.6-27.3)	14.3 (8.4-20.1)
	24-35 Months	NA	10.5 (6.2-14.9)	9.3 (5.0-13.6)	7.8 (4.3-11.3)
	36-59 Months	NA	9.5 (4.5-14.4)	6.7 (3.0-10.4)	14.9 (10.0-19.7)
	60+ Months	20.7 (9.2-32.3)	33.4 (26.4-40.5)	27.7 (20.5-34.9)	33.6 (27.1-40.1)
Ever Sigmoidoscopy or Colonoscopy		57.9 (50.0-65.8)	65.9 (62.1-69.6)	74.7 (70.5-78.8)	80.6 (77.4-83.8)
	Sigmoidoscopy	NA	2.6 (1.1-4.1)	NA	2.1 (0.9-3.3)
	Colonoscopy	96.3 (91.6-100.0)	97.4 (95.9-98.9)	97.8 (95.9-99.7)	97.9 (96.7-99.1)
Time Since Last Sigmoidoscopy/Colonoscopy	1 – 11 Months	33.8 (23.7-43.9)	25.1 (20.7-29.5)	22.1 (17.5-26.8)	19.5 (16.2-22.8)
	12 – 23 Months	17.5 (9.3-25.7)	15.2 (11.7-18.7)	17.1 (13.2-20.9)	18.6 (15.3-22.0)
	24-35 Months	11.8 (5.0-18.5)	16.1 (12.2-20.0)	16.0 (12.1-20.0)	13.3 (10.4-16.2)
	36-59 Months	20.3 (12.2-28.5)	22.9 (18.6-27.2)	22.9 (18.4-27.5)	21.2 (17.8-24.5)
	60-120 Months	NA	16.6 (13.0-20.3)	16.9 (12.7-21.0)	19.0 (15.7-22.4)
	10 + Years	4.0 (1.4-6.7)	4.0 (2.3-5.7)	4.9 (2.8-7.1)	8.4 (5.8-10.9)

CHART 21




CHART 22




CHART 23




CHART 24




TABLE 11: 2014 COLORECTAL SCREEN BY INCOME LEVEL

2014		<\$15,000	\$15,000- \$24,999	\$25,000- \$34,999	\$35,000- \$49,999	\$50,000+
Blood Stool Test		31.4 (28.8-36.1)	36.7 (32.6-40.8)	38.2 (32.4-44.0)	32.9 (27.7-38.0)	31.1 (28.2-34.0)
Time Since Last Blood Stool Test	1 – 11 Months	32.1 (23.8-40.4)	31.8 (25.2-38.4)	33.7 (24.2-43.3)	29.3 (20.6-38.0)	25.0 (20.0-29.9)
	12 – 23 Months	24.2 (16.0-32.5)	21.7 (16.0-27.5)	15.3 (8.9-21.7)	20.6 (12.2-29.0)	14.9 (10.9-19.0)
	24-35 Months	8.9 (4.1-13.7)	8.0 (4.2-11.8)	NA	14.9 (8.2-21.7)	12.5 (8.7-16.4)
	36-59 Months	14.4 (8.4-20.5)	11.7 (7.5-15.8)	NA	NA	17.1 (12.6-21.5)
	60+ Months	20.3 (13.5-27.2)	26.8 (20.7-32.9)	33.9 (23.9-44.0)	30.2 (21.5-38.9)	30.5 (25.4-35.6)
Ever Sigmoidoscopy or Colonoscopy		51.7 (46.6-56.9)	65.0 (60.7-69.2)	64.4 (58.4-70.3)	66.5 (61.1-71.9)	70.2 (67.2-73.2)
	Sigmoidoscopy	NA	NA	NA	NA	2.0 (1.0-2.9)
	Colonoscopy	97.0 (94.7-99.2)	97.4 (95.9-99.0)	98.2 (96.3-100.00)	94.4 (90.7-98.0)	98.0 (97.1-99.0)
Time Since Last Sigmoidoscopy/ Colonoscopy	1 – 11 Months	35.0 (28.6-41.4)	23.9 (19.4-28.4)	27.6 (21.4-33.8)	25.1 (19.3-30.9)	23.7 (20.4-27.0)
	12 – 23 Months	14.1 (9.8-18.4)	21.7 (17.2-26.1)	18.7 (13.5-23.9)	13.6 (8.6-18.3)	19.2 (16.2-22.2)
	24-35 Months	14.7 (10.1-19.3)	13.2 (9.7-16.6)	14.2 (9.2-19.2)	12.0 (8.1-15.9)	15.6 (12.7-18.5)
	36-59 Months	19.7 (13.7-25.6)	18.5 (14.6-22.3)	20.7 (15.2-26.3)	29.7 (23.3-36.2)	20.9 (18.0-23.8)
	60-120 Months	9.8 (6.4-13.2)	15.7 (11.6-19.9)	12.4 (7.3-17.4)	15.3 (11.0-20.7)	16.2 (13.4-19.0)
	10 + Years	6.7 (3.7-9.8)	7.1 (4.3-9.9)	6.4 (3.3-9.5)	4.3 (2.0-6.5)	4.4 (2.9-5.9)

TABLE 12: 2016 COLORECTAL SCREEN BY INCOME LEVEL

2016		<\$15,000	\$15,000- \$24,999	\$25,000- \$34,999	\$35,000- \$49,999	\$50,000+
Blood Stool Test		28.4 (22.6-34.2)	36.1 (30.4-41.8)	35.3 (27.9-42.6)	29.7 (23.7-35.6)	26.0 (22.5-29.5)
Time Since Last Blood Stool Test	1 – 11 Months	35.0 (24.4-45.7)	32.6 (23.4-41.7)	31.7 (19.7-43.8)	25.8 (15.1-36.6)	24.7 (17.4-31.9)
	12 – 23 Months	18.1 (9.0-27.2)	13.2 (7.2-19.1)	25.2 (13.2-43.8)	23.0 (12.2-33.8)	10.2 (6.1-14.3)
	24-35 Months	11.0 (3.9-18.0)	7.4 (3.6-11.2)	7.7 (1.3-14.1)	NA	7.6 (4.2-11.1)
	36-59 Months	12.2 (5.3-19.1)	19.6 (10.9-28.3)	16.5 (5.8-27.2)	NA	13.8 (8.5-19.0)
	60+ Months	23.7 (14.3-33.0)	27.3 (18.6-35.9)	18.8 (10.6-27.0)	36.0 (24.6-47.4)	43.7 (36.1-51.3)
Ever Sigmoidoscopy or Colonoscopy		52.4 (45.2-59.7)	59.2 (53.1-65.3)	70.1 (62.8-77.4)	78.9 (73.5-84.3)	69.9 (65.7-74.1)
	Sigmoidoscopy	NA	NA	NA	NA	NA
	Colonoscopy	95.9 (90.9-100.0)	98.7 (97.4-100.0)	96.9 (94.2-99.5)	97.4 (95.2-99.6)	98.7 (97.8-99.7)
Time Since Last Sigmoidoscopy/ Colonoscopy	1 – 11 Months	35.1 (25.4-44.9)	26.6 (18.8-34.4)	25.3 (17.4-33.2)	25.0 (18.3-31.6)	21.4 (17.5-25.2)
	12 – 23 Months	14.5 (8.2-20.7)	16.9 (11.2-22.5)	20.1 (12.5-27.8)	15.1 (9.7-20.5)	16.9 (13.2-20.6)
	24-35 Months	15.7 (9.1-22.4)	19.3 (13.2-25.4)	11.7 (6.2-17.2)	17.6 (11.7-23.4)	15.8 (12.0-19.5)
	36-59 Months	13.5 (7.8-19.1)	16.7 (11.3-22.0)	22.7 (14.6-30.9)	17.5 (12.2-22.8)	21.9 (18.1-25.6)
	60-120 Months	13.6 (7.7-19.5)	14.9 (9.7-20.1)	16.5 (10.6-22.4)	17.6 (12.2-23.0)	18.4 (14.6-22.2)
	10 + Years	7.6 (3.2-12.0)	5.7 (2.5-8.9)	NA	NA	5.7 (3.8-7.6)

TABLE 13: 2018 COLORECTAL SCREEN BY INCOME LEVEL

2018		<\$15,000	\$15,000- \$24,999	\$25,000- \$34,999	\$35,000- \$49,999	\$50,000+
Blood Stool Test		31.8 (24.8-38.7)	34.0 (27.7-40.4)	35.6 (27.4-44.0)	32.5 (25.8-39.1)	26.9 (23.6-30.2)
Time Since Last Blood Stool Test	1 – 11 Months	50.3 (36.9-63.8)	46.1 (34.5-57.8)	21.3 (11.3-31.3)	27.7 (16.7-38.7)	26.7 (20.4-33.0)
	12 – 23 Months	20.3 (9.8-30.6)	9.4 (3.2-15.6)	25.2 (13.0-37.3)	17.4 (8.0-26.9)	16.8 (11.0-22.7)
	24-35 Months	5.5 (0.5-10.5)	12.6 (6.0-19.4)	16.5 (5.8-27.2)	12.0 (4.9-19.0)	8.3 (4.5-12.2)
	36-59 Months	NA	10.2 (3.3-17.1)	NA	NA	11.5 (7.4-15.7)
	60+ Months	17.2 (8.8-25.6)	21.6 (13.2-30.1)	25.6 (14.7-36.5)	32.0 (20.6-43.4)	36.6 (29.2-44.0)
Ever Sigmoidoscopy or Colonoscopy		56.0 (48.4-63.6)	58.6 (51.8-65.3)	69.5 (61.6-77.5)	71.9 (64.5-79.3)	79.1 (76.0-82.1)
	Sigmoidoscopy	NA	NA	NA	NA	1.5 (0.6-2.4)
	Colonoscopy	99.7 (99.2-100.0)	91.8 (85.7-97.9)	97.6 (95.1-100.0)	97.5 (95.0-99.9)	98.5 (97.6-99.4)
Time Since Last Sigmoidoscopy/ Colonoscopy	1 – 11 Months	37.6 (27.3-47.9)	25.7 (18.2-33.2)	26.5 (16.9-36.2)	20.1 (13.0-27.1)	21.0 (17.6-24.4)
	12 – 23 Months	16.9 (10.9-22.8)	18.4 (10.8-25.9)	11.9 (5.1-18.8)	16.7 (10.4-22.9)	17.2 (14.2-20.2)
	24-35 Months	8.3 (4.5-12.1)	16.8 (10.9-22.8)	23.9 (13.3-34.4)	14.4 (9.2-19.7)	15.3 (12.1-18.6)
	36-59 Months	19.9 (12.0-27.9)	20.5 (13.7-27.4)	17.8 (10.5-25.0)	22.3 (15.4-29.1)	22.3 (18.8-25.7)
	60-120 Months	11.4 (6.7-16.2)	12.3 (7.1-17.4)	NA	20.1 (13.4-26.9)	19.5 (16.1-22.9)
	10 + Years	5.9 (2.7-9.0)	6.3 (3.0-9.6)	NA	6.4 (2.8-10.0)	4.7 (3.2-6.3)