



Chronic Conditions and Risk Factors 2018

Louisiana Behavior Risk Factor Surveillance System

The Behavioral Risk Factor Surveillance System (BRFSS) is the nation's premier system of health-related telephone surveys that collects state data about U.S. residents regarding their health-related risk behaviors, chronic health conditions, and use of preventive services. Visit the following CDC site for information on methodology and data access:

<http://www.cdc.gov/brfss/about/index.htm>

All data in the following tables are taken from the Louisiana Behavioral Risk Factor Surveillance System (BRFSS) for 2018. Because the BRFSS survey results are derived from a weighted sample of the population, the accuracy and precision of the estimates is dependent on sample size and sample bias. Where the sample size was too small to provide a valid estimate, NA (not available) was entered.

For further information, contact:

Laurie Freyder, MPH

Louisiana BRFSS Coordinator

Laurie.Freyder@la.gov

504.568.8191

TABLE OF CONTENTS

CHRONIC CONDITIONS AND RISK FACTORS	PAGE
Table 1: Diabetes	4
Table 2: Underweight	5
Table 3: Normal Weight	6
Table 4: Overweight	7
Table 5: Obese	8
Table 6: Stroke	9
Table 7: Heart Attack	10
Table 8: Angina	11
Table 9: Heart Attack or Heart Disease	12
Table 10: Current Smoker	13
Table 11: Ex Smoker	14
Table 12: Never Smoker	15
Table 13: Ever Asthma	16
Table 14: COPD	17
Table 15: Skin Cancer	18
Table 16: Cancer Other than Skin Cancer	19
Table 17: Arthritis	20
Table 18: Depressive Disorder	21
Table 19: Kidney Disease	22
Table 20: Men – Conditions by Race	23
Table 21: Men – Conditions by Age	24
Table 22: Men – Conditions by Education	25
Table 23: Men – Conditions by Income	26
Table 24: Women – Conditions by Race	27
Table 25: Women – Conditions by Age	28
Table 26: Women – Conditions by Education	29
Table 27: Women – Conditions by Income	30
Table 28: Caucasians – Conditions by Age	31
Table 29: Caucasians – Conditions by Education	32
Table 30: Caucasians – Conditions by Income	33
Table 31: African Americans – Conditions by Age	34
Table 32: African Americans – Conditions by Education	35
Table 33: African Americans – Conditions by Income	36

Table 1: Diabetes		
	%	95% Confidence Interval
Total	14.1	12.9-15.3
Gender		
Male	13.4	11.7-15.1
Female	14.5	12.8-16.3
Race/Ethnicity		
White non-Hispanic	12.8	11.3-14.3
Black non-Hispanic	17.7	15.1-20.4
Other	6.5	3.9-9.2
Age		
18-24	NA	NA
25-34	2.6	1.1-4.2
35-44	4.8	3.2-6.4
45-54	20.1	16.7-23.5
55-64	22.7	19.1-26.2
65+	27.1	23.8-30.4
Education		
Less than High School	18.6	14.1-23.1
High School Graduate	14.5	12.5-16.5
Some College	14.6	12.4-16.9
College Graduate	8.7	7.2-10.1
Household Income		
< \$15,000	21.0	16.4-25.6
\$15,000-\$24,999	18.2	14.9-21.5
\$25,000-\$34,999	12.5	7.8-17.1
\$35,000-\$49,999	13.5	9.6-17.4
\$50,000 +	10.5	8.8-12.1

Table 2: Underweight		
	%	95% Confidence Interval
Total	1.7	1.2-2.2
Gender		
Male	1.3	0.7-1.8
Female	2.1	1.3-2.8
Race/Ethnicity		
White non-Hispanic	2.0	1.3-2.6
Black non-Hispanic	NA	NA
Other	NA	NA
Age		
18-24	4.0	1.9-6.1
25-34	NA	NA
35-44	NA	NA
45-54	NA	NA
55-64	1.5	0.7-2.4
65+	1.1	0.5-1.6
Education		
Less than High School	NA	NA
High School Graduate	1.9	1.0-2.8
Some College	1.9	1.0-2.8
College Graduate	0.8	0.3-1.3
Household Income		
< \$15,000	2.0	0.8-3.3
\$15,000-\$24,999	NA	NA
\$25,000-\$34,999	NA	NA
\$35,000-\$49,999	NA	NA
\$50,000 +	1.1	0.6-1.6

Table 3: Normal Weight		
	%	95% Confidence Interval
Total	28.9	27.0-30.8
Gender		
Male	26.5	23.6-29.5
Female	31.1	28.7-33.5
Race/Ethnicity		
White non-Hispanic	30.2	28.1-32.4
Black non-Hispanic	25.9	21.6-30.2
Other	29.6	23.2-36.0
Age		
18-24	46.3	39.9-52.8
25-34	32.9	27.2-38.6
35-44	24.7	20.0-29.4
45-54	20.2	16.9-23.5
55-64	24.5	20.7-28.2
65+	28.4	26.0-31.7
Education		
Less than High School	34.3	27.3-41.4
High School Graduate	25.0	22.1-27.9
Some College	27.5	24.3-30.7
College Graduate	32.9	30.1-35.8
Household Income		
< \$15,000	30.7	23.6-37.8
\$15,000-\$24,999	23.2	19.3-27.2
\$25,000-\$34,999	30.0	23.9-36.1
\$35,000-\$49,999	26.6	20.8-32.4
\$50,000 +	28.0	25.4-30.6

Table 4: Overweight		
	%	95% Confidence Interval
Total	32.7	30.9-34.4
Gender		
Male	38.1	35.3-40.9
Female	27.3	25.1-29.6
Race/Ethnicity		
White non-Hispanic	34.8	32.6-36.9
Black non-Hispanic	26.9	23.5-30.2
Other	37.6	30.3-45.0
Age		
18-24	21.7	16.2-27.1
25-34	31.3	26.5-36.0
35-44	33.2	28.5-37.9
45-54	33.2	29.0-37.4
55-64	33.8	30.1-37.6
65+	38.8	35.3-42.2
Education		
Less than High School	27.5	22.3-32.7
High School Graduate	32.7	29.6-35.8
Some College	32.4	29.1-35.7
College Graduate	36.7	33.8-39.6
Household Income		
< \$15,000	28.4	22.8-34.1
\$15,000-\$24,999	32.9	28.2-37.5
\$25,000-\$34,999	29.5	23.5-35.4
\$35,000-\$49,999	32.8	27.7-37.8
\$50,000 +	35.6	32.9-38.4

Table 5: Obese		
	%	95% Confidence Interval
Total	36.8	34.9-38.7
Gender		
Male	34.1	31.4-36.8
Female	39.5	36.9-42.0
Race/Ethnicity		
White non-Hispanic	33.0	30.9-35.1
Black non-Hispanic	46.2	42.1-50.4
Other	30.6	23.9-37.2
Age		
18-24	27.9	21.8-34.1
25-34	33.9	28.6-39.2
35-44	40.6	35.8-45.5
45-54	45.8	41.5-50.1
55-64	40.2	36.1-44.2
65+	31.8	28.5-35.2
Education		
Less than High School	36.0	29.9-42.1
High School Graduate	40.4	37.0-43.7
Some College	38.2	34.8-41.6
College Graduate	29.6	27.0-32.2
Household Income		
< \$15,000	38.8	32.0-45.7
\$15,000-\$24,999	41.5	36.6-46.3
\$25,000-\$34,999	39.2	33.1-45.3
\$35,000-\$49,999	39.7	34.0-45.3
\$50,000 +	35.2	32.5-37.9

Table 6: Stroke		
	%	95% Confidence Interval
Total	5.1	4.3-5.8
Gender		
Male	4.5	3.5-5.5
Female	5.5	4.3-6.7
Race/Ethnicity		
White non-Hispanic	5.0	4.0-6.0
Black non-Hispanic	5.7	4.1-7.2
Other	NA	NA
Age		
18-24	NA	NA
25-34	NA	NA
35-44	2.9	1.2-4.6
45-54	4.0	2.5-5.4
55-64	8.0	5.6-10.4
65+	11.1	8.7-13.5
Education		
Less than High School	11.1	7.6-14.5
High School Graduate	4.5	3.4-5.7
Some College	4.3	3.1-5.5
College Graduate	2.4	1.7-3.3
Household Income		
< \$15,000	9.8	6.6-13.0
\$15,000-\$24,999	8.2	5.8-10.7
\$25,000-\$34,999	6.6	2.6-10.5
\$35,000-\$49,999	3.9	1.9-5.8
\$50,000 +	1.9	1.2-2.5

Table 7: Heart Attack		
	%	95% Confidence Interval
Total	5.0	4.3-5.7
Gender		
Male	5.8	4.7-6.9
Female	4.3	3.4-5.2
Race/Ethnicity		
White non-Hispanic	5.7	4.8-6.6
Black non-Hispanic	4.1	2.8-5.4
Other	NA	NA
Age		
18-24	NA	NA
25-34	NA	NA
35-44	NA	NA
45-54	5.6	3.4-7.8
55-64	7.2	5.5-8.9
65+	12.4	10.0-14.7
Education		
Less than High School	9.7	6.7-12.6
High School Graduate	5.3	4.1-6.4
Some College	3.8	2.7-5.0
College Graduate	2.9	2.1-3.7
Household Income		
< \$15,000	10.0	6.9-13.2
\$15,000-\$24,999	7.3	5.1-9.5
\$25,000-\$34,999	4.1	2.0-6.2
\$35,000-\$49,999	3.3	1.4-5.3
\$50,000 +	2.9	2.1-3.6

Table 8: Angina		
	%	95% Confidence Interval
Total	6.0	5.2-6.9
Gender		
Male	6.3	5.0-7.7
Female	5.7	4.6-6.8
Race/Ethnicity		
White non-Hispanic	6.6	5.6-7.5
Black non-Hispanic	4.9	3.3-6.5
Other	NA	NA
Age		
18-24	NA	NA
25-34	NA	NA
35-44	NA	NA
45-54	4.3	2.3-6.2
55-64	9.7	7.2-12.1
65+	16.0	13.4-18.6
Education		
Less than High School	10.0	6.4-13.5
High School Graduate	6.2	4.8-7.6
Some College	5.4	4.0-6.9
College Graduate	3.5	2.7-4.4
Household Income		
< \$15,000	11.3	7.2-15.3
\$15,000-\$24,999	7.9	5.5-10.3
\$25,000-\$34,999	6.6	3.3-9.9
\$35,000-\$49,999	4.1	2.0-6.2
\$50,000 +	4.2	3.2-5.2

Table 9: Heart Attack or Heart Disease		
	%	95% Confidence Interval
Total	8.4	7.4-9.4
Gender		
Male	9.4	7.9-10.9
Female	7.5	6.3-8.7
Race/Ethnicity		
White non-Hispanic	9.3	8.1-10.5
Black non-Hispanic	6.8	5.0-8.5
Other	7.6	2.9-12.3
Age		
18-24	NA	NA
25-34	NA	NA
35-44	2.2	1.0-3.3
45-54	7.0	4.7-9.4
55-64	12.8	10.2-15.4
65+	21.7	18.8-24.6
Education		
Less than High School	13.9	10.0-17.7
High School Graduate	9.0	7.3-10.6
Some College	7.3	5.7-8.9
College Graduate	5.0	4.0-6.1
Household Income		
< \$15,000	15.6	11.2-19.9
\$15,000-\$24,999	12.2	9.3-15.1
\$25,000-\$34,999	7.9	4.5-11.3
\$35,000-\$49,999	5.5	3.2-7.8
\$50,000 +	5.6	4.5-6.8

Table 10: Current Smoker		
	%	95% Confidence Interval
Total	20.5	19.0-22.1
Gender		
Male	53.6	49.4-57.7
Female	46.4	42.3-50.6
Race/Ethnicity		
White non-Hispanic	67.9	63.9-71.9
Black non-Hispanic	23.7	20.2-27.3
Other	8.4	5.9-10.8
Age		
18-24	7.9	5.4-10.4
25-34	21.6	18.1-25.1
35-44	22.2	18.6-25.8
45-54	17.7	14.6-20.7
55-64	18.7	15.5-22.0
65+	11.9	9.5-14.3
Education		
Less than High School	27.7	23.5-32.0
High School Graduate	36.7	32.8-40.6
Some College	27.8	24.2-31.4
College Graduate	7.8	6.1-9.4
Household Income		
< \$15,000	21.4	18.0-25.0
\$15,000-\$24,999	23.1	19.5-26.7
\$25,000-\$34,999	11.1	8.1-14.1
\$35,000-\$49,999	11.1	8.3-14.0
\$50,000 +	33.2	29.0-37.5

Table 11: Ex Smoker		
	%	95% Confidence Interval
Total	22.6	21.1-24.2
Gender		
Male	57.0	53.3-60.8
Female	43.0	39.2-46.7
Race/Ethnicity		
White non-Hispanic	71.9	68.0-75.9
Black non-Hispanic	22.6	18.7-26.5
Other	5.5	3.9-7.1
Age		
18-24	3.4	1.7-5.2
25-34	13.3	10.3-16.3
35-44	15.0	11.6-18.3
45-54	15.0	12.5-17.6
55-64	19.7	17.0-22.5
65+	33.5	30.1-36.9
Education		
Less than High School	19.3	15.3-23.2
High School Graduate	33.0	29.5-36.4
Some College	28.6	25.2-32.0
College Graduate	19.1	16.8-21.5
Household Income		
< \$15,000	12.4	9.4-15.4
\$15,000-\$24,999	16.7	13.8-19.6
\$25,000-\$34,999	11.1	8.5-13.7
\$35,000-\$49,999	12.3	9.8-14.8
\$50,000 +	47.5	43.5-51.4

Table 12: Never Smoker		
	%	95% Confidence Interval
Total	56.9	55.0-58.7
Gender		
Male	42.8	40.1-45.4
Female	57.2	54.6-59.9
Race/Ethnicity		
White non-Hispanic	54.3	51.6-57.0
Black non-Hispanic	35.8	33.1-38.5
Other	9.9	8.2-11.6
Age		
18-24	17.6	15.4-19.8
25-34	19.4	16.9-22.0
35-44	15.2	13.4-17.1
45-54	14.9	13.3-16.5
55-64	14.7	13.1-16.3
65+	18.1	16.4-19.8
Education		
Less than High School	11.0	8.6-13.4
High School Graduate	32.0	29.5-34.5
Some College	29.9	27.5-32.2
College Graduate	27.1	25.2-29.1
Household Income		
< \$15,000	12.8	10.1-15.4
\$15,000-\$24,999	18.3	16.1-20.6
\$25,000-\$34,999	10.0	8.3-11.6
\$35,000-\$49,999	12.9	11.0-14.8
\$50,000 +	46.0	43.2-48.8

Table 13: Asthma		
	%	95% Confidence Interval
Total	15.0	13.5-16.4
Gender		
Male	14.2	11.8-16.4
Female	15.6	13.9-17.4
Race/Ethnicity		
White non-Hispanic	13.8	12.1-15.4
Black non-Hispanic	17.0	13.6-20.3
Other	16.0	10.8-21.3
Age		
18-24	19.6	14.8-24.4
25-34	18.3	13.4-23.2
35-44	14.0	10.4-17.6
45-54	13.1	10.5-15.7
55-64	15.3	12.1-18.4
65+	11.0	8.7-13.2
Education		
Less than High School	22.6	16.5-28.6
High School Graduate	13.5	11.3-15.7
Some College	15.0	12.7-17.4
College Graduate	11.5	9.7-13.4
Household Income		
< \$15,000	23.6	16.9-30.2
\$15,000-\$24,999	18.8	15.1-22.5
\$25,000-\$34,999	17.3	11.8-22.8
\$35,000-\$49,999	11.5	8.3-14.7
\$50,000 +	10.2	8.5-12.0

Table 14: COPD		
	%	95% Confidence Interval
Total	9.9	8.7-11.0
Gender		
Male	7.9	6.2-9.5
Female	11.7	10.1-13.3
Race/Ethnicity		
White non-Hispanic	10.4	9.0-11.8
Black non-Hispanic	9.6	7.1-12.1
Other	7.0	3.9-10.1
Age		
18-24	NA	NA
25-34	6.4	4.1-8.7
35-44	6.8	3.1-10.4
45-54	11.0	8.4-13.5
55-64	14.2	11.1-17.3
65+	15.4	12.9-18.0
Education		
Less than High School	20.4	15.2-25.5
High School Graduate	9.9	8.3-11.5
Some College	8.1	6.4-9.7
College Graduate	4.4	3.3-5.5
Household Income		
< \$15,000	17.0	13.3-20.7
\$15,000-\$24,999	15.2	12.1-18.3
\$25,000-\$34,999	11.0	6.6-15.4
\$35,000-\$49,999	5.7	2.7-8.6
\$50,000 +	4.1	3.1-5.2

Table 15: Skin Cancer		
	%	95% Confidence Interval
Total	5.6	4.9-6.3
Gender		
Male	6.3	5.2-7.4
Female	4.9	4.1-5.8
Race/Ethnicity		
White non-Hispanic	8.8	7.6-9.9
Black non-Hispanic	NA	NA
Other	1.2	0.5-2.0
Age		
18-24	NA	NA
25-34	NA	NA
35-44	1.9	0.7-3.0
45-54	5.6	3.6-7.5
55-64	7.2	5.4-9.0
65+	15.6	13.3-18.0
Education		
Less than High School	3.2	1.5-4.8
High School Graduate	5.7	4.5-6.9
Some College	5.8	4.4-7.2
College Graduate	7.2	5.9-8.5
Household Income		
< \$15,000	3.0	1.5-4.5
\$15,000-\$24,999	4.7	3.0-6.3
\$25,000-\$34,999	6.7	4.1-9.4
\$35,000-\$49,999	6.0	3.7-8.4
\$50,000 +	6.6	5.4-7.9

Table 16: Cancer Other than Skin Cancer		
	%	95% Confidence Interval
Total	6.8	6.0-7.6
Gender		
Male	6.0	4.9-7.2
Female	7.5	6.3-8.7
Race/Ethnicity		
White non-Hispanic	7.9	6.8-9.0
Black non-Hispanic	5.3	3.8-6.8
Other	3.6	1.6-5.7
Age		
18-24	NA	NA
25-34	NA	NA
35-44	2.1	0.9-3.3
45-54	7.1	4.9-9.3
55-64	8.7	6.6-10.8
65-74	17.3	14.7-19.9
Education		
Less than High School	7.4	4.6-10.3
High School Graduate	6.4	5.1-7.6
Some College	6.9	5.3-8.5
College Graduate	6.9	5.6-8.2
Household Income		
< \$15,000	7.8	5.2-10.3
\$15,000-\$24,999	4.8	3.0-6.5
\$25,000-\$34,999	7.3	4.7-9.9
\$35,000-\$49,999	9.5	6.7-12.3
\$50,000 +	6.1	4.9-7.4

Table 17: Arthritis		
	%	95% Confidence Interval
Total	29.2	27.6-30.8
Gender		
Male	23.8	21.6-26.1
Female	34.1	31.9-36.3
Race/Ethnicity		
White non-Hispanic	32.5	30.4-34.5
Black non-Hispanic	25.7	22.7-28.8
Other	18.9	13.9-23.8
Age		
18-24	NA	NA
25-34	9.2	6.3-12.1
35-44	19.2	15.6-22.7
45-54	34.5	30.6-38.4
55-64	44.4	40.4-48.4
65+	56.0	52.5-59.4
Education		
Less than High School	40.4	34.4-46.4
High School Graduate	28.3	25.7-30.9
Some College	28.7	25.9-31.6
College Graduate	22.6	20.3-24.8
Household Income		
< \$15,000	33.1	27.6-38.6
\$15,000-\$24,999	34.3	30.0-38.6
\$25,000-\$34,999	29.1	23.3-34.8
\$35,000-\$49,999	27.3	22.5-32.1
\$50,000 +	24.2	21.9-26.5

Table 18: Depressive Disorder		
	%	95% Confidence Interval
Total	23.2	21.5-24.9
Gender		
Male	19.2	16.6-21.9
Female	27.0	24.9-29.1
Race/Ethnicity		
White non-Hispanic	25.0	23.0-27.0
Black non-Hispanic	19.5	16.0-23.1
Other	22.2	16.7-27.7
Age		
18-24	22.3	17.5-27.2
25-34	26.9	21.6-32.2
35-44	21.1	17.4-24.8
45-54	26.9	23.2-30.5
55-64	25.3	21.6-29.1
65+	17.5	14.7-20.2
Education		
Less than High School	36.3	29.9-42.7
High School Graduate	22.2	19.6-24.8
Some College	21.2	18.5-23.8
College Graduate	18.0	15.8-20.2
Household Income		
< \$15,000	35.6	28.9-42.3
\$15,000-\$24,999	32.4	27.9-36.8
\$25,000-\$34,999	23.9	18.2-29.6
\$35,000-\$49,999	22.1	17.2-27.0
\$50,000+	14.3	12.4-16.3

Table 19: Kidney Disease		
	%	95% Confidence Interval
Total	3.8	3.1-4.6
Gender		
Male	3.1	2.3-4.0
Female	4.5	3.4-5.7
Race/Ethnicity		
White non-Hispanic	3.7	2.7-4.6
Black non-Hispanic	4.5	3.1-5.9
Other	NA	NA
Age		
18-24	NA	NA
25-34	NA	NA
35-44	NA	NA
45-54	4.2	2.5-5.9
55-64	6.4	3.8-9.1
65+	7.8	5.8-9.8
Education		
Less than High School	6.9	3.7-10.1
High School Graduate	3.8	2.7-4.8
Some College	3.2	2.1-4.3
College Graduate	2.5	1.7-3.3
Household Income		
< \$15,000	5.8	3.5-8.1
\$15,000-\$24,999	5.7	3.5-7.9
\$25,000-\$34,999	NA	NA
\$35,000-\$49,999	4.8	1.8-7.7
\$50,000 +	2.2	1.5-3.1

TABLE 20: MEN
CHRONIC CONDITIONS AND RISK FACTORS BY RACE

2017	OVERALL	RACE		
		Caucasian, NH*	African American, NH	Other
% Diabetes	13.4 (11.7-15.1)	13.3 (11.3-15.3)	15.0 (11.2-18.7)	6.3 (2.5-10.1)
% Current Smoker	22.8 (20.4-25.1)	22.9 (20.0-25.7)	21.9 (17.0-26.7)	24.4 (15.5-33.4)
% Ex Smoker	26.7 (24.2-29.3)	29.9 (26.9-32.9)	22.7 (17.0-28.4)	15.7 (9.8-21.6)
% Never Smoker	50.5 (47.5-53.5)	47.3 (43.9-50.7)	55.4 (48.9-62.0)	59.9 (50.1-69.6)
% Normal Weight	26.5 (23.6-29.5)	22.6 (19.8-25.4)	35.2 (27.8-42.6)	27.7 (18.8-36.6)
% Over Weight	38.1 (35.3-40.9)	41.8 (38.5-45.0)	30.2 (24.9-35.6)	37.6 (27.2-48.0)
% Obese	34.1 (31.4-36.8)	34.3 (31.2-37.5)	33.5 (27.5-39.4)	33.3 (23.4-43.3)
% MI	5.8 (4.7-6.9)	7.2 (5.7-8.8)	3.4 (1.7-5.2)	NA
% Angina (CHD)	6.3 (5.0-7.7)	7.1 (5.6-8.6)	3.7 (1.6-5.8)	NA
% Stroke	4.5 (3.5-5.5)	4.8 (3.5-6.0)	4.6 (2.6-6.6)	NA
% Ever Asthma	14.2 (11.8-16.6)	12.3 (10.0-14.7)	18.5 (12.2-24.9)	13.2 (6.9-19.4)
% Skin Cancer	6.3 (5.2-7.4)	9.9 (8.1-11.6)	NA	NA
% Other Cancer	6.0 (4.9-7.2)	6.7 (5.3-8.1)	5.4 (3.0-7.8)	NA
% COPD	7.9 (6.2-9.5)	7.9 (6.3-9.4)	9.7 (5.1-14.4)	NA
% Arthritis	23.8 (21.6-26.1)	37.5 (34.6-40.4)	30.8 (26.7-34.9)	21.8 (14.8-28.8)
% Depressive Disorder	19.2 (16.6-21.9)	19.0 (16.3-21.8)	20.2 (13.5-26.9)	16.2 (9.0-23.4)
% Kidney Disease	3.1 (2.2-4.0)	2.7 (1.8-3.7)	4.1 (2.2-6.0)	NA

* NH: Non-Hispanic

TABLE 21: MEN
CHRONIC CONDITIONS AND RISK FACTORS BY AGE

2017	OVERALL	AGE (Years)					
		18-24	25-34	35-44	45-54	55-64	65+
% Diabetes	13.4 (11.7-15.1)	NA	NA	3.3 (1.5-5.2)	20.8 (15.8-25.9)	20.8 (16.3-25.4)	29.7 (24.8-34.6)
% Current Smoker	22.8 (20.4-25.1)	14.9 (9.2-20.6)	27.1 (20.7-33.6)	31.8 (24.9-38.6)	25.0 (19.0-31.1)	23.6 (18.5-28.7)	13.0 (9.2-16.8)
% Ex Smoker	26.7 (24.2-29.3)	8.1 (2.7-13.5)	17.7 (11.9-23.6)	24.8 (17.2-32.5)	25.8 (20.1-31.4)	29.7 (24.6-34.8)	49.7 (44.2-55.1)
% Never Smoker	50.5 (47.5-53.5)	77.1 (69.6-84.4)	55.2 (47.1-63.3)	43.4 (35.9-50.9)	49.2 (42.7-55.7)	46.7 (40.8-52.6)	37.3 (32.2-42.5)
% Normal Weight	26.5 (23.6-29.5)	45.9 (36.8-54.9)	33.2 (24.0-42.4)	23.7 (15.9-31.5)	15.7 (11.1-20.3)	18.5 (13.9-23.0)	24.2 (19.3-29.1)
% Over Weight	38.1 (35.3-40.9)	26.7 (18.7-34.8)	36.3 (28.7-43.8)	38.8 (31.6-45.9)	34.7 (28.3-41.0)	42.9 (37.2-48.6)	46.5 (41.2-51.8)
% Obese	34.1 (31.4-36.8)	25.1 (16.3-33.8)	28.9 (22.2-35.6)	35.9 (28.9-43.0)	48.8 (42.3-55.3)	37.8 (31.9-43.8)	28.8 (24.2-33.4)
% MI	5.8 (4.7-6.9)	NA	NA	NA	7.1 (3.2-11.0)	9.2 (6.4-11.9)	15.1 (11.4-18.8)
% Angina (CHD)	6.3 (5.0-7.7)	NA	NA	NA	NA	9.5 (6.2-12.8)	18.3 (14.1-22.5)
% Stroke	4.5 (3.5-5.5)	NA	NA	NA	4.3 (2.0-6.5)	6.1 (3.7-8.5)	11.6 (8.1-15.2)
% Ever Asthma	14.2 (11.8-16.6)	20.4 (12.9-27.9)	19.5 (11.1-27.9)	14.8 (9.6-20.1)	9.2 (5.8-12.6)	13.2 (8.5-17.8)	8.9 (5.7-12.1)
% Skin Cancer	6.3 (5.2-7.4)	NA	NA	NA	6.0 (3.0-9.1)	8.6 (5.9-11.4)	19.7 (15.8-23.7)
% Other Cancer	6.0 (4.9-7.2)	NA	NA	NA	5.3 (2.4-8.3)	8.8 (5.5-12.0)	18.9 (14.7-23.1)
% COPD	7.9 (6.2-9.5)	NA	5.5 (2.5-8.5)	NA	7.6 (4.4-10.9)	9.4 (6.6-12.2)	13.5 (9.9-17.2)
% Arthritis	23.8 (21.6-26.1)	NA	10.0 (5.1-14.9)	16.3 (11.2-21.4)	30.3 (24.6-36.0)	34.8 (29.1-40.5)	45.7 (40.4-51.0)
% Depressive Disorder	19.2 (16.6-21.9)	20.3 (13.4-27.2)	26.7 (17.7-35.7)	15.4 (10.4-20.3)	19.6 (14.4-24.8)	21.7 (15.9-27.4)	11.8 (8.3-15.2)
% Kidney Disease	3.1 (2.2-4.0)	NA	NA	NA	4.5 (1.9-7.1)	3.0 (1.4-4.5)	8.5 (5.0-11.9)

TABLE 22: MEN
CHRONIC CONDITIONS AND RISK FACTORS BY EDUCATION

2017	OVERALL	EDUCATION			
		No HS	HS	Some College	College
% Diabetes	13.4 (11.7-15.1)	12.9 (8.3-17.4)	13.8 (11.0-16.6)	17.0 (13.4-20.6)	8.3 (6.2-10.4)
% Current Smoker	22.8 (20.4-25.1)	34.9 (27.0-42.9)	26.3 (22.4-30.3)	18.9 (14.9-22.9)	8.8 (6.1-11.4)
% Ex Smoker	26.7 (24.2-29.3)	31.9 (23.5-40.4)	26.8 (23.0-30.7)	24.0 (19.7-28.4)	24.7 (21.0-28.5)
% Never Smoker	50.5 (47.5-53.5)	33.1 (23.4-42.9)	46.8 (42.1-51.6)	57.1 (51.9-62.3)	65.5 (62.3-70.7)
% Normal Weight	26.5 (23.6-29.5)	37.2 (27.2-47.3)	23.9 (19.7-28.1)	23.4 (18.7-28.0)	25.2 (21.1-29.2)
% Over Weight	38.1 (35.3-40.9)	32.2 (24.6-39.8)	36.5 (31.9-41.0)	40.1 (34.9-45.4)	44.3 (39.8-48.8)
% Obese	34.1 (31.4-36.8)	28.7 (20.5-36.8)	37.9 (33.4-42.4)	35.8 (30.8-40.9)	30.1 (26.1-34.0)
% MI	5.8 (4.7-6.9)	9.2 (5.3-13.2)	5.4 (3.7-7.1)	4.8 (3.0-6.5)	4.7 (3.1-6.4)
% Angina (CHD)	6.3 (5.0-7.7)	10.5 (5.3-15.7)	5.3 (3.6-6.9)	5.0 (2.9-7.1)	5.5 (3.8-7.2)
% Stroke	4.5 (3.5-5.5)	5.8 (3.0-8.6)	4.9 (3.1-6.6)	3.9 (2.2-5.7)	3.2 (1.8-4.6)
% Ever Asthma	14.2 (11.8-16.6)	22.1 (13.2-31.1)	11.3 (8.3-14.4)	15.8 (12.0-19.5)	8.8 (6.4-11.2)
% Skin Cancer	6.3 (5.2-7.4)	NA	6.0 (4.2-7.8)	7.7 (5.3-10.0)	8.2 (6.0-10.3)
% Other Cancer	6.0 (4.9-7.2)	7.2 (3.6-10.9)	4.7 (3.2-6.2)	6.1 (3.9-8.4)	6.9 (4.8-9.0)
% COPD	7.9 (6.2-9.5)	16.2 (9.4-23.0)	7.2 (5.3-9.1)	5.8 (3.7-7.8)	3.3 (1.9-4.7)
% Arthritis	23.8 (21.6-26.1)	31.6 (24.1-39.1)	23.4 (19.8-27.1)	21.5 (17.6-25.4)	19.4 (16.2-22.7)
% Depressive Disorder	19.2 (16.6-21.9)	34.7 (25.4-43.9)	17.4 (13.7-21.1)	13.9 (10.5-17.4)	14.2 (11.2-17.1)
% Kidney Disease	3.1 (2.2-4.0)	11.5 (4.9-18.0)	4.3 (2.8-5.8)	4.0 (2.2-5.7)	1.9 (1.1-2.7)

TABLE 23: MEN
CHRONIC CONDITIONS AND RISK FACTORS BY INCOME

2017	OVERALL	INCOME				
		< \$15,000	\$15,000-\$24,999	\$25,000-\$34,999	\$35,000-\$49,999	\$50,000+
% Diabetes	13.4 (11.7-15.1)	22.1 (14.2-29.9)	15.4 (10.2-20.6)	8.5 (4.7-12.2)	12.1 (7.8-16.4)	12.4 (10.0-14.7)
% Current Smoker	22.8 (20.4-25.1)	34.7 (24.9-44.5)	27.3 (20.6-34.1)	20.7 (13.2-28.2)	21.6 (15.2-28.1)	18.1 (14.8-21.4)
% Ex Smoker	26.7 (24.2-29.3)	28.3 (18.5-38.0)	21.4 (15.6-27.2)	27.5 (19.7-35.3)	24.4 (17.8-31.1)	29.1 (25.5-32.6)
% Never Smoker	50.5 (47.5-53.5)	37.0 (23.9-50.1)	51.3 (43.2-59.4)	51.8 (42.7-60.9)	53.9 (45.4-62.5)	52.8 (48.9-56.8)
% Normal Weight	26.5 (23.6-29.5)	39.7 (26.8-52.6)	23.1 (17.0-29.3)	26.1 (18.1-34.2)	28.4 (19.1-37.8)	20.4 (17.2-23.7)
% Over Weight	38.1 (35.3-40.9)	31.5 (22.0-41.1)	40.3 (32.4-48.2)	37.0 (28.1-45.9)	36.9 (29.1-44.6)	40.8 (36.9-44.7)
% Obese	34.1 (31.4-36.8)	27.1 (17.2-37.0)	35.0 (26.8-43.1)	35.4 (27.3-44.4)	33.1 (25.5-40.8)	38.1 (34.3-41.9)
% MI	5.8 (4.7-6.9)	11.3 (5.4-17.2)	10.0 (6.0-14.0)	NA	NA	4.5 (3.2-5.8)
% Angina (CHD)	6.3 (5.0-7.7)	14.2 (6.1-22.4)	8.7 (4.5-12.9)	NA	NA	5.3 (3.8-6.8)
% Stroke	4.5 (3.5-5.5)	9.1 (4.3-13.9)	6.7 (3.0-10.4)	6.2 (2.7-9.6)	3.9 (1.5-6.3)	2.3 (1.3-3.3)
% Ever Asthma	14.2 (11.8-16.6)	25.8 (12.1-39.4)	19.2 (12.9-25.6)	11.6 (5.8-17.4)	11.5 (6.9-16.1)	10.1 (7.6-12.7)
% Skin Cancer	6.3 (5.2-7.4)	NA	5.8 (2.7-9.0)	7.4 (3.3-11.6)	7.5 (3.5-11.5)	7.1 (5.4-8.7)
% Other Cancer	6.0 (4.9-7.2)	NA	NA	NA	7.8 (4.0-11.6)	5.6 (4.2-7.1)
% COPD	7.9 (6.2-9.5)	13.6 (8.2-19.1)	14.1 (9.2-18.9)	NA	4.7 (1.8-7.6)	4.6 (3.2-6.1)
% Arthritis	23.8 (21.6-26.1)	29.5 (20.3-38.6)	30.4 (23.3-37.6)	21.8 (14.3-29.1)	22.0 (15.8-28.3)	20.6 (17.6-23.5)
% Depressive Disorder	19.2 (16.6-21.9)	38.2 (25.5-50.9)	26.8 (18.9-34.7)	14.7 (7.7-21.7)	23.9 (15.5-32.2)	10.8 (8.4-13.2)
% Kidney Disease	3.1 (2.2-4.0)	NA	NA	NA	NA	2.8 (1.6-3.9)

TABLE 24: WOMEN
CHRONIC CONDITIONS AND RISK FACTORS BY RACE

2017	OVERALL	RACE		
		Caucasian, NH*	African American, NH	Other
% Diabetes	14.5 (12.8-16.3)	11.9 (9.8-14.0)	20.1 (16.4-23.7)	6.9 (3.3-10.4)
% Current Smoker	18.3 (16.4-20.3)	22.9 (20.1-25.8)	10.9 (8.3-13.5)	14.1 (8.3-19.8)
% Ex Smoker	18.7 (16.9-20.6)	23.0 (20.6-25.5)	11.5 (8.4-14.6)	13.0 (7.1-18.9)
% Never Smoker	62.9 (60.5-65.3)	54.0 (51.0-57.1)	77.6 (73.7-81.4)	72.9 (65.0-80.8)
% Normal Weight	31.1 (28.7-33.5)	37.8 (34.7-40.9)	17.4 (13.8-21.0)	32.1 (22.9-41.4)
% Over Weight	27.3 (25.1-29.6)	27.7 (25.0-30.4)	23.9 (19.7-28.1)	38.1 (27.5-48.7)
% Obese	39.5 (36.9-42.0)	31.9 (29.0-34.7)	57.8 (52.8-62.8)	27.5 (19.1-35.9)
% MI	4.3 (3.4-5.2)	4.2 (3.1-5.3)	4.6 (2.7-6.5)	NA
% Angina (CHD)	5.7 (4.6-6.8)	5.9 (4.7-7.2)	5.9 (3.5-8.3)	NA
% Stroke	5.5 (4.3-6.7)	5.0 (3.5-6.5)	6.5 (4.3-8.8)	NA
% Ever Asthma	15.6 (13.9-17.4)	15.2 (13.0-17.5)	15.7 (12.6-18.8)	18.7 (10.2-27.2)
% Skin Cancer	4.9 (4.1-5.8)	7.7 (6.3-9.1)	NA	NA
% Other Cancer	7.5 (6.3-8.7)	9.1 (7.5-10.7)	5.2 (3.3-7.2)	3.5 (1.6-5.4)
% COPD	11.7 (10.1-13.3)	12.9 (10.7-15.1)	9.4 (7.0-11.9)	11.1 (5.1-17.1)
% Arthritis	34.1 (31.9-36.3)	37.5 (34.6-40.4)	30.8 (26.7-34.9)	21.8 (14.8-28.8)
% Depressive Disorder	27.0 (24.9-29.1)	30.7 (27.9-33.5)	19.0 (15.6-22.4)	29.9 (21.5-38.3)
% Kidney Disease	4.5 (3.4-5.7)	4.6 (3.0-6.2)	4.8 (2.8-6.8)	NA

TABLE 25: WOMEN
CHRONIC CONDITIONS AND RISK FACTORS BY AGE

2017	OVERALL	AGE (Years)					
		18-24	25-34	35-44	45-54	55-64	65+
% Diabetes	14.5 (12.8-16.3)	NA	NA	6.2 (3.7-8.8)	19.0 (14.5-23.6)	24.4 (19.1-29.8)	24.4 (20.1-28.8)
% Current Smoker	18.3 (16.4-20.3)	10.6 (4.7-16.4)	20.5 (15.4-25.6)	23.2 (17.7-28.8)	22.0 (17.5-26.6)	22.6 (17.2-28.1)	11.1 (8.1-14.1)
% Ex Smoker	18.7 (16.9-20.6)	NA	14.5 (9.8-19.2)	16.1 (11.8-20.4)	18.2 (13.9-22.4)	24.0 (19.2-28.9)	28.0 (23.8-32.2)
% Never Smoker	62.9 (60.5-65.3)	85.2 (78.9-91.5)	65.0 (58.6-71.4)	60.7 (54.4-66.9)	59.8 (54.4-65.2)	53.3 (47.6-59.0)	60.9 (56.2-65.5)
% Normal Weight	31.1 (28.7-33.5)	47.3 (38.2-56.3)	32.0 (25.6-38.4)	25.7 (20.3-31.1)	24.6 (19.8-29.4)	30.3 (24.6-36.0)	31.7 (27.0-36.3)
% Over Weight	27.3 (25.1-29.6)	15.8 (8.7-22.9)	25.9 (20.1-31.8)	27.5 (21.2-33.7)	31.9 (26.5-37.3)	25.0 (20.3-29.7)	32.6 (28.1-37.1)
% Obese	39.5 (36.9-42.0)	31.6 (23.0-40.2)	39.7 (31.9-47.5)	45.3 (38.8-51.9)	42.7 (37.1-48.4)	42.3 (36.9-47.8)	34.3 (29.5-39.0)
% MI	4.3 (3.4-5.2)	NA	NA	NA	4.3 (2.1-6.6)	5.4 (3.3-7.5)	10.3 (7.3-13.2)
% Angina (CHD)	5.7 (4.6-6.8)	NA	NA	NA	3.7 (1.8-5.5)	9.8 (6.3-13.4)	13.9 (10.6-17.3)
% Stroke	5.5 (4.3-6.7)	NA	NA	NA	3.8 (1.9-5.6)	9.7 (5.7-13.7)	10.3 (7.1-13.5)
% Ever Asthma	15.6 (13.9-17.4)	18.3 (12.5-24.0)	17.2 (12.3-22.1)	13.2 (8.4-18.1)	16.6 (12.8-20.4)	17.3 (12.9-21.6)	12.8 (9.7-15.9)
% Skin Cancer	4.9 (4.1-5.8)	NA	NA	NA	5.2 (2.7-7.8)	5.8 (3.6-8.1)	12.7 (9.8-15.5)
% Other Cancer	7.5 (6.3-8.7)	NA	NA	4.2 (1.8-6.5)	8.9 (5.7-12.2)	8.7 (5.9-11.4)	16.4 (13.0-19.8)
% COPD	11.7 (10.1-13.3)	NA	7.4 (3.9-10.8)	5.8 (2.8-8.9)	14.2 (10.3-18.1)	18.6 (13.5-23.7)	17.1 (13.5-20.6)
% Arthritis	34.1 (31.9-36.3)	NA	8.1 (4.9-11.3)	22.0 (17.1-26.8)	38.1 (32.8-43.4)	53.2 (47.8-58.6)	64.2 (59.8-68.6)
% Depressive Disorder	27.0 (24.9-29.1)	24.6 (17.8-31.4)	27.3 (21.6-32.9)	26.8 (21.4-32.2)	34.1 (29.1-39.2)	28.8 (23.7-33.9)	21.8 (17.8-25.7)
% Kidney Disease	4.5 (3.4-5.7)	NA	NA	NA	4.0 (1.6-6.3)	9.5 (4.8-14.3)	7.4 (4.9-9.8)

TABLE 26: WOMEN
CHRONIC CONDITIONS AND RISK FACTORS BY EDUCATION

2017	OVERALL	EDUCATION			
		No HS	HS	Some College	College
% Diabetes	14.5 (12.8-16.3)	26.6 (18.4-34.7)	15.2 (12.4-18.0)	12.2 (9.5-15.0)	8.7 (6.8-10.6)
% Current Smoker	18.3 (16.4-20.3)	35.3 (26.6-43.9)	19.2 (15.9-22.4)	19.9 (16.4-23.4)	6.5 (4.7-8.3)
% Ex Smoker	18.7 (16.9-20.6)	19.3 (12.9-25.7)	18.1 (14.9-21.2)	21.1 (17.5-24.8)	16.8 (14.1-19.5)
% Never Smoker	62.9 (60.5-65.3)	45.4 (36.6-54.3)	62.8 (58.5-67.0)	58.9 (54.5-63.4)	76.7 (73.6-79.8)
% Normal Weight	31.1 (28.7-33.5)	30.2 (21.1-39.3)	26.3 (22.3-30.2)	30.9 (26.6-35.2)	38.7 (34.8-42.6)
% Over Weight	27.3 (25.1-29.6)	20.5 (13.4-27.6)	28.7 (24.4-33.0)	25.8 (21.7-29.9)	31.1 (27.4-34.9)
% Obese	39.5 (36.9-42.0)	46.7 (37.8-55.5)	43.0 (38.1-48.0)	40.5 (35.9-45.1)	29.2 (25.6-32.7)
% MI	4.3 (3.4-5.2)	10.2 (5.7-14.7)	5.1 (3.4-6.8)	3.1 (1.6-4.6)	1.6 (0.8-2.3)
% Angina (CHD)	5.7 (4.6-6.8)	9.2 (4.8-13.6)	7.2 (5.0-9.4)	5.6 (3.7-7.5)	2.0 (1.2-2.9)
% Stroke	5.5 (4.3-6.7)	18.3 (11.3-25.3)	4.2 (2.8-5.6)	4.3 (2.7-6.0)	2.0 (1.1-2.9)
% Ever Asthma	15.6 (13.9-17.4)	23.2 (16.1-30.4)	15.7 (12.5-18.9)	14.4 (11.4-17.4)	13.4 (10.7-16.1)
% Skin Cancer	4.9 (4.1-5.8)	NA	5.3 (3.7-7.0)	4.4 (2.7-6.1)	6.5 (4.8-8.2)
% Other Cancer	7.5 (6.3-8.7)	7.8 (3.2-12.3)	8.1 (6.1-10.2)	7.4 (5.2-9.5)	6.9 (5.2-8.6)
% COPD	11.7 (10.1-13.3)	26.2 (18.4-34.0)	12.7 (10.1-15.3)	9.8 (7.4-12.2)	5.2 (3.6-6.8)
% Arthritis	34.1 (31.9-36.3)	53.0 (44.3-61.7)	33.3 (29.4-37.2)	34.1 (30.1-38.1)	25.0 (21.8-28.1)
% Depressive Disorder	27.0 (24.9-29.1)	38.6 (30.2-47.0)	27.2 (23.5-30.9)	27.0 (23.2-30.8)	20.9 (17.8-24.0)
% Kidney Disease	4.5 (3.4-5.7)	11.5 (4.9-18.0)	4.3 (2.8-5.8)	3.9 (2.2-5.7)	1.9 (1.1-2.7)

TABLE 27: WOMEN
CHRONIC CONDITIONS AND RISK FACTORS BY INCOME

2017	OVERALL	INCOME				
		< \$15,000	\$15,000-\$24,999	\$25,000-\$34,999	\$35,000-\$49,999	\$50,000+
% Diabetes	14.5 (12.8-16.3)	20.3 (14.7-25.9)	19.6 (15.3-23.9)	15.8 (8.1-23.5)	14.9 (8.6-21.2)	7.8 (5.6-10.0)
% Current Smoker	18.3 (16.4-20.3)	27.7 (21.5-33.9)	24.0 (19.2-28.8)	23.1 (15.1-31.1)	15.8 (9.3-22.3)	12.6 (9.6-15.7)
% Ex Smoker	18.7 (16.9-20.6)	12.6 (8.7-16.5)	18.7 (14.4-23.1)	21.0 (13.6-28.4)	20.4 (14.5-26.3)	18.9 (15.9-21.9)
% Never Smoker	62.9 (60.5-65.3)	59.7 (52.4-67.0)	57.3 (51.6-62.9)	56.0 (50.0-64.9)	63.8 (56.2-71.3)	68.4 (64.6-72.3)
% Normal Weight	31.1 (28.7-33.5)	23.8 (17.7-30.0)	23.5 (18.4-28.6)	33.4 (24.5-42.4)	24.8 (18.0-31.7)	37.5 (33.5-41.4)
% Over Weight	27.3 (25.1-29.6)	26.1 (19.1-33.0)	26.9 (21.4-32.3)	22.6 (15.0-30.2)	28.8 (22.2-35.4)	29.4 (25.6-33.1)
% Obese	39.5 (36.9-42.0)	47.8 (39.3-56.2)	46.6 (40.7-52.5)	42.3 (33.5-51.0)	46.0 (38.2-53.8)	31.5 (27.7-35.2)
% MI	4.3 (3.4-5.2)	9.2 (5.7-12.6)	5.4 (2.9-8.0)	3.7 (1.4-5.9)	NA	NA
% Angina (CHD)	5.7 (4.6-6.8)	9.0 (5.5-12.6)	6.8 (4.1-9.5)	NA	NA	2.8 (1.6-4.0)
% Stroke	5.5 (4.3-6.7)	10.4 (6.1-14.6)	8.7 (5.6-11.9)	NA	NA	1.4 (0.7-2.1)
% Ever Asthma	15.6 (13.9-17.4)	22.0 (16.4-27.5)	18.6 (14.2-23.1)	22.2 (13.6-30.8)	11.6 (7.2-15.9)	10.3 (7.9-12.6)
% Skin Cancer	4.9 (4.1-5.8)	NA	3.8 (2.1-5.5)	6.2 (2.7-9.7)	4.7 (2.1-7.3)	6.2 (4.4-7.9)
% Other Cancer	7.5 (6.3-8.7)	8.7 (5.5-11.9)	5.4 (3.1-7.8)	9.1 (5.2-13.1)	11.1 (6.9-15.2)	6.8 (4.6-9.1)
% COPD	11.7 (10.1-13.3)	19.4 (14.5-24.3)	16.1 (12.1-20.2)	16.4 (9.1-23.7)	NA	3.6 (2.1-5.0)
% Arthritis	34.1 (31.9-36.3)	35.7 (29.0-42.4)	36.7 (31.2-42.1)	35.1 (26.6-43.6)	32.2 (25.3-39.1)	28.6 (25.0-32.1)
% Depressive Disorder	27.0 (24.9-29.1)	33.6 (27.0-40.3)	36.1 (30.7-41.4)	31.5 (23.1-40.0)	20.5 (15.3-25.7)	18.8 (15.6-22.0)
% Kidney Disease	4.5 (3.4-5.7)	5.7 (2.9-8.5)	6.5 (3.6-9.5)	NA	NA	NA

TABLE 28: CAUCASIANS
CHRONIC CONDITIONS AND RISK FACTORS BY AGE

2017	OVERALL	AGE (Years)					
		18-24	25-34	35-44	45-54	55-64	65+
% Diabetes	12.8 (11.3-14.3)	NA	NA	3.2 (1.4-4.9)	16.0 (12.2-19.8)	20.2 (15.8-24.5)	23.7 (20.2-27.3)
% Current Smoker	22.9 (20.9-24.9)	16.6 (10.3-22.9)	29.8 (24.4-35.3)	31.5 (25.6-37.4)	27.4 (22.4-32.4)	24.8 (20.0-29.4)	10.7 (8.1-13.3)
% Ex Smoker	26.4 (24.5-28.3)	10.8 (5.1-16.5)	22.7 (17.2-28.1)	23.8 (18.8-28.7)	23.7 (19.2-28.2)	27.7 (23.6-31.8)	38.6 (34.7-42.5)
% Never Smoker	50.8 (48.5-53.0)	72.6 (64.8-80.4)	47.5 (41.6-53.4)	44.8 (38.7-50.9)	48.9 (43.5-54.2)	47.5 (42.6-52.5)	50.7 (46.7-54.8)
% Normal Weight	30.2 (28.1-32.4)	44.8 (36.3-53.3)	34.7 (28.8-40.7)	29.3 (23.8-34.7)	24.4 (19.8-28.9)	25.7 (21.0-30.4)	28.8 (24.9-32.6)
% Over Weight	34.8 (32.6-36.9)	23.9 (16.1-31.7)	31.8 (26.2-37.3)	33.6 (27.9-39.4)	35.2 (29.9-40.5)	34.9 (30.4-39.4)	42.1 (38.1-46.2)
% Obese	33.0 (30.9-35.1)	26.9 (19.2-34.7)	30.4 (24.8-36.1)	35.0 (29.1-40.9)	39.1 (34.0-44.3)	37.8 (33.0-42.7)	28.3 (24.7-31.8)
% MI	5.7 (4.8-6.6)	NA	NA	NA	7.3 (3.9-10.7)	7.7 (5.6-9.8)	11.7 (9.1-14.2)
% Angina (CHD)	6.6 (5.6-7.5)	NA	NA	NA	5.4 (2.3-8.4)	9.3 (6.8-11.5)	15.7 (12.9-18.4)
% Stroke	5.0 (4.0-6.0)	NA	NA	NA	3.4 (1.7-5.2)	7.7 (4.5-10.9)	10.3 (7.7-12.9)
% Ever Asthma	13.8 (12.1-15.4)	19.6 (12.8-26.5)	16.0 (11.7-20.3)	12.9 (8.5-17.4)	12.5 (9.4-15.6)	13.1 (9.3-17.0)	11.3 (8.8-13.9)
% Skin Cancer	8.8 (7.6-9.9)	NA	NA	3.3 (1.3-5.3)	9.3 (6.0-12.5)	10.7 (8.1-13.4)	20.4 (17.3-23.6)
% Other Cancer	7.9 (6.8-9.9)	NA	NA	NA	7.4 (4.7-10.1)	9.0 (6.6-11.5)	18.7 (15.5-21.9)
% COPD	10.4 (9.0-11.8)	NA	6.8 (3.6-10.0)	4.1 (1.6-6.6)	10.9 (7.7-14.1)	16.4 (12.1-20.7)	15.7 (12.8-18.6)
% Arthritis	32.5 (30.4-34.5)	NA	12.3 (7.8-16.9)	21.8 (16.8-26.7)	37.7 (32.6-42.8)	41.9 (37.1-46.8)	56.1 (52.2-59.9)
% Depressive Disorder	25.0 (23.0-27.0)	29.2 (21.9-36.5)	31.0 (25.4-36.6)	24.7 (19.4-29.9)	26.3 (21.9-30.6)	25.9 (21.2-30.7)	17.6 (14.6-20.7)
% Kidney Disease	3.7 (2.7-4.6)	NA	NA	NA	2.9 (1.3-4.6)	7.1 (3.3-11.0)	6.5 (4.5-8.4)

TABLE 29: CAUCASIANS
CHRONIC CONDITIONS AND RISK FACTORS BY EDUCATION

2017	OVERALL	EDUCATION			
		No HS	HS	Some College	College
% Diabetes	12.8 (11.3-14.3)	15.4 (9.5-21.4)	14.5 (12.1-17.0)	13.6 (11.1-16.2)	7.3 (5.8-8.9)
% Current Smoker	22.9 (20.9-24.9)	44.9 (36.9-52.9)	24.7 (21.4-28.0)	22.7 (19.2-26.2)	8.0 (6.2-9.8)
% Ex Smoker	26.4 (24.5-28.3)	25.3 (18.6-32.0)	28.6 (25.3-31.9)	26.2 (22.5-29.9)	24.6 (21.7-27.5)
% Never Smoker	50.8 (48.5-53.0)	29.8 (22.1-37.6)	46.7 (42.8-50.6)	51.1 (46.9-55.4)	67.4 (64.3-70.6)
% Normal Weight	30.2 (28.1-32.4)	29.8 (22.0-37.7)	24.9 (21.6-28.2)	31.8 (27.7-35.9)	35.6 (32.2-39.0)
% Over Weight	34.8 (32.6-36.9)	31.3 (24.2-38.5)	36.4 (32.6-40.1)	32.9 (28.9-36.9)	37.2 (33.8-40.6)
% Obese	33.0 (30.9-35.1)	34.8 (27.1-42.5)	36.5 (32.7-40.2)	33.8 (29.9-37.8)	26.3 (23.3-29.3)
% MI	5.7 (4.8-6.6)	11.3 (7.0-15.5)	7.0 (5.2-8.7)	4.0 (2.7-5.3)	3.0 (2.0-4.0)
% Angina (CHD)	6.6 (5.6-7.5)	9.0 (5.1-12.8)	8.1 (6.2-9.9)	5.8 (4.1-7.4)	4.2 (3.0-5.3)
% Stroke	5.0 (4.0-6.0)	11.2 (6.2-16.3)	4.7 (3.3-6.1)	4.1 (2.7-5.6)	2.7 (1.7-3.8)
% Ever Asthma	13.8 (12.1-15.4)	21.6 (14.9-28.3)	12.4 (9.7-15.1)	14.1 (11.2-16.9)	10.7 (8.6-12.9)
% Skin Cancer	8.8 (7.6-9.9)	5.2 (2.2-8.2)	9.8 (7.7-11.9)	8.7 (6.6-10.9)	9.6 (7.7-11.4)
% Other Cancer	7.9 (6.8-9.9)	8.4 (4.3-12.5)	8.4 (6.6-10.3)	7.8 (5.8-9.8)	7.1 (5.6-8.7)
% COPD	10.4 (9.0-11.8)	23.8 (17.2-30.4)	11.3 (9.1-13.4)	8.5 (6.4-10.6)	4.0 (2.7-5.2)
% Arthritis	32.5 (30.4-34.5)	46.0 (38.0-53.9)	33.4 (30.0-36.8)	32.2 (28.6-36.0)	23.7 (20.9-26.5)
% Depressive Disorder	25.0 (23.0-27.0)	38.7 (30.9-46.5)	24.4 (21.1-27.5)	23.3 (19.9-26.8)	20.0 (17.3-22.7)
% Kidney Disease	3.7 (2.7-4.6)	NA	4.1 (2.7-5.4)	2.9 (1.6-4.3)	2.1 (1.2-3.0)

TABLE 30: CAUCASIANS
CHRONIC CONDITIONS AND RISK FACTORS BY INCOME

2017	OVERALL	INCOME				
		< \$15,000	\$15,000-\$24,999	\$25,000-\$34,999	\$35,000-\$49,999	\$50,000+
% Diabetes	12.8 (11.3-14.3)	19.4 (12.7-26.1)	17.0 (12.9-21.1)	13.8 (7.3-20.4)	16.6 (11.1-22.1)	9.3 (7.5-11.1)
% Current Smoker	22.9 (20.9-24.9)	45.3 (36.4-54.2)	31.2 (25.4-37.4)	30.1 (21.9-38.3)	23.2 (16.8-29.6)	16.1 (13.5-18.7)
% Ex Smoker	26.4 (24.5-28.3)	22.7 (14.2-31.1)	25.2 (20.2-30.1)	28.6 (21.5-35.6)	29.7 (23.9-35.6)	26.6 (23.8-29.4)
% Never Smoker	50.8 (48.5-53.0)	32.0 (23.4-40.1)	43.6 (37.1-50.1)	41.3 (33.5-49.2)	47.1 (40.4-53.7)	57.4 (54.1-60.6)
% Normal Weight	30.2 (28.1-32.4)	31.6 (22.7-40.4)	26.3 (20.6-32.0)	35.4 (27.1-43.7)	24.9 (18.9-30.9)	30.2 (27.2-33.2)
% Over Weight	34.8 (32.6-36.9)	35.8 (26.8-44.7)	34.9 (28.9-41.0)	27.2 (20.1-34.3)	37.7 (31.5-44.0)	35.2 (32.1-36.6)
% Obese	33.0 (30.9-35.1)	29.7 (21.2-38.3)	35.7 (29.4-42.1)	35.8 (28.3-43.2)	35.9 (29.5-42.4)	33.5 (30.5-36.6)
% MI	5.7 (4.8-6.6)	15.6 (9.0-22.2)	10.3 (6.8-13.9)	4.1 (1.8-6.5)	3.3 (1.6-5.0)	3.1 (2.2-4.0)
% Angina (CHD)	6.6 (5.6-7.5)	13.6 (7.3-18.9)	9.2 (6.1-12.3)	6.4 (3.4-9.3)	4.8 (2.7-6.9)	4.8 (3.6-6.1)
% Stroke	5.0 (4.0-6.0)	12.9 (7.4-18.3)	8.2 (4.6-11.8)	NA	4.2 (2.0-6.4)	2.1 (1.3-2.9)
% Ever Asthma	13.8 (12.1-15.4)	24.7 (16.6-32.7)	19.1 (14.0-24.2)	17.3 (10.2-24.50)	12.7 (8.6-16.8)	10.0 (7.9-12.1)
% Skin Cancer	8.8 (7.6-9.9)	7.3 (3.3-11.3)	7.8 (4.8-10.8)	12.3 (7.4-17.1)	9.6 (6.0-13.3)	8.5 (6.9-10.1)
% Other Cancer	7.9 (6.8-9.9)	11.9 (6.9-16.9)	5.3 (2.9-7.8)	9.0 (5.3-12.8)	13.4 (9.2-17.6)	6.2 (4.8-7.7)
% COPD	10.4 (9.0-11.8)	30.5 (23.0-38.0)	16.8 (12.5-21.1)	16.0 (8.9-23.1)	8.0 (3.5-12.5)	3.9 (2.8-5.1)
% Arthritis	32.5 (30.4-34.5)	46.4 (37.3-55.4)	41.0 (34.9-47.2)	33.0 (25.0-41.0)	34.8 (28.5-41.2)	25.5 (22.8-28.1)
% Depressive Disorder	25.0 (23.0-27.0)	51.4 (42.3-60.6)	39.5 (33.3-45.8)	29.1 (20.9-37.3)	24.8 (19.3-30.2)	15.0 (12.6-17.3)
% Kidney Disease	3.7 (2.7-4.6)	5.1 (2.2-7.9)	4.7 (2.3-7.1)	NA	NA	2.0 (1.1-2.9)

TABLE 31: AFRICAN AMERICANS
CHRONIC CONDITIONS AND RISK FACTORS BY AGE

2017	OVERALL	AGE (Years)					
		18-24	25-34	35-44	45-54	55-64	65+
% Diabetes	17.7 (15.1-20.4)	NA	NA	7.1 (3.7-10.5)	26.6 (19.3-34.0)	31.3 (23.9-38.7)	37.2 (29.3-45.1)
% Current Smoker	16.1 (13.4-18.7)	NA	16.3 (9.6-23.0)	21.4 (14.1-28.8)	15.2 (9.8-20.5)	22.3 (15.1-29.5)	13.9 (9.0-18.8)
% Ex Smoker	16.6 (13.5-19.8)	NA	9.7 (4.0-15.3)	NA	14.5 (8.3-20.7)	25.0 (17.9-32.1)	34.8 (26.6-43.0)
% Never Smoker	67.3 (63.6-71.1)	95.1 (90.2-99.9)	74.0 (65.4-82.6)	63.9 (53.3-74.4)	70.3 (62.9-77.8)	52.7 (44.8-60.6)	51.3 (43.1-59.6)
% Normal Weight	25.9 (21.6-30.2)	47.4 (35.3-59.5)	29.7 (16.8-42.6)	18.5 (7.5-29.5)	12.9 (7.6-18.1)	24.5 (17.1-31.9)	25.9 (18.3-33.4)
% Over Weight	26.9 (23.5-30.2)	17.5 (8.6-26.4)	26.2 (17.6-34.8)	27.7 (19.3-36.1)	27.8 (20.5-35.2)	29.7 (22.9-36.5)	30.6 (23.2-38.0)
% Obese	46.2 (42.1-50.4)	33.4 (21.4-45.4)	43.0 (31.3-54.7)	53.0 (42.8-63.3)	59.3 (51.2-67.4)	44.3 (36.7-52.0)	42.3 (33.9-50.6)
% MI	4.1 (2.8-5.4)	NA	NA	NA	NA	6.3 (2.9-9.6)	13.1 (7.6-18.5)
% Angina (CHD)	4.9 (3.3-6.5)	NA	NA	NA	NA	12.2 (5.8-18.5)	12.9 (7.1-18.8)
% Stroke	5.7 (4.1-7.2)	NA	NA	NA	NA	NA	NA
% Ever Asthma	17.0 (13.6-20.3)	22.1 (13.4-30.8)	21.9 (10.5-33.3)	14.6 (8.6-20.6)	12.5 (7.8-17.2)	21.2 (14.8-27.7)	8.9 (4.4-13.4)
% Skin Cancer	NA	NA	NA	NA	NA	NA	NA
% Other Cancer	5.3 (3.8-6.8)	NA	NA	NA	NA	9.0 (4.1-13.9)	12.8 (7.7-17.9)
% COPD	9.6 (7.1-12.1)	NA	NA	NA	11.6 (6.4-16.8)	11.8 (7.5-16.0)	14.7 (8.9-20.6)
% Arthritis	25.7 (22.7-28.8)	NA	NA	16.5 (10.7-22.2)	29.3 (22.2-36.4)	52.1 (44.4-59.8)	57.3 (49.3-65.3)
% Depressive Disorder	19.5 (16.0-23.1)	13.7 (6.2-21.2)	21.4 (9.3-33.6)	15.7 (9.9-21.5)	28.4 (20.8-36.0)	22.8 (16.0-29.6)	14.3 (8.9-19.8)
% Kidney Disease	4.5 (3.1-5.9)	NA	NA	NA	NA	6.3 (3.2-9.4)	9.8 (4.8-14.8)

TABLE 32: AFRICAN AMERICANS
CHRONIC CONDITIONS AND RISK FACTORS BY EDUCATION

2017	OVERALL	EDUCATION			
		No HS	HS	Some College	College
% Diabetes	17.7 (15.1-20.4)	23.5 (15.4-31.7)	15.8 (11.9-19.7)	17.8 (12.7-22.9)	13.8 (9.8-17.8)
% Current Smoker	16.1 (13.4-18.7)	22.6 (14.2-30.9)	19.4 (14.9-23.9)	12.3 (8.4-16.2)	5.7 (2.4-9.0)
% Ex Smoker	16.6 (13.5-19.8)	27.8 (17.1-38.5)	14.2 (10.0-18.5)	15.3 (10.3-20.3)	9.7 (6.1-13.2)
% Never Smoker	67.3 (63.6-71.1)	49.6 (37.6-61.7)	66.4 (60.6-72.2)	72.4 (66.5-78.4)	84.6 (80.0-89.3)
% Normal Weight	25.9 (21.6-30.2)	41.8 (28.5-55.2)	23.1 (17.4-28.8)	20.3 (14.9-25.7)	20.3 (14.8-25.9)
% Over Weight	26.9 (23.5-30.2)	23.2 (15.0-31.5)	26.2 (20.7-31.6)	27.3 (21.0-33.7)	33.2 (27.0-39.5)
% Obese	46.2 (42.1-50.4)	34.9 (24.5-45.4)	49.4 (42.6-56.2)	50.5 (43.4-57.7)	46.0 (39.4-52.7)
% MI	4.1 (2.8-5.4)	8.2 (3.4-13.0)	3.1 (1.6-4.5)	NA	NA
% Angina (CHD)	4.9 (3.3-6.5)	8.9 (3.8-14.0)	4.0 (1.6-6.3)	NA	NA
% Stroke	5.7 (4.1-7.2)	10.4 (5.1-15.8)	4.4 (2.4-6.4)	5.6 (2.8-8.4)	2.3 (1.0-3.7)
% Ever Asthma	17.0 (13.6-20.3)	24.0 (12.0-36.0)	14.7 (10.9-18.5)	16.9 (11.9-22.0)	13.3 (9.0-17.6)
% Skin Cancer	NA	NA	NA	NA	NA
% Other Cancer	5.3 (3.8-6.8)	NA	4.2 (2.2-6.2)	5.6 (2.5-8.7)	5.8 (3.1-8.5)
% COPD	9.6 (7.1-12.1)	18.1 (8.5-27.7)	8.5 (5.8-11.2)	6.9 (3.7-10.1)	5.4 (2.6-8.1)
% Arthritis	25.7 (22.7-28.8)	33.9 (24.3-43.4)	21.9 (17.5-26.4)	26.2 (20.5-31.8)	22.7 (17.5-27.8)
% Depressive Disorder	19.5 (16.0-23.1)	32.4 (20.2-44.7)	17.8 (13.1-22.5)	15.5 (11.1-19.9)	13.7 (9.3-18.1)
% Kidney Disease	4.5 (3.1-5.9)	NA	4.2 (2.1-6.3)	4.2 (1.7-6.8)	3.7 (1.7-5.6)

TABLE 33: AFRICAN AMERICANS
CHRONIC CONDITIONS AND RISK FACTORS BY INCOME

2017	OVERALL	INCOME				
		< \$15,000	\$15,000-\$24,999	\$25,000-\$34,999	\$35,000-\$49,999	\$50,000+
% Diabetes	17.7 (15.1-20.4)	21.8 (15.1-28.5)	20.0 (13.8-26.2)	14.3 (5.7-22.9)	11.1 (5.4-16.9)	17.2 (12.1-22.4)
% Current Smoker	16.1 (13.4-18.7)	23.9 (16.8-31.1)	18.3 (12.6-23.9)	9.8 (3.7-15.9)	9.0 (3.6-14.3)	13.4 (8.1-18.7)
% Ex Smoker	16.6 (13.5-19.8)	17.5 (11.1-23.8)	13.2 (8.0-18.5)	21.2 (10.9-31.5)	12.3 (4.8-19.8)	17.1 (11.7-22.6)
% Never Smoker	67.3 (63.6-71.1)	58.5 (49.0-68.2)	68.5 (61.4-75.6)	69.0 (58.0-80.0)	78.8 (69.8-87.8)	69.4 (62.7-76.2)
% Normal Weight	25.9 (21.6-30.2)	30.0 (18.9-41.1)	20.6 (14.6-26.6)	18.2 (9.4-26.9)	29.3 (14.5-44.2)	18.1 (12.6-23.7)
% Over Weight	26.9 (23.5-30.2)	23.8 (16.1-31.4)	26.3 (19.3-33.4)	33.9 (23.4-44.4)	22.2 (13.7-30.8)	33.6 (26.9-40.2)
% Obese	46.2 (42.1-50.4)	45.4 (35.0-55.8)	50.9 (42.9-59.0)	47.9 (36.5-59.3)	48.4 (35.5-61.3)	47.2 (40.1-54.4)
% MI	4.1 (2.8-5.4)	7.3 (3.8-10.9)	NA	NA	NA	NA
% Angina (CHD)	4.9 (3.3-6.5)	8.4 (4.3-12.5)	6.2 (2.4-10.0)	NA	NA	NA
% Stroke	5.7 (4.1-7.2)	8.7 (4.2-13.2)	9.1 (5.2-13.0)	NA	NA	NA
% Ever Asthma	17.0 (13.6-20.3)	24.0 (13.5-34.5)	18.7 (12.7-24.7)	10.8 (4.2-17.4)	11.7 (5.2-18.1)	10.7 (6.5-14.8)
% Skin Cancer	NA	NA	NA	NA	NA	NA
% Other Cancer	5.3 (3.8-6.8)	5.3 (2.4-8.2)	NA	NA	NA	5.8 (2.7-9.0)
% COPD	9.6 (7.1-12.1)	10.1 (6.1-14.0)	14.9 (9.4-20.3)	NA	NA	4.5 (1.8-7.3)
% Arthritis	25.7 (22.7-28.8)	25.7 (18.8-32.5)	26.8 (20.5-33.1)	28.0 (18.1-38.0)	16.1 (9.0-23.2)	23.3 (17.5-29.1)
% Depressive Disorder	19.5 (16.0-23.1)	27.9 (17.4-38.4)	22.6 (15.9-29.3)	16.1 (7.7-24.4)	18.5 (6.6-30.5)	10.0 (6.0-14.0)
% Kidney Disease	4.5 (3.1-5.9)	7.1 (3.3-10.8)	NA	NA	NA	NA