

LOUISIANA

2011 Land Line and Cell Phone Codebook Report

Behavioral Risk Factor Surveillance System

July 25, 2012



Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

State FIPS Code

Section: 0.1 Record Identification

Type: Num

Column: 1-2

SAS Variable Name: _STATE

Prologue:

Description: State FIPS Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
22	Louisiana	10,926	100.00	100.00

Geographic Stratum Code

Section: 0.2 Record Identification

Type: Num

Column: 3-4

SAS Variable Name: _GEOSTR

Prologue:

Description: Geographic Stratum Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Household Density Stratum Code

Section: 0.3 Record Identification

Type: Num

Column: 5

SAS Variable Name: _DENSTR2

Prologue:

Description: Household Density Stratum Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Listed	8,590	78.62	57.58
2	Unlisted	1,379	12.62	15.63
9	Not Applicable	957	8.76	26.79

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Pre-Call Status Code

Section: 0.4 Record Identification

Type: Num

Column: 6

SAS Variable Name: PRECALL

Prologue:

Description: Pre-Call Status Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	To be called	10,701	97.94	97.54
3	Pre-screened as non-working number	130	1.19	1.01
4	cell phone - PRO-T-S	55	0.50	1.16
5	Pre-screened as business number	39	0.36	0.28
6	cell phone - Interviewer	1	0.01	0.01

Replicate Number

Section: 0.5 Record Identification

Type: Num

Column: 7-12

SAS Variable Name: REPNUM

Prologue:

Description: Replicate Number

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Replicate Depth

Section: 0.6 Record Identification

Type: Num

Column: 13-14

SAS Variable Name: REPDEPTH

Prologue:

Description: Replicate Depth

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

File Month

Section: 0.7 Record Identification

Type: Num

Column: 15-16

SAS Variable Name: FMONTH

Prologue:

Description: File Month

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	1,005	9.20	8.68
2	February	984	9.01	8.90
3	March	962	8.80	9.49
4	April	928	8.49	8.74
5	May	965	8.83	8.67
6	June	903	8.26	8.19
7	July	853	7.81	7.48
8	August	971	8.89	9.01
9	September	910	8.33	8.49
10	October	809	7.40	6.90
11	November	813	7.44	7.51
12	December	823	7.53	7.93

Interview Date

Section: 0.8 Record Identification

Type: Char

Column: 17-24

SAS Variable Name: IDATE

Prologue:

Description: Interview Date

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Interview Month

Section: 0.9 Record Identification

Type: Char

Column: 17-18

SAS Variable Name: IMONTH

Prologue:

Description: Interview Month

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	1,109	10.15	9.72
2	February	962	8.80	8.64
3	March	978	8.95	9.70
4	April	877	8.03	8.30
5	May	962	8.80	8.75
6	June	960	8.79	8.61
7	July	853	7.81	7.47
8	August	969	8.87	8.95
9	September	794	7.27	7.35
10	October	763	6.98	6.86
11	November	806	7.38	6.98
12	December	893	8.17	8.68

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Interview Day

Section: 0.10 Record Identification

Type: Char

Column: 19-20

SAS Variable Name: IDAY

Prologue:

Description: Interview Day

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Interview Day	426	3.90	2.71
2		398	3.64	2.97
3		460	4.21	3.35
4		451	4.13	3.10
5		508	4.65	4.17
6		497	4.55	4.17
7		497	4.55	4.08
8		421	3.85	3.77
9		495	4.53	3.99
10		437	4.00	4.11
11		370	3.39	3.49
12		383	3.51	4.09
13		398	3.64	4.76
14		476	4.36	4.57
15		444	4.06	4.56
16		400	3.66	4.12
17		415	3.80	4.12
18		369	3.38	3.40
19		389	3.56	3.80
20		363	3.32	3.69
21		428	3.92	4.73
22		287	2.63	3.02
23		247	2.26	2.30
24		202	1.85	2.23
25		240	2.20	1.96
26		241	2.21	2.35
27		185	1.69	1.55
28		205	1.88	2.23
29		119	1.09	1.05
30		118	1.08	1.01
31		57	0.52	0.55

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Interview Year

Section: 0.11 Record Identification

Type: Char

Column: 21-24

SAS Variable Name: IYEAR

Prologue:

Description: Interview Year

Value	Value Label	Frequency	Percentage	Weighted Percentage
2011		10,824	99.07	98.96
2012		102	0.93	1.04

Interviewer Identification

Section: 0.12 Record Identification

Type: Char

Column: 25-29

SAS Variable Name: INTVID

Prologue:

Description: Interviewer Identification

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Final Disposition

Section: 0.13 Record Identification

Type: Num

Column: 30-32

SAS Variable Name: DISPCODE

Prologue:

Description: Final Disposition

Value	Value Label	Frequency	Percentage	Weighted Percentage
110	Completed Interview	10,132	92.73	92.25
120	Partial Complete Interview	794	7.27	7.75

Annual Sequence Number

Section: 0.14 Record Identification

Type: Num

Column: 33-42

SAS Variable Name: SEQNO

Prologue:

Description: Annual Sequence Number

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Primary Sampling Unit

Section: 0.15 Record Identification

Type: Num

Column: 33-42

SAS Variable Name: _PSU

Prologue:

Description: Primary Sampling Unit (Equal to Annual Sequence Number)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Number of Attempts

Section: 0.16 Record Identification

Type: Num

Column: 43-44

SAS Variable Name: NATTMPTS

Prologue:

Description: Number of Attempts

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Number of Sample Records Selected from Stratum

Section: 0.17 Record Identification

Type: Num

Column: 45-50

SAS Variable Name: NRECSEL

Prologue:

Description: Number of Sample Records Selected from Stratum

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Number of Telephone Numbers in Stratum from Which Sample Was Selected

Section: 0.18 Record Identification

Type: Num

Column: 51-59

SAS Variable Name: NRECSTR

Prologue:

Description: Number of Telephone Numbers in Stratum from Which Sample Was Selected

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Correct telephone number?

Section: 0.19 Record Identification

Type: Num

Column: 60

SAS Variable Name: CTELENUM

Prologue: Variabe only on the land line survey

Description: Correct Telephone Number?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10,926	100.00	100.00

Cellular Telephone

Section: 0.20 Record Identification

Type: Num

Column: 61

SAS Variable Name: CELLFON

Prologue: Variabe only on the land line survey

Description: Cellular Telephone

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not a cellular phone	9,969	100.00	100.00
BLANK	Missing	957		

Private Residence?

Section: 0.21 Record Identification

Type: Num

Column: 62

SAS Variable Name: PVTRESID

Prologue: Variabe only on the land line survey

Description: Private Residence?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9,969	100.00	100.00
BLANK	Missing	957		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Number of Adults in Household

Section: 0.22 Record Identification

Type: Num

Column: 63-64

SAS Variable Name: NUMADULT

Prologue: Variabe only on the land line survey

Description: Number of Adults in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Number of adults in the household	3,891	39.03	20.95
2		4,792	48.07	51.54
3		953	9.56	18.13
4		270	2.71	7.23
5		56	0.56	1.81
6 - 99	6 or more	7	0.07	0.34
BLANK	Missing	957		

Number of Adult men in Household

Section: 0.23 Record Identification

Type: Num

Column: 65-66

SAS Variable Name: NUMMEN

Prologue: Variabe only on the land line survey

Description: Number of Adult Men in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Number of adult men in the household	3,312	33.22	18.14
1		5,884	59.02	63.55
2		659	6.61	15.12
3		99	0.99	2.63
4		12	0.12	0.36
5		3	0.03	0.20
BLANK		957		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Number of Adult women in Household

Section: 0.24 Record Identification

Type: Num

Column: 67-68

SAS Variable Name: NUMWOMEN

Prologue: Variabe only on the land line survey

Description: Number of Adult Women in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Number of adult women in the household	1,000	10.03	8.84
1		7,900	79.25	71.40
2		941	9.44	16.48
3		117	1.17	2.90
4		9	0.09	0.28
6 - 99	6 or more	2	0.02	0.10
BLANK		957		

General Health

Section: 1.1 Health Status

Type: Num

Column: 73

SAS Variable Name: GENHLTH

Prologue:

Description: Would you say that in general your health is:

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Excellent	1,561	14.29	16.80
2	Very good	2,974	27.22	28.68
3	Good	3,366	30.81	31.27
4	Fair	2,009	18.39	15.98
5	Poor	983	9.00	6.91
7	Don't know/Not Sure	28	0.26	0.34
9	Refused	3	0.03	0.01
BLANK	Not asked or Missing	2		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Number of Days Physical Health Not Good

Section: 2.1 Healthy Days - Health-Related Quality of Life

Type: Num

Column: 74-75

SAS Variable Name: PHYSHLTH

Prologue:

Description: Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: _ _ Number of days	4,042	37.00	35.57
88	None	6,646	60.83	62.58
77	Don't know/Not sure	234	2.14	1.84
99	Refused	3	0.03	0.02
BLANK	Not asked or Missing	1		

Number of Days Mental Health Not Good

Section: 2.2 Healthy Days - Health-Related Quality of Life

Type: Num

Column: 76-77

SAS Variable Name: MENTHLTH

Prologue:

Description: Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: _ _ Number of days	3,372	30.86	34.37
88	None	7,387	67.61	64.34
77	Don't know/Not sure	154	1.41	1.15
99	Refused	13	0.12	0.14

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Poor Physical or Mental Health

Section: 2.3 Healthy Days - Health-Related Quality of Life

Type: Num

Column: 78-79

SAS Variable Name: POORHLTH

Prologue:

Description: During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: _ _ Number of days	2,500	44.04	43.29
88	None	3,060	53.90	54.72
77	Don't know/Not sure	112	1.97	1.80
99	Refused	5	0.09	0.19
BLANK	Not asked or Missing Notes: Section 2.01, PHYSHLTH, is 88 and Section 2.02, MENTHLTH, is 88	5,249		

Have any health care coverage

Section: 3.1 Health Care Access

Type: Num

Column: 80

SAS Variable Name: HLTHPLN1

Prologue:

Description: Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare, or Indian Health Service?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9,200	84.20	77.14
2	No	1,702	15.58	22.40
7	Don't know/Not Sure	13	0.12	0.29
9	Refused	11	0.10	0.17

Multiple Health Care Professionals

Section: 3.2 Health Care Access

Type: Num

Column: 81

SAS Variable Name: PERSDOC2

Prologue:

Description: Do you have one person you think of as your personal doctor or health care provider? (If "No" ask "Is there more than one or is there no person who you think of as your personal doctor or health care provider?".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, only one	8,262	75.62	66.86
2	More than one	938	8.59	7.70
3	No	1,700	15.56	25.00
7	Don't know/Not Sure	21	0.19	0.40
9	Refused	5	0.05	0.03

Could Not See Doctor Because of Cost

Section: 3.3 Health Care Access

Type: Num

Column: 82

SAS Variable Name: MEDCOST

Prologue:

Description: Was there a time in the past 12 months when you needed to see a doctor but could not because of cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,716	15.71	19.31
2	No	9,194	84.15	80.54
7	Don't know/Not sure	15	0.14	0.12
9	Refused	1	0.01	0.02

Length of time since last routine checkup

Section: 3.4 Health Care Access

Type: Num

Column: 83

SAS Variable Name: CHECKUP1

Prologue:

Description: About how long has it been since you last visited a doctor for a routine checkup? [A routine checkup is a general physical exam, not an exam for a specific injury, illness, or condition.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within past year (anytime less than 12 months ago)	8,665	79.31	71.41
2	Within past 2 years (1 year but less than 2 years ago)	939	8.59	11.31
3	Within past 5 years (2 years but less than 5 years ago)	513	4.70	6.72
4	5 or more years ago	551	5.04	7.37
7	Don't know/Not sure	173	1.58	2.08
8	Never	84	0.77	1.09
9	Refused	1	0.01	0.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Ever Told Blood Pressure High

Section: 4.1 Hypertension Awareness

Type: Num

Column: 84

SAS Variable Name: BPHIGH4

Prologue:

Description: Have you EVER been told by a doctor, nurse or other health professional that you have high blood pressure? (If "Yes" and respondent is female, ask "Was this only when you were pregnant?".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,383	49.27	38.27
2	Yes, but female told only during pregnancy—Go to Section 05.01 BLOODCHO	73	0.67	0.80
3	No—Go to Section 05.01 BLOODCHO	5,345	48.92	59.67
4	Told borderline high or pre-hypertensive—Go to Section 05.01 BLOODCHO	110	1.01	1.04
7	Don't know/Not Sure—Go to Section 05.01 BLOODCHO	13	0.12	0.19
9	Refused—Go to Section 05.01 BLOODCHO	2	0.02	0.03

Currently Taking Blood Pressure Medication

Section: 4.2 Hypertension Awareness

Type: Num

Column: 85

SAS Variable Name: BPMEDS

Prologue:

Description: Are you currently taking medicine for your high blood pressure?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,842	89.95	82.87
2	No	538	9.99	17.09
7	Don't know/Not Sure	3	0.06	0.04
BLANK	Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 3, 4, 7, 9, or Missing	5,543		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Ever Had Blood Cholesterol Checked

Section: 5.1 Cholesterol Awareness

Type: Num

Column: 86

SAS Variable Name: BLOODCHO

Prologue:

Description: Blood cholesterol is a fatty substance found in the blood. Have you EVER had your blood cholesterol checked?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9,364	85.70	74.74
2	No—Go to Section 06.01 CVDINFR4	1,358	12.43	22.38
7	Don't know/Not Sure—Go to Section 06.01 CVDINFR4	203	1.86	2.88
9	Refused—Go to Section 06.01 CVDINFR4	1	0.01	0.01

How Long since Cholesterol Checked

Section: 5.2 Cholesterol Awareness

Type: Num

Column: 87

SAS Variable Name: CHOLCHK

Prologue:

Description: About how long has it been since you last had your blood cholesterol checked?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	7,593	81.09	76.71
2	Within the past 2 years (1 year but less than 2 years ago)	901	9.62	11.38
3	Within the past 5 years (2 years but less than 5 years ago)	448	4.78	6.46
4	5 or more years ago	233	2.49	3.19
7	Don't know/Not Sure	187	2.00	2.25
9	Refused	2	0.02	0.01
BLANK	Not asked or Missing Notes: Section 5.01, BLOODCHO, is coded 2, 7, 9, or Missing	1,562		

Ever Told Blood Cholesterol High

Section: 5.3 Cholesterol Awareness

Type: Num

Column: 88

SAS Variable Name: TOLDHI2

Prologue:

Description: Have you EVER been told by a doctor, nurse or other health professional that your blood cholesterol is high?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,166	44.49	38.43
2	No	5,117	54.65	60.76
7	Don't know/Not Sure	80	0.85	0.80
9	Refused	1	0.01	0.01
BLANK	Not asked or Missing Notes: Section 05.01, BLOODCHO, is coded 2, 7, 9, or Missing	1,562		

Ever Diagnosed with Heart Attack

Section: 6.1 Chronic Health Conditions

Type: Num

Column: 89

SAS Variable Name: CVDINFR4

Prologue: Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me "Yes", "No", or you're "Not sure":

Description: (Ever told) you had a heart attack, also called a myocardial infarction?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	794	7.27	5.12
2	No	10,101	92.45	94.55
7	Don't know/Not sure	30	0.27	0.28
9	Refused	1	0.01	0.05

Ever Diagnosed with Angina or Coronary Heart Disease

Section: 6.2 Chronic Health Conditions

Type: Num

Column: 90

SAS Variable Name: CVDCRHD4

Prologue:

Description: (Ever told) you had angina or coronary heart disease?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	839	7.68	4.89
2	No	9,979	91.33	94.35
7	Don't know/Not sure	108	0.99	0.76

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Ever Diagnosed with a Stroke

Section: 6.3 Chronic Health Conditions

Type: Num

Column: 91

SAS Variable Name: CVDSTRK3

Prologue:

Description: (Ever told) you had a stroke.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	622	5.69	3.77
2	No	10,285	94.13	96.13
7	Don't know/Not sure	19	0.17	0.10

Ever Told Had Asthma

Section: 6.4 Chronic Health Conditions

Type: Num

Column: 92

SAS Variable Name: ASTHMA3

Prologue:

Description: (Ever told) you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,182	10.82	11.10
2	No—Go to Section 06.06 CHCSCNCR	9,722	88.98	88.76
7	Don't know/Not Sure—Go to Section 06.06 CHCSCNCR	22	0.20	0.14

Still Have Asthma

Section: 6.5 Chronic Health Conditions

Type: Num

Column: 93

SAS Variable Name: ASTHNOW

Prologue:

Description: Do you still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	767	64.89	57.67
2	No	388	32.83	40.24
7	Don't know/Not Sure	27	2.28	2.09
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing	9,744		

Ever told) you had skin cancer?

Section: 6.6 Chronic Health Conditions

Type: Num

Column: 94

SAS Variable Name: CHCSCNCR

Prologue:

Description: (Ever told) you had skin cancer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	826	7.56	4.67
2	No	10,075	92.21	95.15
7	Don't know / Not sure	24	0.22	0.13
9	Refused	1	0.01	0.05

Ever told) you had any other types of cancer?

Section: 6.7 Chronic Health Conditions

Type: Num

Column: 95

SAS Variable Name: CHCOCNCR

Prologue:

Description: (Ever told) you had any other types of cancer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,057	9.67	6.73
2	No	9,849	90.14	93.09
7	Don't know / Not sure	17	0.16	0.12
9	Refused	3	0.03	0.05

**Ever told) you have
COPD) chronic obstructive pulmonary disease, emphysema or chronic bronchitis?**

Section: 6.8 Chronic Health Conditions

Type: Num

Column: 96

SAS Variable Name: CHCCOPD

Prologue:

Description: (Ever told) you have (COPD) chronic obstructive pulmonary disease, emphysema or chronic bronchitis?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	944	8.64	6.83
2	No	9,941	90.98	92.91
7	Don't know / Not sure	41	0.38	0.26

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Told Have Arthritis

Section: 6.9 Chronic Health Conditions

Type: Num

Column: 97

SAS Variable Name: HAVARTH3

Prologue:

Description: (Ever told) you have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia? (Arthritis diagnoses include: rheumatism, polymyalgia rheumatica; osteoarthritis (not osteoporosis); tendonitis, bursitis, bunion, tennis elbow; carpal tunnel syndrome, tarsal tunnel syndrome; joint infection, etc.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,933	36.00	25.19
2	No	6,935	63.47	74.30
7	Don't know/Not Sure	56	0.51	0.46
9	Refused	2	0.02	0.06

Ever told you had a depressive disorder

Section: 6.10 Chronic Health Conditions

Type: Num

Column: 98

SAS Variable Name: ADDEPEV2

Prologue:

Description: (Ever told) you that you have a depressive disorder, including depression, major depression, dysthymia, or minor depression?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,982	18.14	18.00
2	No	8,911	81.56	81.64
7	Don't know/Not sure	24	0.22	0.20
9	Refused	9	0.08	0.16

Ever told) you have kidney disease?

Section: 6.11 Chronic Health Conditions

Type: Num

Column: 99

SAS Variable Name: CHCKIDNY

Prologue:

Description: (Ever told) you have kidney disease? Do NOT include kidney stones, bladder infection or incontinence.(Incontinence is not being able to control urine flow.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	381	3.49	2.56
2	No	10,502	96.12	97.12
7	Don't know / Not sure	42	0.38	0.32
9	Refused	1	0.01	0.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Ever told you have vision or eye problems?

Section: 6.12 Chronic Health Conditions

Type: Num

Column: 100

SAS Variable Name: CHCVISON

Prologue:

Description: Has a doctor, nurse or other health professional ever said that you have vision impairment in one or both eyes, even when wearing glasses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,743	34.26	31.64
2	No	7,093	64.92	67.64
3	Respondent is blind	27	0.25	0.25
7	Don't know / Not sure	62	0.57	0.41
9	Refused	1	0.01	0.05

Ever told) you have diabetes

Section: 6.13 Chronic Health Conditions

Type: Num

Column: 101

SAS Variable Name: DIABETE3

Prologue:

Description: (Ever told) you have diabetes (If "Yes" and respondent is female, ask "Was this only when you were pregnant?". If Respondent says pre-diabetes or borderline diabetes, use response code 4.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,716	15.71	11.77
2	Yes, but female told only during pregnancy	122	1.12	1.27
3	No	8,893	81.39	85.32
4	No, pre-diabetes or borderline diabetes	177	1.62	1.49
7	Don't know/Not Sure	16	0.15	0.11
9	Refused	2	0.02	0.03

Smoked at Least 100 Cigarettes

Section: 7.1 Tobacco Use

Type: Num

Column: 102

SAS Variable Name: SMOKE100

Prologue:

Description: Have you smoked at least 100 cigarettes in your entire life? [Note: 5 packs = 100 cigarettes]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,078	46.48	47.65
2	No—Go to Section 07.05 USENOW3	5,821	53.28	52.09
7	Don't know/Not Sure—Go to Section 07.05 USENOW3	25	0.23	0.24
9	Refused—Go to Section 07.05 USENOW3	2	0.02	0.02

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Frequency of Days Now Smoking

Section: 7.2 Tobacco Use

Type: Num

Column: 103

SAS Variable Name: SMOKDAY2

Prologue:

Description: Do you now smoke cigarettes every day, some days, or not at all?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	1,701	33.50	40.39
2	Some days	473	9.31	13.43
3	Not at all—Go to Section 07.04 LASTSMK2	2,902	57.15	46.09
7	Don't Know/Not Sure—Go to Section 07.05 USENOW3	1	0.02	0.04
9	Refused—Go to Section 07.05 USENOW3	1	0.02	0.05
BLANK	Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, 9, or Missing	5,848		

Stopped Smoking in past 12 months

Section: 7.3 Tobacco Use

Type: Num

Column: 104

SAS Variable Name: STOPSMK2

Prologue:

Description: During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to Section 07.05 USENOW3	1,237	56.90	60.16
2	No—Go to Section 07.05 USENOW3	929	42.73	39.43
7	Don't know/Not Sure—Go to Section 07.05 USENOW3	8	0.37	0.41
BLANK	Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, 9, or Missing; or Section 07.02, SMOKDAY2, is coded 3, 7, 9, or Missing	8,752		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Interval Since Last Smoked

Section: 7.4 Tobacco Use

Type: Num

Column: 105-106

SAS Variable Name: LASTSMK2

Prologue:

Description: How long has it been since you last smoked a cigarette, even one or two puffs?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past month (less than 1 month ago)	56	1.93	3.02
2	Within the past 3 months (1 month but less than 3 months ago)	63	2.17	3.63
3	Within the past 6 months (3 months but less than 6 months ago)	51	1.76	3.10
4	Within the past year (6 months but less than 1 year ago)	94	3.24	5.57
5	Within the past 5 years (1 year but less than 5 years ago)	425	14.65	17.59
6	Within the past 10 years (5 years but less than 10 years ago)	300	10.34	11.18
7	10 years or more	1,891	65.16	55.44
8	Never smoked regularly	3	0.10	0.10
77	Don't know/Not sure	19	0.65	0.35
BLANK	Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, 9, or Missing; or Section 07.02, SMOKDAY2, is coded 7, 9, or Missing; or Section 07.03, STOPSМК2, is coded 1, 2, 7, 9;	8,024		

Use of Smokeless Tobacco Products

Section: 7.5 Tobacco Use

Type: Num

Column: 107

SAS Variable Name: USENOW3

Prologue:

Description: Do you currently use chewing tobacco, snuff, or snus every day, some days, or not at all? (Snus (Swedish for snuff) is a moist smokeless tobacco, usually sold in small pouches that are placed under the lip against the gum.)(Snus (rhymes with 'goose'))

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	229	2.10	2.74
2	Some days	141	1.29	1.72
3	Not at all	10,555	96.60	95.53
9	Refused	1	0.01	0.01

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Reported Age in Years

Section: 8.1 Demographics

Type: Num

Column: 108-109

SAS Variable Name: AGE

Prologue:

Description: What is your age?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	8	0.07	0.12
9	Refused	62	0.57	0.43
18 - 24	Age 18 - 24 Notes: __ Code age in years	462	4.23	13.81
25 - 34	Age 25 - 34	970	8.88	18.47
35 - 44	Age 35 - 44	1,341	12.27	16.51
45 - 54	Age 45 - 54	1,914	17.52	18.51
55 - 64	Age 55 - 64	2,466	22.57	15.18
65 - 99	Age 65 or older	3,703	33.89	16.96

Hispanic/Latino

Section: 8.2 Demographics

Type: Num

Column: 110

SAS Variable Name: HISPANC2

Prologue:

Description: Are you Hispanic or Latino?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	275	2.52	3.58
2	No	10,632	97.31	96.27
7	Don't know/Not Sure	11	0.10	0.08
9	Refused	8	0.07	0.07

Multiple Race

Section: 8.3 Demographics

Type: Char

Column: 111-116

SAS Variable Name: MRACE

Prologue:

Description: Which one or more of the following would you say is your race? [Mark all that apply.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	15	0.14	0.15
9	Refused Notes: Specify_____	59	0.54	0.58
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,852	99.32	99.27

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Respondent Race Choice

Section: 8.4 Demographics

Type: Num

Column: 117

SAS Variable Name: ORACE2

Prologue:

Description: Which one of these groups would you say best represents your race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White	54	45.76	36.24
2	Black or African American	32	27.12	34.48
3	Asian	1	0.85	0.95
5	American Indian, Alaska Native	14	11.86	13.76
6	Other Notes: Specify_____	6	5.08	4.12
7	Don't know/Not sure	10	8.47	5.27
9	Refused	1	0.85	5.17
BLANK	Not asked or Missing Notes: Section 12.03, MRACE, has only one valid race code (1-6)	10,808		

Are You A Veteran

Section: 8.5 Demographics

Type: Num

Column: 118

SAS Variable Name: VETERAN3

Prologue:

Description: Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit? Active duty does not include training for the Reserves or National Guard, but DOES include activation, for example, for the Persian Gulf War.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,230	11.26	11.36
2	No	9,694	88.72	88.61
9	Refused	2	0.02	0.03

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Marital Status

Section: 8.6 Demographics

Type: Num

Column: 119

SAS Variable Name: MARITAL

Prologue:

Description: Are you: (marital status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	5,552	50.81	46.85
2	Divorced	1,507	13.79	11.33
3	Widowed	1,859	17.01	7.45
4	Separated	341	3.12	3.39
5	Never married	1,543	14.12	28.73
6	A member of an unmarried couple	107	0.98	2.18
9	Refused	17	0.16	0.07

Number of Children in Household

Section: 8.7 Demographics

Type: Num

Column: 120-121

SAS Variable Name: CHILDREN

Prologue:

Description: How many children less than 18 years of age live in your household?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of children Notes: _ _ = Number of children	2,949	26.99	38.30
88	None	7,968	72.93	61.58
99	Refused	9	0.08	0.12

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Education Level

Section: 8.8 Demographics

Type: Num

Column: 122

SAS Variable Name: EDUCA

Prologue:

Description: What is the highest grade or year of school you completed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Never attended school or only kindergarten	15	0.14	0.11
2	Grades 1 through 8 (Elementary)	456	4.17	3.91
3	Grades 9 through 11 (Some high school)	1,180	10.80	15.31
4	Grade 12 or GED (High school graduate)	3,752	34.34	34.40
5	College 1 year to 3 years (Some college or technical school)	2,624	24.02	27.27
6	College 4 years or more (College graduate)	2,882	26.38	18.86
9	Refused	16	0.15	0.14
BLANK	Not asked or Missing	1		

Employment Status

Section: 8.9 Demographics

Type: Num

Column: 123

SAS Variable Name: EMPLOY

Prologue:

Description: Are you currently: (employment status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Employed for wages	4,020	36.79	44.76
2	Self-employed	713	6.53	7.39
3	Out of work for more than 1 year	299	2.74	4.39
4	Out of work for less than 1 year	285	2.61	4.78
5	A homemaker	874	8.00	6.76
6	A student	225	2.06	5.65
7	Retired	3,467	31.73	17.29
8	Unable to work	1,029	9.42	8.85
9	Refused	14	0.13	0.13

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Income Level

Section: 8.10 Demographics

Type: Num

Column: 124-125

SAS Variable Name: INCOME2

Prologue:

Description: Is your annual household income from all sources: (If respondent refuses at any income level, code "Refused.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than \$10,000 Notes: If "no," code 02	727	6.65	7.16
2	Less than \$15,000 (\$10,000 to less than \$15,000) Notes: If "no," code 03; if "yes," ask 01	839	7.68	6.86
3	Less than \$20,000 (\$15,000 to less than \$20,000) Notes: If "no," code 04; if "yes," ask 02	926	8.48	8.29
4	Less than \$25,000 (\$20,000 to less than \$25,000) Notes: If "no," ask 05; if "yes," ask 03	1,013	9.27	9.27
5	Less than \$35,000 (\$25,000 to less than \$35,000) Notes: If "no," ask 06	1,056	9.67	10.02
6	Less than \$50,000 (\$35,000 to less than \$50,000) Notes: If "no," ask 07	1,235	11.30	11.10
7	Less than \$75,000 (\$50,000 to less than \$75,000) Notes: If "no," code 08	1,143	10.46	11.21
8	\$75,000 or more	2,087	19.10	19.12
77	Don't know/Not sure	1,077	9.86	11.50
99	Refused	823	7.53	5.48

Reported Weight in Pounds

Section: 8.11 Demographics

Type: Num

Column: 126-129

SAS Variable Name: WEIGHT2

Prologue:

Description: About how much do you weigh without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round fractions up.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
50 - 0999	Weight (pounds) Notes: 0 _ _ _ = weight in pounds	10,531	96.38	97.23
7777	Don't know/Not sure	238	2.18	1.80
9000 - 999	Weight (kilograms) Notes: The initial '9' indicates this was a metric value.	2	0.02	0.01
9999	Refused	155	1.42	0.96

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Reported Height in Feet and Inches

Section: 8.12 Demographics

Type: Num

Column: 130-133

SAS Variable Name: HEIGHT3

Prologue:

Description: About how tall are you without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round fractions down.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
200 - 711	Height (ft/inches) Notes: 0 _ / _ _ = feet / inches	10,831	99.13	99.39
7777	Don't know/Not sure	82	0.75	0.52
9000 - 999	Height (meters/centimeters) Notes: The initial '9' indicates this was a metric value.	2	0.02	0.03
9999	Refused	11	0.10	0.06

County Code

Section: 8.13 Demographics

Type: Num

Column: 134-136

SAS Variable Name: CTYCODE1

Prologue:

Description: What county do you live in?

Value	Value Label	Frequency	Percentage	Weighted Percentage
777	Don't know/Not sure	92	0.84	1.51
999	Refused	77	0.71	1.01
BLANK	Not asked or Missing	12		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,745	98.45	97.48

Zipcode of residence

Section: 8.14 Demographics

Type: Char

Column: 137-141

SAS Variable Name: ZIPCODE

Prologue:

Description: What is your ZIP Code where you live?

Value	Value Label	Frequency	Percentage	Weighted Percentage
77777	Don't know/Not Sure	162	1.48	1.71
99999	Refused	209	1.91	2.09
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,555	96.60	96.19

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Household Telephones

Section: 8.15 Demographics

Type: Num

Column: 142

SAS Variable Name: NUMHHOL2

Prologue:

Description: Do you have more than one telephone number in your household? Do not include cell phones or numbers that are only used by a computer or fax machine.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	447	4.48	3.97
2	No—Go to Section 08.17 CPDEMO1	9,510	95.40	95.84
7	Don't know/Not sure—Go to Section 08.17 CPDEMO1	2	0.02	0.06
9	Refused—Go to Section 08.17 CPDEMO1	10	0.10	0.13
BLANK	Not asked or Missing—Go to Section 08.17 CPDEMO1	957		

Residential Phones

Section: 8.16 Demographics

Type: Num

Column: 143

SAS Variable Name: NUMPHON2

Prologue:

Description: How many of these telephone numbers are residential numbers?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Residential telephone number	179	40.04	56.62
2	Residential telephone numbers	225	50.34	36.89
3	Residential telephone numbers	25	5.59	2.45
4	Residential telephone numbers	3	0.67	0.69
5	Residential telephone numbers	2	0.45	0.18
6	Residential telephone numbers Notes: 6 = 6 or more	1	0.22	0.06
7	Don't know/Not Sure	7	1.57	2.33
9	Refused	5	1.12	0.79
BLANK	Not asked or Missing Notes: Section 08.15, NUMHHOL2, is coded 2, 7, 9, or Missing	10,479		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Do you have a cell phone for personal use?

Section: 8.17 Demographics

Type: Num

Column: 144

SAS Variable Name: CPDEMO1

Prologue:

Description: Do you have a cell phone for personal use? Please include cell phones used for both business and personal use

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to Section 08.19 CPDEMO3	7,846	78.70	84.10
2	No	2,106	21.13	15.78
7	Don't know/Not sure	3	0.03	0.03
9	Refused	14	0.14	0.09
BLANK	Not asked or Missing	957		

Do you share a cell phone for personal use?

Section: 8.18 Demographics

Type: Num

Column: 145

SAS Variable Name: CPDEMO2

Prologue:

Description: Do you share a cell phone for personal use (at least one-third of the time) with other adults?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to Section 08.20 CPDEMO4	88	4.15	8.04
2	No—Go to Section 08.21 RENTHOM1	2,021	95.20	91.39
9	Refused—Go to Section 08.21 RENTHOM1	14	0.66	0.57
BLANK	Not asked or Missing Notes: Section 08.17, CPDEMO1, is coded 1	8,803		

Do you usually share this cell phone?

Section: 8.19 Demographics

Type: Num

Column: 146

SAS Variable Name: CPDEMO3

Prologue:

Description: Do you usually share this cell phone (at least one-third of the time) with any other adults?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	892	11.37	12.38
2	No	6,945	88.52	87.53
7	Don't know/Not sure	7	0.09	0.07
9	Refused	2	0.03	0.02
BLANK	Not asked or Missing Notes: Section 08.18, CPDEMO2, is coded 1, 2, 7, 9, or Missing	3,080		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

What percent of all calls are received on your cell phone?

Section: 8.20 Demographics

Type: Num

Column: 147-149

SAS Variable Name: CPDEMO4

Prologue:

Description: Thinking about all the phone calls that you receive on your landline or cell phone, what percent, between 0 and 100, are received on your cell phone?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Enter Percent (1 to 100)	6,827	100.00	100.00
BLANK	Not asked or Missing Notes: Section 08.18, CPDEMO2, is coded 2, 7, 9, or Missing	4,099		

Own or Rent Home

Section: 8.21 Demographics

Type: Num

Column: 150

SAS Variable Name: RENTHOM1

Prologue:

Description: Do you own or rent your home? (Home is defined as the place where you live most of the time/the majority of the year.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Own	8,485	77.67	67.96
2	Rent	1,754	16.05	21.65
3	Other arrangement	610	5.58	9.85
7	Don't know/Not Sure	17	0.16	0.17
9	Refused	59	0.54	0.38
BLANK	Not asked or Missing	1		

Respondents Sex

Section: 8.22 Demographics

Type: Num

Column: 151

SAS Variable Name: SEX

Prologue:

Description: Indicate sex of respondent.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Male—Go to Section 09.01 FRUITJU1	3,521	32.23	47.83
2	Female—If 12.01, AGE, is 45 or older go to Section 09.01 FRUITJU1	7,405	67.77	52.17

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Pregnancy Status

Section: 8.23 Demographics

Type: Num

Column: 152

SAS Variable Name: PREGNANT

Prologue:

Description: To your knowledge, are you now pregnant?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	74	3.96	4.58
2	No	1,786	95.51	94.71
7	Don't know/Not Sure	8	0.43	0.64
9	Refused	2	0.11	0.07
BLANK	Not asked or Missing Notes: Section 8.22, SEX, is coded 1; or Section 8.01, AGE, is greater than 44	9,056		

How many times did you drink 100%% PURE fruit juices?

Section: 9.1 Fruits & Vegetables

Type: Num

Column: 153-155

SAS Variable Name: FRUITJU1

Prologue:

Description: During the past month, how many times per day, week or month did you drink 100%% PURE fruit juices? Do not include fruit-flavored drinks with added sugar or fruit juice you made at home and added sugar to. Only include 100%% juice.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	1,909	17.76	17.17
201 - 299	Per week	2,008	18.68	19.94
300	Less than one time per month	44	0.41	0.35
301 - 399	Per month	2,532	23.56	24.68
555	Never	3,902	36.31	34.80
777	Don't know/Not sure	342	3.18	2.85
999	Refused	10	0.09	0.21
BLANK	Not asked or Missing	179		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

How many times did you eat fruit?

Section: 9.2 Fruits & Vegetables

Type: Num

Column: 156-158

SAS Variable Name: FRUIT1

Prologue:

Description: During the past month, not counting juice, how many times per day, week, or month did you eat fruit? Count fresh, frozen, or canned fruit.(Read only if necessary: "Your best guess is fine. Include apples, bananas, applesauce, oranges, grape fruit, fruit salad, watermelon, cantaloupe or musk melon, papaya, lychees, star fruit.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	3,542	33.03	31.25
201 - 299	Per week	3,228	30.10	30.94
300	Less than one time per month	19	0.18	0.26
301 - 399	Per month	3,093	28.84	29.76
555	Never	588	5.48	5.73
777	Don't know/Not sure	248	2.31	1.93
999	Refused	7	0.07	0.13
BLANK	Not asked or Missing	201		

How many times did you eat beans or lentils?

Section: 9.3 Fruits & Vegetables

Type: Num

Column: 159-161

SAS Variable Name: FVBEANS

Prologue:

Description: During the past month, how many times per day, week, or month did you eat cooked or canned beans, such as refried, baked, black, garbanzo beans, beans in soup, soybeans, edamame, tofu or lentils. Do NOT include long green beans.(Read only if necessary: "Include round or oval beans or peas such as navy, pinto, split peas, cow peas, garbanzo beans, lentils, soy beans and tofu. Do NOT include long green beans such as string beans, broad or winged beans, or pole beans.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	562	5.25	5.49
201 - 299	Per week	4,161	38.89	38.99
300	Less than one time per month	37	0.35	0.35
301 - 399	Per month	4,277	39.97	39.87
555	Never	1,393	13.02	13.40
777	Don't know/Not sure	262	2.45	1.74
999	Refused	8	0.07	0.15
BLANK	Not asked or Missing	226		

How many times did you eat dark green vegetables?

Section: 9.4 Fruits & Vegetables

Type: Num

Column: 162-164

SAS Variable Name: FVGREEN

Prologue:

Description: During the past month, how many times per day, week, or month did you eat dark green vegetables for example broccoli or dark leafy greens including romaine, chard, collard greens or spinach?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	1,292	12.09	12.25
201 - 299	Per week	4,169	39.02	37.42
300	Less than one time per month	31	0.29	0.25
301 - 399	Per month	3,755	35.15	35.68
555	Never	1,237	11.58	13.09
777	Don't know/Not sure	193	1.81	1.19
999	Refused	6	0.06	0.13
BLANK	Not asked or Missing	243		

How many times did you eat orange-colored vegetables?

Section: 9.5 Fruits & Vegetables

Type: Num

Column: 165-167

SAS Variable Name: FVORANG

Prologue:

Description: During the past month, how many times per day, week, or month did you eat orange-colored vegetables such as sweet potatoes, pumpkin, winter squash, or carrots? (Read only if needed: "Winter squash have hard, thick skins and deep yellow to orange flesh. They include acorn, buttercup, and spaghetti squash.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	426	3.99	3.62
201 - 299	Per week	3,689	34.58	31.88
300	Less than one time per month	48	0.45	0.52
301 - 399	Per month	4,401	41.25	39.61
555	Never	1,830	17.15	22.28
777	Don't know/Not sure	269	2.52	1.95
999	Refused	6	0.06	0.13
BLANK	Not asked or Missing	257		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

How many times did you eat OTHER vegetables?

Section: 9.6 Fruits & Vegetables

Type: Num

Column: 168-170

SAS Variable Name: VEGETAB1

Prologue:

Description: Not counting what you just told me about, during the past month, about how many times per day, week, or month did you eat OTHER vegetables? Examples of other vegetables include tomatoes, tomato juice or V-8 juice, corn, eggplant, peas, lettuce, cabbage, and white potatoes that are not fried such as baked or mashed potatoes.(Read only if needed: "Do not count vegetables you have already counted and do not include fried potatoes.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Servings per day	2,928	27.51	26.68
201 - 299	Servings per week	3,701	34.77	34.98
300	Less than one time per month	19	0.18	0.16
301 - 399	Servings per month	3,451	32.42	33.28
555	Never	234	2.20	2.62
777	Don't know/Not sure	306	2.87	2.14
999	Refused	6	0.06	0.13
BLANK	Not asked or Missing	281		

Exercise in Past 30 Days

Section: 10.1 Exercise (Physical Activity)

Type: Num

Column: 171

SAS Variable Name: EXERANY2

Prologue:

Description: During the past month, other than your regular job, did you participate in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,805	64.11	66.17
2	No-Go to Section 11.01 QLACTLM2	3,803	35.83	33.79
7	Don't know/Not Sure-Go to Section 11.01 QLACTLM2	7	0.07	0.04
BLANK	Not asked or Missing	311		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Type of Physical Activity

Section: 10.2 Exercise (Physical Activity)

Type: Num

Column: 172-173

SAS Variable Name: EXTRACT01

Prologue:

Description: What type of physical activity or exercise did you spend the most time doing during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Active Gaming Devices (Wii Fit, Dance, Dance revolution)	14	0.21	0.27
2	Aerobics video or class	248	3.65	2.96
3	Backpacking	3	0.04	0.09
5	Basketball	73	1.07	3.22
6	Bicycling machine exercise	171	2.51	1.80
7	Bicycling	175	2.57	3.17
8	Boating (Canoeing, rowing, kayaking, sailing for pleasure or camping)	2	0.03	0.14
9	Bowling	13	0.19	0.11
10	Boxing	9	0.13	0.28
11	Calisthenics	111	1.63	1.85
12	Canoeing/rowing in competition	1	0.01	0.01
13	Carpentry	7	0.10	0.10
14	Dancing-ballet, ballroom, Latin, hip hop, etc	47	0.69	0.72
15	Elliptical/EFX machine exercise	114	1.68	1.62
16	Fishing from river bank or boat	15	0.22	0.13
17	Frisbee	1	0.01	0.01
18	Gardening (spading, weeding, digging, filling)	619	9.10	5.87
19	Golf (with motorized cart)	71	1.04	0.93
20	Golf (without motorized cart)	28	0.41	0.50
21	Handball	2	0.03	0.02
22	Hiking - cross-country	2	0.03	0.07
23	Hockey	6	0.09	0.06
24	Horseback riding	9	0.13	0.19
25	Hunting large game - deer, elk	10	0.15	0.16
26	Hunting small game - quail	4	0.06	0.03
28	Jogging	74	1.09	2.27
30	Mountain climbing	1	0.01	0.01
31	Mowing lawn	126	1.85	1.41
33	Painting/papering house	1	0.01	0.00
34	Pilates	21	0.31	0.25
36	Raking lawn	16	0.24	0.11
37	Running	309	4.54	9.46
40	Rowing machine exercise	3	0.04	0.07
41	Rugby	1	0.01	0.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Type of Physical Activity

Section: 10.2 Exercise (Physical Activity)

Type: Num

Column: 172-173

SAS Variable Name: EXTRACT01

Prologue:

Description: What type of physical activity or exercise did you spend the most time doing during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
51	Soccer	7	0.10	0.27
52	Softball/Baseball	22	0.32	0.44
54	Stair climbing/Stair master	9	0.13	0.23
57	Swimming	65	0.96	0.79
58	Swimming in laps	20	0.29	0.39
60	Tai Chi	2	0.03	0.00
61	Tennis	34	0.50	0.55
62	Touch football	1	0.01	0.02
63	Volleyball	6	0.09	0.17
64	Walking	3,631	53.37	47.67
66	Waterskiing	1	0.01	0.02
67	Weight lifting	170	2.50	4.15
68	Wrestling	3	0.04	0.03
69	Yoga	33	0.49	0.48
70	Other_____	447	6.57	6.47
77	Don't know/Not Sure—Go to Section 10.08 STRENGTH	40	0.59	0.35
99	Refused—Go to Section 10.08 STRENGTH	5	0.07	0.09
BLANK	Not asked or Missing	4,123		

How Many Times Walking, Running, Jogging, or Swimming

Section: 10.4 Exercise (Physical Activity)

Type: Num

Column: 174-176

SAS Variable Name: EXEROFT1

Prologue:

Description: How many times per week or per month did you take part in this activity during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per week	5,319	78.94	79.00
201 - 299	Times per month	1,334	19.80	20.12
777	Don't know/Not sure	83	1.23	0.85
999	Refused	2	0.03	0.03
BLANK	Not asked or Missing	4,188		

Notes: Section 10.01, EXERANY2, is coded 2, 7, 9, or Missing;
or Section 10.02, EXTRACT01 is coded 77, 99

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Minutes or Hours Walking, Running, Jogging, or Swimming

Section: 10.5 Exercise (Physical Activity)

Type: Num

Column: 177-179

SAS Variable Name: EXERHMM1

Prologue:

Description: And when you took part in this activity, for how many minutes or hours did you usually keep at it?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 759	Hours and Minutes	6,443	95.74	96.62
777	Don't know/Not sure	267	3.97	3.14
800 - 959	Hours and Minutes	20	0.30	0.25
BLANK	Not asked or Missing Notes: Section 10.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 10.02, EXTRACT01 is coded 77, 99	4,196		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Other Type of Physical Activity Giving Most Exercise During Past Month

Section: 10.6 Exercise (Physical Activity)

Type: Num

Column: 180-181

SAS Variable Name: EXTRACT02

Prologue:

Description: What other type of physical activity gave you the next most exercise during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Active Gaming Devices (Wii Fit, Dance, Dance revolution)	20	0.30	0.31
2	Aerobics video or class	120	1.78	1.87
4	Badminton	1	0.01	0.01
5	Basketball	48	0.71	2.05
6	Bicycling machine exercise	97	1.44	1.09
7	Bicycling	165	2.45	2.91
8	Boating (Canoeing, rowing, kayaking, sailing for pleasure or camping)	2	0.03	0.01
9	Bowling	12	0.18	0.09
10	Boxing	5	0.07	0.20
11	Calisthenics	92	1.37	1.94
13	Carpentry	5	0.07	0.06
14	Dancing-ballet, ballroom, Latin, hip hop, etc	49	0.73	0.56
15	Elliptical/EFX machine exercise	50	0.74	0.85
16	Fishing from river bank or boat	25	0.37	0.24
17	Frisbee	1	0.01	0.02
18	Gardening (spading, weeding, digging, filling)	434	6.45	4.55
19	Golf (with motorized cart)	29	0.43	0.47
20	Golf (without motorized cart)	12	0.18	0.26
22	Hiking - cross-country	3	0.04	0.03
24	Horseback riding	5	0.07	0.10
25	Hunting large game - deer, elk	9	0.13	0.09
26	Hunting small game - quail	8	0.12	0.08
28	Jogging	27	0.40	0.91
31	Mowing lawn	170	2.53	2.01
33	Painting/papering house	3	0.04	0.08
34	Pilates	18	0.27	0.28
35	Racquetball	1	0.01	0.00
36	Raking lawn	15	0.22	0.18
37	Running	101	1.50	3.07
38	Rock Climbing	1	0.01	0.02
39	Rope skipping	3	0.04	0.08
40	Rowing machine exercise	2	0.03	0.02
42	Scuba diving	1	0.01	0.01
43	Skateboarding	1	0.01	0.08

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Other Type of Physical Activity Giving Most Exercise During Past Month

Section: 10.6 Exercise (Physical Activity)

Type: Num

Column: 180-181

SAS Variable Name: EXTRACT02

Prologue:

Description: What other type of physical activity gave you the next most exercise during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
44	Skating - ice or roller	1	0.01	0.04
49	Snow skiing	1	0.01	0.00
51	Soccer	6	0.09	0.17
52	Softball/Baseball	19	0.28	0.58
54	Stair climbing/Stair master	20	0.30	0.37
56	Surfing	1	0.01	0.03
57	Swimming	90	1.34	1.73
58	Swimming in laps	12	0.18	0.11
59	Table tennis	2	0.03	0.13
60	Tai Chi	4	0.06	0.04
61	Tennis	15	0.22	0.16
62	Touch football	1	0.01	0.03
63	Volleyball	7	0.10	0.17
64	Walking	664	9.87	9.06
66	Waterskiing	1	0.01	0.01
67	Weight lifting	252	3.75	5.59
68	Wrestling	1	0.01	0.01
69	Yoga	45	0.67	0.78
70	Other_____	604	8.98	8.35
88	No other activity—Go to Section 10.08 STRENGTH	3,361	49.96	47.15
77	Don't know/Not Sure—Go to Section 10.08 STRENGTH	78	1.16	0.84
99	Refused—Go to Section 10.08 STRENGTH	8	0.12	0.13
BLANK	Not asked or Missing Notes: Section 10.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 10.02, EXTRACT01 is coded 77, 99	4,198		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

How Many Times Walking, Running, Jogging, or Swimming

Section: 10.8 Exercise (Physical Activity)

Type: Num

Column: 182-184

SAS Variable Name: EXEROFT2

Prologue:

Description: How many times per week or per month did you take part in this activity during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per week	2,422	73.93	74.56
201 - 299	Times per month	796	24.30	24.43
777	Don't know/Not sure	58	1.77	1.01
BLANK	Not asked or Missing Notes: Section 10.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 10.02, EXTRACT01 is coded 77, 99 or Section 10.05, EXTRACT02 is coded 77, 88, 99	7,650		

Minutes or Hours Walking, Running, Jogging, or Swimming

Section: 10.9 Exercise (Physical Activity)

Type: Num

Column: 185-187

SAS Variable Name: EXERHMM2

Prologue:

Description: And when you took part in this activity, for how many minutes or hours did you usually keep at it?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 759	Hours and Minutes	3,127	95.51	96.77
777	Don't know/Not sure	130	3.97	2.55
800 - 959	Hours and Minutes	16	0.49	0.65
999	Refused	1	0.03	0.03
BLANK	Not asked or Missing Notes: Section 10.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 10.02, EXTRACT01 is coded 77, 99 or Section 10.05, EXTRACT02 is coded 77, 88, 99	7,652		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

How many times did you do physical activities or exercises to STRENGTHEN your muscles?

Section: 10.10 Exercise (Physical Activity)

Type: Num

Column: 188-190

SAS Variable Name: STRENGTH

Prologue:

Description: During the past month, how many times per week or per month did you do physical activities or exercises to STRENGTHEN your muscles? [Do NOT count aerobic activities like walking, running, or bicycling. Count activities using your own body weight like yoga, sit-ups or push-ups and those using weight machines, free weights, or elastic bands.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per week	2,154	20.38	25.21
201 - 299	Times per month	625	5.91	7.59
777	Don't know / Not sure	92	0.87	0.66
888	Never	7,696	72.81	66.52
999	Refused	3	0.03	0.01
BLANK	Not asked or Missing	356		

Activity Limitation Due to Health Problems

Section: 11.1 Disability

Type: Num

Column: 191

SAS Variable Name: QLACTLM2

Prologue:

Description: Are you limited in any way in any activities because of physical, mental, or emotional problems?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,318	31.43	26.03
2	No	7,197	68.18	73.60
7	Don't know/Not Sure	31	0.29	0.22
9	Refused	10	0.09	0.15
BLANK	Not asked or Missing	370		

Health Problems Requiring Special Equipment

Section: 11.2 Disability

Type: Num

Column: 192

SAS Variable Name: USEEQUIP

Prologue:

Description: Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone? (Include occasional use or use in certain circumstances.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,366	12.95	8.82
2	No	9,175	86.96	91.08
7	Don't know/Not Sure	5	0.05	0.06
9	Refused	5	0.05	0.04
BLANK	Not asked or Missing	375		

Limited Because of Joint Symptoms

Section: 12.1 Arthritis Burden

Type: Num

Column: 193

SAS Variable Name: LMTJOIN3

Prologue: Arthritis can cause symptoms like pain, aching, or stiffness in or around a joint.

Description: Are you now limited in any way in any of your usual activities because of arthritis or joint symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,021	53.09	53.65
2	No	1,771	46.52	46.03
7	Don't know/Not sure	14	0.37	0.30
9	Refused	1	0.03	0.01
BLANK	Not asked or Missing	7,119		
	Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing			

Does Arthritis Affect Whether You Work

Section: 12.2 Arthritis Burden

Type: Num

Column: 194

SAS Variable Name: ARTHDIS2

Prologue: In this next question we are referring to work for pay.

Description: Do arthritis or joint symptoms now affect whether you work, the type of work you do or the amount of work you do?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,526	40.12	43.34
2	No	2,212	58.15	54.86
7	Don't know/Not Sure	47	1.24	1.30
9	Refused	19	0.50	0.50
BLANK	Missing	7,122		
	Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing			

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Social Activities Limited Because of Joint Symptoms

Section: 12.3 Arthritis Burden

Type: Num

Column: 195

SAS Variable Name: ARTHSOCL

Prologue:

Description: During the past 30 days, to what extent has your arthritis or joint symptoms interfered with your normal social activities, such as going shopping, to the movies, or to religious or social gatherings?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	A lot	956	25.20	26.75
2	A little	1,083	28.55	29.17
3	Not at all	1,729	45.58	43.55
7	Don't know/Not Sure	23	0.61	0.50
9	Refused	2	0.05	0.03
BLANK	Missing Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing	7,133		

How Bad Was Joint Pain

Section: 12.4 Arthritis Burden

Type: Num

Column: 196-197

SAS Variable Name: JOINPAIN

Prologue:

Description: Please think about the past 30 days, keeping in mind all of your joint pain or aching and whether or not you have taken medication. DURING THE PAST 30 DAYS, how bad was your joint pain ON AVERAGE? [Please answer on a scale of 0 to 10 where 0 is no pain or aching and 10 is pain or aching as bad as it can be.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 10	Enter number [0-10]	3,675	96.99	97.73
77	Don't know/Not Sure	109	2.88	2.18
99	Refused	5	0.13	0.08
BLANK	Missing Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing	7,137		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

How often use seatbelts in car?

Section: 13.1 Seatbelt Use

Type: Num

Column: 198

SAS Variable Name: SEATBELT

Prologue:

Description: How often do you use seat belts when you drive or ride in a car? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	9,666	91.92	88.86
2	Nearly always	405	3.85	5.09
3	Sometimes	223	2.12	2.83
4	Seldom	92	0.87	1.50
5	Never	91	0.87	1.24
7	Don't know/Not sure	11	0.10	0.14
8	Never drive or ride in a car	26	0.25	0.32
9	Refused	2	0.02	0.01
BLANK	Not asked or Missing	410		

Adult seasonal flu shot/spray past 12 mos

Section: 14.1 Immunization

Type: Num

Column: 199

SAS Variable Name: FLUSHOT5

Prologue: Now I will ask you questions about seasonal flu vaccine. There are two ways to get the seasonal flu vaccine, one is a shot in the arm and the other is a spray, mist, or drop in the nose called FluMist™.

Description: During the past 12 months, have you had either a seasonal flu shot or a seasonal flu vaccine that was sprayed in your nose?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,189	49.40	40.50
2	No—Go to Section 14.04 PNEUVAC3	5,273	50.20	58.97
7	Don't know/Not Sure—Go to Section 14.04 PNEUVAC3	41	0.39	0.53
BLANK	Not asked or Missing	423		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Where did you get your last flu shot/vaccine?

Section: 14.3 Immunization

Type: Num

Column: 206-207

SAS Variable Name: IMFVPLAC

Prologue:

Description: At what kind of place did you get your last flu shot/vaccine?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	A doctor's office or health maintenance organization (HMO)	2,536	48.95	44.59
2	A health department	196	3.78	2.95
3	Another type of clinic or health center (Example: a community health center)	388	7.49	8.34
4	A senior, recreation, or community center	46	0.89	0.48
5	A store (Examples: supermarket, drug store)	877	16.93	16.31
6	A hospital (Example: inpatient)	370	7.14	8.65
7	An emergency room	3	0.06	0.12
8	Workplace	560	10.81	14.36
9	Some other kind of place	133	2.57	2.44
10	Received vaccination in Canada/Mexico (Volunteered - Do not read)	5	0.10	0.12
11	A school	39	0.75	1.25
77	Don't know / Not sure—Probe:	24	0.46	0.33
99	Refused	4	0.08	0.06
BLANK	Not asked or Missing Notes: Section 14.01, FLUSHOT4, is coded 2, 7, or 9	5,745		

Pneumonia shot ever

Section: 14.4 Immunization

Type: Num

Column: 208

SAS Variable Name: PNEUVAC3

Prologue:

Description: A pneumonia shot or pneumococcal vaccine is usually given only once or twice in a person's lifetime and is different from the flu shot. Have you ever had a pneumonia shot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,816	36.38	27.45
2	No	6,280	59.87	66.68
7	Don't know/Not Sure	394	3.76	5.87
BLANK	Not asked or Missing	436		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Days in past 30 had alcoholic beverage

Section: 15.1 Alcohol Consumption

Type: Num

Column: 209-211

SAS Variable Name: ALCDAY5

Prologue:

Description: During the past 30 days, how many days per week or per month did you have at least one drink of any alcoholic beverage such as beer, wine, a malt beverage or liquor?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Days per week Notes: 1_ _ = Days per week	1,165	11.11	14.91
201 - 299	Days in past 30 days Notes: 2_ _ = Days in past 30	3,180	30.32	34.10
777	Don't know/Not sure—Go to Section 16.01 HIVTST6	127	1.21	1.10
888	No drinks in past 30 days—Go to Section 16.01 HIVTST6	6,002	57.23	49.72
999	Refused—Go to Section 16.01 HIVTST6	13	0.12	0.17
BLANK	Not asked or Missing	439		

Avg alcoholic drinks per day in past 30

Section: 15.2 Alcohol Consumption

Type: Num

Column: 212-213

SAS Variable Name: AVEDRNK2

Prologue:

Description: One drink is equivalent to a 12-ounce beer, a 5-ounce glass of wine, or a drink with one shot of liquor. During the past 30 days, on the days when you drank, about how many drinks did you drink on the average? (A 40 ounce beer would count as 3 drinks, or a cocktail drink with 2 shots would count as 2 drinks.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of drinks Notes: _ _ Number of drinks	4,270	98.32	97.64
77	Don't know/Not sure	65	1.50	2.16
99	Refused	8	0.18	0.20
BLANK	Not asked or Missing Notes: Section 15.01, ALCDAY5, is coded 888, 766, or 9999;	6,583		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Binge Drinking

Section: 15.3 Alcohol Consumption

Type: Num

Column: 214-215

SAS Variable Name: DRNK3GE5

Prologue:

Description: Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks for men or 4 or more drinks for women on an occasion?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of Times	1,087	25.07	32.14
88	None	3,186	73.48	66.11
77	Don't know/Not Sure	56	1.29	1.49
99	Refused	7	0.16	0.26
BLANK	Not asked or Missing Notes: Section 15.01, ALCDAY5, is coded 888, 777, or 999;	6,590		

Most drinks on single occasion past 30 days

Section: 15.4 Alcohol Consumption

Type: Num

Column: 216-217

SAS Variable Name: MAXDRNKS

Prologue:

Description: During the past 30 days, what is the largest number of drinks you had on any occasion?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of drinks	4,193	96.77	96.36
77	Don't know/Not sure	128	2.95	3.31
99	Refused	12	0.28	0.33
BLANK	Not asked or Missing Notes: Section 15.01, ALCDAY5, is coded 888, 777, or 999;	6,593		

Ever tested HIV

Section: 16.1 HIV/AIDS

Type: Num

Column: 218

SAS Variable Name: HIVTST6

Prologue:

Description: Have you ever been tested for HIV? Do not count tests you may have had as part of a blood donation. Include testing fluid from your mouth.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,453	33.09	42.12
2	No—Go to Section 16.03 HIVRISK3	6,516	62.44	54.27
7	Don't know/Not Sure—Go to Section 16.03 HIVRISK3	433	4.15	3.21
9	Refused—Go to Section 16.03 HIVRISK3	33	0.32	0.39
BLANK	Not asked or Missing	491		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Month and Year of Last HIV Test

Section: 16.2 HIV/AIDS

Type: Num

Column: 219-224

SAS Variable Name: HIVTSTD3

Prologue:

Description: Not including blood donations, in what month and year was your last HIV test? (If response is before January 1985, code "777777".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
11985 - 12	Code month and year Notes: _ _ / _ _ _ _ month and year	1,981	57.39	64.93
777777	Don't know/Not sure	1,466	42.47	34.96
999999	Refused	5	0.14	0.11
BLANK	Not asked or Missing Notes: Section 16.01, HIVTST6, is coded 2, 7, 9, or Missing	7,474		

Do Any High Risk Situations Apply

Section: 16.3 HIV/AIDS

Type: Num

Column: 225

SAS Variable Name: HIVRISK3

Prologue:

Description: I am going to read you a list. When I am done, please tell me if any of the situations apply to you. You do not need to tell me which one. You have used intravenous drugs in the past year. You have been treated for a sexually transmitted or venereal disease in the past year. You have given or received money or drugs in exchange for sex in the past year. You had anal sex without a condom in the past year. Do any of these situations apply to you?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	231	2.22	4.45
2	No	10,123	97.27	94.98
7	Don't know/Not sure	5	0.05	0.04
9	Refused	48	0.46	0.53
BLANK	Not asked or Missing	519		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Had a test for high blood sugar or diabetes in the past three years?

Module: 1.1 Pre-Diabetes

Type: Num

Column: 245

SAS Variable Name: PDIABTST

Prologue:

Description: Have you had a test for high blood sugar or diabetes within the past three years?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,278	63.22	58.13
2	No	2,731	32.71	37.47
7	Don't know/Not Sure	339	4.06	4.39
BLANK	Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 1	2,578		

Ever been told by a doctor or other health professional that you have pre-diabetes or borderline diabetes?

Module: 1.2 Pre-Diabetes

Type: Num

Column: 246

SAS Variable Name: PREDIAB1

Prologue:

Description: Have you ever been told by a doctor or other health professional that you have pre-diabetes or borderline diabetes? (If "Yes" and respondent is female, ask: "Was this only when you were pregnant?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	715	8.56	7.45
2	Yes, during pregnancy	138	1.65	1.63
3	No	7,467	89.45	90.63
7	Don't know/Not Sure	27	0.32	0.29
9	Refused	1	0.01	0.00
BLANK	Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 1; If Section 6.13, DIABETE3, is coded 4 automatically code Module 01.02, PREDIAB1, equal to 1 (yes);	2,578		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Age When Told Diabetic

Module: 2.1 Diabetes

Type: Num

Column: 247-248

SAS Variable Name: DIABAGE2

Prologue:

Description: How old were you when you were told you have diabetes?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 97	Age in years [97 = 97 and older] Notes: _ _ Code age in years, 97 = 97 or older	1,435	88.58	91.20
98	Don't know/Not sure	182	11.23	8.57
99	Refused	3	0.19	0.22
BLANK	Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	9,306		

Now Taking Insulin

Module: 2.2 Diabetes

Type: Num

Column: 249

SAS Variable Name: INSULIN

Prologue:

Description: Are you now taking insulin?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	520	32.10	32.79
2	No	1,100	67.90	67.21
BLANK	Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	9,306		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

How Often Check Blood for Glucose

Module: 2.3 Diabetes

Type: Num

Column: 250-252

SAS Variable Name: BLDSUGAR

Prologue:

Description: About how often do you check your blood for glucose or sugar? Include times when checked by a family member or friend, but do NOT include times when checked by a health professional.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day Notes: 1 _ _ Times per day	970	59.88	60.03
201 - 299	Times per week Notes: 2 _ _ Times per week	405	25.00	24.29
301 - 399	Times per month Notes: 3 _ _ Times per month	89	5.49	5.82
401 - 499	Times per year Notes: 4 _ _ Times per year	24	1.48	1.72
777	Don't know/Not sure	39	2.41	2.42
888	Never	93	5.74	5.71
BLANK	Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	9,306		

How Often Check Feet for Sores or Irritations

Module: 2.4 Diabetes

Type: Num

Column: 253-255

SAS Variable Name: FEETCHK2

Prologue:

Description: About how often do you check your feet for any sores or irritations? Include times when checked by a family member or friend, but do NOT include times when checked by a health professional.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day Notes: 1 _ _ Times per day	1,009	62.28	62.24
201 - 299	Times per week Notes: 2 _ _ Times per week	297	18.33	17.04
301 - 399	Times per month Notes: 3 _ _ Times per month	68	4.20	3.88
401 - 499	Times per year Notes: 4 _ _ Times per year	28	1.73	2.03
555	No feet	11	0.68	0.85
777	Don't know/Not sure	58	3.58	4.09
888	Never	148	9.14	9.83
999	Refused	1	0.06	0.03
BLANK	Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	9,306		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Times Seen Health Professional for Diabetes

Module: 2.5 Diabetes

Type: Num

Column: 256-257

SAS Variable Name: DOCTDIAB

Prologue:

Description: About how many times in the past 12 months have you seen a doctor, nurse, or other health professional for your diabetes?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: _ _ Number of times, 76=76 or more	1,404	86.67	88.60
88	None	131	8.09	6.72
77	Don't know/Not sure	85	5.25	4.68
BLANK	Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	9,306		

Times Checked for Glycosylated Hemoglobin

Module: 2.6 Diabetes

Type: Num

Column: 258-259

SAS Variable Name: CHKHEMO3

Prologue:

Description: A test for "A one C" measures the average level of blood sugar over the past three months. About how many times in the past 12 months has a doctor, nurse, or other health professional checked you for "A one C"?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: _ _ Number of times, 76 = 76 or more	1,173	72.41	76.36
88	None	141	8.70	8.30
98	Never heard of "A one C" test	131	8.09	7.00
77	Don't know/Not sure	175	10.80	8.34
BLANK	Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	9,306		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Times Feet Check for Sores/irritations

Module: 2.7 Diabetes

Type: Num

Column: 260-261

SAS Variable Name: FEETCHK

Prologue:

Description: About how many times in the past 12 months has a health professional checked your feet for any sores or irritations?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: _ _ Number of times, 76=76 or more	1,077	66.94	69.20
88	None	452	28.09	27.05
77	Don't know/Not sure	78	4.85	3.73
99	Refused	2	0.12	0.02
BLANK	Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing; or Module 2.04, FEETCHK2, is coded 555	9,317		

Last Eye Exam Where Pupils Were Dilated

Module: 2.8 Diabetes

Type: Num

Column: 262

SAS Variable Name: EYEEXAM

Prologue:

Description: When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past month (anytime less than 1 month ago)	386	23.83	22.88
2	Within the past year (1 month but less than 12 months ago)	768	47.41	46.60
3	Within the past 2 years (1 year but less than 2 years ago)	201	12.41	13.18
4	2 or more years ago	167	10.31	10.66
7	Don't know/Not sure	49	3.02	2.97
8	Never	49	3.02	3.71
BLANK	Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	9,306		

Ever Told Diabetes Has Affected Eyes

Module: 2.9 Diabetes

Type: Num

Column: 263

SAS Variable Name: DIABEYE

Prologue:

Description: Has a doctor ever told you that diabetes has affected your eyes or that you had retinopathy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	311	19.20	19.05
2	No	1,288	79.51	79.63
7	Don't know/Not sure	21	1.30	1.32
BLANK	Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	9,306		

Ever Taken Class in Managing Diabetes

Module: 2.10 Diabetes

Type: Num

Column: 264

SAS Variable Name: DIABEDU

Prologue:

Description: Have you ever taken a course or class in how to manage your diabetes yourself?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	845	52.16	55.41
2	No	773	47.72	44.34
7	Don't know/Not sure	2	0.12	0.24
BLANK	Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	9,306		

How many days hard to do usual activities in past 30 days

Module: 3.1 Healthy Days (Symptoms)

Type: Num

Column: 265-266

SAS Variable Name: PAINACT2

Prologue:

Description: During the past 30 days, for about how many days did pain make it hard for you to do your usual activities, such as self-care, work, or recreation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

How many days depressed in past 30 days

Module: 3.2 Healthy Days (Symptoms)

Type: Num

Column: 267-268

SAS Variable Name: QLMENTL2

Prologue:

Description: During the past 30 days, for about how many days have you felt sad, blue, or depressed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

How many days felt anxious in past 30 days

Module: 3.3 Healthy Days (Symptoms)

Type: Num

Column: 269-270

SAS Variable Name: QLSTRES2

Prologue:

Description: During the past 30 days, for about how many days have you felt worried, tense, or anxious?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

How many days full of energy in past 30 days

Module: 3.4 Healthy Days (Symptoms)

Type: Num

Column: 271-272

SAS Variable Name: QLHLTH2

Prologue:

Description: During the past 30 days, for about how many days have you felt very healthy and full of energy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

How often do you drink regular soda or pop?

Module: 4.1 Sugar Sweetened Beverages and Menu Labeling

Type: Num

Column: 273-275

SAS Variable Name: SSBSUGAR

Prologue:

Description: About how often do you drink regular soda or pop that contains sugar? Do not include diet soda or diet pop.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

How often do you drink sweetened fruit drinks?

Module: 4.2 Sugar Sweetened Beverages and Menu Labeling

Type: Num

Column: 276-278

SAS Variable Name: SSBFRUIT

Prologue:

Description: About how often do you drink sweetened fruit drinks, such as Kool-aid, cranberry, and lemonade? Include fruit drinks you made at home and added sugar to.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

How often does calorie information help you decide what to order?

Module: 4.3 Sugar Sweetened Beverages and Menu Labeling

Type: Num

Column: 279-280

SAS Variable Name: SSBCALRI

Prologue: The next question is about eating out at fast food and chain restaurants.

Description: When calorie information is available in the restaurant, how often does this information help you decide what to order?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

Talked with you about ways to prepare for a healthy pregnancy/baby?

Module: 5.1 Preconception Health /Family Planning

Type: Num

Column: 281

SAS Variable Name: PFPPREPR

Prologue: The next question is about discussions that occurred as part of a routine health care visit. DO NOT include visits while pregnant, also called prenatal care visits.

Description: Has a doctor, nurse, or other health care worker ever talked with you about ways to prepare for a healthy pregnancy and baby?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.22, SEX, is coded 1; or Section 8.22, SEX, is coded 2 and Section 8.01, AGE, is greater than 44;	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Have you ever been pregnant?

Module: 5.2 Preconception Health /Family Planning

Type: Num

Column: 282

SAS Variable Name: PFPPRGNT

Prologue: The next set of questions asks you about your thoughts and experiences with family planning. Please remember that all of your answers will be kept confidential.

Description: Have you ever been pregnant?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.22, SEX, is coded 1; or Section 8.22, SEX, is coded 2 and Section 8.01, AGE, is greater than 44;	10,926		

Did you do anything to keep from getting pregnant?

Module: 5.3 Preconception Health /Family Planning

Type: Num

Column: 283

SAS Variable Name: PFPPRVNT

Prologue:

Description: Did you or your husband/partner do anything the last time you had sex to keep you from getting pregnant?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.22, SEX, is coded 1; or Section 8.22, SEX, is coded 2 and Section 8.01, AGE, is greater than 44;	10,926		

What did you do to keep you from getting pregnant?

Module: 5.4 Preconception Health /Family Planning

Type: Num

Column: 284-285

SAS Variable Name: TYPCNTR6

Prologue:

Description: What did you or your husband/partner do the last time you had sex to keep you from getting pregnant?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.22, SEX, is coded 1; or Section 8.22, SEX, is coded 2 and Section 8.01, AGE, is greater than 44; or Module 05.03, PFPPRVNT, is coded 2, 3, 4, 7, 9 or missing	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

What was main reason for not doing anything to keep you from getting pregnant?

Module: 5.5 Preconception Health /Family Planning

Type: Num

Column: 286-287

SAS Variable Name: NOBCUSE4

Prologue: Some reasons for not doing anything to keep you from getting pregnant the last time you had sex might include wanting a pregnancy, not being able to pay for birth control, or not thinking that you can get pregnant.

Description: What was your main reason for not doing anything the last time you had sex to keep you from getting pregnant?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.22, SEX, is coded 1; or Section 8.22, SEX, is coded 2 and Section 8.01, AGE, is greater than 44; or Module 05.03, PFPVRVNT, is coded 2, 3, 4, 7, 9 or missing; or Module 05.04, TYPCNTR6, is not missing;	10,926		

How do you feel about having a child now or sometime in the future?

Module: 5.6 Preconception Health /Family Planning

Type: Num

Column: 288

SAS Variable Name: FPCHLDF2

Prologue:

Description: How do you feel about having a child now or sometime in the future? Would you say:

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.22, SEX, is coded 1; or Section 8.22, SEX, is coded 2 and Section 8.01, AGE, is greater than 44; or Module 05.03, PFPVRVNT, is coded 2, 3, 4, 7, 9 or missing; or Module 05.04, TYPCNTR6, is not missing;	10,926		

How often do you take a multivitamin, a prenatal vitamin, or a folic acid vitamin?

Module: 5.7 Preconception Health /Family Planning

Type: Num

Column: 289

SAS Variable Name: PFPVITMN

Prologue:

Description: How many times a week do you currently take a multivitamin, a prenatal vitamin, or a folic acid vitamin?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.22, SEX, is coded 1; or Section 8.22, SEX, is coded 2 and Section 8.01, AGE, is greater than 44; or Module 5.05, NOBCUSE4 is coded 11, 12, or 13	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Difficulty recognizing friend across street

Module: 6.1 Visual Impairment and Access to Eye Care

Type: Num

Column: 290

SAS Variable Name: VIDFCLT3

Prologue:

Description: How much difficulty, if any, do you have in recognizing a friend across the street? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 06.12, CHCVISON, is coded 3;	10,926		

Difficulty reading typed text

Module: 6.2 Visual Impairment and Access to Eye Care

Type: Num

Column: 291

SAS Variable Name: VIREDF3

Prologue:

Description: How much difficulty, if any, do you have reading print in newspapers, magazines, recipes, menus, or numbers on the telephone? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 06.12, CHCVISON, is coded 3;	10,926		

Last time visited eye care provider

Module: 6.3 Visual Impairment and Access to Eye Care

Type: Num

Column: 292

SAS Variable Name: VIPRFVS3

Prologue:

Description: When was the last time you had your eyes examined by any doctor or eye care provider?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 06.12, CHCVISON, is coded 3;	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Reason did not use eye doc past 12 mos

Module: 6.4 Visual Impairment and Access to Eye Care

Type: Num

Column: 293-294

SAS Variable Name: VINOCRE3

Prologue:

Description: What is the main reason you have not visited an eye care professional in the past 12 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 06.12, CHCVISON, is coded 3; or Module 06.03, VIPRFVS3, is coded 1 or 2;	10,926		

When last eyexam

Module: 6.5 Visual Impairment and Access to Eye Care

Type: Num

Column: 295

SAS Variable Name: VIEYEXM3

Prologue:

Description: When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 06.12, CHCVISON, is coded 3; or Module 02.08, EYEXAM, is not blank;	10,926		

Eye care health insurance

Module: 6.6 Visual Impairment and Access to Eye Care

Type: Num

Column: 296

SAS Variable Name: VIINSUR3

Prologue:

Description: Do you have any kind of health insurance coverage for eye care?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 06.12, CHCVISON, is coded 3;	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Hlth care pro said now have cataracts

Module: 6.7 Visual Impairment and Access to Eye Care

Type: Num

Column: 297

SAS Variable Name: VICTRCT3

Prologue:

Description: Have you EVER been told by an eye doctor or other health care professional that you had cataracts?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 06.12, CHCVISON, is coded 3;	10,926		

Hlth care pro EVER said have glaucoma

Module: 6.8 Visual Impairment and Access to Eye Care

Type: Num

Column: 298

SAS Variable Name: VIGLUMA3

Prologue:

Description: Have you EVER been told by an eye doctor or other health care professional that you had glaucoma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 06.12, CHCVISON, is coded 3;	10,926		

Hlth care pro EVER said have macular degeneration

Module: 6.9 Visual Impairment and Access to Eye Care

Type: Num

Column: 299

SAS Variable Name: VIMACDG3

Prologue: Age-related Macular Degeneration (AMD) is a disease that affects the macula, the part of the eye that allows you to see fine detail.

Description: Have you EVER been told by an eye doctor or other health care professional that you had age-related macular degeneration?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 06.12, CHCVISON, is coded 3;	10,926		

How many days did you not get enough sleep in past 30 days

Module: 7.1 Inadequate Sleep

Type: Num

Column: 300-301

SAS Variable Name: QLREST2

Prologue:

Description: During the past 30 days, for about how many days have you felt you did not get enough rest or sleep?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

How Much Time Do You Sleep

Module: 7.2 Inadequate Sleep

Type: Num

Column: 302-303

SAS Variable Name: SLEPTIME

Prologue:

Description: On average, how many hours of sleep do you get in a 24-hour period? Think about the time you actually spend sleeping or napping, not just the amount of sleep you think you should get. (Enter hours of sleep in whole numbers, rounding 30 minutes (1/2 hour) or more up to the next whole hour and dropping 29 or fewer minutes.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Do you snore?

Module: 7.3 Inadequate Sleep

Type: Num

Column: 304

SAS Variable Name: SLEPSNOR

Prologue:

Description: Do you snore? (If the respondent indicates that their spouse or someone told him/her that they snore, then the answer to the question is 'Yes' the respondent snores.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

Number of Days in Past Thirty Felt You Did Not Get Enough Sleep

Module: 7.4 Inadequate Sleep

Type: Num

Column: 305-306

SAS Variable Name: SLEPDAY

Prologue:

Description: During the past 30 days, for about how many days did you find yourself unintentionally falling asleep during the day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Number of Days in Past Thirty Fell Asleep While Driving

Module: 7.5 Inadequate Sleep

Type: Num

Column: 307

SAS Variable Name: SLEPDRIV

Prologue:

Description: During the past 30 days, have you ever nodded off or fallen asleep, even just for a brief moment, while driving?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Do you currently volunteer or work in a hospital, medical clinic, doctor's office, dentist's office, nursing home or some other health-care facility?

Module: 8.1 High Risk/Health Care Worker

Type: Num

Column: 308

SAS Variable Name: WRKHCF1

Prologue:

Description: Do you currently volunteer or work in a hospital, medical clinic, doctor's office, dentist's office, nursing home or some other health-care facility? This includes part-time and unpaid work in a health care facility as well as professional nursing care provided in the home.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

Do you provide direct patient care as part of your routine work?

Module: 8.2 High Risk/Health Care Worker

Type: Num

Column: 309

SAS Variable Name: DIRCONT1

Prologue:

Description: Do you provide direct patient care as part of your routine work? By direct patient care we mean physical or hands-on contact with patients.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 08.01, WRKHCF1, is coded 2, 7, 9 or missing	10,926		

Has A Doctor, Nurse, Or Other Health Professional Ever Said That You Have...Problem Caused By A Chronic Illness Or By Medicines; Taken For A Chronic Illness?

Module: 8.3 High Risk/Health Care Worker

Type: Num

Column: 310

SAS Variable Name: DRHPAD1

Prologue:

Description: Has a doctor, nurse, or other health professional ever said that you have... Lung problems, other than asthma, Kidney problems, Anemia, including Sickle Cell, Or A weakened immune system caused by a chronic illness or by medicines, taken for a chronic illness?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Still have this health problem

Module: 8.4 High Risk/Health Care Worker

Type: Num

Column: 311

SAS Variable Name: HAVHPAD

Prologue:

Description: Do you still have (this/any of these) problem(s)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 08.03, DRHPAD1, is coded 2, 7, 9 or Missing	10,926		

Outpatient rehab after heart attack hosp stay

Module: 9.1 Cardiovascular Health

Type: Num

Column: 312

SAS Variable Name: HAREHAB1

Prologue:

Description: Following your heart attack, did you go to any kind of outpatient rehabilitation? This is sometimes called "rehab."

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	201	28.23	26.42
2	No	504	70.79	71.64
7	Don't know/Not Sure	5	0.70	1.35
9	Refused	2	0.28	0.60
BLANK	Not asked or Missing Notes: Section 06.01, CVDINFR4, is coded 2, 7, 9 or Missing	10,214		

Outpatient rehab after hosp stay for stroke

Module: 9.2 Cardiovascular Health

Type: Num

Column: 313

SAS Variable Name: STREHAB1

Prologue:

Description: Following your stroke did you go to any kind of outpatient rehabilitation? This is sometimes called "rehab."

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	198	35.55	34.48
2	No	353	63.38	64.92
7	Don't know/Not Sure	3	0.54	0.25
9	Refused	3	0.54	0.35
BLANK	Not asked or Missing Notes: Section 06.03, CVDSTRK3, is coded 2, 7, 9 or Missing	10,369		

Take Aspirin Daily or Every Other Day

Module: 9.3 Cardiovascular Health

Type: Num

Column: 314

SAS Variable Name: CVDASPRN

Prologue:

Description: Do you take aspirin daily or every other day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to Next Module	3,516	36.96	30.61
2	No	5,988	62.95	69.24
7	Don't know/Not sure	7	0.07	0.07
9	Refused	1	0.01	0.08
BLANK	Not asked or Missing	1,414		

Health Makes Taking Aspirin Unsafe

Module: 9.4 Cardiovascular Health

Type: Num

Column: 315

SAS Variable Name: ASPUNSAF

Prologue:

Description: Do you have a health problem or condition that makes taking aspirin unsafe for you? (If "Yes," ask "Is this a stomach condition?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, not stomach related	532	8.87	6.34
2	Yes, stomach problems	463	7.72	5.63
3	No	4,950	82.57	87.29
7	Don't know/Not sure	49	0.82	0.61
9	Refused	1	0.02	0.12
BLANK	Not asked or Missing Notes: Module 09.03, CVDASPRN, is coded 1	4,931		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Change eating habits for BP?

Module: 10.1 Actions to Control High Blood Pressure

Type: Num

Column: 316

SAS Variable Name: BPEATHBT

Prologue: Are you now doing any of the following to help lower or control your high blood pressure?

Description: (Are you) changing your eating habits (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,609	74.80	75.06
2	No	1,174	24.33	23.90
7	Don't know/Not Sure	38	0.79	0.71
9	Refused	4	0.08	0.33
BLANK	Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 7, 9, or Missing	6,101		

Reduce salt intake to lower BP?

Module: 10.2 Actions to Control High Blood Pressure

Type: Num

Column: 317

SAS Variable Name: BPSALT

Prologue: Are you now doing any of the following to help lower or control your high blood pressure?]

Description: (Are you) cutting down on salt (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,632	75.27	75.41
2	No	702	14.55	14.93
3	Do not use salt	476	9.87	9.10
7	Don't know/Not Sure	12	0.25	0.24
9	Refused	3	0.06	0.32
BLANK	Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 7, 9, or Missing	6,101		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Reduce alcohol use for BP?

Module: 10.3 Actions to Control High Blood Pressure

Type: Num

Column: 318

SAS Variable Name: BPALCHOL

Prologue: Are you now doing any of the following to help lower or control your high blood pressure?]

Description: (Are you) reducing alcohol use (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	863	17.89	21.81
2	No	781	16.19	17.96
3	Do not drink	3,166	65.62	59.55
7	Don't know/Not Sure	9	0.19	0.28
9	Refused	6	0.12	0.41
BLANK	Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 7, 9, or Missing	6,101		

Exercising to lower BP?

Module: 10.4 Actions to Control High Blood Pressure

Type: Num

Column: 319

SAS Variable Name: BPEXER

Prologue: Are you now doing any of the following to help lower or control your high blood pressure?]

Description: (Are you) exercising (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,976	61.70	61.44
2	No	1,817	37.67	37.62
7	Don't know/Not Sure	26	0.54	0.60
9	Refused	4	0.08	0.34
BLANK	Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 7, 9, or Missing	6,103		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Hlth care pro ever advised change in eating habits to reduce BP

Module: 10.5 Actions to Control High Blood Pressure

Type: Num

Column: 320

SAS Variable Name: BPEATADV

Prologue: Has a doctor or other health professional ever advised you to do any of the following to help lower or control your high blood pressure?

Description: (Ever advised you to) change your eating habits (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,988	61.98	64.69
2	No	1,794	37.21	34.10
7	Don't know/Not Sure	34	0.71	0.85
9	Refused	5	0.10	0.36
BLANK	Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 7, 9, or Missing	6,105		

Hlth care pro ever advised using less salt to reduce BP

Module: 10.6 Actions to Control High Blood Pressure

Type: Num

Column: 321

SAS Variable Name: BPSLTADV

Prologue: Has a doctor or other health professional ever advised you to do any of the following to help lower or control your high blood pressure?]

Description: (Ever advised you to) cut down on salt (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,294	68.33	68.62
2	No	1,206	25.02	24.85
3	Do not use salt	280	5.81	5.27
7	Don't know/Not Sure	37	0.77	0.92
9	Refused	4	0.08	0.34
BLANK	Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 7, 9, or Missing	6,105		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Hlth care pro ever advised reduced alcohol use to reduce BP

Module: 10.7 Actions to Control High Blood Pressure

Type: Num

Column: 322

SAS Variable Name: BPALCADV

Prologue: Has a doctor or other health professional ever advised you to do any of the following to help lower or control your high blood pressure?]

Description: (Ever advised you to) reduce alcohol use (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	629	13.05	17.69
2	No	1,199	24.88	26.38
3	Do not drink	2,970	61.62	55.09
7	Don't know/Not Sure	17	0.35	0.48
9	Refused	5	0.10	0.36
BLANK	Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 7, 9, or Missing	6,106		

Hlth care pro ever advised exercise to reduce BP

Module: 10.8 Actions to Control High Blood Pressure

Type: Num

Column: 323

SAS Variable Name: BPEXRADV

Prologue: Has a doctor or other health professional ever advised you to do any of the following to help lower or control your high blood pressure?]

Description: (Ever advised you to) exercise (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,466	71.92	73.78
2	No	1,308	27.14	25.14
7	Don't know/Not Sure	41	0.85	0.74
9	Refused	4	0.08	0.34
BLANK	Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 7, 9, or Missing	6,107		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Hlth care pro ever advised meds to reduce BP

Module: 10.9 Actions to Control High Blood Pressure

Type: Num

Column: 324

SAS Variable Name: BPMEDADV

Prologue: Has a doctor or other health professional ever advised you to do any of the following to help lower or control your high blood pressure?]

Description: (Ever advised you to) take medication (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,512	93.67	90.18
2	No	294	6.10	9.29
7	Don't know/Not Sure	8	0.17	0.21
9	Refused	3	0.06	0.32
BLANK	Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 7, 9, or Missing	6,109		

Told had high BP during 2+ visits to hlth care pro?

Module: 10.10 Actions to Control High Blood Pressure

Type: Num

Column: 325

SAS Variable Name: BPHI2MR

Prologue:

Description: Were you told on two or more different visits to a doctor or other health professional that you had high blood pressure? (If "Yes" and respondent is female, ask: "Was this only when you were pregnant?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,476	72.25	71.67
2	Yes, but female told only during pregnancy	13	0.27	0.28
3	No	1,203	25.01	25.28
4	Told borderline or pre-hypertensive	21	0.44	0.39
7	Don't know/Not Sure	92	1.91	2.03
9	Refused	6	0.12	0.36
BLANK	Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 7, 9, or Missing	6,115		

Heart Attack Symptoms - Jaw/Back/Neck Pain

Module: 11.1 Heart Attack and Stroke

Type: Num

Column: 326

SAS Variable Name: HASYMP1

Prologue: Now I would like to ask you about your knowledge of the signs and symptoms of a heart attack and stroke. Which of the following do you think is a symptom of a heart attack? For each, tell me "yes", "no", or you're "not sure":

Description: (Do you think) pain or discomfort in the jaw, neck, or back (are symptoms of a heart attack)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,818	61.51	55.46
2	No	2,208	23.34	28.60
7	Don't know/Not sure	1,431	15.13	15.85
9	Refused	2	0.02	0.09
BLANK	Not asked or Missing	1,467		

Heart Attack Symptoms - Weak/Light-headed/Faint

Module: 11.2 Heart Attack and Stroke

Type: Num

Column: 327

SAS Variable Name: HASYMP2

Prologue:

Description: (Do you think) feeling weak, lightheaded, or faint (are symptoms of a heart attack)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,596	59.17	60.32
2	No	2,246	23.75	24.71
7	Don't know/Not sure	1,612	17.05	14.88
9	Refused	3	0.03	0.09
BLANK	Not asked or Missing	1,469		

Heart Attack Symptoms - Chest Pain/Discomfort

Module: 11.3 Heart Attack and Stroke

Type: Num

Column: 328

SAS Variable Name: HASYMP3

Prologue:

Description: (Do you think) chest pain or discomfort (are symptoms of a heart attack)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,596	90.96	91.31
2	No	508	5.38	5.53
7	Don't know/Not sure	344	3.64	3.07
9	Refused	2	0.02	0.09
BLANK	Not asked or Missing	1,476		

Heart Attack Symptoms - Vision Problems

Module: 11.4 Heart Attack and Stroke

Type: Num

Column: 329

SAS Variable Name: HASYMP4

Prologue:

Description: (Do you think) sudden trouble seeing in one or both eyes (is a symptom of a heart attack)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,054	32.33	35.23
2	No	3,769	39.90	39.86
7	Don't know/Not sure	2,620	27.74	24.81
9	Refused	3	0.03	0.10
BLANK	Not asked or Missing	1,480		

Heart Attack Symptoms - Pain or Discomfort in Arms/Shoulder

Module: 11.5 Heart Attack and Stroke

Type: Num

Column: 330

SAS Variable Name: HASYMP5

Prologue:

Description: (Do you think) pain or discomfort in the arms or shoulder (are symptoms of a heart attack)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,138	86.18	84.58
2	No	740	7.84	9.57
7	Don't know/Not sure	562	5.95	5.75
9	Refused	3	0.03	0.10
BLANK	Not asked or Missing	1,483		

Heart Attack Symptoms - Shortness of Breath

Module: 11.6 Heart Attack and Stroke

Type: Num

Column: 331

SAS Variable Name: HASYMP6

Prologue:

Description: (Do you think) shortness of breath (is a symptom of a heart attack)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,915	83.86	83.90
2	No	815	8.64	9.20
7	Don't know/Not sure	706	7.48	6.81
9	Refused	2	0.02	0.09
BLANK	Not asked or Missing	1,488		

Stroke Symptoms - Confusion/Trouble speaking

Module: 11.7 Heart Attack and Stroke

Type: Num

Column: 332

SAS Variable Name: STRSYMP1

Prologue: Which of the following do you think is a symptom of a stroke? For each, tell me “yes”, “no”, or you’re “not sure”.

Description: (Do you think) sudden confusion or trouble speaking (are symptoms of a stroke?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,609	91.28	91.61
2	No	332	3.52	4.05
7	Don't know/Not sure	488	5.17	4.26
9	Refused	2	0.02	0.09
BLANK	Not asked or Missing	1,495		

Stroke Symptoms - Numbness or Weakness of Face/Arm/Leg

Module: 11.8 Heart Attack and Stroke

Type: Num

Column: 333

SAS Variable Name: STRSYMP2

Prologue:

Description: (Do you think) sudden numbness or weakness of face, arm, or leg, especially on one side (are symptoms of a stroke?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,808	93.46	93.95
2	No	255	2.71	3.01
7	Don't know/Not sure	356	3.78	2.93
9	Refused	5	0.05	0.11
BLANK	Not asked or Missing	1,502		

Stroke Symptoms - Vision Problems

Module: 11.9 Heart Attack and Stroke

Type: Num

Column: 334

SAS Variable Name: STRSYMP3

Prologue:

Description: (Do you think) sudden trouble seeing in one or both eyes (is a symptom of a stroke?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,768	71.85	73.29
2	No	948	10.06	9.99
7	Don't know/Not sure	1,699	18.04	16.62
9	Refused	4	0.04	0.10
BLANK	Not asked or Missing	1,507		

Stroke Symptoms - Chest Pain/Discomfort

Module: 11.10 Heart Attack and Stroke

Type: Num

Column: 335

SAS Variable Name: STRSYMP4

Prologue:

Description: (Do you think) sudden chest pain or discomfort (are symptoms of a stroke?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,130	43.86	45.77
2	No	3,093	32.84	33.76
7	Don't know/Not sure	2,190	23.26	20.37
9	Refused	4	0.04	0.10
BLANK	Not asked or Missing	1,509		

Stroke Symptoms - Trouble Walking/Dizziness/Loss of Balance

Module: 11.11 Heart Attack and Stroke

Type: Num

Column: 336

SAS Variable Name: STRSYMP5

Prologue:

Description: (Do you think) sudden trouble walking, dizziness, or loss of balance (are symptoms of a stroke?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,968	84.68	85.33
2	No	641	6.81	6.98
7	Don't know/Not sure	796	8.46	7.60
9	Refused	4	0.04	0.10
BLANK	Not asked or Missing	1,517		

Stroke Symptoms - Severe Headache

Module: 11.12 Heart Attack and Stroke

Type: Num

Column: 337

SAS Variable Name: STRSYMP6

Prologue:

Description: (Do you think) severe headache with no known cause (is a symptom of a stroke?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,331	67.32	66.18
2	No	1,421	15.11	16.80
7	Don't know/Not sure	1,648	17.52	16.92
9	Refused	4	0.04	0.10
BLANK	Not asked or Missing	1,522		

First Aid for Heart Attack and Stroke

Module: 11.13 Heart Attack and Stroke

Type: Num

Column: 338

SAS Variable Name: FIRSTAID

Prologue:

Description: If you thought someone was having a heart attack or a stroke, what is the first thing you would do?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Take them the hospital	630	6.70	6.40
2	Tell them to call their doctor	80	0.85	0.63
3	Call 911	7,697	81.88	83.19
4	Call their spouse or a family member	84	0.89	0.60
5	Do something else	769	8.18	7.96
7	Don't know/Not sure	138	1.47	1.13
9	Refused	2	0.02	0.09
BLANK	Not asked or Missing	1,526		

Have You Ever Had a Mammogram

Module: 12.1 Breast/Cervical Cancer Screening

Type: Num

Column: 339

SAS Variable Name: HADMAM

Prologue:

Description: A mammogram is an x-ray of each breast to look for breast cancer. Have you ever had a mammogram?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.22, SEX, is coded 1	10,926		

How Long since Last Mammogram

Module: 12.2 Breast/Cervical Cancer Screening

Type: Num

Column: 340

SAS Variable Name: HOWLONG

Prologue:

Description: How long has it been since you had your last mammogram?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.22, SEX, is coded 1; or Module 12.01, HADMAM, is coded 2, 7, 9, or Missing	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Ever Had Breast Physical Exam by Doctor

Module: 12.3 Breast/Cervical Cancer Screening

Type: Num

Column: 341

SAS Variable Name: PROFEXAM

Prologue:

Description: A clinical breast exam is when a doctor, nurse, or other health professional feels the breast for lumps. Have you ever had a clinical breast exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.22, SEX, is coded 1	10,926		

How Long since Last Breast Physical Exam

Module: 12.4 Breast/Cervical Cancer Screening

Type: Num

Column: 342

SAS Variable Name: LENGEXAM

Prologue:

Description: How long has it been since your last breast exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.22, SEX, is coded 1; or Module 12.03, PROFEXAM, is coded 2, 7, 9, or Missing	10,926		

Ever Had a Pap Test

Module: 12.5 Breast/Cervical Cancer Screening

Type: Num

Column: 343

SAS Variable Name: HADPAP2

Prologue:

Description: A Pap test is a test for cancer of the cervix. Have you ever had a Pap test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.22, SEX, is coded 1	10,926		

How Long Since Last Pap Test

Module: 12.6 Breast/Cervical Cancer Screening

Type: Num

Column: 344

SAS Variable Name: LASTPAP2

Prologue:

Description: How long has it been since you had your last Pap test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.22, SEX, is coded 1; or Module 12.05, HADPAP2, is coded 2, 7, 9, or Missing	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Had Hysterectomy

Module: 12.7 Breast/Cervical Cancer Screening

Type: Num

Column: 345

SAS Variable Name: HADHYST2

Prologue:

Description: Have you had a hysterectomy? (A hysterectomy is an operation to remove the uterus (womb).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.22, SEX, is coded 1; or Section 8.23, PREGNANT, is coded 1	10,926		

Has a doctor EVER recommended that you have a PSA test?

Module: 13.1 Prostate Cancer Screening

Type: Num

Column: 346

SAS Variable Name: PCPSAREC

Prologue:

Description: A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to check men for prostate cancer. Has a doctor EVER recommended that you have a PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 8.22, SEX, is coded 2;	10,926		

Ever Had PSA Test

Module: 13.2 Prostate Cancer Screening

Type: Num

Column: 347

SAS Variable Name: PSATEST1

Prologue:

Description: Have you EVER HAD a PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 8.22, SEX, is coded 2;	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Time Since Last PSA Test

Module: 13.3 Prostate Cancer Screening

Type: Num

Column: 348

SAS Variable Name: PSATIME

Prologue:

Description: How long has it been since you had your last PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 8.22, SEX, is coded 2; or Module 13.02, PSATEST, is coded, 2, 7, 9, or Missing	10,926		

What was the MAIN reason you had this PSA test?

Module: 13.4 Prostate Cancer Screening

Type: Num

Column: 349

SAS Variable Name: PCPSARSN

Prologue:

Description: What was the MAIN reason you had this PSA test – was it part of a routine exam, because of a problem, or some other reason?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 8.22, SEX, is coded 2; or Module 13.02, PSATEST, is coded, 2, 7, 9, or Missing	10,926		

Did doctor EVER talk about the advantages of the PSA test?

Module: 13.5 Prostate Cancer Screening

Type: Num

Column: 350

SAS Variable Name: PCPSAADV

Prologue:

Description: Before you had the PSA test did a doctor EVER talk with you about the advantages of the PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 8.22, SEX, is coded 2; or Module 13.02, PSATEST, is coded, 2, 7, 9, or Missing	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Did doctor EVER talk about the disadvantages of the PSA test?

Module: 13.6 Prostate Cancer Screening

Type: Num

Column: 351

SAS Variable Name: PCPSADIS

Prologue:

Description: Before you had the PSA test did a doctor EVER talk with you about the disadvantages of the PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 8.22, SEX, is coded 2; or Module 13.02, PSATEST, is coded, 2, 7, 9, or Missing	10,926		

Why was PSA test done?

Module: 13.7 Prostate Cancer Screening

Type: Num

Column: 352

SAS Variable Name: PCPSADEC

Prologue:

Description: Which of the following best describes the decision to have the PSA test done?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 8.22, SEX, is coded 2; or Module 13.02, PSATEST, is coded, 2, 7, 9, or Missing	10,926		

Ever Told You Had Prostate Cancer

Module: 13.8 Prostate Cancer Screening

Type: Num

Column: 353

SAS Variable Name: PROSTATE

Prologue:

Description: Have you ever been told by a doctor, nurse, or other health professional that you had prostate cancer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 8.22, SEX, is coded 2;	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Ever Had Blood Stool Test Using Home Kit

Module: 14.1 Colorectal Cancer Screening

Type: Num

Column: 354

SAS Variable Name: BLDSTOOL

Prologue:

Description: A blood stool test is a test that may use a special kit at home to determine whether the stool contains blood. Have you ever had this test using a home kit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 50	10,926		

Time Since Last Blood Stool Test

Module: 14.2 Colorectal Cancer Screening

Type: Num

Column: 355

SAS Variable Name: LSTBLDS3

Prologue:

Description: How long has it been since you had your last blood stool test using a home kit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 50; or Module 14.01, BLDSTOOL, is coded 2, 7, 9, or Missing	10,926		

Ever Had Sigmoidoscopy/Colonoscopy

Module: 14.3 Colorectal Cancer Screening

Type: Num

Column: 356

SAS Variable Name: HADSIGM3

Prologue:

Description: Sigmoidoscopy and colonoscopy are exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems. Have you ever had either of these exams?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 50	10,926		

Was your last test a sigmoidoscopy or colonoscopy?

Module: 14.4 Colorectal Cancer Screening

Type: Num

Column: 357

SAS Variable Name: HADSGCO1

Prologue:

Description: For a SIGMOIDOSCOPY, a flexible tube is inserted into the rectum to look for problems. A COLONOSCOPY is similar, but uses a longer tube, and you are usually given medication through a needle in your arm to make you sleepy and told to have someone else drive you home after the test. Was your MOST RECENT exam a sigmoidoscopy or a colonoscopy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 50; or Module 14.03, HADSIGM3, is coded 2, 7, 9, or Missing	10,926		

Time Since Last Sigmoidoscopy/Colonoscopy

Module: 14.5 Colorectal Cancer Screening

Type: Num

Column: 358

SAS Variable Name: LASTSIG3

Prologue:

Description: How long has it been since you had your last sigmoidoscopy or colonoscopy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 50; or Module 14.03, HADSIGM3, is coded 2, 7, 9, or Missing	10,926		

Are you aware of any telephone quitline services to help you quit smoking?

Module: 15.1 Smoking Cessation

Type: Num

Column: 359

SAS Variable Name: SMCQUITL

Prologue:

Description: A telephone quitline is a free telephone-based service that connects people who smoke cigarettes with someone who can help them quit. Are you aware of any telephone quitline services that are available to help [If Core Q7.2 = 1 or 2, say "you", otherwise say people"] quit smoking?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,338	24.91	27.13
2	No	6,892	73.43	71.33
7	Don't know / Not sure	146	1.56	1.40
9	Refused	10	0.11	0.14
BLANK	Not asked or Missing	1,540		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Are trying to quit smoking for good?

Module: 15.2 Smoking Cessation

Type: Num

Column: 360

SAS Variable Name: SMCTRYQT

Prologue:

Description: You last smoked (If Core Q7.4 = 1): say "less than." If (Core Q7.4 = 2, 3, or 4) say "more than" [first two words in the parentheses of Core Q7.4 SMOKLAST response] ago. Is that because you are trying to quit smoking for good?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	161	82.14	78.18
2	No—Go to Module 15.07 SMCTIMEQ	31	15.82	17.13
7	Don't know / Not sure—Go to Module 15.07 SMCTIMEQ	3	1.53	4.00
9	Refused—Go to Module 15.07 SMCTIMEQ	1	0.51	0.69
BLANK	Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, or 9; or Section 07.02, SMOKDAY2, is coded 7 or 9; or Section 07.03, STOPSMK2, is coded 1,2,7, or 9; or Section 07.04, LASTSMK2, is coded 5, 6, 7, 77, or 99;	10,730		

Did you call a telephone quitline to help you quit smoking?

Module: 15.3 Smoking Cessation

Type: Num

Column: 361

SAS Variable Name: SMCCALQT

Prologue: Previously, you mentioned you (If Core Q7.3 = 1): say, "tried to quit smoking in the past year." (If Core Q7.4 = 1-4 and Q2 = 1): say, "quit smoking in the past year. The next few questions ask about your most recent attempt to quit smoking.

Description: (If Core Q7.4 = 1-4 and Q.2 = 1): When you quit smoking... (If Core Q7.2 = 1 or 2 and Q7.3 = 1): The last time you tried to quit smoking... did you call a telephone quitline to help you quit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	43	7.69	6.95
2	No	515	92.13	93.03
7	Don't know / Not sure	1	0.18	0.02
BLANK	Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, or 9; or Section 07.02, SMOKDAY2, is coded 7 or 9; or Section 07.03, STOPSMK2, is coded 1,2,7, or 9; or Section 07.04, LASTSMK2, is coded 5, 6, 7, 77, or 99;	10,367		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Did you use a program to help you quit smoking?

Module: 15.4 Smoking Cessation

Type: Num

Column: 362

SAS Variable Name: SMCPROGQ

Prologue:

Description: (If Core Q7.4 = 1-4 and Q2 = 1): When you quit smoking... (If Core Q7.2 = 1 or 2 and Q7.3 = 1): The last time you tried to quit smoking... did you use a program to help you quit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	212	18.32	18.27
2	No	939	81.16	81.51
7	Don't know / Not sure	6	0.52	0.22
BLANK	Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, or 9; or Section 07.02, SMOKDAY2, is coded 7 or 9; or Section 07.03, STOPSMK2, is coded 1,2,7, or 9; or Section 07.04, LASTSMK2, is coded 5, 6, 7, 77, or 99;	9,769		

Did you receive one-on-one counseling to help you quit smoking?

Module: 15.5 Smoking Cessation

Type: Num

Column: 363

SAS Variable Name: SMCCNSLQ

Prologue:

Description: (If Core Q7.4 = 1-4 and Q2 = 1): When you quit smoking... (If Core Q7.2 = 1 or 2 and Q7.3 = 1): The last time you tried to quit smoking... did you receive one-on-one counseling from a health professional to help you quit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	126	10.89	10.14
2	No	1,030	89.02	89.85
7	Don't know / Not sure	1	0.09	0.01
BLANK	Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, or 9; or Section 07.02, SMOKDAY2, is coded 7 or 9; or Section 07.03, STOPSMK2, is coded 1,2,7, or 9; or Section 07.04, LASTSMK2, is coded 5, 6, 7, 77, or 99;	9,769		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Did you use any medications to help you quit smoking?

Module: 15.6 Smoking Cessation

Type: Num

Column: 364

SAS Variable Name: SMCMEDQT

Prologue:

Description: (If Core Q7.4 = 1-4 and Q2 = 1): When you quit smoking... (If Core Q7.2 = 1 or 2 and Q7.3 = 1): The last time you tried to quit smoking... did you use any of the following medications: a nicotine patch, nicotine gum, nicotine lozenges, nicotine nasal spray, a nicotine inhaler, or pills such as Wellbutrin®, Zyban®, bupropion, Chantix®, or varenicline to help you quit? [NOTE: Pronounce "Wellbutrin" as Well-BYOU-TRIN, "Zyban" as Z-EYE BAN, "bupropion" as BYO PRO PRI ON, "Chantix" as CHAN TICS, and "varenicline" as VAR EN IH CLEAN]. Please read list slowly.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	377	32.58	27.97
2	No	780	67.42	72.03
BLANK	Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, or 9; or Section 07.02, SMOKDAY2, is coded 7 or 9; or Section 07.03, STOPSMK2, is coded 1,2,7, or 9; or Section 07.04, LASTSMK2, is coded 5, 6, 7, 77, or 99;	9,769		

Time frame for quitting smoking?

Module: 15.7 Smoking Cessation

Type: Num

Column: 365

SAS Variable Name: SMCTIMEQ

Prologue: The next few questions are about plans to quit smoking in the future.

Description: Do you have a time frame in mind for quitting?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	641	35.26	36.81
2	No—Go to next module	1,117	61.44	58.72
7	Don't know / Not sure—Go to next module	59	3.25	4.45
9	Refused—Go to next module	1	0.06	0.02
BLANK	Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, or 9; or Section 07.02, SMOKDAY2, is coded 7 or 9; or Section 07.03, STOPSMK2, is coded 1,2,7, or 9; or Section 07.04, LASTSMK2, is coded 5, 6, 7, 77, or 99;	9,108		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Do you plan to quit smoking cigarettes for good...

Module: 15.8 Smoking Cessation

Type: Num

Column: 366

SAS Variable Name: SMCPLANQ

Prologue:

Description: Do you plan to quit smoking cigarettes for good...

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	In the next 7 days	93	14.51	13.26
2	In the next 30 days	151	23.56	21.37
3	In the next 6 months	165	25.74	24.30
4	In the next year	121	18.88	22.92
5	More than 1 year from now	46	7.18	9.37
7	Don't know / Not sure	64	9.98	8.72
9	Refused	1	0.16	0.07
BLANK	Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, or 9; or Section 07.02, SMOKDAY2, is coded 7 or 9; or Section 07.03, STOPSMK2, is coded 1,2,7, or 9; or Section 07.04, LASTSMK2, is coded 5, 6, 7, 77, or 99;	10,285		

How many days did you breathe smoke at your workplace?

Module: 16.1 Secondhand Smoke I

Type: Num

Column: 367-368

SAS Variable Name: SHSNWRK1

Prologue: Now I'm going to ask you about smoke you might have breathed at work because someone else was smoking indoors.

Description: During the past 7 days, that is, since last [TODAY'S DAY OF THE WEEK], on how many days did you breathe the smoke at your workplace from someone other than you who was smoking tobacco?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 7	Number of days (1-7 days)	115	2.91	4.20
2		105	2.66	2.87
3		60	1.52	1.42
4		47	1.19	1.32
5		90	2.28	3.16
6		3	0.08	0.07
7		177	4.49	6.49
88	None	3,335	84.52	80.02
77	Don't know/Not sure	12	0.30	0.42
99	Refused	2	0.05	0.03
BLANK	Not asked or Missing Notes: Section 08.09, EMPLOY, is coded 3, 4, 5, 6, 7, 8, 9 or missing;	6,980		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

How many days did someone else smoke in your home?

Module: 16.2 Secondhand Smoke I

Type: Num

Column: 369-370

SAS Variable Name: SHSNHOM1

Prologue:

Description: Not counting decks, porches, or garages, during the past 7 days, that is, since last [TODAY'S DAY OF WEEK], on how many days did someone other than you smoke tobacco inside your home while you were at home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 7	Number of days (1-7 days)	160	1.71	2.12
2		122	1.30	1.18
3		62	0.66	0.63
4		47	0.50	0.60
5		30	0.32	0.29
6		5	0.05	0.05
7		495	5.29	7.46
88	None	8,409	89.85	87.29
77	Don't know/Not sure	25	0.27	0.17
99	Refused	4	0.04	0.20
BLANK	Not asked or Missing	1,567		

How many days did you ride in a vehicle where someone was smoking tobacco?

Module: 16.3 Secondhand Smoke I

Type: Num

Column: 371-372

SAS Variable Name: SHSRIDEV

Prologue:

Description: During the past 7 days, that is, since last [TODAY'S DAY OF WEEK], on how many days did you ride in a vehicle where someone other than you was smoking tobacco?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1		416	4.45	4.95
2		268	2.86	4.11
3		162	1.73	2.18
4		59	0.63	0.83
5		58	0.62	1.03
6		7	0.07	0.10
7		202	2.16	3.20
88	None	8,143	87.04	82.95
77	Don't know / Not sure	36	0.38	0.45
99	Refused	4	0.04	0.20
BLANK	Not asked or Missing	1,571		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

On how many days did you breathe in an indoor public place?

Module: 16.4 Secondhand Smoke I

Type: Num

Column: 373-374

SAS Variable Name: SHSINPUB

Prologue: The next question asks about tobacco use in indoor public places. Examples of indoor public places are the indoor areas of stores, restaurants, bars, casinos, clubs, and sports arenas.

Description: [If Q8.9 = 1 (Employed) or Q8.9 = 2 (Self-employed); say "Not counting times while you were at work,"] during the past 7 days, that is, since last [TODAY'S DAY OF WEEK], on how many days did you breathe the smoke from someone else who was smoking in an indoor public place?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1		794	8.49	9.26
2		330	3.53	4.39
3		137	1.47	1.69
4		64	0.68	1.10
5		44	0.47	0.61
6		6	0.06	0.08
7		99	1.06	1.58
88	None	7,792	83.36	80.36
77	Don't know / Not sure	75	0.80	0.71
99	Refused	6	0.06	0.23
BLANK	Not asked or Missing	1,579		

Where is smoking allowed inside your home?

Module: 16.5 Secondhand Smoke I

Type: Num

Column: 375

SAS Variable Name: SHSHOMES

Prologue:

Description: Not counting decks, porches, or garages, inside your home, is smoking...

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always allowed	845	9.04	10.11
2	Allowed only at some times or in some places	788	8.43	8.90
3	Never allowed	7,592	81.26	80.00
6	Family does not have a smoking policy	87	0.93	0.59
7	Don't know / Not sure	27	0.29	0.19
9	Refused	4	0.04	0.20
BLANK	Not asked or Missing	1,583		

Is smoking allowed in family vehicles?

Module: 16.6 Secondhand Smoke I

Type: Num

Column: 376

SAS Variable Name: SHSVHICL

Prologue:

Description: Not counting motorcycles, in the vehicles that you or family members who live with you own or lease, is smoking...

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always allowed in all vehicles	844	9.04	9.69
2	Sometimes allowed in at least one vehicle	906	9.70	12.38
3	Never allowed in any vehicle	7,245	77.58	75.35
6	Family does not have a vehicle smoking policy	83	0.89	0.56
7	Don't know / Not sure	37	0.40	0.29
8	Respondent's family does not own or lease a vehicle	219	2.35	1.51
9	Refused	5	0.05	0.21
BLANK	Not asked or Missing	1,587		

Should smoking be allowed in workplace?

Module: 16.7 Secondhand Smoke

Type: Num

Column: 377

SAS Variable Name: SHSALLOW1

Prologue:

Description: At workplaces, do you think smoking indoors should be...

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always allowed	165	1.77	2.05
2	Allowed only at some times or in some places	1,435	15.37	16.54
3	Never allowed	7,427	79.54	78.55
7	Don't know/Not sure	265	2.84	2.14
9	Refused	45	0.48	0.72
BLANK	Not asked or Missing	1,589		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Age at Asthma Diagnosis

Module: 17.1 Adult Asthma History

Type: Num

Column: 378-379

SAS Variable Name: ASTHMA3

Prologue: Previously you said you were told by a doctor, nurse, or other health professional that you had asthma.

Description: How old were you when you were first told by a doctor, nurse or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
11 - 96	Age 11 or older [96 = 96 and older] Notes: 96=96 and older	561	56.38	51.07
97	Age 10 or younger	324	32.56	42.28
98	Don't know/Not sure	107	10.75	6.43
99	Refused	3	0.30	0.22
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing	9,931		

Asthma During Past 12 Months

Module: 17.2 Adult Asthma History

Type: Num

Column: 380

SAS Variable Name: ASATTACK

Prologue:

Description: During the past 12 months, have you had an episode of asthma or an asthma attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	328	50.00	50.31
2	No—Go to Module 17.05 ASRCHKUP	322	49.09	48.81
7	Don't know/Not sure—Go to Module 17.05 ASRCHKUP	6	0.91	0.88
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	10,270		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Emergency Asthma Care During Past 12 Months

Module: 17.3 Adult Asthma History

Type: Num

Column: 381-382

SAS Variable Name: ASERVIST

Prologue:

Description: During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of visits [87 = 87 or more] Notes: 87=87 or more	105	32.01	30.80
88	None	216	65.85	67.62
98	Don't know/Not sure	7	2.13	1.57
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 17.02, ASATTACK, is coded 2, 7, 9 or Missing	10,598		

Urgent Asthma Treatment During Past 12 Months

Module: 17.4 Adult Asthma History

Type: Num

Column: 383-384

SAS Variable Name: ASDRVIST

Prologue: If one or more visits to Q3, fill in "Besides those emergency room visits,"]

Description: During the past 12 months, how many times did you see a doctor, nurse or other health professional for urgent treatment of worsening asthma symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of visits [87 = 87 or more] Notes: 87=87 or more	147	44.82	45.09
88	None	171	52.13	52.40
98	Don't know/Not sure	10	3.05	2.51
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 17.02, ASATTACK, is coded 2, 7, 9 or Missing	10,598		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Routine Asthma Care During Past 12 Months

Module: 17.5 Adult Asthma History

Type: Num

Column: 385-386

SAS Variable Name: ASRCHKUP

Prologue:

Description: During the past 12 months, how many times did you see a doctor, nurse, or other health professional for a routine checkup for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of visits [87 = 87 or more]	383	58.47	62.07
88	None	253	38.63	34.90
98	Don't know/Not sure	18	2.75	2.98
99	Refused	1	0.15	0.05
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	10,271		

Activities Limited Because of Asthma During Past 12 Months

Module: 17.6 Adult Asthma History

Type: Num

Column: 387-389

SAS Variable Name: ASACTLIM

Prologue:

Description: During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number of days	169	25.80	28.73
777	Don't know/Not sure	57	8.70	7.26
888	None	429	65.50	64.01
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	10,271		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Asthma Symptoms During Past 30 Days

Module: 17.7 Adult Asthma History

Type: Num

Column: 390

SAS Variable Name: ASYMPTOM

Prologue:

Description: Symptoms of asthma include cough, wheezing, shortness of breath, chest tightness and phlegm production when you don't have a cold or respiratory infection. During the past 30 days, how often did you have any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than once a week	128	19.54	19.27
2	Once or twice a week	117	17.86	19.56
3	More that 2 times a week, but not every day	71	10.84	12.62
4	Every day, but not all the time	67	10.23	9.01
5	Every day, all the time	33	5.04	4.68
7	Don't know/Not sure	29	4.43	3.22
8	Not at any time—Go to Module 17.09 ASTHMED3	210	32.06	31.64
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	10,271		

Sleep Difficulty Because of Asthma During Past 30 Days

Module: 17.8 Adult Asthma History

Type: Num

Column: 391

SAS Variable Name: ASNOSLEP

Prologue:

Description: During the past 30 days, how many days did symptoms of asthma make it difficult for you to stay asleep? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	One or two	87	19.55	21.44
2	Three to four	49	11.01	11.25
3	Five	11	2.47	2.66
4	Six to ten	28	6.29	5.09
5	More than ten	46	10.34	10.96
7	Don't know/Not sure	25	5.62	4.40
8	None	199	44.72	44.20
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 17.07, ASYMPTOM, is coded 8	10,481		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Days used prescribed preventative asthma med in past 30 days

Module: 17.9 Adult Asthma History

Type: Num

Column: 392

SAS Variable Name: ASTHMED3

Prologue:

Description: During the past 30 days, how many days did you take a prescription asthma medication to PREVENT an asthma attack from occurring?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1 to 14 days	140	21.37	23.46
2	15 to 24 days	20	3.05	3.19
3	25 to 30 days	238	36.34	32.09
7	Don't know/Not sure	11	1.68	1.39
8	Never	246	37.56	39.87
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	10,271		

Times used asthma inhaler during an attack in past 30 days

Module: 17.10 Adult Asthma History

Type: Num

Column: 393

SAS Variable Name: ASINHALR

Prologue:

Description: During the past 30 days, how often did you use a prescription asthma inhaler DURING AN ASTHMA ATTACK to stop it?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1 to 4 times (in the past 30 days)	173	26.41	29.97
2	5 to 14 times (in the past 30 days)	65	9.92	9.25
3	15 to 29 times (in the past 30 days)	32	4.89	4.48
4	30 to 59 times (in the past 30 days)	44	6.72	8.35
5	60 to 99 times (in the past 30 days)	12	1.83	1.53
6	100 or more times (in the past 30 days)	13	1.98	1.32
7	Don't know/Not sure	12	1.83	1.67
8	Never (include no attack in past 30 days)	302	46.11	43.23
9	Refused	2	0.31	0.20
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	10,271		

What Can You Do Because of Arthritis or Joint Symptoms

Module: 18.1 Arthritis Management

Type: Num

Column: 394

SAS Variable Name: ARTTODAY

Prologue: Earlier you indicated that you had arthritis or joint symptoms.

Description: Thinking about your arthritis or joint symptoms, which of the following best describes you TODAY?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing	10,926		

Dr. Suggest Lose Weight for Arthritis or Joint Symptoms

Module: 18.2 Arthritis Management

Type: Num

Column: 395

SAS Variable Name: ARTHWGT

Prologue:

Description: Has a doctor or other health professional EVER suggested losing weight to help your arthritis or joint symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing	10,926		

Dr. Suggest Use of Physical Activity or Exercise for Arthritis or Joint Symptoms

Module: 18.3 Arthritis Management

Type: Num

Column: 396

SAS Variable Name: ARTHEXER

Prologue:

Description: Has a doctor or other health professional EVER suggested physical activity or exercise to help your arthritis or joint symptoms? (If the respondent is unclear about whether this means an increase or decrease in physical activity, this means increase.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing	10,926		

Ever Taken Class in Managing Arthritis or Joint Symptoms

Module: 18.4 Arthritis Management

Type: Num

Column: 397

SAS Variable Name: ARTHEDU

Prologue:

Description: Have you EVER taken an educational course or class to teach you how to manage problems related to your arthritis or joint symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Received Tetanus Shot In The Past 10 Years?

Module: 19.1 Tetanus Diptheria (Adults)

Type: Num

Column: 398

SAS Variable Name: TNSARCV

Prologue:

Description: Have you received a tetanus shot in the past 10 years?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

Was Most Recent Tetanus Shot In 2005 Or Later?

Module: 19.2 Tetanus Diptheria (Adults)

Type: Num

Column: 399

SAS Variable Name: TNSARCNT

Prologue:

Description: Was your most recent tetanus shot given in 2005 or later?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 19.01, TNSARCV, is coded 2, 7, 9 or Missing	10,926		

Did Tetanus Shot Included The Pertussis Vaccine?

Module: 19.3 Tetanus Diptheria (Adults)

Type: Num

Column: 400

SAS Variable Name: TNSASHT1

Prologue: There are currently two types of tetanus shots available for adults. One contains the tetanus diphtheria vaccine. The other type contains tetanus diphtheria and pertussis or whooping cough vaccine.

Description: Did your doctor say your recent tetanus shot included the pertussis or whooping cough vaccine?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 19.01, TNSARCV, is coded 2, 7, 9 or Missing; or Module 19.02, TNSARCNT, is coded 2	10,926		

Have you ever had the HPV vaccination?

Module: 20.1 Adult Human Papilloma Virus (HPV)

Type: Num

Column: 401

SAS Variable Name: HPVADVC2

Prologue: A vaccine to prevent the human papilloma virus or HPV infection is available and is called the cervical cancer or genital warts vaccine, HPV shot, [Fill: if female "GARDASIL or CERVARIX", if male "GARDASIL"].

Description: Have you ever had the HPV vaccination? (Human Papilloma Virus (Human Pap•uh•loh•muh Virus), Gardasil (Gar•duh• seel), Cervarix (Serv a rix))

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is greater than 49	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

How many HPV shots did you receive?

Module: 20.2 Adult Human Papilloma Virus (HPV)

Type: Num

Column: 402-403

SAS Variable Name: HPVADSHT

Prologue:

Description: How many HPV shots did you receive?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is greater than 49; or Module 20.01, HPVADVC2, is coded 2, 3, 7, 9 or Missing	10,926		

Have You Had Shingles Vaccine?

Module: 21.1 Shingles

Type: Num

Column: 404

SAS Variable Name: SHINGLE1

Prologue:

Description: A vaccine for shingles has been available since May 2006, it is called Zostavax®, the zoster vaccine, or the shingles vaccine. Have you had this vaccine?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 50	10,926		

Ever had a breathing test to diagnose your COPD?

Module: 22.1 Chronic Obstructive Pulmonary Disease (COPD)

Type: Num

Column: 405

SAS Variable Name: COPDTEST

Prologue:

Description: Have you ever been given a breathing test to diagnose your COPD, chronic bronchitis, or emphysema?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.08, CHCCOPD, is coded 2, 7, 9, or missing;	10,926		

Does shortness of breath affect quality of life?

Module: 22.2 Chronic Obstructive Pulmonary Disease (COPD)

Type: Num

Column: 406

SAS Variable Name: COPDQOL

Prologue:

Description: Would you say that shortness of breath affects the quality of your life?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.08, CHCCOPD, is coded 2, 7, 9, or missing;	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Have you seen doctor about shortness of breath?

Module: 22.3 Chronic Obstructive Pulmonary Disease (COPD)

Type: Num

Column: 407

SAS Variable Name: COPDDOC

Prologue:

Description: Other than a routine visit, have you had to see a doctor in the past 12 months for symptoms related to shortness of breath, bronchitis, or other COPD, or emphysema flare?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.08, CHCCOPD, is coded 2, 7, 9, or missing;	10,926		

Been to E.R. or hospital because of COPD?

Module: 22.4 Chronic Obstructive Pulmonary Disease (COPD)

Type: Num

Column: 408

SAS Variable Name: COPDHOSP

Prologue:

Description: Did you have to visit an emergency room or be admitted to the hospital in the past 12 months because of your COPD, chronic bronchitis, or emphysema?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.08, CHCCOPD, is coded 2, 7, 9, or missing;	10,926		

How many medications do you take for COPD?

Module: 22.5 Chronic Obstructive Pulmonary Disease (COPD)

Type: Num

Column: 409-410

SAS Variable Name: COPDMEDS

Prologue:

Description: How many different medications do you currently take each day to help with your COPD, chronic bronchitis, or emphysema?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.08, CHCCOPD, is coded 2, 7, 9, or missing;	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Household prepared to handle large-scale disaster or emergency

Module: 23.1 General Preparedness

Type: Num

Column: 411

SAS Variable Name: GPWELPR3

Prologue:

Description: How well prepared do you feel your household is to handle a large-scale disaster or emergency? Would you say...

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Well prepared	3,653	39.23	39.01
2	Somewhat prepared	4,319	46.38	47.70
3	Not prepared at all	1,144	12.29	11.69
7	Don't know/Not Sure	190	2.04	1.39
9	Refused	6	0.06	0.21
BLANK	Not asked or Missing	1,614		

Does your household have a 3-day supply of water for everyone who lives there?

Module: 23.2 General Preparedness

Type: Num

Column: 412

SAS Variable Name: GP3DYWTR

Prologue:

Description: Does your household have a 3-day supply of water for everyone who lives there? A 3-day supply of water is 1 gallon of water per person per day.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,336	68.06	65.90
2	No	2,922	31.39	33.22
7	Don't know/Not Sure	49	0.53	0.67
9	Refused	3	0.03	0.20
BLANK	Not asked or Missing	1,616		

Does your household have a 3-day supply of non-perishable food for everyone who lives there?

Module: 23.3 General Preparedness

Type: Num

Column: 413

SAS Variable Name: GP3DYFD1

Prologue:

Description: Does your household have a 3-day supply of nonperishable food for everyone who lives there? By nonperishable we mean food that does not require refrigeration or cooking.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,996	85.89	84.43
2	No	1,228	13.19	14.26
7	Don't know/Not Sure	82	0.88	1.09
9	Refused	4	0.04	0.23
BLANK	Not asked or Missing	1,616		

Does your household have a 3-day supply of prescription medication for each person who takes prescribed medicines?

Module: 23.4 General Preparedness

Type: Num

Column: 414

SAS Variable Name: GP3DYPRS

Prologue:

Description: Does your household have a 3-day supply of prescription medication for each person who takes prescribed medicines?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,888	84.73	81.85
2	No	563	6.05	7.49
3	No one in household requires prescribed medicine	805	8.65	9.90
7	Don't know/Not Sure	52	0.56	0.64
9	Refused	2	0.02	0.11
BLANK	Not asked or Missing	1,616		

Does your household have a working battery operated radio and working batteries for your use if the electricity is out?

Module: 23.5 General Preparedness

Type: Num

Column: 415

SAS Variable Name: GPBATRAD

Prologue:

Description: Does your household have a working battery operated radio and working batteries for your use if the electricity is out?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,993	75.13	78.16
2	No	2,179	23.41	20.35
7	Don't know/Not Sure	132	1.42	1.37
9	Refused	4	0.04	0.12
BLANK	Not asked or Missing	1,618		

Does your household have a working flashlight and working batteries for your use if the electricity is out?

Module: 23.6 General Preparedness

Type: Num

Column: 416

SAS Variable Name: GPFLSLIT

Prologue:

Description: Does your household have a working flashlight and working batteries for your use if the electricity is out?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,800	94.56	94.79
2	No	469	5.04	4.71
7	Don't know/Not Sure	35	0.38	0.39
9	Refused	2	0.02	0.11
BLANK	Not asked or Missing	1,620		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

In a large-scale disaster or emergency, what would be your main method of communicating with relatives and friends?

Module: 23.7 General Preparedness

Type: Num

Column: 417

SAS Variable Name: GPEMRCM1

Prologue:

Description: In a large-scale disaster or emergency, what would be your main method or way of communicating with relatives and friends?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Regular home telephones	2,294	24.66	19.41
2	Cell phones	6,219	66.84	72.34
3	Email	69	0.74	0.90
4	Pager	3	0.03	0.04
5	2-way radios	86	0.92	1.13
6	Other	308	3.31	2.97
7	Don't know/Not Sure	315	3.39	3.06
9	Refused	10	0.11	0.15
BLANK	Not asked or Missing	1,622		

What would be your main method of getting information from authorities in a large-scale disaster or emergency?

Module: 23.8 General Preparedness

Type: Num

Column: 418

SAS Variable Name: GPEMRIN1

Prologue:

Description: What would be your main method or way of getting information from authorities in a large-scale disaster or emergency?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Television	3,372	36.27	31.87
2	Radio	3,348	36.02	40.77
3	Internet	539	5.80	7.49
4	Print media	36	0.39	0.54
5	Neighbors	356	3.83	3.36
6	Other	1,236	13.30	12.10
7	Don't know/Not Sure	402	4.32	3.73
9	Refused	7	0.08	0.14
BLANK	Not asked or Missing	1,630		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Does your household have a disaster evacuation plan?

Module: 23.9 General Preparedness

Type: Num

Column: 419

SAS Variable Name: GPVACPL1

Prologue:

Description: Does your household have a written disaster evacuation plan for how you will leave your home, in case of a large-scale disaster or emergency that requires evacuation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,958	21.07	20.65
2	No	7,249	78.00	78.43
7	Don't know/Not Sure	82	0.88	0.78
9	Refused	5	0.05	0.14
BLANK	Not asked or Missing	1,632		

If public authorities announced mandatory evacuation from your community due to a large-scale disaster or emergency, would you evacuate?

Module: 23.10 General Preparedness

Type: Num

Column: 420

SAS Variable Name: GPMNDEVC

Prologue:

Description: If public authorities announced a mandatory evacuation from your community due to a large-scale disaster or emergency, would you evacuate?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to next module	8,163	87.85	86.83
2	No	665	7.16	7.92
7	Don't know/Not Sure	459	4.94	5.13
9	Refused	5	0.05	0.12
BLANK	Not asked or Missing	1,634		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

What would be the main reason why you might not evacuate if asked to do so?

Module: 23.11 General Preparedness

Type: Num

Column: 421-422

SAS Variable Name: GPNOTEV1

Prologue:

Description: What would be the main reason you might not evacuate if asked to do so?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Lack of transportation	16	1.42	1.00
2	Lack of trust in public officials	86	7.62	8.57
3	Concern about leaving property behind	177	15.68	16.63
4	Concern about personal safety	32	2.83	2.81
5	Concern about family safety	32	2.83	2.90
6	Concern about leaving pets	83	7.35	7.50
7	Concern about traffic jams and inability to get out	74	6.55	6.59
8	Health problems (could not be moved)	28	2.48	2.58
9	Other	541	47.92	46.52
77	Don't know/Not Sure	51	4.52	3.51
99	Refused	9	0.80	1.39
BLANK	Not asked or Missing Notes: Module 23.10, GPMNDEVC, is coded 1	9,797		

Ever serve in a combat or war zone?

Module: 24.1 Veteran's Health

Type: Num

Column: 423

SAS Variable Name: VHCOMBAT

Prologue:

Description: Did you ever serve in a combat or war zone?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	429	41.53	38.94
2	No	598	57.89	60.18
7	Don't know/Not Sure	4	0.39	0.83
9	Refused	2	0.19	0.05
BLANK	Not asked or Missing Notes: Section 08.05, VETERAN3, is coded 2, 7, 9, or missing	9,893		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Doctor diagnosed depression, anxiety, or post traumatic stress disorder (PTSD)?

Module: 24.2 Veteran's Health

Type: Num

Column: 424

SAS Variable Name: VHDRPTSD

Prologue:

Description: Has a doctor or other health professional ever told you that you have depression, anxiety, or post traumatic stress disorder (PTSD)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	146	14.15	13.44
2	No	882	85.47	86.42
7	Don't know/Not Sure	1	0.10	0.02
9	Refused	3	0.29	0.12
BLANK	Not asked or Missing Notes: Section 08.05, VETERAN3, is coded 2, 7, 9, or missing	9,894		

Doctor diagnosed traumatic brain injury (TBI)?

Module: 24.3 Veteran's Health

Type: Num

Column: 425

SAS Variable Name: VHDRTBI

Prologue: A traumatic brain injury may result from a violent blow to the head or when an object pierces the skull and enters the brain tissue.

Description: Has a doctor or other health professional ever told you that you have suffered a traumatic brain injury (TBI)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	40	3.88	3.01
2	No	987	95.73	96.66
7	Don't know/Not Sure	3	0.29	0.31
9	Refused	1	0.10	0.02
BLANK	Not asked or Missing Notes: Section 08.05, VETERAN3, is coded 2, 7, 9, or missing	9,895		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Receive psychological or psychiatric counseling or treatment past 12 months?

Module: 24.4 Veteran's Health

Type: Num

Column: 426

SAS Variable Name: VHCOUNSL

Prologue:

Description: In the past 12 months, did you receive any psychological or psychiatric counseling or treatment?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, from a VA facility	49	4.76	4.81
2	Yes, from a non-VA facility	20	1.94	2.27
3	Yes, from both VA and non-VA facilities	3	0.29	0.16
4	No	955	92.81	92.70
7	Don't know/Not Sure	1	0.10	0.04
9	Refused	1	0.10	0.02
BLANK	Not asked or Missing Notes: Section 08.05, VETERAN3, is coded 2, 7, 9, or missing	9,897		

Thought of taking your own life in the past 12 months?

Module: 24.5 Veteran's Health

Type: Num

Column: 427

SAS Variable Name: VHTAKLIF

Prologue: The next few questions are a sensitive topic and some people may feel uncomfortable with these questions. At the end of this section, I will give you a phone number for an organization that can provide information and referral for these issues. Please keep in mind that you can ask me to skip any question you do not want to answer.

Description: Has there been a time in the past 12 months when you thought of taking your own life?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	34	3.31	3.57
2	No—Go to next module	985	95.82	95.74
7	Don't know/Not Sure—Go to next module	3	0.29	0.17
9	Refused—Go to next module	6	0.58	0.52
BLANK	Not asked or Missing Notes: Section 08.05, VETERAN3, is coded 2, 7, 9, or missing	9,898		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Attempt to commit suicide in past 12 months?

Module: 24.6 Veteran's Health

Type: Num

Column: 428

SAS Variable Name: VHSUICID

Prologue:

Description: During the past 12 months, did you attempt to commit suicide? Would you say--- (As I mentioned, I would give you a phone number for an organization that can provide information and referral for these issues. You can dial the National Crisis line at 1-800-273-TALK (8255).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, but did not require treatment	4	11.76	15.52
2	Yes, was treated at a VA facility	1	2.94	4.00
4	No	29	85.29	80.48
BLANK	Not asked or Missing Notes: Section 08.05, VETERAN3, is coded 2, 7, 9, or missing; or Module 24.05, VHTAKLIF, is coded 2, 7, 9, or missing	10,892		

How do other people usually classify you in this country?

Module: 25.1 Reactions to Race

Type: Num

Column: 429

SAS Variable Name: RRCLASS2

Prologue:

Description: How do other people usually classify you in this country? Would you say White, Black or African American, Hispanic or Latino, Asian, Native Hawaiian or Other Pacific Islander, American Indian or Alaska Native, or some other group?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

How often do you think about your race?

Module: 25.2 Reactions to Race

Type: Num

Column: 430

SAS Variable Name: RRCOGNT2

Prologue:

Description: How often do you think about your race? Would you say never, once a year, once a month, once a week, once a day, once an hour, or constantly?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

How do you feel you were treated at work compared to people of other races in past 12 months?

Module: 25.3 Reactions to Race

Type: Num

Column: 431

SAS Variable Name: RRATWRK2

Prologue:

Description: Within the past 12 months at work, do you feel you were treated worse than, the same as, or better than people of other races?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.09, EMPLOY, is coded 5, 6, 7, 8, 9 or Missing	10,926		

When seeking health care past 12 months, was experience worse, same, better than people of other races?

Module: 25.4 Reactions to Race

Type: Num

Column: 432

SAS Variable Name: RRHCARE3

Prologue:

Description: Within the past 12 months when seeking health care, do you feel your experiences were worse than, the same as, or better than for people of other races?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

Times past 30 days felt physical symptoms because of treatment due to your race

Module: 25.5 Reactions to Race

Type: Num

Column: 433

SAS Variable Name: RRPHYSM2

Prologue:

Description: Within the past 30 days, have you experienced any physical symptoms, for example, a headache, an upset stomach, tensing of your muscles, or a pounding heart, as a result of how you were treated based on your race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

Times past 30 days felt emotionally upset because of treatment due to your race

Module: 25.6 Reactions to Race

Type: Num

Column: 434

SAS Variable Name: RREMTSM2

Prologue:

Description: Within the past 30 days, have you felt emotionally upset, for example angry, sad, or frustrated, as a result of how you were treated based on your race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Days had little pleasure doing things

Module: 26.1 Anxiety and Depression

Type: Num

Column: 435-436

SAS Variable Name: ADPLEASR

Prologue:

Description: Over the last 2 weeks, how many days have you had little interest or pleasure in doing things?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	2,770	29.87	32.42
88	None	6,281	67.73	65.19
77	Don't know/Not sure	206	2.22	2.12
99	Refused	16	0.17	0.26
BLANK	Not asked or Missing	1,653		

Days felt down, depressed or hopeless

Module: 26.2 Anxiety and Depression

Type: Num

Column: 437-438

SAS Variable Name: ADDOWN

Prologue:

Description: Over the last 2 weeks, how many days have you felt down, depressed or hopeless?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	2,422	26.12	28.09
88	None	6,764	72.96	70.95
77	Don't know/Not sure	73	0.79	0.71
99	Refused	12	0.13	0.25
BLANK	Not asked or Missing	1,655		

Days had trouble with sleep

Module: 26.3 Anxiety and Depression

Type: Num

Column: 439-440

SAS Variable Name: ADSLEEP

Prologue:

Description: Over the last 2 weeks, how many days have you had trouble falling asleep or staying asleep or sleeping too much?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	3,736	40.30	42.46
88	None	5,391	58.15	55.91
77	Don't know/Not sure	136	1.47	1.41
99	Refused	8	0.09	0.22
BLANK	Not asked or Missing	1,655		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Days were tired or had little energy

Module: 26.4 Anxiety and Depression

Type: Num

Column: 441-442

SAS Variable Name: ADENERGY

Prologue:

Description: Over the last 2 weeks, how many days have you felt tired or had little energy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	5,219	56.30	58.21
88	None	3,889	41.95	40.28
77	Don't know/Not sure	150	1.62	1.28
99	Refused	12	0.13	0.23
BLANK	Not asked or Missing	1,656		

Days ate too little or too much

Module: 26.5 Anxiety and Depression

Type: Num

Column: 443-444

SAS Variable Name: ADEAT1

Prologue:

Description: Over the last 2 weeks, how many days have you had a poor appetite or eaten too much?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	2,826	30.49	31.91
88	None	6,313	68.11	66.72
77	Don't know/Not sure	117	1.26	1.11
99	Refused	13	0.14	0.25
BLANK	Not asked or Missing	1,657		

Days felt like failure or let family down

Module: 26.6 Anxiety and Depression

Type: Num

Column: 445-446

SAS Variable Name: ADFAIL

Prologue:

Description: Over the last 2 weeks, how many days have you felt bad about yourself or that you were a failure or had let yourself or your family down?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	1,363	14.71	16.96
88	None	7,814	84.31	82.35
77	Don't know/Not sure	70	0.76	0.44
99	Refused	21	0.23	0.25
BLANK	Not asked or Missing	1,658		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Days had trouble concentrating

Module: 26.7 Anxiety and Depression

Type: Num

Column: 447-448

SAS Variable Name: ADTHINK

Prologue:

Description: Over the last 2 weeks, how many days have you had trouble concentrating on things, such as reading the newspaper or watching the TV?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	1,487	16.05	17.73
88	None	7,680	82.88	81.19
77	Don't know/Not sure	86	0.93	0.81
99	Refused	13	0.14	0.28
BLANK	Not asked or Missing	1,660		

Days talked to move slower or faster than usual

Module: 26.8 Anxiety and Depression

Type: Num

Column: 449-450

SAS Variable Name: ADMOVE

Prologue:

Description: Over the last 2 weeks, how many days have you moved or spoken so slowly that other people could have noticed? Or the opposite – being so fidgety or restless that you were moving around a lot more than usual?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	908	9.80	11.03
88	None	8,173	88.25	87.19
77	Don't know/Not sure	165	1.78	1.58
99	Refused	15	0.16	0.20
BLANK	Not asked or Missing	1,665		

Receiving medicine or treatment from health pro for emotional problem

Module: 26.9 Anxiety and Depression

Type: Num

Column: 451

SAS Variable Name: MISTMNT

Prologue:

Description: Are you now taking medicine or receiving treatment from a doctor or other health professional for any type of mental health condition or emotional problem?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,176	12.70	12.14
2	No	8,058	87.04	87.48
7	Don't know/Not sure	10	0.11	0.17
9	Refused	14	0.15	0.20
BLANK	Not asked or Missing	1,668		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Ever told you had an anxiety disorder

Module: 26.10 Anxiety and Depression

Type: Num

Column: 452

SAS Variable Name: ADANXEV

Prologue:

Description: Has a doctor or other healthcare provider EVER told you that you had an anxiety disorder (including acute stress disorder, anxiety, generalized anxiety disorder, obsessive-compulsive disorder, panic disorder, phobia, posttraumatic stress disorder, or social anxiety disorder)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,387	14.98	14.65
2	No	7,821	84.49	84.86
7	Don't know/Not sure	39	0.42	0.32
9	Refused	10	0.11	0.18
BLANK	Not asked or Missing	1,669		

Have you experienced confusion or memory loss that is happening more often or is getting worse?

Module: 27.1 Cognitive Impairment

Type: Num

Column: 453

SAS Variable Name: CIMEMLOS

Prologue:

Description: During the past 12 months, have you experienced confusion or memory loss that is happening more often or is getting worse?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	610	6.59	6.31
2	No	8,580	92.74	93.03
7	Don't know/Not sure	48	0.52	0.41
9	Refused	14	0.15	0.25
BLANK	Not asked or Missing	1,674		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

How many adults in your household experienced confusion or memory loss that is happening more often or is getting worse during the past 12 months?

Module: 27.2 Cognitive Impairment

Type: Num

Column: 454

SAS Variable Name: CINOADLT

Prologue:

Description: [If Q1 = 1), Not including yourself], how many adults 18 or older in your household experienced confusion or memory loss that is happening more often or is getting worse during the past 12 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 6	Number of people Notes: 6 = 6 or more	397	7.01	7.22
7	Don't know/Not sure	25	0.44	0.47
8	None	5,230	92.29	92.02
9	Refused	15	0.26	0.30
BLANK	Not asked or Missing Notes: NUMADULT=1 and Module 18.01, CIMEML0S, is coded 1, 2, 7, 9, or missing	5,259		

Of these people, how old is this person?

Module: 27.3 Cognitive Impairment

Type: Num

Column: 455-456

SAS Variable Name: CIRBIAGE

Prologue:

Description: Of these people, please select the person who had the most recent birthday. How old is this person?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18-29	3	1.09	3.05
2	Age 30-39	7	2.55	3.87
3	Age 40-49	22	8.00	8.19
4	Age 50-59	31	11.27	15.07
5	Age 60-69	69	25.09	22.07
6	Age 70-79	75	27.27	24.22
7	Age 80-89	49	17.82	16.83
8	Age 90 +	13	4.73	3.94
77	Don't know/Not sure	3	1.09	1.56
99	Refused	3	1.09	1.21
BLANK	Not asked or Missing Notes: NUMADULT=1 and Module 18.01, CIMEML0S, is coded 1, 2, 7, 9, or missing; or Module 18.02, CINOADLT, is > 6	10,651		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Given up household activities or chores you/they used to do, because of confusion or memory loss that is happening more often or is getting worse?

Module: 27.4 Cognitive Impairment

Type: Num

Column: 457

SAS Variable Name: CIHOWOFT

Prologue:

Description: During the past 12 months, how often [If Q1 = 1 (Yes): insert "have you" otherwise, insert "has this person"] given up household activities or chores [If Q1 = 1 (Yes): insert "you" otherwise, insert "they"] used to do, because of confusion or memory loss that is happening more often or is getting worse?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	98	11.19	12.59
2	Usually	72	8.22	8.67
3	Sometimes	226	25.80	26.74
4	Rarely	93	10.62	12.15
5	Never	367	41.89	38.04
7	Don't know/Not sure	18	2.05	1.76
9	Refused	2	0.23	0.06
BLANK	Not asked or Missing Notes: NUMADULT=1 and Module 18.01, CIMEMLOS, is coded 2, 7, 9, or missing; or Module 18.02, CINOADLT, is > 6	10,050		

As a result of person's confusion or memory loss, in which areas do you " need the MOST assistance?

Module: 27.5 Cognitive Impairment

Type: Num

Column: 458

SAS Variable Name: CIASSIST

Prologue:

Description: As a result of [If Q1 = 1 (Yes): insert "your" otherwise, insert "this person's"] confusion or memory loss, in which of the following four areas [If Q1 = 1 (Yes): insert "do you" otherwise, insert "does this person"] need the MOST assistance?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Safety-read only if necessary:	49	5.59	6.56
2	Transportation-read only if necessary:	121	13.81	14.15
3	Household activities-read only if necessary:	186	21.23	20.69
4	Personal care-read only if necessary:	117	13.36	13.29
5	Needs assistance, but not in those areas	42	4.79	4.75
6	Doesn't need assistance in any area	322	36.76	36.60
7	Don't know/Not sure	37	4.22	3.90
9	Refused	2	0.23	0.07
BLANK	Not asked or Missing Notes: NUMADULT=1 and Module 18.01, CIMEMLOS, is coded 2, 7, 9, or missing; or Module 18.02, CINOADLT, is > 6	10,050		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

How often has confusion or memory loss interfered with ability to work, volunteer, or engage in social activities?

Module: 27.6 Cognitive Impairment

Type: Num

Column: 459

SAS Variable Name: CIINTER

Prologue:

Description: During the past 12 months, how often has confusion or memory loss interfered with [If Q1 = 1 (Yes): insert "your" otherwise, insert "this person's"] ability to work, volunteer, or engage in social activities?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	138	15.77	17.94
2	Usually	63	7.20	6.41
3	Sometimes	192	21.94	22.44
4	Rarely	120	13.71	13.96
5	Never	342	39.09	38.12
7	Don't know/Not sure	16	1.83	0.91
9	Refused	4	0.46	0.22
BLANK	Not asked or Missing Notes: NUMADULT=1 and Module 18.01, CIMEMLOS, is coded 2, 7, 9, or missing; or Module 18.02, CINOADLT, is > 6	10,051		

How often has a family member or friend provided any care or assistance because of confusion or memory loss?

Module: 27.7 Cognitive Impairment

Type: Num

Column: 460

SAS Variable Name: CIFAMCAR

Prologue:

Description: During the past 30 days, how often [If Q1 = 1 (Yes): insert "has" otherwise, insert "have you,"] a family member or friend provided any care or assistance for [If Q1 = 1 (Yes): "you" otherwise, insert "this person"] because of confusion or memory loss?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	130	14.86	16.91
2	Usually	65	7.43	6.28
3	Sometimes	141	16.11	16.48
4	Rarely	87	9.94	9.16
5	Never	439	50.17	49.59
7	Don't know/Not sure	8	0.91	1.30
9	Refused	5	0.57	0.28
BLANK	Not asked or Missing Notes: NUMADULT=1 and Module 18.01, CIMEMLOS, is coded 2, 7, 9, or missing; or Module 18.02, CINOADLT, is > 6	10,051		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Discussed with a health care professional, increases in confusion or memory loss?

Module: 27.8 Cognitive Impairment

Type: Num

Column: 461

SAS Variable Name: CIHCPROF

Prologue:

Description: Has anyone discussed with a health care professional, increases in [If Q1 = 1 (Yes): insert "your" otherwise, insert "this person's"] confusion or memory loss?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	327	37.37	41.28
2	No—Go to Next Module	535	61.14	58.08
7	Don't know/Not sure—Go to Next Module	10	1.14	0.46
9	Refused—Go to Next Module	3	0.34	0.17
BLANK	Not asked or Missing Notes: NUMADULT=1 and Module 18.01, CIMEMLOS, is coded 2, 7, 9, or missing; or Module 18.02, CINOADLT, is > 6	10,051		

Received treatment such as therapy or medications for confusion or memory loss?

Module: 27.9 Cognitive Impairment

Type: Num

Column: 462

SAS Variable Name: CIMEDS

Prologue:

Description: Have [If Q1 = 1 (Yes): insert "you" otherwise, insert "this person"] received treatment such as therapy or medications for confusion or memory loss?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	186	56.88	58.79
2	No	136	41.59	39.35
7	Don't know/Not sure	5	1.53	1.86
BLANK	Not asked or Missing Notes: NUMADULT=1 and Module 18.01, CIMEMLOS, is coded 2, 7, 9, or missing; or Module 18.02, CINOADLT, is > 6; or Module 18.08, CIHCPROF, is coded 2, 7, 9, or missing	10,599		

Has a health care professional ever said it was Alzheimer's disease or some other form of dementia?

Module: 27.10 Cognitive Impairment

Type: Num

Column: 463

SAS Variable Name: CIDIAGAZ

Prologue:

Description: Has a health care professional ever said that [If Q1 = 1 (Yes): insert "you have" otherwise, insert "this person has"] Alzheimer's disease or some other form of dementia?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, Alzheimer's Disease	45	13.76	13.60
2	Yes, some other form of dementia but not Alzheimer's disease	47	14.37	12.51
3	No diagnosis has been given	225	68.81	69.69
7	Don't know/Not sure	10	3.06	4.20
BLANK	Not asked or Missing Notes: NUMADULT=1 and Module 18.01, CIMEMLOS, is coded 2, 7, 9, or missing; or Module 18.02, CINOADLT, is > 6; or Module 18.08, CIHCPROF, is coded 2, 7, 9, or missing	10,599		

Times Past 12 Months Worried/Stressed About Having Enough Money To Pay Your Rent/Mortgage?

Module: 28.1 Social Context

Type: Num

Column: 464

SAS Variable Name: SCNTMONY

Prologue:

Description: How often in the past 12 months would you say you were worried or stressed about having enough money to pay your rent/mortgage? Would you say you were worried or stressed---

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.21, RENTHOM1, is coded 3, 7, 9 or Missing	10,926		

Times Past 12 Months Worried/Stressed About Having Enough Money To Buy Nutritious Meals?

Module: 28.2 Social Context

Type: Num

Column: 465

SAS Variable Name: SCNTMEAL

Prologue:

Description: How often in the past 12 months would you say you were worried or stressed about having enough money to buy nutritious meals? Would you say you were worried or stressed---

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

How Are You Generally Paid For The Work You Do

Module: 28.3 Social Context

Type: Num

Column: 466

SAS Variable Name: SCNTPAID

Prologue:

Description: At your main job or business, how are you generally paid for the work you do. Are you:

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.21, EMPLOY, is coded 3, 4, 5, 6, 7, or 8	10,926		

How Many Hours Per Week Do You Work

Module: 28.4 Social Context

Type: Num

Column: 467-468

SAS Variable Name: SCNTWRK1

Prologue:

Description: About how many hours do you work per week on all of your jobs and businesses combined?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.21, EMPLOY, is coded 3, 4, 5, 6, 7, or 8	10,926		

How Were You Generally Paid For The Work You Did

Module: 28.5 Social Context

Type: Num

Column: 469

SAS Variable Name: SCNTLPAD

Prologue:

Description: Thinking about the last time you worked, at your main job or business, how were you generally paid for the work you do? Were you:

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.21, EMPLOY, is coded 1, 2, 5, 6, or 8; or Module 28.04, SCNTWORK, is > 0	10,926		

How Many Hours Per Week Did You Work

Module: 28.6 Social Context

Type: Num

Column: 470-471

SAS Variable Name: SCNTLWK1

Prologue:

Description: Thinking about the last time you worked, about how many hours did you work per week at all of your jobs and businesses combined?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 28.04, SCNTWRK1, is > 0	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Location of last HIV test

Module: 29.1 HIV/AIDS

Type: Num

Column: 472-473

SAS Variable Name: WHRTST9

Prologue:

Description: Where did you have your last HIV test — at a private doctor or HMO office, at a counseling and testing site, at a hospital, at a clinic, in a jail or prison, at a drug treatment facility, at home, or somewhere else?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 16.01, HIVTST6, is coded 2, 7, 9, or Missing	10,926		

Was your last HIV test a rapid test?

Module: 29.2 HIV/AIDS

Type: Num

Column: 474

SAS Variable Name: HIVRDTS2

Prologue:

Description: Was it a rapid test where you could get your results within a couple of hours?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 16.01, HIVTST6, is coded 2, 7, 9, or Missing; or Section 16.02, HIVTSTD3, not within the last 12 months	10,926		

How often get emotional support needed

Module: 30.1 Emotional Support and Life Satisfaction

Type: Num

Column: 475

SAS Variable Name: EMTSUPRT

Prologue:

Description: How often do you get the social and emotional support you need?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

Satisfaction with life

Module: 30.2 Emotional Support and Life Satisfaction

Type: Num

Column: 476

SAS Variable Name: LSATISFY

Prologue:

Description: In general, how satisfied are you with your life?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

Live With Anyone Depressed, Mentally Ill, Or Suicidal?

Module: 31.1 Adverse Childhood Experience

Type: Num

Column: 477

SAS Variable Name: ACEDEPRS

Prologue:

Description: Did you live with anyone who was depressed, mentally ill, or suicidal?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

Live With a Problem Drinker/Alcoholic?

Module: 31.2 Adverse Childhood Experience

Type: Num

Column: 478

SAS Variable Name: ACEDRINK

Prologue:

Description: Did you live with anyone who was a problem drinker or alcoholic?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

Live With Anyone Who Used Illegal Drugs or Abused Prescriptions?

Module: 31.3 Adverse Childhood Experience

Type: Num

Column: 479

SAS Variable Name: ACEDRUGS

Prologue:

Description: Did you live with anyone who used illegal street drugs or who abused prescription medications?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

Live With Anyone Who Served Time in Prison or Jail?

Module: 31.4 Adverse Childhood Experience

Type: Num

Column: 480

SAS Variable Name: ACEPRISN

Prologue:

Description: Did you live with anyone who served time or was sentenced to serve time in a prison, jail, or other correctional facility?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

Were Your Parents Divorced/Seperated?

Module: 31.5 Adverse Childhood Experience

Type: Num

Column: 481

SAS Variable Name: ACEDIVRC

Prologue:

Description: Were your parents separated or divorced?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

How Often Did Your Parents Beat Each Other Up?

Module: 31.6 Adverse Childhood Experience

Type: Num

Column: 482

SAS Variable Name: ACEPUNCH

Prologue:

Description: How often did your parents or adults in your home ever slap, hit, kick, punch or beat each other up?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

How Often Did A Parent Physically Hurt You In Any Way?

Module: 31.7 Adverse Childhood Experience

Type: Num

Column: 483

SAS Variable Name: ACEHURT

Prologue:

Description: Before age 18, how often did a parent or adult in your home ever hit, beat, kick, or physically hurt you in any way? Do not include spanking. Would you say---

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

How Often Did A Parent Swear At You?

Module: 31.8 Adverse Childhood Experience

Type: Num

Column: 484

SAS Variable Name: ACESWEAR

Prologue:

Description: How often did a parent or adult in your home ever swear at you, insult you, or put you down?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

How Often Did Anyone Ever Touch You Sexually?

Module: 31.9 Adverse Childhood Experience

Type: Num

Column: 485

SAS Variable Name: ACETOUCH

Prologue:

Description: How often did anyone at least 5 years older than you or an adult, ever touch you sexually?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

How Often Did Anyone Make You Touch Them Sexually?

Module: 31.10 Adverse Childhood Experience

Type: Num

Column: 486

SAS Variable Name: ACETTHEM

Prologue:

Description: How often did anyone at least 5 years older than you or an adult, try to make you touch them sexually?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

How Often Did Anyone Ever Force You to Have Sex?

Module: 31.11 Adverse Childhood Experience

Type: Num

Column: 487

SAS Variable Name: ACEHVSEX

Prologue:

Description: How often did anyone at least 5 years older than you or an adult, force you to have sex?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

Birth date of child

Module: 32.1 Random Child Selection

Type: Char

Column: 488-493

SAS Variable Name: RCSBIRTH

Prologue:

Description: What is the birth month and year of the "Xth" child?

Value	Value Label	Frequency	Percentage	Weighted Percentage
777777	Don't know/Not sure	116	4.92	6.01
999999	Refused	197	8.36	8.21
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing;	8,570		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	2,043	86.71	85.78

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Gender of child

Module: 32.2 Random Child Selection

Type: Num

Column: 494

SAS Variable Name: RCSGENDR

Prologue:

Description: Is the child a boy or a girl?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Boy	1,126	47.79	47.53
2	Girl	1,080	45.84	45.85
9	Refused	150	6.37	6.62
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAge > 215 months	8,570		

Ethnicity of child

Module: 32.3 Random Child Selection

Type: Num

Column: 495

SAS Variable Name: RCHISLAT

Prologue:

Description: Is the child Hispanic or Latino?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	104	4.41	5.86
2	No	2,115	89.77	88.10
7	Don't know/Not Sure	6	0.25	0.36
9	Refused	131	5.56	5.68
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAge > 215 months	8,570		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Race of child (multiple possible)

Module: 32.4 Random Child Selection

Type: Char

Column: 496-501

SAS Variable Name: RCSRACE

Prologue:

Description: Which one or more of the following would you say is the race of the child?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	5	0.21	0.42
9	Refused	132	5.60	5.86
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months	8,570		
HIDDEN	Data Not Displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	2,219	94.19	93.72

Race of child

Module: 32.5 Random Child Selection

Type: Num

Column: 502

SAS Variable Name: RCSBRACE

Prologue:

Description: Which one of these groups would you say best represents the child's race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White	17	50.00	53.09
2	Black or African American	10	29.41	37.06
3	Asian	1	2.94	2.96
5	American Indian or Alaskan Native	5	14.71	6.37
9	Refused	1	2.94	0.52
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months; or Module 23.04, RCSRACE, has only one valid race code (1-6)	10,892		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Relationship to child

Module: 32.6 Random Child Selection

Type: Num

Column: 503

SAS Variable Name: RCSRLTN2

Prologue:

Description: How are you related to the child?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Parent (include biologic, step, or adoptive parent)	1,833	77.80	75.29
2	Grandparent	269	11.42	8.45
3	Foster parent or guardian	36	1.53	1.22
4	Sibling (include biologic, step, and adoptive sibling)	50	2.12	4.55
5	Other relative	46	1.95	4.84
6	Not related in any way	5	0.21	0.51
7	Don't know/Not sure	3	0.13	0.22
9	Refused	114	4.84	4.93
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAge > 215 months	8,570		

Hlth pro ever said child has asthma

Module: 33.1 Childhood Asthma

Type: Num

Column: 504

SAS Variable Name: CASTHDX2

Prologue:

Description: Has a doctor, nurse or other health professional EVER said that the child has asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	281	11.93	10.71
2	No-Go to next module	1,934	82.09	82.82
7	Don't know/Not Sure-Go to next module	12	0.51	0.80
9	Refused-Go to next module	129	5.48	5.67
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing	8,570		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Child still have asthma?

Module: 33.2 Childhood Asthma

Type: Num

Column: 505

SAS Variable Name: CASTHNO2

Prologue:

Description: Does the child still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	180	64.06	68.24
2	No	96	34.16	30.55
7	Don't know/Not Sure	5	1.78	1.22
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or Module 33.01, CASTHDX2, is coded 2, 7, 9, or Missing	10,645		

Child dad seasonal flu shot past 12 mos

Module: 34.1 Child Immunization (Influenza)

Type: Num

Column: 506

SAS Variable Name: FLUSHCH2

Prologue: There are two types of seasonal flu vaccinations. One is a shot and the other is a spray in the nose.

Description: During the past 12 months, has [Fill: he/she] had a seasonal flu vaccination?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAge < 6 months;	10,926		

Date child rcvd most recent seasonal flu vaccine(mmyyyy)

Module: 34.2 Child Immunization (Influenza)

Type: Char

Column: 507-512

SAS Variable Name: RCVFVCH4

Prologue: The flu vaccination may have been either the flu shot or the flu spray. The flu spray is the flu vaccination that is sprayed in the nose.

Description: During what month and year did [Fill: he/she] receive [Fill: his/her] most recent seasonal flu vaccination?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

At what did [he/she] get [his/her] last seasonal flu vaccine?

Module: 34.3 Child Immunization (Influenza)

Type: Num

Column: 513-514

SAS Variable Name: CHIMRCVE

Prologue:

Description: At what kind of place did [he/she] get [his/her] last seasonal flu vaccine?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAge < 6 months; or Module 34.01, FLUSHCH2, is coded 2, 7, 9, or Missing	10,926		

Asthma Follow-Up call back request

Followup: 1.1 Asthma Follow-up Call Back

Type: Num

Column: 515

SAS Variable Name: CALLBACK

Prologue:

Description: We would like to call you again within the next 2 weeks to talk in more detail about (your/your child's) experiences with asthma. The information will be used to help develop and improve the asthma programs in <STATE>. The information you gave us today and any you give us in the future will be kept confidential. If you agree to this, we will keep your first name or initials and phone number on file, separate from the answers collected today.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	896	77.85	80.17
2	No	255	22.15	19.83
BLANK	Not asked or Missing	9,775		

Asthma Follow-Up call back responded selected

Followup: 1.2 Asthma Follow-up Call Back

Type: Num

Column: 516

SAS Variable Name: ADLTCHLD

Prologue:

Description: Which household member was selected to be the focus of the callback.

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No selection	8,102	87.56	87.28
1	Adult	952	10.29	9.90
2	Child	199	2.15	2.82
BLANK	Not asked or Missing	1,673		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Were You Ill With A Fever In Past Month?

Section: 17.1 Adult Influenza Like Illness

Type: Num

Column: 517

SAS Variable Name: FLSYQA01

Prologue:

Description: Last month (i.e September [to change to previous month each month of survey]), were you ill with a fever?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	380	11.37	12.23
2	No—Go to Section 26.08 FLSYQA08	2,944	88.09	87.17
7	Don't know/Not Sure—Go to Section 26.08 FLSYQA08	17	0.51	0.35
9	Refused—Go to Section 26.08 FLSYQA08	1	0.03	0.24
BLANK	Not asked or Missing	7,584		

Did you also have a cough and/or sore throat?

Section: 17.2 Adult Influenza Like Illness

Type: Num

Column: 518

SAS Variable Name: FLSYQA02

Prologue:

Description: Did you also have a cough and/or sore throat?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	304	80.00	77.57
2	No—Go to Section 26.08 FLSYQA08	75	19.74	22.21
7	Don't know/Not Sure—Go to Section 26.08 FLSYQA08	1	0.26	0.22
BLANK	Not asked or Missing Notes: Section 26.01, FLSYQA01, is coded 2, 7, 9, or Missing	10,546		

Did you visit a doctor, nurse, or other health professional for this illness?

Section: 17.3 Adult Influenza Like Illness

Type: Num

Column: 519

SAS Variable Name: FLSYQA03

Prologue:

Description: Did you visit a doctor, nurse, or other health professional for this illness?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	176	57.89	54.04
2	No—Go to Section 26.08 FLSYQA08	127	41.78	45.39
7	Don't know/Not Sure—Go to Section 26.08 FLSYQA08	1	0.33	0.57
BLANK	Not asked or Missing Notes: Section 26.01, FLSYQA01, is coded 2, 7, 9, or Missing; or Section 26.02, FLSYQA02, is coded 2, 7, 9, or Missing	10,622		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

When did you visit the doctor, nurse, or other health professional for this illness?

Section: 17.4 Adult Influenza Like Illness

Type: Num

Column: 520

SAS Variable Name: FLSYAQ04

Prologue:

Description: When did you visit the doctor, nurse, or other health professional for this illness? [Interviewer: read off choices; choose the most specific]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within two days of getting ill	69	39.20	36.86
2	Within three to 7 days of getting ill	86	48.86	55.34
3	More than 7 days of getting ill	17	9.66	6.32
7	Don't know/Not Sure	4	2.27	1.48
BLANK	Not asked or Missing Notes: Section 26.01, FLSYAQ01, is coded 2, 7, 9, or Missing; or Section 26.02, FLSYAQ02, is coded 2, 7, 9, or Missing; or Section 26.03, FLSYAQ03, is coded 2, 7, 9, or Missing	10,750		

What did the doctor, nurse, or other health professional tell you?

Section: 17.5 Adult Influenza Like Illness

Type: Num

Column: 521

SAS Variable Name: FLSYAQ05

Prologue:

Description: What did the doctor, nurse, or other health professional tell you? Did they say...[Interviewer: read off choices]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	You had influenza or the flu Notes: Interviewer: if respondent says they had either H1N1 or seasonal influenza, please code as '1 = You had influenza or the flu.'	39	22.29	20.17
2	You had some other illness, but not the flu	127	72.57	76.47
7	Don't know/Not Sure	9	5.14	3.37
BLANK	Not asked or Missing Notes: Section 26.01, FLSYAQ01, is coded 2, 7, 9, or Missing; or Section 26.02, FLSYAQ02, is coded 2, 7, 9, or Missing; or Section 26.03, FLSYAQ03, is coded 2, 7, 9, or Missing	10,751		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Did you have a flu test that was positive for this illness?

Section: 17.6 Adult Influenza Like Illness

Type: Num

Column: 522

SAS Variable Name: FLSYAQ06

Prologue:

Description: Did you have a flu test that was positive for this illness? Usually a swab from your nose or throat is tested. Would you say...[Interviewer: read off choices]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Had flu test and it was positive Notes: Interviewer: if respondent says they had either a positive H1N1 or seasonal influenza test result, please code as '1 = Had flu test and it was positive.'	23	13.14	13.70
2	Had flu test and it was negative	40	22.86	20.55
3	Did not have flu test	104	59.43	62.18
7	Don't know/Not Sure	8	4.57	3.57
BLANK	Not asked or Missing Notes: Section 26.01, FLSYAQ01, is coded 2, 7, 9, or Missing; or Section 26.02, FLSYAQ02, is coded 2, 7, 9, or Missing; or Section 26.03, FLSYAQ03, is coded 2, 7, 9, or Missing	10,751		

Did you receive Tamiflu®, oseltamivir, Relenza® or zanamivir to treat this illness?

Section: 17.7 Adult Influenza Like Illness

Type: Num

Column: 523

SAS Variable Name: FLSYAQ07

Prologue:

Description: Did you receive Tamiflu® or oseltamivir [o sel TAM i veer] or an inhaled medicine called Relenza® or zanamivir [za NA mi veer] to treat this illness?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	33	18.86	17.81
2	No	134	76.57	80.67
7	Don't know/Not Sure	8	4.57	1.51
BLANK	Not asked or Missing Notes: Section 26.01, FLSYAQ01, is coded 2, 7, 9, or Missing; or Section 26.02, FLSYAQ02, is coded 2, 7, 9, or Missing; or Section 26.03, FLSYAQ03, is coded 2, 7, 9, or Missing	10,751		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Did any other members of your household have a fever with cough or sore throat last month?

Section: 17.8 Adult Influenza Like Illness

Type: Num

Column: 524

SAS Variable Name: FLSYAQ08

Prologue:

Description: Did any other members of your household have a fever with cough or sore throat last month (i.e September [to change each month of survey])?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	620	27.67	30.13
2	No Notes: If (Q1 = 1(Yes) and Q2 = 1 (Yes)) Go to Q10, Else go to next section	1,607	71.71	68.60
7	Don't know/Not Sure	12	0.54	0.95
9	Refused	2	0.09	0.32
BLANK	Not asked or Missing Notes: NUMADULT=1 and Section 12.07, CHILDREN=88	8,685		

How many household members, including you, were ill last month?

Section: 17.9 Adult Influenza Like Illness

Type: Num

Column: 525-526

SAS Variable Name: FLSYAQ09

Prologue:

Description: How many household members, [CATI note: Fill in "including you," If Q1=1(Yes) and Q2=1 (Yes)]were ill last month (i.e September [to change each month of survey])?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	# persons [1-76]	620	97.95	96.48
88	None	8	1.26	1.46
77	Don't know/Not Sure	3	0.47	1.04
99	Refused	2	0.32	1.03
BLANK	Not asked or Missing Notes: NUMADULT=1 and Section 12.07, CHILDREN=88	10,293		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

How many people in your household, including you, were hospitalized for flu last month?

Section: 17.10 Adult Influenza Like Illness

Type: Num

Column: 527-528

SAS Variable Name: FLSYQAQ10

Prologue:

Description: How many people in your household, including you, were hospitalized for flu last month (i.e September [to change each month of survey])? [Interviewer, if needed: hospitalized means admitted to a hospital to receive medical treatment.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	# persons [1-76]	28	3.47	3.49
88	None	778	96.53	96.51
BLANK	Not asked or Missing Notes: NUMADULT=1 and Section 12.07, CHILDREN is coded 88 and Section 26.01, FLSYQAQ01, is coded 2, 7, 9, or Missing; and Section 26.02, FLSYQAQ02, is coded 2, 7, 9, or Missing; or ((NUMADULT=1 and Section 12.07, CHILDREN is coded >=1) or NUMADULT is coded > 1) and Section 26.01, FLSYQAQ01, is coded 2, 7, 9, or Missing; and Section 26.02, FLSYQAQ02, is	10,120		

Did the child have a fever with cough and/or sore throat during the last month?

Module: 35.1 Child Influenza Like Illness

Type: Num

Column: 529

SAS Variable Name: FLSYCQ01

Prologue:

Description: Last month (i.e September [to change each month of survey]), did the child have a fever with cough and/or sore throat?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	248	28.28	28.50
2	No-Go to Next Module	563	64.20	62.04
7	Don't know/Not Sure-Go to Next Module	5	0.57	1.67
9	Refused-Go to Next Module	61	6.96	7.79
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing	10,049		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Did the child visit a doctor, nurse, or other health professional for this illness?

Module: 35.2 Child Influenza Like Illness

Type: Num

Column: 530

SAS Variable Name: FLSYCQ02

Prologue:

Description: Did the child visit a doctor, nurse, or other health professional for this illness?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	176	70.97	66.89
2	No	71	28.63	31.90
7	Don't know/Not Sure	1	0.40	1.20
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or Module 34.01, FLSYCQ01, is coded 2, 7, 9, or Missing;	10,678		

Correct Phone Number?

CellPhone: 1.1 Cell Phone Introduction

Type: Num

Column: 531

SAS Variable Name: CTELNUM1

Prologue: Variabe only on the cell phone survey

Description: Is this (phone number) ?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes-Go to CELLFON2	956	99.90	99.87
7	Don't know/Not sure	1	0.10	0.13
BLANK	Not asked or Missing	9,969		

Is this a cellular telephone?

CellPhone: 1.2 Cell Phone Introduction

Type: Num

Column: 532

SAS Variable Name: CELLFON2

Prologue: Variabe only on the cell phone survey

Description: Is this a cellular telephone?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes-Go to CADULT	957	100.00	100.00
BLANK	Not asked or Missing	9,969		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Are you 18 years of age or older?

CellPhone: 1.3 Cell Phone Introduction

Type: Num

Column: 533

SAS Variable Name: CADULT

Prologue: Variabe only on the cell phone survey

Description: Are you 18 years of age or older?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, Male Respondent—Go to PVTRES2	468	48.90	58.68
2	Yes, Female Respondent—Go to PVTRES2	489	51.10	41.32
BLANK	Not asked or Missing	9,969		

Do you live in a private residence?

CellPhone: 1.4 Cell Phone Introduction

Type: Num

Column: 534

SAS Variable Name: PVTRES2

Prologue: Variabe only on the cell phone survey

Description: Do you live in a private residence, that is, not in a dormitory or other type of group living situation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to CSTATE	957	100.00	100.00
BLANK	Not asked or Missing	9,969		

In what state do you live?

CellPhone: 1.6 Cell Phone Introduction

Type: Num

Column: 536-537

SAS Variable Name: RSPSTATE

Prologue: Variabe only on the cell phone survey

Description: In what state do you live?

Value	Value Label	Frequency	Percentage	Weighted Percentage
22	Louisiana	52	100.00	100.00
BLANK	Not asked or Missing	10,874		

Do you also have a landline telephone?

CellPhone: 1.7 Cell Phone Introduction

Type: Num

Column: 538

SAS Variable Name: LANDLINE

Prologue: Variabe only on the cell phone survey

Description: Do you also have a landline telephone in your home that is used to make and receive calls?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No—Go to Survey Introduction	957	100.00	100.00
BLANK	Not asked or Missing	9,969		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

What percent of your calls are received on your cell phone?

CellPhone: 1.8 Cell Phone Introduction

Type: Num

Column: 539-541

SAS Variable Name: PCTCELL

Prologue: Variabe only on the cell phone survey

Description: Thinking about all the phone calls that you receive on your landline or cell phone, what percent, between 0 and 100, are received on your cell phone?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,926		

Response Order

State: 1.1 Secondhand Smoke Response Order

Type: Num

Column: 542

SAS Variable Name: SHS05_

Prologue:

Description: Response Order

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1-2-3	4,635	49.38	49.05
2	3-2-1	4,751	50.62	50.95
BLANK	Not asked or Missing	1,540		

Response Order

State: 1.2 Secondhand Smoke Response Order

Type: Num

Column: 543

SAS Variable Name: SHS06_

Prologue:

Description: Response Order

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1-2-3	4,689	49.96	48.54
2	3-2-1	4,697	50.04	51.46
BLANK	Not asked or Missing	1,540		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Response Order

State: 1.3 Secondhand Smoke Response Order

Type: Num

Column: 544

SAS Variable Name: SHS07_

Prologue:

Description: Response Order

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1-2-3	4,706	50.14	49.34
2	3-2-1	4,680	49.86	50.66
BLANK	Not asked or Missing	1,540		

Talk to Professional About Alcohol Use

Section: 15.5 Alcohol Consumption

Type: Num

Column: 547

SAS Variable Name: PCSALCH1

Prologue:

Description: (Has a doctor or other health professional ever talked with you) about alcohol use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, within the past 12 months (1 to 12 months ago)	233	5.62	8.09
2	Yes, within the past 3 years (1 to 3 years ago)	69	1.67	2.05
3	Yes, 3 or more years ago	152	3.67	5.12
4	No	3,676	88.71	84.50
7	Don't know/Not sure	12	0.29	0.20
9	Refused	2	0.05	0.04
BLANK		6,782		

State Added Questions

State: 1.1 StateQuestions

Type: Char

Column: 551-800

SAS Variable Name: STATEQUE

Prologue:

Description: State Added Questions

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Questionnaire Version Identifier

State: 1.1 Questionnaire Version

Type: Num

Column: 891-892

SAS Variable Name: QSTVER

Prologue:

Description: Questionnaire Version Identifier

Value	Value Label	Frequency	Percentage	Weighted Percentage
10	Only Version Landline	9,969	91.24	73.21
20	Only Version Cell Phone	957	8.76	26.79

Language identifier

State: 1.1 Questionnaire Language

Type: Num

Column: 893-894

SAS Variable Name: QSTLANG

Prologue:

Description: Language identifier

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	English	10,923	99.97	99.94
2	Spanish	3	0.03	0.06

Cell Phone Pilot County Name

State: 1.1 Cell Phone Pilot II

Type: Char

Column: 905-949

SAS Variable Name: CPCOUNTY

Prologue:

Description: Cell Phone Pilot County Name

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		10,926	100.00	100.00

First Activity Other response description

Section: 10.3 Exercise (Physical Activity)

Type: Char

Column: 950-969

SAS Variable Name: EXACTOT1

Prologue:

Description: First Activity Other response description

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed	10,926	100.00	100.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Second Activity Other response description

Section: 10.7 Exercise (Physical Activity)

Type: Char

Column: 970-989

SAS Variable Name: EXACTOT2

Prologue:

Description: Second Activity Other response description

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed	10,926	100.00	100.00

Metropolitan Statistical Area Code.

Weighting: 1.1 Weighting Variables

Type: Char

Column: 990-994

SAS Variable Name: _MSACODE

Prologue:

Description: FIPS Metropolitan Statistical Area Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Metropolitan Status Code

Weighting: 1.2 Weighting Variables

Type: Num

Column: 995

SAS Variable Name: MSCODE

Prologue:

Description: Metropolitan Status Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	In the center city of an MSA	2,858	28.67	37.50
2	Outside the center city of an MSA but inside the county containing the center city	1,267	12.71	17.42
3	Inside a suburban county of the MSA	1,816	18.22	17.82
5	Not in an MSA	4,028	40.41	27.26
BLANK	GU, PR, VI	957		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Sample Design Stratification Variable

Weighting: 1.3 Weighting Variables

Type: Num

Column: 996-1000

SAS Variable Name: _STSTR

Prologue:

Description: Sample Design Stratification Variable (A five digit number that combines the values for _STATE (first two characters), _GEOSTR (third and fourth character), and _DENSTR2 (final character).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Stratum weight

Weighting: 1.4 Weighting Variables

Type: Num

Column: 1001-1010

SAS Variable Name: _STRWT

Prologue:

Description: Stratum weight (Number of records in a stratum (NRECSTR) divided by the number of records selected (NRECSEL).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Raw weighting factor

Weighting: 1.5 Weighting Variables

Type: Num

Column: 1011-1020

SAS Variable Name: _RAW

Prologue:

Description: Raw weighting factor (Number of adults in the household (NUMADULT) divided by the imputed number of phones (_IMPNPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Design weight

Weighting: 1.6 Weighting Variables

Type: Num

Column: 1021-1030

SAS Variable Name: _WT2

Prologue:

Description: Design weight (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAW).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Raw weighting factor used in raking

Weighting: 1.7 Weighting Variables

Type: Num

Column: 1031-1040

SAS Variable Name: _RAWRAKE

Prologue:

Description: Raw weighting factor used in raking (Number of adults in the household (NUMADULT, maximum of 5) divided by the imputed number of phones (_IMPNPH, maximum of 3).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Design weight use in raking

Weighting: 1.8 Weighting Variables

Type: Num

Column: 1041-1050

SAS Variable Name: _WT2RAKE

Prologue:

Description: Design weight used in raking (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWRAKE).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Region

Weighting: 1.9 Weighting Variables

Type: Num

Column: 1051-1052

SAS Variable Name: _REGION

Prologue:

Description: Geographic region within a state, imputed from CTYCODE, _IMPCTY, or _GEOSTR

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Age value used to determine age groups

Weighting: 1.10 Weighting Variables

Type: Num

Column: 1053-1054

SAS Variable Name: _IMPAGE

Prologue:

Description: Imputed age used in post-stratification (This value is the reported age or an imputed age, if the respondent refused to give an age. The value of the imputed age will be an average age computed from the sample if the respondent refused to give an age.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
18 - 24	Age 18 to 24	462	4.23	13.81
25 - 34	Age 25 to 34	972	8.90	18.56
35 - 44	Age 35 to 44	1,342	12.28	16.55
45 - 54	Age 45 to 54	1,922	17.59	18.58
55 - 64	Age 55 to 64	2,525	23.11	15.54
65 - 99	Age 65 or older	3,703	33.89	16.96

Imputed race/ethnicity value

Weighting: 1.11 Weighting Variables

Type: Num

Column: 1055-1056

SAS Variable Name: _IMPRACE

Prologue:

Description: Imputed race/ethnicity value (This value is the reported race/ethnicity or an imputed race/ethnicity, if the respondent refused to give a race/ethnicity. The value of the imputed race/ethnicity will be the most common race/ethnicity response for that region of the state)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White, Non-Hispanic	7,591	69.48	63.49
2	Black, Non-Hispanic	2,711	24.81	29.75
3	Asian, Non-Hispanic	49	0.45	0.69
4	American Indian/Alaskan Native, Non-Hispanic	77	0.70	0.65
5	Hispanic	275	2.52	3.58
6	Other race, Non-Hispanic	223	2.04	1.84

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Imputed number of phones

Weighting: 1.12 Weighting Variables

Type: Num

Column: 1057

SAS Variable Name: _IMPNPB

Prologue:

Description: Imputed number of phones used in weighting

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Number of phones	9,713	97.43	98.40
2		225	2.26	1.46
3		25	0.25	0.10
4		3	0.03	0.03
5		2	0.02	0.01
6		1	0.01	0.00
BLANK		957		

Imputed County

Weighting: 1.13 Weighting Variables

Type: Num

Column: 1058-1060

SAS Variable Name: _IMPCTY

Prologue:

Description: Imputed County

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Imputed Education Level

Weighting: 1.14 Weighting Variables

Type: Num

Column: 1061

SAS Variable Name: _IMPEDUC

Prologue:

Description: Imputed Education Level (This value is the reported education level or an imputed education level, if the respondent refused to give an age. The value of the imputed age will be an average age computed from the sample if the respondent refused to give an education level.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Never attended school or only kindergarten	15	0.14	0.11
2	Grades 1 through 8 (Elementary)	456	4.17	3.91
3	Grades 9 through 11 (Some high school)	1,184	10.84	15.37
4	Grade 12 or GED (High school graduate)	3,757	34.39	34.43
5	College 1 year to 3 years (Some college or technical school)	2,625	24.03	27.28
6	College 4 years or more (College graduate)	2,889	26.44	18.91

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Imputed Marital Status

Weighting: 1.15 Weighting Variables

Type: Num

Column: 1062

SAS Variable Name: _IMPMRTL

Prologue:

Description: Imputed Marital Status (This value is the reported marital status or an imputed marital status, if the respondent refused to give an age. The value of the imputed age will be an average age computed from the sample if the respondent refused to give a marital status.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	5,565	50.93	46.90
2	Divorced	1,510	13.82	11.34
3	Widowed	1,860	17.02	7.46
4	Separated	341	3.12	3.39
5	Never married	1,543	14.12	28.73
6	A member of an unmarried couple	107	0.98	2.18

Imputed Own or Rent Home

Weighting: 1.16 Weighting Variables

Type: Num

Column: 1063

SAS Variable Name: _IMPHOME

Prologue:

Description: Imputed Own or Rent Home (This value is the reported tenure (rent or own home) or an imputed tenure, if the respondent refused to give an age. The value of the imputed age will be an average age computed from the sample if the respondent refused to give a tenure.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Own	8,539	78.15	68.26
2	Rent	1,768	16.18	21.79
3	Other arrangement	619	5.67	9.95

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Original state that collected the cell phone data

Weighting: 1.17 Weighting Variables

Type: Num

Column: 1064-1065

SAS Variable Name: O_STATE

Prologue:

Description: Original state that collected the cell phone data

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Alabama	2	0.02	0.06
5	Arkansas	1	0.01	0.03
8	Colorado	2	0.02	0.07
9	Connecticut	2	0.02	0.05
12	Florida	1	0.01	0.03
13	Georgia	2	0.02	0.05
15	Hawaii	1	0.01	0.02
18	Indiana	1	0.01	0.04
20	Kansas	3	0.03	0.07
22	Louisiana	10,874	99.52	98.58
24	Maryland	1	0.01	0.05
25	Massachusetts	2	0.02	0.06
28	Mississippi	10	0.09	0.22
29	Missouri	1	0.01	0.03
31	Nebraska	3	0.03	0.06
32	Nevada	1	0.01	0.03
33	New Hampshire	1	0.01	0.03
35	New Mexico	1	0.01	0.02
36	New York	3	0.03	0.09
39	Ohio	1	0.01	0.04
40	Oklahoma	1	0.01	0.01
42	Pennsylvania	1	0.01	0.04
45	South Carolina	1	0.01	0.01
46	South Dakota	1	0.01	0.03
48	Texas	4	0.04	0.15
49	Utah	1	0.01	0.05
51	Virginia	2	0.02	0.04
53	Washington	1	0.01	0.02
55	Wisconsin	1	0.01	0.02

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Land-Line First Margin (Age-Gender)

Land-LineRaking: 1.1 Weighting Variables

Type: Num

Column: 1066-1068

SAS Variable Name: _MRG01

Prologue:

Description: Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	First raking margin: (age-sex)	9,969	100.00	100.00
BLANK	Missing	957		

Land-Line Second Margin (Race/Ethnicity)

Land-LineRaking: 1.2 Weighting Variables

Type: Num

Column: 1069-1071

SAS Variable Name: _MRG02

Prologue:

Description: Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 6	Second raking margin: (race/ethnicity)	9,969	100.00	100.00
BLANK	Missing	957		

Land-Line Third Margin (Education)

Land-LineRaking: 1.3 Weighting Variables

Type: Num

Column: 1072-1074

SAS Variable Name: _MRG03

Prologue:

Description: Land-Line Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than HS	1,486	14.91	17.28
2	HS Grad	3,414	34.25	34.31
3	Some College	2,393	24.00	27.89
4	College Grad	2,676	26.84	20.52
BLANK	Missing	957		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Land-Line Fourth Margin (Marital Status)

Land-LineRaking: 1.4 Weighting Variables

Type: Num

Column: 1075-1077

SAS Variable Name: _MRG04

Prologue:

Description: Land-Line Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	5,240	52.56	54.99
2	Never married, member unmarried couple	1,252	12.56	22.02
3	Divorced, Widowed, Separated	3,477	34.88	22.98
BLANK	Missing	957		

Land-Line Fifth Margin (Home Ownership)

Land-LineRaking: 1.5 Weighting Variables

Type: Num

Column: 1078-1080

SAS Variable Name: _MRG05

Prologue:

Description: Land-Line Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 2	Fifth raking margin: (rent/own home)	9,969	100.00	100.00
BLANK	Missing	957		

Land-Line Sixth Margin (Gender-Race/Ethnicity)

Land-LineRaking: 1.6 Weighting Variables

Type: Num

Column: 1081-1083

SAS Variable Name: _MRG06

Prologue:

Description: Land-Line Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 12	Sixth raking margin: (sex-race/ethnicity)	9,969	100.00	100.00
BLANK	Missing	957		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Land-Line Seventh Margin (Age-Race/Ethnicity)

Land-LineRaking: 1.7 Weighting Variables

Type: Num

Column: 1084-1086

SAS Variable Name: _MRG07

Prologue:

Description: Land-Line Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 18	Seventh raking margin: (age-race/ethnicity)	9,969	100.00	100.00
BLANK	Missing	957		

Land-Line Eighth Margin (Regions)

Land-LineRaking: 1.8 Weighting Variables

Type: Num

Column: 1087-1089

SAS Variable Name: _MRG08

Prologue:

Description: Land-Line Eighth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Eighth raking margin: (region)	9,969	100.00	100.00
BLANK	Missing	957		

Land-Line Ninth Margin (Regions-Age)

Land-LineRaking: 1.9 Weighting Variables

Type: Num

Column: 1090-1092

SAS Variable Name: _MRG09

Prologue:

Description: Land-Line Ninth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 700	Ninth raking margin: (region-age)	9,969	100.00	100.00
BLANK	Missing	957		

Land-Line Tenth Margin (Regions-Gender)

Land-LineRaking: 1.10 Weighting Variables

Type: Num

Column: 1093-1095

SAS Variable Name: _MRG10

Prologue:

Description: Land-Line Tenth Margin (Regions-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 200	Tenth raking margin: (region-sex)	9,969	100.00	100.00
BLANK	Missing	957		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Land-LineRaking: 1.11 Weighting Variables

Type: Num

Column: 1096-1098

SAS Variable Name: _MRG11

Prologue:

Description: Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 600	Eleventh raking margin: (region-race/ethnicity)	9,969	100.00	100.00
BLANK	Missing	957		

Final weight: Land-line data only

Land-LineRaking: 1.12 Weighting Variables

Type: Num

Column: 1099-1108

SAS Variable Name: _LANDWT

Prologue:

Description: Final weight assigned to each respondent: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Version 1 Land-Line First Margin (Age-Gender)

Land-LineRaking: 1.1 Weighting Variables

Type: Num

Column: 1109-1111

SAS Variable Name: _MRG01V1

Prologue:

Description: Version 1 Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Version 1 Land-Line Second Margin (Race/Ethnicity)

Land-LineRaking: 1.2 Weighting Variables

Type: Num

Column: 1112-1114

SAS Variable Name: _MRG02V1

Prologue:

Description: Version 1 Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK		10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Version 1 Land-Line Third Margin (Education)

Land-LineRaking: 1.3 Weighting Variables

Type: Num

Column: 1115-1117

SAS Variable Name: _MRG03V1

Prologue:

Description: Version 1 Land-Line Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Version 1 Land-Line Fourth Margin (Marital Status)

Land-LineRaking: 1.4 Weighting Variables

Type: Num

Column: 1118-1120

SAS Variable Name: _MRG04V1

Prologue:

Description: Version 1 Land-Line Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Version 1 Land-Line Fifth Margin (Home Ownership)

Land-LineRaking: 1.5 Weighting Variables

Type: Num

Column: 1121-1123

SAS Variable Name: _MRG05V1

Prologue:

Description: Version 1 Land-Line Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Version 1 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Land-LineRaking: 1.6 Weighting Variables

Type: Num

Column: 1124-1126

SAS Variable Name: _MRG06V1

Prologue:

Description: Version 1 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Version 1 Land-Line Seventh Margin (Age-Race/Ethnicity)

Land-LineRaking: 1.7 Weighting Variables

Type: Num

Column: 1127-1129

SAS Variable Name: _MRG07V1

Prologue:

Description: Version 1 Land-Line Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Version 1 Land-Line Eighth Margin (Regions)

Land-LineRaking: 1.8 Weighting Variables

Type: Num

Column: 1130-1132

SAS Variable Name: _MRG08V1

Prologue:

Description: Version 1 Land-Line Eighth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Version 1 Land-Line Ninth Margin (Regions-Age)

Land-LineRaking: 1.9 Weighting Variables

Type: Num

Column: 1133-1135

SAS Variable Name: _MRG09V1

Prologue:

Description: Version 1 Land-Line Ninth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Version 1 Land-Line Tenth Margin (Regions-Gender)

Land-LineRaking: 1.10 Weighting Variables

Type: Num

Column: 1136-1138

SAS Variable Name: _MRG10V1

Prologue:

Description: Version 1 Land-Line Tenth Margin (Regions-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Version 1 Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Land-LineRaking: 1.11 Weighting Variables

Type: Num

Column: 1139-1141

SAS Variable Name: _MRG11V1

Prologue:

Description: Version 1 Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Final weight questionnaire version 1: Land-line data only

Land-LineRaking: 1.12 Weighting Variables

Type: Num

Column: 1142-1151

SAS Variable Name: _LNDWTV1

Prologue:

Description: Final weight assigned to each respondent questionnaire version 1: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Version 2 Land-Line First Margin (Age-Gender)

Land-LineRaking: 1.1 Weighting Variables

Type: Num

Column: 1152-1154

SAS Variable Name: _MRG01V2

Prologue:

Description: Version 2 Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Version 2 Land-Line Second Margin (Race/Ethnicity)

Land-LineRaking: 1.2 Weighting Variables

Type: Num

Column: 1155-1157

SAS Variable Name: _MRG02V2

Prologue:

Description: Version 2 Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Version 2 Land-Line Third Margin (Education)

Land-LineRaking: 1.3 Weighting Variables

Type: Num

Column: 1158-1160

SAS Variable Name: _MRG03V2

Prologue:

Description: Version 2 Land-Line Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Version 2 Land-Line Fourth Margin (Marital Status)

Land-LineRaking: 1.4 Weighting Variables

Type: Num

Column: 1161-1163

SAS Variable Name: _MRG04V2

Prologue:

Description: Version 2 Land-Line Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Version 2 Land-Line Fifth Margin (Home Ownership)

Land-LineRaking: 1.5 Weighting Variables

Type: Num

Column: 1164-1166

SAS Variable Name: _MRG05V2

Prologue:

Description: Version 2 Land-Line Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Version 2 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Land-LineRaking: 1.6 Weighting Variables

Type: Num

Column: 1167-1169

SAS Variable Name: _MRG06V2

Prologue:

Description: Version 2 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Version 2 Land-Line Seventh Margin (Age-Race/Ethnicity)

Land-LineRaking: 1.7 Weighting Variables

Type: Num

Column: 1170-1172

SAS Variable Name: _MRG07V2

Prologue:

Description: Version 2 Land-Line Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Version 2 Land-Line Eighth Margin (Regions)

Land-LineRaking: 1.8 Weighting Variables

Type: Num

Column: 1173-1175

SAS Variable Name: _MRG08V2

Prologue:

Description: Version 2 Land-Line Eighth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Version 2 Land-Line Ninth Margin (Regions-Age)

Land-LineRaking: 1.9 Weighting Variables

Type: Num

Column: 1176-1178

SAS Variable Name: _MRG09V2

Prologue:

Description: Version 2 Land-Line Ninth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Version 2 Land-Line Tenth Margin (Regions-Gender)

Land-LineRaking: 1.10 Weighting Variables

Type: Num

Column: 1179-1181

SAS Variable Name: _MRG10V2

Prologue:

Description: Version 2 Land-Line Tenth Margin (Regions-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Version 2 Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Land-LineRaking: 1.11 Weighting Variables

Type: Num

Column: 1182-1184

SAS Variable Name: _MRG11V2

Prologue:

Description: Version 2 Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Final weight questionnaire version 2: Land-line data only

Land-LineRaking: 1.12 Weighting Variables

Type: Num

Column: 1185-1194

SAS Variable Name: _LNDWTV2

Prologue:

Description: Final weight assigned to each respondent questionnaire version 2: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Version 3 Land-Line First Margin (Age-Gender)

Land-LineRaking: 1.1 Weighting Variables

Type: Num

Column: 1195-1197

SAS Variable Name: _MRG01V3

Prologue:

Description: Version 3 Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Version 3 Land-Line Second Margin (Race/Ethnicity)

Land-LineRaking: 1.2 Weighting Variables

Type: Num

Column: 1198-1200

SAS Variable Name: _MRG02V3

Prologue:

Description: Version 3 Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Version 3 Land-Line Third Margin (Education)

Land-LineRaking: 1.3 Weighting Variables

Type: Num

Column: 1201-1203

SAS Variable Name: _MRG03V3

Prologue:

Description: Version 3 Land-Line Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Version 3 Land-Line Fourth Margin (Marital Status)

Land-LineRaking: 1.4 Weighting Variables

Type: Num

Column: 1204-1206

SAS Variable Name: _MRG04V3

Prologue:

Description: Version 3 Land-Line Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Version 3 Land-Line Fifth Margin (Home Ownership)

Land-LineRaking: 1.5 Weighting Variables

Type: Num

Column: 1207-1209

SAS Variable Name: _MRG05V3

Prologue:

Description: Version 3 Land-Line Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Version 3 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Land-LineRaking: 1.6 Weighting Variables

Type: Num

Column: 1210-1212

SAS Variable Name: _MRG06V3

Prologue:

Description: Version 3 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Version 3 Land-Line Seventh Margin (Age-Race/Ethnicity)

Land-LineRaking: 1.7 Weighting Variables

Type: Num

Column: 1213-1215

SAS Variable Name: _MRG07V3

Prologue:

Description: Version 3 Land-Line Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Version 3 Land-Line Eighth Margin (Regions)

Land-LineRaking: 1.8 Weighting Variables

Type: Num

Column: 1216-1218

SAS Variable Name: _MRG08V3

Prologue:

Description: Version 3 Land-Line Eighth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Version 3 Land-Line Ninth Margin (Regions-Age)

Land-LineRaking: 1.9 Weighting Variables

Type: Num

Column: 1219-1221

SAS Variable Name: _MRG09V3

Prologue:

Description: Version 3 Land-Line Ninth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Version 3 Land-Line Tenth Margin (Regions-Gender)

Land-LineRaking: 1.10 Weighting Variables

Type: Num

Column: 1222-1224

SAS Variable Name: _MRG10V3

Prologue:

Description: Version 3 Land-Line Tenth Margin (Regions-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Version 3 Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Land-LineRaking: 1.11 Weighting Variables

Type: Num

Column: 1225-1227

SAS Variable Name: _MRG11V3

Prologue:

Description: Version 3 Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Final weight questionnaire version 3: Land-line data only

Land-LineRaking: 1.12 Weighting Variables

Type: Num

Column: 1228-1237

SAS Variable Name: _LNDWTV3

Prologue:

Description: Final weight assigned to each respondent questionnaire version 3: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

CRACE with trailing 7, 8, 9s removed

**ChildDemographic
s:** 1.01 Child Demographic Variables

Type: Char

Column: 1238-1243

SAS Variable Name: CRACEORG

Prologue:

Description: CRACE with trailing 7, 8, 9s removed

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	5	0.21	0.42
9	Refused	132	5.60	5.86
BLANK	Missing	8,570		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	2,219	94.19	93.72

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

CRACEORG with responses in ascending order

**ChildDemographic
s:** 1.02 Child Demographic Variables

Type: Num

Column: 1244-1249

SAS Variable Name: CRACEASC

Prologue:

Description: CRACE with 7, 8, 9s removed, in ascending order

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	5	0.21	0.42
9	Refused	132	5.60	5.86
BLANK	Missing	8,570		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	2,219	94.19	93.72

Child Non-Hispanic Race including Multiracial

**ChildDemographic
s:** 1.03 Child Demographic Variables

Type: Num

Column: 1250-1251

SAS Variable Name: _CRACE

Prologue:

Description: Child multiracial race categorization

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only Notes: CRACEASC = 1	1,449	61.50	59.79
2	Black or African American only Notes: CRACEASC =2	640	27.16	28.43
3	Asian Only Notes: CRACEASC = 3	17	0.72	0.48
4	Native Hawaiian or other Pacific Islander only Notes: CRACEASC = 4	5	0.21	0.14
5	American Indian or Alaskan Native only Notes: CRACEASC = 5	21	0.89	0.70
6	Other race only Notes: CRACEASC = 6	53	2.25	2.80
7	Multiracial Notes: CRACEASC >= 12	34	1.44	1.39
77	Don't know/Not sure Notes: CRACEASC = 7	5	0.21	0.42
99	Refused Notes: CRACEASC = 9	132	5.60	5.86
BLANK	Missing Notes: CRACEASC = Missing	8,570		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Raw child weighting factor

ChildWeighting: 1.01 Child Weighting Variables

Type: Num

Column: 1252-1261

SAS Variable Name: _RAWCH

Prologue:

Description: Raw child weighting factor (Number of children in the household (CHILDREN) divided by the imputed number of phones (_IMPNPB).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Child design weight

ChildWeighting: 1.02 Child Weighting Variables

Type: Num

Column: 1262-1271

SAS Variable Name: _WT2CH

Prologue:

Description: Child design weight (Child stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWCH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Child Age

ChildWeighting: 1.03 Child Weighting Variables

Type: Num

Column: 1272-1274

SAS Variable Name: CHILDAge

Prologue:

Description: Child Age

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 11	0 Years old	63	2.67	3.42
12 - 23	1 Year old	87	3.69	4.75
24 - 35	2 Years old	82	3.48	4.39
36 - 47	3 Years old	80	3.40	3.53
48 - 59	4 Years old	97	4.12	3.59
60 - 71	5 Years old	100	4.24	5.16
72 - 83	6 Years old	92	3.90	4.93
84 - 95	7 Years old	91	3.86	3.58
96 - 107	8 Years old	112	4.75	3.66
108 - 119	9 Years old	111	4.71	4.62
120 - 131	10 Years old	124	5.26	5.69
132 - 143	11 Years old	138	5.86	5.23
144 - 155	12 Years old	133	5.65	5.14
156 - 167	13 Years old	134	5.69	5.20
168 - 179	14 Years old	150	6.37	5.66
180 - 191	15 Years old	141	5.98	5.66
192 - 203	16 Years old	149	6.32	5.18
204 - 215	17 Years old	159	6.75	6.39
777	Don't know / Not sure	116	4.92	6.01
999	Refused	197	8.36	8.21
BLANK	Not asked or Missing	8,570		

Child Land-Line First Margin (Age-Gender)

ChildLand-LineRaking: 1.1 Child Weighting Variables

Type: Num

Column: 1275-1277

SAS Variable Name: _CMRG01

Prologue:

Description: Child Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 8	First raking margin: (age-sex)	2,356	100.00	100.00
BLANK	Missing	8,570		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Child Land-Line Second Margin (Race/Ethnicity)

ChildLand-LineRaking: 1.2 Child Weighting Variables

Type: Num

Column: 1278-1280

SAS Variable Name: _CMRG02

Prologue:

Description: Child Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 6	Second raking margin: (race/ethnicity)	2,356	100.00	100.00
BLANK	Missing	8,570		

Child Land-Line Third Margin (Gender-Race/Ethnicity)

ChildLand-LineRaking: 1.3 Child Weighting Variables

Type: Num

Column: 1281-1283

SAS Variable Name: _CMRG03

Prologue:

Description: Child Land-Line Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 12	Third raking margin: (sex-race/ethnicity)	2,356	100.00	100.00
BLANK	Missing	8,570		

Child Land-Line Fourth Margin (Age-Race/Ethnicity)

ChildLand-LineRaking: 1.4 Child Weighting Variables

Type: Num

Column: 1284-1286

SAS Variable Name: _CMRG04

Prologue:

Description: Child Land-Line Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 18	Fourth raking margin: (age-race/ethnicity)	2,356	100.00	100.00
BLANK	Missing	8,570		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Final child weight: Land-line data only

ChildLand-LineRaking: 1.5 Child Weighting Variables

Type: Num

Column: 1287-1296

SAS Variable Name: _CLANDWT

Prologue:

Description: Final child weight: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Version 1 Child Land-Line First Margin (Age-Gender)

ChildLand-LineRaking: 1.1 Child Weighting Variables

Type: Num

Column: 1297-1299

SAS Variable Name: _CMG01V1

Prologue:

Description: Version 1 Child Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Version 1 Child Land-Line Second Margin (Race/Ethnicity)

ChildLand-LineRaking: 1.2 Child Weighting Variables

Type: Num

Column: 1300-1302

SAS Variable Name: _CMG02V1

Prologue:

Description: Version 1 Child Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Version 1 Child Land-Line Third Margin (Gender-Race/Ethnicity)

ChildLand-LineRaking: 1.3 Child Weighting Variables

Type: Num

Column: 1303-1305

SAS Variable Name: _CMG03V1

Prologue:

Description: Version 1 Child Land-Line Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Version 1 Child Land-Line Fourth Margin (Age-Race/Ethnicity)

ChildLand-LineRaking: 1.4 Child Weighting Variables

Type: Num

Column: 1306-1308

SAS Variable Name: _CMG04V1

Prologue:

Description: Version 1 Child Land-Line Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Final child weight questionnaire version 1: Land-line data only

ChildLand-LineRaking: 1.5 Child Weighting Variables

Type: Num

Column: 1309-1318

SAS Variable Name: _CLDWTV1

Prologue:

Description: Final child weight questionnaire version 1: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Version 2 Child Land-Line First Margin (Age-Gender)

ChildLand-LineRaking: 1.1 Child Weighting Variables

Type: Num

Column: 1319-1321

SAS Variable Name: _CMG01V2

Prologue:

Description: Version 2 Child Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Version 2 Child Land-Line Second Margin (Race/Ethnicity)

ChildLand-LineRaking: 1.2 Child Weighting Variables

Type: Num

Column: 1322-1324

SAS Variable Name: _CMG02V2

Prologue:

Description: Version 2 Child Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Version 2 Child Land-Line Third Margin (Gender-Race/Ethnicity)

ChildLand-LineRaking: 1.3 Child Weighting Variables

Type: Num

Column: 1325-1327

SAS Variable Name: _CMG03V2

Prologue:

Description: Version 2 Child Land-Line Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Version 2 Child Land-Line Fourth Margin (Age-Race/Ethnicity)

ChildLand-LineRaking: 1.4 Child Weighting Variables

Type: Num

Column: 1328-1330

SAS Variable Name: _CMG04V2

Prologue:

Description: Version 2 Child Land-Line Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Final child weight questionnaire version 2: Land-line data only

ChildLand-LineRaking: 1.5 Child Weighting Variables

Type: Num

Column: 1331-1340

SAS Variable Name: _CLDWTV2

Prologue:

Description: Final child weight questionnaire version 2: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Version 3 Child Land-Line First Margin (Age-Gender)

ChildLand-LineRaking: 1.1 Child Weighting Variables

Type: Num

Column: 1341-1343

SAS Variable Name: _CMG01V3

Prologue:

Description: Version 3 Child Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Version 3 Child Land-Line Second Margin (Race/Ethnicity)

ChildLand-LineRaking: 1.2 Child Weighting Variables

Type: Num

Column: 1344-1346

SAS Variable Name: _CMG02V3

Prologue:

Description: Version 3 Child Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Version 3 Child Land-Line Third Margin (Gender-Race/Ethnicity)

ChildLand-LineRaking: 1.3 Child Weighting Variables

Type: Num

Column: 1347-1349

SAS Variable Name: _CMG03V3

Prologue:

Description: Version 3 Child Land-Line Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Version 3 Child Land-Line Fourth Margin (Age-Race/Ethnicity)

ChildLand-LineRaking: 1.4 Child Weighting Variables

Type: Num

Column: 1350-1352

SAS Variable Name: _CMG04V3

Prologue:

Description: Version 3 Child Land-Line Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		

Final child weight questionnaire version 3: Land-line data only

ChildLand-LineRaking: 1.5 Child Weighting Variables

Type: Num

Column: 1353-1362

SAS Variable Name: _CLDWTV3

Prologue:

Description: Final child weight questionnaire version 3: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

ChildLandandCellRaking: 1.1 Child Weighting Variables

Type: Num

Column: 1363-1365

SAS Variable Name: _CLCPM01

Prologue:

Description: Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		
BLANK	Missing	10,926		

Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

ChildLandandCellRaking: 1.2 Child Weighting Variables

Type: Num

Column: 1366-1368

SAS Variable Name: _CLCPM02

Prologue:

Description: Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		
BLANK	Missing	10,926		

Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

ChildLandandCellRaking: 1.3 Child Weighting Variables

Type: Num

Column: 1369-1371

SAS Variable Name: _CLCPM03

Prologue:

Description: Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		
BLANK	Missing	10,926		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

ChildLandandCellRaking: 1.4 Child Weighting Variables

Type: Num

Column: 1372-1374

SAS Variable Name: _CLCPM04

Prologue:

Description: Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		
BLANK	Missing	10,926		

Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

ChildLandandCellRaking: 1.5 Child Weighting Variables

Type: Num

Column: 1375-1377

SAS Variable Name: _CLCPM05

Prologue:

Description: Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,926		
BLANK	Missing	10,926		

Final child weight: Land-line and Cell-Phone data

ChildLandandCellRaking: 1.5 Child Weighting Variables

Type: Num

Column: 1378-1387

SAS Variable Name: _CLLCPWT

Prologue:

Description: Final child weight: Land-line and Cell-Phone data (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Raw household weighting factor

HouseholdWeighting: 1.1 Household Weighting Variables

Type: Num

Column: 1388-1397

SAS Variable Name: _RAWHH

Prologue:

Description: Raw household weighting factor (One divided by the imputed number of phones (_IMPNPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Household design weight

HouseholdWeighting: 1.2 Household Weighting Variables

Type: Num

Column: 1398-1407

SAS Variable Name: _WT2HH

Prologue:

Description: Household design weight (Household stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWHH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Number of Persons in Household

HouseholdWeighting: 1.3 Household Weighting Variables

Type: Num

Column: 1408-1410

SAS Variable Name: NPHH

Prologue:

Description: Number of Persons in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1 Person	3,304	33.14	16.69
2	2 People	3,611	36.22	32.91
3	3 People	1,304	13.08	18.91
4 - 99	4+ People	1,750	17.55	31.50
BLANK		957		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Number of Adults in Household

HouseholdWeighting: 1.4 Household Weighting Variables

Type: Num

Column: 1411-1413

SAS Variable Name: NAHH

Prologue:

Description: Number of Adults in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1 Adult	3,891	39.03	20.95
2	2 Adults	4,792	48.07	51.54
3 - 99	3+ Adults	1,286	12.90	27.51
BLANK		957		

Number of Children in Household

HouseholdWeighting: 1.5 Household Weighting Variables

Type: Num

Column: 1414-1416

SAS Variable Name: NCHH

Prologue:

Description: Number of Children in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No Children	7,420	74.43	63.58
1	1 Child	1,108	11.11	15.24
2 - 99	2+ Children	1,441	14.45	21.18
BLANK		957		

Final household weight: Land-line data only

HouseholdWeighting: 1.6 Household Weighting Variables

Type: Num

Column: 1417-1426

SAS Variable Name: _HHOLDWT

Prologue:

Description: Final weight assigned to each household: Land-line data only (Raking derived household weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Original State and Original Sequence Number

LandandCellRakin 2.1 Weighting Variables
g:

Type: Char

Column: 1427-1438

SAS Variable Name: ORGSEQNO

Prologue:

Description: Original State and Original Sequence Number

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,926	100.00	100.00

Combined Land-Line and Cell-Phone First Margin (Age-Gender)

LandandCellRakin 2.2 Weighting Variables
g:

Type: Num

Column: 1439-1441

SAS Variable Name: _LLCPM01

Prologue:

Description: Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	First raking margin: (age-sex)	10,926	100.00	100.00

Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

LandandCellRakin 2.3 Weighting Variables
g:

Type: Num

Column: 1442-1444

SAS Variable Name: _LLCPM02

Prologue:

Description: Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 6	Second raking margin: (race/ethnicity)	10,926	100.00	100.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Third Margin (Education)

LandandCellRaking: 2.4 Weighting Variables

Type: Num

Column: 1445-1447

SAS Variable Name: _LLCPM03

Prologue:

Description: Combined Land-Line and Cell-Phone Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than HS	1,655	15.15	19.39
2	HS Grad	3,757	34.39	34.43
3	Some College	2,625	24.03	27.28
4	College Grad	2,889	26.44	18.91

Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

LandandCellRaking: 2.5 Weighting Variables

Type: Num

Column: 1448-1450

SAS Variable Name: _LLCPM04

Prologue:

Description: Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	5,565	50.93	46.90
2	Never married, member unmarried couple	1,650	15.10	30.91
3	Divorced, Widowed, Separated	3,711	33.96	22.19

Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

LandandCellRaking: 2.6 Weighting Variables

Type: Num

Column: 1451-1453

SAS Variable Name: _LLCPM05

Prologue:

Description: Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 2	Fifth raking margin: (rent/own home)	10,926	100.00	100.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

LandandCellRaking: 2.7 Weighting Variables

Type: Num

Column: 1454-1456

SAS Variable Name: _LLCPM06

Prologue:

Description: Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 12	Sixth raking margin: (sex-race/ethnicity)	10,926	100.00	100.00

Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

LandandCellRaking: 2.8 Weighting Variables

Type: Num

Column: 1457-1459

SAS Variable Name: _LLCPM07

Prologue:

Description: Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 18	Seventh raking margin: (age-race/ethnicity)	10,926	100.00	100.00

Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

LandandCellRaking: 2.9 Weighting Variables

Type: Num

Column: 1460-1462

SAS Variable Name: _LLCPM08

Prologue:

Description: Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 3	Eighth raking margin: (phone source-land line or cell phone)	10,926	100.00	100.00

Combined Land-Line and Cell-Phone Ninth Margin (Regions)

LandandCellRaking: 2.10 Weighting Variables

Type: Num

Column: 1463-1465

SAS Variable Name: _LLCPM09

Prologue:

Description: Combined Land-Line and Cell-Phone Ninth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Ninth raking margin: (region)	10,926	100.00	100.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

LandandCellRaking: 2.11 Weighting Variables

Type: Num

Column: 1466-1468

SAS Variable Name: _LLCPM10

Prologue:

Description: Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 700	Tenth raking margin: (region-age)	10,926	100.00	100.00

Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

LandandCellRaking: 2.12 Weighting Variables

Type: Num

Column: 1469-1471

SAS Variable Name: _LLCPM11

Prologue:

Description: Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 200	Eleventh raking margin: (region-sex)	10,926	100.00	100.00

Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

LandandCellRaking: 2.13 Weighting Variables

Type: Num

Column: 1472-1474

SAS Variable Name: _LLCPM12

Prologue:

Description: Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 600	Twelfth raking margin: (region-race/ethnicity)	10,926	100.00	100.00

Final weight: Land-line and cell-phone data

LandandCellRaking: 2.14 Weighting Variables

Type: Num

Column: 1475-1484

SAS Variable Name: _LLCPWT

Prologue:

Description: Final weight assigned to each respondent: Land-line and cell-phone data (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed	10,926	100.00	100.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Adults with good or better health

CalculatedVariable 1.1 Calculated Variables
s:

Type: Num

Column: 1485

SAS Variable Name: _RFHLTH

Prologue:

Description: Adults with good or better health

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Good or Better Health Notes: GENHLTH = 1 or 2 or 3	7,901	72.31	76.75
2	Fair or Poor Health Notes: GENHLTH = 4 or 5	2,992	27.38	22.89
9	Don't know/Not Sure Or Refused/Missing Notes: GENHLTH = 7 or 9 or Missing	33	0.30	0.36

Respondents aged 18-64 with health care coverage

CalculatedVariable 3.1 Calculated Variables
s:

Type: Num

Column: 1486

SAS Variable Name: _HCVU651

Prologue:

Description: Respondents aged 18-64 that have any form of health care coverage

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Have health care coverage Notes: 18 <= AGE <=64 and HLTHPLAN = 1	5,511	50.44	60.09
2	Do not have health care coverage Notes: 18 <= AGE <=64 and HLTHPLAN = 2	1,625	14.87	21.98
9	Don't know/Not Sure, Refused or Missing Notes: AGE > 64 or AGE = Missing or HLTHPLAN = 7 or 9 or Missing	3,790	34.69	17.93

High Blood Pressure Calculated Variable

CalculatedVariable 4.1 Calculated Variables
s:

Type: Num

Column: 1487

SAS Variable Name: _RFHYPE5

Prologue:

Description: Adults who have been told they have high blood pressure by a doctor, nurse, or other health professional

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: BPHIGH4 = 2 or 3 or 4	5,528	50.59	61.51
2	Yes Notes: BPHIGH4 = 1	5,383	49.27	38.27
9	Don't know/Not Sure/Refused/Missing Notes: BPHIGH4 = 7 or 9 or Missing	15	0.14	0.22

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Cholesterol Checked Calculated Variable

CalculatedVariable 5.1 Calculated Variables
s:

Type: Num

Column: 1488

SAS Variable Name: _CHOLCHK

Prologue:

Description: Cholesterol check within past five years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Had cholesterol checked in past 5 years Notes: BLOODCHO = 1 and CHOLCHK = 1 or 2 or 3	8,942	81.84	70.67
2	Did not have cholesterol checked in past 5 years Notes: BLOODCHO = 1 and CHOLCHK = 4	233	2.13	2.38
3	Have never had cholesterol checked Notes: BLOODCHO = 2	1,358	12.43	22.38
9	Don't know/Not Sure Or Refused/Missing Notes: BLOODCHO = 7 or 9 or Missing or CHOLCHK = 7 or 9 or Missing	393	3.60	4.58

High Cholesterol Calculated Variable

CalculatedVariable 5.2 Calculated Variables
s:

Type: Num

Column: 1489

SAS Variable Name: _RFCHOL

Prologue:

Description: Adults who have had their cholesterol checked and have been told by a doctor, nurse, or other health professional that it was high

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: BLOODCHO=1 and TOLDHI2 = 2	5,117	54.65	60.76
2	Yes Notes: BLOODCHO=1 and TOLDHI2 = 1	4,166	44.49	38.43
9	Don't know/Not Sure Or Refused/Missing Notes: BLOODCHO=1 and TOLDHI2 = 7 or 9 or Missing	81	0.87	0.81
BLANK	Missing Notes: BLOODCHO = 2 or 7 or 9 or Missing	1,562		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Lifetime Asthma Calculated Variable

CalculatedVariable 6.1 Calculated Variables
s:

Type: Num

Column: 1490

SAS Variable Name: _LTASTH1

Prologue:

Description: Adults who have ever been told they have asthma

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ASTHMA3 = 2	9,722	88.98	88.76
2	Yes Notes: ASTHMA3 = 1	1,182	10.82	11.10
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing	22	0.20	0.14

Current Asthma Calculated Variable

CalculatedVariable 6.2 Calculated Variables
s:

Type: Num

Column: 1491

SAS Variable Name: _CASTHM1

Prologue:

Description: Adults who have been told they currently have asthma

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ASTHMA3 = 2 or ASTHMA3 = 1 and ASTHNOW = 2	10,110	92.53	93.23
2	Yes Notes: ASTHMA3 = 1 and ASTHNOW = 1	767	7.02	6.40
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing	49	0.45	0.37

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Computed Asthma Status

CalculatedVariables: 6.3 Calculated Variables

Type: Num

Column: 1492

SAS Variable Name: _ASTHMS1

Prologue:

Description: Computed asthma status

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Current Notes: ASTHMA3 = 1 and ASTHNOW = 1	767	7.02	6.40
2	Former Notes: ASTHMA3 = 1 and ASTHNOW = 2	388	3.55	4.47
3	Never Notes: ASTHMA3 = 2	9,722	88.98	88.76
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing	49	0.45	0.37

Respondents diagnosed with arthritis

CalculatedVariables: 6.4 Calculated Variables

Type: Num

Column: 1493

SAS Variable Name: _DRDXAR1

Prologue:

Description: Respondents that have had a doctor diagnose them as having some form of arthritis

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Diagnosed with arthritis Notes: HAVARTH3 = 1	3,933	36.19	25.32
2	Not diagnosed with arthritis Notes: HAVARTH3 = 2	6,935	63.81	74.68
BLANK	Don't know/Not Sure/Refused/Missing Notes: HAVARTH3 = 7 or 9 or Missing	58		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Computed Smoking Status

CalculatedVariables: 7.1 Calculated Variables

Type: Num

Column: 1494

SAS Variable Name: _SMOKER3

Prologue:

Description: Four-level smoker status: Everyday smoker, Someday smoker, Former smoker, Non-smoker

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Current smoker - now smokes every day Notes: SMOKE100 = 1 and SMOKEDAY = 1	1,701	15.57	19.25
2	Current smoker - now smokes some days Notes: SMOKE100 = 1 and SMOKEDAY = 2	473	4.33	6.40
3	Former smoker Notes: SMOKE100 = 1 and SMOKEDAY = 3	2,902	26.56	21.96
4	Never smoked Notes: SMOKE100 = 2	5,821	53.28	52.09
9	Don't know/Refused/Missing Notes: SMOKE100 = 1 and SMOKEDAY = 9 or SMOKE100 = 7 or 9 or Missing	29	0.27	0.30

Current Smoking Calculated Variable

CalculatedVariables: 7.2 Calculated Variables

Type: Num

Column: 1495

SAS Variable Name: _RFSMOK3

Prologue:

Description: Adults who are current smokers

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: _SMOKER3 = 3 or 4	8,723	79.84	74.06
2	Yes Notes: _SMOKER3 = 1 or 2	2,174	19.90	25.65
9	Don't know/Refused/Missing Notes: _SMOKER3 = 9	29	0.27	0.30

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

MRACE with trailing 7,8,9s removed calculated variable

CalculatedVariable 8.1 Calculated Race Variables
s:

Type: Char

Column: 1496-1501

SAS Variable Name: MRACEORG

Prologue:

Description: MRACE with trailing 7,8,9s removed

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure Notes: MRACE = 7	15	0.14	0.15
9	Refused Notes: MRACE = 9	59	0.54	0.58
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,852	99.32	99.27

MRACEORG with responses in ascending order calculated variable

CalculatedVariable 8.2 Calculated Race Variables
s:

Type: Num

Column: 1502-1507

SAS Variable Name: MRACEASC

Prologue:

Description: MRACE with 7,8,9s removed, in ascending order

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure Notes: MRACEORG = 7	15	0.14	0.15
9	Refused Notes: MRACEORG = 9	59	0.54	0.58
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,852	99.32	99.27

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Computed Preferred Race

CalculatedVariable 8.3 Calculated Race Variables
s:

Type: Num

Column: 1508-1509

SAS Variable Name: _PRACE

Prologue:

Description: Preferred race category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White Notes: MRACEASC = 1	7,739	70.83	65.20
2	Black or African American Notes: MRACEASC = 2	2,765	25.31	30.20
3	Asian Notes: MRACEASC = 3	51	0.47	0.71
4	Native Hawaiian or other Pacific Islander Notes: MRACEASC = 4	13	0.12	0.13
5	American Indian or Alaskan Native Notes: MRACEASC = 5	96	0.88	0.83
6	Other race Notes: MRACEASC = 6	177	1.62	2.11
7	No preferred race Notes: MRACEASC >= 12 and ORACE2 = 7 or 9	11	0.10	0.09
77	Don't know/Not sure Notes: MRACEASC = 7	15	0.14	0.15
99	Refused Notes: MRACEASC = 9	59	0.54	0.58

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Computed non-Hispanic Race including Multiracial

CalculatedVariable 8.4 Calculated Race Variables
s:

Type: Num

Column: 1510-1511

SAS Variable Name: _MRACE

Prologue:

Description: Multiracial race categorization

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only Notes: MRACEASC = 1	7,685	70.34	64.87
2	Black or African American only Notes: MRACEASC = 2	2,733	25.01	29.89
3	Asian Only Notes: MRACEASC = 3	50	0.46	0.70
4	Native Hawaiian or other Pacific Islander only Notes: MRACEASC = 4	13	0.12	0.13
5	American Indian or Alaskan Native only Notes: MRACEASC = 5	82	0.75	0.71
6	Other race only Notes: MRACEASC = 6	171	1.57	2.07
7	Multiracial Notes: MRACEASC >= 12	118	1.08	0.89
77	Don't know/Not sure Notes: MRACEASC = 7	15	0.14	0.15
99	Refused Notes: MRACEASC = 9	59	0.54	0.58

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Computed Race-Ethnicity grouping

CalculatedVariable 8.5 Calculated Race Variables
s:

Type: Num

Column: 1512

SAS Variable Name: RACE2

Prologue:

Description: Race/ethnicity categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 1	7,526	68.88	62.91
2	Black only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 2	2,706	24.77	29.69
3	Asian only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 3	49	0.45	0.69
4	Native Hawaiian or other Pacific Islander only, Non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 4	10	0.09	0.10
5	American Indian or Alaskan Native only, Non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 5	77	0.70	0.65
6	Other race only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 6	100	0.92	0.89
7	Multiracial, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 7	113	1.03	0.85
8	Hispanic Notes: HISPANC2 = 1	275	2.52	3.58
9	Don't know/Not sure/Refused Notes: HISPANC2 = 7 or 9 or _MRACE = 77 or 99 and HISPANC2 = 2	70	0.64	0.63

Create Computed Non-Hispanic Whites/All Others Race Categories Race/Ethnic Group Codes Used In Post-Stratification Variable

CalculatedVariable 8.6 Calculated Race Variables
s:

Type: Num

Column: 1513

SAS Variable Name: _RACEG2

Prologue:

Description: White non-Hispanic race group

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Non-Hispanic White Notes: RACE2 = 1	7,526	68.88	62.91
2	Non-White or Hispanic Notes: RACE2 = 2 or 3 or 4 or 5 or 6 or 7 or 8	3,330	30.48	36.46
9	Don't know/Not sure/Refused Notes: RACE2 = 9	70	0.64	0.63

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Computed Five level race/ethnicity category.

CalculatedVariable 8.7 Calculated Race Variables
S:

Type: Num

Column: 1514

SAS Variable Name: _RACEGR2

Prologue:

Description: Five-level race/ethnicity category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only, Non-Hispanic Notes: RACE2 = 1	7,526	68.88	62.91
2	Black only, Non-Hispanic Notes: RACE2 = 2	2,706	24.77	29.69
3	Other race only, Non-Hispanic Notes: RACE2 = 3 or 4 or 5 or 6	236	2.16	2.34
4	Multiracial, Non-Hispanic Notes: RACE2 = 7	113	1.03	0.85
5	Hispanic Notes: RACE2 = 8	275	2.52	3.58
9	Don't know/Not sure/Refused Notes: RACE2 = 9	70	0.64	0.63

Computed race groups used for internet prevalence tables

CalculatedVariable 8.8 Calculated Race Variables
S:

Type: Num

Column: 1515

SAS Variable Name: _RACE_G

Prologue:

Description: Race groups used for internet prevalence tables

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White - Non-Hispanic Notes: _RACEGR2 = 1	7,526	69.33	63.31
2	Black - Non-Hispanic Notes: _RACEGR2 = 2	2,706	24.93	29.88
3	Hispanic Notes: _RACEGR2 = 5	275	2.53	3.60
4	Other race only, Non-Hispanic Notes: _RACEGR2 = 3	236	2.17	2.36
5	Multiracial, Non-Hispanic Notes: _RACEGR2 = 4	113	1.04	0.85
BLANK	Don't know/Not sure/Refused component question Notes: _RACEGR2 = 9 or Missing	70		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Computed number of census race categories chosen

CalculatedVariable 8.9 Calculated Race Variables
s:

Type: Num

Column: 1516

SAS Variable Name: _CNRACE

Prologue:

Description: Number of census race categories chosen

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Other/do not know/refused Notes: 6 <= MRACEASC <= 9	245	2.24	2.80
1	1 category chosen Notes: MRACEASC had one race category	10,587	96.90	96.48
2	2 category chosen Notes: MRACEASC had two race categories	92	0.84	0.70
3	3 category chosen Notes: MRACEASC had three race categories	2	0.02	0.01

Computed number of census race categories chosen, collapsed

CalculatedVariable 8.10 Calculated Race Variables
s:

Type: Num

Column: 1517

SAS Variable Name: _CNRACEC

Prologue:

Description: Number of census race categories chosen, collapsed

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	One category chosen Notes: _CNRACE = 1	10,587	99.12	99.26
2	Two or more categories chosen Notes: _CNRACE > 1	94	0.88	0.74
BLANK	CNRACE = 0 or missing Notes: _CNRACE = 0	245		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Reported age in five-year age categories calculated variable

CalculatedVariable 8.11 Calculated Variables
s:

Type: Num

Column: 1518-1519

SAS Variable Name: _AGEG5YR

Prologue:

Description: Fourteen-level age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 24 Notes: 18 <= AGE <= 24	462	4.23	13.81
2	Age 25 to 29 Notes: 25 <= AGE <= 29	398	3.64	8.21
3	Age 30 to 34 Notes: 30 <= AGE <= 34	572	5.24	10.27
4	Age 35 to 39 Notes: 35 <= AGE <= 39	617	5.65	7.42
5	Age 40 to 44 Notes: 40 <= AGE <= 44	724	6.63	9.09
6	Age 45 to 49 Notes: 45 <= AGE <= 49	836	7.65	8.20
7	Age 50 to 54 Notes: 50 <= AGE <= 54	1,078	9.87	10.31
8	Age 55 to 59 Notes: 55 <= AGE <= 59	1,222	11.18	7.51
9	Age 60 to 64 Notes: 60 <= AGE <= 64	1,244	11.39	7.68
10	Age 65 to 69 Notes: 65 <= AGE <= 69	1,130	10.34	5.16
11	Age 70 to 74 Notes: 70 <= AGE <= 74	1,019	9.33	4.22
12	Age 75 to 79 Notes: 75 <= AGE <= 79	729	6.67	3.86
13	Age 80 or older Notes: 80 <= AGE <= 99	825	7.55	3.72
14	Don't know/Refused/Missing Notes: 7 <= AGE <= 9	70	0.64	0.56

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Reported age in two age groups calculated variable

CalculatedVariable 8.12 Calculated Variables
s:

Type: Num

Column: 1520

SAS Variable Name: _AGE65YR

Prologue:

Description: Two-level age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 64 Notes: 18 <= AGE <= 64	7,153	65.47	82.49
2	Age 65 or older Notes: 65 <= AGE <= 99	3,703	33.89	16.96
3	Don't know/Refused/Missing Notes: 7 <= AGE <= 9	70	0.64	0.56

Imputed age in six groups

CalculatedVariable 8.13 Calculated Variables
s:

Type: Num

Column: 1521

SAS Variable Name: _AGE_G

Prologue:

Description: Six-level imputed age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 24 Notes: 18 <= AGE <= 24	462	4.23	13.81
2	Age 25 to 34 Notes: 25 <= AGE <= 34	972	8.90	18.56
3	Age 35 to 44 Notes: 35 <= AGE <= 44	1,342	12.28	16.55
4	Age 45 to 54 Notes: 45 <= AGE <= 54	1,922	17.59	18.58
5	Age 55 to 64 Notes: 55 <= AGE <= 64	2,525	23.11	15.54
6	Age 65 or older Notes: AGE >= 65	3,703	33.89	16.96

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Computed Height in Inches

CalculatedVariable 8.14 Calculated Variables
s:

Type: Num

Column: 1522-1524

SAS Variable Name: HTIN4

Prologue:

Description: Reported height in inches

Value	Value Label	Frequency	Percentage	Weighted Percentage
36 - 95	Height in inches Notes: 0036 <= HEIGHT3 <= 0711	10,831	100.00	100.00
BLANK		95		

Computed Height in Meters

CalculatedVariable 8.15 Calculated Variables
s:

Type: Num

Column: 1525-1527

SAS Variable Name: HTM4

Prologue:

Description: Reported height in meters

Value	Value Label	Frequency	Percentage	Weighted Percentage
91		10,833	100.00	100.00
BLANK		93		

Computed Weight in Kilograms

CalculatedVariable 8.16 Calculated Variables
s:

Type: Num

Column: 1528-1532

SAS Variable Name: WTKG3

Prologue:

Description: Reported weight in kilograms

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 99998	Weight in kilograms [2 implied decimal places] Notes: 0001 <= WEIGHT2 <= 650 or 9023 <= WEIGHT2 <= 9295	10,533	100.00	100.00
BLANK		393		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Computed body mass index

CalculatedVariables: 8.17 Calculated Variables

Type: Num

Column: 1533-1536

SAS Variable Name: _BMI5

Prologue:

Description: Body Mass Index (BMI)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 9999	1 or greater Notes: WTKG3/(HTM4*HTM4) (Has 2 implied decimal places)	10,404	100.00	100.00
BLANK	Don't know/Refused/Missing Notes: WTKG3 = 777 or 999 or HTM4 = 777 or 999 or PREGNANT=1 or _BMI5 < 12.00 or _BMI5 > 99.99	522		

Computed body mass index categories

CalculatedVariables: 8.18 Calculated Variables

Type: Num

Column: 1537

SAS Variable Name: _BMI5CAT

Prologue:

Description: Four-categories of Body Mass Index (BMI)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Underweight Notes: 1200 <= _BMI5 < 1850 (_BMI5 has 2 implied decimal places)	161	1.55	1.81
2	Normal Weight Notes: 1850 <= _BMI5 < 2500	3,040	29.22	30.62
3	Overweight Notes: 2500 <= _BMI5 < 3000	3,629	34.88	34.14
4	Obese Notes: 3000 <= _BMI5 < 9999	3,574	34.35	33.43
BLANK	Don't know/Refused/Missing Notes: _BMI5 = Missing	522		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Overweight or obese calculated variable

CalculatedVariables: 8.19 Calculated Variables

Type: Num

Column: 1538

SAS Variable Name: _RFBMI5

Prologue:

Description: Adults who have a body mass index greater than 25.00 (Overweight or Obese)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: 1200 <= _BMI54 < 2500 (_BMI5 has 2 implied decimal places)	3,201	29.30	31.06
2	Yes Notes: 2500 <= _BMI5 < 9999	7,203	65.93	64.73
9	Don't know/Refused/Missing Notes: _BMI5 = Missing	522	4.78	4.21

Computed number of children in household

CalculatedVariables: 8.20 Calculated Variables

Type: Num

Column: 1539

SAS Variable Name: _CHLDCNT

Prologue:

Description: Number of children in household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No children in household Notes: CHILDREN = 88	7,968	72.93	61.58
2	One child in household Notes: CHILDREN = 01	1,283	11.74	16.03
3	Two children in household Notes: CHILDREN = 02	973	8.91	12.48
4	Three children in household Notes: CHILDREN = 03	494	4.52	6.73
5	Four children in household Notes: CHILDREN = 04	130	1.19	1.87
6	Five or more children in household Notes: 05 <= CHILDREN < 88	69	0.63	1.19
9	Don't know/Not sure/Missing Notes: CHILDREN = 99	9	0.08	0.12

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Computed level of education completed categories

CalculatedVariable 8.21 Calculated Variables
s:

Type: Num

Column: 1540

SAS Variable Name: _EDUCAG

Prologue:

Description: Level of education completed

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Did not graduate High School Notes: EDUCA = 1 or 2 or 3	1,651	15.11	19.33
2	Graduated High School Notes: EDUCA = 4	3,752	34.34	34.40
3	Attended College or Technical School Notes: EDUCA = 5	2,624	24.02	27.27
4	Graduated from College or Technical School Notes: EDUCA = 6	2,882	26.38	18.86
9	Don't know/Not sure/Missing Notes: EDUCA = 9 or Missing	17	0.16	0.15

Computed income categories

CalculatedVariable 8.22 Calculated Variables
s:

Type: Num

Column: 1541

SAS Variable Name: _INCOMG

Prologue:

Description: Income categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than \$15,000 Notes: INCOME2 = 1 or 2	1,566	14.33	14.02
2	\$15,000 to less than \$25,000 Notes: INCOME2 = 3 or 4	1,939	17.75	17.56
3	\$25,000 to less than \$35,000 Notes: INCOME2 = 5	1,056	9.67	10.02
4	\$35,000 to less than \$50,000 Notes: INCOME2 = 6	1,235	11.30	11.10
5	\$50,000 or more Notes: INCOME2 = 7 or 8	3,230	29.56	30.33
9	Don't know/Not sure/Missing Notes: INCOME2 = 77 or 99 or Missing	1,900	17.39	16.98

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Computed Fruit Juice intake in times per day

CalculatedVariable 9.1 Calculated Variables
s:

Type: Num

Column: 1542-1545

SAS Variable Name: FTJUDA1_

Prologue:

Description: Fruit juice intake in times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 9999	Times per day	10,395	100.00	100.00
BLANK	Don't know/Not Sure Or Refused/Missing	531		

Computed Fruit intake in times per day

CalculatedVariable 9.2 Calculated Variables
s:

Type: Num

Column: 1546-1549

SAS Variable Name: FRUTDA1_

Prologue:

Description: Fruit intake in times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 9999	Times per day	10,470	100.00	100.00
BLANK	Don't know/Not Sure Or Refused/Missing	456		

Computed Bean intake in times per day

CalculatedVariable 9.3 Calculated Variables
s:

Type: Num

Column: 1550-1553

SAS Variable Name: BEANDAY_

Prologue:

Description: Bean intake in times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 9999	Times per day	10,430	100.00	100.00
BLANK	Don't know/Not Sure Or Refused/Missing	496		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Computed Dark Green Vegetable intake in times per day

CalculatedVariable 9.4 Calculated Variables
s:

Type: Num

Column: 1554-1557

SAS Variable Name: GRENDAY_

Prologue:

Description: Dark green vegetable intake in times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 9999	Times per day	10,484	100.00	100.00
BLANK	Don't know/Not Sure Or Refused/Missing	442		

Computed Orange-Colored Vegetable intake in times per day

CalculatedVariable 9.5 Calculated Variables
s:

Type: Num

Column: 1558-1561

SAS Variable Name: ORNGDAY_

Prologue:

Description: Orange-colored vegetable intake in times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 9999	Times per day	10,394	100.00	100.00
BLANK	Don't know/Not Sure Or Refused/Missing	532		

Computed Vegetable intake in times per day

CalculatedVariable 9.6 Calculated Variables
s:

Type: Num

Column: 1562-1565

SAS Variable Name: VEGEDA1_

Prologue:

Description: Vegetable intake in times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 9999	Times per day	10,333	100.00	100.00
BLANK	Don't know/Not Sure Or Refused/Missing	593		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

The number of missing fruit responses

CalculatedVariable 9.7 Calculated Variables
s:

Type: Num

Column: 1566

SAS Variable Name: _MISFRTN

Prologue:

Description: The number of missing fruit responses

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No missing fruit responses	10,195	93.31	93.57
1 - 2	Has 1 or 2 missing fruit responses	731	6.69	6.43

The number of missing vegetable responses

CalculatedVariable 9.8 Calculated Variables
s:

Type: Num

Column: 1567

SAS Variable Name: _MISVEGN

Prologue:

Description: The number of missing vegetable responses

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No missing vegetable responses	9,941	90.98	92.09
1 - 4	Has 1, 2, 3, or 4 missing vegetable responses	985	9.02	7.91

Missing any fruit responses

CalculatedVariable 9.9 Calculated Variables
s:

Type: Num

Column: 1568

SAS Variable Name: _FRTRESP

Prologue:

Description: Missing any fruit responses

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Not Included - Missing Fruit Responses	731	6.69	6.43
1	Included - Not Missing Fruit Responses	10,195	93.31	93.57

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Missing any vegetable responses

CalculatedVariable 9.10 Calculated Variables
s:

Type: Num

Column: 1569

SAS Variable Name: _VEGRES

Prologue:

Description: Missing any vegetable responses

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Not Included - Missing Vegetable Responses	985	9.02	7.91
1	Included - Not Missing Vegetable Responses	9,941	90.98	92.09

Total fruits consumed per day

CalculatedVariable 9.11 Calculated Variables
s:

Type: Num

Column: 1570-1575

SAS Variable Name: _FRUTSUM

Prologue:

Description: Total fruits consumed per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99998	Number of Fruits consumed per day (one implied decimal place)	10,670	100.00	100.00
BLANK	Not asked or Missing	256		

Total vegetables consumed per day

CalculatedVariable 9.12 Calculated Variables
s:

Type: Num

Column: 1576-1581

SAS Variable Name: _VEGESUM

Prologue:

Description: Total vegetables consumed per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99998	Number of Vegetables consumed per day (one implied decimal place)	10,658	100.00	100.00
BLANK	Not asked or Missing	268		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Reported consuming Fruit >16 per day

CalculatedVariable 9.13 Calculated Variables
s:

Type: Num

Column: 1582

SAS Variable Name: _FRT16

Prologue:

Description: Reported consuming Fruit >16 per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Not Included - Values are too high	4	0.04	0.02
1	Included - Values are in accepted range	10,922	99.96	99.98

Reported consuming Vegetables >23 per day

CalculatedVariable 9.14 Calculated Variables
s:

Type: Num

Column: 1583

SAS Variable Name: _VEG23

Prologue:

Description: Reported consuming Vegetables >23 per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Not Included - Values are too high	1	0.01	0.01
1	Included - Values are in accepted range	10,925	99.99	99.99

Fruit Exclusion from analyses

CalculatedVariable 9.15 Calculated Variables
s:

Type: Num

Column: 1584

SAS Variable Name: _FRUITEX

Prologue:

Description: Fruit Exclusion from analyses

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No missing values and in accepted range	10,192	93.28	93.55
1	Missing Fruit responses	731	6.69	6.43
2	Fruit values out of range	3	0.03	0.01

Vegetable Exclusion from analyses

CalculatedVariable 9.16 Calculated Variables
s:

Type: Num

Column: 1585

SAS Variable Name: _VEGETEX

Prologue:

Description: Vegetable Exclusion from analyses

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No missing values and in accepted range	9,940	90.98	92.09
1	Missing Vegetable responses	985	9.02	7.91
2	Vegetable values out of range	1	0.01	0.01

Leisure Time Physical Activity Calculated Variable

CalculatedVariable 10.1 Calculated Variables
s:

Type: Num

Column: 1586

SAS Variable Name: _TOTINDA

Prologue:

Description: Adults that report doing physical activity or exercise during the past 30 days other than their regular job

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Had physical activity or exercise Notes: EXERANY2 = 1	6,805	62.28	63.92
2	No physical activity or exercise in last 30 days Notes: EXERANY2 = 2	3,803	34.81	32.64
9	Don't know/Refused/Missing Notes: EXERANY2 = 7 or 9 or Missing	318	2.91	3.44

Activity MET Value for First Activity

CalculatedVariable 10.2 Calculated Variables
s:

Type: Num

Column: 1587-1589

SAS Variable Name: METVAL1_

Prologue:

Description: Activity MET Value for First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Activity MET Value	226	3.34	4.90
1 - 128	Activity MET Value (one implied decimal place)	6,532	96.66	95.10
BLANK	Not asked or Missing	4,168		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Activity MET Value for Second Activity

CalculatedVariable 10.3 Calculated Variables
s:

Type: Num

Column: 1590-1592

SAS Variable Name: METVAL2_

Prologue:

Description: Activity MET Value for Second Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Activity MET Value	3,680	55.40	54.36
1 - 128	Activity MET Value (one implied decimal place)	2,962	44.60	45.64
BLANK	Not asked or Missing	4,284		

Estimated Age-Gender Specific Maximum Oxygen Consumption

CalculatedVariable 10.4 Calculated Variables
s:

Type: Num

Column: 1593-1597

SAS Variable Name: MAXVO2_

Prologue:

Description: Estimated Age-Gender Specific Maximum Oxygen Consumption

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 501	Estimated Maximum Oxygen Consumption (two implied decimal places)	10,856	99.36	99.44
99900	Don't know/Not Sure/Refused/Missing	70	0.64	0.56

Estimated Functional Capacity

CalculatedVariable 10.5 Calculated Variables
s:

Type: Num

Column: 1598-1602

SAS Variable Name: FC60_

Prologue:

Description: Estimated Functional Capacity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 8590	Estimated Functional Capacity (2 implied decimal places)	10,856	99.36	99.44
99900	Don't know/Not Sure/Refused/Missing	70	0.64	0.56

Estimated Activity Intensity for First Activity

CalculatedVariable 10.6 Calculated Variables
s:

Type: Num

Column: 1603

SAS Variable Name: ACTINT1_

Prologue:

Description: Estimated Activity Intensity for First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Not Moderate or Vigorous or No Activity	225	3.35	4.92
1	Moderate	4,132	61.56	71.67
2	Vigorous	2,355	35.09	23.41
BLANK	Not asked or Missing	4,214		

Estimated Activity Intensity for Second Activity

CalculatedVariable 10.7 Calculated Variables
s:

Type: Num

Column: 1604

SAS Variable Name: ACTINT2_

Prologue:

Description: Estimated Activity Intensity for Second Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Not Moderate or Vigorous or No Activity	3,653	55.37	54.34
1	Moderate	1,454	22.04	29.95
2	Vigorous	1,490	22.59	15.71
BLANK	Not asked or Missing	4,329		

Minutes of First Activity

CalculatedVariable 10.8 Calculated Variables
s:

Type: Num

Column: 1605-1607

SAS Variable Name: PADUR1_

Prologue:

Description: Minutes of First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 599	Minutes of Activity	6,463	100.00	100.00
BLANK	Not asked or Missing	4,463		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Minutes of Second Activity

CalculatedVariable 10.9 Calculated Variables
s:

Type: Num

Column: 1608-1610

SAS Variable Name: PADUR2_

Prologue:

Description: Minutes of Second Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 599	Minutes of Activity	3,143	100.00	100.00
BLANK	Not asked or Missing	7,783		

Physical Activity Frequency per Week for First Activity

CalculatedVariable 10.10 Calculated Variables
s:

Type: Num

Column: 1611-1615

SAS Variable Name: PAFREQ1_

Prologue:

Description: Physical Activity Frequency per Week for First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 98999	Activity times per week (3 implied decimal places)	6,653	100.00	100.00
BLANK	Not asked or Missing	4,273		

Physical Activity Frequency per Week for Second Activity

CalculatedVariable 10.11 Calculated Variables
s:

Type: Num

Column: 1616-1620

SAS Variable Name: PAFREQ2_

Prologue:

Description: Physical Activity Frequency per Week for Second Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 98999	Activity times per week (3 implied decimal places)	3,217	99.97	99.99
99000	Don't know/Not Sure/Refused	1	0.03	0.01
BLANK	Not asked or Missing	7,708		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Minutes of Physical Activity per week for First Activity

CalculatedVariable 10.12 Calculated Variables
s:

Type: Num

Column: 1621-1625

SAS Variable Name: _MINACT1

Prologue:

Description: Minutes of Physical Activity per week for First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Minutes of Activity per week	304	4.73	6.45
1 - 99999	Minutes of Activity per week	6,118	95.27	93.55
BLANK	Not asked or Missing	4,504		

Minutes of Physical Activity per week for Second Activity

CalculatedVariable 10.13 Calculated Variables
s:

Type: Num

Column: 1626-1630

SAS Variable Name: _MINACT2

Prologue:

Description: Minutes of Physical Activity per week for Second Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Minutes of Activity per week	3,732	57.57	56.27
1 - 99999	Minutes of Activity per week	2,750	42.43	43.73
BLANK	Not asked or Missing	4,444		

Strength Activity Frequency per Week

CalculatedVariable 10.14 Calculated Variables
s:

Type: Num

Column: 1631-1635

SAS Variable Name: STRFREQ_

Prologue:

Description: Strength Activity Frequency per Week

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 98999	Strength Activity times per week (3 implied decimal places)	2,779	100.00	100.00
BLANK	Not asked or Missing	8,147		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Missing Physical Activity Data

CalculatedVariable 10.15 Calculated Variables
s:

Type: Num

Column: 1636

SAS Variable Name: PAMISS_

Prologue:

Description: Missing Physical Activity Data

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Not Missing Physical Activity Data	9,984	91.38	92.09
1	Missing Physical Activity Data	624	5.71	4.47
9	Don't know/Not Sure/Refused	318	2.91	3.44

Minutes of Physical Activity per week for First Activity

CalculatedVariable 10.16 Calculated Variables
s:

Type: Num

Column: 1637-1641

SAS Variable Name: PAMIN1_

Prologue:

Description: Minutes of Physical Activity per week for First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of Activity per week	6,379	100.00	100.00
BLANK	Not asked or Missing	4,547		

Minutes of Physical Activity per week for Second Activity

CalculatedVariable 10.17 Calculated Variables
s:

Type: Num

Column: 1642-1646

SAS Variable Name: PAMIN2_

Prologue:

Description: Minutes of Physical Activity per week for Second Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of Activity per week	6,439	100.00	100.00
BLANK	Not asked or Missing	4,487		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Minutes of total Physical Activity per week

CalculatedVariable 10.18 Calculated Variables
s:

Type: Num

Column: 1647-1651

SAS Variable Name: PAMIN_

Prologue:

Description: Minutes of total Physical Activity per week

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of Activity per week	6,637	100.00	100.00
BLANK	Not asked or Missing	4,289		

Minutes of Vigorous Physical Activity per week for First Activity

CalculatedVariable 10.19 Calculated Variables
s:

Type: Num

Column: 1652-1656

SAS Variable Name: PAVIGM1_

Prologue:

Description: Minutes of Vigorous Physical Activity per week for First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of Activity per week	6,557	100.00	100.00
BLANK	Not asked or Missing	4,369		

Minutes of Vigorous Physical Activity per week for Second Activity

CalculatedVariable 10.20 Calculated Variables
s:

Type: Num

Column: 1657-1661

SAS Variable Name: PAVIGM2_

Prologue:

Description: Minutes of Vigorous Physical Activity per week for Second Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of Activity per week	6,499	100.00	100.00
BLANK	Not asked or Missing	4,427		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Minutes of total Vigorous Physical Activity per week

CalculatedVariable 10.21 Calculated Variables
s:

Type: Num

Column: 1662-1666

SAS Variable Name: PAVIGMN_

Prologue:

Description: Minutes of total Vigorous Physical Activity per week

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of Activity per week	6,674	100.00	100.00
BLANK	Not asked or Missing	4,252		

Physical Activity Categories

CalculatedVariable 10.22 Calculated Variables
s:

Type: Num

Column: 1667

SAS Variable Name: _PACAT

Prologue:

Description: Physical Activity Categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Highly Active	2,545	23.29	23.99
2	Active	1,555	14.23	14.68
3	Insufficiently Active	2,014	18.43	19.81
4	Inactive	3,933	36.00	34.24
9	Don't know/Not Sure/Refused/Missing	879	8.05	7.27

Physical Activity Index

CalculatedVariable 10.23 Calculated Variables
s:

Type: Num

Column: 1668

SAS Variable Name: _PAINDEX

Prologue:

Description: Physical Activity Index

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Meet Aerobic Recommendations	4,174	38.20	39.10
2	Did Not Meet Aerobic Recommendations	5,947	54.43	54.05
9	Don't know/Not Sure/Refused/Missing	805	7.37	6.84

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

150 Minute Physical Activity Calculated Variable

CalculatedVariable 10.24 Calculated Variables
s:

Type: Num

Column: 1669

SAS Variable Name: _PA150R1

Prologue:

Description: Adults that participated in 150 minutes (or vigorous equivalent minutes) of physical activity per week.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	150+ minutes (or vigorous equivalent minutes) of physical activity	4,174	38.20	39.10
2	1-149 minutes (or vigorous equivalent minutes) of physical activity	2,014	18.43	19.81
3	0 minutes (or vigorous equivalent minutes) of physical activity	3,933	36.00	34.24
9	Don't know/Not Sure/Refused/Missing	805	7.37	6.84

300 Minute Physical Activity Calculated Variable

CalculatedVariable 10.25 Calculated Variables
s:

Type: Num

Column: 1670

SAS Variable Name: _PA300R1

Prologue:

Description: Adults that participated in 300 minutes (or vigorous equivalent minutes) of physical activity per week.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	301+ minutes (or vigorous equivalent minutes) of physical activity	2,545	23.29	23.99
2	1-300 minutes (or vigorous equivalent minutes) of physical activity	3,569	32.67	34.49
3	0 minutes (or vigorous equivalent minutes) of physical activity	3,933	36.00	34.24
9	Don't know/Not Sure/Refused/Missing	879	8.05	7.27

300 Minute Physical Activity 2-Level Calculated Variable

CalculatedVariable 10.26 Calculated Variables
s:

Type: Num

Column: 1671

SAS Variable Name: _PA3002L

Prologue:

Description: Adults that participated in 300 minutes (or vigorous equivalent minutes) of physical activity per week (2-levels).

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	301+ minutes (or vigorous equivalent minutes) of physical activity	2,545	23.29	23.99
2	0-300 minutes (or vigorous equivalent minutes) of physical activity	7,502	68.66	68.73
9	Don't know/Not Sure/Refused/Missing	879	8.05	7.27

Muscle Strengthening Recommendation

CalculatedVariable 10.27 Calculated Variables
s:

Type: Num

Column: 1672

SAS Variable Name: _PASTRNG

Prologue:

Description: Muscle Strengthening Recommendation

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Meet muscle strengthening recommendations	2,021	18.50	22.85
2	Did not meet muscle strengthening recommendations	8,454	77.38	72.60
9	Don't know/Not Sure/Refused/Missing	451	4.13	4.55

Aerobic and Strengthening Guideline

CalculatedVariable 10.28 Calculated Variables
s:

Type: Num

Column: 1673

SAS Variable Name: _PAREC

Prologue:

Description: Aerobic and Strengthening Guideline

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Met Both Guidelines	1,250	11.44	14.31
2	Met Aerobic Guidelines Only	2,877	26.33	24.35
3	Met Strengthening Guidelines Only	698	6.39	7.86
4	Did not meet Either Guideline	5,203	47.62	45.81
9	Don't know/Not Sure/Refused/Missing	898	8.22	7.68

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Aerobic and Strengthening (2-level)

CalculatedVariable 10.29 Calculated Variables
s:

Type: Num

Column: 1674

SAS Variable Name: _PASTAER

Prologue:

Description: Aerobic and Strengthening (2-level)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Met Both Guidelines	1,250	11.44	14.31
2	Did Not Meet Both Guidelines	8,778	80.34	78.02
9	Don't know/Not Sure/Refused/Missing	898	8.22	7.68

Always or Nearly Always Wear Seat Belts

CalculatedVariable 13.1 Calculated Variables
s:

Type: Num

Column: 1675

SAS Variable Name: _RFSEAT2

Prologue:

Description: Always or Nearly Always Wear Seat Belts Calculated Variable

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always or Almost Always Wear Seat Belt	10,097	92.41	90.12
2	Sometimes, Seldom, or Never Wear Seat Belt	406	3.72	5.33
9	Don't know/Not Sure Or Refused/Missing	423	3.87	4.56

Always Wear Seat Belts

CalculatedVariable 13.2 Calculated Variables
s:

Type: Num

Column: 1676

SAS Variable Name: _RFSEAT3

Prologue:

Description: Always Wear Seat Belts Calculated Variable

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always Wear Seat Belt	9,692	88.71	85.25
2	Don't Always Wear Seat Belt	811	7.42	10.19
9	Don't know/Not Sure Or Refused/Missing	423	3.87	4.56

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Flu Shot Calculated Variable

CalculatedVariable 14.1 Calculated Variables
s:

Type: Num

Column: 1677

SAS Variable Name: _FLSHOT5

Prologue:

Description: Adults aged 65+ who have had a flu shot within the past year

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: AGE >=65 and FLUSHOT5 = 1	2,462	65.25	64.33
2	No	1,075	28.49	27.32
9	Don't know/Not Sure Or Refused/Missing	236	6.25	8.35
BLANK	Age Less Than 65	7,153		

Pneumonia Vaccination Calculated Variable

CalculatedVariable 14.2 Calculated Variables
s:

Type: Num

Column: 1678

SAS Variable Name: _PNEUMO2

Prologue:

Description: Adults aged 65+ who have ever had a pneumonia vaccination

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: AGE >= 65 and PNEUVAC3 = 1	2,357	62.47	61.74
2	No Notes: AGE >= 65 and PNEUVAC3 = 2	1,098	29.10	27.66
9	Don't know/Not Sure Or Refused/Missing Notes: AGE = 7 or 9 or Missing or PNEUVAC3 = 7 or 9 or Missing	318	8.43	10.60
BLANK	Age Less Than 65 Notes: AGE < 65	7,153		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Drink any alcoholic beverages in past 30 days

CalculatedVariables: 15.1 Calculated Variables

Type: Num

Column: 1679

SAS Variable Name: DRNKANY5

Prologue:

Description: Adults that report having had at least one drink of alcohol in the past 30 days.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: 1 <= ALCDAY5 <= 231	4,345	39.77	46.66
2	No Notes: ALCDAY5=888	6,002	54.93	47.33
7	Don't know/Not Sure Notes: ALCDAY5=777	127	1.16	1.05
9	Refused/Missing Notes: ALCDAY5=999, Missing	452	4.14	4.95

Computed drink-occasions-per-day

CalculatedVariables: 15.2 Calculated Variables

Type: Num

Column: 1680-1682

SAS Variable Name: DROCDY3_

Prologue:

Description: Drink-occasions-per-day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No Drink-Occasions per day Notes: ALCDAY5 = 888	6,002	54.93	47.33
1 - 899	Drink-Occasions per day Notes: ALCDAY5 <= 231	4,345	39.77	46.66
900	Don't know/Not Sure Or Refused/Missing Notes: ALCDAY5 = 777 or 999 or Missing	579	5.30	6.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Binge Drinking Calculated Variable

CalculatedVariable 15.3 Calculated Variables
s:

Type: Num

Column: 1683

SAS Variable Name: _RFBING5

Prologue:

Description: Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ALCDAY5 < 300 and DRNK3GE5 = 0 or ALCDAY5 = 888	9,188	84.09	78.09
2	Yes Notes: ALCDAY5 < 300 and DRNK3GE5 = 1	1,087	9.95	14.95
9	Don't know/Refused/Missing Notes: DRNK3GE5 = 7 or 9 or Missing or ALCDAY5 = 777 or 999 or Missing	651	5.96	6.95

Computed number of drinks of alcohol beverages per day

CalculatedVariable 15.4 Calculated Variables
s:

Type: Num

Column: 1684-1687

SAS Variable Name: _DRNKDY4

Prologue:

Description: Calculated total number of alcoholic beverages consumed per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Did not drink Notes: ALCDAY5 = 888	6,002	54.93	47.33
1 - 9899	Number of drinks per day Notes: ALCDAY5 / 7 per week or ALCDAY5 / 30 per month * AVEDRNK2	4,270	39.08	45.53
9900	Don't know/Not sure/Refused/Missing Notes: ALCDAY5 = 777 or 999 or Missing	654	5.99	7.14

Computed total number drinks a month

CalculatedVariable 15.5 Calculated Variables
s:

Type: Num

Column: 1688-1691

SAS Variable Name: _DRNKMO4

Prologue:

Description: Calculated total number of alcoholic beverages consumed per month

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Did not drink in the past month Notes: _DRNKDY4 = 0	6,002	54.93	47.33
1 - 9998	Number of Drinks Notes: _DRNKDY4 * 30	4,924	45.07	52.67

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Heavy Alcohol Consumption Calculated Variable

CalculatedVariable 15.6 Calculated Variables
s:

Type: Num

Column: 1692

SAS Variable Name: _RFDRHV4

Prologue:

Description: Heavy drinkers (adult men having more than two drinks per day and adult women having more than one drink per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: SEX = 1 and _DRNKDY4 <= 2 or SEX = 2 and _DRNKDY4 <= 1 or ALCDAY5 = 888	9,790	89.60	87.10
2	Yes Notes: SEX = 1 and _DRNKDY4 > 2 or SEX = 2 and _DRNKDY4 > 1	482	4.41	5.76
9	Don't know/Refused/Missing Notes: _DRNKDY4 = 900	654	5.99	7.14

Adult Men Heavy Alcohol Consumption Calculated Variable

CalculatedVariable 15.7 Calculated Variables
s:

Type: Num

Column: 1693

SAS Variable Name: _RFDRMN4

Prologue:

Description: Adult Men that are Heavy drinkers (having more than two drinks per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: SEX = 1 and _DRNKDY4 <= 2 or ALCDAY5 = 888	3,061	86.94	84.92
2	Yes Notes: SEX = 1 and _DRNKDY4 > 2	216	6.13	6.75
9	Don't know/Refused/Missing Notes: _DRNKDY4 = 900	244	6.93	8.32
BLANK	Respondent is female Notes: SEX = 2	7,405		

Behavioral Risk Factor Surveillance System
LOUISIANA 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Adult Women Heavy Alcohol Consumption Calculated Variable

CalculatedVariable 15.8 Calculated Variables
s:

Type: Num

Column: 1694

SAS Variable Name: _RFDRWM4

Prologue:

Description: Adult Women that are Heavy drinkers (having more than one drink per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: SEX = 2 and _DRNKDY4 <= 1 or ALCDAY5 = 888	6,729	90.87	89.10
2	Yes Notes: SEX = 2 and _DRNKDY4 > 1	266	3.59	4.86
9	Don't know/Refused/Missing Notes: _DRNKDY4 = 900	410	5.54	6.04
BLANK	Respondent is male Notes: SEX = 1	3,521		

Ever been tested for HIV calculated variable

CalculatedVariable 16.1 Calculated Variables
s:

Type: Num

Column: 1695

SAS Variable Name: _AIDTST3

Prologue:

Description: Adults that have ever been tested for HIV

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: HIVTST6 = 1	3,453	33.09	42.12
2	No Notes: HIVTST6 = 2	6,516	62.44	54.27
9	Don't know/Not Sure/Refused Notes: HIVTST6 = 7 or 9	466	4.47	3.60
BLANK	Missing or Age greater than 64 Notes: HIVTST6 = Missing	491		