

LOUISIANA

2015 Land Line and Cell Phone Codebook Report

Behavioral Risk Factor Surveillance System

June 1, 2016



Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

State FIPS Code

Section: 0.1 Record Identification

Type: Num

Column: 1-2

SAS Variable Name: _STATE

Prologue:

Description: State FIPS Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
22	Louisiana	4,716	100.00	100.00

Geographic Stratum Code

Section: 0.2 Record Identification

Type: Num

Column: 3-5

SAS Variable Name: _GEOSTR

Prologue:

Description: Geographic Stratum Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,716	100.00	100.00

Household Density Stratum Code

Section: 0.3 Record Identification

Type: Num

Column: 6

SAS Variable Name: _DENSTR2

Prologue:

Description: Household Density Stratum Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Listed	2,586	54.83	36.57
2	Unlisted	203	4.30	4.79
9	Not Applicable	1,927	40.86	58.64

Pre-Call Status Code

Section: 0.4 Record Identification

Type: Num

Column: 7

SAS Variable Name: PRECALL

Prologue:

Description: Pre-Call Status Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	To be called	4,689	99.43	99.26
3	Pre-screened as non-working number	25	0.53	0.70
7	cell phone - unknown status	2	0.04	0.04

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Secondary Screening Flags

Section: 0.5 Record Identification

Type: Num

Column: 8

SAS Variable Name: SECSCRFL

Prologue:

Description: Secondary Screening Flags

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Undetermined/Residential	14	100.00	100.00
BLANK	Missing or Not Used	4,702		

Replicate Number

Section: 0.6 Record Identification

Type: Num

Column: 9-14

SAS Variable Name: REPNUM

Prologue:

Description: Replicate Number

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed	4,716	100.00	100.00

Replicate Depth

Section: 0.7 Record Identification

Type: Num

Column: 15-16

SAS Variable Name: REPDEPTH

Prologue:

Description: Replicate Depth

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,716	100.00	100.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

File Month

Section: 0.8 Record Identification

Type: Num

Column: 17-18

SAS Variable Name: FMONTH

Prologue:

Description: File Month

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	446	9.46	10.55
2	February	466	9.88	10.93
3	March	222	4.71	4.96
4	April	232	4.92	5.47
5	May	210	4.45	4.74
6	June	216	4.58	5.55
7	July	112	2.37	2.53
8	August	209	4.43	4.65
9	September	186	3.94	3.56
10	October	873	18.51	16.72
11	November	1,055	22.37	19.19
12	December	489	10.37	11.16

Interview Date

Section: 0.9 Record Identification

Type: Char

Column: 19-26

SAS Variable Name: IDATE

Prologue:

Description: Interview Date

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,716	100.00	100.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Interview Month

Section: 0.10 Record Identification

Type: Char

Column: 19-20

SAS Variable Name: IMONTH

Prologue:

Description: Interview Month

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	481	10.20	11.15
2	February	7	0.15	0.26
3	March	448	9.50	10.55
4	April	468	9.92	11.09
5	May	469	9.94	10.31
6	June	391	8.29	9.60
7	July	6	0.13	0.14
8	August	312	6.62	6.94
9	September	189	4.01	3.69
10	October	361	7.65	7.29
11	November	1,026	21.76	19.45
12	December	558	11.83	9.54

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Interview Day

Section: 0.11 Record Identification

Type: Char

Column: 21-22

SAS Variable Name: IDAY

Prologue:

Description: Interview Day

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Interview Day	76	1.61	1.99
2		103	2.18	2.53
3		84	1.78	1.53
4		156	3.31	2.84
5		90	1.91	1.83
6		141	2.99	2.32
7		137	2.91	2.37
8		170	3.60	3.08
9		203	4.30	3.38
10		164	3.48	3.18
11		297	6.30	6.22
12		253	5.36	5.43
13		250	5.30	5.51
14		172	3.65	3.87
15		221	4.69	4.88
16		234	4.96	5.04
17		149	3.16	3.89
18		200	4.24	4.33
19		251	5.32	6.67
20		254	5.39	5.21
21		205	4.35	3.60
22		174	3.69	3.83
23		168	3.56	3.82
24		61	1.29	1.68
25		37	0.78	0.84
26		87	1.84	1.94
27		90	1.91	2.26
28		107	2.27	2.29
29		54	1.15	1.24
30		90	1.91	1.77
31		38	0.81	0.63

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Interview Year

Section: 0.12 Record Identification

Type: Char

Column: 23-26

SAS Variable Name: IYEAR

Prologue:

Description: Interview Year

Value	Value Label	Frequency	Percentage	Weighted Percentage
2015	Interview Year	4,240	89.91	89.08
2016		476	10.09	10.92

Interviewer Identification

Section: 0.13 Record Identification

Type: Char

Column: 27-31

SAS Variable Name: INTVID

Prologue:

Description: Interviewer Identification

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,716	100.00	100.00

Final Disposition

Section: 0.14 Record Identification

Type: Num

Column: 32-35

SAS Variable Name: DISPCODE

Prologue:

Description: Final Disposition

Value	Value Label	Frequency	Percentage	Weighted Percentage
1100	Completed Interview	3,877	82.21	78.53
1200	Partial Complete Interview	839	17.79	21.47

Annual Sequence Number

Section: 0.15 Record Identification

Type: Num

Column: 36-45

SAS Variable Name: SEQNO

Prologue:

Description: Annual Sequence Number

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed	4,716	100.00	100.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Primary Sampling Unit

Section: 0.16 Record Identification

Type: Num

Column: 36-45

SAS Variable Name: _PSU

Prologue:

Description: Primary Sampling Unit (Equal to Annual Sequence Number)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,716	100.00	100.00

Number of Attempts

Section: 0.17 Record Identification

Type: Num

Column: 46-47

SAS Variable Name: NATTMPTS

Prologue:

Description: Number of Attempts

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,716	100.00	100.00

Number of Sample Records Selected from Stratum

Section: 0.18 Record Identification

Type: Num

Column: 48-53

SAS Variable Name: NRECSEL

Prologue:

Description: Number of Sample Records Selected from Stratum

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,716	100.00	100.00

Number of Telephone Numbers in Stratum from Which Sample Was Selected

Section: 0.19 Record Identification

Type: Num

Column: 54-62

SAS Variable Name: NRECSTR

Prologue:

Description: Number of Telephone Numbers in Stratum from Which Sample Was Selected

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,716	100.00	100.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Correct telephone number?

LandLine: 0.20 Land Line Introduction

Type: Num

Column: 63

SAS Variable Name: CTELENUM

Prologue: Variable only on the land line survey

Description: Correct Telephone Number?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to PVTRES1	2,789	100.00	100.00
BLANK	Missing Notes: QSTVER > = 20	1,927		

Private Residence?

LandLine: 0.21 Land Line Introduction

Type: Num

Column: 64

SAS Variable Name: PVTRES1

Prologue: Variable only on the land line survey

Description: Is this a private residence? [READ ONLY IF NECESSARY: "By private residence, we mean someplace like a house or apartment."]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to STATERES	2,789	100.00	100.00
BLANK	Missing Notes: QSTVER >= 20	1,927		

Do you live in college housing?

LandLine: 0.22 Land Line Introduction

Type: Num

Column: 65

SAS Variable Name: COLGHOUS

Prologue: Variable only on the land line survey

Description: Do you live in college housing?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing Notes: QSTVER >= 20; or PVTRES1=1	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Resident of State

LandLine: 0.23 Land Line Introduction

Type: Num

Column: 66

SAS Variable Name: STATERES

Prologue: Variable only on the land line survey

Description: Do you reside in ____ (state) ____?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes--Go to CELLFON3	2,789	100.00	100.00
BLANK	Not asked or Missing Notes: QSTVER >= 20	1,927		

Cellular Telephone

LandLine: 0.24 Land Line Introduction

Type: Num

Column: 67

SAS Variable Name: CELLFON3

Prologue: Variable only on the land line survey

Description: Is this a cellular telephone? (Telephone service over the internet counts as landline service (includes Vonage, Magic Jack and other home-based phone services).)[Read only if necessary: "By cellular (or cell) telephone we mean a telephone that is mobile and usable outside of your neighborhood."]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not a cellular phone	1	0.04	0.11
2	Yes--Terminate Phone Call	2,789	99.96	99.89
BLANK	Missing Notes: QSTVER >= 20	1,926		

Are you 18 years of age or older?

LandLine: 0.25 Land Line Introduction

Type: Num

Column: 68

SAS Variable Name: LADULT

Prologue: Variable only on the land line survey

Description: Are you 18 years of age or older?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing Notes: QSTVER >= 20	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Number of Adults in Household

LandLine: 0.26 Land Line Introduction

Type: Num

Column: 69-70

SAS Variable Name: NUMADULT

Prologue: Variable only on the land line survey

Description: Number of Adults in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Number of adults in the household	1,132	40.59	21.22
2		1,278	45.82	49.57
3		275	9.86	18.63
4		83	2.98	7.52
5		14	0.50	2.14
6 - 99	6 or more	7	0.25	0.93
BLANK	Missing Notes: QSTVER >= 20	1,927		

Number of Adult men in Household

LandLine: 0.27 Land Line Introduction

Type: Num

Column: 71-72

SAS Variable Name: NUMMEN

Prologue: Variable only on the land line survey

Description: Number of Adult Men in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Number of adult men in the household	983	35.25	20.28
1		1,577	56.54	60.45
2		191	6.85	15.24
3		29	1.04	2.81
4		5	0.18	0.76
5		3	0.11	0.33
6 - 99	6 or more	1	0.04	0.13
BLANK	Missing Notes: QSTVER >= 20	1,927		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Number of Adult women in Household

LandLine: 0.28 Land Line Introduction

Type: Num

Column: 73-74

SAS Variable Name: NUMWOMEN

Prologue: Variable only on the land line survey

Description: Number of Adult Women in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Number of adult women in the household	291	10.43	8.32
1		2,175	77.98	70.51
2		279	10.00	16.92
3		36	1.29	3.23
4		8	0.29	1.02
BLANK	Missing Notes: QSTVER >= 20	1,927		

Correct Phone Number?

CellPhone: 0.29 Cell Phone Introduction

Type: Num

Column: 75

SAS Variable Name: CTELMUM1

Prologue: Variable only on the cell phone survey

Description: Is this (phone number) ?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes-Go to CELLFON2	1,927	100.00	100.00
BLANK	Not asked or Missing Notes: QSTVER < = 20	2,789		

Is this a cellular telephone?

CellPhone: 0.30 Cell Phone Introduction

Type: Num

Column: 76

SAS Variable Name: CELLFON2

Prologue: Variable only on the cell phone survey

Description: Is this a cellular telephone?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes-Go to CADULT	1,927	100.00	100.00
BLANK	Not asked or Missing Notes: QSTVER < 20	2,789		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Are you 18 years of age or older?

CellPhone: 0.31 Cell Phone Introduction

Type: Num

Column: 77

SAS Variable Name: CADULT

Prologue: Variable only on the cell phone survey

Description: Are you 18 years of age or older?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, Male Respondent—Go to PVTRES2	935	48.52	54.53
2	Yes, Female Respondent—Go to PVTRES2	992	51.48	45.47
BLANK	Not asked or Missing Notes: QSTVER < 20	2,789		

Do you live in a private residence?

CellPhone: 0.32 Cell Phone Introduction

Type: Num

Column: 78

SAS Variable Name: PVTRES2

Prologue: Variable only on the cell phone survey

Description: Do you live in a private residence, that is, not in a dormitory or other type of group living situation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to CSTATE	1,916	99.43	99.36
2	No—Go to CCLGHOUS	11	0.57	0.64
BLANK	Not asked or Missing Notes: QSTVER < 20	2,789		

Do you live in college housing?

CellPhone: 0.33 Cell Phone Introduction

Type: Num

Column: 79

SAS Variable Name: CCLGHOUS

Prologue: Variable only on the cell phone survey

Description: Do you live in college housing?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to CSTATE	10	100.00	100.00
BLANK	Missing Notes: QSTVER < 20; or PVTRES2=1	4,706		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Are you a resident of [STATE]?

CellPhone: 0.34 Cell Phone Introduction

Type: Num

Column: 80

SAS Variable Name: CSTATE

Prologue: Variable only on the cell phone survey

Description: Are you a resident of [STATE]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to LANDLINE	1,826	94.76	94.08
2	No—Go to RSPSTATE	101	5.24	5.92
BLANK	Not asked or Missing Notes: QSTVER < 20	2,789		

In what state do you live?

CellPhone: 0.35 Cell Phone Introduction

Type: Num

Column: 81-82

SAS Variable Name: RSPSTATE

Prologue: Variable only on the cell phone survey

Description: In what state do you live?

Value	Value Label	Frequency	Percentage	Weighted Percentage
22	Louisiana	101	100.00	100.00
BLANK	Not asked or Missing Notes: QSTVER < 20	4,615		

Do you also have a landline telephone?

CellPhone: 0.36 Cell Phone Introduction

Type: Num

Column: 83

SAS Variable Name: LANDLINE

Prologue: Variable only on the cell phone survey

Description: Do you also have a landline telephone in your home that is used to make and receive calls?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	650	33.84	28.21
2	No	1,267	65.96	71.58
7	Don't know/Not sure	2	0.10	0.18
9	Refused	2	0.10	0.03
BLANK	Not asked or Missing Notes: QSTVER < 20	2,795		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Number of Adults in Household

CellPhone: 0.37 Cell Phone Introduction

Type: Num

Column: 84-85

SAS Variable Name: HHADULT

Prologue: Variable only on the cell phone survey

Description: How many members of your household, including yourself, are 18 years of age or older?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of adults	1,909	99.69	99.68
77	Don't know/Not sure	1	0.05	0.03
99	Refused	5	0.26	0.29
BLANK	Not asked or Missing Notes: QSTVER < 20	2,801		

General Health

Section: 1.1 Health Status

Type: Num

Column: 90

SAS Variable Name: GENHLTH

Prologue:

Description: Would you say that in general your health is:

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Excellent	668	14.16	16.46
2	Very good	1,355	28.73	29.22
3	Good	1,481	31.40	32.18
4	Fair	806	17.09	15.36
5	Poor	394	8.35	6.53
7	Don't know/Not Sure	9	0.19	0.22
9	Refused	3	0.06	0.03

Number of Days Physical Health Not Good

Section: 2.1 Healthy Days — Health Related Quality of Life

Type: Num

Column: 91-92

SAS Variable Name: PHYSHLTH

Prologue:

Description: Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days	1,800	38.17	35.35
88	None	2,783	59.01	62.19
77	Don't know/Not sure	127	2.69	2.37
99	Refused	6	0.13	0.09

Number of Days Mental Health Not Good

Section: 2.2 Healthy Days — Health Related Quality of Life

Type: Num

Column: 93-94

SAS Variable Name: MENTHLTH

Prologue:

Description: Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: _ _ Number of days	1,529	32.42	34.24
88	None	3,102	65.78	64.02
77	Don't know/Not sure	73	1.55	1.51
99	Refused	12	0.25	0.23

Poor Physical or Mental Health

Section: 2.3 Healthy Days — Health Related Quality of Life

Type: Num

Column: 95-96

SAS Variable Name: POORHLTH

Prologue:

Description: During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: _ _ Number of days	1,193	46.38	44.55
88	None	1,328	51.63	53.77
77	Don't know/Not sure	46	1.79	1.54
99	Refused	5	0.19	0.14
BLANK	Not asked or Missing Notes: Section 02.01, PHYSHLTH, is 88 and Section 2.02, MENTHLTH, is 88	2,144		

Have any health care coverage

Section: 3.1 Health Care Access

Type: Num

Column: 97

SAS Variable Name: HLTHPLN1

Prologue:

Description: Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare, or Indian Health Service?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,180	88.63	83.64
2	No	507	10.75	15.28
7	Don't know/Not Sure	24	0.51	0.96
9	Refused	5	0.11	0.12

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Multiple Health Care Professionals

Section: 3.2 Health Care Access

Type: Num

Column: 98

SAS Variable Name: PERSDOC2

Prologue:

Description: Do you have one person you think of as your personal doctor or health care provider? (If "No" ask "Is there more than one or is there no person who you think of as your personal doctor or health care provider?".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, only one	3,430	72.73	67.80
2	More than one	525	11.13	9.37
3	No	748	15.86	22.51
7	Don't know/Not Sure	7	0.15	0.19
9	Refused	6	0.13	0.13

Could Not See Doctor Because of Cost

Section: 3.3 Health Care Access

Type: Num

Column: 99

SAS Variable Name: MEDCOST

Prologue:

Description: Was there a time in the past 12 months when you needed to see a doctor but could not because of cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	644	13.66	16.27
2	No	4,062	86.13	83.59
7	Don't know/Not sure	8	0.17	0.12
9	Refused	2	0.04	0.03

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Length of time since last routine checkup

Section: 3.4 Health Care Access

Type: Num

Column: 100

SAS Variable Name: CHECKUP1

Prologue:

Description: About how long has it been since you last visited a doctor for a routine checkup? [A routine checkup is a general physical exam, not an exam for a specific injury, illness, or condition.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within past year (anytime less than 12 months ago)	3,618	76.72	70.56
2	Within past 2 years (1 year but less than 2 years ago)	427	9.05	10.91
3	Within past 5 years (2 years but less than 5 years ago)	235	4.98	6.36
4	5 or more years ago	292	6.19	8.42
7	Don't know/Not sure	102	2.16	2.54
8	Never	40	0.85	1.19
9	Refused	2	0.04	0.03

Ever Told Blood Pressure High

Section: 4.1 Hypertension Awareness

Type: Num

Column: 101

SAS Variable Name: BPHIGH4

Prologue:

Description: Have you EVER been told by a doctor, nurse or other health professional that you have high blood pressure? (If "Yes" and respondent is female, ask "Was this only when you were pregnant?".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,326	49.32	39.21
2	Yes, but female told only during pregnancy—Go to Section 05.01 BLOODCHO	45	0.95	1.35
3	No—Go to Section 05.01 BLOODCHO	2,309	48.96	58.65
4	Told borderline high or pre-hypertensive—Go to Section 05.01 BLOODCHO	28	0.59	0.55
7	Don't know/Not Sure—Go to Section 05.01 BLOODCHO	8	0.17	0.25

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Currently Taking Blood Pressure Medication

Section: 4.2 Hypertension Awareness

Type: Num

Column: 102

SAS Variable Name: BPMEDS

Prologue:

Description: Are you currently taking medicine for your high blood pressure?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,072	89.08	83.39
2	No	252	10.83	16.58
7	Don't know/Not Sure	2	0.09	0.03
BLANK	Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 3, 4, 7, 9, or Missing	2,390		

Ever Had Blood Cholesterol Checked

Section: 5.1 Cholesterol Awareness

Type: Num

Column: 103

SAS Variable Name: BLOODCHO

Prologue:

Description: Blood cholesterol is a fatty substance found in the blood. Have you EVER had your blood cholesterol checked?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,009	85.01	76.92
2	No—Go to Section 06.01 CVDINFR4	552	11.70	18.32
7	Don't know/Not Sure—Go to Section 06.01 CVDINFR4	154	3.27	4.75
9	Refused—Go to Section 06.01 CVDINFR4	1	0.02	0.01

How Long since Cholesterol Checked

Section: 5.2 Cholesterol Awareness

Type: Num

Column: 104

SAS Variable Name: CHOLCHK

Prologue:

Description: About how long has it been since you last had your blood cholesterol checked?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	3,225	80.44	76.92
2	Within the past 2 years (1 year but less than 2 years ago)	386	9.63	11.19
3	Within the past 5 years (2 years but less than 5 years ago)	206	5.14	6.08
4	5 or more years ago	107	2.67	3.28
7	Don't know/Not Sure	84	2.10	2.53
9	Refused	1	0.02	0.01
BLANK	Not asked or Missing Notes: Section 5.01, BLOODCHO, is coded 2, 7, 9, or Missing	707		

Ever Told Blood Cholesterol High

Section: 5.3 Cholesterol Awareness

Type: Num

Column: 105

SAS Variable Name: TOLDHI2

Prologue:

Description: Have you EVER been told by a doctor, nurse or other health professional that your blood cholesterol is high?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,830	45.65	38.92
2	No	2,143	53.45	60.33
7	Don't know/Not Sure	34	0.85	0.65
9	Refused	2	0.05	0.11
BLANK	Not asked or Missing	707		
Notes: Section 05.01, BLOODCHO, is coded 2, 7, 9, or Missing				

Ever Diagnosed with Heart Attack

Section: 6.1 Chronic Health Conditions

Type: Num

Column: 106

SAS Variable Name: CVDINFR4

Prologue: Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me "Yes", "No", or you're "Not sure":

Description: (Ever told) you had a heart attack, also called a myocardial infarction?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	337	7.15	5.44
2	No	4,350	92.24	93.99
7	Don't know/Not sure	28	0.59	0.56
9	Refused	1	0.02	0.01

Ever Diagnosed with Angina or Coronary Heart Disease

Section: 6.2 Chronic Health Conditions

Type: Num

Column: 107

SAS Variable Name: CVDCRHD4

Prologue:

Description: (Ever told) you had angina or coronary heart disease?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	362	7.68	5.28
2	No	4,286	90.88	93.57
7	Don't know/Not sure	68	1.44	1.15

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Ever Diagnosed with a Stroke

Section: 6.3 Chronic Health Conditions

Type: Num

Column: 108

SAS Variable Name: CVDSTRK3

Prologue:

Description: (Ever told) you had a stroke.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	271	5.75	4.05
2	No	4,437	94.08	95.75
7	Don't know/Not sure	8	0.17	0.19

Ever Told Had Asthma

Section: 6.4 Chronic Health Conditions

Type: Num

Column: 109

SAS Variable Name: ASTHMA3

Prologue:

Description: (Ever told) you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	634	13.44	14.53
2	No—Go to Section 06.06 CHCSCNCR	4,068	86.26	85.10
7	Don't know/Not Sure—Go to Section 06.06 CHCSCNCR	14	0.30	0.37

Still Have Asthma

Section: 6.5 Chronic Health Conditions

Type: Num

Column: 110

SAS Variable Name: ASTHNOW

Prologue:

Description: Do you still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	385	60.73	55.69
2	No	219	34.54	39.97
7	Don't know/Not Sure	30	4.73	4.33
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing	4,082		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Ever told) you had skin cancer?

Section: 6.6 Chronic Health Conditions

Type: Num

Column: 111

SAS Variable Name: CHCSCNCR

Prologue:

Description: (Ever told) you had skin cancer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	371	7.87	5.19
2	No	4,335	91.92	94.52
7	Don't know / Not sure	10	0.21	0.29

Ever told) you had any other types of cancer?

Section: 6.7 Chronic Health Conditions

Type: Num

Column: 112

SAS Variable Name: CHCOCNCR

Prologue:

Description: (Ever told) you had any other types of cancer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	478	10.14	7.02
2	No	4,227	89.63	92.85
7	Don't know / Not sure	11	0.23	0.13

Ever told) you have chronic obstructive pulmonary disease, emphysema or chronic bronchitis?

Section: 6.8 Chronic Health Conditions

Type: Num

Column: 113

SAS Variable Name: CHCCOPD1

Prologue:

Description: (Ever told) you have Chronic Obstructive Pulmonary Disease or COPD, emphysema or chronic bronchitis?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	458	9.71	7.53
2	No	4,232	89.74	91.93
7	Don't know / Not sure	26	0.55	0.54

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Told Have Arthritis

Section: 6.9 Chronic Health Conditions

Type: Num

Column: 114

SAS Variable Name: HAVARTH3

Prologue:

Description: (Ever told) you have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia? (Arthritis diagnoses include: rheumatism, polymyalgia rheumatica; osteoarthritis (not osteoporosis); tendonitis, bursitis, bunion, tennis elbow; carpal tunnel syndrome, tarsal tunnel syndrome; joint infection, etc.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,748	37.07	27.71
2	No	2,935	62.23	71.58
7	Don't know/Not Sure	33	0.70	0.71

Ever told you had a depressive disorder

Section: 6.10 Chronic Health Conditions

Type: Num

Column: 115

SAS Variable Name: ADDEPEV2

Prologue:

Description: (Ever told) you that you have a depressive disorder, including depression, major depression, dysthymia, or minor depression?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	979	20.76	19.92
2	No	3,713	78.73	79.34
7	Don't know/Not sure	22	0.47	0.71
9	Refused	2	0.04	0.03

Ever told) you have kidney disease?

Section: 6.11 Chronic Health Conditions

Type: Num

Column: 116

SAS Variable Name: CHCKIDNY

Prologue:

Description: (Ever told) you have kidney disease? Do NOT include kidney stones, bladder infection or incontinence.(Incontinence is not being able to control urine flow.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	191	4.05	2.78
2	No	4,503	95.48	96.81
7	Don't know / Not sure	22	0.47	0.42

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Ever told) you have diabetes

Section: 6.12 Chronic Health Conditions

Type: Num

Column: 117

SAS Variable Name: DIABETE3

Prologue:

Description: (Ever told) you have diabetes (If "Yes" and respondent is female, ask "Was this only when you were pregnant?". If Respondent says pre-diabetes or borderline diabetes, use response code 4.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	800	16.97	12.66
2	Yes, but female told only during pregnancy—Go to Section 07.7.1 SEX	62	1.32	1.35
3	No—Go to Section 07.7.1 SEX	3,772	80.02	84.47
4	No, pre-diabetes or borderline diabetes—Go to Section 07.7.1 SEX	74	1.57	1.25
7	Don't know/Not Sure—Go to Section 07.7.1 SEX	6	0.13	0.28
BLANK	Not asked or Missing	2		

Age When Told Diabetic

Section: 6.13 Chronic Health Conditions

Type: Num

Column: 118-119

SAS Variable Name: DIABAGE2

Prologue:

Description: How old were you when you were told you have diabetes?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 97	Age in years [97 = 97 and older] Notes: __ Code age in years, 97 = 97 or older	692	86.50	89.52
98	Don't know/Not sure	105	13.13	10.00
99	Refused	3	0.38	0.48
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	3,916		

Respondents Sex

Section: 7.1 Demographics

Type: Num

Column: 120

SAS Variable Name: SEX

Prologue:

Description: Indicate sex of respondent.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Male	1,813	38.44	48.33
2	Female	2,903	61.56	51.67

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Reported Age in Years

Section: 7.2 Demographics

Type: Num

Column: 121-122

SAS Variable Name: AGE

Prologue:

Description: What is your age?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	0.02	0.00
9	Refused	37	0.78	0.83
18 - 24	Age 18 - 24 Notes: _ _ Code age in years	266	5.64	13.05
25 - 34	Age 25 - 34	500	10.60	18.56
35 - 44	Age 35 - 44	511	10.84	15.94
45 - 54	Age 45 - 54	741	15.71	16.52
55 - 64	Age 55 - 64	1,070	22.69	16.39
65 - 99	Age 65 or older	1,590	33.72	18.70

Hispanic, Latino/a, or Spanish origin?

Section: 7.3 Demographics

Type: Char

Column: 123-126

SAS Variable Name: HISPANC3

Prologue:

Description: Are you Hispanic, Latino/a, or Spanish origin? [One or more categories may be selected.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not Sure	22	0.47	0.51
9	Refused	23	0.49	0.37
HIDDEN	Data not displayed	4,671	99.05	99.12

Multiple Race

Section: 7.4 Demographics

Type: Char

Column: 127-154

SAS Variable Name: MRACE1

Prologue:

Description: Which one or more of the following would you say is your race? (If 40 (Asian) or 50 (Pacific Islander) is selected read and code subcategories underneath major heading.)[Select all that apply.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
77	Don't know/Not Sure	12	0.25	0.31
99	Refused	42	0.89	1.06
HIDDEN	Data not displayed	4,662	98.85	98.63

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Respondent Race Choice

Section: 7.5 Demographics

Type: Num

Column: 155-156

SAS Variable Name: ORACE3

Prologue:

Description: Which one of these groups would you say best represents your race? (If 40 (Asian) or 50 (Pacific Islander) is selected read and code subcategory underneath major heading.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
10	White	25	38.46	36.78
20	Black or African American	13	20.00	20.47
30	American Indian or Alaska Native	10	15.38	14.84
40	Asian	2	3.08	4.51
50	Pacific Islander	1	1.54	6.67
60	Other	7	10.77	8.83
77	Don't know/Not Sure	4	6.15	5.16
99	Refused	3	4.62	2.73
BLANK	Not asked or Missing	4,651		

Notes: Section 07.04, MRACE1, has only one valid race code (10-60)

Marital Status

Section: 7.6 Demographics

Type: Num

Column: 157

SAS Variable Name: MARITAL

Prologue:

Description: Are you: (marital status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	2,228	47.24	46.55
2	Divorced	695	14.74	11.80
3	Widowed	739	15.67	7.96
4	Separated	124	2.63	3.02
5	Never married	803	17.03	26.58
6	A member of an unmarried couple	108	2.29	3.80
9	Refused	19	0.40	0.29

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Education Level

Section: 7.7 Demographics

Type: Num

Column: 158

SAS Variable Name: EDUCA

Prologue:

Description: What is the highest grade or year of school you completed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Never attended school or only kindergarten	2	0.04	0.08
2	Grades 1 through 8 (Elementary)	150	3.18	3.85
3	Grades 9 through 11 (Some high school)	435	9.22	13.73
4	Grade 12 or GED (High school graduate)	1,537	32.59	33.72
5	College 1 year to 3 years (Some college or technical school)	1,229	26.06	28.49
6	College 4 years or more (College graduate)	1,355	28.73	20.00
9	Refused	8	0.17	0.13

Own or Rent Home

Section: 7.8 Demographics

Type: Num

Column: 159

SAS Variable Name: RENTHOM1

Prologue:

Description: Do you own or rent your home? (Home is defined as the place where you live most of the time/the majority of the year.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Own	3,430	72.73	69.38
2	Rent	901	19.11	20.34
3	Other arrangement	352	7.46	9.71
7	Don't know/Not Sure	5	0.11	0.10
9	Refused	28	0.59	0.47

County Code

Section: 7.9 Demographics

Type: Num

Column: 160-162

SAS Variable Name: CTYCODE1

Prologue:

Description: What county do you live in?

Value	Value Label	Frequency	Percentage	Weighted Percentage
777	Don't know/Not sure	58	1.23	1.45
999	Refused	27	0.57	0.67
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,631	98.20	97.88

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Zipcode of residence

Section: 7.10 Demographics

Type: Char

Column: 163-167

SAS Variable Name: ZIPCODE

Prologue:

Description: What is your ZIP Code where you live?

Value	Value Label	Frequency	Percentage	Weighted Percentage
77777	Don't know/Not Sure	63	1.34	1.73
99999	Refused	82	1.74	1.78
HIDDEN	Data not displayed	4,571	96.93	96.49

Household Telephones

Section: 7.11 Demographics

Type: Num

Column: 168

SAS Variable Name: NUMHHOL2

Prologue:

Description: Do you have more than one telephone number in your household? Do not include cell phones or numbers that are only used by a computer or fax machine.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	158	5.67	4.38
2	No—Go to Section 07.13 CPDEMO1	2,622	94.01	95.42
7	Don't know/Not sure—Go to Section 07.13 CPDEMO1	1	0.04	0.02
9	Refused—Go to Section 07.13 CPDEMO1	8	0.29	0.18
BLANK	Not asked or Missing Notes: QSTVER >= 20	1,927		

Residential Phones

Section: 7.12 Demographics

Type: Num

Column: 169

SAS Variable Name: NUMPHON2

Prologue:

Description: How many of these telephone numbers are residential numbers?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Residential telephone number	90	56.96	75.79
2	Residential telephone numbers	54	34.18	19.11
3	Residential telephone numbers	10	6.33	2.70
4	Residential telephone numbers	2	1.27	0.32
5	Residential telephone numbers	1	0.63	2.01
7	Don't know/Not Sure	1	0.63	0.07
BLANK	Not asked or Missing Notes: Section 07.11, NUMHHOL2, is coded 2, 7, 9, or Missing; or QSTVER >= 20	4,558		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Do you have a cell phone for personal use?

Section: 7.13 Demographics

Type: Num

Column: 170

SAS Variable Name: CPDEMO1

Prologue:

Description: Do you have a cell phone for personal use? Please include cell phones used for both business and personal use

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,260	81.03	80.31
2	No	520	18.64	19.39
9	Refused	9	0.32	0.30
BLANK	Not asked or Missing Notes: QSTVER > = 20	1,927		

Are You A Veteran

Section: 7.14 Demographics

Type: Num

Column: 171

SAS Variable Name: VETERAN3

Prologue:

Description: Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit? (Active duty does not include training for the Reserves or National Guard, but DOES include activation, for example, for the Persian Gulf War.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	583	12.36	11.18
2	No	4,123	87.44	88.62
7	Don't know/Not Sure	2	0.04	0.02
9	Refused	7	0.15	0.18
BLANK	Not asked or Missing	1		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Employment Status

Section: 7.15 Demographics

Type: Num

Column: 172

SAS Variable Name: EMPLOY1

Prologue:

Description: Are you currently...?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Employed for wages	1,771	37.55	46.21
2	Self-employed	338	7.17	8.28
3	Out of work for 1 year or more	122	2.59	3.34
4	Out of work for less than 1 year	110	2.33	3.32
5	A homemaker	325	6.89	6.18
6	A student	104	2.21	4.39
7	Retired	1,365	28.94	16.83
8	Unable to work	535	11.34	10.40
9	Refused	46	0.98	1.06

Number of Children in Household

Section: 7.16 Demographics

Type: Num

Column: 173-174

SAS Variable Name: CHILDREN

Prologue:

Description: How many children less than 18 years of age live in your household?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of children Notes: _ _ = Number of children	1,231	26.10	36.64
88	None	3,425	72.63	61.72
99	Refused	60	1.27	1.64

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Income Level

Section: 7.17 Demographics

Type: Num

Column: 175-176

SAS Variable Name: INCOME2

Prologue:

Description: Is your annual household income from all sources: (If respondent refuses at any income level, code "Refused.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than \$10,000 Notes: If "no," code 02	279	5.98	6.46
2	Less than \$15,000 (\$10,000 to less than \$15,000) Notes: If "no," code 03; if "yes," ask 01	272	5.83	4.97
3	Less than \$20,000 (\$15,000 to less than \$20,000) Notes: If "no," code 04; if "yes," ask 02	385	8.25	8.06
4	Less than \$25,000 (\$20,000 to less than \$25,000) Notes: If "no," ask 05; if "yes," ask 03	402	8.62	7.94
5	Less than \$35,000 (\$25,000 to less than \$35,000) Notes: If "no," ask 06	413	8.85	8.29
6	Less than \$50,000 (\$35,000 to less than \$50,000) Notes: If "no," ask 07	506	10.84	10.41
7	Less than \$75,000 (\$50,000 to less than \$75,000) Notes: If "no," code 08	513	10.99	11.82
8	\$75,000 or more	979	20.98	22.65
77	Don't know/Not sure	472	10.12	11.64
99	Refused	445	9.54	7.76
BLANK	Not asked or Missing	50		

Internet use in the past 30 days?

Section: 7.18 Demographics

Type: Num

Column: 177

SAS Variable Name: INTERNET

Prologue:

Description: Have you used the internet in the past 30 days?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,222	69.29	75.86
2	No	1,402	30.15	23.63
7	Don't know/Not Sure	6	0.13	0.19
9	Refused	20	0.43	0.32
BLANK	Not asked or Missing	66		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Reported Weight in Pounds

Section: 7.19 Demographics

Type: Num

Column: 178-181

SAS Variable Name: WEIGHT2

Prologue:

Description: About how much do you weigh without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round fractions up.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
50 - 0999	Weight (pounds) Notes: 0 _ _ _ = weight in pounds	4,373	94.31	95.18
7777	Don't know/Not sure	112	2.42	2.57
9000 - 9998	Weight (kilograms) Notes: The initial '9' indicates this was a metric value.	2	0.04	0.04
9999	Refused	150	3.23	2.21
BLANK	Not asked or Missing	79		

Reported Height in Feet and Inches

Section: 7.20 Demographics

Type: Num

Column: 182-185

SAS Variable Name: HEIGHT3

Prologue:

Description: About how tall are you without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round fractions down.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
200 - 711	Height (ft/inches) Notes: 0 _ / _ _ = feet / inches	4,543	98.23	98.63
7777	Don't know/Not sure	30	0.65	0.52
9999	Refused	52	1.12	0.85
BLANK	Not asked or Missing	91		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Pregnancy Status

Section: 7.21 Demographics

Type: Num

Column: 186

SAS Variable Name: PREGNANT

Prologue:

Description: To your knowledge, are you now pregnant?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	24	3.31	3.17
2	No	692	95.32	95.54
7	Don't know/Not Sure	6	0.83	1.03
9	Refused	4	0.55	0.26
BLANK	Not asked or Missing Notes: Section 07.01, SEX, is coded 1; or Section 07.02, AGE, is greater than 44	3,990		

Activity Limitation Due to Health Problems

Section: 7.22 Demographics

Type: Num

Column: 187

SAS Variable Name: QLACTLM2

Prologue:

Description: Are you limited in any way in any activities because of physical, mental, or emotional problems?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,282	28.03	22.84
2	No	3,267	71.43	76.41
7	Don't know/Not Sure	16	0.35	0.61
9	Refused	9	0.20	0.14
BLANK	Not asked or Missing	142		

Health Problems Requiring Special Equipment

Section: 7.23 Demographics

Type: Num

Column: 188

SAS Variable Name: USEEQUIP

Prologue:

Description: Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone? (Include occasional use or use in certain circumstances.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	648	14.22	10.20
2	No	3,905	85.67	89.75
7	Don't know/Not Sure	2	0.04	0.02
9	Refused	3	0.07	0.03
BLANK	Not asked or Missing	158		

Blind or Difficulty seeing

Section: 7.24 Demographics

Type: Num

Column: 189

SAS Variable Name: BLIND

Prologue:

Description: Are you blind or do you have serious difficulty seeing, even when wearing glasses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	362	7.96	6.81
2	No	4,174	91.74	92.89
7	Don't know/Not Sure	8	0.18	0.23
9	Refused	6	0.13	0.07
BLANK	Not asked or Missing	166		

Difficulty Concentrating or Remembering

Section: 7.25 Demographics

Type: Num

Column: 190

SAS Variable Name: DECIDE

Prologue:

Description: Because of a physical, mental, or emotional condition, do you have serious difficulty concentrating, remembering, or making decisions?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	673	14.82	14.93
2	No	3,836	84.49	84.50
7	Don't know/Not Sure	24	0.53	0.48
9	Refused	7	0.15	0.09
BLANK	Not asked or Missing	176		

Difficulty Walking or Climbing Stairs

Section: 7.26 Demographics

Type: Num

Column: 191

SAS Variable Name: DIFFWALK

Prologue:

Description: Do you have serious difficulty walking or climbing stairs?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,079	23.83	18.16
2	No	3,429	75.73	81.57
7	Don't know/Not Sure	16	0.35	0.23
9	Refused	4	0.09	0.04
BLANK	Not asked or Missing	188		

Difficulty Dressing or Bathing

Section: 7.27 Demographics

Type: Num

Column: 192

SAS Variable Name: DIFFDRES

Prologue:

Description: Do you have difficulty dressing or bathing?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	326	7.21	5.30
2	No	4,187	92.57	94.62
7	Don't know/Not Sure	8	0.18	0.06
9	Refused	2	0.04	0.02
BLANK	Not asked or Missing	193		

Difficulty Doing Errands Alone

Section: 7.28 Demographics

Type: Num

Column: 193

SAS Variable Name: DIFFALON

Prologue:

Description: Because of a physical, mental, or emotional condition, do you have difficulty doing errands alone such as visiting a doctor's office or shopping?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	538	11.92	9.57
2	No	3,956	87.62	90.03
7	Don't know/Not Sure	17	0.38	0.36
9	Refused	4	0.09	0.05
BLANK	Not asked or Missing	201		

Smoked at Least 100 Cigarettes

Section: 8.1 Tobacco Use

Type: Num

Column: 194

SAS Variable Name: SMOKE100

Prologue:

Description: Have you smoked at least 100 cigarettes in your entire life? [Note: 5 packs = 100 cigarettes]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,959	43.47	44.07
2	No—Go to Section 08.05 USENOW3	2,525	56.02	55.32
7	Don't know/Not Sure—Go to Section 08.05 USENOW3	21	0.47	0.59
9	Refused—Go to Section 08.05 USENOW3	2	0.04	0.02
BLANK	Not asked or Missing	209		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Frequency of Days Now Smoking

Section: 8.2 Tobacco Use

Type: Num

Column: 195

SAS Variable Name: SMOKDAY2

Prologue:

Description: Do you now smoke cigarettes every day, some days, or not at all?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	555	28.33	34.13
2	Some days	244	12.46	15.21
3	Not at all—Go to Section 08.04 LASTSMK2	1,159	59.16	50.65
9	Refused—Go to Section 08.05 USENOW3	1	0.05	0.02
BLANK	Not asked or Missing Notes: Section 08.01, SMOKE100, is coded 2, 7, 9, or Missing	2,757		

Stopped Smoking in past 12 months

Section: 8.3 Tobacco Use

Type: Num

Column: 196

SAS Variable Name: STOPSMK2

Prologue:

Description: During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to Section 08.05 USENOW3	472	59.15	60.33
2	No—Go to Section 08.05 USENOW3	322	40.35	39.34
7	Don't know/Not Sure—Go to Section 08.05 USENOW3	2	0.25	0.22
9	Refused—Go to Section 08.05 USENOW3	2	0.25	0.12
BLANK	Not asked or Missing Notes: Section 08.01, SMOKE100, is coded 2, 7, 9, or Missing; or Section 08.02, SMOKDAY2, is coded 3, 7, 9, or Missing	3,918		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Interval Since Last Smoked

Section: 8.4 Tobacco Use

Type: Num

Column: 197-198

SAS Variable Name: LASTSMK2

Prologue:

Description: How long has it been since you last smoked a cigarette, even one or two puffs?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past month (less than 1 month ago)	32	2.76	3.68
2	Within the past 3 months (1 month but less than 3 months ago)	23	1.99	3.80
3	Within the past 6 months (3 months but less than 6 months ago)	27	2.33	3.79
4	Within the past year (6 months but less than 1 year ago)	39	3.37	4.34
5	Within the past 5 years (1 year but less than 5 years ago)	171	14.77	19.93
6	Within the past 10 years (5 years but less than 10 years ago)	120	10.36	12.10
7	10 years or more	727	62.78	50.77
8	Never smoked regularly	4	0.35	0.25
77	Don't know/Not sure	12	1.04	1.22
99	Refused	3	0.26	0.13
BLANK	Not asked or Missing Notes: Section 08.01, SMOKE100, is coded 2, 7, 9, or Missing; or Section 08.02, SMOKDAY2, is coded 7, 9, or Missing; or Section 08.03, STOPSMK2, is coded 1, 2, 7, 9;	3,558		

Use of Smokeless Tobacco Products

Section: 8.5 Tobacco Use

Type: Num

Column: 199

SAS Variable Name: USENOW3

Prologue:

Description: Do you currently use chewing tobacco, snuff, or snus every day, some days, or not at all? (Snus (Swedish for snuff) is a moist smokeless tobacco, usually sold in small pouches that are placed under the lip against the gum.)(Snus (rhymes with 'goose'))

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	118	2.63	2.98
2	Some days	90	2.00	2.70
3	Not at all	4,281	95.28	94.26
7	Don't know/Not Sure	2	0.04	0.03
9	Refused	2	0.04	0.04
BLANK	Not asked or Missing	223		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Days in past 30 had alcoholic beverage

Section: 9.1 Alcohol Consumption

Type: Num

Column: 200-202

SAS Variable Name: ALCDAY5

Prologue:

Description: During the past 30 days, how many days per week or per month did you have at least one drink of any alcoholic beverage such as beer, wine, a malt beverage or liquor?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Days per week Notes: 1_ _ = Days per week	532	11.88	13.15
201 - 299	Days in past 30 days Notes: 2_ _ = Days in past 30	1,372	30.63	34.54
777	Don't know/Not sure—Go to Section 10.01 FRUITJU1	61	1.36	1.63
888	No drinks in past 30 days—Go to Section 10.01 FRUITJU1	2,507	55.96	50.52
999	Refused—Go to Section 10.01 FRUITJU1	8	0.18	0.16
BLANK	Not asked or Missing	236		

Avg alcoholic drinks per day in past 30

Section: 9.2 Alcohol Consumption

Type: Num

Column: 203-204

SAS Variable Name: AVEDRNK2

Prologue:

Description: One drink is equivalent to a 12-ounce beer, a 5-ounce glass of wine, or a drink with one shot of liquor. During the past 30 days, on the days when you drank, about how many drinks did you drink on the average? (A 40 ounce beer would count as 3 drinks, or a cocktail drink with 2 shots would count as 2 drinks.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of drinks Notes: _ _ Number of drinks	1,845	97.16	96.15
77	Don't know/Not sure	46	2.42	3.59
99	Refused	8	0.42	0.26
BLANK	Not asked or Missing Notes: Section 09.01, ALCDAY5, is coded 888, 777, or 9999;	2,817		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Binge Drinking

Section: 9.3 Alcohol Consumption

Type: Num

Column: 205-206

SAS Variable Name: DRNK3GE5

Prologue:

Description: Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks for men or 4 or more drinks for women on an occasion?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of Times	517	27.35	35.20
88	None	1,327	70.21	61.92
77	Don't know/Not Sure	40	2.12	2.66
99	Refused	6	0.32	0.22
BLANK	Not asked or Missing Notes: Section 09.01, ALCDAY5, is coded 888, 777, or 999;	2,826		

Most drinks on single occasion past 30 days

Section: 9.4 Alcohol Consumption

Type: Num

Column: 207-208

SAS Variable Name: MAXDRNKS

Prologue:

Description: During the past 30 days, what is the largest number of drinks you had on any occasion?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of drinks	1,799	95.44	94.33
77	Don't know/Not sure	78	4.14	5.31
99	Refused	8	0.42	0.37
BLANK	Not asked or Missing Notes: Section 09.01, ALCDAY5, is coded 888, 777, or 999;	2,831		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

How many times did you drink 100 percent PURE fruit juices?

Section: 10.1 Fruits & Vegetables

Type: Num

Column: 209-211

SAS Variable Name: FRUITJU1

Prologue:

Description: During the past month, how many times per day, week or month did you drink 100 percent PURE fruit juices? Do not include fruit-flavored drinks with added sugar or fruit juice you made at home and added sugar to. Only include 100 percent juice.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day	673	15.57	15.59
201 - 299	Times per week	675	15.61	16.97
300	Less than one time per month	41	0.95	0.93
301 - 399	Times per month	1,000	23.13	23.45
555	Never	1,793	41.48	40.05
777	Don't know/Not sure	133	3.08	2.90
999	Refused	8	0.19	0.10
BLANK	Not asked or Missing	393		

How many times did you eat fruit?

Section: 10.2 Fruits & Vegetables

Type: Num

Column: 212-214

SAS Variable Name: FRUIT1

Prologue:

Description: During the past month, not counting juice, how many times per day, week, or month did you eat fruit? Count fresh, frozen, or canned fruit.(Read only if necessary: "Your best guess is fine. Include apples, bananas, applesauce, oranges, grape fruit, fruit salad, watermelon, cantaloupe or musk melon, papaya, lychees, star fruit,)

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day	1,433	33.23	31.42
201 - 299	Times per week	1,148	26.62	26.49
300	Less than one time per month	7	0.16	0.22
301 - 399	Times per month	1,398	32.42	33.90
555	Never	246	5.71	6.22
777	Don't know/Not sure	74	1.72	1.70
999	Refused	6	0.14	0.05
BLANK	Not asked or Missing	404		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

How many times did you eat beans or lentils?

Section: 10.3 Fruits & Vegetables

Type: Num

Column: 215-217

SAS Variable Name: FVBEANS

Prologue:

Description: During the past month, how many times per day, week, or month did you eat cooked or canned beans, such as refried, baked, black, garbanzo beans, beans in soup, soybeans, edamame, tofu or lentils. Do NOT include long green beans.(Read only if necessary: "Include round or oval beans or peas such as navy, pinto, split peas, cow peas, garbanzo beans, lentils, soy beans and tofu. Do NOT include long green beans such as string beans, broad or winged beans, or pole beans.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day	261	6.07	6.39
201 - 299	Times per week	1,350	31.38	29.02
300	Less than one time per month	21	0.49	0.61
301 - 399	Times per month	1,854	43.10	44.21
555	Never	707	16.43	17.62
777	Don't know/Not sure	101	2.35	2.06
999	Refused	8	0.19	0.08
BLANK	Not asked or Missing	414		

How many times did you eat dark green vegetables?

Section: 10.4 Fruits & Vegetables

Type: Num

Column: 218-220

SAS Variable Name: FVGREEN

Prologue:

Description: During the past month, how many times per day, week, or month did you eat dark green vegetables for example broccoli or dark leafy greens including romaine, chard, collard greens or spinach?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day	604	14.07	14.13
201 - 299	Times per week	1,458	33.96	31.11
300	Less than one time per month	16	0.37	0.53
301 - 399	Times per month	1,654	38.53	39.74
555	Never	488	11.37	13.01
777	Don't know/Not sure	68	1.58	1.42
999	Refused	5	0.12	0.06
BLANK	Not asked or Missing	423		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

How many times did you eat orange-colored vegetables?

Section: 10.5 Fruits & Vegetables

Type: Num

Column: 221-223

SAS Variable Name: FVORANG

Prologue:

Description: During the past month, how many times per day, week, or month did you eat orange-colored vegetables such as sweet potatoes, pumpkin, winter squash, or carrots? (Read only if needed: "Winter squash have hard, thick skins and deep yellow to orange flesh. They include acorn, buttercup, and spaghetti squash.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day	233	5.44	5.60
201 - 299	Times per week	1,219	28.46	25.64
300	Less than one time per month	23	0.54	0.72
301 - 399	Times per month	1,918	44.78	44.04
555	Never	806	18.82	22.46
777	Don't know/Not sure	79	1.84	1.48
999	Refused	5	0.12	0.06
BLANK	Not asked or Missing	433		

How many times did you eat OTHER vegetables?

Section: 10.6 Fruits & Vegetables

Type: Num

Column: 224-226

SAS Variable Name: VEGETAB1

Prologue:

Description: Not counting what you just told me about, during the past month, about how many times per day, week, or month did you eat OTHER vegetables? Examples of other vegetables include tomatoes, tomato juice or V-8 juice, corn, eggplant, peas, lettuce, cabbage, and white potatoes that are not fried such as baked or mashed potatoes.(Read only if needed: "Do not count vegetables you have already counted and do not include fried potatoes.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day	1,082	25.37	25.06
201 - 299	Times per week	1,357	31.82	30.12
300	Less than one time per month	5	0.12	0.11
301 - 399	Times per month	1,614	37.84	39.02
555	Never	111	2.60	3.69
777	Don't know/Not sure	92	2.16	1.98
999	Refused	4	0.09	0.02
BLANK	Not asked or Missing	451		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Exercise in Past 30 Days

Section: 11.1 Exercise (Physical Activity)

Type: Num

Column: 227

SAS Variable Name: EXERANY2

Prologue:

Description: During the past month, other than your regular job, did you participate in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,779	65.45	67.92
2	No	1,457	34.31	31.86
7	Don't know/Not Sure	3	0.07	0.04
9	Refused	7	0.16	0.18
BLANK	Not asked or Missing	470		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Type of Physical Activity

Section: 11.2 Exercise (Physical Activity)

Type: Num

Column: 228-229

SAS Variable Name: EXTRACT11

Prologue:

Description: What type of physical activity or exercise did you spend the most time doing during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Active Gaming Devices (Wii Fit, Dance, Dance revolution)	2	0.07	0.08
2	Aerobics video or class	61	2.20	1.79
3	Backpacking	1	0.04	0.03
5	Basketball	23	0.83	2.38
6	Bicycling machine exercise	74	2.67	1.96
7	Bicycling	77	2.77	3.58
8	Boating (Canoeing, rowing, kayaking, sailing for pleasure or camping)	1	0.04	0.08
9	Bowling	5	0.18	0.10
10	Boxing	1	0.04	0.06
11	Calisthenics	48	1.73	1.60
12	Canoeing/rowing in competition	1	0.04	0.04
13	Carpentry	4	0.14	0.17
14	Dancing-ballet, ballroom, Latin, hip hop, etc	17	0.61	0.40
15	Elliptical/EFX machine exercise	48	1.73	1.39
16	Fishing from river bank or boat	5	0.18	0.12
17	Frisbee	1	0.04	0.06
18	Gardening (spading, weeding, digging, filling)	221	7.96	6.21
19	Golf (with motorized cart)	26	0.94	0.89
20	Golf (without motorized cart)	7	0.25	0.37
22	Hiking - cross-country	5	0.18	0.23
24	Horseback riding	3	0.11	0.26
25	Hunting large game - deer, elk	5	0.18	0.21
26	Hunting small game - quail	2	0.07	0.15
28	Jogging	36	1.30	1.65
31	Mowing lawn	10	0.36	0.42
32	Paddleball	1	0.04	0.02
33	Painting/papering house	1	0.04	0.03
34	Pilates	6	0.22	0.16
36	Raking lawn	3	0.11	0.04
37	Running	185	6.67	10.05
39	Rope skipping	1	0.04	0.02
44	Skating - ice or roller	3	0.11	0.16
51	Soccer	3	0.11	0.16
52	Softball/Baseball	4	0.14	0.21

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Type of Physical Activity

Section: 11.2 Exercise (Physical Activity)

Type: Num

Column: 228-229

SAS Variable Name: EXTRACT11

Prologue:

Description: What type of physical activity or exercise did you spend the most time doing during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
54	Stair climbing/Stair master	5	0.18	0.13
56	Surfing	1	0.04	0.04
57	Swimming	23	0.83	0.74
58	Swimming in laps	4	0.14	0.13
59	Table tennis	1	0.04	0.01
60	Tai Chi	2	0.07	0.05
61	Tennis	6	0.22	0.22
62	Touch football	2	0.07	0.19
63	Volleyball	2	0.07	0.05
64	Walking	1,514	54.56	50.76
66	Waterskiing	3	0.11	0.08
67	Weight lifting	84	3.03	4.65
69	Yoga	23	0.83	0.78
71	Childcare	8	0.29	0.36
72	Farm/Ranch Work (caring for livestock, stacking hay, etc.)	7	0.25	0.18
73	Household Activities (vacuuming, dusting, home repair, etc.)	19	0.68	0.48
74	Karate/Martial Arts	2	0.07	0.07
75	Upper Body Cycle (wheelchair sports, ergometer, etc.)	3	0.11	0.07
76	Yard work (cutting/gathering wood, trimming hedges, etc.)	71	2.56	2.21
98	Other_____	101	3.64	3.42
77	Don't know/Not Sure—Go to Section 11.08 STRENGTH	3	0.11	0.28
BLANK	Not asked or Missing Notes: Section 11.01, EXERANY2, is coded 2, 7, 9, or Missing	1,941		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

How Many Times Walking, Running, Jogging, or Swimming

Section: 11.3 Exercise (Physical Activity)

Type: Num

Column: 230-232

SAS Variable Name: EXEROFT1

Prologue:

Description: How many times per week or per month did you take part in this activity during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per week	1,941	70.20	68.74
201 - 299	Times per month	791	28.61	30.38
777	Don't know/Not sure	32	1.16	0.88
999	Refused	1	0.04	0.00
BLANK	Not asked or Missing Notes: Section 11.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 11.02, EXTRACT11 is coded 77, 99	1,951		

Minutes or Hours Walking, Running, Jogging, or Swimming

Section: 11.4 Exercise (Physical Activity)

Type: Num

Column: 233-235

SAS Variable Name: EXERHMM1

Prologue:

Description: And when you took part in this activity, for how many minutes or hours did you usually keep at it?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 759	Hours and Minutes	2,639	95.55	96.23
777	Don't know/Not sure	114	4.13	3.46
800 - 959	Hours and Minutes	7	0.25	0.29
999	Refused	2	0.07	0.01
BLANK	Not asked or Missing Notes: Section 11.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 11.02, EXTRACT11 is coded 77, 99	1,954		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Other Type of Physical Activity Giving Most Exercise During Past Month

Section: 11.5 Exercise (Physical Activity)

Type: Num

Column: 236-237

SAS Variable Name: EXTRACT21

Prologue:

Description: What other type of physical activity gave you the next most exercise during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Active Gaming Devices (Wii Fit, Dance, Dance revolution)	4	0.15	0.22
2	Aerobics video or class	56	2.03	2.04
5	Basketball	28	1.02	1.68
6	Bicycling machine exercise	48	1.74	1.31
7	Bicycling	86	3.12	2.73
9	Bowling	6	0.22	0.17
10	Boxing	2	0.07	0.10
11	Calisthenics	38	1.38	1.61
12	Canoeing/rowing in competition	4	0.15	0.13
13	Carpentry	9	0.33	0.13
14	Dancing-ballet, ballroom, Latin, hip hop, etc	19	0.69	0.74
15	Elliptical/EFX machine exercise	28	1.02	0.99
16	Fishing from river bank or boat	15	0.54	0.61
17	Frisbee	3	0.11	0.14
18	Gardening (spading, weeding, digging, filling)	154	5.59	4.64
19	Golf (with motorized cart)	12	0.44	0.32
20	Golf (without motorized cart)	7	0.25	0.48
22	Hiking - cross-country	5	0.18	0.16
24	Horseback riding	3	0.11	0.09
25	Hunting large game - deer, elk	7	0.25	0.26
26	Hunting small game - quail	3	0.11	0.14
28	Jogging	22	0.80	0.85
30	Mountain climbing	1	0.04	0.02
31	Mowing lawn	18	0.65	0.54
33	Painting/papering house	4	0.15	0.20
34	Pilates	3	0.11	0.08
35	Racquetball	2	0.07	0.02
36	Raking lawn	2	0.07	0.02
37	Running	96	3.49	4.78
39	Rope skipping	3	0.11	0.14
40	Rowing machine exercise	1	0.04	0.05
43	Skateboarding	1	0.04	0.03
44	Skating - ice or roller	1	0.04	0.02
51	Soccer	3	0.11	0.21
52	Softball/Baseball	6	0.22	0.28

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Other Type of Physical Activity Giving Most Exercise During Past Month

Section: 11.5 Exercise (Physical Activity)

Type: Num

Column: 236-237

SAS Variable Name: EXTRACT21

Prologue:

Description: What other type of physical activity gave you the next most exercise during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
54	Stair climbing/Stair master	15	0.54	0.81
57	Swimming	36	1.31	1.64
58	Swimming in laps	9	0.33	0.32
61	Tennis	4	0.15	0.30
62	Touch football	1	0.04	0.04
63	Volleyball	4	0.15	0.33
64	Walking	357	12.96	11.57
67	Weight lifting	146	5.30	7.00
69	Yoga	27	0.98	1.20
71	Childcare	45	1.63	1.64
72	Farm/Ranch Work (caring for livestock, stacking hay, etc.)	11	0.40	0.26
73	Household Activities (vacuuming, dusting, home repair, etc.)	124	4.50	3.47
74	Karate/Martial Arts	3	0.11	0.26
75	Upper Body Cycle (wheelchair sports, ergometer, etc.)	5	0.18	0.21
76	Yard work (cutting/gathering wood, trimming hedges, etc.)	129	4.68	3.96
88	No other activity—Go to Section 11.08 STRENGTH	906	32.90	32.30
98	Other_____	191	6.94	7.13
77	Don't know/Not Sure—Go to Section 11.08 STRENGTH	37	1.34	1.52
99	Refused—Go to Section 11.08 STRENGTH	4	0.15	0.13
BLANK	Not asked or Missing Notes: Section 11.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 11.02, EXTRACT11 is coded 77, 99	1,962		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

How Many Times Walking, Running, Jogging, or Swimming

Section: 11.6 Exercise (Physical Activity)

Type: Num

Column: 238-240

SAS Variable Name: EXEROFT2

Prologue:

Description: How many times per week or per month did you take part in this activity during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per week	1,208	66.96	65.61
201 - 299	Times per month	557	30.88	32.52
777	Don't know/Not sure	34	1.88	1.66
999	Refused	5	0.28	0.21
BLANK	Not asked or Missing Notes: Section 11.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 11.02, EXTRACT11 is coded 77, 99 or Section 11.05, EXTRACT21 is coded 77, 88, 99	2,912		

Minutes or Hours Walking, Running, Jogging, or Swimming

Section: 11.7 Exercise (Physical Activity)

Type: Num

Column: 241-243

SAS Variable Name: EXERHMM2

Prologue:

Description: And when you took part in this activity, for how many minutes or hours did you usually keep at it?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 759	Hours and Minutes	1,698	94.39	94.79
777	Don't know/Not sure	87	4.84	4.64
800 - 959	Hours and Minutes	10	0.56	0.38
999	Refused	4	0.22	0.19
BLANK	Not asked or Missing Notes: Section 11.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 11.02, EXTRACT11 is coded 77, 99 or Section 11.05, EXTRACT21 is coded 77, 88, 99	2,917		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

How many times did you do physical activities or exercises to STRENGTHEN your muscles?

Section: 11.8 Exercise (Physical Activity)

Type: Num

Column: 244-246

SAS Variable Name: STRENGTH

Prologue:

Description: During the past month, how many times per week or per month did you do physical activities or exercises to STRENGTHEN your muscles? [Do NOT count aerobic activities like walking, running, or bicycling. Count activities using your own body weight like yoga, sit-ups or push-ups and those using weight machines, free weights, or elastic bands.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per week	934	22.23	24.88
201 - 299	Times per month	411	9.78	12.26
777	Don't know / Not sure	43	1.02	1.13
888	Never	2,811	66.90	61.70
999	Refused	3	0.07	0.03
BLANK	Not asked or Missing	514		

Limited Because of Joint Symptoms

Section: 12.1 Arthritis Burden

Type: Num

Column: 247

SAS Variable Name: LMTJOIN3

Prologue: Arthritis can cause symptoms like pain, aching, or stiffness in or around a joint.

Description: Are you now limited in any way in any of your usual activities because of arthritis or joint symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	869	55.28	53.57
2	No	690	43.89	45.75
7	Don't know/Not sure	12	0.76	0.67
9	Refused	1	0.06	0.01
BLANK	Not asked or Missing	3,144		

Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing

Does Arthritis Affect Whether You Work

Section: 12.2 Arthritis Burden

Type: Num

Column: 248

SAS Variable Name: ARTHDIS2

Prologue: In this next question we are referring to work for pay.

Description: Do arthritis or joint symptoms now affect whether you work, the type of work you do or the amount of work you do?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	578	36.82	39.03
2	No	957	60.96	59.50
7	Don't know/Not Sure	31	1.97	1.29
9	Refused	4	0.25	0.17
BLANK	Missing Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing	3,146		

Social Activities Limited Because of Joint Symptoms

Section: 12.3 Arthritis Burden

Type: Num

Column: 249

SAS Variable Name: ARTHSOCL

Prologue:

Description: During the past 30 days, to what extent has your arthritis or joint symptoms interfered with your normal social activities, such as going shopping, to the movies, or to religious or social gatherings?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	A lot	426	27.13	26.64
2	A little	396	25.22	24.83
3	Not at all	737	46.94	48.01
7	Don't know/Not Sure	9	0.57	0.48
9	Refused	2	0.13	0.05
BLANK	Missing Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing	3,146		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

How Bad Was Joint Pain

Section: 12.4 Arthritis Burden

Type: Num

Column: 250-251

SAS Variable Name: JOINPAIN

Prologue:

Description: Please think about the past 30 days, keeping in mind all of your joint pain or aching and whether or not you have taken medication. DURING THE PAST 30 DAYS, how bad was your joint pain ON AVERAGE? [Please answer on a scale of 0 to 10 where 0 is no pain or aching and 10 is pain or aching as bad as it can be.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 10	Enter number [0-10]	1,534	98.14	99.06
77	Don't know/Not Sure	28	1.79	0.93
99	Refused	1	0.06	0.01
BLANK	Missing Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing	3,153		

How often use seatbelts in car?

Section: 13.1 Seatbelt Use

Type: Num

Column: 252

SAS Variable Name: SEATBELT

Prologue:

Description: How often do you use seat belts when you drive or ride in a car? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	3,788	90.80	88.07
2	Nearly always	202	4.84	6.06
3	Sometimes	84	2.01	2.68
4	Seldom	30	0.72	1.00
5	Never	56	1.34	1.92
7	Don't know/Not sure	2	0.05	0.05
8	Never drive or ride in a car	9	0.22	0.22
9	Refused	1	0.02	0.01
BLANK	Not asked or Missing Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report	544		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Adult flu shot/spray past 12 mos

Section: 14.1 Immunization

Type: Num

Column: 253

SAS Variable Name: FLUSHOT6

Prologue: Now I will ask you questions about the flu vaccine. There are two ways to get the flu vaccine, one is a shot in the arm and the other is a spray, mist, or drop in the nose called FluMist™.

Description: During the past 12 months, have you had either a flu shot or a flu vaccine that was sprayed in your nose? (A new flu shot came out in 2011 that injects vaccine into the skin with a very small needle. It is called Fluzone Intradermal vaccine. This is also considered a flu shot.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,809	43.46	39.08
2	No—Go to Section 14.04 PNEUVAC3	2,342	56.27	60.66
7	Don't know/Not Sure—Go to Section 14.04 PNEUVAC3	8	0.19	0.24
9	Refused—Go to Section 14.04 PNEUVAC3	3	0.07	0.02
BLANK	Not asked or Missing	554		

When did you (adult) receive your most recent seasonal flu shot/spray?

Section: 14.2 Immunization

Type: Num

Column: 254-259

SAS Variable Name: FLSHTMY2

Prologue:

Description: During what month and year did you receive your most recent flu shot injected into your arm or flu vaccine that was sprayed in your nose?

Value	Value Label	Frequency	Percentage	Weighted Percentage
12014 - 122015	Month / Year	1,613	89.21	88.19
777777	Don't know/Not Sure	194	10.73	11.81
999999	Refused	1	0.06	0.00
BLANK	Not asked or Missing Notes: Section 14.01, FLUSHOT6, is coded 2, 7, or 9	2,908		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Where did you get your last flu shot/vaccine?

Section: 14.3 Immunization

Type: Num

Column: 260-261

SAS Variable Name: IMFVPLAC

Prologue:

Description: At what kind of place did you get your last flu shot/vaccine?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	A doctor's office or health maintenance organization (HMO)	776	42.94	39.38
2	A health department	29	1.60	1.45
3	Another type of clinic or health center (Example: a community health center)	140	7.75	8.73
4	A senior, recreation, or community center	9	0.50	0.30
5	A store (Examples: supermarket, drug store)	425	23.52	21.96
6	A hospital (Example: inpatient)	143	7.91	8.67
7	An emergency room	3	0.17	0.67
8	Workplace	215	11.90	14.64
9	Some other kind of place	48	2.66	3.04
10	Received vaccination in Canada/Mexico (Volunteered - Do not read)	7	0.39	0.34
11	A school	7	0.39	0.33
77	Don't know / Not sure--Probe:	4	0.22	0.39
99	Refused	1	0.06	0.10
BLANK	Not asked or Missing Notes: Section 14.01, FLUSHOT6, is coded 2, 7, or 9	2,909		

Pneumonia shot ever

Section: 14.4 Immunization

Type: Num

Column: 262

SAS Variable Name: PNEUVAC3

Prologue:

Description: A pneumonia shot or pneumococcal vaccine is usually given only once or twice in a person's lifetime and is different from the flu shot. Have you ever had a pneumonia shot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,689	40.64	32.55
2	No	2,149	51.71	56.33
7	Don't know/Not Sure	315	7.58	11.10
9	Refused	3	0.07	0.02
BLANK	Not asked or Missing	560		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Ever tested HIV

Section: 15.1 HIV/AIDS

Type: Num

Column: 263

SAS Variable Name: HIVTST6

Prologue:

Description: Have you ever been tested for HIV? Do not count tests you may have had as part of a blood donation. Include testing fluid from your mouth.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,335	32.33	40.16
2	No—Go to optional modules or closing statement	2,651	64.20	56.45
7	Don't know/Not Sure—Go to optional modules or closing statement	136	3.29	3.18
9	Refused—Go to optional modules or closing statement	7	0.17	0.21
BLANK	Not asked or Missing	587		

Month and Year of Last HIV Test

Section: 15.2 HIV/AIDS

Type: Num

Column: 264-269

SAS Variable Name: HIVTSTD3

Prologue:

Description: Not including blood donations, in what month and year was your last HIV test? (If response is before January 1985, code "777777".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
11985 - 122016	Code month and year Notes: __/___ month and year	972	73.03	76.32
777777	Don't know/Not sure	356	26.75	23.45
999999	Refused	3	0.23	0.23
BLANK	Not asked or Missing Notes: Section 15.01, HIVTST6, is coded 2, 7, 9, or Missing	3,385		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Location of last HIV test

Section: 15.3 HIV/AIDS

Type: Num

Column: 270-271

SAS Variable Name: WHRTST10

Prologue:

Description: Where did you have your last HIV test — at a private doctor or HMO office, at a counseling and testing site, in the emergency room, as an inpatient in a hospital, at a clinic, in a jail or prison, at a drug treatment facility, at home, or somewhere else?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Private doctor or HMO	612	46.12	44.98
2	Counseling and testing site	51	3.84	4.27
3	Hospital inpatient	159	11.98	10.42
4	Clinic	282	21.25	23.37
5	Jail or prison (or other correctional facility)	15	1.13	1.41
6	Drug treatment facility	5	0.38	0.21
7	At home	16	1.21	1.23
8	Somewhere else	122	9.19	8.83
9	Emergency room	30	2.26	2.90
77	Don't know/Not sure	33	2.49	2.20
99	Refused	2	0.15	0.18
BLANK	Not asked or Missing Notes: Section 15.01, HIVTST6, is coded 2, 7, 9, or Missing	3,389		

Had a test for high blood sugar or diabetes in the past three years?

Module: 1.1 Pre-Diabetes

Type: Num

Column: 287

SAS Variable Name: PDIABTST

Prologue:

Description: Have you had a test for high blood sugar or diabetes within the past three years?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,220	58.21	51.08
2	No	1,377	36.10	42.91
7	Don't know/Not Sure	217	5.69	6.01
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 1	902		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Ever been told by a doctor or other health professional that you have pre-diabetes or borderline diabetes?

Module: 1.2 Pre-Diabetes

Type: Num

Column: 288

SAS Variable Name: PREDIAB1

Prologue:

Description: Have you ever been told by a doctor or other health professional that you have pre-diabetes or borderline diabetes? (If "Yes" and respondent is female, ask: "Was this only when you were pregnant?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	380	9.96	8.59
2	Yes, during pregnancy	38	1.00	1.02
3	No	3,379	88.59	89.88
7	Don't know/Not Sure	17	0.45	0.51
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 1; If Section 06.12, DIABETE3, is coded 4 automatically code Module 01.02, PREDIAB1, equal to 1 (yes);	902		

Now Taking Insulin

Module: 2.1 Diabetes

Type: Num

Column: 289

SAS Variable Name: INSULIN

Prologue:

Description: Are you now taking insulin?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	248	31.27	30.86
2	No	544	68.60	69.14
9	Refused	1	0.13	0.01
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	3,923		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

How Often Check Blood for Glucose

Module: 2.2 Diabetes

Type: Num

Column: 290-292

SAS Variable Name: BLDSUGAR

Prologue:

Description: About how often do you check your blood for glucose or sugar? Include times when checked by a family member or friend, but do NOT include times when checked by a health professional.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day Notes: 1 _ _ Times per day	485	61.16	59.74
201 - 299	Times per week Notes: 2 _ _ Times per week	162	20.43	20.50
301 - 399	Times per month Notes: 3 _ _ Times per month	45	5.67	6.31
401 - 499	Times per year Notes: 4 _ _ Times per year	10	1.26	1.51
777	Don't know/Not sure	16	2.02	2.11
888	Never	74	9.33	9.67
999	Refused	1	0.13	0.15
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	3,923		

How Often Check Feet for Sores or Irritations

Module: 2.3 Diabetes

Type: Num

Column: 293-295

SAS Variable Name: FEETCHK2

Prologue:

Description: About how often do you check your feet for any sores or irritations? Include times when checked by a family member or friend, but do NOT include times when checked by a health professional.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day Notes: 1 _ _ Times per day	479	60.40	58.78
201 - 299	Times per week Notes: 2 _ _ Times per week	107	13.49	12.52
301 - 399	Times per month Notes: 3 _ _ Times per month	47	5.93	7.19
401 - 499	Times per year Notes: 4 _ _ Times per year	10	1.26	1.60
555	No feet	5	0.63	0.80
777	Don't know/Not sure	34	4.29	3.74
888	Never	109	13.75	15.14
999	Refused	2	0.25	0.23
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	3,923		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Times Seen Health Professional for Diabetes

Module: 2.4 Diabetes

Type: Num

Column: 296-297

SAS Variable Name: DOCTDIAB

Prologue:

Description: About how many times in the past 12 months have you seen a doctor, nurse, or other health professional for your diabetes?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: __ Number of times, 76=76 or more	702	88.52	86.93
88	None	56	7.06	9.23
77	Don't know/Not sure	35	4.41	3.85
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	3,923		

Times Checked for Glycosylated Hemoglobin

Module: 2.5 Diabetes

Type: Num

Column: 298-299

SAS Variable Name: CHKHEMO3

Prologue:

Description: A test for "A one C" measures the average level of blood sugar over the past three months. About how many times in the past 12 months has a doctor, nurse, or other health professional checked you for "A one C"?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: __ Number of times, 76 = 76 or more	617	77.81	77.08
88	None	44	5.55	7.13
98	Never heard of "A one C" test	30	3.78	3.82
77	Don't know/Not sure	101	12.74	11.83
99	Refused	1	0.13	0.15
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	3,923		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Times Feet Check for Sores/irritations

Module: 2.6 Diabetes

Type: Num

Column: 300-301

SAS Variable Name: FEETCHK

Prologue:

Description: About how many times in the past 12 months has a health professional checked your feet for any sores or irritations?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: _ _ Number of times, 76=76 or more	523	66.37	65.53
88	None	227	28.81	30.34
77	Don't know/Not sure	37	4.70	3.97
99	Refused	1	0.13	0.15
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing; or Module 2.03, FEETCHK2, is coded 555	3,928		

Last Eye Exam Where Pupils Were Dilated

Module: 2.7 Diabetes

Type: Num

Column: 302

SAS Variable Name: EYEEXAM

Prologue:

Description: When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past month (anytime less than 1 month ago)	165	20.81	19.63
2	Within the past year (1 month but less than 12 months ago)	360	45.40	43.31
3	Within the past 2 years (1 year but less than 2 years ago)	97	12.23	13.39
4	2 or more years ago	117	14.75	14.52
7	Don't know/Not sure	21	2.65	2.45
8	Never	32	4.04	6.55
9	Refused	1	0.13	0.15
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	3,923		

Ever Told Diabetes Has Affected Eyes

Module: 2.8 Diabetes

Type: Num

Column: 303

SAS Variable Name: DIABEYE

Prologue:

Description: Has a doctor ever told you that diabetes has affected your eyes or that you had retinopathy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	171	21.56	21.37
2	No	617	77.81	78.04
7	Don't know/Not sure	5	0.63	0.59
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	3,923		

Ever Taken Class in Managing Diabetes

Module: 2.9 Diabetes

Type: Num

Column: 304

SAS Variable Name: DIABEDU

Prologue:

Description: Have you ever taken a course or class in how to manage your diabetes yourself?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	416	52.46	51.90
2	No	374	47.16	47.68
7	Don't know/Not sure	2	0.25	0.27
9	Refused	1	0.13	0.15
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	3,923		

How many days hard to do usual activities in past 30 days

Module: 3.1 Healthy Days (Symptoms)

Type: Num

Column: 305-306

SAS Variable Name: PAINACT2

Prologue:

Description: During the past 30 days, for about how many days did pain make it hard for you to do your usual activities, such as self-care, work, or recreation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

How many days depressed in past 30 days

Module: 3.2 Healthy Days (Symptoms)

Type: Num

Column: 307-308

SAS Variable Name: QLMENTL2

Prologue:

Description: During the past 30 days, for about how many days have you felt sad, blue, or depressed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,716		

How many days felt anxious in past 30 days

Module: 3.3 Healthy Days (Symptoms)

Type: Num

Column: 309-310

SAS Variable Name: QLSTRES2

Prologue:

Description: During the past 30 days, for about how many days have you felt worried, tense, or anxious?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,716		

How many days full of energy in past 30 days

Module: 3.4 Healthy Days (Symptoms)

Type: Num

Column: 311-312

SAS Variable Name: QLHLTH2

Prologue:

Description: During the past 30 days, for about how many days have you felt very healthy and full of energy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Provided regular care for family or friend

Module: 4.1 Caregiver

Type: Num

Column: 313

SAS Variable Name: CAREGIV1

Prologue: People may provide regular care or assistance to a friend or family member who has a health problem or disability.

Description: During the past 30 days, did you provide regular care or assistance to a friend or family member who has a health problem or disability?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,022	25.42	26.53
2	No—Go to Module 4.09 CRGVEXPT	2,985	74.24	73.13
7	Don't know/Not Sure—Go to Module 4.09 CRGVEXPT	6	0.15	0.12
8	Caregiving recipient died in past 30 days—Go to next module	5	0.12	0.16
9	Refused—Go to Module 4.09 CRGVEXPT	3	0.07	0.07
BLANK	Not asked or Missing	695		

Relationship Of Person To Whom You Are Giving Care?

Module: 4.2 Caregiver

Type: Num

Column: 314-315

SAS Variable Name: CRGVREL1

Prologue:

Description: What is his/her relationship to you? For example is he/she your (mother/daughter or father/son)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Mother	225	22.02	20.96
2	Father	74	7.24	9.87
3	Mother-in-law	40	3.91	3.54
4	Father-in-law	8	0.78	1.14
5	Child	91	8.90	8.90
6	Husband	68	6.65	5.35
7	Wife	65	6.36	5.28
8	Same-sex partner	1	0.10	0.11
9	Brother or brother-in-law	42	4.11	3.84
10	Sister or sister-in-law	58	5.68	4.81
11	Grandmother	47	4.60	8.12
12	Grandfather	18	1.76	2.82
13	Grandchild	8	0.78	0.46
14	Other relative	101	9.88	9.13
15	Non-relative/Family friend	171	16.73	15.27
99	Refused	5	0.49	0.42
BLANK	Not asked or Missing	3,694		

Notes: Module 04.01, CARGIV1, is coded 2, 8, 7 or 9

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

How Long Provided Care For Person.

Module: 4.3 Caregiver

Type: Num

Column: 316

SAS Variable Name: CRGVLNG1

Prologue:

Description: For how long have you provided care for that person? Would you say...

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 30 days	182	17.84	17.00
2	1 month to less than 6 months	146	14.31	14.11
3	6 months to less than 2 years	167	16.37	18.84
4	2 years to less than 5 years	213	20.88	18.50
5	More than 5 years	299	29.31	30.13
7	Don't know/Not sure	12	1.18	1.35
9	Refused	1	0.10	0.06
BLANK	Not asked or Missing Notes: Module 04.01, CARGIV1, is coded 2, 8, 7 or 9	3,696		

How Many Hours Do You Provide Care For Person?

Module: 4.4 Caregiver

Type: Num

Column: 317

SAS Variable Name: CRGVHRS1

Prologue:

Description: In an average week, how many hours do you provide care or assistance? Would you say...

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Up to 8 hours per week	504	49.46	49.17
2	9 to 19 hours per week	124	12.17	12.71
3	20 to 39 hours per week	132	12.95	13.20
4	40 hours or more	199	19.53	18.96
7	Don't know/Not sure	52	5.10	5.22
9	Refused	8	0.79	0.74
BLANK	Not asked or Missing Notes: Module 04.01, CARGIV1, is coded 2, 8, 7 or 9	3,697		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

What Is The Major Health Problem, Illness, Disability For Care For Person?

Module: 4.5 Caregiver

Type: Num

Column: 318-319

SAS Variable Name: CRGVPRB1

Prologue:

Description: What is the main health problem, long-term illness, or disability that the person you care for has?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Arthritis/Rheumatism	66	6.50	5.65
2	Asthma	4	0.39	0.37
3	Cancer	87	8.56	9.29
4	Chronic respiratory conditions such as Emphysema or COPD	36	3.54	3.48
5	Dementia and other Cognitive Impairment Disorders	94	9.25	8.84
6	Developmental Disabilities such as Autism, Down's Syndrome, and Spina Bifida	29	2.85	2.92
7	Diabetes	54	5.31	5.89
8	Heart Disease, Hypertension	62	6.10	5.59
9	Human Immunodeficiency Virus Infection (HIV)	2	0.20	0.28
10	Mental Illnesses, such as Anxiety, Depression, or Schizophrenia	37	3.64	3.13
11	Other organ failure or diseases such as kidney or liver problems	21	2.07	2.36
12	Substance Abuse or Addiction Disorders	4	0.39	1.02
13	Other	460	45.28	44.79
77	Don't know/Not Sure	32	3.15	3.61
99	Refused	28	2.76	2.78
BLANK	Not asked or Missing Notes: Module 04.01, CARGIV1, is coded 2, 8, 7 or 9	3,700		

Managed personal care

Module: 4.6 Caregiver

Type: Num

Column: 320

SAS Variable Name: CRGVPER5

Prologue: In the past 30 days, did you provide care for this person by...

Description: ...Managing personal care such as giving medications, feeding, dressing, or bathing?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	544	53.70	54.17
2	No	465	45.90	45.34
7	Don't know/Not Sure	1	0.10	0.15
9	Refused	3	0.30	0.35
BLANK	Not asked or Missing Notes: Module 04.01, CARGIV1, is coded 2, 8, 7 or 9	3,703		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Managed household tasks

Module: 4.7 Caregiver

Type: Num

Column: 321

SAS Variable Name: CRGVHOUS

Prologue: In the past 30 days, did you provide care for this person by...

Description: ...Managing household tasks such as cleaning, managing money, or preparing meals?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	767	75.87	76.16
2	No	239	23.64	23.34
7	Don't know/Not Sure	2	0.20	0.15
9	Refused	3	0.30	0.35
BLANK	Not asked or Missing Notes: Module 04.01, CARGIV1, is coded 2, 8, 7 or 9	3,705		

Which support do you MOST need that you are not getting?

Module: 4.8 Caregiver

Type: Num

Column: 322

SAS Variable Name: CRGVMST2

Prologue:

Description: Of the following support services, which one do you MOST need, that you are not currently getting?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Classes about giving care, such as giving medications	13	1.29	1.89
2	Help in getting access to services	100	9.92	9.35
3	Support groups	17	1.69	1.51
4	Individual counseling to help cope with giving care	31	3.08	3.54
5	Respite care	22	2.18	1.24
6	You don't need any of these support services	768	76.19	75.28
7	Don't know/Not Sure	46	4.56	6.16
9	Refused	11	1.09	1.03
BLANK	Not asked or Missing Notes: Module 04.01, CARGIV1, is coded 2, 8, 7 or 9	3,708		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Do you expect to have a relative you will need to provide care for?

Module: 4.9 Caregiver

Type: Num

Column: 323

SAS Variable Name: CRGVEXPT

Prologue:

Description: In the next 2 years, do you expect to provide care or assistance to a friend or family member who has a health problem or disability?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	485	16.22	17.83
2	No	2,176	72.75	71.54
7	Don't know/Not Sure	327	10.93	10.59
9	Refused	3	0.10	0.04
BLANK	Not asked or Missing Notes: Module 04.01, CARGIV1, is coded 8	1,725		

Difficulty recognizing friend across street

Module: 5.1 Visual Impairment and Access to Eye Care

Type: Num

Column: 324

SAS Variable Name: VIDFCLT2

Prologue:

Description: How much difficulty, if any, do you have in recognizing a friend across the street? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40	4,716		

Difficulty reading typed text

Module: 5.2 Visual Impairment and Access to Eye Care

Type: Num

Column: 325

SAS Variable Name: VIREDIF3

Prologue:

Description: How much difficulty, if any, do you have reading print in newspapers, magazines, recipes, menus, or numbers on the telephone? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40; or Module 05.01, VIDFCLT2, is coded as 8;	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Last time visited eye care provider

Module: 5.3 Visual Impairment and Access to Eye Care

Type: Num

Column: 326

SAS Variable Name: VIPRFVS2

Prologue:

Description: When was the last time you had your eyes examined by any doctor or eye care provider?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40; or Module 05.01, VIDFCLT2, is coded as 8; or Module 05.02, VIREDF3, is coded as 8;	4,716		

Reason did not use eye doc past 12 mos

Module: 5.4 Visual Impairment and Access to Eye Care

Type: Num

Column: 327-328

SAS Variable Name: VINOCRE2

Prologue:

Description: What is the main reason you have not visited an eye care professional in the past 12 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40; or Module 05.01, VIDFCLT2, is coded as 8; or Module 05.02, VIREDF3, is coded as 8; or Module 05.03, VIPRFVS2, is coded 1, 2, or 8;	4,716		

When last eyexam

Module: 5.5 Visual Impairment and Access to Eye Care

Type: Num

Column: 329

SAS Variable Name: VIEYEXM2

Prologue:

Description: When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40; or Module 2.07, EYEXAM, is coded 1, 2, 3, 4, 7, 8 or 9; or Module 05.01, VIDFCLT2, is coded as 8; or Module 05.02, VIREDF3, is coded as 8; or Module 05.03, VIPRFVS2, is coded as 8;	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Eye care health insurance

Module: 5.6 Visual Impairment and Access to Eye Care

Type: Num

Column: 330

SAS Variable Name: VIINSUR2

Prologue:

Description: Do you have any kind of health insurance coverage for eye care?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40; or Module 05.01, VIDFCLT2, is coded as 8; or Module 05.02, VIREDF3, is coded as 8; or Module 05.03, VIPRFVS2, is coded as 8; or Module 05.04, VINOCRE2, is coded as 8; or Module 05.05, VIEYEXM2, is coded as 8;	4,716		

Hlth care pro said now have cataracts

Module: 5.7 Visual Impairment and Access to Eye Care

Type: Num

Column: 331

SAS Variable Name: VICTRCT4

Prologue:

Description: Have you been told by an eye doctor or other health care professional that you NOW have cataracts?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40; or Module 05.01, VIDFCLT2, is coded as 8; or Module 05.02, VIREDF3, is coded as 8; or Module 05.03, VIPRFVS2, is coded as 8; or Module 05.04, VINOCRE2, is coded as 8; or Module 05.05, VIEYEXM2, is coded as 8; or Module 05.06, VINSUR2, is coded as 8	4,716		

Hlth care pro EVER said have glaucoma

Module: 5.8 Visual Impairment and Access to Eye Care

Type: Num

Column: 332

SAS Variable Name: VIGLUMA2

Prologue:

Description: Have you EVER been told by an eye doctor or other health care professional that you had glaucoma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40; or Module 05.01, VIDFCLT2, is coded as 8; or Module 05.02, VIREDF3, is coded as 8; or Module 05.03, VIPRFVS2, is coded as 8; or Module 05.04, VINOCRE2, is coded as 8; or Module 05.05, VIEYEXM2, is coded as 8; or Module 05.06, VINSUR2, is coded as 8; or Module 05.07, VICTRCT4, is coded as 8	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Hlth care pro EVER said have macular degeneration

Module: 5.9 Visual Impairment and Access to Eye Care

Type: Num

Column: 333

SAS Variable Name: VIMACDG2

Prologue:

Description: Have you EVER been told by an eye doctor or other health care professional that you had age-related macular degeneration?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40; or Module 05.01, VIDFCLT2, is coded as 8; or Module 05.02, VIREDF3, is coded as 8; or Module 05.03, VIPRFVS2, is coded as 8; or Module 05.04, VINOCRE2, is coded as 8; or Module 05.05, VIEYEXM2, is coded as 8; or Module 05.06, VINSUR2, is coded as 8; or Module 05.07, VICTRCT4, is coded as 8; or Module 05.08,	4,716		

Have you experienced confusion or memory loss that is happening more often or is getting worse?

Module: 6.1 Cognitive Decline

Type: Num

Column: 334

SAS Variable Name: CIMEMLOS

Prologue:

Description: During the past 12 months, have you experienced confusion or memory loss that is happening more often or is getting worse?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	413	13.89	14.42
2	No—Go to next module	2,533	85.17	84.86
7	Don't know/Not sure	25	0.84	0.65
9	Refused—Go to next module	3	0.10	0.07
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 45	1,742		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Given up day-to-day chores due to confusion or memory loss

Module: 6.2 Cognitive Decline

Type: Num

Column: 335

SAS Variable Name: CDHOUSE

Prologue:

Description: During the past 12 months, as a result of confusion or memory loss, how often have you given up day-to-day household activities or chores you used to do, such as cooking, cleaning, taking medications, driving, or paying bills?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	55	12.56	11.94
2	Usually	23	5.25	5.99
3	Sometimes	109	24.89	24.41
4	Rarely	43	9.82	10.64
5	Never	192	43.84	44.10
7	Don't know/Not sure	16	3.65	2.92
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 45; or Module 06.01, CIMEML0S, is coded 2 or 9	4,278		

Need assistance with day-to-day activities due to confusion or memory loss

Module: 6.3 Cognitive Decline

Type: Num

Column: 336

SAS Variable Name: CDASSIST

Prologue:

Description: As a result of confusion or memory loss, how often do you need assistance with these day-to-day activities?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	54	12.33	12.24
2	Usually	20	4.57	4.68
3	Sometimes	101	23.06	21.60
4	Rarely—Go to Module 6.05 CDDISCUS	57	13.01	12.51
5	Never—Go to Module 6.05 CDDISCUS	199	45.43	48.07
7	Don't know/Not sure—Go to Module 6.05 CDDISCUS	7	1.60	0.91
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 45; or Module 06.01, CIMEML0S, is coded 2 or 9	4,278		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

When you need help with day-to-day activities are you able to get it

Module: 6.4 Cognitive Decline

Type: Num

Column: 337

SAS Variable Name: CDHELP

Prologue:

Description: When you need help with these day-to-day activities, how often are you able to get the help that you need?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	81	46.55	45.97
2	Usually	25	14.37	12.98
3	Sometimes	41	23.56	24.35
4	Rarely	13	7.47	7.70
5	Never	13	7.47	6.85
7	Don't know/Not sure	1	0.57	2.16
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 45; or Module 06.01, CIMEMLLOS, is coded 2 or 9; or Module 06.03, CDASSIST, is coded 4, 5, 7 or 9	4,542		

Does confusion or memory loss interfere with work or social activities

Module: 6.5 Cognitive Decline

Type: Num

Column: 338

SAS Variable Name: CDSOCIAL

Prologue:

Description: During the past 12 months, how often has confusion or memory loss interfered with your ability to work, volunteer, or engage in social activities outside the home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	59	13.53	11.87
2	Usually	21	4.82	6.48
3	Sometimes	86	19.72	19.19
4	Rarely	54	12.39	13.74
5	Never	207	47.48	45.94
7	Don't know/Not sure	8	1.83	2.53
9	Refused	1	0.23	0.25
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 45; or Module 06.01, CIMEMLLOS, is coded 2 or 9	4,280		

Have you discussed your confusion or memory loss with a health care professional?

Module: 6.6 Cognitive Decline

Type: Num

Column: 339

SAS Variable Name: CDDISCUS

Prologue:

Description: Have you or anyone else discussed your confusion or memory loss with a health care professional?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	183	42.07	37.73
2	No	248	57.01	60.72
7	Don't know/Not Sure	4	0.92	1.55
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 45; or Module 06.01, CITEMLOS, is coded 2 or 9	4,281		

Watching Sodium or Salt Intake

Module: 7.1 Sodium or Salt-Related Behavior

Type: Num

Column: 340

SAS Variable Name: WTCHSALT

Prologue: Now I would like to ask you some questions about sodium or salt intake. Most of the sodium or salt we eat comes from processed foods and foods prepared in restaurants. Salt also can be added in cooking or at the table.

Description: Are you currently watching or reducing your sodium or salt intake?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,716		

How Long Watching Salt/Sodium Intake

Module: 7.2 Sodium or Salt-Related Behavior

Type: Num

Column: 341-343

SAS Variable Name: LONGWTCH

Prologue:

Description: How many days, weeks, months, or years have you been watching or reducing your sodium or salt intake?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 07.01, WTCHSALT, is coded 2, 7, 9, or Missing	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Doctor Advised Reduced Sodium/Salt Intake

Module: 7.3 Sodium or Salt-Related Behavior

Type: Num

Column: 344

SAS Variable Name: DRADVISE

Prologue:

Description: Has a doctor or other health professional ever advised you to reduce sodium or salt intake?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,716		

Age at Asthma Diagnosis

Module: 8.1 Adult Asthma History

Type: Num

Column: 345-346

SAS Variable Name: ASTHMA3

Prologue: Previously you said you were told by a doctor, nurse, or other health professional that you had asthma.

Description: How old were you when you were first told by a doctor, nurse or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
11 - 96	Age 11 or older [96 = 96 and older] Notes: 96=96 and older	273	51.32	43.63
97	Age 10 or younger	198	37.22	48.11
98	Don't know/Not sure	58	10.90	7.66
99	Refused	3	0.56	0.60
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing	4,184		

Asthma During Past 12 Months

Module: 8.2 Adult Asthma History

Type: Num

Column: 347

SAS Variable Name: ASATTACK

Prologue:

Description: During the past 12 months, have you had an episode of asthma or an asthma attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	165	51.40	51.44
2	No—Go to Module 08.05 ASRCHKUP	151	47.04	47.44
7	Don't know/Not sure—Go to Module 08.05 ASRCHKUP	5	1.56	1.12
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	4,395		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Emergency Asthma Care During Past 12 Months

Module: 8.3 Adult Asthma History

Type: Num

Column: 348-349

SAS Variable Name: ASERVIST

Prologue:

Description: During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of visits [87 = 87 or more] Notes: 87=87 or more	51	30.91	36.70
88	None	110	66.67	59.05
98	Don't know/Not sure	4	2.42	4.24
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 08.02, ASATTACK, is coded 2, 7, 9 or Missing	4,551		

Urgent Asthma Treatment During Past 12 Months

Module: 8.4 Adult Asthma History

Type: Num

Column: 350-351

SAS Variable Name: ASDRVIST

Prologue: If one or more visits to Q3, fill in "Besides those emergency room or urgent care center visits,"]

Description: During the past 12 months, how many times did you see a doctor, nurse or other health professional for urgent treatment of worsening asthma symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of visits [87 = 87 or more] Notes: 87=87 or more	62	37.80	36.69
88	None	95	57.93	56.72
98	Don't know/Not sure	7	4.27	6.59
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 08.02, ASATTACK, is coded 2, 7, 9 or Missing	4,552		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Routine Asthma Care During Past 12 Months

Module: 8.5 Adult Asthma History

Type: Num

Column: 352-353

SAS Variable Name: ASRCHKUP

Prologue:

Description: During the past 12 months, how many times did you see a doctor, nurse, or other health professional for a routine checkup for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of visits [87 = 87 or more]	195	61.13	58.40
88	None	116	36.36	37.61
98	Don't know/Not sure	8	2.51	3.99
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	4,397		

Activities Limited Because of Asthma During Past 12 Months

Module: 8.6 Adult Asthma History

Type: Num

Column: 354-356

SAS Variable Name: ASACTLIM

Prologue:

Description: During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number of days	82	25.71	25.01
777	Don't know/Not sure	24	7.52	8.41
888	None	213	66.77	66.58
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	4,397		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Asthma Symptoms During Past 30 Days

Module: 8.7 Adult Asthma History

Type: Num

Column: 357

SAS Variable Name: ASYMPTOM

Prologue:

Description: Symptoms of asthma include cough, wheezing, shortness of breath, chest tightness and phlegm production when you don't have a cold or respiratory infection. During the past 30 days, how often did you have any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than once a week	45	14.20	15.48
2	Once or twice a week	72	22.71	24.06
3	More that 2 times a week, but not every day	42	13.25	10.61
4	Every day, but not all the time	39	12.30	13.25
5	Every day, all the time	20	6.31	4.62
7	Don't know/Not sure	14	4.42	4.47
8	Not at any time—Go to Module 08.09 ASTHMED3	83	26.18	26.94
9	Refused	2	0.63	0.57
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	4,399		

Sleep Difficulty Because of Asthma During Past 30 Days

Module: 8.8 Adult Asthma History

Type: Num

Column: 358

SAS Variable Name: ASNOSLEP

Prologue:

Description: During the past 30 days, how many days did symptoms of asthma make it difficult for you to stay asleep? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	One or two	33	14.16	12.78
2	Three to four	29	12.45	12.25
3	Five	17	7.30	7.40
4	Six to ten	13	5.58	5.04
5	More than ten	26	11.16	11.52
7	Don't know/Not sure	10	4.29	5.11
8	None	105	45.06	45.89
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 08.07, ASYMPTOM, is coded 8	4,483		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Days used prescribed preventative asthma med in past 30 days

Module: 8.9 Adult Asthma History

Type: Num

Column: 359

SAS Variable Name: ASTHMED3

Prologue:

Description: During the past 30 days, how many days did you take a prescription asthma medication to PREVENT an asthma attack from occurring?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1 to 14 days	63	20.00	18.65
2	15 to 24 days	21	6.67	7.08
3	25 to 30 days	106	33.65	30.18
7	Don't know/Not sure	7	2.22	2.31
8	Never	116	36.83	41.60
9	Refused	2	0.63	0.17
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	4,401		

Times used asthma inhaler during an attack in past 30 days

Module: 8.10 Adult Asthma History

Type: Num

Column: 360

SAS Variable Name: ASINHALR

Prologue:

Description: During the past 30 days, how often did you use a prescription asthma inhaler DURING AN ASTHMA ATTACK to stop it?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1 to 4 times (in the past 30 days)	95	30.16	28.32
2	5 to 14 times (in the past 30 days)	32	10.16	9.09
3	15 to 29 times (in the past 30 days)	19	6.03	6.09
4	30 to 59 times (in the past 30 days)	22	6.98	6.03
5	60 to 99 times (in the past 30 days)	7	2.22	1.60
6	100 or more times (in the past 30 days)	2	0.63	0.47
7	Don't know/Not sure	5	1.59	1.20
8	Never (include no attack in past 30 days)	132	41.90	47.03
9	Refused	1	0.32	0.15
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	4,401		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Outpatient rehab after heart attack hosp stay

Module: 9.1 Cardiovascular Health

Type: Num

Column: 361

SAS Variable Name: HAREHAB1

Prologue:

Description: Following your heart attack, did you go to any kind of outpatient rehabilitation? This is sometimes called "rehab."

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.01, CVDINFR4, is coded 2, 7, 9 or Missing	4,716		

Outpatient rehab after hosp stay for stroke

Module: 9.2 Cardiovascular Health

Type: Num

Column: 362

SAS Variable Name: STREHAB1

Prologue:

Description: Following your stroke did you go to any kind of outpatient rehabilitation? This is sometimes called "rehab."

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.03, CVDSTRK3, is coded 2, 7, 9 or Missing	4,716		

Take Aspirin Daily or Every Other Day

Module: 9.3 Cardiovascular Health

Type: Num

Column: 363

SAS Variable Name: CVDASPRN

Prologue:

Description: Do you take aspirin daily or every other day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,716		

Health Makes Taking Aspirin Unsafe

Module: 9.4 Cardiovascular Health

Type: Num

Column: 364

SAS Variable Name: ASPUNSAF

Prologue:

Description: Do you have a health problem or condition that makes taking aspirin unsafe for you? (If "Yes," ask "Is this a stomach condition?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 09.03, CVDASPRN, is coded 1	4,716		

Take Aspirin to Relieve Pain

Module: 9.5 Cardiovascular Health

Type: Num

Column: 365

SAS Variable Name: RLIVPAIN

Prologue:

Description: Do you take aspirin to relieve pain?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 09.04, ASPUNSAF, is coded 1, 2, 3, 7 or 9	4,716		

Take Aspirin to Reduce Chance of Heart Attack

Module: 9.6 Cardiovascular Health

Type: Num

Column: 366

SAS Variable Name: RDUCHART

Prologue:

Description: Do you take aspirin to reduce the chance of a heart attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 09.04, ASPUNSAF, is coded 1, 2, 3, 7 or 9	4,716		

Take Aspirin to Reduce Chance of Stroke

Module: 9.7 Cardiovascular Health

Type: Num

Column: 367

SAS Variable Name: RDUCSTRK

Prologue:

Description: Do you take aspirin to reduce the chance of a stroke?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 09.04, ASPUNSAF, is coded 1, 2, 3, 7 or 9	4,716		

What Can You Do Because of Arthritis or Joint Symptoms

Module: 10.1 Arthritis Management

Type: Num

Column: 368

SAS Variable Name: ARTTODAY

Prologue: Earlier you indicated that you had arthritis or joint symptoms.

Description: Thinking about your arthritis or joint symptoms, which of the following best describes you TODAY?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Dr. Suggest Lose Weight for Arthritis or Joint Symptoms

Module: 10.2 Arthritis Management

Type: Num

Column: 369

SAS Variable Name: ARTHWGT

Prologue:

Description: Has a doctor or other health professional EVER suggested losing weight to help your arthritis or joint symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing	4,716		

Dr. Suggest Use of Physical Activity or Exercise for Arthritis or Joint Symptoms

Module: 10.3 Arthritis Management

Type: Num

Column: 370

SAS Variable Name: ARTHEXER

Prologue:

Description: Has a doctor or other health professional EVER suggested physical activity or exercise to help your arthritis or joint symptoms? (If the respondent is unclear about whether this means an increase or decrease in physical activity, this means increase.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing	4,716		

Ever Taken Class in Managing Arthritis or Joint Symptoms

Module: 10.4 Arthritis Management

Type: Num

Column: 371

SAS Variable Name: ARTHEDU

Prologue:

Description: Have you EVER taken an educational course or class to teach you how to manage problems related to your arthritis or joint symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing	4,716		

Received Tetanus Shot Since 2005?

Module: 11.1 Tetanus Diphtheria (TDAP) (Adults)

Type: Num

Column: 372

SAS Variable Name: TETANUS

Prologue:

Description: Since 2005, have you had a tetanus shot? (If yes, ask: "Was this Tdap, the tetanus shot that also has pertussis or whooping cough vaccine?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Have you ever had the HPV vaccination?

Module: 12.1 Adult Human Papilloma Virus (HPV) - Vaccination

Type: Num

Column: 373

SAS Variable Name: HPVADVC2

Prologue: A vaccine to prevent the human papilloma virus or HPV infection is available and is called the cervical cancer or genital warts vaccine, HPV shot, [Fill: if female "GARDASIL or CERVARIX", if male "GARDASIL"].

Description: Have you ever had the HPV vaccination? (Human Papilloma Virus (Human Pap•uh•loh•muh Virus), Gardasil (Gar•duh• seel), Cervarix (Serv a rix))

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is greater than 49	4,716		

How many HPV shots did you receive?

Module: 12.2 Adult Human Papilloma Virus (HPV) - Vaccination

Type: Num

Column: 374-375

SAS Variable Name: HPVADSHT

Prologue:

Description: How many HPV shots did you receive?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is greater than 49; or Module 11.01, HPVADVC2, is coded 2, 3, 7, 9 or Missing	4,716		

Have you ever had the shingles or zoster vaccine?

Module: 13.1 Shingles (Zostavax or ZOS)

Type: Num

Column: 376

SAS Variable Name: SHINGLE2

Prologue: The next question is about the Shingles vaccine.

Description: Have you ever had the shingles or zoster vaccine?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 50	4,716		

Have You Ever Had a Mammogram

Module: 14.1 Breast and Cervical Cancer Screening

Type: Num

Column: 377

SAS Variable Name: HADMAM

Prologue:

Description: A mammogram is an x-ray of each breast to look for breast cancer. Have you ever had a mammogram?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.01, SEX, is coded 1	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

How Long since Last Mammogram

Module: 14.2 Breast and Cervical Cancer Screening

Type: Num

Column: 378

SAS Variable Name: HOWLONG

Prologue:

Description: How long has it been since you had your last mammogram?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.01, SEX, is coded 1; or Module 14.01, HADMAM, is coded 2, 7, 9, or Missing	4,716		

Ever Had a Pap Test

Module: 14.3 Breast and Cervical Cancer Screening

Type: Num

Column: 379

SAS Variable Name: HADPAP2

Prologue:

Description: A Pap test is a test for cancer of the cervix. Have you ever had a Pap test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.01, SEX, is coded 1	4,716		

How Long Since Last Pap Test

Module: 14.4 Breast and Cervical Cancer Screening

Type: Num

Column: 380

SAS Variable Name: LASTPAP2

Prologue:

Description: How long has it been since you had your last Pap test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.01, SEX, is coded 1; or Module 14.03, HADPAP2, is coded 2, 7, 9, or Missing	4,716		

Have you ever had an HPV test?

Module: 14.5 Breast and Cervical Cancer Screening

Type: Num

Column: 381

SAS Variable Name: HPVTEST

Prologue: Now, I would like to ask you about the Human Papillomavirus (Pap•uh•loh•muh Virus) or HPV.

Description: An HPV test is sometimes given with the Pap test for cervical cancer screening. Have you ever had an HPV test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.01, SEX, is coded 1	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

How long since your last HPV test?

Module: 14.6 Breast and Cervical Cancer Screening

Type: Num

Column: 382

SAS Variable Name: HPLSTTST

Prologue:

Description: How long has it been since you had your last HPV test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.01, SEX, is coded 1; or Module 10.01, HPVTEST, is coded 2, 7, 9 or Missing	4,716		

Had Hysterectomy

Module: 14.7 Breast and Cervical Cancer Screening

Type: Num

Column: 383

SAS Variable Name: HADHYST2

Prologue:

Description: Have you had a hysterectomy? (A hysterectomy is an operation to remove the uterus (womb).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.01, SEX, is coded 1; or Section 07.21, PREGNANT, is coded 1	4,716		

Ever Had Breast Physical Exam by Doctor

Module: 15.1 Clinical Breast Exam for Breast Cancer Screening

Type: Num

Column: 384

SAS Variable Name: PROFEXAM

Prologue:

Description: A clinical breast exam is when a doctor, nurse, or other health professional feels the breast for lumps. Have you ever had a clinical breast exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.01, SEX, is coded 1	4,716		

How Long since Last Breast Physical Exam

Module: 15.2 Clinical Breast Exam for Breast Cancer Screening

Type: Num

Column: 385

SAS Variable Name: LENGEXAM

Prologue:

Description: How long has it been since your last breast exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.01, SEX, is coded 1; or Module 15.01, PROFEXAM, is coded 2, 7, 9, or Missing	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Ever Had Blood Stool Test Using Home Kit

Module: 16.1 Colorectal Cancer Screening

Type: Num

Column: 386

SAS Variable Name: BLDSTOOL

Prologue:

Description: A blood stool test is a test that may use a special kit at home to determine whether the stool contains blood. Have you ever had this test using a home kit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 50	4,716		

Time Since Last Blood Stool Test

Module: 16.2 Colorectal Cancer Screening

Type: Num

Column: 387

SAS Variable Name: LSTBLDS3

Prologue:

Description: How long has it been since you had your last blood stool test using a home kit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 50; or Module 16.01, BLDSTOOL, is coded 2, 7, 9, or Missing	4,716		

Ever Had Sigmoidoscopy/Colonoscopy

Module: 16.3 Colorectal Cancer Screening

Type: Num

Column: 388

SAS Variable Name: HADSIGM3

Prologue:

Description: Sigmoidoscopy and colonoscopy are exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems. Have you ever had either of these exams?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 50	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Was your last test a sigmoidoscopy or colonoscopy?

Module: 16.4 Colorectal Cancer Screening

Type: Num

Column: 389

SAS Variable Name: HADSGCO1

Prologue:

Description: For a SIGMOIDOSCOPY, a flexible tube is inserted into the rectum to look for problems. A COLONOSCOPY is similar, but uses a longer tube, and you are usually given medication through a needle in your arm to make you sleepy and told to have someone else drive you home after the test. Was your MOST RECENT exam a sigmoidoscopy or a colonoscopy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 50; or Module 16.03, HADSIGM3, is coded 2, 7, 9, or Missing	4,716		

Time Since Last Sigmoidoscopy/Colonoscopy

Module: 16.5 Colorectal Cancer Screening

Type: Num

Column: 390

SAS Variable Name: LASTSIG3

Prologue:

Description: How long has it been since you had your last sigmoidoscopy or colonoscopy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 50; or Module 16.03, HADSIGM3, is coded 2, 7, 9, or Missing	4,716		

Has a health professional EVER talked with you about the advantages of the PSA test?

Module: 17.1 Prostate Cancer Screening

Type: Num

Column: 391

SAS Variable Name: PCPSAAD2

Prologue: A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to check men for prostate cancer.

Description: Has a doctor, nurse, or other health professional EVER talked with you about the advantages of the PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40; or Section 07.01, SEX, is coded 2;	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Has a health professional EVER talked with you about the disadvantages of the PSA test?

Module: 17.2 Prostate Cancer Screening

Type: Num

Column: 392

SAS Variable Name: PCPSADI1

Prologue:

Description: Has a doctor, nurse, or other health professional EVER talked with you about the disadvantages of the PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40; or Section 07.01, SEX, is coded 2	4,716		

Has a doctor EVER recommended that you have a PSA test?

Module: 17.3 Prostate Cancer Screening

Type: Num

Column: 393

SAS Variable Name: PCPSARE1

Prologue:

Description: Has a doctor, nurse, or other health professional EVER recommended that you have a PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40; or Section 07.01, SEX, is coded 2;	4,716		

Ever Had PSA Test

Module: 17.4 Prostate Cancer Screening

Type: Num

Column: 394

SAS Variable Name: PSATEST1

Prologue:

Description: Have you EVER HAD a PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40; or Section 07.01, SEX, is coded 2;	4,716		

Time Since Last PSA Test

Module: 17.5 Prostate Cancer Screening

Type: Num

Column: 395

SAS Variable Name: PSATIME

Prologue:

Description: How long has it been since you had your last PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40; or Section 07.01, SEX, is coded 2; or Module 17.04, PSATEST1, is coded, 2, 7, 9, or Missing	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

What was the MAIN reason you had this PSA test?

Module: 17.6 Prostate Cancer Screening

Type: Num

Column: 396

SAS Variable Name: PCPSARS1

Prologue:

Description: What was the MAIN reason you had this PSA test – was it ...?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40; or Section 07.01, SEX, is coded 2; or Module 17.04, PSATEST1, is coded, 2, 7, 9, or Missing	4,716		

Why was PSA test done?

Module: 18.1 Prostate Cancer Screening Decision Making

Type: Num

Column: 397

SAS Variable Name: PCPSADE1

Prologue:

Description: Which of the following best describes the decision to have the PSA test done?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40; or Section 07.01, SEX, is coded 2; or Module 17.04, PSATEST1, is coded, 2, 7, 9, or Missing	4,716		

Who made the decision with you to have PSA test?

Module: 18.2 Prostate Cancer Screening Decision Making

Type: Char

Column: 398-401

SAS Variable Name: PCDMDECN

Prologue:

Description: Who made the decision with you? (Mark all that apply)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.02, AGE, is less than 40; or Section 07.01, SEX, is coded 2; or Module 17.04, PSATEST1, is coded, 2, 7, 9, or Missing; or Module 18.01, PCPSADE1, is coded 1, 2, or 4	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Type of Work

Module: 19.1 Industry and Occupation

Type: Char

Column: 402-501

SAS Variable Name: TYPEWORK

Prologue:

Description: What kind of work do/did you do? [(for example, registered nurse, janitor, cashier, auto mechanic)]

Value	Value Label	Frequency	Percentage	Weighted Percentage
99	Refused	29	1.36	1.35
BLANK	Not asked or Missing Notes: Section 07.15, EMPLOY1, is coded 3, 5, 6, 7, 8, 9 or Missing	2,589		
HIDDEN	Data not displayed	2,098	98.64	98.65

Type of Business/Industry

Module: 19.2 Industry and Occupation

Type: Char

Column: 502-601

SAS Variable Name: TYPEINDS

Prologue:

Description: What kind of business or industry do/did you work in? [(for example, hospital, elementary school, clothing manufacturing, restaurant)]

Value	Value Label	Frequency	Percentage	Weighted Percentage
99	Refused	25	1.18	1.12
BLANK	Not asked or Missing Notes: Section 07.15, EMPLOY1, is coded 3, 5, 6, 7, 8, 9 or Missing	2,597		
HIDDEN	Data not displayed	2,094	98.82	98.88

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Times Past 12 Months Worried/Stressed About Having Enough Money To Pay Your Rent/Mortgage?

Module: 20.1 Social Context

Type: Num

Column: 602

SAS Variable Name: SCNTMNY1

Prologue:

Description: How often in the past 12 months would you say you were worried or stressed about having enough money to pay your rent/mortgage? Would you say

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	438	11.94	14.30
2	Usually	172	4.69	5.29
3	Sometimes	581	15.84	17.26
4	Rarely	551	15.03	16.37
5	Never	1,832	49.96	44.75
7	Don't know/Not Sure	7	0.19	0.21
8	Not applicable	76	2.07	1.60
9	Refused	10	0.27	0.23
BLANK	Not asked or Missing Notes: Section 07.08, RENTHOM1, is coded 3, 7, 9 or Missing	1,049		

Times Past 12 Months Worried/Stressed About Having Enough Money To Buy Nutritious Meals?

Module: 20.2 Social Context

Type: Num

Column: 603

SAS Variable Name: SCNTMEL1

Prologue:

Description: How often in the past 12 months would you say you were worried or stressed about having enough money to buy nutritious meals? Would you say

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	324	8.17	9.86
2	Usually	134	3.38	4.49
3	Sometimes	536	13.52	14.73
4	Rarely	466	11.75	13.71
5	Never	2,485	62.67	56.89
7	Don't know/Not Sure	9	0.23	0.10
8	Not applicable	3	0.08	0.10
9	Refused	8	0.20	0.11
BLANK	Not asked or Missing	751		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

How Are You Generally Paid For The Work You Do

Module: 20.3 Social Context

Type: Num

Column: 604

SAS Variable Name: SCNTPAID

Prologue:

Description: At your main job or business, how are you generally paid for the work you do. Are you:

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Paid by salary	630	35.43	29.73
2	Paid by the hour	842	47.36	53.61
3	Paid by the job/task (e.g. commission, piecework)	174	9.79	10.47
4	Paid some other way	102	5.74	4.50
7	Don't know/Not Sure	11	0.62	0.72
9	Refused	19	1.07	0.96
BLANK	Not asked or Missing Notes: Section 07.15, EMPLOY1, is coded 3, 4, 5, 6, 7, or 8	2,938		

How Many Hours Per Week Do You Work

Module: 20.4 Social Context

Type: Num

Column: 605-606

SAS Variable Name: SCNTWRK1

Prologue:

Description: About how many hours do you work per week on all of your jobs and businesses combined?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 96	Hours (1-96 or more)—Go to next module	1,697	95.77	96.19
97	Don't know/Not Sure—Go to next module	47	2.65	2.23
98	Zero (none)—Go to next module	13	0.73	0.93
99	Refused—Go to next module	15	0.85	0.65
BLANK	Not asked or Missing Notes: Section 07.15, EMPLOY1, is coded 3, 4, 5, 6, 7, or 8	2,944		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

How Were You Generally Paid For The Work You Did

Module: 20.5 Social Context

Type: Num

Column: 607

SAS Variable Name: SCNTLPAD

Prologue:

Description: Thinking about the last time you worked, at your main job or business, how were you generally paid for the work you do? Were you:

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Paid by salary	617	44.65	35.26
2	Paid by the hour	567	41.03	50.82
3	Paid by the job/task (e.g. commission, piecework)	85	6.15	6.15
4	Paid some other way	70	5.07	4.75
7	Don't know/Not Sure	36	2.60	2.70
9	Refused	7	0.51	0.31
BLANK	Not asked or Missing Notes: Section 07.15, EMPLOY1, is coded 1, 2, 5, 6, or 8; or Module 20.04, SCNTWRK1, is > 0	3,334		

How Many Hours Per Week Did You Work

Module: 20.6 Social Context

Type: Num

Column: 608-609

SAS Variable Name: SCNTLWK1

Prologue:

Description: Thinking about the last time you worked, about how many hours did you work per week at all of your jobs and businesses combined?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 96	Hours (1-96 or more)	1,787	82.05	80.73
97	Don't know/Not Sure	212	9.73	9.03
98	Zero (none)	173	7.94	9.99
99	Refused	6	0.28	0.24
BLANK	Not asked or Missing Notes: Section 07.15, EMPLOY1, is coded 1 or 2; or Module 20.04, SCNTWRK1, is > 0	2,538		

Sexual orientation or gender identity

Module: 21.1 Sexual Orientation and Gender Identity

Type: Num

Column: 610

SAS Variable Name: SXORIENT

Prologue:

Description: Do you consider yourself to be: (We ask this question in order to better understand the health and health care needs of people with different sexual orientations.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Do you consider yourself to be transgender?

Module: 21.2 Sexual Orientation and Gender Identity

Type: Num

Column: 611

SAS Variable Name: TRNSGNDR

Prologue:

Description: Do you consider yourself to be transgender? (If yes, ask "Do you consider yourself to be male-to-female, female-to-male, or gender non-conforming?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,716		

Birth date of child

Module: 22.1 Random Child Selection

Type: Char

Column: 612-617

SAS Variable Name: RCSBIRTH

Prologue:

Description: What is the birth month and year of the "Xth" child?

Value	Value Label	Frequency	Percentage	Weighted Percentage
777777	Don't know/Not sure	66	6.56	7.40
999999	Refused	77	7.65	6.48
BLANK	Not asked or Missing Notes: Section 07.16, CHILDREN, is coded 0, 88, 99, or Missing;	3,710		
HIDDEN	Data not displayed	863	85.79	86.12

Gender of child

Module: 22.2 Random Child Selection

Type: Num

Column: 618

SAS Variable Name: RCSGENDR

Prologue:

Description: Is the child a boy or a girl?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Boy	504	50.10	51.30
2	Girl	472	46.92	46.47
9	Refused	30	2.98	2.24
BLANK	Not asked or Missing Notes: Section 07.16, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDATE > 215 months	3,710		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Ethnicity of child

Module: 22.3 Random Child Selection

Type: Char

Column: 619-622

SAS Variable Name: RCHISLA1

Prologue:

Description: Is the child Hispanic, Latino/a, or Spanish origin?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not Sure	4	0.40	0.35
9	Refused	24	2.40	1.65
BLANK	Not asked or Missing Notes: Section 07.16, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAge > 215 months	3,715		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	973	97.20	98.00

Race of child (multiple possible)

Module: 22.4 Random Child Selection

Type: Char

Column: 623-652

SAS Variable Name: RCSRACE1

Prologue:

Description: Which one or more of the following would you say is the race of the child? (If 40 (Asian) or 50 (Pacific Islander) is selected read and code subcategories underneath major heading.)[Select all that apply]

Value	Value Label	Frequency	Percentage	Weighted Percentage
77	Don't know/Not Sure	3	0.30	0.48
99	Refused	23	2.31	1.55
BLANK	Not asked or Missing Notes: Section 07.16, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAge > 215 months	3,719		
HIDDEN	Data Not Displayed	971	97.39	97.97

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Race of child

Module: 22.5 Random Child Selection

Type: Num

Column: 653-654

SAS Variable Name: RCSBRAC2

Prologue:

Description: Which one of these groups would you say best represents the child's race? (If 40 (Asian) or 50 (Pacific Islander) is selected read and code subcategories underneath major heading.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
10	White	9	34.62	27.63
20	Black or African American	10	38.46	40.82
30	American Indian or Alaska Native	1	3.85	6.49
60	Other Notes: Specify_____	3	11.54	7.47
77	Don't know/Not Sure	3	11.54	17.58
BLANK	Not asked or Missing Notes: Section 07.16, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAge > 215 months; or Module 22.04, RCSRACE1, has only one valid race code (10-60)	4,690		

Relationship to child

Module: 22.6 Random Child Selection

Type: Num

Column: 655

SAS Variable Name: RCSRLTN2

Prologue:

Description: How are you related to the child?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Parent (include biologic, step, or adoptive parent) Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	740	74.22	75.62
2	Grandparent	149	14.94	10.03
3	Foster parent or guardian	6	0.60	0.58
4	Sibling (include biologic, step, and adoptive sibling)	37	3.71	6.29
5	Other relative	35	3.51	4.37
6	Not related in any way	15	1.50	2.17
9	Refused	15	1.50	0.93
BLANK	Not asked or Missing Notes: Section 07.16, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAge > 215 months	3,719		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Hlth pro ever said child has asthma

Module: 23.1 Childhood Asthma Prevalence

Type: Num

Column: 656

SAS Variable Name: CASTHDX2

Prologue:

Description: Has a doctor, nurse or other health professional EVER said that the child has asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	138	13.91	14.11
2	No—Go to next module	831	83.77	83.82
7	Don't know/Not Sure—Go to next module	8	0.81	1.17
9	Refused—Go to next module	15	1.51	0.90
BLANK	Not asked or Missing Notes: Section 07.16, CHILDREN, is coded 0, 88, 99, or Missing	3,724		

Child still have asthma?

Module: 23.2 Childhood Asthma Prevalence

Type: Num

Column: 657

SAS Variable Name: CASTHNO2

Prologue:

Description: Does the child still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	82	59.42	57.89
2	No	51	36.96	37.20
7	Don't know/Not Sure	5	3.62	4.91
BLANK	Not asked or Missing Notes: Section 07.16, CHILDREN, is coded 0, 88, 99, or Missing; or Module 23.01, CASTHDX2, is coded 2, 7, 9, or Missing	4,578		

How often get emotional support needed

Module: 24.1 Emotional Support and Life Satisfaction

Type: Num

Column: 658

SAS Variable Name: EMTSUPRT

Prologue:

Description: How often do you get the social and emotional support you need?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Satisfaction with life

Module: 24.2 Emotional Support and Life Satisfaction

Type: Num

Column: 659

SAS Variable Name: LSATISFY

Prologue:

Description: In general, how satisfied are you with your life?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,716		

Days had little pleasure doing things

Module: 25.1 Anxiety and Depression

Type: Num

Column: 660-661

SAS Variable Name: ADPLEASR

Prologue:

Description: Over the last 2 weeks, how many days have you had little interest or pleasure in doing things?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,716		

Days felt down, depressed or hopeless

Module: 25.2 Anxiety and Depression

Type: Num

Column: 662-663

SAS Variable Name: ADDOWN

Prologue:

Description: Over the last 2 weeks, how many days have you felt down, depressed or hopeless?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,716		

Days had trouble with sleep

Module: 25.3 Anxiety and Depression

Type: Num

Column: 664-665

SAS Variable Name: ADSLEEP

Prologue:

Description: Over the last 2 weeks, how many days have you had trouble falling asleep or staying asleep or sleeping too much?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Days were tired or had little energy

Module: 25.4 Anxiety and Depression

Type: Num

Column: 666-667

SAS Variable Name: ADENERGY

Prologue:

Description: Over the last 2 weeks, how many days have you felt tired or had little energy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,716		

Days ate too little or too much

Module: 25.5 Anxiety and Depression

Type: Num

Column: 668-669

SAS Variable Name: ADEAT1

Prologue:

Description: Over the last 2 weeks, how many days have you had a poor appetite or eaten too much?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,716		

Days felt like failure or let family down

Module: 25.6 Anxiety and Depression

Type: Num

Column: 670-671

SAS Variable Name: ADFAIL

Prologue:

Description: Over the last 2 weeks, how many days have you felt bad about yourself or that you were a failure or had let yourself or your family down?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,716		

Days had trouble concentrating

Module: 25.7 Anxiety and Depression

Type: Num

Column: 672-673

SAS Variable Name: ADTHINK

Prologue:

Description: Over the last 2 weeks, how many days have you had trouble concentrating on things, such as reading the newspaper or watching the TV?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Days talked to move slower or faster than usual

Module: 25.8 Anxiety and Depression

Type: Num

Column: 674-675

SAS Variable Name: ADMOVE

Prologue:

Description: Over the last 2 weeks, how many days have you moved or spoken so slowly that other people could have noticed? Or the opposite – being so fidgety or restless that you were moving around a lot more than usual?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,716		

Receiving medicine or treatment from health pro for emotional problem

Module: 25.9 Anxiety and Depression

Type: Num

Column: 676

SAS Variable Name: MISTMNT

Prologue:

Description: Are you now taking medicine or receiving treatment from a doctor or other health professional for any type of mental health condition or emotional problem?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,716		

Ever told you had an anxiety disorder

Module: 25.10 Anxiety and Depression

Type: Num

Column: 677

SAS Variable Name: ADANXEV

Prologue:

Description: Has a doctor or other healthcare provider EVER told you that you had an anxiety disorder (including acute stress disorder, anxiety, generalized anxiety disorder, obsessive-compulsive disorder, panic disorder, phobia, posttraumatic stress disorder, or social anxiety disorder)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Asthma Follow-Up call back request

Followup: 1.1 Asthma Follow-up Call Back

Type: Num

Column: 678

SAS Variable Name: CALLBACK

Prologue:

Description: We would like to call you again within the next 2 weeks to talk in more detail about (your/your child's) experiences with asthma. The information will be used to help develop and improve the asthma programs in <STATE>. The information you gave us today and any you give us in the future will be kept confidential. If you agree to this, we will keep your first name or initials and phone number on file, separate from the answers collected today.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	422	72.76	76.29
2	No	158	27.24	23.71
BLANK	Not asked or Missing	4,136		

Asthma Follow-Up call back responded selected

Followup: 1.2 Asthma Follow-up Call Back

Type: Num

Column: 679

SAS Variable Name: ADLTCHLD

Prologue:

Description: Which household member was selected to be the focus of the callback.

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No selection	3,291	84.97	82.85
1	Adult	497	12.83	13.81
2	Child	85	2.19	3.34
BLANK	Not asked or Missing	843		

Adult Hispanic response

State: 1.1 CDCCATI Hispanic Adult

Type: Num

Column: 680

SAS Variable Name: ADHISPA

Prologue:

Description: Adult Hispanic response

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	137	2.92	3.99
2	No	4,520	96.23	95.27
7	Don't know/Not Sure	17	0.36	0.37
9	Refused	23	0.49	0.37
BLANK	Missing	19		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Child Hispanic response

State: 1.2 CDCCATI Hispanic Child

Type: Num

Column: 681

SAS Variable Name: CHHISPA

Prologue:

Description: Child Hispanic response

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	46	4.59	4.95
2	No	930	92.81	93.17
7	Don't know/Not Sure	3	0.30	0.26
9	Refused	23	2.30	1.61
BLANK	Missing	3,714		

Questionnaire Version Identifier

State: 1.1 Questionnaire Version

Type: Num

Column: 682-683

SAS Variable Name: QSTVER

Prologue:

Description: Questionnaire Version Identifier

Value	Value Label	Frequency	Percentage	Weighted Percentage
10	Landline single questionnaire	2,789	59.14	41.36
20	Cell Phone single questionnaire	1,927	40.86	58.64

Language identifier

State: 1.1 Questionnaire Language

Type: Num

Column: 684-685

SAS Variable Name: QSTLANG

Prologue:

Description: Language identifier

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	English	4,711	99.89	99.79
2	Spanish	5	0.11	0.21

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Cell Phone County Name

State: 1.1 Cell Phone County

Type: Char

Column: 696-740

SAS Variable Name: CPCOUNTY

Prologue:

Description: Cell Phone County Name

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		4,716	100.00	100.00

First Activity Other response description

Section: 11.3 Exercise (Physical Activity)

Type: Char

Column: 841-860

SAS Variable Name: EXACTOT1

Prologue:

Description: First Activity Other response description

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed	4,716	100.00	100.00

Second Activity Other response description

Section: 11.7 Exercise (Physical Activity)

Type: Char

Column: 861-880

SAS Variable Name: EXACTOT2

Prologue:

Description: Second Activity Other response description

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed	4,716	100.00	100.00

State Added Questions

State: 1.1 StateQuestions

Type: Char

Column: 901-1399

SAS Variable Name: STATEQUE

Prologue:

Description: State Added Questions

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,716	100.00	100.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

End of Data-Submission Record Marker

State: 1.1 End of Data Submission

Type: Num

Column: 1400

SAS Variable Name: EOR

Prologue:

Description: End of Data-Submission Record Marker

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	End of Data-Submission Record Marker	4,716	100.00	100.00

Metropolitan Statistical Area Code.

Weighting: 1.1 Weighting Variables

Type: Num

Column: 1401-1405

SAS Variable Name: _MSACODE

Prologue:

Description: FIPS Metropolitan Statistical Area Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,716	100.00	100.00

Metropolitan Status Code

Weighting: 1.2 Weighting Variables

Type: Num

Column: 1406

SAS Variable Name: MSCODE

Prologue:

Description: Metropolitan Status Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	In the center city of an MSA	1,282	45.97	54.82
2	Outside the center city of an MSA but inside the county containing the center city	359	12.87	14.81
3	Inside a suburban county of the MSA	324	11.62	12.92
5	Not in an MSA	824	29.54	17.44
BLANK	GU, PR, VI	1,927		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Sample Design Stratification Variable

Weighting: 1.3 Weighting Variables

Type: Num

Column: 1407-1412

SAS Variable Name: _STSTR

Prologue:

Description: Sample Design Stratification Variable (A five digit number that combines the values for _STATE (first two characters), _GEOSTR (third and fourth character), and _DENSTR2 (final character).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,716	100.00	100.00

Stratum weight

Weighting: 1.4 Weighting Variables

Type: Num

Column: 1413-1422

SAS Variable Name: _STRWT

Prologue:

Description: Stratum weight (Number of records in a stratum (NRECSTR) divided by the number of records selected (NRECSEL).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,716	100.00	100.00

Raw weighting factor

Weighting: 1.5 Weighting Variables

Type: Num

Column: 1423-1432

SAS Variable Name: _RAW

Prologue:

Description: Raw weighting factor (Number of adults in the household (NUMADULT) divided by the imputed number of phones (_IMPNP).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,716	100.00	100.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Design weight

Weighting: 1.6 Weighting Variables

Type: Num

Column: 1433-1442

SAS Variable Name: _WT2

Prologue:

Description: Design weight (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAW).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,716	100.00	100.00

Raw weighting factor used in raking

Weighting: 1.7 Weighting Variables

Type: Num

Column: 1443-1452

SAS Variable Name: _RAWRAKE

Prologue:

Description: Raw weighting factor used in raking (Number of adults in the household (NUMADULT, maximum of 5) divided by the imputed number of phones (_IMPDPH, maximum of 3).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,716	100.00	100.00

Design weight use in raking

Weighting: 1.8 Weighting Variables

Type: Num

Column: 1453-1462

SAS Variable Name: _WT2RAKE

Prologue:

Description: Design weight used in raking (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWRAKE).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,716	100.00	100.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Region

Weighting: 1.9 Weighting Variables

Type: Num

Column: 1463-1464

SAS Variable Name: _REGION

Prologue:

Description: Geographic region within a state, imputed from CTYCODE, _IMPCTY, or _GEOSTR

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,716	100.00	100.00

Age value used to determine age groups

Weighting: 1.10 Weighting Variables

Type: Num

Column: 1465-1466

SAS Variable Name: _IMPAGE

Prologue:

Description: Imputed age used in post-stratification (This value is the reported age or an imputed age, if the respondent refused to give an age. The value of the imputed age will be an average age computed from the sample if the respondent refused to give an age.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
18 - 24	Age 18 to 24	266	5.64	13.05
25 - 34	Age 25 to 34	500	10.60	18.56
35 - 44	Age 35 to 44	517	10.96	16.21
45 - 54	Age 45 to 54	750	15.90	16.74
55 - 64	Age 55 to 64	1,092	23.16	16.72
65 - 99	Age 65 or older	1,591	33.74	18.72

Imputed race/ethnicity value

Weighting: 1.12 Weighting Variables

Type: Num

Column: 1467-1468

SAS Variable Name: _IMPRACE

Prologue:

Description: Imputed race/ethnicity value (This value is the reported race/ethnicity or an imputed race/ethnicity, if the respondent refused to give a race/ethnicity. The value of the imputed race/ethnicity will be the most common race/ethnicity response for that region of the state)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White, Non-Hispanic	3,143	66.65	61.43
2	Black, Non-Hispanic	1,278	27.10	30.05
3	Asian, Non-Hispanic	39	0.83	1.30
4	American Indian/Alaskan Native, Non-Hispanic	47	1.00	1.53
5	Hispanic	107	2.27	3.28
6	Other race, Non-Hispanic	102	2.16	2.43

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Imputed number of phones

Weighting: 1.13 Weighting Variables

Type: Num

Column: 1469

SAS Variable Name: _IMPNPB

Prologue:

Description: Imputed number of phones used in weighting

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Number of phones	2,722	97.60	98.94
2		54	1.94	0.84
3		10	0.36	0.12
4		2	0.07	0.01
5		1	0.04	0.09
BLANK		1,927		

Imputed County

Weighting: 1.14 Weighting Variables

Type: Num

Column: 1470-1472

SAS Variable Name: _IMPCTY

Prologue:

Description: Imputed County

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,716	100.00	100.00

Imputed Education Level

Weighting: 1.15 Weighting Variables

Type: Num

Column: 1473

SAS Variable Name: _IMPEDUC

Prologue:

Description: Imputed Education Level (This value is the reported education level or an imputed education level, if the respondent refused to give an education level. The value of the imputed education level will be computed from the sample if the respondent refused to give an education level.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Never attended school or only kindergarten	2	0.04	0.08
2	Grades 1 through 8 (Elementary)	152	3.22	3.90
3	Grades 9 through 11 (Some high school)	435	9.22	13.73
4	Grade 12 or GED (High school graduate)	1,540	32.65	33.77
5	College 1 year to 3 years (Some college or technical school)	1,230	26.08	28.50
6	College 4 years or more (College graduate)	1,357	28.77	20.02

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Imputed Marital Status

Weighting: 1.16 Weighting Variables

Type: Num

Column: 1474

SAS Variable Name: _IMPMRTL

Prologue:

Description: Imputed Marital Status (This value is the reported marital status or an imputed marital status, if the respondent refused to give an marital status. The value of the imputed marital status will be computed from the sample if the respondent refused to give a marital status.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	2,238	47.46	46.69
2	Divorced	700	14.84	11.88
3	Widowed	740	15.69	7.97
4	Separated	124	2.63	3.02
5	Never married	806	17.09	26.64
6	A member of an unmarried couple	108	2.29	3.80

Imputed Own or Rent Home

Weighting: 1.17 Weighting Variables

Type: Num

Column: 1475

SAS Variable Name: _IMPHOME

Prologue:

Description: Imputed Own or Rent Home (This value is the reported tenure (rent or own home) or an imputed tenure, if the respondent refused to give an ownership status (tenure). The value of the imputed tenure will be computed from the sample if the respondent refused to give a tenure.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Own	3,454	73.24	69.76
2	Rent	908	19.25	20.49
3	Other arrangement	354	7.51	9.75

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Original state that collected the cell phone data

Weighting: 1.18 Weighting Variables

Type: Num

Column: 1476-1477

SAS Variable Name: O_STATE

Prologue:

Description: Original state that collected the cell phone data

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Alabama	4	0.08	0.12
2	Alaska	3	0.06	0.10
4	Arizona	1	0.02	0.01
5	Arkansas	1	0.02	0.02
6	California	6	0.13	0.25
8	Colorado	4	0.08	0.10
15	Hawaii	2	0.04	0.03
17	Illinois	1	0.02	0.01
18	Indiana	1	0.02	0.05
20	Kansas	6	0.13	0.11
21	Kentucky	3	0.06	0.18
22	Louisiana	4,615	97.86	96.53
25	Massachusetts	3	0.06	0.14
26	Michigan	2	0.04	0.07
28	Mississippi	12	0.25	0.37
29	Missouri	1	0.02	0.06
30	Montana	2	0.04	0.05
31	Nebraska	7	0.15	0.22
34	New Jersey	1	0.02	0.03
35	New Mexico	2	0.04	0.17
36	New York	1	0.02	0.07
37	North Carolina	4	0.08	0.13
40	Oklahoma	3	0.06	0.09
42	Pennsylvania	3	0.06	0.07
44	Rhode Island	2	0.04	0.07
45	South Carolina	3	0.06	0.08
46	South Dakota	2	0.04	0.05
47	Tennessee	1	0.02	0.03
48	Texas	5	0.11	0.18
49	Utah	2	0.04	0.10
51	Virginia	3	0.06	0.11
53	Washington	3	0.06	0.09
54	West Virginia	5	0.11	0.20
56	Wyoming	1	0.02	0.09
72	Puerto Rico	1	0.02	0.05

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Child Hispanic, Latino/a, or Spanish origin calculated variable

ChildDemographics: 1.01 Child Demographic Variables

Type: Num

Column: 1478

SAS Variable Name: _CHISPNC

Prologue:

Description: Child Hispanic, Latino/a, or Spanish origin calculated variable

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Child of Hispanic, Latino/a, or Spanish origin	41	0.87	1.28
2	Child not of Hispanic, Latino/a, or Spanish origin	932	19.76	27.18
9	Don't know/Not Sure/Refused	3,743	79.37	71.54

CRACORG1 with responses in ascending order

ChildDemographics: 1.03 Child Demographic Variables

Type: Num

Column: 1507-1534

SAS Variable Name: CRACASC1

Prologue:

Description: CRACORG1 with responses in ascending order

Value	Value Label	Frequency	Percentage	Weighted Percentage
77	Don't know/Not sure	3	0.15	0.24
99	Refused	23	1.15	0.78
BLANK	Missing	7,438		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	1,968	98.70	98.99

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Child Non-Hispanic Race including Multiracial

ChildDemographics: 1.04 Child Demographic Variables

Type: Num

Column: 1535-1536

SAS Variable Name: _CRACE1

Prologue:

Description: Child multiracial race categorization

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only	570	57.17	55.53
2	Black or African American only	320	32.10	33.33
3	American Indian or Alaskan Native only	20	2.01	2.54
4	Asian Only	8	0.80	0.82
5	Native Hawaiian or other Pacific Islander only	3	0.30	0.33
6	Other race only	24	2.41	2.82
7	Multiracial	26	2.61	2.60
77	Don't know/Not sure	3	0.30	0.48
99	Refused	23	2.31	1.55
BLANK	Missing	3,719		

Preferred Child Race Categories

ChildDemographics: 1.05 Child Demographic Variables

Type: Num

Column: 1537-1538

SAS Variable Name: _CPRACE

Prologue:

Description: Preferred Child Race Categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White	570	57.17	55.53
2	Black or African American	320	32.10	33.33
3	American Indian or Alaskan Native	20	2.01	2.54
4	Asian	8	0.80	0.82
5	Native Hawaiian or other Pacific Islander	3	0.30	0.33
6	Other race	24	2.41	2.82
7	No preferred race	26	2.61	2.60
77	Don't know/Not sure	3	0.30	0.48
99	Refused	23	2.31	1.55
BLANK	Missing	3,719		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Imputed Child Age

ChildDemographics: 1.06 Child Demographic Variables

Type: Num

Column: 1539

SAS Variable Name: _IMPCAGE

Prologue:

Description: Imputed Child Age

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	0-4 Years old	234	23.26	26.73
2	5-9 Years old	204	20.28	22.26
3	10-14 Years old	313	31.11	28.40
4	15-17 Years old	255	25.35	22.61
BLANK	Not asked or Missing	3,710		

Imputed Child Race/Ethnicity

ChildDemographics: 1.07 Child Demographic Variables

Type: Num

Column: 1540

SAS Variable Name: _IMPCRAC

Prologue:

Description: Imputed Child Race/Ethnicity

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White, non-Hispanic	578	57.46	55.18
2	Black or African American, non-Hispanic	324	32.21	33.16
3	Asian, non-Hispanic	6	0.60	0.77
4	American Indian or Alaskan Native, non-Hispanic	19	1.89	2.48
5	Multi-race, non-Hispanic or Other race, non-Hispanic	38	3.78	4.02
6	Hispanic	41	4.08	4.38
BLANK	Missing	3,710		

Imputed Child Gender

ChildDemographics: 1.08 Child Demographic Variables

Type: Num

Column: 1541

SAS Variable Name: _IMPCSEX

Prologue:

Description: Imputed Child Gender

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Male	528	52.49	53.06
2	Female	478	47.51	46.94
BLANK	Missing	3,710		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Raw child weighting factor

ChildWeighting 1.01 Child Weighting Variables
:

Type: Num

Column: 1542-1551

SAS Variable Name: _RAWCH

Prologue:

Description: Raw child weighting factor (Number of children in the household (CHILDREN) divided by the imputed number of phones (_IMPNPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,716	100.00	100.00

Child design weight

ChildWeighting 1.02 Child Weighting Variables
:

Type: Num

Column: 1552-1561

SAS Variable Name: _WT2CH

Prologue:

Description: Child design weight (Child stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWCH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,716	100.00	100.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Child Age (in months)

ChildWeighting : 1.03 Child Weighting Variables

Type: Num

Column: 1562-1564

SAS Variable Name: CHILDAge

Prologue:

Description: Child Age (in months)

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 11	0 Years old	36	3.58	3.63
12 - 23	1 Year old	43	4.27	4.77
24 - 35	2 Years old	32	3.18	3.75
36 - 47	3 Years old	56	5.57	6.61
48 - 59	4 Years old	27	2.68	2.95
60 - 71	5 Years old	27	2.68	3.77
72 - 83	6 Years old	36	3.58	4.15
84 - 95	7 Years old	53	5.27	5.40
96 - 107	8 Years old	35	3.48	3.80
108 - 119	9 Years old	49	4.87	4.78
120 - 131	10 Years old	38	3.78	3.58
132 - 143	11 Years old	57	5.67	4.98
144 - 155	12 Years old	56	5.57	5.04
156 - 167	13 Years old	41	4.08	4.13
168 - 179	14 Years old	58	5.77	5.39
180 - 191	15 Years old	78	7.75	7.05
192 - 203	16 Years old	75	7.46	6.11
204 - 215	17 Years old	66	6.56	6.23
777	Don't know / Not sure	66	6.56	7.40
999	Refused	77	7.65	6.48
BLANK	Not asked or Missing	3,710		

Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

ChildLandandCellRaking: 1.1 Child Weighting Variables

Type: Num

Column: 1565-1567

SAS Variable Name: _CLCPM01

Prologue:

Description: Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 8	First raking margin: (age-sex)	1,006	100.00	100.00
BLANK	Missing	3,710		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

ChildLandandC 1.2 Child Weighting Variables
ellRaking:

Type: Num

Column: 1568-1570

SAS Variable Name: _CLCPM02

Prologue:

Description: Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 6	Second raking margin: (race/ethnicity)	1,006	100.00	100.00
BLANK	Missing	3,710		

Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

ChildLandandC 1.3 Child Weighting Variables
ellRaking:

Type: Num

Column: 1571-1573

SAS Variable Name: _CLCPM03

Prologue:

Description: Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 12	Third raking margin: (sex-race/ethnicity)	1,006	100.00	100.00
BLANK	Missing	3,710		

Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

ChildLandandC 1.4 Child Weighting Variables
ellRaking:

Type: Num

Column: 1574-1576

SAS Variable Name: _CLCPM04

Prologue:

Description: Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 18	Fourth raking margin: (age-race/ethnicity)	1,006	100.00	100.00
BLANK	Missing	3,710		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

ChildLandandC 1.5 Child Weighting Variables
ellRaking:

Type: Num

Column: 1577-1579

SAS Variable Name: _CLCPM05

Prologue:

Description: Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 2	Cell Phone Only	1,006	100.00	100.00
BLANK	Missing	3,710		

Final child weight: Land-line and Cell-Phone data

ChildLandandC 1.5 Child Weighting Variables
ellRaking:

Type: Num

Column: 1580-1589

SAS Variable Name: _CLLCPWT

Prologue:

Description: Final child weight: Land-line and Cell-Phone data (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,716	100.00	100.00

Version 1 Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

ChildLandandC 1.1 Child Weighting Variables
ellRaking:

Type: Num

Column: 1590-1592

SAS Variable Name: _CLCM1V1

Prologue:

Description: Version 1 Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Version 1 Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

**ChildLandandC
ellRaking:** 1.2 Child Weighting Variables

Type: Num

Column: 1593-1595

SAS Variable Name: _CLCM2V1

Prologue:

Description: Version 1 Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 1 Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

**ChildLandandC
ellRaking:** 1.3 Child Weighting Variables

Type: Num

Column: 1596-1598

SAS Variable Name: _CLCM3V1

Prologue:

Description: Version 1 Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 1 Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

**ChildLandandC
ellRaking:** 1.4 Child Weighting Variables

Type: Num

Column: 1599-1601

SAS Variable Name: _CLCM4V1

Prologue:

Description: Version 1 Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 1 Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

**ChildLandandC
ellRaking:** 1.5 Child Weighting Variables

Type: Num

Column: 1602-1604

SAS Variable Name: _CLCM5V1

Prologue:

Description: Version 1 Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Version 1 child weight: Land-line and Cell-Phone data

ChildLandandC 1.5 Child Weighting Variables
ellRaking:

Type: Num

Column: 1605-1614

SAS Variable Name: _CLCWTV1

Prologue:

Description: Version 1 child weight: Land-line and Cell-Phone data

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,716	100.00	100.00

Version 2 Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

ChildLandandC 1.1 Child Weighting Variables
ellRaking:

Type: Num

Column: 1615-1617

SAS Variable Name: _CLCM1V2

Prologue:

Description: Version 2 Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 2 Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

ChildLandandC 1.2 Child Weighting Variables
ellRaking:

Type: Num

Column: 1618-1620

SAS Variable Name: _CLCM2V2

Prologue:

Description: Version 2 Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 2 Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

ChildLandandC 1.3 Child Weighting Variables
ellRaking:

Type: Num

Column: 1621-1623

SAS Variable Name: _CLCM3V2

Prologue:

Description: Version 2 Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Version 2 Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

ChildLandandC 1.4 Child Weighting Variables
ellRaking:

Type: Num

Column: 1624-1626

SAS Variable Name: _CLCM4V2

Prologue:

Description: Version 2 Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 2 Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

ChildLandandC 1.5 Child Weighting Variables
ellRaking:

Type: Num

Column: 1627-1629

SAS Variable Name: _CLCM5V2

Prologue:

Description: Version 2 Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 2 child weight: Land-line and Cell-Phone data

ChildLandandC 1.5 Child Weighting Variables
ellRaking:

Type: Num

Column: 1630-1639

SAS Variable Name: _CLCWTV2

Prologue:

Description: Version 2 child weight: Land-line and Cell-Phone data

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,716	100.00	100.00

Version 3 Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

ChildLandandC 1.1 Child Weighting Variables
ellRaking:

Type: Num

Column: 1640-1642

SAS Variable Name: _CLCM1V3

Prologue:

Description: Version 3 Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Version 3 Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

ChildLandandC ellRaking:	1.2	Child Weighting Variables	Type:	Num
Column:	1643-1645		SAS Variable Name:	_CLCM2V3
Prologue:				
Description:	Version 3 Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)			
Value	Value Label		Frequency	Percentage
BLANK	Missing		4,716	Weighted Percentage

Version 3 Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

ChildLandandC ellRaking:	1.3	Child Weighting Variables	Type:	Num
Column:	1646-1648		SAS Variable Name:	_CLCM3V3
Prologue:				
Description:	Version 3 Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)			
Value	Value Label		Frequency	Percentage
BLANK	Missing		4,716	Weighted Percentage

Version 3 Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

ChildLandandC ellRaking:	1.4	Child Weighting Variables	Type:	Num
Column:	1649-1651		SAS Variable Name:	_CLCM4V3
Prologue:				
Description:	Version 3 Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)			
Value	Value Label		Frequency	Percentage
BLANK	Missing		4,716	Weighted Percentage

Version 3 Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

ChildLandandC ellRaking:	1.5	Child Weighting Variables	Type:	Num
Column:	1652-1654		SAS Variable Name:	_CLCM5V3
Prologue:				
Description:	Version 3 Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)			
Value	Value Label		Frequency	Percentage
BLANK	Missing		4,716	Weighted Percentage

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Version 3 child weight: Land-line and Cell-Phone data

ChildLandandCellRaking: 1.5 Child Weighting Variables

Type: Num

Column: 1655-1664

SAS Variable Name: _CLCWTV3

Prologue:

Description: Version 3 child weight: Land-line and Cell-Phone data

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,716	100.00	100.00

Original State and Original Sequence Number

LandandCellRaking: 1.1 Weighting Variables

Type: Char

Column: 1665-1676

SAS Variable Name: ORGSEQNO

Prologue:

Description: Original State and Original Sequence Number

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,716	100.00	100.00

Dual Phone Use Categories

LandandCellRaking: 1.2 Weighting Variables

Type: Num

Column: 1677

SAS Variable Name: _DUALUSE

Prologue:

Description: Dual Phone Use Categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Land Line: Cell Phone Mostly	2,260	47.92	33.21
2	Cell Phone: Cell Phone Mostly	650	13.78	16.47
9	No Dual Phone Use	1,806	38.30	50.31

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Dual Phone Use Correction Factor

LandandCellRanking: 1.3 Weighting Variables

Type: Num

Column: 1678-1687

SAS Variable Name: _DUALCOR

Prologue:

Description: Dual phone use correction factor

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,716	100.00	100.00

Combined Land-Line and Cell-Phone First Margin (Age-Gender)

LandandCellRanking: 1.5 Weighting Variables

Type: Num

Column: 1698-1700

SAS Variable Name: _LLCPM01

Prologue:

Description: Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	First raking margin: (age-sex)	4,716	100.00	100.00

Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

LandandCellRanking: 1.6 Weighting Variables

Type: Num

Column: 1701-1703

SAS Variable Name: _LLCPM02

Prologue:

Description: Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 6	Second raking margin: (race/ethnicity)	4,716	100.00	100.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Third Margin (Education)

LandandCellRa 1.7 Weighting Variables
king:

Type: Num

Column: 1704-1706

SAS Variable Name: _LLCPM03

Prologue:

Description: Combined Land-Line and Cell-Phone Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than HS	589	12.49	17.72
2	HS Grad	1,540	32.65	33.77
3	Some College	1,230	26.08	28.50
4	College Grad	1,357	28.77	20.02

Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

LandandCellRa 1.8 Weighting Variables
king:

Type: Num

Column: 1707-1709

SAS Variable Name: _LLCPM04

Prologue:

Description: Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	2,238	47.46	46.69
2	Never married, member unmarried couple	914	19.38	30.44
3	Divorced, Widowed, Separated	1,564	33.16	22.87

Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

LandandCellRa 1.9 Weighting Variables
king:

Type: Num

Column: 1710-1712

SAS Variable Name: _LLCPM05

Prologue:

Description: Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 2	Fifth raking margin: (rent/own home)	4,716	100.00	100.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

LandandCellRa 1.10 Weighting Variables
king:

Type: Num

Column: 1713-1715

SAS Variable Name: _LLCPM06

Prologue:

Description: Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 12	Sixth raking margin: (sex-race/ethnicity)	4,716	100.00	100.00

Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

LandandCellRa 1.11 Weighting Variables
king:

Type: Num

Column: 1716-1718

SAS Variable Name: _LLCPM07

Prologue:

Description: Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 18	Seventh raking margin: (age-race/ethnicity)	4,716	100.00	100.00

Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

LandandCellRa 1.12 Weighting Variables
king:

Type: Num

Column: 1719-1721

SAS Variable Name: _LLCPM08

Prologue:

Description: Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 3	Eighth raking margin: (phone source-land line or cell phone)	4,716	100.00	100.00

Combined Land-Line and Cell-Phone Ninth Margin (Regions)

LandandCellRa 1.13 Weighting Variables
king:

Type: Num

Column: 1722-1724

SAS Variable Name: _LLCPM09

Prologue:

Description: Combined Land-Line and Cell-Phone Ninth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Ninth raking margin: (region)	4,716	100.00	100.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

LandandCellRa 1.14 Weighting Variables
king:

Type: Num

Column: 1725-1727

SAS Variable Name: _LLCPM10

Prologue:

Description: Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 700	Tenth raking margin: (region-age)	4,716	100.00	100.00

Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

LandandCellRa 1.15 Weighting Variables
king:

Type: Num

Column: 1728-1730

SAS Variable Name: _LLCPM11

Prologue:

Description: Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 200	Eleventh raking margin: (region-sex)	4,716	100.00	100.00

Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

LandandCellRa 1.16 Weighting Variables
king:

Type: Num

Column: 1731-1733

SAS Variable Name: _LLCPM12

Prologue:

Description: Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 600	Twelfth raking margin: (region-race/ethnicity)	4,716	100.00	100.00

Combined Land-Line and Cell-Phone Thirteenth Margin (Counties)

LandandCellRa 1.17 Weighting Variables
king:

Type: Num

Column: 1734-1736

SAS Variable Name: _LLCPM13

Prologue:

Description: Combined Land-Line and Cell-Phone Thirteenth Margin (Counties)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Fourteenth Margin (Counties-Race/Ethnicity)

LandandCellRanking: 1.18 Weighting Variables

Type: Num

Column: 1737-1739

SAS Variable Name: _LLCPM14

Prologue:

Description: Combined Land-Line and Cell-Phone Fourteenth Margin (Counties-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Combined Land-Line and Cell-Phone Fifteenth Margin (Counties-Age)

LandandCellRanking: 1.19 Weighting Variables

Type: Num

Column: 1740-1742

SAS Variable Name: _LLCPM15

Prologue:

Description: Combined Land-Line and Cell-Phone Fifteenth Margin (Counties-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Combined Land-Line and Cell-Phone Sixteenth Margin (Counties-Sex)

LandandCellRanking: 1.20 Weighting Variables

Type: Num

Column: 1743-1745

SAS Variable Name: _LLCPM16

Prologue:

Description: Combined Land-Line and Cell-Phone Sixteenth Margin (Counties-Sex)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Final weight: Land-line and cell-phone data

LandandCellRanking: 1.21 Weighting Variables

Type: Num

Column: 1746-1755

SAS Variable Name: _LLCPWT

Prologue:

Description: Final weight assigned to each respondent: Land-line and cell-phone data (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed	4,716	100.00	100.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Version 1 Combined Land-Line and Cell-Phone First Margin (Age-Gender)

LandandCellRa 1.1 Weighting Variables
king:

Type: Num

Column: 1756-1758

SAS Variable Name: _LCM01V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 1 Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

LandandCellRa 1.2 Weighting Variables
king:

Type: Num

Column: 1759-1761

SAS Variable Name: _LCM02V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 1 Combined Land-Line and Cell-Phone Third Margin (Education)

LandandCellRa 1.3 Weighting Variables
king:

Type: Num

Column: 1762-1764

SAS Variable Name: _LCM03V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 1 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

LandandCellRa 1.4 Weighting Variables
king:

Type: Num

Column: 1765-1767

SAS Variable Name: _LCM04V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Version 1 Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

LandandCellRa 1.5 Weighting Variables
king:

Type: Num

Column: 1768-1770

SAS Variable Name: _LCM05V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 1 Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

LandandCellRa 1.6 Weighting Variables
king:

Type: Num

Column: 1771-1773

SAS Variable Name: _LCM06V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 1 Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

LandandCellRa 1.7 Weighting Variables
king:

Type: Num

Column: 1774-1776

SAS Variable Name: _LCM07V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 1 Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

LandandCellRa 1.8 Weighting Variables
king:

Type: Num

Column: 1777-1779

SAS Variable Name: _LCM08V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Version 1 Combined Land-Line and Cell-Phone Ninth Margin (Regions)

LandandCellRa 1.9 Weighting Variables
king:

Type: Num

Column: 1780-1782

SAS Variable Name: _LCM09V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Ninth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 1 Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

LandandCellRa 1.10 Weighting Variables
king:

Type: Num

Column: 1783-1785

SAS Variable Name: _LCM10V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 1 Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

LandandCellRa 1.11 Weighting Variables
king:

Type: Num

Column: 1786-1788

SAS Variable Name: _LCM11V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 1 Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

LandandCellRa 1.12 Weighting Variables
king:

Type: Num

Column: 1789-1791

SAS Variable Name: _LCM12V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Version 1 weight: Land-line and cell-phone data

LandandCellRanking: 1.13 Weighting Variables

Type: Num

Column: 1792-1801

SAS Variable Name: _LCPWTV1

Prologue:

Description: Version 1 weight assigned to each respondent: Land-line and cell-phone data

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,716	100.00	100.00

Version 2 Combined Land-Line and Cell-Phone First Margin (Age-Gender)

LandandCellRanking: 1.1 Weighting Variables

Type: Num

Column: 1802-1804

SAS Variable Name: _LCM01V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 2 Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

LandandCellRanking: 1.2 Weighting Variables

Type: Num

Column: 1805-1807

SAS Variable Name: _LCM02V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 2 Combined Land-Line and Cell-Phone Third Margin (Education)

LandandCellRanking: 1.3 Weighting Variables

Type: Num

Column: 1808-1810

SAS Variable Name: _LCM03V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Version 2 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

LandandCellRa 1.4 Weighting Variables
king:

Type: Num

Column: 1811-1813

SAS Variable Name: _LCM04V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 2 Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

LandandCellRa 1.5 Weighting Variables
king:

Type: Num

Column: 1814-1816

SAS Variable Name: _LCM05V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 2 Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

LandandCellRa 1.6 Weighting Variables
king:

Type: Num

Column: 1817-1819

SAS Variable Name: _LCM06V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 2 Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

LandandCellRa 1.7 Weighting Variables
king:

Type: Num

Column: 1820-1822

SAS Variable Name: _LCM07V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Version 2 Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

LandandCellRa 1.8 Weighting Variables
king:

Type: Num

Column: 1823-1825

SAS Variable Name: _LCM08V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 2 Combined Land-Line and Cell-Phone Ninth Margin (Regions)

LandandCellRa 1.9 Weighting Variables
king:

Type: Num

Column: 1826-1828

SAS Variable Name: _LCM09V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Ninth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 2 Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

LandandCellRa 1.10 Weighting Variables
king:

Type: Num

Column: 1829-1831

SAS Variable Name: _LCM10V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 2 Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

LandandCellRa 1.11 Weighting Variables
king:

Type: Num

Column: 1832-1834

SAS Variable Name: _LCM11V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Version 2 Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

LandandCellRa 1.12 Weighting Variables
king:

Type: Num

Column: 1835-1837

SAS Variable Name: _LCM12V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 2 weight: Land-line and cell-phone data

LandandCellRa 1.13 Weighting Variables
king:

Type: Num

Column: 1838-1847

SAS Variable Name: _LCPWTV2

Prologue:

Description: Version 2 weight assigned to each respondent: Land-line and cell-phone data

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,716	100.00	100.00

Version 3 Combined Land-Line and Cell-Phone First Margin (Age-Gender)

LandandCellRa 1.1 Weighting Variables
king:

Type: Num

Column: 1848-1850

SAS Variable Name: _LCM01V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 3 Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

LandandCellRa 1.2 Weighting Variables
king:

Type: Num

Column: 1851-1853

SAS Variable Name: _LCM02V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Version 3 Combined Land-Line and Cell-Phone Third Margin (Education)

LandandCellRa 1.3 Weighting Variables
king:

Type: Num

Column: 1854-1856

SAS Variable Name: _LCM03V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 3 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

LandandCellRa 1.4 Weighting Variables
king:

Type: Num

Column: 1857-1859

SAS Variable Name: _LCM04V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 3 Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

LandandCellRa 1.5 Weighting Variables
king:

Type: Num

Column: 1860-1862

SAS Variable Name: _LCM05V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 3 Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

LandandCellRa 1.6 Weighting Variables
king:

Type: Num

Column: 1863-1865

SAS Variable Name: _LCM06V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Version 3 Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

LandandCellRa 1.7 Weighting Variables
king:

Type: Num

Column: 1866-1868

SAS Variable Name: _LCM07V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 3 Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

LandandCellRa 1.8 Weighting Variables
king:

Type: Num

Column: 1869-1871

SAS Variable Name: _LCM08V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 3 Combined Land-Line and Cell-Phone Ninth Margin (Regions)

LandandCellRa 1.9 Weighting Variables
king:

Type: Num

Column: 1872-1874

SAS Variable Name: _LCM09V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Ninth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 3 Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

LandandCellRa 1.10 Weighting Variables
king:

Type: Num

Column: 1875-1877

SAS Variable Name: _LCM10V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Version 3 Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

LandandCellRanking: 1.11 Weighting Variables

Type: Num

Column: 1878-1880

SAS Variable Name: _LCM11V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 3 Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

LandandCellRanking: 1.12 Weighting Variables

Type: Num

Column: 1881-1883

SAS Variable Name: _LCM12V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,716		

Version 3 weight: Land-line and cell-phone data

LandandCellRanking: 1.13 Weighting Variables

Type: Num

Column: 1884-1893

SAS Variable Name: _LCPWTV3

Prologue:

Description: Version 3 weight assigned to each respondent: Land-line and cell-phone data

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,716	100.00	100.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Adults with good or better health

Calculated Variables: 1.1 Calculated Variables

Type: Num

Column: 1894

SAS Variable Name: _RFHLTH

Prologue:

Description: Adults with good or better health

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Good or Better Health Notes: GENHLTH = 1 or 2 or 3	3,504	74.30	77.86
2	Fair or Poor Health Notes: GENHLTH = 4 or 5	1,200	25.45	21.89
9	Don't know/Not Sure Or Refused/Missing Notes: GENHLTH = 7 or 9 or Missing	12	0.25	0.25

Respondents aged 18-64 with health care coverage

Calculated Variables: 3.1 Calculated Variables

Type: Num

Column: 1895

SAS Variable Name: _HCVU651

Prologue:

Description: Respondents aged 18-64 who have any form of health care coverage

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Have health care coverage Notes: 18 <= AGE <=64 and HLTHPLN1 = 1	2,586	54.83	64.63
2	Do not have health care coverage Notes: 18 <= AGE <=64 and HLTHPLN1 = 2	478	10.14	14.80
9	Don't know/Not Sure, Refused or Missing Notes: AGE > 64 or AGE = Missing or HLTHPLN1 = 7 or 9 or Missing	1,652	35.03	20.57

High Blood Pressure Calculated Variable

Calculated Variables: 4.1 Calculated Variables

Type: Num

Column: 1896

SAS Variable Name: _RFHYPE5

Prologue:

Description: Adults who have been told they have high blood pressure by a doctor, nurse, or other health professional

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: BPHIGH4 = 2 or 3 or 4	2,382	50.51	60.54
2	Yes Notes: BPHIGH4 = 1	2,326	49.32	39.21
9	Don't know/Not Sure/Refused/Missing Notes: BPHIGH4 = 7 or 9 or Missing	8	0.17	0.25

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Cholesterol Checked Calculated Variable

Calculated Variables: 5.1 Calculated Variables

Type: Num

Column: 1897

SAS Variable Name: _CHOLCHK

Prologue:

Description: Cholesterol check within past five years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Had cholesterol checked in past 5 years Notes: BLOODCHO = 1 and CHOLCHK = 1 or 2 or 3	3,817	80.94	72.45
2	Did not have cholesterol checked in past 5 years Notes: BLOODCHO = 1 and CHOLCHK = 4	107	2.27	2.52
3	Have never had cholesterol checked Notes: BLOODCHO = 2	552	11.70	18.32
9	Don't know/Not Sure Or Refused/Missing Notes: BLOODCHO = 7 or 9 or Missing or CHOLCHK = 7 or 9 or Missing	240	5.09	6.71

High Cholesterol Calculated Variable

Calculated Variables: 5.2 Calculated Variables

Type: Num

Column: 1898

SAS Variable Name: _RFCHOL

Prologue:

Description: Adults who have had their cholesterol checked and have been told by a doctor, nurse, or other health professional that it was high

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: BLOODCHO=1 and TOLDHI2 = 2	2,143	53.45	60.33
2	Yes Notes: BLOODCHO=1 and TOLDHI2 = 1	1,830	45.65	38.92
9	Don't know/Not Sure Or Refused/Missing Notes: BLOODCHO=1 and TOLDHI2 = 7 or 9 or Missing	36	0.90	0.75
BLANK	Missing Notes: BLOODCHO = 2 or 7 or 9 or Missing	707		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Ever had CHD or MI

Calculated Variables: 6.1 Calculated Variables

Type: Num

Column: 1899

SAS Variable Name: _MICHHD

Prologue:

Description: Respondents that have ever reported having coronary heart disease (CHD) or myocardial infarction (MI)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Reported having MI or CHD Notes: CVDINFR4=1 OR CVDCRHD4=1	533	11.43	8.13
2	Did not report having MI or CHD Notes: CVDINFR4=2 AND CVDCRHD4=2	4,129	88.57	91.87
BLANK	Not asked or Missing Notes: CVDINFR4=7, 9 OR MISSING OR CVDCRHD4=7, 9, OR MISSING	54		

Lifetime Asthma Calculated Variable

Calculated Variables: 6.2 Calculated Variables

Type: Num

Column: 1900

SAS Variable Name: _LTASTH1

Prologue:

Description: Adults who have ever been told they have asthma

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ASTHMA3 = 2	4,068	86.26	85.10
2	Yes Notes: ASTHMA3 = 1	634	13.44	14.53
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing	14	0.30	0.37

Current Asthma Calculated Variable

Calculated Variables: 6.3 Calculated Variables

Type: Num

Column: 1901

SAS Variable Name: _CASTHM1

Prologue:

Description: Adults who have been told they currently have asthma

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ASTHMA3 = 2 or ASTHMA3 = 1 and ASTHNOW = 2	4,287	90.90	90.91
2	Yes Notes: ASTHMA3 = 1 and ASTHNOW = 1	385	8.16	8.09
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing	44	0.93	1.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Computed Asthma Status

Calculated Variables: 6.4 Calculated Variables

Type: Num

Column: 1902

SAS Variable Name: _ASTHMS1

Prologue:

Description: Computed asthma status

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Current Notes: ASTHMA3 = 1 and ASTHNOW = 1	385	8.16	8.09
2	Former Notes: ASTHMA3 = 1 and ASTHNOW = 2	219	4.64	5.81
3	Never Notes: ASTHMA3 = 2	4,068	86.26	85.10
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing	44	0.93	1.00

Respondents diagnosed with arthritis

Calculated Variables: 6.5 Calculated Variables

Type: Num

Column: 1903

SAS Variable Name: _DRDXAR1

Prologue:

Description: Respondents who have had a doctor diagnose them as having some form of arthritis

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Diagnosed with arthritis Notes: HAVARTH3 = 1	1,748	37.33	27.91
2	Not diagnosed with arthritis Notes: HAVARTH3 = 2	2,935	62.67	72.09
BLANK	Don't know/Not Sure/Refused/Missing Notes: HAVARTH3 = 7 or 9 or Missing	33		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

MRACE1 with 77,80,88,90s removed calculated variable

Calculated Variables: 7.1 Calculated Race Variables

Type: Char

Column: 1904-1931

SAS Variable Name: MRACORG1

Prologue:

Description: MRACE1 with 77,80,88,90s removed

Value	Value Label	Frequency	Percentage	Weighted Percentage
77	Don't know/Not sure Notes: MRACE1 = 77	12	0.25	0.31
99	Refused Notes: MRACE1 = 99	42	0.89	1.06
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,662	98.85	98.63

MRACEORG with responses in ascending order calculated variable

Calculated Variables: 7.2 Calculated Race Variables

Type: Num

Column: 1932-1959

SAS Variable Name: MRACASC1

Prologue:

Description: MRACE with 7,8,9s removed, in ascending order

Value	Value Label	Frequency	Percentage	Weighted Percentage
77	Don't know/Not sure Notes: MRACORG1 = 77	12	0.25	0.31
99	Refused Notes: MRACORG1 = 99	42	0.89	1.06
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,662	98.85	98.63

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Computed Preferred Race

Calculated Variables: 7.3 Calculated Race Variables

Type: Num

Column: 1960-1961

SAS Variable Name: _PRACE1

Prologue:

Description: Preferred race category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White Notes: MRACASC1 = 10	3,184	67.51	62.52
2	Black or African American Notes: MRACASC1 = 20	1,303	27.63	31.00
3	American Indian or Alaskan Native Notes: MRACASC1 = 30	61	1.29	1.93
4	Asian Notes: MRACASC1 = 40,41,42,43,44,45,46,47	42	0.89	1.39
5	Native Hawaiian or other Pacific Islander Notes: MRACASC1 = 50,51,52,53,54	6	0.13	0.27
6	Other race Notes: MRACASC1 = 60	59	1.25	1.40
7	No preferred race Notes: MRACASC1 >= 100 and ORACE3 = 7 or 9	7	0.15	0.13
77	Don't know/Not sure Notes: MRACASC1 = 77	12	0.25	0.31
99	Refused Notes: MRACASC1 = 99	42	0.89	1.06

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Calculated non-Hispanic Race including multiracial

Calculated Variables: 7.4 Calculated Race Variables

Type: Num

Column: 1962-1963

SAS Variable Name: _MRACE1

Prologue:

Description: Calculated multiracial race categorization

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only Notes: MRACASC1 = 10	3,159	66.98	61.92
2	Black or African American only Notes: MRACASC1 = 20	1,290	27.35	30.67
3	American Indian or Alaskan Native only Notes: MRACASC1 = 30	51	1.08	1.69
4	Asian Only Notes: MRACASC1 = 40,41,42,43,44,45,46,47	40	0.85	1.32
5	Native Hawaiian or other Pacific Islander only Notes: MRACASC1 = 50,51,52,53,54	5	0.11	0.16
6	Other race only Notes: MRACASC1 = 60	52	1.10	1.26
7	Multiracial Notes: MRACASC1 >= 100	65	1.38	1.61
77	Don't know/Not sure Notes: MRACASC1 = 77	12	0.25	0.31
99	Refused Notes: MRACASC1 = 99	42	0.89	1.06

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Calculated non-Hispanic Race including multiracial

Calculated Variables: 7.5 Calculated Race Variables

Type: Num

Column: 1964-1965

SAS Variable Name: _M_RACE

Prologue:

Description: Calculated multiracial race categorization

Value	Value Label	Frequency	Percentage	Weighted Percentage
10	White	3,159	66.98	61.92
20	Black or African American	1,290	27.35	30.67
30	American Indian or Alaska Native	51	1.08	1.69
40	Asian	21	0.45	0.69
41	Asian Indian	7	0.15	0.15
42	Chinese	1	0.02	0.01
43	Filipino	5	0.11	0.19
45	Korean	1	0.02	0.04
46	Vietnamese	4	0.08	0.16
47	Other Asian	1	0.02	0.07
50	Pacific Islander	4	0.08	0.15
51	Pacific Islander	1	0.02	0.01
60	Other	52	1.10	1.26
70	Multiple responses	65	1.38	1.61
77	Don't know/Not Sure	12	0.25	0.31
99	Refused	42	0.89	1.06

Hispanic, Latino/a, or Spanish origin calculated variable

Calculated Variables: 7.6 Calculated Race Variables

Type: Num

Column: 1966

SAS Variable Name: _HISPANC

Prologue:

Description: Hispanic, Latino/a, or Spanish origin calculated variable

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Hispanic, Latino/a, or Spanish origin	107	2.27	3.28
2	Not of Hispanic, Latino/a, or Spanish origin	4,564	96.78	95.84
9	Don't Know, Refused or Missing	45	0.95	0.88

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Computed Race-Ethnicity grouping

Calculated Variables: 7.7 Calculated Race Variables

Type: Num

Column: 1967

SAS Variable Name: _RACE

Prologue:

Description: Race/ethnicity categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 10	3,081	65.33	59.96
2	Black only, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 20	1,268	26.89	29.87
3	American Indian or Alaskan Native only, Non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 33	46	0.98	1.45
4	Asian only, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 40,41,42,43,44,45,46,47	39	0.83	1.30
5	Native Hawaiian or other Pacific Islander only, Non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 50,51,52,53,54	4	0.08	0.13
6	Other race only, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 60	39	0.83	0.81
7	Multiracial, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 77	58	1.23	1.49
8	Hispanic Notes: _HISPANC = 1	107	2.27	3.28
9	Don't know/Not sure/Refused Notes: _HISPANC = 7 or 9 or _MRACE1 = 77 or 99 and _HISPANC = 2	74	1.57	1.72

Create Computed Non-Hispanic Whites/All Others Race Categories Race/Ethnic Group Codes Used In Post-Stratification Variable

Calculated Variables: 7.8 Calculated Race Variables

Type: Num

Column: 1968

SAS Variable Name: _RACEG21

Prologue:

Description: White non-Hispanic race group

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Non-Hispanic White Notes: _RACE = 1	3,081	65.33	59.96
2	Non-White or Hispanic Notes: _RACE = 2 or 3 or 4 or 5 or 6 or 7 or 8	1,561	33.10	38.32
9	Don't know/Not sure/Refused Notes: _RACE = 9	74	1.57	1.72

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Computed Five level race/ethnicity category.

Calculated Variables: 7.9 Calculated Race Variables

Type: Num

Column: 1969

SAS Variable Name: _RACEGR3

Prologue:

Description: Five-level race/ethnicity category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only, Non-Hispanic	3,081	65.33	59.96
2	Black only, Non-Hispanic	1,268	26.89	29.87
3	Other race only, Non-Hispanic	128	2.71	3.68
4	Multiracial, Non-Hispanic	58	1.23	1.49
5	Hispanic	107	2.27	3.28
9	Don't know/Not sure/Refused	74	1.57	1.72

Computed race groups used for internet prevalence tables

Calculated Variables: 7.10 Calculated Race Variables

Type: Num

Column: 1970

SAS Variable Name: _RACE_G1

Prologue:

Description: Race groups used for internet prevalence tables

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White - Non-Hispanic	3,081	66.37	61.01
2	Black - Non-Hispanic	1,268	27.32	30.40
3	Hispanic	107	2.31	3.33
4	Other race only, Non-Hispanic	128	2.76	3.75
5	Multiracial, Non-Hispanic	58	1.25	1.51
BLANK	Don't know/Not sure/Refused component question	74		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Reported age in five-year age categories calculated variable

Calculated Variables: 7.11 Calculated Variables

Type: Num

Column: 1971-1972

SAS Variable Name: _AGEG5YR

Prologue:

Description: Fourteen-level age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 24 Notes: 18 <= AGE <= 24	266	5.64	13.05
2	Age 25 to 29 Notes: 25 <= AGE <= 29	230	4.88	8.54
3	Age 30 to 34 Notes: 30 <= AGE <= 34	270	5.73	10.02
4	Age 35 to 39 Notes: 35 <= AGE <= 39	258	5.47	7.42
5	Age 40 to 44 Notes: 40 <= AGE <= 44	253	5.36	8.52
6	Age 45 to 49 Notes: 45 <= AGE <= 49	306	6.49	6.59
7	Age 50 to 54 Notes: 50 <= AGE <= 54	435	9.22	9.93
8	Age 55 to 59 Notes: 55 <= AGE <= 59	506	10.73	7.96
9	Age 60 to 64 Notes: 60 <= AGE <= 64	564	11.96	8.43
10	Age 65 to 69 Notes: 65 <= AGE <= 69	519	11.01	6.28
11	Age 70 to 74 Notes: 70 <= AGE <= 74	387	8.21	4.79
12	Age 75 to 79 Notes: 75 <= AGE <= 79	305	6.47	3.58
13	Age 80 or older Notes: 80 <= AGE <= 99	379	8.04	4.05
14	Don't know/Refused/Missing Notes: 7 <= AGE <= 9	38	0.81	0.84

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Reported age in two age groups calculated variable

Calculated Variables: 7.12 Calculated Variables

Type: Num

Column: 1973

SAS Variable Name: _AGE65YR

Prologue:

Description: Two-level age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 64 Notes: 18 <= AGE <= 64	3,088	65.48	80.46
2	Age 65 or older Notes: 65 <= AGE <= 99	1,590	33.72	18.70
3	Don't know/Refused/Missing Notes: 7 <= AGE <= 9	38	0.81	0.84

Imputed Age value collapsed above 80

Calculated Variables: 7.13 Calculated Variables

Type: Num

Column: 1974-1975

SAS Variable Name: _AGE80

Prologue:

Description: Imputed Age value collapsed above 80

Value	Value Label	Frequency	Percentage	Weighted Percentage
18 - 24	Imputed Age 18 to 24	266	5.64	13.05
25 - 29	Imputed Age 25 to 29	230	4.88	8.54
30 - 34	Imputed Age 30 to 34	270	5.73	10.02
35 - 39	Imputed Age 35 to 39	259	5.49	7.47
40 - 44	Imputed Age 40 to 44	258	5.47	8.74
45 - 49	Imputed Age 45 to 49	313	6.64	6.79
50 - 54	Imputed Age 50 to 54	437	9.27	9.95
55 - 59	Imputed Age 55 to 59	508	10.77	8.02
60 - 64	Imputed Age 60 to 64	584	12.38	8.70
65 - 69	Imputed Age 65 to 69	520	11.03	6.30
70 - 74	Imputed Age 70 to 74	387	8.21	4.79
75 - 79	Imputed Age 75 to 79	305	6.47	3.58
80 - 99	Imputed Age 80 or older	379	8.04	4.05

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Imputed age in six groups

Calculated Variables: 7.14 Calculated Variables

Type: Num

Column: 1976

SAS Variable Name: _AGE_G

Prologue:

Description: Six-level imputed age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 24 Notes: 18 <= _IMPAGE <= 24	266	5.64	13.05
2	Age 25 to 34 Notes: 25 <= _IMPAGE <= 34	500	10.60	18.56
3	Age 35 to 44 Notes: 35 <= _IMPAGE <= 44	517	10.96	16.21
4	Age 45 to 54 Notes: 45 <= _IMPAGE <= 54	750	15.90	16.74
5	Age 55 to 64 Notes: 55 <= _IMPAGE <= 64	1,092	23.16	16.72
6	Age 65 or older Notes: _IMPAGE => 65	1,591	33.74	18.72

Computed Height in Inches

Calculated Variables: 7.15 Calculated Variables

Type: Num

Column: 1977-1979

SAS Variable Name: HTIN4

Prologue:

Description: Reported height in inches

Value	Value Label	Frequency	Percentage	Weighted Percentage
36 - 95	Height in inches Notes: 0300 <= HEIGHT3 <= 0711 (metric HEIGHT3 value multiplied by 100 and divided by 2.54)	4,543	100.00	100.00
BLANK		173		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Computed Height in Meters

Calculated Variables: 7.16 Calculated Variables **Type:** Num

Column: 1980-1982 **SAS Variable Name:** HTM4

Prologue:

Description: Reported height in meters

Value	Value Label	Frequency	Percentage	Weighted Percentage
91 - 244	Height in meters [2 implied decimal places] Notes: 0300 <= HEIGHT3 <= 0711 or 9091 <= HEIGHT3 <= 9244 (non-metric HEIGHT3 value multiplied by .0254)	4,543	100.00	100.00
BLANK		173		

Computed Weight in Kilograms

Calculated Variables: 7.17 Calculated Variables **Type:** Num

Column: 1983-1987 **SAS Variable Name:** WTKG3

Prologue:

Description: Reported weight in kilograms

Value	Value Label	Frequency	Percentage	Weighted Percentage
2300 - 29500	Weight in kilograms [2 implied decimal places] Notes: 0001 <= WEIGHT2 <= 650 or 9023 <= WEIGHT2 <= 9295 (non-metric WEIGHT2 value divided by 2.2046)	4,375	92.77	93.22
99999	Don't know/Refused/Missing Notes: WEIGHT2 = 7777 or 9999 or Missing or not in accepted values	341	7.23	6.78

Computed body mass index

Calculated Variables: 7.18 Calculated Variables **Type:** Num

Column: 1988-1991 **SAS Variable Name:** _BMI5

Prologue:

Description: Body Mass Index (BMI)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 9999	1 or greater Notes: WTKG3/(HTM4*HTM4) (Has 2 implied decimal places)	4,324	100.00	100.00
BLANK	Don't know/Refused/Missing Notes: WTKG3 = 777 or 999 or HTM4 = 777 or 999	392		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Computed body mass index categories

Calculated Variables: 7.19 Calculated Variables

Type: Num

Column: 1992

SAS Variable Name: _BMI5CAT

Prologue:

Description: Four-categories of Body Mass Index (BMI)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Underweight Notes: _BMI5 < 1850 (_BMI5 has 2 implied decimal places)	76	1.76	2.03
2	Normal Weight Notes: 1850 <= _BMI5 < 2500	1,193	27.59	28.73
3	Overweight Notes: 2500 <= _BMI5 < 3000	1,479	34.20	33.04
4	Obese Notes: 30000 <= _BMI5 < 9999	1,576	36.45	36.20
BLANK	Don't know/Refused/Missing Notes: _BMI5 = 9999	392		

Overweight or obese calculated variable

Calculated Variables: 7.20 Calculated Variables

Type: Num

Column: 1993

SAS Variable Name: _RFBMI5

Prologue:

Description: Adults who have a body mass index greater than 25.00 (Overweight or Obese)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: 1200 <= _BMI5 < 2500 (_BMI5 has 2 implied decimal places)	1,269	26.91	28.28
2	Yes Notes: 2500 <= _BMI5 < 9999	3,055	64.78	63.64
9	Don't know/Refused/Missing Notes: _BMI5 = 9999	392	8.31	8.08

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Computed number of children in household

Calculated Variables: 7.21 Calculated Variables

Type: Num

Column: 1994

SAS Variable Name: _CHLDCNT

Prologue:

Description: Number of children in household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No children in household Notes: CHILDREN = 88	3,425	72.63	61.72
2	One child in household Notes: CHILDREN = 01	535	11.34	14.73
3	Two children in household Notes: CHILDREN = 02	405	8.59	12.29
4	Three children in household Notes: CHILDREN = 03	177	3.75	5.66
5	Four children in household Notes: CHILDREN = 04	77	1.63	2.83
6	Five or more children in household Notes: 05 <= CHILDREN < 88	37	0.78	1.12
9	Don't know/Not sure/Missing Notes: CHILDREN = 99	60	1.27	1.64

Computed level of education completed categories

Calculated Variables: 7.22 Calculated Variables

Type: Num

Column: 1995

SAS Variable Name: _EDUCAG

Prologue:

Description: Level of education completed

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Did not graduate High School Notes: EDUCA = 1 or 2 or 3	587	12.45	17.67
2	Graduated High School Notes: EDUCA = 4	1,537	32.59	33.72
3	Attended College or Technical School Notes: EDUCA = 5	1,229	26.06	28.49
4	Graduated from College or Technical School Notes: EDUCA = 6	1,355	28.73	20.00
9	Don't know/Not sure/Missing Notes: EDUCA = 9 or Missing	8	0.17	0.13

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Computed income categories

Calculated Variables: 7.23 Calculated Variables

Type: Num

Column: 1996

SAS Variable Name: _INCOMG

Prologue:

Description: Income categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than \$15,000 Notes: INCOME2 = 1 or 2	551	11.68	11.27
2	\$15,000 to less than \$25,000 Notes: INCOME2 = 3 or 4	787	16.69	15.77
3	\$25,000 to less than \$35,000 Notes: INCOME2 = 5	413	8.76	8.17
4	\$35,000 to less than \$50,000 Notes: INCOME2 = 6	506	10.73	10.26
5	\$50,000 or more Notes: INCOME2 = 7 or 8	1,492	31.64	33.98
9	Don't know/Not sure/Missing Notes: INCOME2 = 77 or 99 or Missing	967	20.50	20.55

Computed Smoking Status

Calculated Variables: 8.1 Calculated Variables

Type: Num

Column: 1997

SAS Variable Name: _SMOKER3

Prologue:

Description: Four-level smoker status: Everyday smoker, Someday smoker, Former smoker, Non-smoker

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Current smoker - now smokes every day Notes: SMOKE100 = 1 and SMOKEDAY = 1	555	11.77	14.24
2	Current smoker - now smokes some days Notes: SMOKE100 = 1 and SMOKEDAY = 2	244	5.17	6.35
3	Former smoker Notes: SMOKE100 = 1 and SMOKEDAY = 3	1,159	24.58	21.13
4	Never smoked Notes: SMOKE100 = 2	2,525	53.54	52.37
9	Don't know/Refused/Missing Notes: SMOKE100 = 1 and SMOKEDAY = 9 or SMOKE100 = 7 or 9 or Missing	233	4.94	5.91

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Current Smoking Calculated Variable

Calculated Variables: 8.2 Calculated Variables

Type: Num

Column: 1998

SAS Variable Name: _RFSMOK3

Prologue:

Description: Adults who are current smokers

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: _SMOKER3 = 3 or 4	3,684	78.12	73.51
2	Yes Notes: _SMOKER3 = 1 or 2	799	16.94	20.58
9	Don't know/Refused/Missing Notes: _SMOKER3 = 9	233	4.94	5.91

Drink any alcoholic beverages in past 30 days

Calculated Variables: 9.1 Calculated Variables

Type: Num

Column: 1999

SAS Variable Name: DRNKANY5

Prologue:

Description: Adults who reported having had at least one drink of alcohol in the past 30 days.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: 1 <= ALCDAY5 <= 231	1,904	40.37	44.88
2	No Notes: ALCDAY5=888	2,507	53.16	47.53
7	Don't know/Not Sure Notes: ALCDAY5=777	61	1.29	1.53
9	Refused/Missing Notes: ALCDAY5=999, Missing	244	5.17	6.06

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Computed drink-occasions-per-day

Calculated Variables: 9.2 Calculated Variables

Type: Num

Column: 2000-2002

SAS Variable Name: DROCDY3_

Prologue:

Description: Drink-occasions-per-day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No Drink-Occasions per day Notes: ALCDAY5 = 888	2,507	53.16	47.53
1 - 899	Drink-Occasions per day Notes: ALCDAY5 <= 231	1,904	40.37	44.88
900	Don't know/Not Sure Or Refused/Missing Notes: ALCDAY5 = 777 or 999 or Missing	305	6.47	7.59

Binge Drinking Calculated Variable

Calculated Variables: 9.3 Calculated Variables

Type: Num

Column: 2003

SAS Variable Name: _RFBING5

Prologue:

Description: Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ALCDAY5 < 300 and DRNK3GE5 = 0 or ALCDAY5 = 888	3,834	81.30	75.10
2	Yes Notes: ALCDAY5 < 300 and DRNK3GE5 = 1	517	10.96	15.67
9	Don't know/Refused/Missing Notes: DRNK3GE5 = 7 or 9 or Missing or ALCDAY5 = 777 or 999 or Missing	365	7.74	9.24

Computed number of drinks of alcohol beverages per week

Calculated Variables: 9.4 Calculated Variables

Type: Num

Column: 2004-2008

SAS Variable Name: _DRNKWEK

Prologue:

Description: Calculated total number of alcoholic beverages consumed per week

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Did not drink Notes: ALCDAY5 = 888	2,507	53.16	47.53
1 - 98999	Number of drinks per week Notes: AVEDRNK2*DROCDY3_*7	1,845	39.12	43.01
99900	Don't know/Not sure/Refused/Missing Notes: ALCDAY5 = 777 or 999 or Missing	364	7.72	9.45

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Heavy Alcohol Consumption Calculated Variable

Calculated Variables: 9.5 Calculated Variables **Type:** Num

Column: 2009 **SAS Variable Name:** _RFDRHV5

Prologue:

Description: Heavy drinkers (adult men having more than 14 drinks per week and adult women having more than 7 drinks per week)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: SEX = 1 and _DRNKWEK <= 14 or SEX = 2 and _DRNKWEK <= 7 or ALCDAY5 = 888	4,126	87.49	84.59
2	Yes Notes: SEX = 1 and _DRNKWEK > 14 or SEX = 2 and _DRNKWEK > 7	226	4.79	5.96
9	Don't know/Refused/Missing Notes: _DRNKWEK = 99900	364	7.72	9.45

Computed Fruit Juice intake in times per day

Calculated Variables: 10.1 Calculated Variables **Type:** Num

Column: 2010-2013 **SAS Variable Name:** FTJUDA1_

Prologue:

Description: Fruit juice intake in times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 9999	Times per day	4,182	100.00	100.00
BLANK	Don't know/Not Sure Or Refused/Missing	534		

Computed Fruit intake in times per day

Calculated Variables: 10.2 Calculated Variables **Type:** Num

Column: 2014-2017 **SAS Variable Name:** FRUTDA1_

Prologue:

Description: Fruit intake in times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 9999	Times per day	4,232	100.00	100.00
BLANK	Don't know/Not Sure Or Refused/Missing	484		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Computed Bean intake in times per day

Calculated Variables: 10.3 Calculated Variables

Type: Num

Column: 2018-2021

SAS Variable Name: BEANDAY_

Prologue:

Description: Bean intake in times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 9999	Times per day	4,193	100.00	100.00
BLANK	Don't know/Not Sure Or Refused/Missing	523		

Computed Dark Green Vegetable intake in times per day

Calculated Variables: 10.4 Calculated Variables

Type: Num

Column: 2022-2025

SAS Variable Name: GRENDAY_

Prologue:

Description: Dark green vegetable intake in times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 9999	Times per day	4,220	100.00	100.00
BLANK	Don't know/Not Sure Or Refused/Missing	496		

Computed Orange-Colored Vegetable intake in times per day

Calculated Variables: 10.5 Calculated Variables

Type: Num

Column: 2026-2029

SAS Variable Name: ORNGDAY_

Prologue:

Description: Orange-colored vegetable intake in times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 9999	Times per day	4,199	100.00	100.00
BLANK	Don't know/Not Sure Or Refused/Missing	517		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Computed Vegetable intake in times per day

Calculated Variables: 10.6 Calculated Variables

Type: Num

Column: 2030-2033

SAS Variable Name: VEGEDA1_

Prologue:

Description: Vegetable intake in times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 9999	Times per day	4,169	100.00	100.00
BLANK	Don't know/Not Sure Or Refused/Missing	547		

The number of missing fruit responses

Calculated Variables: 10.7 Calculated Variables

Type: Num

Column: 2034

SAS Variable Name: _MISFRTN

Prologue:

Description: The number of missing fruit responses

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No missing fruit responses	4,125	87.47	86.81
1 - 2	Has 1 or 2 missing fruit responses	591	12.53	13.19

The number of missing vegetable responses

Calculated Variables: 10.8 Calculated Variables

Type: Num

Column: 2035

SAS Variable Name: _MISVEGN

Prologue:

Description: The number of missing vegetable responses

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No missing vegetable responses	4,038	85.62	85.16
1 - 4	Has 1, 2, 3, or 4 missing vegetable responses	678	14.38	14.84

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Missing any fruit responses

Calculated Variables: 10.9 Calculated Variables

Type: Num

Column: 2036

SAS Variable Name: _FRTRESP

Prologue:

Description: Missing any fruit responses

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Not Included - Missing Fruit Responses	591	12.53	13.19
1	Included - Not Missing Fruit Responses	4,125	87.47	86.81

Missing any vegetable responses

Calculated Variables: 10.10 Calculated Variables

Type: Num

Column: 2037

SAS Variable Name: _VEGRES

Prologue:

Description: Missing any vegetable responses

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Not Included - Missing Vegetable Responses	678	14.38	14.84
1	Included - Not Missing Vegetable Responses	4,038	85.62	85.16

Total fruits consumed per day

Calculated Variables: 10.11 Calculated Variables

Type: Num

Column: 2038-2043

SAS Variable Name: _FRUTSUM

Prologue:

Description: Total fruits consumed per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99998	Number of Fruits consumed per day (two implied decimal places)	4,125	100.00	100.00
BLANK	Not asked or Missing	591		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Total vegetables consumed per day

Calculated Variables: 10.12 Calculated Variables

Type: Num

Column: 2044-2049

SAS Variable Name: _VEGESUM

Prologue:

Description: Total vegetables consumed per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99998	Number of Vegetables consumed per day (two implied decimal places)	4,038	100.00	100.00
BLANK	Not asked or Missing	678		

Consume Fruit 1 or more times per day

Calculated Variables: 10.19 Calculated Variables

Type: Num

Column: 2056

SAS Variable Name: _FRTL1

Prologue:

Description: Consume Fruit 1 or more times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Consumed fruit one or more times per day	2,147	45.53	43.17
2	Consumed fruit less than one time per day	1,978	41.94	43.64
9	Don't know, refused or missing values	591	12.53	13.19

Consume Vegetables 1 or more times per day

Calculated Variables: 10.20 Calculated Variables

Type: Num

Column: 2057

SAS Variable Name: _VEGLT1

Prologue:

Description: Consume Vegetables 1 or more times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Consumed vegetables one or more times per day	2,841	60.24	58.76
2	Consumed vegetables less than one time per day	1,197	25.38	26.39
9	Don't know, refused or missing values	678	14.38	14.84

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Reported consuming Fruit >16 per day

CalculatedVariables: 10.15 Calculated Variables

Type: Num

Column: 2052

SAS Variable Name: _FRT16

Prologue:

Description: Reported consuming Fruit >16 per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Not Included - Values are too high	6	0.13	0.20
1	Included - Values are in accepted range	4,710	99.87	99.80

Reported consuming Vegetables >23 per day

CalculatedVariables: 10.16 Calculated Variables

Type: Num

Column: 2053

SAS Variable Name: _VEG23

Prologue:

Description: Reported consuming Vegetables >23 per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Included - Values are in accepted range	4,716	100.00	100.00

Fruit Exclusion from analyses

CalculatedVariables: 10.17 Calculated Variables

Type: Num

Column: 2054

SAS Variable Name: _FRUITEX

Prologue:

Description: Fruit Exclusion from analyses

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No missing values and in accepted range	4,119	87.34	86.61
1	Missing Fruit responses	591	12.53	13.19
2	Fruit values out of range	6	0.13	0.20

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Vegetable Exclusion from analyses

Calculated Variables: 10.18 Calculated Variables

Type: Num

Column: 2055

SAS Variable Name: _VEGETEX

Prologue:

Description: Vegetable Exclusion from analyses

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No missing values and in accepted range	4,038	85.62	85.16
1	Missing Vegetable responses	678	14.38	14.84

Consume Fruit 1 or more times per day

Calculated Variables: 10.19 Calculated Variables

Type: Num

Column: 2056

SAS Variable Name: _FRTL1

Prologue:

Description: Consume Fruit 1 or more times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Consumed fruit one or more times per day	2,147	45.53	43.17
2	Consumed fruit less than one time per day	1,978	41.94	43.64
9	Don't know, refused or missing values	591	12.53	13.19

Consume Vegetables 1 or more times per day

Calculated Variables: 10.20 Calculated Variables

Type: Num

Column: 2057

SAS Variable Name: _VEGL1

Prologue:

Description: Consume Vegetables 1 or more times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Consumed vegetables one or more times per day	2,841	60.24	58.76
2	Consumed vegetables less than one time per day	1,197	25.38	26.39
9	Don't know, refused or missing values	678	14.38	14.84

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Leisure Time Physical Activity Calculated Variable

Calculated Variables: 11.1 Calculated Variables

Type: Num

Column: 2058

SAS Variable Name: _TOTINDA

Prologue:

Description: Adults who reported doing physical activity or exercise during the past 30 days other than their regular job

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Had physical activity or exercise Notes: EXERANY2 = 1	2,779	58.93	60.29
2	No physical activity or exercise in last 30 days Notes: EXERANY2 = 2	1,457	30.89	28.28
9	Don't know/Refused/Missing Notes: EXERANY2 = 7 or 9 or Missing	480	10.18	11.42

Activity MET Value for First Activity

Calculated Variables: 11.2 Calculated Variables

Type: Num

Column: 2059-2061

SAS Variable Name: METVL11_

Prologue:

Description: Activity MET Value for First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Activity MET Value	115	4.15	5.65
1 - 128	Activity MET Value (one implied decimal place)	2,657	95.85	94.35
BLANK	Not asked or Missing	1,944		

Activity MET Value for Second Activity

Calculated Variables: 11.3 Calculated Variables

Type: Num

Column: 2062-2064

SAS Variable Name: METVL21_

Prologue:

Description: Activity MET Value for Second Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Activity MET Value	1,082	39.88	41.25
1 - 128	Activity MET Value (one implied decimal place)	1,631	60.12	58.75
BLANK	Not asked or Missing	2,003		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Estimated Age-Gender Specific Maximum Oxygen Consumption

Calculated Variables: 11.4 Calculated Variables

Type: Num

Column: 2065-2069

SAS Variable Name: MAXVO2_

Prologue:

Description: Estimated Age-Gender Specific Maximum Oxygen Consumption

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 501	Estimated Maximum Oxygen Consumption (two implied decimal places)	4,678	99.19	99.16
99900	Don't know/Not Sure/Refused/Missing	38	0.81	0.84

Estimated Functional Capacity

Calculated Variables: 11.5 Calculated Variables

Type: Num

Column: 2070-2074

SAS Variable Name: FC60_

Prologue:

Description: Estimated Functional Capacity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 8590	Estimated Functional Capacity (2 implied decimal places)	4,678	99.19	99.16
99900	Don't know/Not Sure/Refused/Missing	38	0.81	0.84

Estimated Activity Intensity for First Activity

Calculated Variables: 11.6 Calculated Variables

Type: Num

Column: 2075

SAS Variable Name: ACTIN11_

Prologue:

Description: Estimated Activity Intensity for First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Not Moderate or Vigorous or No Activity	115	4.17	5.68
1	Moderate	1,717	62.30	70.90
2	Vigorous	924	33.53	23.42
BLANK	Not asked or Missing	1,960		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Estimated Activity Intensity for Second Activity

Calculated Variables: 11.7 Calculated Variables

Type: Num

Column: 2076

SAS Variable Name: ACTIN21_

Prologue:

Description: Estimated Activity Intensity for Second Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Not Moderate or Vigorous or No Activity	1,074	39.81	41.17
1	Moderate	881	32.65	38.92
2	Vigorous	743	27.54	19.92
BLANK	Not asked or Missing	2,018		

Minutes of First Activity

Calculated Variables: 11.8 Calculated Variables

Type: Num

Column: 2077-2079

SAS Variable Name: PADUR1_

Prologue:

Description: Minutes of First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 599	Minutes of Activity	2,646	100.00	100.00
BLANK	Not asked or Missing	2,070		

Minutes of Second Activity

Calculated Variables: 11.9 Calculated Variables

Type: Num

Column: 2080-2082

SAS Variable Name: PADUR2_

Prologue:

Description: Minutes of Second Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 599	Minutes of Activity	1,708	100.00	100.00
BLANK	Not asked or Missing	3,008		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Physical Activity Frequency per Week for First Activity

Calculated Variables: 11.10 Calculated Variables

Type: Num

Column: 2083-2087

SAS Variable Name: PAFREQ1_

Prologue:

Description: Physical Activity Frequency per Week for First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 98999	Activity times per week (3 implied decimal places)	2,731	99.96	99.99
99000	Don't know/Not Sure/Refused	1	0.04	0.01
BLANK	Not asked or Missing	1,984		

Physical Activity Frequency per Week for Second Activity

Calculated Variables: 11.11 Calculated Variables

Type: Num

Column: 2088-2092

SAS Variable Name: PAFREQ2_

Prologue:

Description: Physical Activity Frequency per Week for Second Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 98999	Activity times per week (3 implied decimal places)	1,763	99.89	99.93
99000	Don't know/Not Sure/Refused	2	0.11	0.07
BLANK	Not asked or Missing	2,951		

Minutes of Physical Activity per week for First Activity

Calculated Variables: 11.12 Calculated Variables

Type: Num

Column: 2093-2097

SAS Variable Name: _MINAC11

Prologue:

Description: Minutes of Physical Activity per week for First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Minutes of Activity per week	164	6.23	7.23
1 - 99999	Minutes of Activity per week	2,468	93.77	92.77
BLANK	Not asked or Missing	2,084		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Minutes of Physical Activity per week for Second Activity

Calculated Variables: 11.13 Calculated Variables

Type: Num

Column: 2098-2102

SAS Variable Name: _MINAC21

Prologue:

Description: Minutes of Physical Activity per week for Second Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Minutes of Activity per week	1,118	42.88	44.23
1 - 99999	Minutes of Activity per week	1,489	57.12	55.77
BLANK	Not asked or Missing	2,109		

Strength Activity Frequency per Week

Calculated Variables: 11.14 Calculated Variables

Type: Num

Column: 2103-2107

SAS Variable Name: STRFREQ_

Prologue:

Description: Strength Activity Frequency per Week

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 98999	Strength Activity times per week (3 implied decimal places)	4,155	99.98	99.97
99000	Don't know/Not Sure/Refused	1	0.02	0.03
BLANK	Not asked or Missing	560		

Missing Physical Activity Data

Calculated Variables: 11.15 Calculated Variables

Type: Num

Column: 2108

SAS Variable Name: PAMISS1_

Prologue:

Description: Missing Physical Activity Data

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Not Missing Physical Activity Data	3,944	83.63	82.63
1	Missing Physical Activity Data	292	6.19	5.95
9	Don't know/Not Sure/Refused	480	10.18	11.42

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Minutes of Physical Activity per week for First Activity

Calculated Variables: 11.16 Calculated Variables

Type: Num

Column: 2109-2113

SAS Variable Name: PAMIN11_

Prologue:

Description: Minutes of Physical Activity per week for First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of Activity per week	2,616	100.00	100.00
BLANK	Not asked or Missing	2,100		

Minutes of Physical Activity per week for Second Activity

Calculated Variables: 11.17 Calculated Variables

Type: Num

Column: 2114-2118

SAS Variable Name: PAMIN21_

Prologue:

Description: Minutes of Physical Activity per week for Second Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of Activity per week	2,593	100.00	100.00
BLANK	Not asked or Missing	2,123		

Minutes of total Physical Activity per week

Calculated Variables: 11.18 Calculated Variables

Type: Num

Column: 2119-2123

SAS Variable Name: PA1MIN_

Prologue:

Description: Minutes of total Physical Activity per week

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of Activity per week	2,722	100.00	100.00
BLANK	Not asked or Missing	1,994		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Minutes of Vigorous Physical Activity per week for First Activity

Calculated Variables: 11.19 Calculated Variables

Type: Num

Column: 2124-2128

SAS Variable Name: PAVIG11_

Prologue:

Description: Minutes of Vigorous Physical Activity per week for First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of Activity per week	2,696	100.00	100.00
BLANK	Not asked or Missing	2,020		

Minutes of Vigorous Physical Activity per week for Second Activity

Calculated Variables: 11.20 Calculated Variables

Type: Num

Column: 2129-2133

SAS Variable Name: PAVIG21_

Prologue:

Description: Minutes of Vigorous Physical Activity per week for Second Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of Activity per week	2,646	100.00	100.00
BLANK	Not asked or Missing	2,070		

Minutes of total Vigorous Physical Activity per week

Calculated Variables: 11.21 Calculated Variables

Type: Num

Column: 2134-2138

SAS Variable Name: PA1VIGM_

Prologue:

Description: Minutes of total Vigorous Physical Activity per week

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of Activity per week	2,739	100.00	100.00
BLANK	Not asked or Missing	1,977		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Physical Activity Categories

Calculated Variables: 11.22 Calculated Variables

Type: Num

Column: 2139

SAS Variable Name: _PACAT1

Prologue:

Description: Physical Activity Categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Highly Active	1,150	24.39	23.58
2	Active	623	13.21	14.62
3	Insufficiently Active	715	15.16	16.08
4	Inactive	1,506	31.93	29.35
9	Don't know/Not Sure/Refused/Missing	722	15.31	16.37

Physical Activity Index

Calculated Variables: 11.23 Calculated Variables

Type: Num

Column: 2140

SAS Variable Name: _PAINDX1

Prologue:

Description: Physical Activity Index

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Meet Aerobic Recommendations	1,806	38.30	38.95
2	Did Not Meet Aerobic Recommendations	2,221	47.09	45.43
9	Don't know/Not Sure/Refused/Missing	689	14.61	15.62

150 Minute Physical Activity Calculated Variable

Calculated Variables: 11.24 Calculated Variables

Type: Num

Column: 2141

SAS Variable Name: _PA150R2

Prologue:

Description: Adults that participated in 150 minutes (or vigorous equivalent minutes) of physical activity per week.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	150+ minutes (or vigorous equivalent minutes) of physical activity	1,806	38.30	38.95
2	1-149 minutes (or vigorous equivalent minutes) of physical activity	715	15.16	16.08
3	0 minutes (or vigorous equivalent minutes) of physical activity	1,506	31.93	29.35
9	Don't know/Not Sure/Refused/Missing	689	14.61	15.62

300 Minute Physical Activity Calculated Variable

Calculated Variables: 11.25 Calculated Variables

Type: Num

Column: 2142

SAS Variable Name: _PA300R2

Prologue:

Description: Adults that participated in 300 minutes (or vigorous equivalent minutes) of physical activity per week.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	301+ minutes (or vigorous equivalent minutes) of physical activity	1,150	24.39	23.58
2	1-300 minutes (or vigorous equivalent minutes) of physical activity	1,338	28.37	30.70
3	0 minutes (or vigorous equivalent minutes) of physical activity	1,506	31.93	29.35
9	Don't know/Not Sure/Refused/Missing	722	15.31	16.37

300 Minute Physical Activity 2-Level Calculated Variable

Calculated Variables: 11.26 Calculated Variables

Type: Num

Column: 2143

SAS Variable Name: _PA30021

Prologue:

Description: Adults that participated in 300 minutes (or vigorous equivalent minutes) of physical activity per week (2-levels).

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	301+ minutes (or vigorous equivalent minutes) of physical activity	1,150	24.39	23.58
2	0-300 minutes (or vigorous equivalent minutes) of physical activity	2,844	60.31	60.04
9	Don't know/Not Sure/Refused/Missing	722	15.31	16.37

Muscle Strengthening Recommendation

Calculated Variables: 11.27 Calculated Variables

Type: Num

Column: 2144

SAS Variable Name: _PASTRNG

Prologue:

Description: Muscle Strengthening Recommendation

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Meet muscle strengthening recommendations	984	20.87	23.55
2	Did not meet muscle strengthening recommendations	3,172	67.26	63.08
9	Don't know/Not Sure/Refused/Missing	560	11.87	13.37

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Aerobic and Strengthening Guideline

Calculated Variables: 11.28 Calculated Variables

Type: Num

Column: 2145

SAS Variable Name: _PAREC1

Prologue:

Description: Aerobic and Strengthening Guideline

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Met Both Guidelines	636	13.49	15.54
2	Met Aerobic Guidelines Only	1,146	24.30	22.72
3	Met Strengthening Guidelines Only	310	6.57	7.17
4	Did not meet Either Guideline	1,887	40.01	37.82
9	Don't know/Not Sure/Refused/Missing	737	15.63	16.75

Aerobic and Strengthening (2-level)

Calculated Variables: 11.29 Calculated Variables

Type: Num

Column: 2146

SAS Variable Name: _PASTAE1

Prologue:

Description: Aerobic and Strengthening (2-level)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Met Both Guidelines	636	13.49	15.54
2	Did Not Meet Both Guidelines	3,343	70.89	67.71
9	Don't know/Not Sure/Refused/Missing	737	15.63	16.75

Limited usual activities

Calculated Variables: 12.1 Calculated Variables

Type: Num

Column: 2147

SAS Variable Name: _LMTACT1

Prologue:

Description: Limited usual activities

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Told have arthritis and have limited usual activities	869	18.56	13.32
2	Told have arthritis and no limited usual activities	690	14.73	11.37
3	Not told they have arthritis	2,935	62.67	72.09
9	Don't know, refused or missing usual activities limited	189	4.04	3.22
BLANK	Don't know, refused or missing arthritis or not asked	33		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Limited work activities

Calculated Variables: 12.2 Calculated Variables

Type: Num

Column: 2148

SAS Variable Name: _LMTWRK1

Prologue:

Description: Limited work activities

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Told have arthritis and have limited work	578	12.34	9.70
2	Told have arthritis and no limited work	957	20.44	14.78
3	Not told they have arthritis	2,935	62.67	72.09
9	Don't know, refused or missing work limited	213	4.55	3.43
BLANK	Don't know, refused or missing arthritis or not asked	33		

Limited social activities

Calculated Variables: 12.3 Calculated Variables

Type: Num

Column: 2149

SAS Variable Name: _LMTSCL1

Prologue:

Description: Limited social activities

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Told have arthritis and social activities limited a lot	426	9.10	6.62
2	Told have arthritis and social activities limited a little	396	8.46	6.17
3	Told have arthritis and social activities not limited	737	15.74	11.93
4	Not told they have arthritis	2,935	62.67	72.09
9	Don't know, refused or missing social activities limited	189	4.04	3.19
BLANK	Don't know, refused or missing arthritis or not asked	33		

Always or Nearly Always Wear Seat Belts

Calculated Variables: 13.1 Calculated Variables

Type: Num

Column: 2150

SAS Variable Name: _RFSEAT2

Prologue:

Description: Always or Nearly Always Wear Seat Belts Calculated Variable

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always or Almost Always Wear Seat Belt	3,999	84.80	82.23
2	Sometimes, Seldom, or Never Wear Seat Belt	170	3.60	4.88
9	Don't know/Not Sure Or Refused/Missing	547	11.60	12.89

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Always Wear Seat Belts

Calculated Variables: 13.2 Calculated Variables

Type: Num

Column: 2151

SAS Variable Name: _RFSEAT3

Prologue:

Description: Always Wear Seat Belts Calculated Variable

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always Wear Seat Belt	3,797	80.51	76.95
2	Don't Always Wear Seat Belt	372	7.89	10.16
9	Don't know/Not Sure Or Refused/Missing	547	11.60	12.89

Flu Shot Calculated Variable

Calculated Variables: 14.1 Calculated Variables

Type: Num

Column: 2152

SAS Variable Name: _FLSHOT6

Prologue:

Description: Adults aged 65+ who have had a flu shot within the past year

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: AGE >=65 and FLUSHOT6 = 1	809	49.69	50.16
2	No Notes: AGE >=65 and FLUSHOT6 = 2	607	37.29	34.77
9	Don't know/Not Sure Or Refused/Missing	212	13.02	15.08
BLANK	Age Less Than 65	3,088		

Pneumonia Vaccination Calculated Variable

Calculated Variables: 14.2 Calculated Variables

Type: Num

Column: 2153

SAS Variable Name: _PNEUMO2

Prologue:

Description: Adults aged 65+ who have ever had a pneumonia vaccination

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: AGE >= 65 and PNEUVAC3 = 1	1,004	61.67	60.69
2	No Notes: AGE >= 65 and PNEUVAC3 = 2	371	22.79	21.34
9	Don't know/Not Sure Or Refused/Missing Notes: AGE = 7 or 9 or Missing or PNEUVAC3 = 7 or 9 or Missing	253	15.54	17.97
BLANK	Age Less Than 65 Notes: AGE < 65	3,088		

Behavioral Risk Factor Surveillance System
LOUISIANA 2015 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Ever been tested for HIV calculated variable

Calculated Variables: 15.1 Calculated Variables

Type: Num

Column: 2154

SAS Variable Name: _AIDTST3

Prologue:

Description: Adults who have ever been tested for HIV

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: HIVTST6 = 1	1,335	32.33	40.16
2	No Notes: HIVTST6 = 2	2,651	64.20	56.45
9	Don't know/Not Sure/Refused Notes: HIVTST6 = 7 or 9	143	3.46	3.39
BLANK	Not asked or missing Notes: HIVTST6 = Missing	587		