

**DEATHS (EXCLUSIVE OF FETAL DEATHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 2008**

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS													
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.
ALL CAUSES	923.7	ALL	40,741	594	116	70	64	292	522	958	1,542	3,745	5,620	7,030	10,268	9,918	*
		WM	14,320	138	22	23	18	103	207	377	546	1,375	2,142	2,777	3,830	2,760	*
		WF	14,230	110	24	14	8	49	70	156	323	822	1,311	2,130	4,112	5,101	0
		BM	6,125	175	37	23	29	100	170	286	398	856	1,250	1,116	1,035	650	0
		BF	5,777	162	33	9	9	37	67	127	255	664	868	956	1,232	1,358	0
		OM	154	6	0	0	0	*	5	6	16	20	27	26	27	19	0
		OF	135	*	0	*	0	*	*	6	*	8	22	25	32	30	0
Salmonella infections (A01-A02)	0	ALL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Shigellosis and amebiasis (A03,A06)	0	ALL	*	0	0	0	0	0	0	0	0	0	*	0	0	0	0
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		WF	*	0	0	0	0	0	0	0	0	0	*	0	0	0	0
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Certain other intestinal infections (A04,A07-A09)	1.1	ALL	50	0	0	0	0	0	0	0	*	*	*	5	17	22	0
		WM	13	0	0	0	0	0	0	0	*	0	*	0	*	6	0
		WF	28	0	0	0	0	0	0	0	0	0	*	*	10	14	0
		BM	*	0	0	0	0	0	0	0	0	0	0	*	*	0	0
		BF	6	0	0	0	0	0	0	0	0	*	*	*	*	*	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS																
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.			
Tuberculosis (A16-A19)	0.4	ALL	17	0	0	0	0	0	0	0	0	*	6	*	*	*	0	0		
		WM	*	0	0	0	0	0	0	0	0	*	0	*	*	*	0	0		
		WF	*	0	0	0	0	0	0	0	0	0	0	*	0	0	0	0	0	
		BM	6	0	0	0	0	0	0	0	0	0	0	*	*	*	*	0	0	
		BF	5	0	0	0	0	0	0	0	0	0	0	*	0	*	*	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Respiratory tuberculosis (A16)	0.3	ALL	13	0	0	0	0	0	0	0	0	*	*	*	*	*	0	0		
		WM	*	0	0	0	0	0	0	0	0	*	0	0	*	*	0	0		
		WF	*	0	0	0	0	0	0	0	0	0	0	*	0	0	0	0	0	
		BM	6	0	0	0	0	0	0	0	0	0	0	*	*	*	*	0	0	
		BF	*	0	0	0	0	0	0	0	0	0	0	*	0	*	*	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other tuberculosis (A17-A19)	0.1	ALL	*	0	0	0	0	0	0	0	0	0	*	*	0	*	0	0		
		WM	*	0	0	0	0	0	0	0	0	0	0	0	*	0	0	0	0	
		WF	*	0	0	0	0	0	0	0	0	0	0	*	0	0	0	0	0	
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BF	*	0	0	0	0	0	0	0	0	0	0	*	0	0	*	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Whooping cough (A37)	0	ALL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Scarlet fever and erysipelas (A38,A46)	0	ALL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS														
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.	
Meningococcal infection (A39)	0.1	ALL	*	0	0	0	0	0	0	*	*	0	0	0	0	0	0	
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		WF	*	0	0	0	0	0	0	*	0	0	0	0	0	0	0	0
		BM	*	0	0	0	0	0	0	*	0	0	0	0	0	0	0	0
		BF	*	0	0	0	0	0	0	*	*	0	0	0	0	0	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Septicemia (A40-A41)	18.5	ALL	816	11	*	0	*	*	*	*	10	21	68	99	156	250	197	
		WM	205	*	0	0	0	0	0	0	*	6	12	28	41	71	41	
		WF	291	*	0	0	0	0	0	0	*	5	12	25	50	97	95	
		BM	133	*	0	0	*	0	0	0	0	7	13	21	33	32	22	
		BF	181	*	*	0	0	*	*	*	*	*	31	23	31	49	37	
		OM	*	0	0	0	0	0	0	0	0	0	0	*	*	0	*	
		OF	*	0	0	0	0	0	0	0	0	0	0	*	0	*	*	
Syphilis (A50-A53)	0	ALL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Acute poliomyelitis (A80)	0	ALL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Arthropod-borne viral encephalitis (A83-A84,A85.2)	0	ALL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS													
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.
Measles (B05)	0	ALL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Viral hepatitis(B15-B19)	3.1	ALL	136	0	0	0	0	0	0	*	15	47	48	13	11	0	0
		WM	52	0	0	0	0	0	0	*	7	26	13	*	*	0	0
		WF	34	0	0	0	0	0	0	0	*	10	11	*	6	0	0
		BM	31	0	0	0	0	0	0	0	*	7	19	*	*	0	0
		BF	17	0	0	0	0	0	0	0	*	*	5	*	*	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	*	0	0	0	0	0	0	0	*	0	0	0	*	0	0
Human immunodeficiency virus (HIV) disease (B20-B24)	7.3	ALL	324	0	0	0	0	*	9	39	104	111	46	9	*	*	0
		WM	55	0	0	0	0	0	0	*	13	26	9	*	*	*	0
		WF	15	0	0	0	0	0	*	*	*	7	0	0	0	0	0
		BM	166	0	0	0	0	0	*	17	62	56	27	*	0	0	0
		BF	88	0	0	0	0	*	5	16	25	22	10	7	*	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Malaria (B50-B54)	0	ALL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified infectious and parasitic diseases and their sequelae (Other in A00-B99)	2.2	ALL	97	*	0	0	0	0	*	*	*	16	17	14	28	15	0
		WM	32	0	0	0	0	0	0	0	*	7	*	8	7	5	0
		WF	33	0	0	0	0	0	*	0	0	*	*	*	12	9	0
		BM	13	*	0	0	0	0	0	0	*	*	6	*	*	0	0
		BF	18	0	0	0	0	0	0	0	*	*	*	*	0	7	*
		OM	*	0	0	0	0	0	0	0	0	0	0	*	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS														
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.	
Malignant neoplasms (C00-C97)	205.5	ALL	9,065	0	10	9	*	5	18	67	238	938	1,810	2,365	2,417	1,184	0	
		WM	3,512	0	*	*	*	*	*	*	17	62	310	709	970	987	446	0
		WF	2,905	0	5	*	*	0	5	17	68	257	450	742	877	479	0	0
		BM	1,383	0	0	*	0	*	5	15	45	184	373	358	275	123	0	0
		BF	1,205	0	*	*	0	*	5	18	57	180	260	282	265	133	0	0
		OM	31	0	0	0	0	0	0	0	*	5	6	7	7	*	0	0
		OF	29	0	0	0	0	0	0	0	*	*	12	6	6	*	0	0
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	3.1	ALL	138	0	0	0	0	0	*	0	*	24	44	32	27	9	0	
		WM	62	0	0	0	0	0	0	0	0	11	21	16	8	6	0	0
		WF	31	0	0	0	0	0	*	0	0	*	6	7	12	*	0	0
		BM	36	0	0	0	0	0	0	0	*	9	15	7	*	*	0	0
		BF	6	0	0	0	0	0	0	0	0	*	*	*	*	0	0	0
		OM	*	0	0	0	0	0	0	0	0	0	0	0	*	*	0	0
		OF	*	0	0	0	0	0	0	0	0	0	0	0	0	*	0	0
Malignant neoplasm of esophagus (C15)	4.3	ALL	188	0	0	0	0	0	0	0	6	20	51	49	45	17	0	
		WM	98	0	0	0	0	0	0	0	*	7	28	26	23	11	0	
		WF	30	0	0	0	0	0	0	0	*	*	*	5	15	*	0	
		BM	43	0	0	0	0	0	0	0	*	8	15	14	5	0	0	
		BF	17	0	0	0	0	0	0	0	*	*	5	*	*	*	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Malignant neoplasm of stomach(C16)	4.6	ALL	202	0	0	0	0	0	*	*	13	20	39	49	48	29	0	
		WM	61	0	0	0	0	0	0	0	*	*	14	17	15	10	0	
		WF	40	0	0	0	0	0	0	0	*	*	*	11	11	8	0	
		BM	49	0	0	0	0	0	*	*	*	7	13	11	7	*	0	
		BF	45	0	0	0	0	0	0	*	*	5	7	8	15	7	0	
		OM	7	0	0	0	0	0	0	0	*	0	*	*	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Malignant neoplasms of colon, rectum and anus (C18-C21)	20.5	ALL	904	0	0	0	0	0	0	6	27	95	192	228	229	127	0	
		WM	329	0	0	0	0	0	0	*	9	39	76	81	83	39	0	
		WF	269	0	0	0	0	0	0	*	5	13	43	72	76	58	0	
		BM	159	0	0	0	0	0	0	*	9	21	43	39	35	11	0	
		BF	139	0	0	0	0	0	0	*	*	19	28	35	34	19	0	
		OM	*	0	0	0	0	0	0	0	0	*	*	*	0	0	0	
		OF	*	0	0	0	0	0	0	0	*	*	*	0	*	0	0	

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS																
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.			
Malignant neoplasms of liver and intrahepatic bile ducts (C22)	8	ALL	353	0	0	0	0	0	*	*	9	58	89	77	78	39	0			
		WM	156	0	0	0	0	0	0	0	0	*	23	39	34	40	17	0		
		WF	72	0	0	0	0	0	0	0	0	*	*	7	9	18	20	13	0	
		BM	81	0	0	0	0	0	0	0	0	*	18	33	14	10	*	0	0	
		BF	40	0	0	0	0	0	0	*	*	0	7	8	11	8	*	0	0	
		OM	*	0	0	0	0	0	0	0	0	0	*	0	0	0	0	0	0	0
		OF	*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	*	0	0
Malignant neoplasm of pancreas (C25)	13.2	ALL	583	0	0	0	0	0	*	*	13	44	116	152	168	88	0	0		
		WM	218	0	0	0	0	0	*	0	*	15	44	69	57	29	0	0	0	
		WF	196	0	0	0	0	0	0	0	0	*	13	22	44	67	47	0	0	
		BM	76	0	0	0	0	0	0	0	0	*	9	24	16	21	*	0	0	
		BF	87	0	0	0	0	0	0	0	*	*	7	24	22	21	8	0	0	
		OM	*	0	0	0	0	0	0	0	0	*	0	0	0	*	0	0	0	0
		OF	*	0	0	0	0	0	0	0	0	0	0	0	*	*	*	0	0	0
Malignant neoplasm of larynx (C32)	1.5	ALL	66	0	0	0	0	0	0	0	*	9	20	16	11	6	0	0		
		WM	38	0	0	0	0	0	0	0	0	*	*	8	13	8	*	0	0	
		WF	9	0	0	0	0	0	0	0	0	0	*	*	*	*	*	0	0	
		BM	13	0	0	0	0	0	0	0	0	*	*	6	0	*	*	0	0	
		BF	6	0	0	0	0	0	0	0	0	0	*	*	*	0	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	60.9	ALL	2,686	0	0	0	0	0	*	*	30	263	550	880	724	235	0	0		
		WM	1,169	0	0	0	0	0	*	*	6	100	228	385	340	108	0	0	0	
		WF	820	0	0	0	0	0	0	0	0	9	73	139	281	240	78	0	0	
		BM	418	0	0	0	0	0	0	0	*	10	51	117	136	79	24	0	0	
		BF	265	0	0	0	0	0	0	0	*	*	39	60	74	63	24	0	0	
		OM	7	0	0	0	0	0	0	0	0	*	0	*	*	*	*	0	0	0
		OF	7	0	0	0	0	0	0	0	0	0	0	*	*	0	0	0	0	0
Malignant melanoma of skin (C43)	2.2	ALL	97	0	0	0	0	0	0	0	6	12	25	19	23	12	0	0		
		WM	61	0	0	0	0	0	0	0	*	8	19	11	13	8	0	0	0	
		WF	28	0	0	0	0	0	0	0	0	*	*	*	5	8	*	0	0	
		BM	*	0	0	0	0	0	0	0	0	*	0	*	*	0	0	0	0	0
		BF	*	0	0	0	0	0	0	0	0	0	0	0	*	*	0	0	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS														
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.	
Malignant neoplasm of breast (C50)	14.8	ALL	653	0	0	0	0	0	0	10	38	106	132	145	134	88	0	
		WM	*	0	0	0	0	0	0	0	0	0	0	0	*	*	0	0
		WF	423	0	0	0	0	0	0	0	*	13	59	84	98	101	64	0
		BM	*	0	0	0	0	0	0	0	0	0	0	*	*	0	0	0
		BF	219	0	0	0	0	0	0	0	6	24	46	45	43	31	24	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	5	0	0	0	0	0	0	0	0	0	*	*	*	0	*	0
Malignant neoplasm of cervix uteri (C53)	*	ALL	88	0	0	0	0	0	0	0	7	11	24	18	13	10	5	0
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		WF	42	0	0	0	0	0	0	0	6	6	13	8	*	*	*	0
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BF	46	0	0	0	0	0	0	0	*	5	11	10	10	6	*	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)	*	ALL	90	0	0	0	0	0	0	0	*	7	24	16	29	11	0	
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WF	53	0	0	0	0	0	0	0	0	*	5	13	9	18	7	0
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BF	37	0	0	0	0	0	0	0	0	*	*	11	7	11	*	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasm of ovary (C56)	4.2	ALL	187	0	0	0	0	0	*	0	9	17	34	38	59	29	0	
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WF	145	0	0	0	0	0	0	0	0	5	12	23	30	50	25	0
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BF	40	0	0	0	0	0	0	*	0	*	5	9	8	9	*	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	*	0	0	0	0	0	0	0	0	0	0	*	0	0	0	0
Malignant neoplasm of prostate (C61)	9.7	ALL	429	0	0	0	0	0	0	0	*	15	45	81	167	119	0	
		WM	259	0	0	0	0	0	0	0	0	0	9	22	45	104	79	0
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BM	169	0	0	0	0	0	0	0	0	*	6	23	36	62	40	0
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OM	*	0	0	0	0	0	0	0	0	0	0	0	0	*	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS																
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.			
Malignant neoplasms of kidney and renal pelvis (C64-C65)	5.1	ALL	227	0	0	*	0	0	0	0	*	5	25	41	61	62	29	0		
		WM	110	0	0	0	0	0	0	0	0	*	15	20	35	30	8	0		
		WF	61	0	0	0	0	0	0	0	0	*	*	9	13	19	16	0		
		BM	38	0	0	0	0	0	0	0	0	*	*	6	11	10	7	*	0	
		BF	17	0	0	*	0	0	0	0	0	*	*	*	*	*	6	*	0	
		OM	*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	*	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasm of bladder (C67)	4.2	ALL	187	0	0	0	0	0	0	0	0	*	9	18	47	66	44	0		
		WM	112	0	0	0	0	0	0	0	0	*	6	13	30	34	27	0		
		WF	42	0	0	0	0	0	0	0	0	0	0	*	5	24	12	0		
		BM	15	0	0	0	0	0	0	0	0	*	*	*	5	*	*	0		
		BF	18	0	0	0	0	0	0	0	0	0	*	*	7	5	*	0		
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)	4.4	ALL	194	0	*	*	*	*	*	*	6	16	30	53	40	30	9	0		
		WM	85	0	0	0	0	0	0	0	*	10	14	28	16	11	*	0		
		WF	71	0	*	*	*	0	*	*	0	*	11	12	17	17	5	0		
		BM	23	0	0	*	0	0	*	*	*	*	7	5	*	*	*	0		
		BF	15	0	*	0	0	*	0	0	0	*	*	6	*	*	*	0		
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)	18.4	ALL	812	0	*	*	*	*	*	6	13	16	55	137	189	245	145	0		
		WM	364	0	*	0	*	0	0	0	5	10	24	65	91	112	54	0		
		WF	256	0	0	*	0	0	*	*	*	*	9	30	46	97	66	0		
		BM	105	0	0	0	0	*	*	*	*	*	11	30	27	15	13	0		
		BF	85	0	*	0	0	0	*	*	*	*	11	12	23	21	12	0		
		OM	*	0	0	0	0	0	0	0	0	0	0	0	*	0	0	0		
		OF	*	0	0	0	0	0	0	0	0	0	0	0	*	0	0	0		
Hodgkin's disease (C81)	0.5	ALL	20	0	0	0	0	0	0	0	*	0	*	*	*	5	*	0		
		WM	10	0	0	0	0	0	0	0	*	0	*	*	*	*	0	0		
		WF	6	0	0	0	0	0	0	0	*	0	0	*	*	*	*	0		
		BM	*	0	0	0	0	0	0	0	0	0	0	*	*	0	0	0		
		BF	*	0	0	0	0	0	0	0	*	0	0	0	0	0	0	*	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS																
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.			
Non-Hodgkin's lymphoma (C82-C85)	6.2	ALL	272	0	0	0	0	0	0	0	*	7	17	50	68	81	48	0		
		WM	137	0	0	0	0	0	0	0	0	0	5	8	30	38	38	18	0	
		WF	102	0	0	0	0	0	0	0	0	0	*	*	11	20	40	27	0	
		BM	20	0	0	0	0	0	0	0	0	*	0	*	6	5	*	*	0	
		BF	12	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	0	
		OM	*	0	0	0	0	0	0	0	0	0	0	0	0	0	*	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Leukemia (C91-C95)	7.6	ALL	336	0	*	*	*	*	6	9	5	22	49	69	100	70	0	0		
		WM	151	0	*	0	*	0	0	0	*	*	10	20	32	50	28	0		
		WF	102	0	0	*	0	0	*	*	*	*	11	18	38	26	0	0		
		BM	43	0	0	0	0	*	*	*	*	0	*	12	10	*	8	0		
		BF	39	0	*	0	0	0	*	*	0	5	6	8	8	8	8	0		
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	*	0	0	0	0	0	0	0	0	0	0	0	*	0	0	0	0	
Multiple myeloma and immunoproliferative neoplasms (C88,C90)	4.1	ALL	183	0	0	0	0	0	0	0	0	*	13	34	48	59	25	0		
		WM	66	0	0	0	0	0	0	0	0	*	*	14	19	21	8	0		
		WF	46	0	0	0	0	0	0	0	0	*	*	7	7	17	12	0		
		BM	39	0	0	0	0	0	0	0	0	*	*	10	11	9	*	0		
		BF	32	0	0	0	0	0	0	0	0	0	*	*	11	12	*	0		
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)	0	ALL	*	0	0	0	0	0	0	0	0	0	0	*	0	0	0	0		
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		BM	*	0	0	0	0	0	0	0	0	0	0	*	0	0	0	0		
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
All other and unspecified malignant neoplasms (Other in C00-C97)	22.2	ALL	981	0	5	*	*	*	*	13	26	105	182	233	262	143	0			
		WM	387	0	*	*	*	*	*	5	9	31	84	99	108	45	0			
		WF	317	0	*	*	0	0	*	*	7	24	39	76	97	67	0			
		BM	151	0	0	*	0	*	*	*	6	31	32	35	25	15	0			
		BF	119	0	*	0	0	0	*	*	*	19	26	21	28	16	0			
		OM	*	0	0	0	0	0	0	0	0	0	0	0	*	*	0	0		
		OF	*	0	0	0	0	0	0	0	0	0	0	*	*	*	0	0		

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS														
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.	
In situ neoplasms,benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	4.6	ALL	202	*	*	*	0	*	*	0	*	14	19	42	71	42	0	
		WM	76	0	*	0	0	0	*	0	*	5	9	14	29	15	0	
		WF	86	0	*	*	0	0	*	0	0	*	6	17	31	23	0	
		BM	16	*	0	0	0	*	0	0	0	*	*	5	*	*	0	
		BF	21	0	0	0	0	*	0	0	*	*	0	6	8	*	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	*	0	0	0	0	0	0	0	0	0	0	*	0	*	*	0
Anemias (D50-D64)	2.4	ALL	104	0	*	0	0	*	0	*	6	*	18	12	28	30	0	
		WM	26	0	0	0	0	*	0	0	*	0	*	*	11	7	0	
		WF	39	0	0	0	0	0	0	0	*	*	5	5	10	16	0	
		BM	16	0	0	0	0	*	0	*	0	*	5	*	*	*	0	
		BF	22	0	*	0	0	0	0	0	*	*	0	6	*	*	5	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	*	0	0	0	0	0	0	0	0	0	0	0	0	0	*	0
Diabetes mellitus (E10-E14)	30.1	ALL	1,326	0	0	0	*	*	0	11	37	105	236	303	364	268	0	
		WM	413	0	0	0	0	0	0	*	6	27	82	118	105	73	0	
		WF	414	0	0	0	0	0	0	*	6	27	46	70	150	111	0	
		BM	215	0	0	0	*	*	0	*	13	27	55	52	43	22	0	
		BF	275	0	0	0	0	0	0	*	12	24	51	60	65	60	0	
		OM	6	0	0	0	0	0	0	0	0	0	*	*	*	*	0	
		OF	*	0	0	0	0	0	0	*	0	0	0	*	0	*	0	
Nutritional deficiencies (E40-E64)	*	ALL	90	*	0	0	0	0	0	0	0	*	5	9	27	44	0	
		WM	18	0	0	0	0	0	0	0	0	*	*	0	7	7	0	
		WF	45	0	0	0	0	0	0	0	0	*	0	5	12	27	0	
		BM	14	*	0	0	0	0	0	0	0	0	*	*	5	*	0	
		BF	13	0	0	0	0	0	0	0	0	*	0	*	*	6	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Malnutrition (E40-E46)	*	ALL	87	*	0	0	0	0	0	0	0	*	5	9	27	43	0	
		WM	18	0	0	0	0	0	0	0	0	*	*	0	7	7	0	
		WF	45	0	0	0	0	0	0	0	0	*	0	5	12	27	0	
		BM	13	*	0	0	0	0	0	0	0	0	*	*	5	*	0	
		BF	11	0	0	0	0	0	0	0	0	0	0	*	*	6	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS															
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.		
Other nutritional deficiencies (E50-E64)	0.1	ALL	*	0	0	0	0	0	0	0	0	0	*	0	0	0	*	0	
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BM	*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	*	0
		BF	*	0	0	0	0	0	0	0	0	0	0	*	0	0	0	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Meningitis (G00,G03)	0.3	ALL	12	0	0	0	0	*	0	*	0	*	5	0	0	*	0		
		WM	*	0	0	0	0	0	0	0	0	0	*	0	0	0	0		
		WF	*	0	0	0	0	0	0	0	0	0	*	*	0	0	*		
		BM	*	0	0	0	0	0	0	0	*	0	*	0	0	0	0		
		BF	*	0	0	0	0	*	0	0	0	0	0	*	0	0	*		
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Parkinson's disease (G20-G21)	5.8	ALL	254	0	0	0	0	0	0	0	*	*	5	37	121	89	0		
		WM	133	0	0	0	0	0	0	0	*	*	*	16	68	46	0		
		WF	94	0	0	0	0	0	0	0	0	0	0	*	15	41	36		
		BM	13	0	0	0	0	0	0	0	0	0	0	*	*	5	*		
		BF	12	0	0	0	0	0	0	0	0	0	0	0	*	5	*		
		OM	*	0	0	0	0	0	0	0	0	0	0	0	0	*	0		
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Alzheimer's disease (G30)	30.6	ALL	1,348	0	0	0	0	0	0	0	*	*	18	117	474	735	0		
		WM	354	0	0	0	0	0	0	0	*	0	6	35	133	179			
		WF	753	0	0	0	0	0	0	0	0	*	7	57	251	436			
		BM	89	0	0	0	0	0	0	0	0	0	*	12	39	36			
		BF	149	0	0	0	0	0	0	0	0	*	*	13	51	81			
		OM	*	0	0	0	0	0	0	0	0	0	0	0	0	*			
		OF	*	0	0	0	0	0	0	0	0	0	0	0	0	*			
Major cardiovascular disease (I00-I78)	296.5	ALL	13,077	13	5	*	5	17	25	97	313	1,090	1,816	2,116	3,525	4,051	*		
		WM	4,455	*	*	0	*	*	5	22	109	389	677	850	1,330	1,066	*		
		WF	4,701	*	0	*	0	*	*	14	51	195	366	554	1,359	2,152	0		
		BM	1,867	6	*	*	*	7	13	32	79	292	448	393	367	222	0		
		BF	1,960	*	*	*	0	*	*	27	71	202	310	302	447	588	0		
		OM	50	0	0	0	0	0	0	0	*	*	7	12	10	9	7		
		OF	44	0	0	0	0	0	0	0	0	0	5	*	7	13	16		

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS														
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.	
Diseases of heart (I00-I09,I11,I13,I20-I51)	231.9	ALL	10,228	10	5	0	*	16	21	81	260	885	1,494	1,638	2,743	3,070	*	
		WM	3,706	*	*	0	*	*	5	18	101	344	599	683	1,075	874	*	
		WF	3,547	0	0	0	0	*	*	9	40	153	296	428	1,033	1,583	0	
		BM	1,459	5	*	0	*	7	11	28	62	230	363	293	285	169	0	
		BF	1,445	*	*	0	0	*	*	24	54	149	226	222	332	427	0	
		OM	39	0	0	0	0	0	0	0	*	*	6	8	6	8	6	0
		OF	32	0	0	0	0	0	0	0	0	0	*	*	6	10	11	0
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	0.8	ALL	35	0	0	0	0	0	0	0	*	*	5	5	7	12	0	
		WM	13	0	0	0	0	0	0	0	0	*	*	*	*	*	*	0
		WF	15	0	0	0	0	0	0	0	0	0	*	*	*	*	7	0
		BM	*	0	0	0	0	0	0	0	0	0	*	0	*	0	*	0
		BF	*	0	0	0	0	0	0	0	0	*	0	*	0	0	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	*	0	0	0	0	0	0	0	0	0	0	*	0	0	0	0
Hypertensive heart disease (I11)	21.1	ALL	932	0	0	0	0	0	*	9	37	105	136	150	209	284	*	
		WM	257	0	0	0	0	0	0	*	8	33	46	45	55	66	*	
		WF	290	0	0	0	0	0	0	*	*	11	19	32	86	136	0	
		BM	179	0	0	0	0	0	*	*	16	34	40	43	27	15	0	
		BF	199	0	0	0	0	0	0	*	8	26	30	29	40	65	0	
		OM	*	0	0	0	0	0	0	0	*	0	*	*	0	*	0	
		OF	*	0	0	0	0	0	0	0	0	0	*	0	0	*	*	0
Hypertensive heart and renal disease (I13)	*	ALL	88	0	0	0	0	0	0	*	*	8	17	10	22	27	0	
		WM	17	0	0	0	0	0	0	*	*	*	*	*	*	7	0	
		WF	22	0	0	0	0	0	0	0	0	0	*	0	9	12	0	
		BM	24	0	0	0	0	0	0	0	*	*	11	*	*	*	0	
		BF	25	0	0	0	0	0	0	0	*	*	*	*	8	5	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Ischemic heart diseases (I20-I25)	129.8	ALL	5,724	0	0	0	*	*	*	28	129	573	964	1,011	1,531	1,479	0	
		WM	2,319	0	0	0	0	*	*	7	62	254	422	456	655	461	0	
		WF	1,807	0	0	0	0	*	0	*	19	92	195	249	522	727	0	
		BM	843	0	0	0	*	*	*	10	23	138	224	184	172	86	0	
		BF	708	0	0	0	0	0	0	8	24	83	117	115	168	193	0	
		OM	27	0	0	0	0	0	0	*	*	5	6	*	8	*	0	
		OF	20	0	0	0	0	0	0	0	0	0	*	0	*	6	10	0

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS														
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.	
Acute myocardial infarction (I21-I22)	53.8	ALL	2,374	0	0	0	0	*	*	19	72	295	488	476	566	455	0	
		WM	956	0	0	0	0	0	0	0	*	33	126	201	209	239	144	0
		WF	672	0	0	0	0	0	0	0	*	9	48	100	109	197	207	0
		BM	393	0	0	0	0	*	*	6	12	75	113	92	61	31	0	0
		BF	331	0	0	0	0	0	0	0	7	18	41	70	62	64	69	0
		OM	15	0	0	0	0	0	0	0	0	0	*	*	*	*	*	0
		OF	7	0	0	0	0	0	0	0	0	0	*	0	*	*	*	0
Other acute ischemic heart diseases (I24)	2.2	ALL	98	0	0	0	0	0	0	0	*	10	18	18	26	25	0	
		WM	46	0	0	0	0	0	0	0	0	6	10	13	11	6	0	
		WF	24	0	0	0	0	0	0	0	0	0	*	*	7	13	0	
		BM	13	0	0	0	0	0	0	0	*	*	*	*	*	*	0	
		BF	13	0	0	0	0	0	0	0	0	*	*	0	*	5	0	
		OM	*	0	0	0	0	0	0	0	0	0	0	0	*	*	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other forms of chronic ischemic heart disease (I20,I25)	73.7	ALL	3,252	0	0	0	*	*	*	9	56	268	458	517	939	999	0	
		WM	1,317	0	0	0	0	*	*	*	29	122	211	234	405	311	0	
		WF	1,111	0	0	0	0	*	0	0	10	44	93	138	318	507	0	
		BM	437	0	0	0	*	0	*	*	10	61	108	90	107	54	0	
		BF	364	0	0	0	0	0	0	*	6	40	44	53	101	119	0	
		OM	10	0	0	0	0	0	0	0	*	*	*	*	0	*	*	0
		OF	13	0	0	0	0	0	0	0	0	0	0	0	*	*	7	0
Atherosclerotic cardiovascular disease, so described (I25.0)	24.5	ALL	1,079	0	0	0	0	0	*	0	26	112	176	183	277	304	0	
		WM	412	0	0	0	0	0	0	0	13	57	87	70	98	87	0	
		WF	355	0	0	0	0	0	0	0	*	14	36	53	97	151	0	
		BM	163	0	0	0	0	0	*	0	5	22	38	34	45	18	0	
		BF	140	0	0	0	0	0	0	0	*	18	15	24	37	43	0	
		OM	*	0	0	0	0	0	0	0	*	*	0	0	0	0	0	
		OF	7	0	0	0	0	0	0	0	0	0	0	*	0	5	0	
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)	49.3	ALL	2,173	0	0	0	*	*	*	9	30	156	282	334	662	695	0	
		WM	905	0	0	0	0	*	*	*	16	65	124	164	307	224	0	
		WF	756	0	0	0	0	*	0	0	6	30	57	85	221	356	0	
		BM	274	0	0	0	*	0	0	*	5	39	70	56	62	36	0	
		BF	224	0	0	0	0	0	0	*	*	22	29	29	64	76	0	
		OM	8	0	0	0	0	0	0	0	*	0	0	*	0	*	*	0
		OF	6	0	0	0	0	0	0	0	0	0	0	0	0	*	*	0

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS															
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.		
Other heart diseases (I26-I51)	78.2	ALL	3,449	10	5	0	*	13	16	43	89	195	372	462	974	1,268	0		
		WM	1,100	*	*	0	*	*	*	7	29	54	127	178	360	336	0		
		WF	1,413	0	0	0	0	*	*	5	17	49	80	145	412	701	0		
		BM	409	5	*	0	*	6	7	15	22	54	88	61	83	64	0		
		BF	511	*	*	0	0	*	*	15	20	36	75	74	116	164	0		
		OM	8	0	0	0	0	0	0	0	*	*	*	*	0	*	0		
		OF	8	0	0	0	0	0	0	0	0	0	*	*	*	*	0	0	
Acute and subacute endocarditis (I33)	0.3	ALL	13	0	0	0	0	0	0	*	0	*	*	*	*	0	0		
		WM	*	0	0	0	0	0	0	0	0	0	*	0	0	0	0	0	
		WF	*	0	0	0	0	0	0	0	0	0	0	*	*	0	0	0	
		BM	5	0	0	0	0	0	0	0	0	0	*	*	*	*	0	0	
		BF	*	0	0	0	0	0	0	0	*	0	*	0	*	*	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Diseases of pericardium and acute myocarditis (I30-I31,I40)	0.2	ALL	10	0	*	0	0	0	0	*	0	*	*	*	*	0	0		
		WM	*	0	0	0	0	0	0	0	0	0	*	*	*	0	0		
		WF	*	0	0	0	0	0	0	0	0	0	*	0	0	0	0	0	
		BM	*	0	*	0	0	0	0	*	0	0	0	0	0	0	0	0	
		BF	*	0	0	0	0	0	0	0	*	0	*	*	0	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Heart failure (I50)	29.4	ALL	1,298	0	0	0	0	0	*	*	15	50	99	164	362	603	0		
		WM	391	0	0	0	0	0	0	*	*	10	35	65	128	149	0		
		WF	583	0	0	0	0	0	0	0	*	10	21	52	154	345	0		
		BM	124	0	0	0	0	0	*	*	*	20	21	20	30	26	0		
		BF	196	0	0	0	0	0	0	*	6	9	21	26	50	83	0		
		OM	*	0	0	0	0	0	0	0	*	*	*	0	0	0	0		
		OF	*	0	0	0	0	0	0	0	0	0	0	0	*	0	0	0	
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)	48.2	ALL	2,128	10	*	0	*	13	15	36	74	139	269	293	609	665	0		
		WM	704	*	*	0	*	*	*	6	26	42	91	112	231	187	0		
		WF	827	0	0	0	0	*	*	5	16	38	58	92	258	356	0		
		BM	277	5	*	0	*	6	6	12	18	33	66	39	52	38	0		
		BF	308	*	*	0	0	*	*	12	14	25	53	47	65	81	0		
		OM	5	0	0	0	0	0	0	0	*	0	0	0	*	0	*	0	
		OF	7	0	0	0	0	0	0	0	0	0	0	*	*	*	*	0	0

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS															
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.		
Essential (primary) hypertension and hypertensive renal disease (I10,I12)	8.4	ALL	372	0	0	0	0	0	0	0	5	5	29	43	58	100	132	0	
		WM	82	0	0	0	0	0	0	0	*	*	10	8	16	29	16	0	
		WF	141	0	0	0	0	0	0	0	*	0	5	7	15	40	73	0	
		BM	67	0	0	0	0	0	0	0	*	*	10	16	10	15	14	0	
		BF	79	0	0	0	0	0	0	0	*	*	*	11	17	16	28	0	
		OM	*	0	0	0	0	0	0	0	0	0	0	0	*	0	0	0	0
		OF	*	0	0	0	0	0	0	0	0	0	0	*	0	0	0	*	0
Cerebrovascular diseases (I60-I69)	46.7	ALL	2,062	*	0	*	0	*	*	7	43	158	241	341	574	690	0		
		WM	522	0	0	0	0	0	0	0	*	7	28	55	111	181	139	0	
		WF	855	*	0	*	0	*	*	*	*	10	34	58	94	247	405	0	
		BM	296	*	0	0	0	0	0	*	*	13	49	62	80	56	31	0	
		BF	371	0	0	*	0	0	0	0	*	13	45	62	52	86	111	0	
		OM	8	0	0	0	0	0	0	0	0	0	*	*	*	*	0	0	
		OF	10	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	0
Atherosclerosis (I70)	3.1	ALL	138	0	0	0	*	0	0	0	*	*	*	7	13	29	84	0	
		WM	32	0	0	0	0	0	0	0	0	0	*	*	6	7	15	0	
		WF	73	0	0	0	0	0	0	0	0	0	0	0	*	14	55	0	
		BM	13	0	0	0	*	0	0	0	0	*	0	*	*	*	5	0	
		BF	20	0	0	0	0	0	0	0	0	*	0	*	*	*	5	9	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other diseases of circulatory system (I71-I78)	6.3	ALL	277	*	0	*	0	0	0	*	*	*	16	31	66	79	75	0	
		WM	113	0	0	0	0	0	0	0	*	0	6	12	34	38	22	0	
		WF	85	*	0	0	0	0	0	0	*	*	*	5	13	25	36	0	
		BM	32	0	0	*	0	0	0	0	*	*	*	5	9	8	*	0	
		BF	45	0	0	0	0	0	0	0	*	0	*	*	9	9	8	13	0
		OM	*	0	0	0	0	0	0	0	0	0	0	0	0	*	0	*	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Aortic aneurysm and dissection (I71)	3.3	ALL	146	0	0	*	0	0	0	*	*	*	7	18	40	37	37	0	
		WM	72	0	0	0	0	0	0	0	*	0	*	9	23	22	14	0	
		WF	40	0	0	0	0	0	0	0	*	0	0	*	8	10	20	0	
		BM	18	0	0	*	0	0	0	0	*	*	*	*	5	*	0	0	
		BF	15	0	0	0	0	0	0	0	*	0	0	*	*	*	*	*	0
		OM	*	0	0	0	0	0	0	0	0	0	0	0	0	*	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS															
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.		
Other diseases of arteries, arterioles and capillaries (I72-I78)	*	ALL	131	*	0	0	0	0	0	0	0	*	9	13	26	42	38	0	
		WM	41	0	0	0	0	0	0	0	0	0	*	*	11	16	8	0	
		WF	45	*	0	0	0	0	0	0	0	*	*	*	5	15	16	0	
		BM	14	0	0	0	0	0	0	0	0	0	*	*	*	5	*	0	
		BF	30	0	0	0	0	0	0	0	0	*	*	5	6	6	10	0	
		OM	*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	*	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other disorders of circulatory system (I80-I99)	1.1	ALL	50	*	0	0	0	0	0	0	*	*	6	7	10	12	8	0	
		WM	14	*	0	0	0	0	0	0	0	0	*	*	*	*	*	0	
		WF	15	0	0	0	0	0	0	0	*	0	*	*	*	6	*	0	
		BM	8	0	0	0	0	0	0	0	*	*	*	0	*	*	*	0	
		BF	13	0	0	0	0	0	0	0	*	*	*	*	*	*	*	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Influenza and pneumonia (J10-J18)	20.2	ALL	889	8	*	*	0	*	*	10	13	51	88	110	250	347	0		
		WM	283	*	*	*	0	0	*	5	*	11	25	49	85	99	0		
		WF	348	0	0	0	0	*	*	*	*	10	24	29	105	170	0		
		BM	113	0	*	*	0	0	0	*	*	17	26	13	26	24	0		
		BF	140	*	0	0	0	*	*	0	*	13	12	18	32	53	0		
		OM	*	0	0	0	0	0	0	0	0	0	0	*	0	0	*	0	
		OF	*	0	0	0	0	0	0	0	0	0	0	0	*	*	0	0	
Influenza (J10-J11)	0.3	ALL	15	0	0	0	0	*	*	*	0	*	*	*	6	*	0		
		WM	*	0	0	0	0	0	*	0	0	0	0	0	*	0	0		
		WF	8	0	0	0	0	0	0	0	*	0	0	0	*	5	*	0	
		BM	*	0	0	0	0	0	0	0	0	0	*	*	0	0	0	0	
		BF	*	0	0	0	0	*	0	0	0	0	0	0	*	0	*	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Pneumonia (J12-J18)	19.8	ALL	874	8	*	*	0	*	*	9	13	50	87	108	244	345	0		
		WM	281	*	*	*	0	0	0	5	*	11	25	49	84	99	0		
		WF	340	0	0	0	0	*	*	*	*	10	24	28	100	169	0		
		BM	111	0	*	*	0	0	0	*	*	16	25	13	26	24	0		
		BF	137	*	0	0	0	*	*	0	*	13	12	17	32	52	0		
		OM	*	0	0	0	0	0	0	0	0	0	0	*	0	0	*	0	
		OF	*	0	0	0	0	0	0	0	0	0	0	0	*	*	0	0	

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS															
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.		
Other acute lower respiratory infections (J20-J22)	0.1	ALL	*	*	0	0	0	0	0	0	0	*	*	0	*	0	0		
		WM	*	0	0	0	0	0	0	0	0	0	0	*	0	0	0	0	
		WF	*	0	0	0	0	0	0	0	0	0	0	0	0	*	0	0	
		BM	*	0	0	0	0	0	0	0	0	0	*	0	0	0	0	0	0
		BF	*	*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Acute bronchitis and bronchiolitis (J20-J21)	0.1	ALL	*	*	0	0	0	0	0	0	0	*	*	0	*	0	0		
		WM	*	0	0	0	0	0	0	0	0	0	*	0	0	0	0	0	
		WF	*	0	0	0	0	0	0	0	0	0	0	0	0	*	0	0	
		BM	*	0	0	0	0	0	0	0	0	0	*	0	0	0	0	0	0
		BF	*	*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Unspecified acute lower respiratory infection (J22)	0	ALL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Chronic lower respiratory diseases (J40-J47)	42.5	ALL	1,874	*	*	*	*	*	*	7	10	70	228	443	697	409	0		
		WM	735	0	0	*	0	0	*	0	*	16	85	194	287	148	0		
		WF	807	*	0	0	0	0	*	*	*	32	86	168	310	204	0		
		BM	175	*	0	*	*	*	0	*	*	9	29	48	55	22	0		
		BF	150	0	*	0	0	0	0	*	*	13	27	31	42	34	0		
		OM	5	0	0	0	0	0	0	0	0	0	0	*	*	*	*	0	
		OF	*	0	0	0	0	0	0	0	0	0	0	0	0	*	0	0	
Bronchitis, chronic and unspecified (J40-J42)	0.3	ALL	12	*	0	*	0	0	0	*	0	0	*	0	*	*	0		
		WM	*	0	0	*	0	0	0	0	0	0	0	*	0	0	*	0	
		WF	5	0	0	0	0	0	0	0	0	0	0	*	0	*	*	0	
		BM	*	*	0	0	0	0	0	0	*	0	0	*	0	0	0	0	
		BF	*	0	0	0	0	0	0	0	0	0	0	*	0	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS																
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.			
Emphysema (J43)	*	ALL	131	*	0	0	0	0	0	0	0	*	*	29	38	38	20	0		
		WM	63	0	0	0	0	0	0	0	0	0	0	0	13	18	23	9	0	
		WF	45	*	0	0	0	0	0	0	0	0	0	*	7	19	9	7	0	
		BM	14	0	0	0	0	0	0	0	0	0	*	*	7	*	*	*	0	
		BF	9	0	0	0	0	0	0	0	0	0	0	0	*	0	*	*	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Asthma (J45-J46)	1.2	ALL	54	0	*	*	*	*	*	*	*	*	5	7	10	12	6	0		
		WM	13	0	0	0	0	0	0	*	0	*	0	*	*	*	*	0		
		WF	16	0	0	0	0	0	0	*	*	*	*	*	*	5	*	0		
		BM	10	0	0	*	*	*	0	*	*	*	0	*	*	*	*	0	0	
		BF	15	0	*	0	0	0	0	0	0	0	0	*	*	*	*	*	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other chronic lower respiratory diseases (J44,J47)	38	ALL	1,677	0	0	0	0	0	*	*	5	61	188	395	646	379	0			
		WM	656	0	0	0	0	0	*	0	0	16	70	172	261	136	0			
		WF	741	0	0	0	0	0	0	0	*	*	28	75	148	295	192	0		
		BM	148	0	0	0	0	0	0	0	0	*	7	20	46	52	21	0		
		BF	125	0	0	0	0	0	0	0	*	*	10	22	27	35	29	0		
		OM	5	0	0	0	0	0	0	0	0	0	0	*	*	*	*	0		
		OF	*	0	0	0	0	0	0	0	0	0	0	0	0	0	*	0	0	
Pneumoconioses and chemical effects (J60-J66,J68)	0.3	ALL	15	0	0	0	0	0	0	0	0	*	*	*	*	*	0			
		WM	15	0	0	0	0	0	0	0	0	0	*	*	*	*	*	0		
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Pneumonitis due to solids and liquids (J69)	5.5	ALL	244	*	0	0	0	0	*	*	0	7	22	29	75	106	0			
		WM	91	0	0	0	0	0	0	*	0	*	7	13	31	36	0			
		WF	87	0	0	0	0	0	0	*	0	0	*	7	6	30	41	0		
		BM	36	*	0	0	0	0	0	0	*	0	*	7	*	9	13	0		
		BF	29	0	0	0	0	0	0	0	*	0	*	*	6	5	15	0		
		OM	*	0	0	0	0	0	0	0	0	0	0	0	0	0	*	0		
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS														
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.	
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)	12.6	ALL	556	5	*	0	0	*	*	6	8	35	66	122	161	145	0	
		WM	210	*	*	0	0	0	*	*	*	14	22	48	69	48	0	
		WF	245	0	0	0	0	*	*	*	*	10	27	50	75	77	0	
		BM	43	0	*	0	0	*	*	*	*	5	9	9	7	7	0	
		BF	57	*	0	0	0	0	0	0	*	*	6	8	14	10	13	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	*	0	0	0	0	0	0	0	0	0	0	0	*	0	0	0
Peptic ulcer (K25-K28)	0.7	ALL	32	0	0	0	0	0	0	*	*	*	8	5	5	*	0	
		WM	17	0	0	0	0	0	0	*	*	*	*	*	*	*	0	
		WF	7	0	0	0	0	0	0	0	0	*	*	*	*	*	0	
		BM	6	0	0	0	0	0	0	0	*	0	*	*	*	0	0	
		BF	*	0	0	0	0	0	0	0	0	*	0	*	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Diseases of appendix (K35-K38)	0	ALL	*	0	0	0	0	0	0	*	0	0	0	0	0	0	0	
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BM	*	0	0	0	0	0	0	*	0	0	0	0	0	0	0	
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Hernia (K40-K46)	0.6	ALL	25	0	0	0	0	0	0	0	0	*	*	5	9	8	0	
		WM	5	0	0	0	0	0	0	0	0	0	0	*	*	*	0	
		WF	14	0	0	0	0	0	0	0	0	0	0	*	*	6	5	
		BM	*	0	0	0	0	0	0	0	0	0	0	0	*	*	*	
		BF	*	0	0	0	0	0	0	0	0	0	*	0	*	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Chronic liver disease and cirrhosis (K70,K73-K74)	8.8	ALL	386	0	0	0	0	0	*	*	32	117	113	66	41	12	0	
		WM	195	0	0	0	0	0	*	*	14	62	61	32	17	5	0	
		WF	90	0	0	0	0	0	0	0	8	15	23	19	20	5	0	
		BM	70	0	0	0	0	0	0	0	*	7	29	23	8	*	*	
		BF	27	0	0	0	0	0	0	0	0	*	11	*	7	*	*	
		OM	*	0	0	0	0	0	0	0	0	*	0	0	0	0	0	
		OF	*	0	0	0	0	0	0	0	0	0	0	*	0	*	0	

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS															
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.		
Alcoholic liver disease (K70)	2.7	ALL	117	0	0	0	0	0	0	0	*	15	47	33	17	*	*	0	
		WM	74	0	0	0	0	0	0	0	0	*	8	28	22	13	*	*	0
		WF	14	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	0
		BM	19	0	0	0	0	0	0	0	0	0	*	9	6	*	0	0	0
		BF	9	0	0	0	0	0	0	0	0	0	*	6	*	0	0	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	*	0	0	0	0	0	0	0	0	0	0	0	0	*	0	0	0
Other chronic liver disease and cirrhosis (K73-K74)	6.1	ALL	269	0	0	0	0	0	0	*	*	17	70	80	49	39	10	0	
		WM	121	0	0	0	0	0	0	*	*	6	34	39	19	16	*	0	
		WF	76	0	0	0	0	0	0	0	0	5	11	20	17	19	*	0	
		BM	51	0	0	0	0	0	0	0	0	*	5	20	17	6	*	*	0
		BF	18	0	0	0	0	0	0	0	0	0	5	*	7	*	*	0	
		OM	*	0	0	0	0	0	0	0	0	0	*	0	0	0	0	0	0
		OF	*	0	0	0	0	0	0	0	0	0	0	0	*	0	*	0	0
Cholelithiasis and other disorders of gallbladder (K80-K82)	1.1	ALL	47	0	0	0	0	0	0	*	0	0	*	6	6	15	18	0	
		WM	17	0	0	0	0	0	0	0	0	0	*	*	*	5	5	0	
		WF	20	0	0	0	0	0	0	0	0	0	0	0	*	*	13	0	
		BM	*	0	0	0	0	0	0	0	0	0	0	*	0	*	0	0	
		BF	6	0	0	0	0	0	0	*	0	0	0	*	0	*	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	26.8	ALL	1,181	*	0	0	0	*	*	12	22	78	141	254	332	335	0		
		WM	342	*	0	0	0	0	0	0	*	*	23	35	65	106	102	0	
		WF	360	0	0	0	0	*	0	*	*	8	33	71	116	127	0		
		BM	198	*	0	0	0	0	0	*	*	11	20	36	43	43	40	0	
		BF	272	0	0	0	0	0	0	0	*	6	27	36	72	64	64	0	
		OM	*	0	0	0	0	0	0	0	0	0	0	*	0	*	*	0	
		OF	5	0	0	0	0	0	0	0	0	0	0	0	*	*	*	0	
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)	0	ALL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS															
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.		
Chronic glomerulone- phritis, nephritis & nephritis unspecified, & renal sclerosis unspecified (N02-N03,N05-N07,N26)	1.8	ALL	78	0	0	0	0	*	0	0	*	5	5	16	23	27	0		
		WM	27	0	0	0	0	0	0	0	0	*	*	*	*	8	10	0	
		WF	19	0	0	0	0	*	0	0	0	0	0	*	*	7	9	0	
		BM	15	0	0	0	0	0	0	0	0	0	*	*	*	5	*	0	
		BF	17	0	0	0	0	0	0	0	0	0	0	0	9	*	5	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Renal failure (N17-N19)	25	ALL	1,103	*	0	0	0	*	*	12	21	73	136	238	309	308	0		
		WM	315	*	0	0	0	0	0	0	*	*	22	32	61	98	92	0	
		WF	341	0	0	0	0	*	0	*	*	8	32	70	109	118	0		
		BM	183	*	0	0	0	0	0	*	*	11	16	35	41	38	37	0	
		BF	255	0	0	0	0	0	0	0	*	6	27	36	63	61	59	0	
		OM	*	0	0	0	0	0	0	0	0	0	0	*	0	*	*	0	
		OF	5	0	0	0	0	0	0	0	0	0	0	0	*	*	*	0	
Other disorders of kidney (N25,N27)	0	ALL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Infections of kidney (N10-N12,N13.6,N15.1)	0.1	ALL	*	0	0	0	0	0	0	0	0	*	*	0	0	*	0		
		WM	*	0	0	0	0	0	0	0	0	0	*	0	0	0	0	0	
		WF	*	0	0	0	0	0	0	0	0	0	*	0	0	0	0	0	
		BM	*	0	0	0	0	0	0	0	0	0	0	0	0	0	*	0	
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	*	0	0	0	0	0	0	0	0	0	0	*	0	0	0	0	
Hyperplasia of prostate (N40)	0	ALL	*	0	0	0	0	0	0	0	0	0	*	0	0	*	0		
		WM	*	0	0	0	0	0	0	0	0	0	0	*	0	0	*	0	
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS															
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.		
Inflammatory diseases of female pelvic organs (N70-N76)	0	ALL	*	0	0	0	0	0	0	0	0	0	0	0	*	0	0	0	
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	*	0	0	0	0	0	0	0	0	0	0	0	0	*	0	0	0
Pregnancy, childbirth and the puerperium (O00-O99)	0.1	ALL	*	0	0	0	0	*	0	*	*	0	0	0	0	0	0	0	
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WF	*	0	0	0	0	0	0	*	*	0	0	0	0	0	0	0	
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BF	*	0	0	0	0	*	0	0	0	0	0	0	0	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Pregnancy with abortive outcome (O00-O07)	0	ALL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Other complications of pregnancy, childbirth and the puerperium (O10-O99)	0.1	ALL	*	0	0	0	0	*	0	*	*	0	0	0	0	0	0		
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		WF	*	0	0	0	0	0	0	*	*	0	0	0	0	0	0		
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		BF	*	0	0	0	0	*	0	0	0	0	0	0	0	0	0		
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Certain conditions originating in the perinatal period (P00-P96)	5.8	ALL	256	254	*	0	0	0	0	0	0	*	0	0	0	0	0		
		WM	51	50	0	0	0	0	0	0	0	*	0	0	0	0	0		
		WF	33	33	0	0	0	0	0	0	0	0	0	0	0	0	0		
		BM	84	84	0	0	0	0	0	0	0	0	0	0	0	0	0		
		BF	85	84	*	0	0	0	0	0	0	0	0	0	0	0	0		
		OM	*	*	0	0	0	0	0	0	0	0	0	0	0	0	0		
		OF	*	*	0	0	0	0	0	0	0	0	0	0	0	0	0		

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS													
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	4.1	ALL	180	93	12	5	*	5	8	8	7	12	17	6	*	*	0
		WM	54	27	*	*	0	*	*	*	*	*	6	*	0	*	0
		WF	54	23	*	0	0	*	*	5	*	5	7	*	*	*	0
		BM	37	21	*	*	*	0	*	0	*	*	*	*	0	0	0
		BF	31	20	5	0	0	0	0	0	*	0	*	*	0	0	*
		OM	*	*	0	0	0	0	0	0	0	0	0	*	0	0	0
		OF	*	0	0	0	0	0	0	0	0	0	*	0	0	0	0
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	19.7	ALL	870	117	6	0	*	*	6	8	22	31	57	61	182	377	0
		WM	229	27	*	0	0	0	*	*	*	11	19	15	68	80	0
		WF	376	27	*	0	0	*	*	0	7	10	13	23	79	211	0
		BM	119	36	0	0	0	0	*	*	5	*	20	12	16	22	0
		BF	140	26	*	0	*	0	*	*	6	6	*	11	18	63	0
		OM	*	0	0	0	0	0	0	0	0	*	0	0	*	*	0
		OF	*	*	0	0	0	0	0	0	*	0	0	*	0	0	0
All other diseases (Residual) (Other in D65-N98)	82.6	ALL	3,644	32	13	6	13	18	31	57	124	319	383	492	906	1,250	0
		WM	1,066	8	*	*	*	7	5	17	31	114	138	183	294	263	0
		WF	1,566	7	*	*	*	*	10	14	39	72	96	169	411	741	0
		BM	424	7	*	*	5	*	11	16	29	69	71	68	69	72	0
		BF	563	8	7	*	*	7	*	8	24	64	77	67	124	169	0
		OM	11	*	0	0	0	0	*	0	*	0	*	*	*	*	0
		OF	14	*	0	0	0	0	0	*	0	0	0	*	*	*	0
Accidents (V01-X59,Y85-Y86)	53.2	ALL	2,347	43	46	34	28	134	215	339	349	422	209	147	191	190	0
		WM	1,125	8	12	13	7	63	139	189	187	213	110	57	72	55	0
		WF	588	14	7	6	5	31	28	57	75	93	39	48	85	100	0
		BM	410	10	17	10	11	25	30	66	63	75	45	28	19	11	0
		BF	194	10	10	*	5	13	13	22	20	35	14	13	14	21	0
		OM	20	*	0	0	0	*	*	*	*	6	0	*	0	*	0
		OF	10	0	0	*	0	*	*	*	*	0	*	0	*	*	0
Transport accidents (V01-V99,Y85)	22	ALL	970	0	20	16	15	93	141	185	136	160	81	50	48	25	0
		WM	518	0	5	5	*	40	93	106	79	93	47	18	22	9	0
		WF	161	0	*	*	5	24	11	23	20	17	13	15	16	12	0
		BM	196	0	7	*	5	18	24	36	29	36	17	15	5	*	0
		BF	79	0	6	*	*	10	10	17	5	10	*	*	*	*	0
		OM	11	0	0	0	0	0	0	*	*	*	0	0	0	0	0
		OF	5	0	0	*	0	*	0	*	*	0	0	0	0	*	0

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS													
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8, V89.0,V89.2)	20	ALL	882	0	18	14	15	88	129	169	122	135	75	48	45	24	0
		WM	466	0	*	5	*	36	85	98	69	79	44	17	21	8	0
		WF	158	0	*	*	5	23	11	23	18	17	13	15	16	12	0
		BM	173	0	7	*	5	18	21	33	27	27	14	14	*	*	0
		BF	71	0	6	*	*	10	9	12	5	9	*	*	*	*	0
		OM	10	0	0	0	0	0	0	*	*	*	*	0	0	0	0
		OF	*	0	0	*	0	*	0	*	*	*	0	0	0	0	0
Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)	*	ALL	44	0	*	0	0	*	*	11	6	10	*	*	*	*	0
		WM	22	0	*	0	0	*	*	*	*	*	*	*	0	*	0
		WF	*	0	0	0	0	0	0	0	0	*	0	0	0	0	0
		BM	13	0	0	0	0	0	0	*	*	*	5	*	*	*	0
		BF	7	0	0	0	0	0	0	*	5	0	*	0	0	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	*	0	0	0	0	0	0	0	0	0	0	0	0	*	0
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)	*	ALL	44	0	0	*	0	*	8	5	8	15	*	0	*	0	0
		WM	30	0	0	0	0	*	7	*	6	10	0	0	*	0	0
		WF	*	0	0	0	0	*	0	0	*	0	0	0	0	0	0
		BM	10	0	0	*	0	0	*	*	*	*	*	0	0	0	0
		BF	*	0	0	*	0	0	0	0	0	0	0	0	0	0	0
		OM	*	0	0	0	0	0	0	0	0	0	*	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Nontransport accidents (W00-X59,Y86)	31.2	ALL	1,377	43	26	18	13	41	74	154	213	262	128	97	143	165	0
		WM	607	8	7	8	6	23	46	83	108	120	63	39	50	46	0
		WF	427	14	5	*	0	7	17	34	55	76	26	33	69	88	0
		BM	214	10	10	7	6	7	6	30	34	39	28	13	14	10	0
		BF	115	10	*	0	*	*	*	5	15	25	10	11	10	18	0
		OM	9	*	0	0	0	*	*	*	0	*	0	*	0	*	0
		OF	5	0	0	0	0	0	0	*	0	*	0	*	0	0	*
Falls (W00-W19)	4.9	ALL	218	0	0	0	*	0	*	*	*	24	21	30	63	69	0
		WM	98	0	0	0	*	0	*	*	*	16	13	11	27	23	0
		WF	91	0	0	0	0	0	0	*	0	0	*	*	14	33	38
		BM	12	0	0	0	0	0	0	0	0	*	*	*	*	*	0
		BF	15	0	0	0	0	0	0	0	0	*	*	*	*	*	5
		OM	*	0	0	0	0	0	0	0	0	0	0	0	*	0	0
		OF	*	0	0	0	0	0	0	0	0	0	0	0	0	0	*

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS																
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.			
Accidental discharge of firearms (W32-W34)	0.7	ALL	31	0	*	*	*	*	*	*	8	*	7	*	0	*	*	0		
		WM	16	0	0	*	*	*	*	*	*	*	*	0	0	0	0	0	0	
		WF	*	0	0	0	0	0	0	0	0	*	0	*	*	0	0	0	0	
		BM	11	0	*	*	0	*	0	0	*	*	*	0	0	*	*	0	0	
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Accidental drowning and submersion (W65-W74)	2.1	ALL	92	*	11	9	5	11	10	10	15	7	8	*	*	0	0			
		WM	49	*	5	5	0	5	7	5	8	*	6	*	*	0	0			
		WF	10	0	*	0	0	*	0	0	0	*	*	0	0	0	0	0		
		BM	27	0	*	*	5	*	*	5	*	0	*	0	*	*	0	0		
		BF	*	0	0	0	0	0	0	0	0	*	0	0	0	0	*	0	0	
		OM	*	0	0	0	0	*	*	0	0	0	0	0	0	0	0	0	0	
		OF	*	0	0	0	0	0	0	*	0	*	0	0	0	0	0	0	0	
Accidental exposure to smoke, fire and flames (X00-X09)	1.9	ALL	82	*	7	*	*	6	*	5	12	13	*	12	6	6	0			
		WM	29	*	*	*	*	*	0	*	5	7	*	*	*	*	0			
		WF	17	0	*	*	0	0	*	*	*	*	*	*	*	*	0	0		
		BM	19	*	*	*	0	*	*	0	*	*	*	*	*	*	*	0		
		BF	16	0	*	0	*	*	0	*	*	*	0	*	*	*	*	0		
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		OF	*	0	0	0	0	0	0	0	0	0	0	*	0	0	0	0		
Accidental poisoning and exposure to noxious substances (X40-X49)	13	ALL	574	0	*	0	0	17	47	112	150	170	60	8	6	*	0			
		WM	291	0	0	0	0	12	31	63	77	72	29	*	*	*	0			
		WF	168	0	0	0	0	*	11	28	41	62	16	*	*	*	0			
		BM	76	0	0	0	0	0	*	16	22	22	12	0	*	0	0			
		BF	35	0	*	0	0	*	*	*	10	12	*	*	*	0	0			
		OM	*	0	0	0	0	0	0	0	*	0	*	0	0	0	0			
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)	8.6	ALL	380	39	6	*	*	*	10	16	28	41	34	45	64	86	0			
		WM	124	5	0	*	*	*	*	7	13	17	14	21	19	18	0			
		WF	137	14	*	*	0	0	*	*	9	5	5	12	33	49	0			
		BM	69	9	*	*	*	*	*	6	5	12	9	9	8	5	0			
		BF	47	10	*	0	0	0	0	*	*	7	6	*	*	12	0			
		OM	*	*	0	0	0	0	0	0	0	0	0	0	0	0	*			
		OF	*	0	0	0	0	0	0	0	0	0	0	0	0	0	*			

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS														
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.	
Intentional self-harm (suicide) (X60-X84,Y87.0)	11.9	ALL	525	0	0	*	5	17	56	94	105	98	69	47	21	11	*	
		WM	359	0	0	*	*	15	28	66	65	62	53	35	20	10	*	
		WF	86	0	0	0	0	*	7	13	23	22	11	7	*	*	0	
		BM	62	0	0	0	*	*	16	12	14	10	*	*	0	0	0	
		BF	12	0	0	0	0	0	*	*	*	*	*	*	0	0	0	
		OM	*	0	0	0	0	0	0	0	0	*	*	0	*	0	0	0
		OF	*	0	0	0	0	0	0	*	0	0	0	0	0	0	0	0
Intentional self-harm (suicide) by discharge of firearms (X72-X74)	7.9	ALL	350	0	0	0	*	10	42	62	50	59	58	39	21	7	0	
		WM	250	0	0	0	*	8	20	44	35	39	46	31	20	6	0	
		WF	48	0	0	0	0	*	5	6	9	12	9	*	*	*	0	
		BM	41	0	0	0	*	*	13	9	6	6	*	*	0	0	0	
		BF	9	0	0	0	0	0	*	*	0	*	0	*	0	0	0	
		OM	*	0	0	0	0	0	0	0	0	0	0	0	*	0	0	0
		OF	*	0	0	0	0	0	0	*	0	0	0	0	0	0	0	0
Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71,X75- X84,Y87.0)	*	ALL	175	0	0	*	*	7	14	32	55	39	11	8	0	*	*	
		WM	109	0	0	*	*	7	8	22	30	23	7	*	0	*	*	
		WF	38	0	0	0	0	0	*	7	14	10	*	*	0	0	0	
		BM	21	0	0	0	*	0	*	*	8	*	*	*	0	0	0	
		BF	*	0	0	0	0	0	0	0	*	*	*	0	0	0	0	
		OM	*	0	0	0	0	0	0	0	0	*	*	0	0	0	0	
		OF	*	0	0	0	0	0	0	*	0	0	0	0	0	0	0	
Assault (homicide) (X85- Y09,Y87.1)	12.1	ALL	532	*	10	7	*	67	124	146	74	50	26	16	6	*	0	
		WM	98	*	0	*	0	*	12	25	19	16	8	8	*	0	0	
		WF	36	0	*	0	0	*	*	8	*	6	8	*	*	0	0	
		BM	335	*	7	*	*	56	83	102	46	24	6	*	*	0	0	
		BF	59	*	*	*	0	5	25	11	*	*	*	0	0	*	0	
		OM	*	0	0	0	0	0	0	0	0	*	0	0	0	0	0	
		OF	*	0	0	0	0	0	0	0	0	0	0	0	*	0	0	
Assault (homicide) by discharge of firearms (X93-X95)	9.5	ALL	420	0	*	*	*	60	113	128	55	35	13	9	*	0	0	
		WM	69	0	0	0	0	*	11	18	15	13	*	5	*	0	0	
		WF	15	0	0	0	0	0	*	*	*	*	5	*	*	0	0	
		BM	287	0	*	*	*	52	80	97	34	16	*	*	0	0	0	
		BF	46	0	0	*	0	5	20	11	*	*	*	0	0	0	0	
		OM	*	0	0	0	0	0	0	0	0	*	0	0	0	0	0	
		OF	*	0	0	0	0	0	0	0	0	0	0	0	*	0	0	

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS														
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.	
Assault (homicide) by other and unspecified means and their sequelae (X85-X92,X96-Y09,Y87.1)	2.5	ALL	112	*	9	5	0	7	11	18	19	15	13	7	*	*	0	
		WM	29	*	0	*	0	*	*	7	*	*	6	*	*	0	0	
		WF	21	0	*	0	0	*	*	6	*	*	*	*	0	0	0	
		BM	48	*	6	*	0	*	*	5	12	8	*	*	*	0	0	
		BF	13	*	*	*	0	0	5	0	*	*	*	0	0	0	*	0
		OM	*	0	0	0	0	0	0	0	0	*	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Legal intervention (Y35,Y89.0)	0	ALL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)	2.2	ALL	98	*	0	0	*	5	7	22	18	24	12	*	*	0	0	
		WM	43	*	0	0	*	*	*	12	*	13	5	0	*	0	0	
		WF	36	0	0	0	0	*	*	5	12	9	*	*	*	0	0	
		BM	14	0	0	0	*	*	*	*	*	*	*	0	*	0	0	
		BF	5	0	0	0	0	0	0	0	*	*	*	0	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Discharge of firearms, undetermined intent (Y22-Y24)	0.2	ALL	10	0	0	0	*	*	0	*	*	*	*	0	0	0	0	
		WM	5	0	0	0	0	*	0	0	0	*	*	0	0	0	0	
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BM	*	0	0	0	*	0	0	*	*	0	0	0	0	0	0	
		BF	*	0	0	0	0	0	0	*	0	0	0	0	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)	*	ALL	88	*	0	0	*	*	7	20	17	21	11	*	*	0	0	
		WM	38	*	0	0	*	*	*	12	*	10	*	0	*	0	0	
		WF	36	0	0	0	0	*	*	5	12	9	*	*	*	0	0	
		BM	10	0	0	0	0	*	*	*	*	*	*	0	*	0	0	
		BF	*	0	0	0	0	0	0	*	*	*	0	0	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS													
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.
Operations of war and their sequelae (Y36,Y89.1)	0	ALL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Complications of medical and surgical care (Y40-Y84,Y88)	1.2	ALL	52	0	*	0	0	*	*	*	5	*	9	5	15	7	0
		WM	18	0	0	0	0	*	0	0	0	*	*	*	6	*	0
		WF	12	0	0	0	0	0	0	0	*	*	*	0	*	*	0
		BM	11	0	*	0	0	*	0	0	0	0	*	*	*	*	0
		BF	10	0	0	0	0	0	*	*	*	*	0	0	*	*	0
		OM	*	0	0	0	0	*	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

RATE PER 100,000 POPULATION

* NUMBERS < 5 BLOCKED TO PROTECT CONFIDENTIALITY