

**DEATHS (EXCLUSIVE OF FETAL DEATHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 2009 (Preliminary)**

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS													
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.
ALL CAUSES	892	ALL	40,069	569	106	45	92	271	435	940	1,491	3,760	5,742	7,187	9,953	9,477	< 5
		WM	14,087	141	20	7	20	82	188	377	510	1,366	2,130	2,881	3,714	2,651	0
		WF	13,747	103	25	7	18	36	47	137	282	863	1,370	2,138	3,832	4,889	0
		BM	6,228	179	36	13	33	116	155	274	429	857	1,329	1,170	1,025	612	0
		BF	5,712	137	25	18	18	32	42	140	260	637	856	949	1,318	1,279	< 5
		OM	174	5	0	0	< 5	< 5	< 5	6	8	25	38	34	35	15	0
		OF	121	< 5	0	0	< 5	< 5	0	6	< 5	12	19	15	29	31	0
Salmonella infections (A01-A02)	0	ALL	< 5	0	0	0	0	0	0	0	0	0	0	0	0	< 5	0
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BF	< 5	0	0	0	0	0	0	0	0	0	0	0	0	< 5	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Shigellosis and amebiasis (A03,A06)	0	ALL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Certain other intestinal infections (A04,A07-A09)	< 5	ALL	88	11	< 5	0	0	0	0	< 5	< 5	< 5	7	9	29	26	0
		WM	19	< 5	0	0	0	0	0	0	< 5	0	< 5	< 5	10	< 5	0
		WF	41	< 5	0	0	0	0	0	< 5	0	< 5	< 5	5	9	20	0
		BM	8	< 5	0	0	0	0	0	0	0	< 5	< 5	0	< 5	< 5	0
		BF	19	5	< 5	0	0	0	0	0	0	0	0	< 5	9	< 5	0
		OM	< 5	0	0	0	0	0	0	0	0	0	< 5	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS																
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.			
Tuberculosis (A16-A19)	0.3	ALL	14	0	0	0	0	0	0	0	0	0	< 5	< 5	< 5	< 5	< 5	0		
		WM	< 5	0	0	0	0	0	0	0	0	0	0	0	< 5	< 5	< 5	0	0	
		WF	< 5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	< 5	0
		BM	6	0	0	0	0	0	0	0	0	0	0	< 5	< 5	< 5	< 5	0	0	
		BF	< 5	0	0	0	0	0	0	0	0	0	0	< 5	0	0	0	0	0	0
		OM	< 5	0	0	0	0	0	0	0	0	0	0	0	< 5	0	< 5	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Respiratory tuberculosis (A16)	0.3	ALL	13	0	0	0	0	0	0	0	0	0	< 5	< 5	< 5	< 5	< 5	0		
		WM	< 5	0	0	0	0	0	0	0	0	0	0	0	< 5	< 5	< 5	0	0	
		WF	< 5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	< 5	0
		BM	5	0	0	0	0	0	0	0	0	0	0	< 5	< 5	< 5	< 5	0	0	
		BF	< 5	0	0	0	0	0	0	0	0	0	0	< 5	0	0	0	0	0	0
		OM	< 5	0	0	0	0	0	0	0	0	0	0	0	< 5	0	< 5	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other tuberculosis (A17-A19)	0	ALL	< 5	0	0	0	0	0	0	0	0	0	0	0	< 5	0	0	0	0	
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BM	< 5	0	0	0	0	0	0	0	0	0	0	0	0	< 5	0	0	0	
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Whooping cough (A37)	0	ALL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Scarlet fever and erysipelas (A38,A46)	0	ALL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0				

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS														
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.	
Meningococcal infection (A39)	0.1	ALL	< 5	< 5	0	0	0	< 5	0	< 5	0	0	0	0	0	0	0	
		WM	< 5	0	0	0	0	0	< 5	0	0	0	0	0	0	0	0	0
		WF	< 5	< 5	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BM	< 5	0	0	0	0	< 5	0	0	0	0	0	0	0	0	0	0
		BF	< 5	< 5	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Septicemia (A40-A41)	18.1	ALL	812	12	< 5	< 5	0	0	< 5	10	23	66	118	152	213	213	0	
		WM	221	< 5	< 5	0	0	< 5	< 5	< 5	21	32	38	73	47	0	0	
		WF	262	0	0	0	0	0	0	0	7	12	27	51	69	96	0	
		BM	149	7	0	< 5	0	0	< 5	8	17	34	29	29	20	0	0	
		BF	177	< 5	< 5	0	0	0	< 5	< 5	16	25	33	41	49	0	0	
		OM	< 5	0	0	0	0	0	0	0	0	0	0	< 5	0	0	0	
		OF	< 5	0	0	0	0	0	0	0	0	0	0	0	< 5	< 5	0	
Syphilis (A50-A53)	0.1	ALL	< 5	0	0	0	0	0	0	0	0	< 5	< 5	0	0	0	0	
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WF	< 5	0	0	0	0	0	0	0	0	0	< 5	0	0	0	0	
		BM	< 5	0	0	0	0	0	0	0	0	< 5	< 5	0	0	0	0	
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Acute poliomyelitis (A80)	0	ALL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Arthropod-borne viral encephalitis (A83-A84,A85.2)	0	ALL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS													
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.
Measles (B05)	0	ALL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Viral hepatitis(B15-B19)	< 5	ALL	135	0	0	0	0	0	0	0	9	57	46	16	5	< 5	0
		WM	57	0	0	0	0	0	0	0	< 5	24	21	5	< 5	< 5	0
		WF	33	0	0	0	0	0	0	0	< 5	17	6	< 5	< 5	< 5	0
		BM	31	0	0	0	0	0	0	0	0	11	15	5	0	0	0
		BF	13	0	0	0	0	0	0	0	< 5	5	< 5	< 5	0	0	0
		OM	< 5	0	0	0	0	0	0	0	0	0	0	< 5	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Human immunodeficiency virus (HIV) disease (B20-B24)	6.8	ALL	306	0	0	0	< 5	< 5	5	51	90	90	48	13	< 5	< 5	0
		WM	47	0	0	0	0	0	0	< 5	6	19	8	8	< 5	< 5	0
		WF	10	0	0	0	0	0	0	< 5	< 5	< 5	< 5	0	0	0	0
		BM	156	0	0	0	0	0	< 5	21	53	44	30	< 5	< 5	< 5	0
		BF	91	0	0	0	< 5	< 5	< 5	22	30	23	7	< 5	< 5	0	0
		OM	< 5	0	0	0	0	0	0	0	0	< 5	0	0	0	0	0
		OF	< 5	0	0	0	0	0	0	< 5	0	0	0	0	0	0	0
Malaria (B50-B54)	0	ALL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified infectious and parasitic diseases and their sequelae (Other in A00-B99)	1.7	ALL	75	< 5	0	0	< 5	0	0	< 5	5	7	10	16	20	12	0
		WM	31	< 5	0	0	0	0	0	< 5	< 5	< 5	< 5	7	10	5	0
		WF	22	< 5	0	0	0	0	0	0	< 5	0	< 5	6	6	< 5	0
		BM	9	0	0	0	< 5	0	0	< 5	< 5	< 5	0	< 5	< 5	< 5	0
		BF	13	0	0	0	0	0	0	0	< 5	< 5	< 5	< 5	< 5	< 5	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS													
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.
Malignant neoplasms (C00-C97)	198.1	ALL	8,901	< 5	< 5	6	< 5	9	16	53	198	957	1,907	2,339	2,362	1,046	0
		WM	3,328	0	0	0	< 5	< 5	< 5	16	55	296	653	961	955	383	0
		WF	2,874	0	0	0	< 5	< 5	< 5	14	52	271	537	720	838	438	0
		BM	1,434	< 5	< 5	< 5	< 5	< 5	< 5	9	39	192	427	381	276	97	0
		BF	1,197	0	< 5	< 5	0	< 5	7	13	50	188	268	266	277	123	0
		OM	40	0	0	0	0	< 5	0	< 5	< 5	< 5	13	8	8	< 5	0
		OF	28	0	0	0	0	0	0	0	< 5	6	9	< 5	8	< 5	0
	Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	3.1	ALL	140	0	0	0	0	0	0	0	7	23	44	25	29	12
		WM	70	0	0	0	0	0	0	0	< 5	16	18	11	15	7	0
		WF	30	0	0	0	0	0	0	0	0	< 5	7	7	10	< 5	0
		BM	33	0	0	0	0	0	0	0	< 5	< 5	14	6	< 5	< 5	0
		BF	7	0	0	0	0	0	0	0	0	< 5	5	< 5	0	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasm of esophagus (C15)		4.7	ALL	209	0	0	0	0	0	0	0	< 5	25	66	55	49	13
		WM	129	0	0	0	0	0	0	0	< 5	11	39	37	36	5	0
		WF	31	0	0	0	0	0	0	0	0	< 5	7	7	8	6	0
		BM	35	0	0	0	0	0	0	0	0	10	15	7	< 5	< 5	0
		BF	13	0	0	0	0	0	0	0	0	< 5	< 5	< 5	< 5	0	0
		OM	< 5	0	0	0	0	0	0	0	0	0	< 5	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Malignant neoplasm of stomach(C16)	4.5	ALL	200	0	0	0	0	0	< 5	< 5	8	23	49	58	39	19
		WM	67	0	0	0	0	0	0	< 5	< 5	8	17	22	15	< 5	0
		WF	25	0	0	0	0	0	0	0	< 5	< 5	< 5	8	6	6	0
		BM	58	0	0	0	0	0	0	0	< 5	10	13	20	11	< 5	0
		BF	47	0	0	0	0	0	< 5	< 5	< 5	< 5	14	8	7	7	0
		OM	< 5	0	0	0	0	0	0	0	0	0	< 5	0	0	0	0
		OF	< 5	0	0	0	0	0	0	0	0	0	< 5	0	0	0	0
Malignant neoplasms of colon, rectum and anus (C18-C21)		19	ALL	852	0	< 5	0	0	0	< 5	< 5	32	99	177	193	218	128
		WM	296	0	0	0	0	0	< 5	< 5	13	25	66	82	79	28	0
		WF	275	0	0	0	0	0	0	0	6	28	38	51	84	68	0
		BM	154	0	< 5	0	0	0	0	< 5	9	27	43	32	27	14	0
		BF	122	0	0	0	0	0	0	0	< 5	18	27	27	28	18	0
		OM	< 5	0	0	0	0	0	0	0	0	0	< 5	< 5	0	0	0
		OF	< 5	0	0	0	0	0	0	0	0	< 5	< 5	0	0	0	0

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS															
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.		
Malignant neoplasms of liver and intrahepatic bile ducts (C22)	8.1	ALL	362	< 5	0	0	0	0	0	0	0	8	49	104	99	68	33	0	
		WM	166	0	0	0	0	0	0	0	0	< 5	22	35	55	36	14	0	
		WF	65	0	0	0	0	0	0	0	0	< 5	6	14	14	19	10	0	
		BM	81	< 5	0	0	0	0	0	0	0	< 5	14	38	21	< 5	< 5	0	
		BF	44	0	0	0	0	0	0	0	0	< 5	5	14	8	9	7	0	
		OM	< 5	0	0	0	0	0	0	0	0	0	< 5	< 5	< 5	0	0	0	
		OF	< 5	0	0	0	0	0	0	0	0	0	< 5	< 5	0	0	0	0	
Malignant neoplasm of pancreas (C25)	12.2	ALL	549	0	0	0	0	0	0	0	< 5	5	64	116	136	155	72	0	
		WM	195	0	0	0	0	0	0	0	0	0	20	48	54	54	19	0	
		WF	201	0	0	0	0	0	0	0	0	< 5	21	35	42	64	36	0	
		BM	60	0	0	0	0	0	0	0	0	< 5	15	19	17	7	< 5	0	
		BF	87	0	0	0	0	0	0	0	< 5	< 5	7	10	23	29	16	0	
		OM	< 5	0	0	0	0	0	0	0	0	0	0	0	< 5	0	0	0	0
		OF	< 5	0	0	0	0	0	0	0	0	0	< 5	< 5	0	< 5	0	0	
Malignant neoplasm of larynx (C32)	1.6	ALL	74	0	0	0	0	0	0	0	< 5	9	20	20	18	6	0		
		WM	38	0	0	0	0	0	0	0	0	< 5	9	10	12	< 5	0		
		WF	16	0	0	0	0	0	0	0	0	< 5	< 5	< 5	< 5	6	< 5	0	
		BM	14	0	0	0	0	0	0	0	0	0	5	< 5	5	0	0	0	
		BF	5	0	0	0	0	0	0	0	0	0	0	< 5	< 5	0	< 5	0	
		OM	< 5	0	0	0	0	0	0	0	0	0	0	0	< 5	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	59	ALL	2,649	0	0	0	0	< 5	< 5	< 5	36	275	583	829	718	203	0		
		WM	1,072	0	0	0	0	0	0	0	11	99	216	365	304	77	0		
		WF	820	0	0	0	0	0	< 5	0	7	79	147	241	249	96	0		
		BM	487	0	0	0	0	< 5	< 5	< 5	12	55	156	153	93	14	0		
		BF	251	0	0	0	0	0	0	0	5	41	60	66	65	14	0		
		OM	14	0	0	0	0	0	0	0	< 5	0	< 5	< 5	< 5	< 5	0		
		OF	5	0	0	0	0	0	0	0	0	< 5	0	< 5	< 5	0	0		
Malignant melanoma of skin (C43)	2.3	ALL	104	0	0	0	0	0	0	0	< 5	< 5	12	20	22	29	18	0	
		WM	61	0	0	0	0	0	0	0	0	< 5	8	11	11	17	12	0	
		WF	39	0	0	0	0	0	0	0	0	0	< 5	8	11	10	6	0	
		BM	< 5	0	0	0	0	0	0	0	< 5	0	0	0	0	< 5	0	0	
		BF	< 5	0	0	0	0	0	0	0	0	0	0	< 5	0	< 5	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS														
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.	
Malignant neoplasm of breast (C50)	14.7	ALL	659	0	0	0	0	0	< 5	7	29	104	164	146	143	65	0	
		WM	8	0	0	0	0	0	0	0	< 5	0	< 5	< 5	< 5	< 5	< 5	0
		WF	409	0	0	0	0	0	0	< 5	11	55	102	97	97	97	43	0
		BM	< 5	0	0	0	0	0	0	0	< 5	< 5	< 5	< 5	0	0	0	0
		BF	236	0	0	0	0	0	< 5	< 5	16	48	58	46	44	20	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	< 5	0	0	0	0	0	0	0	0	0	0	< 5	0	< 5	< 5	0
Malignant neoplasm of cervix uteri (C53)	1.5	ALL	68	0	0	0	0	0	< 5	< 5	6	20	13	11	9	< 5	0	
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WF	36	0	0	0	0	0	0	< 5	< 5	9	7	6	5	< 5	0	
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BF	31	0	0	0	0	0	< 5	< 5	< 5	10	6	5	< 5	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	< 5	0	0	0	0	0	0	0	0	0	< 5	0	0	0	0	
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)	< 5	ALL	90	0	0	0	0	0	0	< 5	< 5	7	22	27	27	< 5	0	
		WM	< 5	0	0	0	0	0	0	0	0	0	0	< 5	< 5	0	0	
		WF	51	0	0	0	0	0	0	< 5	< 5	< 5	13	15	15	< 5	0	
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BF	36	0	0	0	0	0	0	0	< 5	5	9	11	10	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Malignant neoplasm of ovary (C56)	4.1	ALL	182	0	0	0	0	0	0	< 5	< 5	19	41	53	40	24	0	
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WF	141	0	0	0	0	0	0	0	< 5	13	32	43	32	18	0	
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BF	40	0	0	0	0	0	0	< 5	< 5	6	9	9	8	6	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	< 5	0	0	0	0	0	0	0	0	0	0	< 5	0	0	0	
Malignant neoplasm of prostate (C61)	9.3	ALL	420	0	0	0	0	0	0	0	0	11	43	102	148	116	0	
		WM	249	0	0	0	0	0	0	0	0	6	17	50	93	83	0	
		WF	< 5	0	0	0	0	0	0	0	0	0	< 5	0	0	0	0	
		BM	164	0	0	0	0	0	0	0	0	< 5	25	52	53	30	0	
		BF	< 5	0	0	0	0	0	0	0	0	0	0	0	0	< 5	0	
		OM	5	0	0	0	0	0	0	0	0	0	< 5	0	0	< 5	< 5	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS															
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.		
Malignant neoplasms of kidney and renal pelvis (C64-C65)	4.9	ALL	221	0	0	0	0	0	0	0	< 5	< 5	20	53	48	60	35	0	
		WM	95	0	0	0	0	0	0	0	0	< 5	6	27	23	27	11	0	
		WF	71	0	0	0	0	0	0	0	0	< 5	< 5	11	12	27	16	0	
		BM	31	0	0	0	0	0	0	0	< 5	< 5	7	12	< 5	< 5	< 5	0	
		BF	23	0	0	0	0	0	0	0	0	0	< 5	< 5	8	< 5	5	0	
		OM	< 5	0	0	0	0	0	0	0	0	0	0	0	0	< 5	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasm of bladder (C67)	4.2	ALL	190	0	0	0	0	0	0	0	0	0	6	23	50	65	46	0	
		WM	110	0	0	0	0	0	0	0	0	0	5	11	33	34	27	0	
		WF	45	0	0	0	0	0	0	0	0	0	< 5	6	10	16	12	0	
		BM	23	0	0	0	0	0	0	0	0	0	0	< 5	7	7	5	0	
		BF	11	0	0	0	0	0	0	0	0	0	0	< 5	0	7	< 5	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	< 5	0	0	0	0	0	0	0	0	0	0	0	0	0	< 5	0	0
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)	4.4	ALL	196	0	0	5	< 5	< 5	0	5	11	18	49	40	47	16	0		
		WM	80	0	0	0	0	< 5	0	< 5	9	6	20	18	16	6	0		
		WF	74	0	0	0	< 5	0	0	< 5	< 5	8	16	16	23	7	0		
		BM	20	0	0	< 5	< 5	0	0	0	< 5	0	8	< 5	< 5	< 5	0		
		BF	20	0	0	< 5	0	< 5	0	0	0	< 5	5	< 5	5	< 5	0		
		OM	< 5	0	0	0	0	0	0	0	0	0	< 5	0	0	< 5	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)	16.7	ALL	750	< 5	0	0	< 5	< 5	6	10	21	55	110	194	233	118	0		
		WM	307	0	0	0	< 5	0	< 5	5	< 5	21	38	86	105	46	0		
		WF	244	0	0	0	0	0	0	< 5	< 5	10	32	67	79	52	0		
		BM	106	< 5	0	0	0	0	< 5	< 5	5	14	25	20	28	8	0		
		BF	88	0	0	0	0	< 5	< 5	< 5	8	10	14	20	20	12	0		
		OM	< 5	0	0	0	0	0	0	0	< 5	0	0	0	< 5	0	0	0	
		OF	< 5	0	0	0	0	0	0	0	0	< 5	0	< 5	0	< 5	0	0	
Hodgkin's disease (C81)	0.5	ALL	23	0	0	0	0	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	0		
		WM	10	0	0	0	0	0	0	< 5	0	< 5	0	< 5	< 5	< 5	0		
		WF	6	0	0	0	0	0	0	0	< 5	0	< 5	< 5	< 5	< 5	0		
		BM	< 5	0	0	0	0	0	< 5	< 5	0	0	0	0	0	0	0		
		BF	5	0	0	0	0	< 5	< 5	0	< 5	0	0	0	0	0	< 5	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS														
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.	
Non-Hodgkin's lymphoma (C82-C85)	5.9	ALL	266	0	0	0	0	0	< 5	5	5	16	40	79	79	41	0	
		WM	113	0	0	0	0	0	0	< 5	< 5	9	14	34	37	16	0	
		WF	101	0	0	0	0	0	0	< 5	0	< 5	13	34	31	21	0	
		BM	34	0	0	0	0	0	< 5	0	< 5	6	11	7	5	< 5	0	
		BF	15	0	0	0	0	0	0	< 5	< 5	0	< 5	< 5	5	< 5	0	
		OM	< 5	0	0	0	0	0	0	< 5	0	0	0	0	< 5	0	0	0
		OF	< 5	0	0	0	0	0	0	0	0	0	0	0	0	< 5	0	0
Leukemia (C91-C95)	6.7	ALL	301	< 5	0	0	< 5	0	< 5	< 5	12	26	37	70	99	49	0	
		WM	129	0	0	0	< 5	0	< 5	< 5	< 5	5	14	37	49	17	0	
		WF	92	0	0	0	0	0	0	0	0	< 5	9	11	16	29	25	0
		BM	40	< 5	0	0	0	0	< 5	< 5	< 5	< 5	6	8	14	< 5	0	
		BF	39	0	0	0	0	0	< 5	0	< 5	8	6	9	7	< 5	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	< 5	0	0	0	0	0	0	0	0	< 5	0	0	0	0	0	0
Multiple myeloma and immunoproliferative neoplasms (C88,C90)	3.5	ALL	158	0	0	0	0	0	0	0	< 5	10	32	39	51	25	0	
		WM	53	0	0	0	0	0	0	0	0	< 5	10	11	16	12	0	
		WF	45	0	0	0	0	0	0	0	0	0	7	15	18	5	0	
		BM	30	0	0	0	0	0	0	0	0	< 5	8	5	9	< 5	0	
		BF	29	0	0	0	0	0	0	0	< 5	< 5	6	8	8	< 5	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	< 5	0	0	0	0	0	0	0	0	0	0	< 5	0	0	0	0
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)	0	ALL	< 5	0	0	0	0	0	0	0	0	0	0	< 5	0	0	0	
		WM	< 5	0	0	0	0	0	0	0	0	0	0	< 5	0	0	0	
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
All other and unspecified malignant neoplasms (Other in C00-C97)	21.9	ALL	986	0	< 5	< 5	< 5	< 5	< 5	< 5	14	20	118	210	231	267	116	0
		WM	382	0	0	0	0	< 5	< 5	5	5	40	79	100	109	40	0	
		WF	300	0	0	0	< 5	< 5	0	< 5	5	25	55	70	88	51	0	
		BM	163	0	0	< 5	0	0	0	< 5	< 5	26	50	34	35	12	0	
		BF	133	0	< 5	0	0	0	< 5	< 5	7	25	24	26	33	13	0	
		OM	< 5	0	0	0	0	< 5	0	0	0	< 5	< 5	0	< 5	0	0	
		OF	< 5	0	0	0	0	0	0	0	0	< 5	< 5	< 5	< 5	0	0	

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS														
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.	
In situ neoplasms,benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	4.2	ALL	190	< 5	0	< 5	< 5	< 5	0	< 5	8	20	16	37	59	42	0	
		WM	78	0	0	0	0	0	0	0	< 5	6	7	19	27	17	0	
		WF	64	< 5	0	< 5	0	< 5	0	< 5	< 5	7	< 5	11	20	16	0	
		BM	24	0	0	0	< 5	0	0	< 5	< 5	< 5	< 5	< 5	6	< 5	0	
		BF	21	0	0	< 5	0	0	0	< 5	< 5	< 5	< 5	< 5	5	5	0	
		OM	< 5	0	0	0	0	0	0	0	0	0	0	< 5	0	0	0	
		OF	< 5	0	0	0	0	0	0	0	0	0	0	0	0	< 5	< 5	0
Anemias (D50-D64)	< 5	ALL	92	< 5	0	0	< 5	0	< 5	5	< 5	5	9	13	25	27	0	
		WM	23	< 5	0	0	0	0	0	0	0	0	< 5	< 5	10	8	0	
		WF	25	0	0	0	< 5	0	0	0	0	0	< 5	5	8	10	0	
		BM	19	0	0	0	0	0	0	< 5	< 5	< 5	< 5	< 5	< 5	< 5	0	
		BF	23	< 5	0	0	< 5	0	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	6	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	< 5	0	0	0	0	0	0	0	0	0	0	< 5	0	0	< 5	0
Diabetes mellitus (E10-E14)	27.4	ALL	1,229	0	0	0	< 5	< 5	0	15	39	108	219	288	330	227	0	
		WM	368	0	0	0	< 5	0	0	< 5	12	32	65	104	107	44	0	
		WF	355	0	0	0	0	0	0	< 5	5	21	49	78	89	111	0	
		BM	200	0	0	0	< 5	0	0	< 5	18	29	52	40	42	15	0	
		BF	294	0	0	0	0	< 5	0	7	< 5	25	51	61	91	54	0	
		OM	6	0	0	0	0	0	0	0	0	0	< 5	< 5	< 5	0	0	
		OF	6	0	0	0	0	0	0	0	0	< 5	0	< 5	0	< 5	0	
Nutritional deficiencies (E40-E64)	1.5	ALL	67	0	0	0	0	0	0	< 5	< 5	< 5	< 5	6	22	31	0	
		WM	17	0	0	0	0	0	0	0	0	0	< 5	< 5	6	8	0	
		WF	27	0	0	0	0	0	0	0	< 5	0	< 5	< 5	9	14	0	
		BM	7	0	0	0	0	0	0	0	0	0	0	< 5	< 5	< 5	0	
		BF	15	0	0	0	0	0	0	< 5	< 5	< 5	< 5	< 5	< 5	< 5	6	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	< 5	0	0	0	0	0	0	0	0	0	0	0	0	0	< 5	0
Malnutrition (E40-E46)	1.5	ALL	66	0	0	0	0	0	0	< 5	< 5	< 5	< 5	6	22	30	0	
		WM	17	0	0	0	0	0	0	0	0	0	< 5	< 5	6	8	0	
		WF	27	0	0	0	0	0	0	0	< 5	0	< 5	< 5	9	14	0	
		BM	7	0	0	0	0	0	0	0	0	0	0	< 5	< 5	< 5	0	
		BF	14	0	0	0	0	0	0	< 5	< 5	< 5	< 5	< 5	< 5	< 5	5	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	< 5	0	0	0	0	0	0	0	0	0	0	0	0	0	< 5	0

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS																
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.			
Other nutritional deficiencies (E50-E64)	0	ALL	< 5	0	0	0	0	0	0	0	0	0	0	0	0	0	< 5	0		
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BF	< 5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	< 5	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Meningitis (G00,G03)	0.3	ALL	12	< 5	0	0	0	< 5	< 5	< 5	< 5	< 5	0	< 5	< 5	0	0	0		
		WM	5	< 5	0	0	0	0	0	< 5	0	0	0	< 5	< 5	0	0	0	0	
		WF	< 5	0	0	0	0	0	< 5	0	< 5	0	0	0	0	0	0	0	0	0
		BM	< 5	0	0	0	0	< 5	0	0	< 5	< 5	0	0	< 5	0	0	0	0	
		BF	< 5	0	0	0	0	0	0	< 5	0	0	0	0	0	0	0	0	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Parkinson's disease (G20-G21)	6.1	ALL	275	0	0	0	0	0	0	0	0	< 5	9	48	122	95	0	0		
		WM	155	0	0	0	0	0	0	0	0	< 5	< 5	30	74	46	0	0		
		WF	95	0	0	0	0	0	0	0	0	0	< 5	12	37	43	0	0		
		BM	16	0	0	0	0	0	0	0	0	0	< 5	< 5	7	< 5	< 5	0		
		BF	9	0	0	0	0	0	0	0	0	0	0	< 5	< 5	< 5	< 5	0		
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Alzheimer's disease (G30)	29.3	ALL	1,316	0	0	0	0	0	0	< 5	< 5	< 5	23	87	446	753	0	0		
		WM	326	0	0	0	0	0	0	< 5	< 5	< 5	6	27	129	160	0	0		
		WF	769	0	0	0	0	0	0	0	0	0	11	44	246	468	0	0		
		BM	67	0	0	0	0	0	0	0	< 5	< 5	5	8	27	24	0	0		
		BF	147	0	0	0	0	0	0	0	0	0	< 5	7	42	97	0	0		
		OM	< 5	0	0	0	0	0	0	0	0	0	0	< 5	0	0	0	0		
		OF	6	0	0	0	0	0	0	0	0	0	0	0	0	< 5	< 5	0		
Major cardiovascular disease (I00-I78)	282.7	ALL	12,700	12	8	< 5	5	10	24	88	307	1,057	1,744	2,241	3,394	3,808	0	0		
		WM	4,402	< 5	0	< 5	< 5	< 5	5	26	97	393	651	911	1,252	1,060	0	0		
		WF	4,480	< 5	< 5	< 5	0	0	< 5	10	49	194	345	584	1,294	1,992	0	0		
		BM	1,853	< 5	< 5	0	< 5	7	10	26	101	267	442	398	355	237	0	0		
		BF	1,870	< 5	< 5	0	< 5	< 5	5	24	57	194	285	336	463	501	0	0		
		OM	62	0	0	0	0	0	0	0	0	< 5	8	15	10	20	6	0		
		OF	33	0	0	0	0	0	0	0	< 5	0	< 5	6	< 5	10	12	0		

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS														
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.	
Diseases of heart (I00-I09,I11,I13,I20-I51)	222	ALL	9,971	10	5	< 5	5	7	21	82	250	842	1,461	1,772	2,584	2,930	0	
		WM	3,668	< 5	0	< 5	< 5	< 5	< 5	< 5	26	82	346	584	757	1,000	864	0
		WF	3,419	< 5	< 5	< 5	0	0	< 5	7	41	151	289	444	963	1,513	0	0
		BM	1,438	< 5	< 5	0	< 5	5	8	24	83	201	347	309	270	184	0	0
		BF	1,377	< 5	< 5	0	< 5	< 5	5	24	42	139	221	251	332	358	0	0
		OM	47	0	0	0	0	0	0	0	0	< 5	5	14	9	13	< 5	0
		OF	22	0	0	0	0	0	0	0	< 5	0	0	6	< 5	6	7	0
		Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	0.9	ALL	39	0	0	0	0	0	0	< 5	< 5	< 5	7	9	11	6
		WM	7	0	0	0	0	0	0	0	0	< 5	< 5	0	< 5	< 5	0	
		WF	16	0	0	0	0	0	0	0	0	< 5	< 5	< 5	7	< 5	0	
		BM	< 5	0	0	0	0	0	0	< 5	0	0	< 5	< 5	0	0	0	
		BF	12	0	0	0	0	0	0	0	< 5	< 5	< 5	6	0	< 5	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Hypertensive heart disease (I11)	19.8	ALL	889	0	0	0	0	0	< 5	12	30	101	163	137	191	252	0	
		WM	247	0	0	0	0	0	< 5	< 5	5	31	53	42	54	60	0	
		WF	260	0	0	0	0	0	0	< 5	< 5	14	26	28	62	126	0	
		BM	190	0	0	0	0	0	< 5	5	15	28	54	38	32	16	0	
		BF	189	0	0	0	0	0	0	5	7	28	28	29	43	49	0	
		OM	< 5	0	0	0	0	0	0	0	0	0	0	< 5	0	0	0	0
		OF	< 5	0	0	0	0	0	0	0	0	0	0	< 5	0	0	< 5	0
		Hypertensive heart and renal disease (I13)	1.2	ALL	56	0	0	0	0	0	0	< 5	< 5	5	5	9	16	18
WM	13			0	0	0	0	0	0	0	0	< 5	< 5	< 5	< 5	5	0	
WF	12			0	0	0	0	0	0	0	0	0	0	< 5	< 5	8	0	
BM	16			0	0	0	0	0	0	0	0	< 5	< 5	< 5	5	< 5	0	
BF	15			0	0	0	0	0	0	< 5	< 5	< 5	< 5	< 5	6	< 5	0	
OM	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OF	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ischemic heart diseases (I20-I25)	123.8			ALL	5,559	0	0	0	< 5	0	< 5	22	129	525	960	1,115	1,421	1,384
		WM	2,303	0	0	0	< 5	0	0	9	56	249	421	531	593	443	0	
		WF	1,766	0	0	0	0	0	< 5	< 5	21	96	196	260	514	677	0	
		BM	793	0	0	0	0	0	< 5	6	37	120	211	179	140	99	0	
		BF	658	0	0	0	0	0	0	6	13	56	119	140	163	161	0	
		OM	29	0	0	0	0	0	0	0	< 5	< 5	9	< 5	7	< 5	0	
		OF	10	0	0	0	0	0	0	0	0	0	0	< 5	< 5	< 5	< 5	0

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS													
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.
Acute myocardial infarction (I21-I22)	46.8	ALL	2,102	0	0	0	0	0	< 5	13	62	261	447	465	473	379	0
		WM	831	0	0	0	0	0	0	< 5	22	114	190	202	189	111	0
		WF	604	0	0	0	0	0	< 5	< 5	9	50	81	114	175	173	0
		BM	374	0	0	0	0	0	< 5	5	21	60	120	83	48	36	0
		BF	276	0	0	0	0	0	0	< 5	9	34	50	63	58	58	0
		OM	12	0	0	0	0	0	0	0	< 5	< 5	< 5	< 5	0	< 5	0
		OF	5	0	0	0	0	0	0	0	0	0	0	< 5	0	< 5	0
Other acute ischemic heart diseases (I24)	2.4	ALL	107	0	0	0	0	0	0	< 5	10	17	24	25	28	0	
		WM	34	0	0	0	0	0	0	< 5	6	< 5	7	5	11	0	
		WF	36	0	0	0	0	0	0	0	< 5	5	7	11	12	0	
		BM	18	0	0	0	0	0	0	< 5	< 5	5	5	< 5	< 5	0	
		BF	19	0	0	0	0	0	0	0	< 5	< 5	5	6	< 5	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other forms of chronic ischemic heart disease (I20,I25)	74.6	ALL	3,350	0	0	0	< 5	0	0	9	64	254	496	626	923	977	0
		WM	1,438	0	0	0	< 5	0	0	6	32	129	228	322	399	321	0
		WF	1,126	0	0	0	0	0	0	0	12	45	110	139	328	492	0
		BM	401	0	0	0	0	0	0	< 5	15	58	86	91	89	61	0
		BF	363	0	0	0	0	0	0	< 5	< 5	21	65	72	99	100	0
		OM	17	0	0	0	0	0	0	0	< 5	< 5	5	< 5	7	< 5	0
		OF	5	0	0	0	0	0	0	0	0	0	< 5	< 5	< 5	< 5	0
Atherosclerotic cardiovascular disease, so described (I25.0)	26.5	ALL	1,190	0	0	0	0	0	0	6	26	115	212	207	294	330	0
		WM	501	0	0	0	0	0	0	< 5	14	69	96	98	124	96	0
		WF	401	0	0	0	0	0	0	0	5	16	46	53	108	173	0
		BM	154	0	0	0	0	0	0	< 5	5	24	39	36	26	23	0
		BF	126	0	0	0	0	0	0	< 5	< 5	6	29	20	32	37	0
		OM	7	0	0	0	0	0	0	0	< 5	0	< 5	0	< 5	< 5	0
		OF	< 5	0	0	0	0	0	0	0	0	0	0	0	< 5	0	0
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)	48.1	ALL	2,160	0	0	0	< 5	0	0	< 5	38	139	284	419	629	647	0
		WM	937	0	0	0	< 5	0	0	< 5	18	60	132	224	275	225	0
		WF	725	0	0	0	0	0	0	0	7	29	64	86	220	319	0
		BM	247	0	0	0	0	0	0	0	10	34	47	55	63	38	0
		BF	237	0	0	0	0	0	0	< 5	< 5	15	36	52	67	63	0
		OM	10	0	0	0	0	0	0	0	0	< 5	< 5	< 5	< 5	< 5	0
		OF	< 5	0	0	0	0	0	0	0	0	0	< 5	< 5	0	< 5	0

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS														
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.	
Other heart diseases (I26-I51)	76.3	ALL	3,428	10	5	< 5	< 5	7	16	46	88	207	326	502	945	1,270	0	
		WM	1,098	< 5	0	< 5	< 5	< 5	< 5	16	21	64	107	182	346	355	0	
		WF	1,365	< 5	< 5	< 5	0	0	< 5	5	17	39	65	152	378	699	0	
		BM	435	< 5	< 5	0	< 5	5	5	12	31	50	78	87	93	67	0	
		BF	503	< 5	< 5	0	< 5	< 5	5	12	19	53	71	75	120	143	0	
		OM	17	0	0	0	0	0	0	0	0	< 5	< 5	5	6	< 5	0	
		OF	10	0	0	0	0	0	0	0	< 5	0	0	< 5	< 5	< 5	5	0
		Acute and subacute endocarditis (I33)	0.4	ALL	17	0	0	0	0	0	0	< 5	< 5	< 5	< 5	< 5	< 5	0
		WM	6	0	0	0	0	0	0	< 5	0	< 5	0	< 5	< 5	0	0	
		WF	< 5	0	0	0	0	0	0	0	0	0	< 5	< 5	< 5	0	0	
		BM	5	0	0	0	0	0	0	0	0	< 5	< 5	< 5	0	0	0	
		BF	< 5	0	0	0	0	0	0	0	0	0	< 5	0	< 5	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		Diseases of pericardium and acute myocarditis (I30-I31,I40)	0.4	ALL	19	< 5	< 5	0	0	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5
		WM	5	0	0	0	0	0	0	0	< 5	< 5	< 5	0	< 5	< 5	0	
		WF	< 5	0	0	0	0	0	0	0	0	< 5	0	< 5	0	< 5	0	
		BM	5	0	0	0	0	< 5	< 5	< 5	0	0	< 5	0	0	0	0	
		BF	5	< 5	< 5	0	0	0	< 5	0	0	< 5	0	0	< 5	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		Heart failure (I50)	28.2	ALL	1,265	< 5	0	0	0	< 5	< 5	6	10	53	91	158	360	582
		WM	398	0	0	0	0	0	< 5	< 5	< 5	15	28	56	131	162	0	
		WF	553	< 5	0	0	0	0	0	0	< 5	12	14	49	149	325	0	
		BM	134	< 5	0	0	0	< 5	0	< 5	< 5	10	23	27	37	30	0	
		BF	169	0	0	0	0	0	< 5	< 5	< 5	15	25	24	39	62	0	
		OM	7	0	0	0	0	0	0	0	0	< 5	< 5	< 5	< 5	0	0	
		OF	< 5	0	0	0	0	0	0	0	0	0	0	0	< 5	< 5	0	
		All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)	47.4	ALL	2,127	7	< 5	< 5	< 5	5	12	38	75	147	228	339	580	686
		WM	689	< 5	0	< 5	< 5	< 5	< 5	12	18	46	78	124	213	192	0	
		WF	805	< 5	< 5	< 5	0	0	< 5	5	14	26	50	100	228	373	0	
		BM	291	< 5	< 5	0	< 5	< 5	< 5	10	25	38	52	60	56	37	0	
		BF	326	< 5	0	0	< 5	< 5	< 5	10	18	37	44	51	79	81	0	
		OM	10	0	0	0	0	0	0	0	0	0	< 5	< 5	< 5	< 5	0	
		OF	6	0	0	0	0	0	0	0	< 5	0	0	< 5	< 5	< 5	< 5	

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS															
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.		
Essential (primary) hypertension and hypertensive renal disease (I10,I12)	7.3	ALL	330	0	0	0	0	0	0	0	< 5	14	38	46	47	74	110	0	
		WM	80	0	0	0	0	0	0	0	0	< 5	9	14	15	19	22	22	0
		WF	100	0	0	0	0	0	0	0	0	< 5	6	< 5	12	22	55	0	
		BM	60	0	0	0	0	0	0	0	< 5	< 5	10	15	10	12	8	0	
		BF	88	0	0	0	0	0	0	0	0	7	13	13	10	21	24	0	
		OM	< 5	0	0	0	0	0	0	0	0	< 5	0	0	0	0	0	0	0
		OF	< 5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	< 5	0
Cerebrovascular diseases (I60-I69)	44.9	ALL	2,015	< 5	< 5	0	0	< 5	< 5	5	41	158	216	344	625	617	0		
		WM	536	< 5	0	0	0	< 5	< 5	0	14	32	45	113	193	136	0		
		WF	813	0	< 5	0	0	0	0	< 5	7	32	47	103	272	348	0		
		BM	310	< 5	< 5	0	0	< 5	< 5	< 5	13	50	74	66	64	37	0		
		BF	338	0	0	0	0	0	0	0	7	40	49	62	88	92	0		
		OM	10	0	0	0	0	0	0	0	0	< 5	< 5	0	5	< 5	0		
		OF	8	0	0	0	0	0	0	0	< 5	0	< 5	0	0	< 5	< 5	0	
Atherosclerosis (I70)	3.3	ALL	150	0	0	0	0	0	0	0	< 5	< 5	6	15	40	86	0		
		WM	43	0	0	0	0	0	0	0	0	< 5	< 5	< 5	15	21	0		
		WF	70	0	0	0	0	0	0	0	0	< 5	< 5	6	15	47	0		
		BM	6	0	0	0	0	0	0	0	0	0	< 5	0	< 5	< 5	0		
		BF	27	0	0	0	0	0	0	0	< 5	0	< 5	5	7	13	0		
		OM	< 5	0	0	0	0	0	0	0	0	0	0	0	0	< 5	< 5	0	
		OF	< 5	0	0	0	0	0	0	0	0	0	0	0	0	0	< 5	0	
Other diseases of circulatory system (I71-I78)	5.2	ALL	234	0	< 5	0	0	0	< 5	0	< 5	17	15	63	71	65	0		
		WM	75	0	0	0	0	0	0	0	0	5	6	22	25	17	0		
		WF	78	0	0	0	0	0	0	0	0	< 5	< 5	19	22	29	0		
		BM	39	0	< 5	0	0	0	< 5	0	< 5	6	< 5	13	8	5	0		
		BF	40	0	0	0	0	0	0	0	0	< 5	< 5	8	15	14	0		
		OM	< 5	0	0	0	0	0	0	0	0	0	0	< 5	0	0	0		
		OF	< 5	0	0	0	0	0	0	0	0	0	0	0	0	< 5	0	0	
Aortic aneurysm and dissection (I71)	2.6	ALL	118	0	< 5	0	0	0	< 5	0	< 5	13	8	30	39	25	0		
		WM	46	0	0	0	0	0	0	0	0	< 5	< 5	10	18	11	0		
		WF	36	0	0	0	0	0	0	0	0	< 5	< 5	9	12	9	0		
		BM	21	0	< 5	0	0	0	< 5	0	< 5	< 5	< 5	8	< 5	< 5	0		
		BF	13	0	0	0	0	0	0	0	0	< 5	0	< 5	5	< 5	0		
		OM	< 5	0	0	0	0	0	0	0	0	0	0	< 5	0	0	0		
		OF	< 5	0	0	0	0	0	0	0	0	0	0	0	0	< 5	0	0	

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS																
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.			
Other diseases of arteries, arterioles and capillaries (I72-I78)	2.6	ALL	116	0	0	0	0	0	0	0	0	0	< 5	7	33	32	40	0		
		WM	29	0	0	0	0	0	0	0	0	0	0	< 5	< 5	12	7	6	0	
		WF	42	0	0	0	0	0	0	0	0	0	0	< 5	< 5	10	10	20	0	
		BM	18	0	0	0	0	0	0	0	0	0	0	< 5	< 5	5	5	< 5	0	
		BF	27	0	0	0	0	0	0	0	0	0	0	0	< 5	6	10	10	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other disorders of circulatory system (I80-I99)	1.1	ALL	51	0	< 5	0	0	0	< 5	< 5	0	9	10	6	11	12	0	0		
		WM	10	0	0	0	0	< 5	0	0	< 5	< 5	< 5	< 5	< 5	0	0	0		
		WF	25	0	< 5	0	0	0	0	0	0	< 5	< 5	< 5	6	9	0	0		
		BM	7	0	0	0	0	0	0	< 5	0	< 5	< 5	0	0	0	0	0		
		BF	8	0	0	0	0	0	0	0	0	< 5	< 5	0	< 5	< 5	0	0		
		OM	< 5	0	0	0	0	0	0	0	0	0	0	0	0	< 5	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Influenza and pneumonia (J10-J18)	19.1	ALL	858	6	< 5	< 5	< 5	< 5	7	12	22	41	71	109	238	342	0	0		
		WM	290	< 5	< 5	< 5	0	< 5	5	7	6	12	25	51	85	93	0	0		
		WF	344	0	0	0	0	0	0	0	0	5	10	18	28	96	187	0		
		BM	115	< 5	< 5	0	< 5	0	< 5	< 5	< 5	6	10	22	22	26	24	0		
		BF	106	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	5	9	6	7	30	37	0		
		OM	< 5	0	0	0	0	0	0	0	0	0	0	0	< 5	0	0	0		
		OF	< 5	0	0	0	0	0	0	0	0	0	0	0	0	< 5	< 5	0		
Influenza (J10-J11)	0.5	ALL	21	< 5	0	< 5	< 5	< 5	< 5	0	< 5	< 5	< 5	< 5	< 5	5	0			
		WM	5	0	0	0	0	< 5	0	0	< 5	< 5	0	0	0	< 5	0			
		WF	7	0	0	0	0	0	0	0	0	< 5	< 5	0	< 5	0	< 5			
		BM	< 5	0	0	0	< 5	0	0	0	< 5	< 5	< 5	0	0	0	0			
		BF	< 5	< 5	0	< 5	0	0	< 5	0	0	0	0	0	0	< 5	0			
		OM	< 5	0	0	0	0	0	0	0	0	0	0	0	< 5	0	0			
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Pneumonia (J12-J18)	18.6	ALL	837	5	< 5	< 5	< 5	< 5	6	12	18	38	70	107	237	337	0			
		WM	285	< 5	< 5	< 5	0	0	5	7	5	11	25	51	85	91	0			
		WF	337	0	0	0	0	0	0	0	0	< 5	9	18	27	96	184			
		BM	111	< 5	< 5	0	0	0	< 5	< 5	5	9	21	22	26	24	0			
		BF	102	< 5	< 5	0	< 5	< 5	0	< 5	5	9	6	7	29	37	0			
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
		OF	< 5	0	0	0	0	0	0	0	0	0	0	0	0	< 5	< 5			

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS															
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.		
Other acute lower respiratory infections (J20-J22)	0.2	ALL	9	< 5	< 5	0	0	0	0	0	0	0	< 5	0	0	< 5	< 5	0	
		WM	< 5	0	0	0	0	0	0	0	0	0	0	0	0	0	< 5	0	0
		WF	5	< 5	0	0	0	0	0	0	0	0	0	0	0	0	< 5	< 5	0
		BM	< 5	< 5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BF	< 5	0	< 5	0	0	0	0	0	0	0	0	< 5	0	0	0	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Acute bronchitis and bronchiolitis (J20-J21)	0.2	ALL	7	< 5	< 5	0	0	0	0	0	0	0	< 5	0	0	< 5	< 5	0	
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WF	< 5	< 5	0	0	0	0	0	0	0	0	0	0	0	0	< 5	< 5	0
		BM	< 5	< 5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BF	< 5	0	< 5	0	0	0	0	0	0	0	0	< 5	0	0	0	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Unspecified acute lower respiratory infection (J22)	0	ALL	< 5	0	0	0	0	0	0	0	0	0	0	0	0	< 5	< 5	0	
		WM	< 5	0	0	0	0	0	0	0	0	0	0	0	0	< 5	0	0	
		WF	< 5	0	0	0	0	0	0	0	0	0	0	0	0	0	< 5	0	
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Chronic lower respiratory diseases (J40-J47)	41.3	ALL	1,854	< 5	< 5	0	< 5	< 5	0	< 5	13	75	241	476	618	419	0		
		WM	734	0	< 5	0	0	< 5	0	< 5	< 5	26	95	192	265	151	0		
		WF	790	0	0	0	< 5	0	0	< 5	< 5	26	84	188	277	209	0		
		BM	180	0	< 5	0	< 5	0	0	< 5	< 5	14	35	56	40	28	0		
		BF	150	< 5	0	0	< 5	0	0	0	< 5	9	27	40	36	31	0		
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Bronchitis, chronic and unspecified (J40-J42)	0.1	ALL	6	0	0	0	0	0	0	0	0	< 5	< 5	< 5	0	< 5	0		
		WM	< 5	0	0	0	0	0	0	0	0	0	0	< 5	< 5	0	< 5	0	
		WF	< 5	0	0	0	0	0	0	0	0	0	< 5	0	0	0	< 5	0	
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS															
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.		
Emphysema (J43)	< 5	ALL	137	0	0	0	0	0	0	0	< 5	< 5	9	21	45	39	20	0	
		WM	59	0	0	0	0	0	0	0	< 5	0	6	10	20	14	8	0	
		WF	49	0	0	0	0	0	0	0	0	< 5	< 5	7	15	17	7	0	
		BM	20	0	0	0	0	0	0	0	0	0	< 5	< 5	5	6	< 5	0	
		BF	9	0	0	0	0	0	0	0	0	0	0	0	5	< 5	< 5	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Asthma (J45-J46)	0.9	ALL	41	0	< 5	0	< 5	< 5	0	< 5	6	8	6	7	< 5	< 5	0		
		WM	5	0	0	0	< 5	0	0	< 5	< 5	< 5	< 5	0	0	0	0		
		WF	11	0	0	0	< 5	0	0	< 5	< 5	< 5	0	< 5	< 5	< 5	0		
		BM	12	0	< 5	0	< 5	0	0	< 5	< 5	< 5	< 5	< 5	0	0	0		
		BF	13	0	0	0	< 5	0	0	0	< 5	< 5	< 5	< 5	< 5	< 5	< 5		
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Other chronic lower respiratory diseases (J44,J47)	37.2	ALL	1,670	< 5	< 5	0	0	0	0	< 5	5	57	213	423	576	393	0		
		WM	667	0	< 5	0	0	0	0	< 5	0	18	83	171	251	142	0		
		WF	727	0	0	0	0	0	0	0	< 5	23	77	170	258	198	0		
		BM	148	0	0	0	0	0	0	0	< 5	10	28	48	34	25	0		
		BF	128	< 5	0	0	0	0	0	0	< 5	6	25	34	33	28	0		
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Pneumoconioses and chemical effects (J60-J66,J68)	0.3	ALL	13	0	0	0	0	0	0	< 5	0	0	< 5	5	5	< 5	0		
		WM	9	0	0	0	0	0	0	0	0	0	< 5	< 5	< 5	< 5	0		
		WF	< 5	0	0	0	0	0	0	< 5	0	0	0	< 5	< 5	0	0		
		BM	< 5	0	0	0	0	0	0	0	0	0	0	< 5	0	0	0		
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Pneumonitis due to solids and liquids (J69)	4.7	ALL	211	0	0	0	0	0	< 5	< 5	< 5	8	9	27	75	88	0		
		WM	83	0	0	0	0	0	0	0	0	5	< 5	11	30	33	0		
		WF	78	0	0	0	0	0	0	0	< 5	< 5	< 5	7	25	41	0		
		BM	25	0	0	0	0	0	< 5	< 5	< 5	< 5	< 5	< 5	12	< 5	0		
		BF	24	0	0	0	0	0	0	0	0	0	< 5	5	8	10	0		
		OM	< 5	0	0	0	0	0	0	0	0	0	0	0	< 5	0	0		
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS														
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.	
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)	12.1	ALL	545	7	< 5	< 5	< 5	< 5	< 5	5	6	15	44	69	114	162	114	0
		WM	197	5	0	0	< 5	< 5	< 5	< 5	0	< 5	13	27	48	63	35	0
		WF	224	0	< 5	< 5	0	< 5	< 5	< 5	< 5	< 5	16	21	37	74	66	0
		BM	48	< 5	< 5	0	0	0	< 5	< 5	6	< 5	10	10	10	9	5	0
		BF	72	< 5	< 5	0	0	0	< 5	< 5	5	10	11	18	15	7	7	0
		OM	< 5	0	0	0	0	0	0	0	0	0	0	0	0	< 5	< 5	0
		OF	< 5	0	0	0	0	0	0	0	0	0	< 5	0	< 5	0	0	0
Peptic ulcer (K25-K28)	0.7	ALL	32	< 5	0	0	0	0	0	0	< 5	< 5	< 5	7	5	12	< 5	0
		WM	13	0	0	0	0	0	0	0	< 5	0	0	< 5	< 5	5	< 5	0
		WF	12	0	0	0	0	0	0	0	0	0	< 5	< 5	0	6	< 5	0
		BM	< 5	< 5	0	0	0	0	0	0	0	< 5	< 5	0	< 5	0	0	0
		BF	< 5	0	0	0	0	0	0	0	0	0	0	< 5	0	< 5	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	< 5	0	0	0	0	0	0	0	0	0	0	0	< 5	0	0	0
Diseases of appendix (K35-K38)	0.1	ALL	6	0	0	0	< 5	0	0	0	0	0	< 5	< 5	< 5	0	0	
		WM	< 5	0	0	0	0	0	0	0	0	0	0	< 5	< 5	< 5	0	
		WF	< 5	0	0	0	0	0	0	0	0	0	0	0	0	< 5	0	
		BM	< 5	0	0	0	0	0	0	0	0	0	0	0	0	< 5	0	
		BF	< 5	0	0	0	< 5	0	0	0	0	0	0	0	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Hernia (K40-K46)	0.4	ALL	17	0	0	0	0	0	0	0	0	< 5	< 5	< 5	7	6	0	
		WM	< 5	0	0	0	0	0	0	0	0	0	0	0	0	< 5	0	
		WF	9	0	0	0	0	0	0	0	0	0	0	< 5	< 5	< 5	6	
		BM	< 5	0	0	0	0	0	0	0	0	0	< 5	< 5	0	< 5	0	
		BF	< 5	0	0	0	0	0	0	0	0	0	0	0	0	< 5	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Chronic liver disease and cirrhosis (K70,K73-K74)	8.2	ALL	367	0	0	0	0	0	0	0	5	23	109	114	70	38	8	0
		WM	182	0	0	0	0	0	0	0	< 5	10	43	62	40	21	< 5	
		WF	89	0	0	0	0	0	0	0	0	5	31	20	18	11	< 5	
		BM	64	0	0	0	0	0	0	0	< 5	5	24	25	8	< 5	0	
		BF	28	0	0	0	0	0	0	0	< 5	< 5	9	7	< 5	< 5	0	
		OM	< 5	0	0	0	0	0	0	0	0	0	< 5	0	< 5	0	0	
		OF	< 5	0	0	0	0	0	0	0	0	0	< 5	0	0	< 5	0	

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS																
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.			
Alcoholic liver disease (K70)	< 5	ALL	133	0	0	0	0	0	0	0	< 5	16	51	43	19	< 5	0	0		
		WM	67	0	0	0	0	0	0	0	0	0	8	18	24	14	< 5	0	0	
		WF	34	0	0	0	0	0	0	0	0	0	< 5	19	11	0	0	0	0	
		BM	19	0	0	0	0	0	0	0	0	0	< 5	8	5	< 5	0	0	0	
		BF	13	0	0	0	0	0	0	0	0	< 5	< 5	6	< 5	< 5	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other chronic liver disease and cirrhosis (K73-K74)	5.2	ALL	234	0	0	0	0	0	0	0	< 5	7	58	71	51	35	8	0		
		WM	115	0	0	0	0	0	0	0	< 5	< 5	25	38	26	18	< 5	0		
		WF	55	0	0	0	0	0	0	0	0	< 5	12	9	18	11	< 5	0		
		BM	45	0	0	0	0	0	0	0	< 5	< 5	16	20	< 5	< 5	0	0		
		BF	15	0	0	0	0	0	0	0	< 5	< 5	< 5	< 5	< 5	< 5	0	0		
		OM	< 5	0	0	0	0	0	0	0	0	0	0	< 5	0	< 5	0	0	0	
		OF	< 5	0	0	0	0	0	0	0	0	0	0	< 5	0	0	< 5	0	0	
Cholelithiasis and other disorders of gallbladder (K80-K82)	0.7	ALL	33	0	0	0	0	0	0	0	< 5	0	8	5	6	13	0			
		WM	11	0	0	0	0	0	0	0	0	0	< 5	< 5	< 5	< 5	0			
		WF	12	0	0	0	0	0	0	0	0	< 5	0	< 5	< 5	< 5	< 5	0		
		BM	< 5	0	0	0	0	0	0	0	0	0	0	< 5	< 5	0	< 5	0		
		BF	5	0	0	0	0	0	0	0	0	0	0	< 5	0	0	< 5	0		
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	< 5	0	0	0	0	0	0	0	0	0	0	< 5	0	0	0	0	0	
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	25.5	ALL	1,145	6	0	0	< 5	0	< 5	8	22	66	133	206	358	342	0			
		WM	360	< 5	0	0	0	0	< 5	< 5	6	14	33	70	109	122	0			
		WF	321	< 5	0	0	0	0	< 5	< 5	< 5	11	26	53	115	108	0			
		BM	197	< 5	0	0	0	0	< 5	< 5	5	16	35	36	62	37	0			
		BF	262	0	0	0	< 5	0	0	< 5	7	24	39	45	71	74	0			
		OM	< 5	0	0	0	0	0	0	0	0	0	< 5	0	0	0	0	0		
		OF	< 5	0	0	0	0	0	0	0	0	0	0	0	< 5	< 5	< 5	0		
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)	0	ALL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS															
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.		
Chronic glomerulone- phritis, nephritis & nephritis unspecified, & renal sclerosis unspecified (N02-N03,N05-N07,N26)	1.8	ALL	81	0	0	0	0	0	< 5	0	< 5	< 5	7	12	28	29	0		
		WM	24	0	0	0	0	0	0	0	0	0	< 5	< 5	< 5	9	10	0	
		WF	25	0	0	0	0	0	< 5	0	0	0	< 5	< 5	7	6	9	0	
		BM	16	0	0	0	0	0	0	0	0	< 5	< 5	< 5	< 5	7	< 5	0	
		BF	16	0	0	0	0	0	0	0	0	0	0	< 5	0	6	6	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Renal failure (N17-N19)	23.7	ALL	1,064	6	0	0	< 5	0	< 5	8	21	63	126	194	330	313	0		
		WM	336	< 5	0	0	0	0	< 5	< 5	6	13	32	67	100	112	0		
		WF	296	< 5	0	0	0	0	0	< 5	< 5	10	25	46	109	99	0		
		BM	181	< 5	0	0	0	0	< 5	< 5	< 5	15	34	34	55	33	0		
		BF	246	0	0	0	< 5	0	0	< 5	7	24	35	45	65	68	0		
		OM	< 5	0	0	0	0	0	0	0	0	0	< 5	0	0	0	0	0	
		OF	< 5	0	0	0	0	0	0	0	0	0	0	0	< 5	< 5	< 5	0	
Other disorders of kidney (N25,N27)	0	ALL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Infections of kidney (N10-N12,N13.6,N15.1)	0.2	ALL	8	0	0	0	< 5	0	0	0	0	< 5	< 5	< 5	< 5	< 5	0		
		WM	< 5	0	0	0	0	0	0	0	0	0	0	0	< 5	0	0	0	
		WF	5	0	0	0	0	0	0	0	0	0	< 5	0	< 5	< 5	< 5	0	
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BF	< 5	0	0	0	< 5	0	0	0	0	0	0	< 5	0	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Hyperplasia of prostate (N40)	0.1	ALL	< 5	0	0	0	0	0	0	0	0	0	< 5	0	< 5	< 5	0		
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WF	< 5	0	0	0	0	0	0	0	0	0	0	< 5	0	0	0	0	
		BM	< 5	0	0	0	0	0	0	0	0	0	0	0	0	< 5	< 5	0	
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS															
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.		
Inflammatory diseases of female pelvic organs (N70-N76)	0	ALL	< 5	0	< 5	0	0	0	0	0	0	< 5	0	0	0	0	0		
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BF	< 5	0	< 5	0	0	0	0	0	0	0	< 5	0	0	0	0	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pregnancy, childbirth and the puerperium (O00-O99)	0.1	ALL	< 5	0	0	0	0	0	< 5	< 5	0	0	0	0	0	0	0		
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		WF	< 5	0	0	0	0	0	< 5	< 5	0	0	0	0	0	0	0	0	
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Pregnancy with abortive outcome (O00-O07)	0	ALL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Other complications of pregnancy, childbirth and the puerperium (O10-O99)	0.1	ALL	< 5	0	0	0	0	0	< 5	< 5	0	0	0	0	0	0	0		
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		WF	< 5	0	0	0	0	0	< 5	< 5	0	0	0	0	0	0	0		
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Certain conditions originating in the perinatal period (P00-P96)	5.5	ALL	246	244	< 5	0	0	0	0	0	0	0	0	0	0	0	0		
		WM	44	44	0	0	0	0	0	0	0	0	0	0	0	0	0		
		WF	34	32	< 5	0	0	0	0	0	0	0	0	0	0	0	0		
		BM	95	95	0	0	0	0	0	0	0	0	0	0	0	0	0		
		BF	67	67	0	0	0	0	0	0	0	0	0	0	0	0	0		
		OM	< 5	< 5	0	0	0	0	0	0	0	0	0	0	0	0	0		
		OF	< 5	< 5	0	0	0	0	0	0	0	0	0	0	0	0	0		

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS													
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	3.4	ALL	153	84	7	< 5	5	< 5	< 5	5	8	15	7	< 5	6	5	0
		WM	54	30	< 5	0	0	0	< 5	< 5	< 5	7	< 5	< 5	< 5	0	0
		WF	41	21	< 5	< 5	< 5	0	0	< 5	< 5	< 5	< 5	< 5	< 5	< 5	0
		BM	32	18	< 5	0	< 5	< 5	0	< 5	< 5	< 5	< 5	< 5	0	0	0
		BF	24	14	< 5	< 5	< 5	0	< 5	< 5	< 5	< 5	0	0	< 5	< 5	0
		OM	< 5	< 5	0	0	< 5	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	20.3	ALL	910	102	7	0	< 5	0	5	16	15	50	49	87	195	383	0
		WM	236	30	< 5	0	0	0	< 5	< 5	8	15	14	21	64	78	0
		WF	381	22	< 5	0	0	0	0	5	0	11	11	30	79	220	0
		BM	123	24	< 5	0	< 5	0	< 5	< 5	5	15	12	17	16	25	0
		BF	166	25	< 5	0	0	0	< 5	< 5	< 5	9	12	17	35	60	0
		OM	< 5	< 5	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	< 5	0	0	0	0	0	0	0	0	0	0	< 5	< 5	0	0
All other diseases (Residual) (Other in D65-N98)	77.5	ALL	3,483	12	9	< 5	13	13	27	65	138	304	414	485	826	1,173	0
		WM	1,022	< 5	< 5	0	< 5	< 5	10	22	40	102	170	156	253	260	0
		WF	1,463	< 5	< 5	< 5	< 5	0	6	13	37	83	91	168	375	682	0
		BM	421	< 5	< 5	< 5	< 5	5	6	17	24	64	85	81	66	64	0
		BF	551	5	< 5	< 5	< 5	5	5	12	36	52	64	76	127	160	0
		OM	14	0	0	0	0	0	0	0	< 5	< 5	< 5	< 5	< 5	< 5	0
		OF	12	0	0	0	< 5	0	0	< 5	0	< 5	< 5	< 5	< 5	5	0
Accidents (V01-X59,Y85-Y86)	45.1	ALL	2,027	35	41	21	32	115	173	301	285	358	206	143	158	159	0
		WM	1,000	13	9	5	10	49	113	173	140	183	109	72	73	51	0
		WF	471	7	8	0	< 5	23	22	48	58	81	38	33	63	86	0
		BM	374	11	14	6	14	28	27	57	62	69	41	28	12	5	0
		BF	159	< 5	10	10	< 5	12	8	16	23	22	18	8	9	16	0
		OM	18	0	0	0	0	< 5	< 5	5	< 5	< 5	0	< 5	0	< 5	0
		OF	5	0	0	0	< 5	0	0	< 5	0	0	0	< 5	< 5	0	0
Transport accidents (V01-V99,Y85)	19.3	ALL	865	< 5	16	10	20	88	102	144	130	159	85	50	39	21	0
		WM	432	0	< 5	< 5	8	38	64	72	54	88	48	24	20	11	0
		WF	144	0	< 5	0	< 5	19	11	20	22	25	13	9	13	8	0
		BM	196	0	8	< 5	6	17	19	34	40	34	17	13	5	0	0
		BF	79	< 5	< 5	< 5	< 5	11	6	14	13	11	7	< 5	< 5	< 5	0
		OM	11	0	0	0	0	< 5	< 5	< 5	< 5	< 5	0	< 5	0	< 5	0
		OF	< 5	0	0	0	< 5	0	0	< 5	0	0	0	0	0	0	0

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS													
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8, V89.0,V89.2)	17.4	ALL	782	< 5	15	9	17	84	90	131	119	142	74	45	36	19	0
		WM	383	0	< 5	< 5	7	36	55	64	50	76	40	22	18	10	0
		WF	135	0	< 5	0	< 5	19	10	19	20	24	12	9	12	7	0
		BM	178	0	7	< 5	5	16	17	32	37	31	16	10	5	0	0
		BF	74	< 5	< 5	< 5	< 5	11	6	13	11	10	6	< 5	< 5	< 5	0
		OM	9	0	0	0	0	< 5	< 5	< 5	< 5	< 5	0	< 5	0	< 5	0
		OF	< 5	0	0	0	< 5	0	0	< 5	0	0	0	0	0	0	0
Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)	0.7	ALL	33	0	< 5	< 5	< 5	< 5	5	< 5	6	7	< 5	0	< 5	< 5	0
		WM	12	0	0	0	< 5	< 5	< 5	< 5	< 5	< 5	< 5	0	0	< 5	0
		WF	7	0	0	0	< 5	0	< 5	0	< 5	< 5	< 5	0	< 5	0	0
		BM	8	0	< 5	< 5	< 5	0	< 5	< 5	< 5	< 5	0	0	0	0	0
		BF	5	0	0	0	0	0	0	< 5	< 5	< 5	< 5	0	0	0	0
		OM	< 5	0	0	0	0	0	0	< 5	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)	1.1	ALL	50	0	0	0	< 5	< 5	7	9	5	10	8	5	< 5	< 5	0
		WM	37	0	0	0	< 5	0	6	7	< 5	9	7	< 5	< 5	0	0
		WF	< 5	0	0	0	0	0	0	< 5	0	0	0	0	0	< 5	0
		BM	10	0	0	0	0	< 5	< 5	< 5	< 5	< 5	< 5	< 5	0	0	0
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OM	< 5	0	0	0	0	< 5	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Nontransport accidents (W00-X59,Y86)	25.9	ALL	1,162	34	25	11	12	27	71	157	155	199	121	93	119	138	0
		WM	568	13	7	< 5	< 5	11	49	101	86	95	61	48	53	40	0
		WF	327	7	6	0	< 5	< 5	11	28	36	56	25	24	50	78	0
		BM	178	11	6	< 5	8	11	8	23	22	35	24	15	7	5	0
		BF	80	< 5	6	6	0	< 5	< 5	< 5	10	11	11	5	8	15	0
		OM	7	0	0	0	0	0	< 5	< 5	< 5	< 5	0	0	0	0	0
		OF	< 5	0	0	0	0	0	0	0	0	0	0	< 5	< 5	0	0
Falls (W00-W19)	4.7	ALL	213	< 5	0	0	0	0	< 5	< 5	5	16	20	40	55	69	0
		WM	106	< 5	0	0	0	0	< 5	< 5	< 5	8	14	21	26	28	0
		WF	72	0	0	0	0	0	0	0	< 5	< 5	< 5	10	24	33	0
		BM	22	0	0	0	0	0	< 5	0	< 5	< 5	< 5	7	< 5	< 5	0
		BF	11	0	0	0	0	0	0	< 5	0	< 5	0	< 5	< 5	< 5	0
		OM	< 5	0	0	0	0	0	0	0	0	0	< 5	0	0	0	0
		OF	< 5	0	0	0	0	0	0	0	0	0	0	0	0	< 5	0

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS															
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.		
Accidental discharge of firearms (W32-W34)	0.5	ALL	23	0	< 5	< 5	< 5	< 5	< 5	< 5	5	5	0	< 5	< 5	< 5	0	0	
		WM	12	0	0	0	0	< 5	< 5	< 5	< 5	< 5	0	< 5	< 5	< 5	0	0	
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BM	9	0	0	< 5	< 5	< 5	0	< 5	< 5	0	0	0	0	0	0	0	0
		BF	< 5	0	< 5	0	0	0	< 5	0	0	0	0	0	0	0	0	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Accidental drowning and submersion (W65-W74)	1.9	ALL	87	< 5	12	< 5	5	9	7	14	7	9	9	5	< 5	< 5	< 5	0	
		WM	36	< 5	< 5	< 5	< 5	< 5	< 5	8	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	0
		WF	14	0	5	0	< 5	0	0	0	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	0
		BM	31	0	< 5	0	< 5	7	< 5	5	< 5	5	< 5	0	0	0	0	0	0
		BF	< 5	0	< 5	< 5	0	0	0	0	0	0	< 5	0	0	0	0	0	0
		OM	< 5	0	0	0	0	0	< 5	0	< 5	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Accidental exposure to smoke, fire and flames (X00-X09)	1.2	ALL	56	< 5	< 5	5	< 5	< 5	< 5	< 5	5	8	9	5	11	< 5	< 5	0	
		WM	17	< 5	< 5	0	0	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	5	< 5	< 5	0
		WF	7	0	0	0	0	< 5	0	0	0	< 5	< 5	< 5	< 5	< 5	< 5	0	0
		BM	18	0	0	< 5	< 5	0	< 5	0	< 5	< 5	< 5	5	< 5	< 5	< 5	0	0
		BF	14	0	< 5	< 5	0	0	< 5	0	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Accidental poisoning and exposure to noxious substances (X40-X49)	11	ALL	492	0	0	0	< 5	< 5	48	119	109	130	51	15	5	9	9	0	
		WM	270	0	0	0	0	< 5	34	78	60	63	23	8	< 5	0	0	0	
		WF	153	0	0	0	< 5	< 5	11	26	34	47	19	< 5	< 5	7	7	0	
		BM	49	0	0	0	< 5	0	< 5	12	10	15	6	< 5	0	0	0	0	
		BF	17	0	0	0	0	0	0	< 5	5	5	< 5	0	< 5	< 5	< 5	0	
		OM	< 5	0	0	0	0	0	0	< 5	0	0	0	0	0	0	0	0	
		OF	< 5	0	0	0	0	0	0	0	0	0	0	0	< 5	0	0	0	
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)	6.5	ALL	291	30	10	< 5	< 5	8	7	15	24	36	31	27	43	57	57	0	
		WM	127	9	< 5	< 5	< 5	< 5	< 5	6	9	16	18	19	14	17	10	10	0
		WF	81	7	< 5	0	0	< 5	< 5	0	< 5	0	< 5	< 5	7	20	37	37	0
		BM	49	11	< 5	< 5	0	< 5	< 5	< 5	< 5	< 5	10	5	< 5	< 5	< 5	< 5	0
		BF	32	< 5	< 5	0	0	< 5	0	0	0	< 5	< 5	5	< 5	< 5	< 5	9	0
		OM	< 5	0	0	0	0	0	0	0	< 5	0	< 5	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS													
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.
Intentional self-harm (suicide) (X60-X84,Y87.0)	10.6	ALL	477	0	0	0	5	22	32	88	82	109	68	36	26	9	0
		WM	322	0	0	0	< 5	13	23	63	51	73	46	25	21	6	0
		WF	86	0	0	0	< 5	< 5	< 5	9	12	27	17	7	< 5	< 5	0
		BM	54	0	0	0	< 5	5	6	13	15	5	< 5	< 5	< 5	< 5	0
		BF	8	0	0	0	0	< 5	0	< 5	< 5	< 5	< 5	0	0	0	0
		OM	7	0	0	0	0	0	0	0	0	< 5	< 5	< 5	< 5	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Intentional self-harm (suicide) by discharge of firearms (X72-X74)	7.1	ALL	321	0	0	0	< 5	14	22	54	49	67	48	32	25	7	0
		WM	229	0	0	0	< 5	10	17	39	29	48	34	25	21	5	0
		WF	51	0	0	0	< 5	< 5	< 5	6	8	15	10	< 5	< 5	< 5	0
		BM	37	0	0	0	< 5	< 5	< 5	8	12	< 5	< 5	< 5	< 5	< 5	0
		BF	< 5	0	0	0	0	0	0	< 5	0	0	0	0	0	0	0
		OM	< 5	0	0	0	0	0	0	0	0	0	0	< 5	< 5	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71,X75- X84,Y87.0)	3.5	ALL	156	0	0	0	< 5	8	10	34	33	42	20	< 5	< 5	< 5	0
		WM	93	0	0	0	0	< 5	6	24	22	25	12	0	0	< 5	0
		WF	35	0	0	0	< 5	< 5	0	< 5	< 5	12	7	< 5	< 5	< 5	0
		BM	17	0	0	0	0	< 5	< 5	5	< 5	< 5	< 5	< 5	0	0	0
		BF	7	0	0	0	0	< 5	0	< 5	< 5	< 5	0	0	0	0	0
		OM	< 5	0	0	0	0	0	0	0	0	< 5	< 5	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Assault (homicide) (X85- Y09,Y87.1)	12.5	ALL	561	12	9	< 5	5	77	107	141	95	58	24	12	15	< 5	< 5
		WM	98	< 5	< 5	0	0	5	8	16	21	20	12	< 5	5	< 5	0
		WF	43	< 5	< 5	0	0	< 5	< 5	11	13	< 5	< 5	< 5	< 5	0	0
		BM	364	< 5	5	< 5	< 5	64	90	96	52	28	11	< 5	< 5	< 5	0
		BF	51	< 5	< 5	< 5	< 5	5	5	18	8	5	0	< 5	< 5	0	< 5
		OM	< 5	0	0	0	0	0	0	0	0	0	< 5	0	0	0	0
		OF	< 5	0	0	0	0	< 5	0	0	< 5	< 5	0	0	0	0	0
Assault (homicide) by discharge of firearms (X93-X95)	9.8	ALL	439	0	< 5	< 5	< 5	70	100	118	75	37	16	6	8	< 5	0
		WM	59	0	< 5	0	0	< 5	6	11	17	10	7	< 5	< 5	< 5	0
		WF	26	0	0	0	0	< 5	< 5	7	8	< 5	< 5	< 5	< 5	0	0
		BM	318	0	< 5	< 5	< 5	62	86	88	43	21	8	< 5	< 5	0	0
		BF	33	0	0	0	< 5	< 5	5	12	7	< 5	0	0	< 5	0	0
		OM	< 5	0	0	0	0	0	0	0	0	0	< 5	0	0	0	0
		OF	< 5	0	0	0	0	< 5	0	0	0	0	< 5	0	0	0	0

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS														
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.	
Assault (homicide) by other and unspecified means and their sequelae (X85-X92,X96-Y09,Y87.1)	2.7	ALL	122	12	6	< 5	< 5	7	7	23	20	21	8	6	7	< 5	< 5	
		WM	39	< 5	< 5	0	0	< 5	< 5	5	< 5	10	5	< 5	< 5	< 5	< 5	0
		WF	17	< 5	< 5	0	0	< 5	< 5	< 5	5	0	0	< 5	< 5	0	0	0
		BM	46	< 5	< 5	0	< 5	< 5	< 5	8	9	7	< 5	< 5	< 5	< 5	< 5	0
		BF	18	< 5	< 5	< 5	0	< 5	0	6	< 5	< 5	0	< 5	0	0	0	< 5
		OM	< 5	0	0	0	0	0	0	0	0	0	< 5	0	0	0	0	0
		OF	< 5	0	0	0	0	0	0	0	0	< 5	0	0	0	0	0	0
Legal intervention (Y35,Y89.0)	0.1	ALL	< 5	0	0	0	0	0	0	< 5	0	0	< 5	0	0	0	0	
		WM	< 5	0	0	0	0	0	0	< 5	0	0	< 5	0	0	0	0	0
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BM	< 5	0	0	0	0	0	0	0	0	0	< 5	0	0	0	0	0
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)	2.3	ALL	105	< 5	< 5	0	0	< 5	11	16	24	36	9	< 5	< 5	0	0	
		WM	55	0	0	0	0	< 5	8	12	13	16	< 5	< 5	0	0	0	0
		WF	33	< 5	0	0	0	< 5	< 5	< 5	9	14	< 5	0	0	0	0	0
		BM	12	< 5	< 5	0	0	< 5	< 5	< 5	< 5	< 5	0	< 5	0	0	0	0
		BF	5	0	0	0	0	0	0	< 5	0	< 5	< 5	0	< 5	0	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Discharge of firearms, undetermined intent (Y22-Y24)	0.2	ALL	8	0	0	0	0	< 5	< 5	< 5	< 5	< 5	0	0	0	0	0	
		WM	8	0	0	0	0	< 5	< 5	< 5	< 5	< 5	0	0	0	0	0	0
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)	2.2	ALL	97	< 5	< 5	0	0	< 5	10	15	20	35	9	< 5	< 5	0	0	
		WM	47	0	0	0	0	0	7	11	9	15	< 5	< 5	0	0	0	0
		WF	33	< 5	0	0	0	< 5	< 5	< 5	9	14	< 5	0	0	0	0	0
		BM	12	< 5	< 5	0	0	< 5	< 5	< 5	< 5	< 5	0	< 5	0	0	0	0
		BF	5	0	0	0	0	0	0	< 5	0	< 5	< 5	0	< 5	0	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

CAUSE OF DEATH	RATE	RACE & SEX	All	AGE IN YEARS													
				<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	UNK.
Operations of war and their sequelae (Y36,Y89.1)	0	ALL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Complications of medical and surgical care (Y40-Y84,Y88)	0.8	ALL	37	0	< 5	0	0	0	0	0	< 5	< 5	9	7	7	8	0
		WM	10	0	0	0	0	0	0	0	0	< 5	< 5	< 5	0	< 5	0
		WF	11	0	0	0	0	0	0	0	0	< 5	< 5	< 5	< 5	< 5	0
		BM	5	0	< 5	0	0	0	0	0	0	< 5	< 5	0	< 5	< 5	0
		BF	11	0	0	0	0	0	0	0	< 5	0	< 5	< 5	< 5	< 5	0
		OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

RATE PER 100,000 POPULATION

* NUMBERS < 5 BLOCKED TO PROTECT CONFIDENTIALITY