STI/HIV/Hepatitis B & C Update 2021 Data Tables

Lafayette Region 4



Reported Cases of HIV Region 4 - Lafayette, 2021

| | | 2021 New Diagnoses ^a | | | 2021 Prevalence ^b | | |
|---------------------|----------------------------|---------------------------------|--------|-------|------------------------------|--------|-------|
| | | Cases | % | Rated | Cases | % | Rated |
| | Total | 118 | 100.0% | 19.5 | 1,911 | 100.0% | 315.1 |
| Race/Ethi | nicity ^e | | | | | | |
| | Black | 64 | 54.2% | 39.2 | 1,080 | 56.5% | 662.1 |
| | Hispanic/Latinx | 11 | 9.3% | 48.1 | 102 | 5.3% | 446.1 |
| | White | 41 | 34.7% | 10.3 | 691 | 36.2% | 174.3 |
| | Other | 2 | 1.7% | n/a | 38 | 2.0% | n/a |
| Gender | _ | | | | | | |
| 00.100. | Female | 23 | 19.5% | 7.4 | 457 | 23.9% | 147.4 |
| | Male | 90 | 76.3% | 30.4 | 1,426 | 74.6% | 481.1 |
| | Transgender Male to Female | 5 | 4.2% | n/a | 28 | 1.5% | n/a |
| | Transgender Female to Male | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| Ageg | | | | | | | |
| | 0-14 | 0 | 0.0% | 0.0 | 2 | 0.1% | n/a |
| | 15-19 | 5 | 4.2% | 12.7 | 10 | 0.5% | 25.3 |
| | 20-29 | 42 | 35.6% | 50.9 | 248 | 13.0% | 300.6 |
| | 30-39 | 33 | 28.0% | 38.9 | 448 | 23.4% | 528.5 |
| | 40-49 | 10 | 8.5% | 14.6 | 348 | 18.2% | 506.4 |
| | 50+ | 28 | 23.7% | 13.7 | 855 | 44.7% | 417.0 |
| Riskh | | | | | | | |
| | GBM | 79 | 66.9% | n/a | 1,092 | 57.1% | n/a |
| | PWID | 7 | 5.9% | n/a | 128 | 6.7% | n/a |
| | GBM/PWID | 7 | 5.9% | n/a | 97 | 5.1% | n/a |
| | High Risk Heterosexual | 25 | 21.2% | n/a | 577 | 30.2% | n/a |
| | Perinatal | 0 | 0.0% | n/a | 11 | 0.6% | n/a |
| | Transfusion/Hemophilia | 0 | 0.0% | n/a | 5 | 0.3% | n/a |
| | Other | 0 | 0.0% | n/a | 1 | 0.1% | n/a |
| Parish [,] | | | | | | | |
| | Acadia | 8 | 6.8% | 12.8 | 168 | 8.8% | 269.4 |
| | Evangeline | 15 | 12.7% | 44.8 | 93 | 4.9% | 277.7 |
| | Iberia | 10 | 8.5% | 14.1 | 188 | 9.8% | 265.7 |
| | Lafayette | 62 | 52.5% | 25.4 | 930 | 48.7% | 381.6 |
| | St. Landry | 10 | 8.5% | 12.1 | 327 | 17.1% | 395.0 |
| | St. Martin | 6 | 5.1% | 11.2 | 96 | 5.0% | 179.1 |
| | Vermilion | 7 | 5.9% | 11.7 | 109 | 5.7% | 182.3 |



a New diagnoses include only individuals whose initial HIV diagnosis was made in Louisiana.
b Prevalent cases include all cases presumed to be alive and living in Louisiana, regardless of the state of initial HIV report.
c Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses and prevalence includes all cases, regardless of demographic variable completeness.
c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for other/unknown race groups, transgender groups, and risk exposure groups.
c Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
c Cases are presented by current gender identity rather than sex at birth.
d Age when first diagnosed with HIV is used for new HIV diagnoses. Current age is used for HIV prevalence. Age categories align with 2020 census age groups.
h Risk shows imputed risk, not reported risk. Persons with no imputed risk are not included in the total percentage. GBM = Gay, bisexual, & other men who have sex with men; PWID = Persons who inject drugs.
I Parish where first diagnosed with HIV is used for new HIV diagnoses. Parish of current residence is used for HIV prevalence. Persons without a parish of residence are not included in the total percentage.

Reported Cases of Primary and Secondary Syphilis Region 4 - Lafayette, 2021

| | | | | New Diagn | oses ^a | | |
|-----------|----------------------------|--------------------|--------|-----------|---------------------------------|--------|-------|
| | | Cases ^b | % | Rate | | | _ |
| | Total | 104 | 100.0% | 17.1 | | | |
| Race/E | ithnicity ^d | | | | Affected Subpopulations Femaleh | Casesb | % |
| | Black | 52 | 50.0% | 31.9 | Black Female 20-29 | 8 | 7.7% |
| | Hispanic/Latinx | 1 | 1.0% | n/a | White Female 20-29 | 7 | 6.7% |
| | White | 47 | 45.2% | 11.9 | White Female 30-39 | 5 | 4.8% |
| | Other | 4 | 3.8% | n/a | | | |
| Gende | re | | | | | | |
| | Female | 33 | 31.7% | 10.6 | | | |
| | Male | 70 | 67.3% | 23.6 | | | |
| | Transgender Male to Female | 1 | 1.0% | n/a | | | |
| | Transgender Female to Male | 0 | 0.0% | n/a | | | |
| Agef | | | | | Affected Subpopulations Maleh | | |
| • | 10-19 | 9 | 8.7% | 10.9 | Black Male 20-29 | 18 | 17.3% |
| | 20-29 | 46 | 44.2% | 55.8 | Black Male 30-39 | 13 | 12.5% |
| | 30-39 | 25 | 24.0% | 29.5 | Black Male 40-49 | 5 | 4.8% |
| | 40-49 | 13 | 12.5% | 18.9 | White Male 20-29 | 12 | 11.5% |
| | 50+ | 11 | 10.6% | 5.4 | White Male 30-39 | 5 | 4.8% |
| Davida la | | | | | White Male 50+ | 5 | 4.8% |
| Parish | Acadia | 14 | 13.5% | 22.4 | | | |
| | Evangeline | 3 | 2.9% | n/a | | | |
| | Iberia | 16 | 15.4% | 22.6 | | | |
| | Lafayette | 52 | 50.0% | 21.3 | | | |
| | St. Landry | 10 | 9.6% | 12.1 | | | |
| | St. Martin | 4 | 3.8% | n/a | | | |
| | Vermilion | 5 | 4.8% | 8.4 | | | |



<sup>Row diagnoses include only individuals whose initial primary and secondary syphillis diagnosis was made in Louisiana.
Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.
Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
Cases are presented by current gender identity rather than sex at birth.
Age when first diagnosed with primary and secondary syphillis is used for new primary and secondary syphillis diagnoses. Age categories align with 2020 census age groups.</sup>

PAGE WHEN HIS diagnosed with primary and secondary syphillis is used for new primary and secondary syphillis diagnoses. Persons without a parish of residence are not included in the total percentage.

All subpopulations under 5 were excluded.

Reported Cases of Congenital Syphilis Louisiana, 2021

Region specific table not available due to low case counts.

Infants and Mothers Linked to New Congenital Syphilis Cases^a

| | illiants and wother | 5 LIIIKEU I | io New Coi | igeriitai - |
|------------------|--------------------------------------|-------------|------------|-------------|
| | | Cases | % | Rateb |
| | Total Infant CS Cases | 110 | 100.0% | 191.7 |
| | Total Mothers Linked to New Cases | 107 | 100.0% | 4.5 |
| Maternal Race/ | Ethnicity | | | |
| | Black | 70 | 65.4% | 8.9 |
| | Hispanic/Latinx | 6 | 5.6% | 5.3 |
| | White | 31 | 29.0% | 2.2 |
| | Other | 0 | 0.0% | n/a |
| Maternal Agec | | | | |
| J | 15-19 | 7 | 6.5% | 4.8 |
| | 20-24 | 28 | 26.2% | 18.3 |
| | 25-29 | 33 | 30.8% | 19.5 |
| | 30-34 | 26 | 24.3% | 15.8 |
| | 35+ | 13 | 12.1% | 4.4 |
| | | - 10 | 12.170 | |
| Maternal Regio | n of Residenced | | 0.40/ | 1.0 |
| | Region 1 - New Orleans | 9 | 8.4% | 1.9 |
| | Region 2 - Baton Rouge | 18 | 16.8% | 5.2 |
| | Region 3 - Houma | 6 | 5.6% | 3.0 4.2 |
| | Region 4 - Lafayette | 13 | 12.1% | 4.∠ n/a |
| | Region 5 - Lake Charles | 3 | 2.8% | |
| | Region 6 - Alexandria | 22 | 20.6% | 14.8 |
| | Region 7 - Shreveport | 10 | 9.3% | 3.6 |
| | Region 8 - Monroe | 18 | 16.8% | 10.1 |
| | Region 9 - Hammond/Slidell | 8 | 7.5% | 2.6 |
| Infant Region of | of Residenced | | | |
| | Region 1 - New Orleans | 9 | 8.2% | 87.1 |
| | Region 2 - Baton Rouge | 18 | 16.4% | 209.4 |
| | Region 3 - Houma | 6 | 5.5% | 129.5 |
| | Region 4 - Lafayette | 14 | 12.7% | 171.8 |
| | Region 5 - Lake Charles | 3 | 2.7% | n/a |
| | Region 6 - Alexandria | 22 | 20.0% | 564.5 |
| | Region 7 - Shreveport | 11 | 10.0% | 174.7 |
| | Region 8 - Monroe | 19 | 17.3% | 466.1 |
| | Region 9 - Hammond/Slidell | 8 | 7.3% | 105.5 |
| Maternal Stage | | | | |
| Maternal Otage | Primary | 4 | 3.7% | n/a |
| | • | 5 | 4.7% | n/a |
| | Secondary Early non-primary | | 4.1 70 | II/d |
| | non-secondary | 48 | 44.9% | n/a |
| | Unknown/Late Latent | 47 | 43.9% | n/a |
| | Other | 3 | 2.8% | n/a |
| | | | | |



a New cases only include those who indicated a Louisiana residence at the time of delivery.
 b Congenital syphilis rates are calculated per 100,000 live births. Maternal rates are calculated using yearly census data, per 100,000 population. Percentages for maternal variables reflect distinct count of mothers. Rates for case counts under 20 are unreliable. Rates for case counts under 5 are not available.
 c Reflects maternal age at delivery.
 d Reflects maternal and infant region of residence at delivery.

Reported Cases of Gonorrhea Region 4 - Lafayette, 2021

| New | Diagnoses ^a |
|-----|-------------------------------|
| | |

| | Casesb | % | Ratec | | |
|-----------------------------|--|--|---|--|--|
| Total | 2,143 | 100.0% | 353.3 | | |
| Race/Ethnicity ^d | | | | | |
| Black | 1,457 | 68.8% | 893.2 | | |
| Hispanic/Latinx | 43 | 2.0% | 188.1 | | |
| White | 557 | 26.3% | 140.5 | | |
| Other | 61 | 2.9% | n/a | | |
| rth | | | | | |
| Female | 1,008 | 47.1% | 325.1 | | |
| Male | 1,134 | 52.9% | 382.6 | | |
| | | | | | |
| | | | | | |
| Under 10 | 4 | 0.2% | n/a | | |
| 10-19 | 598 | 27.9% | 725.3 | | |
| 20-29 | 1,057 | 49.3% | 1,281.4 | | |
| 30-39 | 333 | 15.5% | 392.9 | | |
| 40-49 | 106 | 4.9% | 154.3 | | |
| 50+ | 45 | 2.1% | 21.9 | | |
| | | | | | |
| Acadia | 205 | 9.6% | 328.7 | | |
| Evangeline | 95 | 4.4% | 283.7 | | |
| beria | 323 | 15.1% | 456.5 | | |
| _afayette | 863 | 40.3% | 354.1 | | |
| St. Landry | 302 | 14.1% | 364.8 | | |
| St. Martin | 203 | 9.5% | 378.7 | | |
| Vermilion | 152 | 7.1% | 254.2 | | |
| | nicityd Black Hispanic/Latinx White Other rth Female Male Junder 10 10-19 20-29 30-39 40-49 50+ Acadia Evangeline beria Lafayette St. Landry St. Martin | Inicityd 2,143 Black 1,457 Hispanic/Latinx 43 White 557 Other 61 rth Female 1,008 Male 1,134 Junder 10 4 10-19 598 20-29 1,057 30-39 333 40-49 106 50+ 45 Acadia 205 Evangeline 95 beria 323 Lafayette 863 St. Landry 302 St. Martin 203 | Inicityd 2,143 100.0% Black 1,457 68.8% Hispanic/Latinx 43 2.0% White 557 26.3% Other 61 2.9% rth Female 1,008 47.1% Male 1,134 52.9% Junder 10 4 0.2% 10-19 598 27.9% 20-29 1,057 49.3% 30-39 333 15.5% 40-49 106 4.9% 50+ 45 2.1% Acadia 205 9.6% Evangeline 95 4.4% beria 323 15.1% Lafayette 863 40.3% St. Landry 302 14.1% St. Martin 203 9.5% | | |

| Affected Subpopulations Female | Cases ^b | % |
|--------------------------------|--------------------|-------|
| Black Female 10-19 | 225 | 10.6% |
| Black Female 20-29 | 300 | 14.2% |
| Black Female 30-39 | 57 | 2.7% |
| Black Female 40-49 | 19 | 0.9% |
| Black Female 50+ | 9 | 0.4% |
| Hispanic Female 10-19 | 5 | 0.2% |
| Hispanic Female 20-29 | 8 | 0.4% |
| Other Female 10-19 | 14 | 0.7% |
| Other Female 20-29 | 13 | 0.6% |
| White Female 10-19 | 85 | 4.0% |
| White Female 20-29 | 151 | 7.1% |
| White Female 30-39 | 64 | 3.0% |
| White Female 40-49 | 37 | 1.7% |

Affected Subpopulations Maleg

| Black Male 10-19 | 216 | 10.2% |
|---------------------|-----|-------|
| Black Male 20-29 | 451 | 21.3% |
| Black Male 30-39 | 135 | 6.4% |
| Black Male 40-49 | 25 | 1.2% |
| Black Male 50+ | 17 | 0.8% |
| Hispanic Male 10-19 | 12 | 0.6% |
| Hispanic Male 20-29 | 8 | 0.4% |
| Other Male 10-19 | 5 | 0.2% |
| Other Male 20-29 | 13 | 0.6% |
| Other Male 30-39 | 10 | 0.5% |
| White Male 10-19 | 22 | 1.0% |
| White Male 20-29 | 107 | 5.1% |
| White Male 30-39 | 55 | 2.6% |
| White Male 40-49 | 17 | 0.8% |
| White Male 50+ | 16 | 0.8% |



<sup>a New diagnoses include only individuals whose initial gonorrhea diagnosis was made in Louisiana.
b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.
d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
d Age when first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Age categories align with 2020 census age groups.
I Parish where first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Persons without a parish of residence are not included in the total percentage.

Affected subpopulations with counts less than 5 are excluded.</sup>

Reported Cases of Chlamydia Region 4 - Lafayette, 2021

| New D | iagnosesª |
|-------|-----------|
|-------|-----------|

| | | Casesb | % | Ratec |
|--------|------------------------|--------|--------|---------|
| | Total | 4,036 | 100.0% | 665.5 |
| Race/E | Ethnicity ^d | | | |
| | Black | 2,458 | 61.6% | 1,506.8 |
| | Hispanic/Latinx | 100 | 2.5% | 437.3 |
| | White | 1,287 | 32.2% | 324.7 |
| | Other | 146 | 3.7% | n/a |
| Sex at | Birth | | | |
| | Female | 2,643 | 65.5% | 852.3 |
| | Male | 1,393 | 34.5% | 470.0 |
| | | | | |
| Agee | Under 10 | 2 | 0.0% | n/a |
| | 10-19 | 1,474 | 36.5% | 1,787.9 |
| | 20-29 | 2,025 | 50.2% | 2,454.9 |
| | 30-39 | 408 | 10.1% | 481.3 |
| | 40-49 | 90 | 2.2% | 131.0 |
| | 50+ | 37 | 0.9% | 18.0 |
| Parish | ŋf | | | |
| | Acadia | 378 | 9.4% | 606.1 |
| | Evangeline | 190 | 4.7% | 567.3 |
| | Iberia | 525 | 13.0% | 741.9 |
| | Lafayette | 1,639 | 40.6% | 672.6 |
| | St. Landry | 640 | 15.9% | 773.1 |
| | St. Martin | 367 | 9.1% | 684.6 |
| | Vermilion | 297 | 7.4% | 496.8 |

| Affected Subpopulations Femaleg | Casesb | % |
|---------------------------------|--------|-------|
| Black Female 10-19 | 628 | 15.7% |
| Black Female 20-29 | 740 | 18.5% |
| Black Female 30-39 | 118 | 3.0% |
| Black Female 40-49 | 20 | 0.5% |
| Black Female 50+ | 10 | 0.3% |
| Hispanic Female 10-19 | 34 | 0.9% |
| Hispanic Female 20-29 | 27 | 0.7% |
| Hispanic Female 30-39 | 7 | 0.2% |
| Other Female 10-19 | 35 | 0.9% |
| Other Female 20-29 | 64 | 1.6% |
| Other Female 30-39 | 9 | 0.2% |
| White Female 10-19 | 366 | 9.2% |
| White Female 20-29 | 447 | 11.2% |
| White Female 30-39 | 85 | 2.1% |
| White Female 40-49 | 18 | 0.5% |

Affected Subpopulations Maleg

| Caspopalationic maio- | | |
|-----------------------|-----|-------|
| Black Male 10-19 | 299 | 7.5% |
| Black Male 20-29 | 489 | 12.3% |
| Black Male 30-39 | 113 | 2.8% |
| Black Male 40-49 | 26 | 0.7% |
| Black Male 50+ | 13 | 0.3% |
| Hispanic Male 10-19 | 8 | 0.2% |
| Hispanic Male 20-29 | 12 | 0.3% |
| Hispanic Male 30-39 | 8 | 0.2% |
| Other Male 10-19 | 5 | 0.1% |
| Other Male 20-29 | 21 | 0.5% |
| Other Male 30-39 | 8 | 0.2% |
| White Male 10-19 | 75 | 1.9% |
| White Male 20-29 | 208 | 5.2% |
| White Male 30-39 | 57 | 1.4% |
| White Male 40-49 | 20 | 0.5% |
| White Male 50+ | 8 | 0.2% |
| | | |



<sup>a New diagnoses include only individuals whose initial chlamydia diagnosis was made in Louisiana.
b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.
d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
d Age when first diagnosed with chlamydia is used for new chlamydia diagnoses. Age categories align with 2020 census age groups.
I Parish where first diagnosed with chlamydia is used for new chlamydia diagnoses. Persons without a parish of residence are not included in the total percentage.

Affected subpopulations with counts less than 5 are excluded.</sup>

Reported Cases of Acute Hepatitis B Louisiana, 2021

Region specific table not available due to low case counts.

New Diagnoses^a

| | Casesb | % | Ratec | | | |
|----------------------------|--------|--------|-------|---------------------------------|--------|-------|
| Total | 36 | 100.0% | 0.8 | • | | |
| ace/Ethnicity ^d | | | | Affected Subpopulations Femaleg | Casesb | % |
| Asian | 1 | 2.8% | n/a | White Female | 11 | 30.6% |
| Black | 12 | 33.3% | 0.7 | | | |
| Hispanic/Latinx | 1 | 2.8% | n/a | | | |
| White | 22 | 61.1% | 0.8 | | | |
| Other | 0 | 0.0% | n/a | | | |
| ex at Birth | | | | | | |
| Female | 14 | 38.9% | 0.5 | • | | |
| Male | 22 | 61.1% | 0.9 | | | |
| ge• | | | | | | |
| 0-17 | 0 | 0.0% | 0.0 | • | | |
| 18-29 | 5 | 13.9% | 0.6 | | | |
| 30-39 | 5 | 13.9% | 0.7 | | | |
| 40-49 | 15 | 41.7% | 2.7 | | | |
| 50-59 | 7 | 19.4% | 1.2 | | | |
| 60-69 | 3 | 8.3% | n/a | | | |
| 70+ | 1 | 2.8% | n/a | | | |
| region ^f | | | | Affected Subpopulations Male | | |
| Region 1 - New Orlean | is 7 | 19.4% | 0.7 | Black Male | 9 | 25.0% |
| Region 2 - Baton Roug | je 6 | 16.7% | 0.8 | White Male | 11 | 30.6% |
| Region 3 - Houma | 2 | 5.6% | n/a | | | |
| Region 4 - Lafayette | 6 | 16.7% | 0.9 | | | |
| Region 5 - Lake Charle | es 3 | 8.3% | n/a | | | |
| Region 6 - Alexandria | 2 | 5.6% | n/a | | | |
| | | | | | | |

0

3

7

0.0%

8.3%


19.4%

0.0

n/a

1.1

Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.
 Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
 Age when first diagnosed with acute hepatitis B is used for new diagnoses. Age categories align with 2020 census age groups.
 Region where first diagnosed with acute hepatitis B is used for new diagnoses. Persons without a region of residence are not included in the total percentage.
 Affected subpopulations with counts less than 5 are excluded.



Region 7 - Shreveport

Region 9 - Hammond/Slidell

Region 8 - Monroe



a New diagnoses include only individuals whose initial acute hepatitis B diagnosis was made in Louisiana.
 b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
 c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race

Reported Cases of Chronic Hepatitis B Region 4 - Lafayette, 2021

New Diagnosesa Casesb % Ratec Total 145 100.0% 24.0 Casesb % Race/Ethnicity^d Affected Subpopulations Femaleg 15 164.8 3.5% 5 Asian 10.6% Black Female 18-29 5 Black 38.0% 32.5 Black Female 60-69 3.5% 54 5 4.2% 25.4 White Female 18-29 3.5% Hispanic/Latinx 6 6 White 65 45.8% 16.4 White Female 50-59 4.2% Other 2 1.4% Sex at Birth 55 37.9% 17.8 Female 90 62.1% 30.5 Male Agee 0-17 0 0.0% 0.0 18-29 16 11.0% 17.2 32 22.1% 38.3 30-39 28 40-49 19.3% 39.7 50-59 32 22.1% 42.2 60-69 18 12.4% 25.3 19 13.1% 30.9 70+ **Parishf** Affected Subpopulations Maleg 8 Acadia 11 7.6% 17.8 5.6% Black Male 30-39 7 6 4.2% Evangeline 4.8% 21.0 Black Male 40-49 6 4.2% Iberia 15 10.3% 21.7 Black Male 50-59 29.2 7 4.9% Lafayette 72 49.7% Black Male 60-69

23

4

13

15.9%

2.8%

9.0%

28.2

n/a

21.9

Black Male 70+

White Male 30-39

White Male 40-49

White Male 50-59

White Male 70+

St. Landry St. Martin

Vermillion



5

10

12

9

8

3.5%

7.0%

8.5%

6.3%

5.6%

a New diagnoses include only individuals whose initial chronic hepatitis B diagnosis was made in Louisiana

b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race

groups.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

e Age when first diagnosed with chronic hepatitis B is used for new diagnoses. Age categories align with 2020 census age

groups.

Parish where first diagnosed with chronic hepatitis B is used for new diagnoses. Persons without a parish of residence are not included in the total percentage

g Affected subpopulations with counts less than 5 are excluded

Reported Cases of Acute Hepatitis C Region 4 - Lafayette, 2021

New Diagnosesa Casesb % Ratec Total 36 100.0% 6.0 % Casesb Race/Ethnicity^d Affected Subpopulations Female⁹ 0.0 27.8% 0 10 Asian 0.0% White Female Black 7 19.4% 0.4 Hispanic/Latinx 3 8.3% n/a 8.0 White 24 66.7% Other 2 5.6% n/a Sex at Birth 17 47.2% 0.7 Female 8.0 Male 19 52.8% Agee 0-17 0 0.0% 0.0 18-29 6 16.7% 8.0 30-39 1.8 12 33.3% 40-49 8 22.2% 1.4 50-59 4 11.1% n/a 60-69 6 1.0 16.7% 0.0 70+ 0 0.0% Parish^f Affected Subpopulations Maleg Acadia 2 5.6% n/a 14 38.9% White Male Evangeline 1 2.8% n/a

| a New diagnoses include only | individuals whose initial acute hepatiti | s C diagnosis was made in Louisiana. |
|------------------------------|--|--------------------------------------|
| | | |

b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

3

19

2

7

2

8.3%

52.8%

5.6%

19.4%

5.6%

n/a

7.7

n/a

13.2

n/a

Iberia

Lafayette

St. Landry

St. Martin

Vermilion



c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race

Takes per 100,000 population. Rates not available (in/a) for case counts less than 3. Rates not available for Other Take groups.

Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

Race when first diagnosed with acute hepatitis C is used for new diagnoses. Age categories align with 2020 census age groups.

Parish where first diagnosed with acute hepatitis C is used for new diagnoses. Persons without a parish of residence are not

included in the total percentage.

g Affected subpopulations with counts less than 5 are excluded

Reported Cases of Chronic Hepatitis C Region 4 - Lafayette, 2021

| New | Diagnoses ^a |
|-----|------------------------|
|-----|------------------------|

| | Casesb | % | Ratec | _ | | |
|--------------------------|--------|--------|-------|---------------------------------|--------|------|
| Total | 434 | 100.0% | 71.8 | - - | | |
| e/Ethnicity ^d | | | | Affected Subpopulations Femaleg | Casesb | 9/ |
| Asian | 2 | 0.5% | n/a | Black Female 18-29 | 5 | 1.2% |
| Black | 153 | 36.2% | 10.1 | Black Female 40-49 | 7 | 1.7% |
| Hispanic/Latinx | 26 | 6.1% | 10.2 | Black Female 50-59 | 12 | 2.8% |
| White | 230 | 54.4% | 8.5 | Black Female 60-69 | 24 | 5.7% |
| Other | 12 | 2.8% | n/a | Hispanic Female 18-29 | 5 | 1.29 |
| | | | | White Female 18-29 | 9 | 2.19 |
| at Birth | | | | White Female 30-39 | 25 | 5.9% |
| Female | 151 | 34.8% | 6.3 | White Female 40-49 | 10 | 2.4% |
| Male | 283 | 65.2% | 12.4 | White Female 50-59 | 21 | 5.0% |
| | | | | White Female 60-69 | 11 | 2.6% |
| ge . | | | | | | |
| 0-17 | 3 | 0.7% | n/a | _ | | |
| 18-29 | 39 | 9.0% | 5.2 | | | |
| 30-39 | 80 | 18.4% | 12.5 | | | |
| 40-49 | 59 | 13.6% | 10.7 | | | |
| 50-59 | 112 | 25.8% | 19.4 | | | |
| 60-69 | 121 | 27.9% | 21.8 | | | |
| 70+ | 20 | 4.6% | 3.9 | | | |

| Pa | ris | hf |
|----|-----|----|

| Acadia | 46 | 10.6% | 74.3 | |
|------------|-----|-------|-------|--|
| Evangeline | 17 | 3.9% | 51.1 | |
| Iberia | 55 | 12.7% | 79.7 | |
| Lafayette | 157 | 36.2% | 63.7 | |
| St. Landry | 89 | 20.5% | 109.3 | |
| St. Martin | 43 | 9.9% | 81.2 | |
| Vermilion | 27 | 6.2% | 45.5 | |
| | | | | |

| appopulationo maio- | | | |
|---------------------|----|-------|--|
| Black Male 30-39 | 5 | 1.2% | |
| Black Male 40-49 | 7 | 1.7% | |
| Black Male 50-59 | 28 | 6.6% | |
| Black Male 60-69 | 50 | 11.8% | |
| Black Male 70+ | 7 | 1.7% | |
| Hispanic Male 30-39 | 6 | 1.4% | |
| Hispanic Male 50-59 | 7 | 1.7% | |
| White Male 18-29 | 17 | 4.0% | |
| White Male 30-39 | 38 | 9.0% | |
| White Male 40-49 | 28 | 6.6% | |
| White Male 50-59 | 34 | 8.0% | |
| White Male 60-69 | 28 | 6.6% | |
| White Male 70+ | 5 | 1.2% | |



a New diagnoses include only individuals whose initial chronic hepatitis C diagnosis was made in Louisiana.
 b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
 c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race

Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.
 Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
 Age when first diagnosed with chronic hepatitis C is used for new diagnoses. Age categories align with 2020 census age groups.
 Parish where first diagnosed with chronic hepatitis C is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.
 Affected subpopulations with counts less than 5 are excluded.