STI/HIV/Hepatitis B & C Update 2021 Data Tables

Monroe Region 8



Reported Cases of HIV Region 8 - Monroe, 2021

		2021 N	lew Diagno	Sesa	2021	Prevalence	b
		Cases⁰	%	Rated	Cases∘	%	Rate
	Total	61	100.0%	17.5	1,156	100.0%	331.4
Race/Ethr	nicity ^e						
	Black	40	65.6%	30.4	844	73.0%	641.1
	Hispanic/Latinx	5	8.2%	63.3	36	3.1%	455.6
	White	16	26.2%	7.9	250	21.6%	124.1
	Other	0	0.0%	n/a	26	2.2%	n/a
Gender ^f							
	Female	17	27.9%	9.5	367	31.7%	205.7
	Male	43	70.5%	25.2	775	67.0%	454.7
	Transgender Male to Female	1	1.6%	n/a	14	1.2%	n/a
	Transgender Female to Male	0	0.0%	n/a	0	0.0%	n/a
Ageg							
	0-14	0	0.0%	0.0	1	0.1%	n/a
	15-19	3	4.9%	n/a	6	0.5%	24.3
	20-29	23	37.7%	43.5	134	11.6%	253.2
	30-39	20	32.8%	46.6	252	21.8%	586.7
	40-49	4	6.6%	n/a	293	25.3%	739.7
	50+	11	18.0%	9.1	470	40.7%	390.0
Risk ^h							
	GBM	38	62.3%	n/a	527	45.6%	n/a
	PWID	4	6.6%	n/a	85	7.4%	n/a
	GBM/PWID	2	3.3%	n/a	61	5.3%	n/a
	High Risk Heterosexual	17	27.9%	n/a	467	40.4%	n/a
	Perinatal	0	0.0%	n/a	13	1.1%	n/a
	Transfusion/Hemophilia	0	0.0%	n/a	3	0.3%	n/a
	Other	0	0.0%	n/a	0	0.0%	n/a
Parish							
	Caldwell	0	0.0%	0.0	26	2.2%	261.1
	East Carroll	2	3.3%	n/a	31	2.7%	446.2
	Franklin	2	3.3%	n/a	62	5.4%	308.3
	Jackson	0	0.0%	0.0	52	4.5%	328.7
	Lincoln	7	11.5%	14.9	85	7.4%	180.4
	Madison	1	1.6%	n/a	34	2.9%	305.3
	Morehouse	0	0.0%	0.0	71	6.1%	281.9
	Ouachita	37	60.7%	23.9	688	59.5%	444.8
	Richland	5	8.2%	24.7	41	3.5%	202.5
	Tensas	0	0.0%	0.0	34	2.9%	766.6
	Union	2	3.3%	n/a	9	0.8%	40.4
	West Carroll	5	8.2%	45.7	23	2.0%	210.4

^a New diagnoses include only individuals whose initial HIV diagnosis was made in Louisiana.
 ^b Prevalent cases include all cases presumed to be alive and living in Louisiana, regardless of the state of initial HIV report.
 ^c Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses and prevalence includes all cases, regardless of demographic variable completeness.
 ^c Cases provide 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for other/unknown race groups, transgender groups, and risk exposure groups.
 ^c Bace/ethnicity. "Other" category does not include mission or unknown page (attractive).

risk exposure groups. • Race/ethnicity "Other" category does not include missing or unknown race/ethnicity. • Cases are presented by current gender identity rather than sex at birth. • Age when first diagnosed with HIV is used for new HIV diagnoses. Current age is used for HIV prevalence. Age categories align with 2020 census age groups. h Risk shows imputed risk, not reported risk. Persons with no imputed risk are not included in the total percentage. GBM = Gay, bisexual, & other men who have sex with men; PWID = Persons who inject drugs. • Parish where first diagnosed with HIV is used for new HIV diagnoses. Parish of current residence is used for HIV prevalence. Persons without a parish of residence are not included in the total percentage.



Reported Cases of Primary and Secondary Syphilis Region 8 - Monroe, 2021

		Cases ^b	%	Ratec			
	Total	100	100.0%	28.7			
ace/E	thnicity ^d				Affected Subpopulations Female ^h	Cases ^b	%
	Black	77	77.0%	58.5	Black Female 10-19	6	6.0%
	Hispanic/Latinx	5	5.0%	63.3	Black Female 20-29	13	13.0%
	White	15	15.0%	7.4	Black Female 30-39	7	7.0%
	Other	3	3.0%	n/a	Black Female 40-49	6	6.0%
ende	re						
	Female	44	44.0%	24.7			
	Male	56	56.0%	32.9			
	Transgender Male to Female	0	0.0%	n/a			
	Transgender Female to Male	0	0.0%	n/a			
ge ^f					Affected Subpopulations Male ^h		
•	10-19	15	15.0%	31.3	Black Male 10-19	8	8.0%
	20-29	40	40.0%	75.6	Black Male 20-29	17	17.0%
	30-39	27	27.0%	62.9	Black Male 30-39	12	12.0%
	40-49	13	13.0%	32.8			
	50+	5	5.0%	4.1			
arish	3						
	Caldwell	5	5.0%	50.2			
	East Carroll	0	0.0%	0.0			
	Franklin	3	3.0%	n/a			
	Jackson	0	0.0%	0.0			
	Lincoln	10	10.0%	21.2			
	Madison	6	6.0%	53.9			
	Morehouse	7	7.0%	27.8			
	Ouachita	61	61.0%	39.4			
	Richland	6	6.0%	29.6			
	Tensas	0	0.0%	0.0			
	Union	2	2.0%	n/a			
	West Carroll	0	0.0%	0.0			

New diagnoses include only individuals whose initial primary and secondary syphillis diagnosis was made in Louisiana.
Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.
Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
Cases are presented by current gender identity rather than sex at birth.
Age when first diagnosed with primary and secondary syphillis is used for new primary and secondary syphillis diagnoses. Age categories align with 2020 census age groups.
Parish where first diagnosed with primary and secondary syphillis is used for new primary and secondary syphillis diagnoses. Persons without a parish of residence are not include in the total percentage.
All subpopulations under 5 were excluded.



Reported Cases of Congenital Syphilis Louisiana, 2021

Region specific table not available due to low case counts.

Infants and Mothers Linked to New Congenital Syphilis Cases^a

			o New Cor	-
		Cases	%	Rate
	Total Infant CS Cases	110	100.0%	191.7
	Total Mothers Linked to New Cases	107	100.0%	4.5
Maternal Race	Ethnicity			
	Black	70	65.4%	8.9
	Hispanic/Latinx	6	5.6%	5.3
	White	31	29.0%	2.2
	Other	0	0.0%	n/a
Maternal Age∘				
	15-19	7	6.5%	4.8
	20-24	28	26.2%	18.3
	25-29	33	30.8%	19.5
	30-34	26	24.3%	15.8
	35+	13	12.1%	4.4
Maternal Regio	on of Residence ^d			
_	Region 1 - New Orleans	9	8.4%	1.9
	Region 2 - Baton Rouge	18	16.8%	5.2
	Region 3 - Houma	6	5.6%	3.0
	Region 4 - Lafayette	13	12.1%	4.2
	Region 5 - Lake Charles	3	2.8%	n/a
	Region 6 - Alexandria	22	20.6%	14.8
	Region 7 - Shreveport	10	9.3%	3.6
	Region 8 - Monroe	18	16.8%	10.1
	Region 9 - Hammond/Slidell	8	7.5%	2.6
Infant Region	of Residence ^d			
	Region 1 - New Orleans	9	8.2%	87.1
	Region 2 - Baton Rouge	18	16.4%	209.4
	Region 3 - Houma	6	5.5%	129.5
	Region 4 - Lafayette	14	12.7%	171.8
	Region 5 - Lake Charles	3	2.7%	n/a
	Region 6 - Alexandria	22	20.0%	564.5
	Region 7 - Shreveport	11	10.0%	174.7
	Region 8 - Monroe	19	17.3%	466.1
	Region 9 - Hammond/Slidell	8	7.3%	105.5
Maternal Stage	of Syphilis			
	Primary	4	3.7%	n/a
	Secondary	5	4.7%	n/a
	Early non-primary non-secondary	48	44.9%	n/a
	•	47	40.00/	n/o
	Unknown/Late Latent	47	43.9%	n/a

^a New cases only include those who indicated a Louisiana residence at the time of delivery.
 ^b Congenital syphilis rates are calculated per 100,000 live births. Maternal rates are calculated using yearly census data, per 100,000 population. Percentages for maternal variables reflect distinct count of mothers. Rates for case counts under 20 are unreliable. Rates for case counts under 5 are not available.
 ^c Reflects maternal and infant region of residence at delivery.



Reported Cases of Gonorrhea Region 8 - Monroe, 2021

				New Diagno
		Cases ^b	%	Rate ^c
	Total	1,411	100.0%	404.5
Race/E	thnicity ^d			
	Black	1,119	80.4%	850.1
	Hispanic/Latinx	16	1.2%	202.5
	White	211	15.2%	104.8
	Other	45	3.2%	n/a
Sex at	Birth			
	Female	738	52.3%	413.7
	Male	672	47.7%	394.2
Age®				
, .90	Under 10	2	0.1%	n/a
	10-19	447	31.7%	933.2
	20-29	679	48.1%	1,282.9
	30-39	192	13.6%	447.0
	40-49	64	4.5%	161.6
	50+	27	1.9%	22.4
Parish	ıf			
	Caldwell	20	1.4%	200.8
	East Carroll	24	1.7%	345.5
	Franklin	47	3.3%	233.7
	Jackson	30	2.1%	189.6
	Lincoln	189	13.4%	401.1
	Madison	44	3.1%	395.1
	Morehouse	180	12.8%	714.6
	Ouachita	684	48.5%	442.2
	Richland	86	6.1%	424.7
	Tensas	5	0.4%	112.7
	Union	74	5.2%	332.3
	West Carroll	28	2.0%	256.1

D: sesa

Affected Subpopulations Female ^g	Cases ^b	%
Black Female 10-19	219	15.7%
Black Female 20-29	262	18.8%
Black Female 30-39	56	4.0%
Black Female 40-49	15	1.1%
Black Female 50+	5	0.4%
Hispanic Female 20-29	5	0.4%
Other Female 20-29	17	1.2%
White Female 10-19	41	2.9%
White Female 20-29	60	4.3%
White Female 30-39	22	1.6%
White Female 40-49	10	0.7%

Affected Subpopulations Male	Affected	Subpo	pulations	Maleg
------------------------------	----------	-------	-----------	-------

165 284 72	11.9% 20.4% 5.2%
72	_0
• =	5.2%
0.4	
24	1.7%
16	1.2%
12	0.9%
7	0.5%
8	0.6%
28	2.0%
27	1.9%
11	0.8%
	28 27

- ^a New diagnoses include only individuals whose initial gonorrhea diagnosis was made in Louisiana.
 ^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
 ^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.
 ^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
 ^e Age when first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Age categories align with 2020 census age groups.
 ^f Parish Where first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Persons without a parish of residence are not included in the total percentage.
 ^g Affected subpopulations with counts less than 5 are excluded.





Reported Cases of Chlamydia Region 8 - Monroe, 2021


				New Diagr	10sesª
		Cases ^b	%	Rate ^c	
	Total	2,552	100.0%	731.5	
Race/I	Ethnicity ^d				Aff
	Black	1,962	77.8%	1,490.4	
	Hispanic/Latinx	50	2.0%	632.8	
	White	440	17.4%	218.5	
	Other	70	2.8%	n/a	
Sex at	Birth				
	Female	1,765	69.2%	989.4	
	Male	787	30.8%	461.7	
Agee					
0	Under 10	1	0.0%	n/a	
	10-19	965	37.8%	2,014.7	
	20-29	1,269	49.7%	2,397.6	
	30-39	254	10.0%	591.3	
	40-49	46	1.8%	116.1	
	50+	17	0.7%	14.1	
Paris	hf				
	Caldwell	37	1.4%	371.5	
	East Carroll	58	2.3%	834.9	
	Franklin	167	6.5%	830.5	А
	Jackson	65	2.5%	410.8	~
	Lincoln	392	15.4%	832.0	
	Madison	112	4.4%	1,005.7	
	Morehouse	205	8.0%	813.8	
	Ouachita	1,146	44.9%	740.9	
	Richland	168	6.6%	829.6	
	Tensas	28	1.1%	631.3	
	Union	133	5.2%	597.2	
	West Carroll	41	1.6%	375.0	

Affected Subpopulations Female ^g	Cases ^b	%
Black Female 10-19	530	21.0%
Black Female 20-29	670	26.6%
Black Female 30-39	103	4.1%
Black Female 40-49	16	0.6%
Black Female 50+	10	0.4%
Hispanic Female 10-19	17	0.7%
Hispanic Female 20-29	14	0.6%
Hispanic Female 30-39	7	0.3%
Other Female 10-19	13	0.5%
Other Female 20-29	30	1.2%
White Female 10-19	138	5.5%
White Female 20-29	150	5.9%
White Female 30-39	35	1.4%
White Female 40-49	10	0.4%

Affected Subpopulations Maleg

0104 04	spopulatione mate:		
Bla	ack Male 10-19	215	8.5%
Bla	ack Male 20-29	322	12.8%
Bla	ack Male 30-39	80	3.2%
Bla	ack Male 40-49	13	0.5%
Ot	her Male 10-19	9	0.4%
Ot	her Male 20-29	12	0.5%
W	hite Male 10-19	26	1.0%
W	hite Male 20-29	57	2.3%
W	hite Male 30-39	18	0.7%

- ^a New diagnoses include only individuals whose initial chlamydia diagnosis was made in Louisiana.
 ^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
 ^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.
 ^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
 ^e Age when first diagnosed with chlamydia is used for new chlamydia diagnoses. Age categories align with 2020 census age groups.
 ^f Parish Where first diagnosed with chlamydia is used for new chlamydia diagnoses. Persons without a parish of residence are not included in the total percentage.
 ^g Affected subpopulations with counts less than 5 are excluded.





Reported Cases of Acute Hepatitis B Louisiana, 2021

Region specific table not available due to low case counts.

New Diagnoses^a **Cases**^b % Ratec Total 36 100.0% 0.8 Race/Ethnicity^d n/a 1 2.8% Asian Black 12 33.3% 0.7 Hispanic/Latinx 1 2.8% n/a 0.8 White 22 61.1% Other 0 0.0% n/a Sex at Birth 14 0.5 Female 38.9% 22 0.9 Male 61.1% Agee 0-17 0 0.0% 0.0 18-29 5 13.9% 0.6 30-39 5 0.7 13.9% 2.7 40-49 15 41.7% 50-59 7 19.4% 1.2 60-69 3 n/a 8.3% 70+ 1 2.8% n/a Aff Regionf Region 1 - New Orleans 7 19.4% 0.7 Region 2 - Baton Rouge 6 0.8 16.7% 2 Region 3 - Houma 5.6% n/a Region 4 - Lafayette 6 16.7% 0.9 Region 5 - Lake Charles 3 8.3% n/a Region 6 - Alexandria 2 5.6% n/a 0 0.0 Region 7 - Shreveport 0.0%

% **Cases**^b Affected Subpopulations Female^g 30.6% 11 White Female

fected Subpopulations Male ^g			
Black Male	9	25.0%	
White Male	11	30.6%	

New diagnoses include only individuals whose initial acute hepatitis B diagnosis was made in Louisiana.
 Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

3

7

8.3%

19.4%

n/a

1.1

c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race

Case bein for our population. Rates not available (ma) for case counts less than 5. Rates not available for Other face groups.
 Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
 Age when first diagnosed with acute hepatitis B is used for new diagnoses. Age categories align with 2020 census age groups.
 Region where first diagnosed with acute hepatitis B is used for new diagnoses. Persons without a region of residence are not include the tact.

included in the total percentage

9 Affected subpopulations with counts less than 5 are excluded

Region 8 - Monroe

Region 9 - Hammond/Slidell



Reported Cases of Chronic Hepatitis B Region 8 - Monroe, 2021

	Cases ^b	%	Rate ^c		
Total	66	100.0%	19.3	-	
ace/Ethnicity ^d				- Affected Subpopulations Female ^g	Cases
Asian	0	0.0%	0.0	Black Female 18-29	į
Black	34	53.1%	26.6	Black Female 50-59	į
Hispanic/Latin	x 2	3.1%	n/a		
White	26	40.6%	13.1		
Other	2	3.1%	n/a		
ex at Birth					
Female	30	45.5%	17.1	-	
Male	36	54.5%	21.6	-	
de _e					
0-17	0	0.0%	0.0	-	
18-29	10	15.2%	16.4		
30-39	12	18.2%	28.2		
40-49	10	15.2%	25.7		
50-59	13	19.7%	32.0		
60-69	14	21.2%	34.6		
70+	7	10.6%	17.5	-	
arish ^f				Affected Subpopulations Male ^g	
Caldwell	0	0.0%	0.0	Black Male 40-49	:
East Carroll	1	1.6%	n/a	White Male 60-69	:
Franklin	4	6.5%	n/a		
Jefferson	0	0.0%	0.0		
Lincoln	5	8.1%	10.7		
Madison	2	3.2%	n/a		
Morehouse	8	12.9%	33.0		
Ouachita	37	59.7%	24.3		
Richland	2	3.2%	n/a		
Tensas	0	0.0%	0.0		
Union	2	3.2%	n/a		
West Carroll	1	1.6%	n/a		

^a New diagnoses include only individuals whose initial chronic hepatitis B diagnosis was made in Louisiana.
^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completenes.
^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race counts.

Cases per 100,000 population. Kates not available (n/a) for case counts less than 5. Kates not available for "Other" race groups.
 Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
 Age when first diagnosed with chronic hepatitis B is used for new diagnoses. Age categories align with 2020 census age groups.
 Parish where first diagnosed with chronic hepatitis B is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.
 Affected subpopulations with counts less than 5 are excluded.



_

% 7.8% 7.8%

7.8% 7.8%

Reported Cases of Acute Hepatitis C Region 8 - Monroe, 2021

				New Diagr	nosesa
		Cases⁵	%	Rate ^c	
	Total	8	100.0%	2.3	
Race/E	thnicity ^d				Aff
	Asian	0	0.0%	0.0	
	Black	2	25.0%	n/a	
	Hispanic/Latinx	0	0.0%	0.0	
	White	6	75.0%	0.2	
	Other	0	0.0%	n/a	
Sex at	Birth				
	Female	6	75.0%	0.2	
	Male	2	25.0%	n/a	
Agee					
•	0-17	0	0.0%	0.0	
	18-29	2	25.0%	n/a	
	30-39	1	12.5%	n/a	
	40-49	1	12.5%	n/a	
	50-59	3	37.5%	n/a	
	60-69	1	12.5%	n/a	
	70+	0	0.0%	0.0	
Parish	Ŧ				Aff
	Caldwell	0	0.0%	0.0	
	East Carroll	0	0.0%	0.0	
	Franklin	0	0.0%	0.0	
	Jackson	1	12.5%	n/a	
	Lincoln	1	12.5%	n/a	
	Madison	1	12.5%	n/a	
	Ouachita	4	50.0%	n/a	
	Richland	1	12.5%	n/a	
	Tensas	0	0.0%	0.0	
	Union	0	0.0%	0.0	
	West Carroll	0	0.0%	0.0	

Affected Subpopulations Female^g **Cases**^b %

All female subpopulations had a case count less than 5.

Affected Subpopulations Male^g

All male subpopulations had a case count less than 5.

- ^a New diagnoses include only individuals whose initial acute hepatitis C diagnosis was made in Louisiana.
 ^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
 ^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race

included in the total percentage. 9 Affected subpopulations with counts less than 5 are excluded.



Cases per 100,000 population. Kates not available (n/a) for case counts less than 5. Kates not available for "Other" race groups.
 Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
 Age when first diagnosed with acute hepatitis C is used for new diagnoses. Age categories align with 2020 census age groups.
 Parish where first diagnosed with acute hepatitis C is used for new diagnoses. Persons without a parish of residence are not include the text devices.

Reported Cases of Chronic Hepatitis C Region 8 - Monroe, 2021

				New Diag	nosesª
		Cases ^b	%	Rate∘	
	Total	264	100.0%	77.1	_
Race/E	Ethnicity ^d				Affe
	Asian	0	0.0%	0.0	_
	Black	72	28.7%	4.7	
	Hispanic/Latinx	14	5.6%	5.5	
	White	159	63.3%	5.8	
	Other	6	2.4%	n/a	_
Sex at	Birth				
Oex at	Female	102	38.6%	4.2	-
	Male	162	61.4%	7.1	_
Agee					
	0-17	1	0.4%	n/a	_
	18-29	18	6.8%	2.4	
	30-39	47	17.8%	7.3	
	40-49	52	19.7%	9.5	
	50-59	65	24.6%	11.2	
	60-69	61	23.1%	11.0	
	70+	20	7.6%	3.9	_
Parish	f				Affe
	Caldwell	8	3.2%	81.3	-
	East Carroll	8	3.2%	121.4	
	Franklin	14	5.6%	71.0	
	Jackson	6	2.4%	38.5	
	Lincoln	18	7.1%	38.7	
	Madison	9	3.6%	84.6	
	Morehouse	18	7.1%	74.3	

Affected Subpopulations Female ^g	Cases ^b	%
Black Female 50-59	9	3.6%
Black Female 60-69	11	4.4%
White Female 18-29	5	2.0%
White Female 30-39	17	6.8%
White Female 40-49	15	6.0%
White Female 50-59	11	4.4%
White Female 60-69	9	3.6%
White Female 70+	5	2.0%

arishf				
	Caldwell	8	3.2%	81.3
	East Carroll	8	3.2%	121.4
	Franklin	14	5.6%	71.0
	Jackson	6	2.4%	38.5
	Lincoln	18	7.1%	38.7
	Madison	9	3.6%	84.6
	Morehouse	18	7.1%	74.3
	Ouachita	134	53.2%	87.9
	Richland	25	9.9%	124.9
	Tensas	2	0.8%	n/a
	West Carroll	10	4.0%	93.9

Affected Subpopulations Male⁹

Black Male 40-49	7	2.8%	
Black Male 50-59	9	3.6%	
Black Male 60-69	18	7.2%	
Black Male 70+	5	2.0%	
White Male 18-29	10	4.0%	
White Male 30-39	18	7.2%	
White Male 40-49	20	8.0%	
White Male 50-59	28	11.2%	
White Male 60-69	18	7.2%	

^a New diagnoses include only individuals whose initial chronic hepatitis C diagnosis was made in Louisiana.
 ^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
 ^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race

c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.
d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
Age when first diagnosed with chronic hepatitis C is used for new diagnoses. Age categories align with 2020 census age groups.
Parish where first diagnosed with chronic hepatitis C is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.
Affected subpopulations with counts less than 5 are excluded.

