

# Louisiana HIV, AIDS, and Early Syphilis Surveillance

## Quarterly Report

September 30, 2022



Louisiana Department of Health  
Office of Public Health  
STD, HIV, and Hepatitis Program  
1450 Poydras Street, Suite 2136  
New Orleans, Louisiana 70112  
504.568.7474  
[haprequest@la.gov](mailto:haprequest@la.gov)  
<http://dhh.louisiana.gov/hiv>  
[www.lahhub.org](http://www.lahhub.org)

**Louisiana Department of Health  
Office of Public Health  
STD, HIV, & Hepatitis Surveillance Program**

**DeAnn Gruber, PhD, LCSW**  
*Director, Bureau of Infectious Diseases*

**Sam Burgess, MA, MSHCM**  
*Director, STD/HIV/Hepatitis Program*

**Anthony James, MS, MA, MSHCM**  
*Deputy Director - Programs*

**Franda Thomas, MEd**  
*Deputy Director - Operations*

**Tsegaye Assefa, MBA**  
*Financial Operations Manager*

**Jacquelyn Naomi Bickham, MPA**  
*Prevention Manager*

**Joy Ewell**  
*CDC Lead Public Health Advisor*

**Samantha Euraque, MA**  
*Field Operations Manager*

**Jessica Fridge, MSPH**  
*Surveillance Manager*

**Will F. Henderson III, MSIS**  
*Health Systems Manager*

**Billy Robinson, PhD**  
*Evaluation Manager*

**Erika Sugimori, MPH**  
*Services Manager*

**Debbie Wendell, PhD, MPH**  
*Data Management/Analysis Manager*

*Editor/Production:*  
**Jacob Chavez, MSAS**  
**Caroline Moore, MPH**  
**Lauren Ostrenga, MPH**

**HIV Field Epidemiologists:**

**Susan Brodie, MT(ASCP), MSPH, *Field Epidemiologist Supervisor***

**Angela Everette, *Region 1***

**Tarsia Williams, *Regions 1 & 3***

**Nechole Farlough, *Regions 2 & 9***

**Leticia Collins, *Regions 4, 5 & 6***

**Vacant, *Regions 7 & 8***

**Regional STD Supervisors:**

**Michael Carter, *Region 1***

**Gerald Dean Scott, *Region 2***

**Nashaine Dees-Duperclay, *Region 3***

**Ken May, *Region 4***

**Patrick Williams, *Region 5***

**Kenneth Nash, *Region 6***

**Charles Jones, *Region 7***

**Crissey Brown, *Region 8***

**Dawanda Thompson, *Region 9***

## TABLE OF CONTENTS

<b>Contents</b>	<b>Page</b>
Surveillance Summary	1
Abbreviations	3
Louisiana: Persons Living with HIV	4
Persons newly diagnosed with HIV	6
Persons newly diagnosed with AIDS	7
Persons diagnosed with Primary and Secondary Syphilis	8
Persons diagnosed with Early non-Primary non-Secondary Syphilis	9
Parish: Persons Living with HIV	10
Persons diagnosed with Early Syphilis	11
Metro New Orleans: Persons Living with HIV	12
Persons newly diagnosed with HIV and AIDS	14
Persons diagnosed with Early Syphilis	15
Metro Baton Rouge: Persons Living with HIV	16
Persons newly diagnosed with HIV and AIDS	18
Persons diagnosed with Early Syphilis	19
Public Health Regions: Map & HIV/AIDS Counts	20
Region 1: Persons Living with HIV	21
Region 2: Persons Living with HIV	22
Region 3: Persons Living with HIV	23
Region 4: Persons Living with HIV	24
Region 5: Persons Living with HIV	25
Region 6: Persons Living with HIV	26
Region 7: Persons Living with HIV	27
Region 8: Persons Living with HIV	28
Region 9: Persons Living with HIV	29
Regions 1-5: Persons newly diagnosed with HIV	30
Regions 6-9: Persons newly diagnosed with HIV	31
Regions 1-5: Persons newly diagnosed with AIDS	32
Regions 6-9: Persons newly diagnosed with AIDS	33
Regions 1-5: Persons diagnosed with Primary and Secondary Syphilis	34
Regions 6-9: Persons diagnosed with Primary and Secondary Syphilis	35
Regions 1-5: Persons diagnosed with Early non-Primary non-Secondary Syphilis	36
Regions 6-9: Persons diagnosed with Early non-Primary non-Secondary Syphilis	37
COVID-19 among Persons Living with HIV in Louisiana	38
<b>List of Figures</b>	
Louisiana: 10-Year Trends Persons Living with HIV (2012-2021)	5
Louisiana: 10-Year Trends New HIV Diagnoses (2012-2021)	6
Louisiana: 10-Year Trends New AIDS Diagnoses (2012-2021)	7
Louisiana: 10-Year Trends P&S Syphilis Diagnoses (2012-2021)	8
Louisiana: 10-Year Trends Early non-P&S Syphilis Diagnoses (2012-2021)	9
<b>Surveillance Breakout</b>	
2022 World AIDS Day	39



## Surveillance Summary

### Data in this report includes cases diagnosed with HIV, AIDS, or Early Syphilis

- In 2020, Louisiana ranked **4<sup>th</sup>** in the nation for HIV case rates (15.6 per 100,000 population) and **11<sup>th</sup>** in the estimated number of HIV cases. The Baton Rouge MSA ranked **7<sup>th</sup>** and the New Orleans MSA ranked **9<sup>th</sup>** for HIV case rates (18.4 and 17.3 per 100,000, respectively), among the large metropolitan areas in the nation. The *CDC HIV Surveillance Report* (vol. 32) was released in May 2022. The CDC no longer provides AIDS rankings in the annual report.
- In 2020, Louisiana ranked **12<sup>th</sup>** in the nation for primary and secondary (P&S) syphilis case rates (15.1 per 100,000 population) according to the 2020 *CDC STD Surveillance Report*.
- As of September 30, 2022, a total of **22,708** persons were living with HIV (PLWH) in Louisiana; of these individuals, **11,084** persons (49%) have an AIDS diagnosis.
- In 2021, **903** new HIV cases were diagnosed in Louisiana. Of these cases, **27%** (n=247) occurred in Region 1 (New Orleans) and **19%** (n=175) occurred in Region 2 (Baton Rouge).
- Between January 1 through September 30, 2022, a total of **1,073** persons were diagnosed with early syphilis\* in Louisiana; **655** persons were diagnosed with P&S syphilis, and **418** persons were diagnosed with early non-P&S syphilis. Of the total early syphilis cases, **17%** (n=182) occurred in Region 1 (New Orleans) and **18%** (n=193) occurred in Region 2 (Baton Rouge).
- The primary risk factor for new HIV diagnoses in Louisiana is gay, bisexual, and other men who have sex with men (GBM). In 2021, among new diagnoses who reported a risk factor, **57%** reported being GBM, and an additional **2%** reported being GBM and a person who injects drugs. As of September 30, 2022, **46%** of all people with a reported risk factor living with HIV in Louisiana were GBM.
- The primary risk factor for early syphilis diagnoses in Louisiana is gay, bisexual, and other men who have sex with men (GBM). As of September 30, 2022, of the persons who reported a risk factor, **36%** reported being GBM, and **67%** reported engaging in heterosexual activity. *Persons could report multiple risk factors for syphilis diagnoses.*
- In Louisiana, **74%** of new HIV cases, **68%** of new AIDS cases, and **65%** of the early syphilis diagnoses were among men.
- Black people in Louisiana experience severe health disparities in regards to HIV and STDs. In 2021, **65%** of newly diagnosed HIV cases and **66%** of newly diagnosed AIDS cases were Black. As of September 30, 2022, **59%** of early syphilis cases with a reported race/ethnicity were Black. Only 32% of Louisiana's overall population is Black.
- A large percentage of new HIV and syphilis diagnoses occurred among adolescents and young adults. In 2021, **25%** of all new HIV diagnoses occurred among persons 13-24 years old and an additional **33%** occurred among persons 25-34 years old. As of September 30, 2022, **25%** of all early syphilis diagnoses occurred among persons 13-24 years old and an additional **37%** occurred among persons 25-34 years old.

\* A syphilis diagnosis with less than one year duration is considered to be "early syphilis." This designation covers the primary, secondary, and early non-P&S stages of syphilis.

### **Changes to Syphilis Case Definition**

The Quarterly Report includes revisions to the surveillance case definition for syphilis as approved by the Council of State and Territorial Epidemiologists (CSTE) effective January 1, 2018. Of note, the nomenclature for “Early latent syphilis” has been changed to “Early non-primary non-secondary syphilis.” Throughout the Quarterly Report it has been abbreviated to “Early non-P&S syphilis.” Please refer to the following documentation for additional information on all other syphilis case definition revisions: <https://www.cdc.gov/std/stats/DCL-syph-case-def-sept-4-2017.pdf>.

### **Updates to HIV Transmission Categories**

Starting in 2019, the Quarterly Report has updated HIV transmission category names using people first language. Men who have sex with men (MSM) is now “Gay, bisexual, and other men who have sex with men” (GBM). Injection drug use (IDU) is now “Persons who inject drugs” (PWID).

A significant number of women living with HIV do not meet the stringent “high risk” criteria for “Heterosexual contact” and are classified as “No identified risk.” In an effort to better capture and present heterosexual transmission of HIV among women, the STD, HIV, & Hepatitis Program has used an algorithm from the Centers for Disease Control that re-categorizes many women formerly classified as “No identified risk” as now meeting the exposure criteria for “Female presumed heterosexual contact” (FPHC). The primary criteria for FPHC includes: sex at birth is female, answered ‘yes’ to sex with men, answered ‘no’ to injection drug use, and has no other documentation that would suggest an alternative mode of HIV acquisition.

### **Time Periods for this Quarterly Report (Third Quarter 2022 Report):**

Persons Living with HIV – As of September 30, 2022  
 New HIV Diagnoses – Calendar Year 2021 (Updated from 2<sup>nd</sup> Quarter Report)  
 New AIDS Diagnoses – Calendar Year 2021 (Updated from 2<sup>nd</sup> Quarter Report)  
 New P&S Syphilis Diagnoses – January 1 to September 30, 2022 (First Nine Months of 2022)  
 Early non-P&S Syphilis Diagnoses – January 1 to September 30, 2022 (First Nine Months of 2022)

### **Future Quarterly Report:**

*Fourth Quarter 2022 Report:* Release in February 2023  
 Persons Living with HIV- As of December 31, 2021  
 HIV and AIDS Diagnoses- Calendar Year 2021 (Final Update)  
 P&S Syphilis Diagnoses- Calendar Year 2022  
 Early non-P&S Syphilis Diagnoses- Calendar Year 2022

## **Abbreviations**

Asian/PI	Asian/Pacific Islander
CDC	Centers for Disease Control and Prevention
FPHC	Female presumed heterosexual contact
FSF	Female sex with female
HRH	High risk heterosexual contact
PWID	Persons who inject drugs
GBM	Gay, bisexual, and other men who have sex with men
GBM/PWID	Gay, bisexual, and other men who have sex with men & inject drugs
NH	Non-Hispanic
PLWH	Persons living with HIV
P&S	Primary and secondary syphilis

**Persons Living with HIV  
Louisiana  
as of September 30, 2022**

22,708 persons are currently living with HIV/AIDS in Louisiana.

Number of persons living with HIV: 11,624

Number of persons living with AIDS: 11,084

	No.	%
<b>Gender</b>		
Male	15,894	70.0
Female	6,391	28.1
Trans women	415	1.8
Trans men	8	0.0
<b>Current Age</b>		
0-12	25	0.1
13-19	84	0.4
20-24	646	2.8
25-29	1,537	6.8
30-34	2,549	11.2
35-39	2,619	11.5
40-44	2,713	11.9
45-49	2,441	10.7
50-54	2,588	11.4
55-59	2,750	12.1
60+	4,756	20.9
<b>Total</b>	<b>22,708</b>	<b>100.0</b>


	<b>Male</b>		<b>Female</b>		<b>Trans women</b>		<b>Trans men</b>		<b>LA State Totals</b>	
	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Race/Ethnicity</b>										
American Indian	39	0.2	13	0.2	1	0.2	-	-	53	0.2
Asian/PI	78	0.5	20	0.3	3	0.7	-	-	101	0.4
Black, NH	9,882	62.2	5,149	80.6	342	82.4	5	62.5	15,378	67.7
Hispanic/Latinx	1,024	6.4	241	3.8	30	7.2	1	12.5	1,296	5.7
Multi-race	169	1.1	55	0.9	4	1.0	-	-	228	1.0
White, NH	4,697	29.6	911	14.3	35	8.4	2	25.0	5,645	24.9
Unknown	5	0.0	2	0.0	-	-	-	-	7	0.0
<b>Total</b>	<b>15,894</b>	<b>100.0</b>	<b>6,391</b>	<b>100.0</b>	<b>415</b>	<b>100.0</b>	<b>8</b>	<b>100.0</b>	<b>22,708</b>	<b>100.0</b>

**Persons Living with HIV  
Louisiana  
as of September 30, 2022**

<b>Exposure Category</b>	<b>Male</b>		<b>Female</b>		<b>Trans women</b>		<b>Trans men</b>		<b>LA State Totals</b>	
	No.	%	No.	%	No.	%	No.	%	No.	%
GBM	9,213	67.3	-	-	-	-	-	-	9,213	45.7
Trans women - sex with men	-	-	-	-	367	90.6	-	-	367	1.8
GBM/PWID	844	6.2	-	-	-	-	-	-	844	4.2
Trans women - sex with men/PWID	-	-	-	-	32	7.9	-	-	32	0.2
PWID	977	7.1	628	10.4	2	0.5	3	75.0	1,610	8.0
HRH	2,535	18.5	4,512	74.8	4	1.0	1	25.0	7,052	35.0
FPHC	-	-	759	12.6	-	-	-	-	759	3.8
Transfusion/Hemophilia	32	0.2	21	0.3	-	-	-	-	53	0.3
Perinatal	98	0.7	109	1.8	-	-	-	-	207	1.0
Confirmed Other	-	-	1	0.0	-	-	-	-	1	0.0
<b>Total</b>	<b>13,699</b>	<b>100.0</b>	<b>6,030</b>	<b>100.0</b>	<b>405</b>	<b>100.0</b>	<b>4</b>	<b>100.0</b>	<b>20,138</b>	<b>100.0</b>

	<i>Male</i>	<i>Female</i>	<i>Trans women</i>	<i>Trans men</i>	<i>Total</i>
No Reported Risk	2195	361	10	4	2,570

**10-Year Trends in Persons Living with HIV  
Louisiana, 2012-2021**



## **Persons Newly Diagnosed with HIV Louisiana, January - December 2021**


In 2021, **903** persons were newly diagnosed with HIV in Louisiana.

	No.	%
<b>Gender</b>		
Male	671	74.3
Female	209	23.1
Trans women	23	2.5
<b>Age at Diagnosis</b>		
0-12	1	0.1
13-24	222	24.6
25-34	301	33.3
35-44	195	21.6
45+	184	20.4
<b>Race/Ethnicity</b>		
American Indian	3	0.3
Asian/PI	8	0.9
Black, NH	584	64.7
Hispanic/Latinx	72	8.0
Multi-race	7	0.8
White, NH	229	25.4
<b>Total</b>	<b>903</b>	<b>100.0</b>

	No.	%
<b>Exposure Category</b>		
GBM	410	56.9
Trans women - sex with men	22	3.1
GBM/PWID	17	2.4
Trans women - sex with men/PWID	1	0.1
PWID	49	6.8
HRH	168	23.3
FPHC	52	7.2
Perinatal	1	0.1
<b>Total</b>	<b>720</b>	<b>100.0</b>

No Reported Risk 183

### **10-Year Trends in New HIV Diagnoses Louisiana, 2012-2021**



## ***Persons Newly Diagnosed with AIDS Louisiana, January - December 2021***


In 2021, **420** persons were newly diagnosed with AIDS in Louisiana.

	No.	%
<b>Gender</b>		
Male	285	67.9
Female	123	29.3
Trans women	12	2.9
<b>Age at Diagnosis</b>		
13-24	35	8.3
25-34	140	33.3
35-44	118	28.1
45+	127	30.2
<b>Race/Ethnicity</b>		
American Indian	1	0.2
Asian/PI	4	1.0
Black, NH	278	66.2
Hispanic/Latinx	35	8.3
Multi-race	10	2.4
White, NH	92	21.9
<b>Total</b>	<b>420</b>	<b>100.0</b>

	No.	%
<b>Exposure Category</b>		
GBM	132	39.6
Trans women - sex with men	11	3.3
GBM/PWID	12	3.6
Trans women - sex with men/PWID	1	0.3
PWID	27	8.1
HRH	117	35.1
FPHC	29	8.7
Perinatal	4	1.2
<b>Total</b>	<b>333</b>	<b>100.0</b>

No Reported Risk 87

### **10-Year Trends in New AIDS Diagnoses Louisiana, 2012-2021**



**Persons Diagnosed with P&S Syphilis**  
**Louisiana, January - September 2022**

Between January 1 and September 30, 2022, **655** persons were diagnosed with P&S Syphilis in Louisiana.


	No.	%
<b>Gender</b>		
Male	422	64.4
Female	225	34.4
Trans women	7	1.1
Trans men	1	0.2
<b>Age at Diagnosis</b>		
13-24	177	27.0
25-34	227	34.7
35-44	146	22.3
45+	105	16.0
<b>Race/Ethnicity</b>		
Asian/PI	1	0.2
Black, NH	386	58.9
Hispanic/Latinx	14	2.1
Multi-race	29	4.4
White, NH	211	32.2
Unknown	14	2.1
<b>Total</b>	<b>655</b>	<b>100.0</b>

<i>Cases with a Reported Risk*</i>	No.	%
FSF	27	4.7
GBM	172	29.9
GBM/PWID	8	1.4
HRH	141	24.5
Heterosexual contact	270	47.0
Illegal drug use (all types)	216	37.6
Incarceration	64	11.1
PWID	29	5.0
Trans women - sex with men	5	0.9
Trans women - sex with men/PWID	0	0.0
Transactional sex	43	7.5

No Reported Risk 80

\* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

**10-Year Trends in P & S Syphilis Diagnoses**  
**Louisiana, 2012-2021**





### ***Persons Diagnosed with Early non-P&S Syphilis Louisiana, January - September 2022***

Between January 1 and September 30, 2022, **418** persons were diagnosed with Early non-P&S Syphilis in Louisiana.


	No.	%
<b>Gender</b>		
Male	273	65.3
Female	133	31.8
Trans women	12	2.9
<b>Age at Diagnosis</b>		
13-24	89	21.3
25-34	171	40.9
35-44	84	20.1
45+	74	17.7
<b>Race/Ethnicity</b>		
American Indian	1	0.2
Asian/PI	2	0.5
Black, NH	247	59.1
Hispanic/Latinx	16	3.8
Multi-race	18	4.3
White, NH	130	31.1
Unknown	4	1.0
<b>Total</b>	<b>418</b>	<b>100.0</b>

<i>Cases with a Reported Risk*</i>	No.	%
FSF	11	3.0
GBM	157	42.9
GBM/PWID	1	0.3
HRH	52	14.2
Heterosexual contact	169	46.2
Illegal drug use (all types)	85	23.2
Incarceration	33	9.0
PWID	15	4.1
Trans women - sex with men	5	1.4
Trans women - sex with men/PWID	0	0.0
Transactional sex	20	5.5

No Reported Risk 52

\* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

### **10-Year Trends in Early non-P&S Syphilis Diagnoses Louisiana, 2012-2021**



***Persons Living with HIV by Parish  
as of September 30, 2022***

<i>Parish</i>	<i>No. PLWH</i>	<i>Parish</i>	<i>No. PLWH</i>
Acadia	160	Sabine	21
Allen	219	St. Bernard	223
Ascension	296	St. Charles	155
Assumption	49	St. Helena	41
Avoyelles	164	St. James	90
Beauregard	52	St. John the Baptist	165
Bienville	53	St. Landry	332
Bossier	403	St. Martin	117
Caddo	1,346	St. Mary	108
Calcasieu	689	St. Tammany	614
Caldwell	24	Tangipahoa	445
Cameron	3	Tensas	36
Catahoula	38	Terrebonne	205
Claiborne	51	Union	12
Concordia	51	Vermilion	113
De Soto	66	Vernon	75
East Baton Rouge	4,124	Washington	205
East Carroll	32	Webster	62
East Feliciana	146	West Baton Rouge	135
Evangeline	105	West Carroll	25
Franklin	59	West Feliciana	107
Grant	57	Winn	29
Iberia	181		
Iberville	243		
Jackson	39		
Jefferson	2,169		
Jefferson Davis	71		
LaSalle	52		
Lafayette	958		
Lafourche	179		
Lincoln	106		
Livingston	311		
Madison	34		
Morehouse	60		
Natchitoches	147		
Orleans	5,189		
Ouachita	705		
Plaquemines	57		
Pointe Coupee	69		
Rapides	569		
Red River	14		
Richland	53		

Total PLWH: 22,708

***Persons Diagnosed with Early Syphilis\* by Parish***  
***January - September 2022***

<i>Parish</i>	<i>No. Diagnoses</i>	<i>Parish</i>	<i>No. Diagnoses</i>
Acadia	5	Sabine	0
Allen	3	St. Bernard	7
Ascension	21	St. Charles	4
Assumption	2	St. Helena	3
Avoyelles	24	St. James	6
Beauregard	5	St. John the Baptist	14
Bienville	1	St. Landry	8
Bossier	34	St. Martin	16
Caddo	84	St. Mary	6
Calcasieu	16	St. Tammany	26
Caldwell	0	Tangipahoa	28
Cameron	0	Tensas	0
Catahoula	2	Terrebonne	27
Claiborne	2	Union	2
Concordia	5	Vermilion	13
De Soto	9	Vernon	8
East Baton Rouge	144	Washington	6
East Carroll	0	Webster	9
East Feliciana	7	West Baton Rouge	9
Evangeline	3	West Carroll	0
Franklin	5	West Feliciana	0
Grant	9	Winn	1
Iberia	18		
Iberville	12		
Jackson	3		
Jefferson	60		
Jefferson Davis	1		
LaSalle	1		
Lafayette	76		
Lafourche	11		
Lincoln	6		
Livingston	35		
Madison	3		
Morehouse	6		
Natchitoches	7		
Orleans	115		
Ouachita	55		
Plaquemines	0		
Pointe Coupee	0		
Rapides	86		
Red River	1		
Richland	3		

Total Early Syphilis Cases: 1,073

\* A syphilis diagnosis with less than one year duration is considered "early syphilis." This designation covers the primary, secondary, and early non-P&S stages of syphilis.

**Persons Living with HIV  
Metro New Orleans  
as of September 30, 2022**

*Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, & St. Tammany Parishes*

**8,662** persons are currently living with HIV/AIDS in Metro New Orleans.

Number of persons living with HIV: **4,362**

Number of persons living with AIDS: **4,300**

	No.	%
<b>Gender</b>		
Male	6,289	72.6
Female	2,160	24.9
Trans women	207	2.4
Trans men	6	0.1
<b>Current Age</b>		
0-12	8	0.1
13-19	25	0.3
20-24	180	2.1
25-29	490	5.7
30-34	959	11.1
35-39	1,023	11.8
40-44	1,013	11.7
45-49	895	10.3
50-54	966	11.2
55-59	1,098	12.7
60+	2,005	23.1
<b>Total</b>	<b>8,662</b>	<b>100.0</b>

	<b>Male</b>		<b>Female</b>		<b>Trans women</b>		<b>Trans men</b>		<b>Metro New Orleans Totals</b>	
<b>Race/Ethnicity</b>	No.	%	No.	%	No.	%	No.	%	No.	%
American Indian	12	0.2	3	0.1	-	-	-	-	15	0.2
Asian/PI	43	0.7	6	0.3	3	1.4	-	-	52	0.6
Black, NH	3,619	57.5	1,722	79.7	165	79.7	4	66.7	5,510	63.6
Hispanic/Latinx	513	8.2	156	7.2	21	10.1	1	16.7	691	8.0
Multi-race	72	1.1	18	0.8	1	0.5	-	-	91	1.1
White, NH	2,025	32.2	254	11.8	17	8.2	1	16.7	2,297	26.5
Unknown	5	0.1	1	0.0	-	-	-	-	6	0.1
<b>Total</b>	<b>6,289</b>	<b>100.0</b>	<b>2,160</b>	<b>100.0</b>	<b>207</b>	<b>100.0</b>	<b>6</b>	<b>100.0</b>	<b>8,662</b>	<b>100.0</b>

**Persons Living with HIV  
Metro New Orleans  
as of September 30, 2022**

*Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, & St. Tammany Parishes*

<b>Exposure Category</b>	<b>Male</b>		<b>Female</b>		<b>Trans women</b>		<b>Trans men</b>		<b>Metro New Orleans Totals</b>	
	No.	%	No.	%	No.	%	No.	%	No.	%
GBM	3,961	71.4	-	-	-	-	-	-	3,961	51.0
Trans women - sex with men	-	-	-	-	183	91.0	-	-	183	2.4
GBM/PWID	299	5.4	-	-	-	-	-	-	299	3.9
Trans women - sex with men/PWID	-	-	-	-	17	8.5	-	-	17	0.2
PWID	318	5.7	190	9.5	-	-	2	66.7	510	6.6
HRH	924	16.7	1,516	75.5	1	0.5	1	33.3	2,442	31.5
FPHC	-	-	249	12.4	-	-	-	-	249	3.2
Transfusion/Hemophilia	13	0.2	8	0.4	-	-	-	-	21	0.3
Perinatal	33	0.6	46	2.3	-	-	-	-	79	1.0
<b>Total</b>	<b>5,548</b>	<b>100.0</b>	<b>2,009</b>	<b>100.0</b>	<b>201</b>	<b>100.0</b>	<b>3</b>	<b>100.0</b>	<b>7,761</b>	<b>100.0</b>

	<i>Male</i>	<i>Female</i>	<i>Trans women</i>	<i>Trans men</i>	<i>Total</i>
No Reported Risk	741	151	6	3	901

## ***Persons Newly Diagnosed with HIV and AIDS Metro New Orleans***

*Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, & St. Tammany Parishes*

### ***Persons Diagnosed with HIV January - December 2021***

In 2021, **277** persons were newly diagnosed with HIV in Metro New Orleans.

	No.	%		No.	%
<b>Gender</b>			<b>Exposure Category</b>		
Male	197	71.1	GBM	126	55.3
Female	71	25.6	Trans women - sex with men	8	3.5
Trans women	9	3.2	GBM/PWID	2	0.9
<b>Age at Diagnosis</b>			Trans women - sex with men/PWID	1	0.4
13-24	54	19.5	PWID	21	9.2
25-34	110	39.7	HRH	54	23.7
35-44	68	24.5	FPHC	16	7.0
45+	45	16.2	<b>Total</b>	<b>228</b>	<b>100.0</b>
<b>Race/Ethnicity</b>			<u>No Reported Risk 49</u>		
Asian/PI	3	1.1			
Black, NH	176	63.5			
Hispanic/Latinx	34	12.3			
Multi-race	1	0.4			
White, NH	63	22.7			
<b>Total</b>	<b>277</b>	<b>100.0</b>			

### ***Persons Diagnosed with AIDS January - December 2021***

In 2021, **134** persons were newly diagnosed with AIDS in Metro New Orleans.

	No.	%		No.	%
<b>Gender</b>			<b>Exposure Category</b>		
Male	89	66.4	GBM	43	38.7
Female	39	29.1	Trans women - sex with men	5	4.5
Trans women	6	4.5	GBM/PWID	6	5.4
<b>Age at Diagnosis</b>			Trans women - sex with men/PWID	1	0.9
13-24	11	8.2	PWID	10	9.0
25-34	45	33.6	HRH	36	32.4
35-44	34	25.4	FPHC	9	8.1
45+	44	32.8	Perinatal	1	0.9
<b>Race/Ethnicity</b>			<b>Total</b>	<b>111</b>	<b>100.0</b>
Black, NH	91	67.9	<u>No Reported Risk 23</u>		
Hispanic/Latinx	14	10.4			
Multi-race	2	1.5			
White, NH	27	20.1			
<b>Total</b>	<b>134</b>	<b>100.0</b>			

## ***Persons Diagnosed with Early Syphilis Metro New Orleans***

*Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, & St. Tammany Parishes*

### ***Persons Diagnosed with P&S Syphilis January - September 2022***

Between January 1 through September 30, 2022, **120** people were newly diagnosed with P&S Syphilis in Metro New Orleans.

	No.	%
<b>Gender</b>		
Male	92	76.7
Female	26	21.7
Trans women	1	0.8
Trans men	1	0.8
<b>Age at Diagnosis</b>		
13-24	26	21.7
25-34	47	39.2
35-44	26	21.7
45+	21	17.5
<b>Race/Ethnicity</b>		
Black, NH	78	65.0
Hispanic/Latinx	3	2.5
Multi-race	6	5.0
White, NH	31	25.8
Unknown	2	1.7
<b>Total</b>	<b>120</b>	<b>100.0</b>

<i>Cases with a Reported Risk*</i>	No.	%
FSF	4	1.1
GBM	49	13.4
GBM/PWID	3	0.8
HRH	23	6.3
Heterosexual contact	33	9.0
Illegal drug use (all types)	38	10.4
Incarceration	5	1.4
PWID	6	1.6
Trans women - sex with men	5	1.4
Trans women - sex with men/PWID	0	0.0
Transactional sex	11	3.0

No Reported Risk 17

### ***Persons Diagnosed with Early non-P&S Syphilis January - September 2022***

Between January 1 through September 30, 2022, **112** persons were newly diagnosed with Early non-P&S Syphilis in Metro New Orleans.

	No.	%
<b>Gender</b>		
Male	86	76.8
Female	22	19.6
Trans women	4	3.6
<b>Age at Diagnosis</b>		
13-24	14	12.5
25-34	50	44.6
35-44	26	23.2
45+	22	19.6
<b>Race/Ethnicity</b>		
Asian/PI	1	0.9
Black, NH	71	63.4
Hispanic/Latinx	8	7.1
Multi-race	5	4.5
White, NH	27	24.1
<b>Total</b>	<b>112</b>	<b>100.0</b>

<i>Case with a Reported Risk*</i>	No.	%
FSF	3	0.8
GBM	64	17.5
GBM/PWID	1	0.3
HRH	14	3.8
Heterosexual contact	32	8.7
Illegal drug use (all types)	22	6.0
Incarceration	6	1.6
PWID	2	0.5
Trans women - sex with men	5	1.4
Trans women - sex with men/PWID	0	0.0
Transactional sex	3	0.8

No Reported Risk 10

\* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

**Persons Living with HIV  
Metro Baton Rouge  
as of September 30, 2022**

*Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, & West Feliciana Parishes*

**5,472** persons are currently living with HIV/AIDS in Metro Baton Rouge.

Number of persons living with HIV: **2,775**

Number of persons living with AIDS: **2,697**

	No.	%
<b>Gender</b>		
Male	3,480	63.6
Female	1,899	34.7
Trans women	91	1.7
Trans men	2	0.0
<b>Current Age</b>		
0-12	9	0.2
13-19	26	0.5
20-24	172	3.1
25-29	353	6.5
30-34	579	10.6
35-39	614	11.2
40-44	730	13.3
45-49	622	11.4
50-54	668	12.2
55-59	614	11.2
60+	1,085	19.8
<b>Total</b>	<b>5,472</b>	<b>100.0</b>

	<b>Male</b>		<b>Female</b>		<b>Trans women</b>		<b>Trans men</b>		<b>Metro Baton Rouge Totals</b>	
<b>Race/Ethnicity</b>	No.	%	No.	%	No.	%	No.	%	No.	%
American Indian	6	0.2	2	0.1	-	-	-	-	8	0.1
Asian/PI	11	0.3	4	0.2	-	-	-	-	15	0.3
Black, NH	2,657	76.4	1,687	88.8	80	87.9	1	50.0	4,425	80.9
Hispanic/Latinx	119	3.4	33	1.7	5	5.5	-	-	157	2.9
Multi-race	26	0.7	8	0.4	1	1.1	-	-	35	0.6
White, NH	661	19.0	164	8.6	5	5.5	1	50.0	831	15.2
Unknown	-	-	1	0.1	-	-	-	-	1	0.0
<b>Total</b>	<b>3,480</b>	<b>100.0</b>	<b>1,899</b>	<b>100.0</b>	<b>91</b>	<b>100.0</b>	<b>2</b>	<b>100.0</b>	<b>5,472</b>	<b>100.0</b>



**Persons Living with HIV**  
**Metro Baton Rouge**  
**as of September 30, 2022**

*Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, & West Feliciana Parishes*

<b>Exposure Category</b>	<b>Male</b>		<b>Female</b>		<b>Trans women</b>		<b>Trans men</b>		<b>Metro Baton Rouge Totals</b>	
	No.	%	No.	%	No.	%	No.	%	No.	%
GBM	1,751	57.4	-	-	-	-	-	-	1,751	35.2
Trans women - sex with men	-	-	-	-	78	87.6	-	-	78	1.6
GBM/PWID	180	5.9	-	-	-	-	-	-	180	3.6
Trans women - sex with men/PWID	-	-	-	-	9	10.1	-	-	9	0.2
PWID	309	10.1	190	10.4	-	-	1	100.0	500	10.1
HRH	771	25.3	1,424	77.6	2	2.2	-	-	2,197	44.2
FPHC	-	-	188	10.2	-	-	-	-	188	3.8
Transfusion/Hemophilia	7	0.2	6	0.3	-	-	-	-	13	0.3
Perinatal	31	1.0	27	1.5	-	-	-	-	58	1.2
<b>Total</b>	<b>3,049</b>	<b>100.0</b>	<b>1,835</b>	<b>100.0</b>	<b>89</b>	<b>100.0</b>	<b>1</b>	<b>100.0</b>	<b>4,974</b>	<b>100.0</b>

	<i>Male</i>	<i>Female</i>	<i>Trans women</i>	<i>Trans men</i>	<i>Total</i>
No Reported Risk	431	64	2	1	498

## ***Persons Newly Diagnosed with HIV and AIDS Metro Baton Rouge***

*Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, & West Feliciana Parishes*

### ***Persons Diagnosed with HIV January - December 2021***

In 2021, **189** persons were newly diagnosed with HIV in Metro Baton Rouge.

	No.	%
<b>Gender</b>		
Male	150	79.4
Female	39	20.6
<b>Age at Diagnosis</b>		
13-24	62	32.8
25-34	53	28.0
35-44	37	19.6
45+	37	19.6
<b>Race/Ethnicity</b>		
American Indian	1	0.5
Asian/PI	1	0.5
Black, NH	148	78.3
Hispanic/Latinx	13	6.9
White, NH	26	13.8
<b>Total</b>	<b>189</b>	<b>100.0</b>

	No.	%
<b>Exposure Category</b>		
GBM	100	60.6
GBM/PWID	1	0.6
PWID	8	4.8
HRH	46	27.9
FPHC	10	6.1
<b>Total</b>	<b>165</b>	<b>100.0</b>

No Reported Risk 24

### ***Persons Diagnosed with AIDS January - December 2021***

In 2021, **77** persons were newly diagnosed with AIDS in Metro Baton Rouge.

	No.	%
<b>Gender</b>		
Male	50	64.9
Female	26	33.8
Trans women	1	1.3
<b>Age at Diagnosis</b>		
13-24	8	10.4
25-34	23	29.9
35-44	27	35.1
45+	19	24.7
<b>Race/Ethnicity</b>		
Asian/PI	1	1.3
Black, NH	61	79.2
Hispanic/Latinx	6	7.8
White, NH	9	11.7
<b>Total</b>	<b>77</b>	<b>100.0</b>

	No.	%
<b>Exposure Category</b>		
GBM	21	35.0
Trans women - sex with men	1	1.7
PWID	4	6.7
HRH	28	46.7
FPHC	4	6.7
Perinatal	2	3.3
<b>Total</b>	<b>60</b>	<b>100.0</b>

No Reported Risk 17

### ***Persons Diagnosed with Early Syphilis Metro Baton Rouge***

*Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, &  
West Feliciana Parishes*

### ***Persons Diagnosed with P&S Syphilis January - September 2022***

Between January 1 through September 30, 2022, **151** people were newly diagnosed with P&S Syphilis in Metro Baton Rouge.

	No.	%
<b>Gender</b>		
Male	92	60.9
Female	57	37.7
Trans women	2	1.3
<b>Age at Diagnosis</b>		
13-24	47	31.1
25-34	56	37.1
35-44	28	18.5
45+	20	13.2
<b>Race/Ethnicity</b>		
Black, NH	103	68.2
Hispanic/Latinx	3	2.0
Multi-race	9	6.0
White, NH	34	22.5
Unknown	2	1.3
<b>Total</b>	<b>151</b>	<b>100.0</b>

<i>Cases with a Reported Risk*</i>	No.	%
FSF	2	0.5
GBM	29	7.9
GBM/PWID	1	0.3
HRH	22	6.0
Heterosexual contact	78	21.3
Illegal drug use (all types)	36	9.8
Incarceration	8	2.2
PWID	2	0.5
Trans women - sex with men	5	1.4
Trans women - sex with men/PWID	0	0.0
Transactional sex	7	1.9

No Reported Risk 22

### ***Persons Diagnosed with Early non-P&S Syphilis January - September 2022***

Between January 1 through September 30, 2022, **80** people were newly diagnosed with Early non-P&S Syphilis in Metro Baton Rouge.

	No.	%
<b>Gender</b>		
Male	56	70.0
Female	21	26.3
Trans women	3	3.8
<b>Age at Diagnosis</b>		
13-24	21	26.3
25-34	33	41.3
35-44	14	17.5
45+	12	15.0
<b>Race/Ethnicity</b>		
Black, NH	63	78.8
Hispanic/Latinx	1	1.3
Multi-race	3	3.8
White, NH	13	16.3
<b>Total</b>	<b>80</b>	<b>100.0</b>

<i>Cases with a Reported Risk*</i>	No.	%
FSF	0	0.0
GBM	32	8.7
GBM/PWID	0	0.0
HRH	7	1.9
Heterosexual contact	27	7.4
Illegal drug use (all types)	13	3.6
Incarceration	3	0.8
PWID	1	0.3
Trans women - sex with men	5	1.4
Trans women - sex with men/PWID	0	0.0
Transactional sex	0	0.0

No Reported Risk 19

\* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

## Persons Living with HIV/AIDS by Region as of September 30, 2022

	<i>New HIV Diagnoses 2021 Calendar Year</i>	<i>New AIDS Diagnoses 2021 Calendar Year</i>	<i>Persons Living with HIV(nonAIDS) thru 09-30-2022</i>	<i>Persons Living with AIDS thru 09-30-2022</i>	<i>Persons Living with HIV or AIDS thru 09-30-2022</i>
Region 1	247	118	3,843	3,795	7,638
Region 2	175	69	2,597	2,523	5,120
Region 3	47	19	471	480	951
Region 4	110	40	1,064	902	1,966
Region 5	46	24	548	486	1,034
Region 6	45	34	559	476	1,035
Region 7	116	58	1,118	1,045	2,163
Region 8	60	30	614	571	1,185
Region 9	57	28	810	806	1,616
State Total	903	420	11,624	11,084	22,708



**Region 1 (New Orleans):** Jefferson, Orleans, Plaquemines, St. Bernard

**Region 2 (Baton Rouge):** Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana

**Region 3** (Houma): Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne

**Region 4 (Lafayette):** Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermilion

**Region 5** (Lake Charles): Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis

**Region 6 (Alexandria):** Avoyelles, Catahoula, Concordia, Grant, LaSalle, Rapides, Vernon, Winn

**Region 7** (Shreveport): Bienville, Bossier, Caddo, Claiborne, De Soto, Natchitoches, Red River, Sabine, Webster

**Region 6 (Monroe):** Caldwell, East Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, West Carroll

**Region 9** (Hammond/Slidell): Livingston, St. Helena, St. Tammany, Tangipahoa, Washington

**Persons Living with HIV**  
**Region 1: New Orleans Region**  
**as of September 30, 2022**  
*Jefferson, Orleans, Plaquemines & St. Bernard Parishes*

	No.	%
<b>Gender</b>		
Male	5,548	72.6
Female	1,892	24.8
Trans women	193	2.5
Trans men	5	0.1
<b>Current Age</b>		
0-12	7	0.1
13-19	18	0.2
20-24	150	2.0
25-29	418	5.5
30-34	850	11.1
35-39	897	11.7
40-44	893	11.7
45-49	793	10.4
50-54	855	11.2
55-59	958	12.5
60+	1,799	23.6
<b>Total</b>	<b>7,638</b>	<b>100.0</b>

	<b>Male</b>		<b>Female</b>		<b>Trans women</b>		<b>Trans men</b>		<b>Region 1 Totals</b>	
	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Race/Ethnicity</b>										
American Indian	10	0.2	3	0.2	-	-	-	-	13	0.2
Asian/PI	38	0.7	4	0.2	3	1.6	-	-	45	0.6
Black, NH	3,267	58.9	1,539	81.3	152	78.8	4	80.0	4,962	65.0
Hispanic/Latinx	466	8.4	140	7.4	21	10.9	1	20.0	628	8.2
Multi-race	63	1.1	16	0.8	1	0.5	-	-	80	1.0
White, NH	1,700	30.6	189	10.0	16	8.3	-	-	1,905	24.9
Unknown	4	0.1	1	0.1	-	-	-	-	5	0.1
<b>Total</b>	<b>5,548</b>	<b>100.0</b>	<b>1,892</b>	<b>100.0</b>	<b>193</b>	<b>100.0</b>	<b>5</b>	<b>100.0</b>	<b>7,638</b>	<b>100.0</b>

	<b>Male</b>		<b>Female</b>		<b>Trans women</b>		<b>Trans men</b>		<b>Region 1 Totals</b>	
	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Exposure Category</b>										
GBM	3,488	71.1	-	-	-	-	-	-	3,488	50.9
Trans women - sex with men	-	-	-	-	169	90.4	-	-	169	2.5
GBM/PWID	261	5.3	-	-	-	-	-	-	261	3.8
Trans women - sex with men/PWID	-	-	-	-	17	9.1	-	-	17	0.2
PWID	288	5.9	167	9.5	-	-	1	50.0	456	6.7
HRH	834	17.0	1,336	75.9	1	0.5	1	50.0	2,172	31.7
FPHC	-	-	210	11.9	-	-	-	-	210	3.1
Transfusion/Hemophilia	11	0.2	8	0.5	-	-	-	-	19	0.3
Perinatal	26	0.5	39	2.2	-	-	-	-	65	0.9
<b>Total</b>	<b>4,908</b>	<b>100.0</b>	<b>1,760</b>	<b>100.0</b>	<b>187</b>	<b>100.0</b>	<b>2</b>	<b>100.0</b>	<b>6,857</b>	<b>100.0</b>

	Male	Female	Trans women	Trans men	Total
No Reported Risk	640	132	6	3	781

**Persons Living with HIV**  
**Region 2: Baton Rouge Region**  
**as of September 30, 2022**

*Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, & West Feliciana Parishes*

	No.	%
<b>Gender</b>		
Male	3,246	63.4
Female	1,787	34.9
Trans women	86	1.7
Trans men	1	0.0
<b>Current Age</b>		
0-12	8	0.2
13-19	24	0.5
20-24	161	3.1
25-29	333	6.5
30-34	547	10.7
35-39	576	11.3
40-44	696	13.6
45-49	583	11.4
50-54	613	12.0
55-59	554	10.8
60+	1,025	20.0
<b>Total</b>	<b>5,120</b>	<b>100.0</b>

	<b>Male</b>		<b>Female</b>		<b>Trans women</b>		<b>Trans men</b>		<b>Region 2 Totals</b>	
	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Race/Ethnicity</b>										
American Indian	5	0.2	2	0.1	-	-	-	-	7	0.1
Asian/PI	11	0.3	3	0.2	-	-	-	-	14	0.3
Black, NH	2,554	78.7	1,627	91.0	75	87.2	1	100.0	4,257	83.1
Hispanic/Latinx	102	3.1	27	1.5	5	5.8	-	-	134	2.6
Multi-race	24	0.7	8	0.4	1	1.2	-	-	33	0.6
White, NH	550	16.9	119	6.7	5	5.8	-	-	674	13.2
Unknown	-	-	1	0.1	-	-	-	-	1	0.0
<b>Total</b>	<b>3,246</b>	<b>100.0</b>	<b>1,787</b>	<b>100.0</b>	<b>86</b>	<b>100.0</b>	<b>1</b>	<b>100.0</b>	<b>5,120</b>	<b>100.0</b>

	<b>Male</b>		<b>Female</b>		<b>Trans women</b>		<b>Region 2 Totals</b>	
	No.	%	No.	%	No.	%	No.	%
<b>Exposure Category</b>								
GBM	1,622	56.9	-	-	-	-	1,622	34.8
Trans women - sex with men	-	-	-	-	74	88.1	74	1.6
GBM/PWID	162	5.7	-	-	-	-	162	3.5
Trans women - sex with men/PWID	-	-	-	-	8	9.5	8	0.2
PWID	292	10.2	175	10.1	-	-	467	10.0
HRH	739	25.9	1,348	78.0	2	2.4	2,089	44.8
FPHC	-	-	175	10.1	-	-	175	3.8
Transfusion/Hemophilia	6	0.2	6	0.3	-	-	12	0.3
Perinatal	28	1.0	24	1.4	-	-	52	1.1
<b>Total</b>	<b>2,849</b>	<b>100.0</b>	<b>1,728</b>	<b>100.0</b>	<b>84</b>	<b>100.0</b>	<b>4,661</b>	<b>100.0</b>

	<b>Male</b>	<b>Female</b>	<b>Trans women</b>	<b>Total</b>
No Reported Risk	397	59	2	459

**Persons Living with HIV**  
**Region 3: Houma Region**  
**as of September 30, 2022**

*Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, & Terrebonne Parishes*

	No.	%
<b>Gender</b>		
Male	613	64.5
Female	324	34.1
Trans women	14	1.5
<b>Current Age</b>		
0-12	2	0.2
13-19	4	0.4
20-24	34	3.6
25-29	94	9.9
30-34	103	10.8
35-39	109	11.5
40-44	103	10.8
45-49	101	10.6
50-54	114	12.0
55-59	114	12.0
60+	173	18.2
<b>Total</b>	<b>951</b>	<b>100.0</b>

	<b>Male</b>		<b>Female</b>		<b>Trans women</b>		<b>Region 3 Totals</b>	
	No.	%	No.	%	No.	%	No.	%
<b>Race/Ethnicity</b>								
American Indian	2	0.3	1	0.3	-	-	3	0.3
Asian/PI	-	-	2	0.6	-	-	2	0.2
Black, NH	344	56.1	220	67.9	12	85.7	576	60.6
Hispanic/Latinx	34	5.5	20	6.2	-	-	54	5.7
Multi-race	8	1.3	4	1.2	-	-	12	1.3
White, NH	225	36.7	77	23.8	2	14.3	304	32.0
<b>Total</b>	<b>613</b>	<b>100.0</b>	<b>324</b>	<b>100.0</b>	<b>14</b>	<b>100.0</b>	<b>951</b>	<b>100.0</b>

	<b>Male</b>		<b>Female</b>		<b>Trans women</b>		<b>Region 3 Totals</b>	
	No.	%	No.	%	No.	%	No.	%
<b>Exposure Category</b>								
GBM	372	70.6	-	-	-	-	372	44.1
Trans women - sex with men	-	-	-	-	14	100.0	14	1.7
GBM/PWID	26	4.9	-	-	-	-	26	3.1
PWID	37	7.0	23	7.6	-	-	60	7.1
HRH	86	16.3	221	73.2	-	-	307	36.4
FPHC	-	-	51	16.9	-	-	51	6.0
Perinatal	6	1.1	7	2.3	-	-	13	1.5
<b>Total</b>	<b>527</b>	<b>100.0</b>	<b>302</b>	<b>100.0</b>	<b>14</b>	<b>100.0</b>	<b>843</b>	<b>100.0</b>

	Male	Female	Trans women	Trans men	Total
No Reported Risk	86	22	0	0	108

**Persons Living with HIV****Region 4: Lafayette Region****as of September 30, 2022***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, & Vermilion Parishes*

	No.	%
<b>Gender</b>		
Male	1,469	74.7
Female	468	23.8
Trans women	29	1.5
<b>Current Age</b>		
0-12	1	0.1
13-19	6	0.3
20-24	72	3.7
25-29	168	8.5
30-34	250	12.7
35-39	215	10.9
40-44	207	10.5
45-49	159	8.1
50-54	214	10.9
55-59	274	13.9
60+	400	20.3
<b>Total</b>	<b>1,966</b>	<b>100.0</b>

	<b>Male</b>		<b>Female</b>		<b>Trans women</b>		<b>Region 4 Totals</b>	
	No.	%	No.	%	No.	%	No.	%
<b>Race/Ethnicity</b>								
American Indian	3	0.2	2	0.4	-	-	5	0.3
Asian/PI	7	0.5	5	1.1	-	-	12	0.6
Black, NH	749	51.0	317	67.7	23	79.3	1,089	55.4
Hispanic/Latinx	97	6.6	12	2.6	1	3.4	110	5.6
Multi-race	18	1.2	5	1.1	-	-	23	1.2
White, NH	595	40.5	127	27.1	5	17.2	727	37.0
<b>Total</b>	<b>1,469</b>	<b>100.0</b>	<b>468</b>	<b>100.0</b>	<b>29</b>	<b>100.0</b>	<b>1,966</b>	<b>100.0</b>

	<b>Male</b>		<b>Female</b>		<b>Trans women</b>		<b>Region 4 Totals</b>	
	No.	%	No.	%	No.	%	No.	%
<b>Exposure Category</b>								
GBM	905	74.6	-	-	-	-	905	54.0
Trans women - sex with men	-	-	-	-	27	96.4	27	1.6
GBM/PWID	75	6.2	-	-	-	-	75	4.5
Trans women - sex with men/PWID	-	-	-	-	1	3.6	1	0.1
PWID	66	5.4	47	10.8	-	-	113	6.7
HRH	155	12.8	335	77.2	-	-	490	29.3
FPHC	-	-	47	10.8	-	-	47	2.8
Transfusion/Hemophilia	4	0.3	1	0.2	-	-	5	0.3
Perinatal	8	0.7	3	0.7	-	-	11	0.7
Confirmed Other	-	-	1	0.2	-	-	1	0.1
<b>Total</b>	<b>1,213</b>	<b>100.0</b>	<b>434</b>	<b>100.0</b>	<b>28</b>	<b>100.0</b>	<b>1,675</b>	<b>100.0</b>

	<i>Male</i>	<i>Female</i>	<i>Trans women</i>	<i>Total</i>
No Reported Risk	256	34	1	291



**Persons Living with HIV**  
**Region 5: Lake Charles Region**  
**as of September 30, 2022**

*Allen, Beauregard, Calcasieu, Cameron, & Jefferson Davis Parishes*

	No.	%
<b>Gender</b>		
Male	778	75.2
Female	243	23.5
Trans women	13	1.3
<b>Current Age</b>		
0-12	2	0.2
13-19	5	0.5
20-24	25	2.4
25-29	67	6.5
30-34	113	10.9
35-39	106	10.3
40-44	114	11.0
45-49	121	11.7
50-54	123	11.9
55-59	143	13.8
60+	215	20.8
<b>Total</b>	<b>1,034</b>	<b>100.0</b>

	<b>Male</b>		<b>Female</b>		<b>Trans women</b>		<b>Region 5 Totals</b>	
<b>Race/Ethnicity</b>	No.	%	No.	%	No.	%	No.	%
American Indian	-	-	-	-	1	7.7	1	0.1
Asian/PI	3	0.4	1	0.4	-	-	4	0.4
Black, NH	382	49.1	154	63.4	11	84.6	547	52.9
Hispanic/Latinx	100	12.9	7	2.9	-	-	107	10.3
Multi-race	8	1.0	4	1.6	1	7.7	13	1.3
White, NH	285	36.6	77	31.7	-	-	362	35.0
<b>Total</b>	<b>778</b>	<b>100.0</b>	<b>243</b>	<b>100.0</b>	<b>13</b>	<b>100.0</b>	<b>1,034</b>	<b>100.0</b>

	<b>Male</b>		<b>Female</b>		<b>Trans women</b>		<b>Region 5 Totals</b>	
<b>Exposure Category</b>	No.	%	No.	%	No.	%	No.	%
GBM	363	59.0	-	-	-	-	363	42.6
Trans women - sex with men	-	-	-	-	13	100.0	13	1.5
GBM/PWID	59	9.6	-	-	-	-	59	6.9
PWID	76	12.4	39	17.3	-	-	115	13.5
HRH	110	17.9	150	66.7	-	-	260	30.5
FPHC	-	-	27	12.0	-	-	27	3.2
Transfusion/Hemophilia	3	0.5	-	-	-	-	3	0.4
Perinatal	4	0.7	9	4.0	-	-	13	1.5
<b>Total</b>	<b>615</b>	<b>100.0</b>	<b>225</b>	<b>100.0</b>	<b>13</b>	<b>100.0</b>	<b>853</b>	<b>100.0</b>

	<b>Male</b>	<b>Female</b>	<b>Trans women</b>	<b>Total</b>
No Reported Risk	163	18	0	181

**Persons Living with HIV**  
**Region 6: Alexandria Region**  
**as of September 30, 2022**

*Avoyelles, Catahoula, Concordia, Grant, LaSalle, Rapides, Vernon, & Winn Parishes*

	No.	%
<b>Gender</b>		
Male	761	73.5
Female	264	25.5
Trans women	10	1.0
<b>Current Age</b>		
0-12	2	0.2
13-19	1	0.1
20-24	26	2.5
25-29	63	6.1
30-34	112	10.8
35-39	127	12.3
40-44	123	11.9
45-49	127	12.3
50-54	117	11.3
55-59	132	12.8
60+	205	19.8
<b>Total</b>	<b>1,035</b>	<b>100.0</b>

	<b>Male</b>		<b>Female</b>		<b>Trans women</b>		<b>Region 6 Totals</b>	
	No.	%	No.	%	No.	%	No.	%
<b>Race/Ethnicity</b>								
American Indian	1	0.1	1	0.4	-	-	2	0.2
Asian/PI	2	0.3	1	0.4	-	-	3	0.3
Black, NH	423	55.6	201	76.1	7	70.0	631	61.0
Hispanic/Latinx	85	11.2	6	2.3	1	10.0	92	8.9
Multi-race	9	1.2	4	1.5	-	-	13	1.3
White, NH	241	31.7	51	19.3	2	20.0	294	28.4
<b>Total</b>	<b>761</b>	<b>100.0</b>	<b>264</b>	<b>100.0</b>	<b>10</b>	<b>100.0</b>	<b>1,035</b>	<b>100.0</b>

	<b>Male</b>		<b>Female</b>		<b>Trans women</b>		<b>Region 6 Totals</b>	
	No.	%	No.	%	No.	%	No.	%
<b>Exposure Category</b>								
GBM	391	62.2	-	-	-	-	391	43.7
Trans women - sex with men	-	-	-	-	6	60.0	6	0.7
GBM/PWID	43	6.8	-	-	-	-	43	4.8
Trans women - sex with men/PWID	-	-	-	-	3	30.0	3	0.3
PWID	67	10.7	21	8.2	1	10.0	89	9.9
HRH	120	19.1	196	76.6	-	-	316	35.3
FPHC	-	-	35	13.7	-	-	35	3.9
Transfusion/Hemophilia	1	0.2	1	0.4	-	-	2	0.2
Perinatal	7	1.1	3	1.2	-	-	10	1.1
<b>Total</b>	<b>629</b>	<b>100.0</b>	<b>256</b>	<b>100.0</b>	<b>10</b>	<b>100.0</b>	<b>895</b>	<b>100.0</b>

	Male	Female	Trans women	Total
No Reported Risk	132	8	0	140

**Persons Living with HIV**  
**Region 7: Shreveport Region**  
**as of September 30, 2022**

*Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, & Webster Parishes*

	No.	%
<b>Gender</b>		
Male	1,498	69.3
Female	629	29.1
Trans women	36	1.7
<b>Current Age</b>		
13-19	11	0.5
20-24	83	3.8
25-29	212	9.8
30-34	292	13.5
35-39	293	13.5
40-44	265	12.3
45-49	220	10.2
50-54	226	10.4
55-59	200	9.2
60+	361	16.7
<b>Total</b>	<b>2,163</b>	<b>100.0</b>

	<b>Male</b>		<b>Female</b>		<b>Trans women</b>		<b>Region 7 Totals</b>	
<b>Race/Ethnicity</b>	No.	%	No.	%	No.	%	No.	%
American Indian	10	0.7	2	0.3	-	-	12	0.6
Asian/PI	8	0.5	2	0.3	-	-	10	0.5
Black, NH	1,047	69.9	515	81.9	33	91.7	1,595	73.7
Hispanic/Latinx	44	2.9	10	1.6	2	5.6	56	2.6
Multi-race	15	1.0	5	0.8	-	-	20	0.9
White, NH	374	25.0	95	15.1	1	2.8	470	21.7
<b>Total</b>	<b>1,498</b>	<b>100.0</b>	<b>629</b>	<b>100.0</b>	<b>36</b>	<b>100.0</b>	<b>2,163</b>	<b>100.0</b>

	<b>Male</b>		<b>Female</b>		<b>Trans women</b>		<b>Region 7 Totals</b>	
<b>Exposure Category</b>	No.	%	No.	%	No.	%	No.	%
GBM	905	72.2	-	-	-	-	905	48.3
Trans women - sex with men	-	-	-	-	32	91.4	32	1.7
GBM/PWID	92	7.3	-	-	-	-	92	4.9
Trans women - sex with men/PWID	-	-	-	-	2	5.7	2	0.1
PWID	52	4.2	66	11.3	-	-	118	6.3
HRH	195	15.6	384	65.8	1	2.9	580	31.0
FPHC	-	-	124	21.2	-	-	124	6.6
Transfusion/Hemophilia	2	0.2	3	0.5	-	-	5	0.3
Perinatal	7	0.6	7	1.2	-	-	14	0.7
<b>Total</b>	<b>1,253</b>	<b>100.0</b>	<b>584</b>	<b>100.0</b>	<b>35</b>	<b>100.0</b>	<b>1,872</b>	<b>100.0</b>

	<b>Male</b>	<b>Female</b>	<b>Trans women</b>	<b>Total</b>
No Reported Risk	245	45	1	291

**Persons Living with HIV**  
**Region 8: Monroe Region**  
**as of September 30, 2022**

*Caldwell, East Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas,  
 Union, & West Carroll Parishes*

	No.	%
<b>Gender</b>		
Male	800	67.5
Female	371	31.3
Trans women	14	1.2
<b>Current Age</b>		
0-12	1	0.1
13-19	8	0.7
20-24	47	4.0
25-29	97	8.2
30-34	132	11.1
35-39	112	9.5
40-44	140	11.8
45-49	158	13.3
50-54	125	10.5
55-59	138	11.6
60+	227	19.2
<b>Total</b>	<b>1,185</b>	<b>100.0</b>

	<b>Male</b>		<b>Female</b>		<b>Trans women</b>		<b>Region 8 Totals</b>	
	No.	%	No.	%	No.	%	No.	%
<b>Race/Ethnicity</b>								
American Indian	4	0.5	1	0.3	-	-	5	0.4
Asian/PI	4	0.5	-	-	-	-	4	0.3
Black, NH	544	68.0	307	82.7	12	85.7	863	72.8
Hispanic/Latinx	32	4.0	5	1.3	-	-	37	3.1
Multi-race	12	1.5	5	1.3	-	-	17	1.4
White, NH	204	25.5	53	14.3	2	14.3	259	21.9
<b>Total</b>	<b>800</b>	<b>100.0</b>	<b>371</b>	<b>100.0</b>	<b>14</b>	<b>100.0</b>	<b>1,185</b>	<b>100.0</b>

	<b>Male</b>		<b>Female</b>		<b>Trans women</b>		<b>Region 8 Totals</b>	
	No.	%	No.	%	No.	%	No.	%
<b>Exposure Category</b>								
GBM	469	66.5	-	-	-	-	469	43.8
Trans women - sex with men	-	-	-	-	14	100.0	14	1.3
GBM/PWID	51	7.2	-	-	-	-	51	4.8
PWID	40	5.7	32	9.1	-	-	72	6.7
HRH	141	20.0	276	78.6	-	-	417	39.0
FPHC	-	-	31	8.8	-	-	31	2.9
Transfusion/Hemophilia	1	0.1	2	0.6	-	-	3	0.3
Perinatal	3	0.4	10	2.8	-	-	13	1.2
<b>Total</b>	<b>705</b>	<b>100.0</b>	<b>351</b>	<b>100.0</b>	<b>14</b>	<b>100.0</b>	<b>1,070</b>	<b>100.0</b>

	Male	Female	Trans women	Total
No Reported Risk	95	20	0	115

**Persons Living with HIV**  
**Region 9: Hammond/Slidell Region**  
**as of September 30, 2022**

*Livingston, St. Helena, St. Tammany, Tangipahoa, & Washington Parishes*

	No.	%
<b>Gender</b>		
Male	1,181	73.1
Female	413	25.6
Trans women	20	1.2
Trans men	2	0.1
<b>Current Age</b>		
0-12	2	0.1
13-19	7	0.4
20-24	48	3.0
25-29	85	5.3
30-34	150	9.3
35-39	184	11.4
40-44	172	10.6
45-49	179	11.1
50-54	201	12.4
55-59	237	14.7
60+	351	21.7
<b>Total</b>	<b>1,616</b>	<b>100.0</b>

	<b>Male</b>		<b>Female</b>		<b>Trans women</b>		<b>Trans men</b>		<b>Region 9 Totals</b>	
	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Race/Ethnicity</b>										
American Indian	4	0.3	1	0.2	-	-	-	-	5	0.3
Asian/PI	5	0.4	2	0.5	-	-	-	-	7	0.4
Black, NH	572	48.4	269	65.1	17	85.0	-	-	858	53.1
Hispanic/Latinx	64	5.4	14	3.4	-	-	-	-	78	4.8
Multi-race	12	1.0	4	1.0	1	5.0	-	-	17	1.1
White, NH	523	44.3	123	29.8	2	10.0	2	100.0	650	40.2
Unknown	1	0.1	-	-	-	-	-	-	1	0.1
<b>Total</b>	<b>1,181</b>	<b>100.0</b>	<b>413</b>	<b>100.0</b>	<b>20</b>	<b>100.0</b>	<b>2</b>	<b>100.0</b>	<b>1,616</b>	<b>100.0</b>

	<b>Male</b>		<b>Female</b>		<b>Trans women</b>		<b>Trans men</b>		<b>Region 9 Totals</b>	
	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Exposure Category</b>										
GBM	698	69.8	-	-	-	-	-	-	698	49.4
Trans women - sex with men	-	-	-	-	18	90.0	-	-	18	1.3
GBM/PWID	75	7.5	-	-	-	-	-	-	75	5.3
Trans women - sex with men/PWID	-	-	-	-	1	5.0	-	-	1	0.1
PWID	59	5.9	58	14.9	1	5.0	2	100.0	120	8.5
HRH	155	15.5	266	68.2	-	-	-	-	421	29.8
FPHC	-	-	59	15.1	-	-	-	-	59	4.2
Transfusion/Hemophilia	4	0.4	-	-	-	-	-	-	4	0.3
Perinatal	9	0.9	7	1.8	-	-	-	-	16	1.1
<b>Total</b>	<b>1,000</b>	<b>100.0</b>	<b>390</b>	<b>100.0</b>	<b>20</b>	<b>100.0</b>	<b>2</b>	<b>100.0</b>	<b>1,412</b>	<b>100.0</b>

	<i>Male</i>	<i>Female</i>	<i>Trans women</i>	<i>Trans men</i>	<i>Total</i>
No Reported Risk	181	23	0	0	204

**Persons Newly Diagnosed with HIV**  
**Regions 1 - 5**  
**January - December 2021**

	Region 1		Region 2		Region 3		Region 4		Region 5	
	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Gender</b>										
Male	175	70.9	140	80.0	32	68.1	85	77.3	32	69.6
Female	64	25.9	35	20.0	13	27.7	20	18.2	13	28.3
Trans women	8	3.2	-	-	2	4.3	5	4.5	1	2.2
<b>Age at Diagnosis</b>										
0-12	-	-	-	-	-	-	-	-	1	2.2
13-24	44	17.8	59	33.7	13	27.7	26	23.6	7	15.2
25-34	98	39.7	45	25.7	18	38.3	31	28.2	19	41.3
35-44	63	25.5	34	19.4	11	23.4	24	21.8	9	19.6
45+	42	17.0	37	21.1	5	10.6	29	26.4	10	21.7
<b>Race/Ethnicity</b>										
American Indian	-	-	1	0.6	1	2.1	-	-	-	-
Asian/PI	3	1.2	1	0.6	-	-	2	1.8	1	2.2
Black, NH	154	62.3	142	81.1	27	57.4	61	55.5	17	37.0
Hispanic/Latinx	33	13.4	11	6.3	4	8.5	6	5.5	3	6.5
Multi-race	1	0.4	-	-	-	-	-	-	3	6.5
White, NH	56	22.7	20	11.4	15	31.9	41	37.3	22	47.8
<b>Regional Totals</b>	<b>247</b>	<b>100.0</b>	<b>175</b>	<b>100.0</b>	<b>47</b>	<b>100.0</b>	<b>110</b>	<b>100.0</b>	<b>46</b>	<b>100.0</b>

	Region 1		Region 2		Region 3		Region 4		Region 5	
	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Exposure Category</b>										
GBM	115	56.4	94	61.4	22	52.4	51	63.8	18	52.9
Trans women - sex with men	7	3.4	-	-	2	4.8	5	6.3	1	2.9
GBM/PWID	1	0.5	-	-	3	7.1	4	5.0	-	-
Trans women - sex with men/PWID	1	0.5	-	-	-	-	-	-	-	-
PWID	18	8.8	7	4.6	1	2.4	1	1.3	4	11.8
HRH	48	23.5	43	28.1	11	26.2	11	13.8	5	14.7
FPHC	14	6.9	9	5.9	3	7.1	8	10.0	5	14.7
Perinatal	-	-	-	-	-	-	-	-	1	2.9
<b>Regional Totals</b>	<b>204</b>	<b>100.0</b>	<b>153</b>	<b>100.0</b>	<b>42</b>	<b>100.0</b>	<b>80</b>	<b>100.0</b>	<b>34</b>	<b>100.0</b>

	Region 1	Region 2	Region 3	Region 4	Region 5
No Reported Risk	43	22	5	30	12

**Persons Newly Diagnosed with HIV**  
**Regions 6 - 9**  
**January - December 2021**

	Region 6		Region 7		Region 8		Region 9	
	No.	%	No.	%	No.	%	No.	%
<b>Gender</b>								
Male	37	82.2	82	70.7	43	71.7	45	78.9
Female	7	15.6	30	25.9	16	26.7	11	19.3
Trans women	1	2.2	4	3.4	1	1.7	1	1.8
<b>Age at Diagnosis</b>								
13-24	6	13.3	35	30.2	17	28.3	15	26.3
25-34	14	31.1	31	26.7	20	33.3	25	43.9
35-44	15	33.3	20	17.2	10	16.7	9	15.8
45+	10	22.2	30	25.9	13	21.7	8	14.0
<b>Race/Ethnicity</b>								
American Indian	-	-	1	0.9	-	-	-	-
Asian/PI	-	-	1	0.9	-	-	-	-
Black, NH	26	57.8	82	70.7	40	66.7	35	61.4
Hispanic/Latinx	8	17.8	-	-	4	6.7	3	5.3
Multi-race	-	-	2	1.7	1	1.7	-	-
White, NH	11	24.4	30	25.9	15	25.0	19	33.3
<b>Regional Totals</b>	<b>45</b>	<b>100.0</b>	<b>116</b>	<b>100.0</b>	<b>60</b>	<b>100.0</b>	<b>57</b>	<b>100.0</b>

	Region 6		Region 7		Region 8		Region 9	
	No.	%	No.	%	No.	%	No.	%
<b>Exposure Category</b>								
GBM	15	46.9	47	52.8	27	61.4	21	50.0
Trans women - sex with men	1	3.1	4	4.5	1	2.3	1	2.4
GBM/PWID	1	3.1	5	5.6	1	2.3	2	4.8
PWID	4	12.5	3	3.4	3	6.8	8	19.0
HRH	8	25.0	24	27.0	10	22.7	8	19.0
FPHC	3	9.4	6	6.7	2	4.5	2	4.8
<b>Regional Totals</b>	<b>32</b>	<b>100.0</b>	<b>89</b>	<b>100.0</b>	<b>44</b>	<b>100.0</b>	<b>42</b>	<b>100.0</b>

	Region 6	Region 7	Region 8	Region 9
No Reported Risk	13	27	16	15

**Persons Newly Diagnosed with AIDS**  
**Regions 1 - 5**  
**January - December 2021**

	Region 1		Region 2		Region 3		Region 4		Region 5	
	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Gender</b>										
Male	81	68.6	46	66.7	10	52.6	33	82.5	18	75.0
Female	31	26.3	22	31.9	9	47.4	7	17.5	5	20.8
Trans women	6	5.1	1	1.4	-	-	-	-	1	4.2
<b>Age at Diagnosis</b>										
13-24	9	7.6	7	10.1	2	10.5	3	7.5	2	8.3
25-34	37	31.4	22	31.9	8	42.1	8	20.0	6	25.0
35-44	31	26.3	25	36.2	5	26.3	12	30.0	7	29.2
45+	41	34.7	15	21.7	4	21.1	17	42.5	9	37.5
<b>Race/Ethnicity</b>										
Asian/PI	-	-	1	1.4	-	-	1	2.5	1	4.2
Black, NH	81	68.6	57	82.6	10	52.6	24	60.0	11	45.8
Hispanic/Latinx	12	10.2	5	7.2	3	15.8	3	7.5	2	8.3
Multi-race	2	1.7	-	-	-	-	-	-	1	4.2
White, NH	23	19.5	6	8.7	6	31.6	12	30.0	9	37.5
<b>Regional Totals</b>	<b>118</b>	<b>100.0</b>	<b>69</b>	<b>100.0</b>	<b>19</b>	<b>100.0</b>	<b>40</b>	<b>100.0</b>	<b>24</b>	<b>100.0</b>

	Region 1		Region 2		Region 3		Region 4		Region 5	
	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Exposure Category</b>										
GBM	40	41.2	20	36.4	3	18.8	14	53.8	10	58.8
Trans women - sex with men	5	5.2	1	1.8	-	-	-	-	1	5.9
GBM/PWID	4	4.1	-	-	-	-	1	3.8	-	-
Trans women - sex with men/PWID	1	1.0	-	-	-	-	-	-	-	-
PWID	9	9.3	2	3.6	2	12.5	2	7.7	1	5.9
HRH	30	30.9	26	47.3	9	56.3	4	15.4	3	17.6
FPHC	7	7.2	4	7.3	2	12.5	5	19.2	2	11.8
Perinatal	1	1.0	2	3.6	-	-	-	-	-	-
<b>Regional Totals</b>	<b>97</b>	<b>100.0</b>	<b>55</b>	<b>100.0</b>	<b>16</b>	<b>100.0</b>	<b>26</b>	<b>100.0</b>	<b>17</b>	<b>100.0</b>

	Region 1	Region 2	Region 3	Region 4	Region 5
No Reported Risk	21	14	3	14	7



**Persons Newly Diagnosed with AIDS**  
**Regions 6 - 9**  
**January - December 2021**

	Region 6		Region 7		Region 8		Region 9	
	No.	%	No.	%	No.	%	No.	%
<b>Gender</b>								
Male	26	76.5	30	51.7	22	73.3	19	67.9
Female	7	20.6	26	44.8	8	26.7	8	28.6
Trans women	1	2.9	2	3.4	-	-	1	3.6
<b>Age at Diagnosis</b>								
13-24	1	2.9	4	6.9	5	16.7	2	7.1
25-34	11	32.4	25	43.1	10	33.3	13	46.4
35-44	12	35.3	14	24.1	6	20.0	6	21.4
45+	10	29.4	15	25.9	9	30.0	7	25.0
<b>Race/Ethnicity</b>								
American Indian	-	-	1	1.7	-	-	-	-
Asian/PI	-	-	1	1.7	-	-	-	-
Black, NH	22	64.7	43	74.1	14	46.7	16	57.1
Hispanic/Latinx	5	14.7	-	-	3	10.0	2	7.1
Multi-race	-	-	5	8.6	2	6.7	-	-
White, NH	7	20.6	8	13.8	11	36.7	10	35.7
<b>Regional Totals</b>	<b>34</b>	<b>100.0</b>	<b>58</b>	<b>100.0</b>	<b>30</b>	<b>100.0</b>	<b>28</b>	<b>100.0</b>

	Region 6		Region 7		Region 8		Region 9	
	No.	%	No.	%	No.	%	No.	%
<b>Exposure Category</b>								
GBM	13	44.8	16	31.4	10	45.5	6	30.0
Trans women - sex with men	1	3.4	2	3.9	-	-	1	5.0
GBM/PWID	-	-	3	5.9	1	4.5	3	15.0
PWID	3	10.3	2	3.9	1	4.5	5	25.0
HRH	10	34.5	23	45.1	8	36.4	4	20.0
FPHC	2	6.9	5	9.8	1	4.5	1	5.0
Perinatal	-	-	-	-	1	4.5	-	-
<b>Regional Totals</b>	<b>29</b>	<b>100.0</b>	<b>51</b>	<b>100.0</b>	<b>22</b>	<b>100.0</b>	<b>20</b>	<b>100.0</b>

	Region 6	Region 7	Region 8	Region 9
No Reported Risk	5	7	8	8

**Persons Diagnosed with P&S Syphilis**  
**Regions 1-5**  
**January - September 2022**

	Region 1		Region 2		Region 3		Region 4		Region 5	
	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Gender</b>										
Male	71	74.7	75	61.5	27	71.1	41	53.9	17	73.9
Female	22	23.2	45	36.9	10	26.3	34	44.7	6	26.1
Trans women	1	1.1	2	1.6	1	2.6	1	1.3	-	-
Trans men	1	1.1	-	-	-	-	-	-	-	-
<b>Age at Diagnosis</b>										
13-24	21	22.1	37	30.3	10	26.3	16	21.1	8	34.8
25-34	39	41.1	42	34.4	14	36.8	22	28.9	5	21.7
35-44	18	18.9	25	20.5	10	26.3	23	30.3	7	30.4
45+	17	17.9	18	14.8	4	10.5	15	19.7	3	13.0
<b>Race/Ethnicity</b>										
Asian/PI	-	-	-	-	-	-	1	1.3	-	-
Black, NH	65	68.4	94	77.0	18	47.4	32	42.1	9	39.1
Hispanic/Latinx	3	3.2	2	1.6	1	2.6	1	1.3	-	-
Multi-race	5	5.3	8	6.6	1	2.6	4	5.3	2	8.7
White, NH	22	23.2	17	13.9	16	42.1	37	48.7	12	52.2
Unknown	-	-	1	0.8	2	5.3	1	1.3	-	-
<b>Regional Totals</b>	<b>95</b>	<b>100.0</b>	<b>122</b>	<b>100.0</b>	<b>38</b>	<b>100.0</b>	<b>76</b>	<b>100.0</b>	<b>23</b>	<b>100.0</b>

	Region 1		Region 2		Region 3		Region 4		Region 5	
<i>Cases with a Reported Risk*</i>	No.	%	No.	%	No.	%	No.	%	No.	%
FSF	4	4.9	1	1.0	3	8.6	3	4.5	0	0.0
GBM	37	45.7	24	23.1	16	45.7	16	24.2	7	41.2
GBM/PWID	3	3.7	1	1.0	0	0.0	1	1.5	0	0.0
HRH	18	22.2	17	16.3	4	11.4	15	22.7	1	5.9
Heterosexual contact	27	33.3	66	63.5	15	42.9	36	54.5	6	35.3
Illegal drug use (all types)	31	38.3	28	26.9	15	42.9	13	19.7	7	41.2
Incarceration	3	3.7	6	5.8	4	11.4	4	6.1	3	17.6
PWID	6	7.4	2	1.9	1	2.9	2	3.0	1	5.9
Trans women - sex with men	5	6.2	5	4.8	5	14.3	5	7.6	5	29.4
Trans women - sex with men/PWID	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transactional sex	10	12.3	7	6.7	1	2.9	7	10.6	2	11.8

	Region 1	Region 2	Region 3	Region 4	Region 5
No Reported Risk	14	18	3	10	6

\* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

**Persons Diagnosed with P&S Syphilis**  
**Regions 6-9**  
**January - September 2022**

	Region 6		Region 7		Region 8		Region 9	
	No.	%	No.	%	No.	%	No.	%
<b>Gender</b>								
Male	58	61.7	58	65.9	30	58.8	45	66.2
Female	35	37.2	29	33.0	21	41.2	23	33.8
Trans women	1	1.1	1	1.1	-	-	-	-
<b>Age at Diagnosis</b>								
13-24	19	20.2	22	25.0	22	43.1	22	32.4
25-34	33	35.1	30	34.1	19	37.3	23	33.8
35-44	23	24.5	23	26.1	5	9.8	12	17.6
45+	19	20.2	13	14.8	5	9.8	11	16.2
<b>Race/Ethnicity</b>								
Black, NH	37	39.4	57	64.8	44	86.3	30	44.1
Hispanic/Latinx	5	5.3	1	1.1	-	-	1	1.5
Multi-race	2	2.1	3	3.4	1	2.0	3	4.4
White, NH	45	47.9	27	30.7	6	11.8	29	42.6
Unknown	5	5.3	-	-	-	-	5	7.4
<b>Regional Totals</b>	<b>94</b>	<b>100.0</b>	<b>88</b>	<b>100.0</b>	<b>51</b>	<b>100.0</b>	<b>68</b>	<b>100.0</b>

	Region 6		Region 7		Region 8		Region 9	
<i>Cases with a Reported Risk*</i>	No.	%	No.	%	No.	%	No.	%
FSF	10	12.2	4	4.9	0	0.0	2	3.4
GBM	17	20.7	28	34.1	7	14.0	20	34.5
GBM/PWID	3	3.7	0	0.0	0	0.0	0	0.0
HRH	33	40.2	20	24.4	17	34.0	16	27.6
Heterosexual contact	34	41.5	39	47.6	25	50.0	22	37.9
Illegal drug use (all types)	40	48.8	39	47.6	23	46.0	20	34.5
Incarceration	20	24.4	8	9.8	10	20.0	6	10.3
PWID	11	13.4	5	6.1	0	0.0	1	1.7
Trans women - sex with men	5	6.1	5	6.1	5	10.0	5	8.6
Trans women - sex with men/PWID	0	0.0	0	0.0	0	0.0	0	0.0
Transactional sex	11	13.4	2	2.4	3	6.0	0	0.0

	Region 6	Region 7	Region 8	Region 9
No Reported Risk	12	6	1	10

\* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

***Persons Diagnosed with Early non-P&S Syphilis***  
***Regions 1-5***  
***January - September 2022***

	<b>Region 1</b>		<b>Region 2</b>		<b>Region 3</b>		<b>Region 4</b>		<b>Region 5</b>	
	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Gender</b>										
Male	66	75.9	50	70.4	18	56.3	39	61.9	1	50.0
Female	17	19.5	18	25.4	14	43.8	21	33.3	1	50.0
Trans women	4	4.6	3	4.2	-	-	3	4.8	-	-
<b>Age at Diagnosis</b>										
13-24	10	11.5	20	28.2	10	31.3	13	20.6	1	50.0
25-34	35	40.2	28	39.4	15	46.9	27	42.9	1	50.0
35-44	23	26.4	14	19.7	1	3.1	11	17.5	-	-
45+	19	21.8	9	12.7	6	18.8	12	19.0	-	-
<b>Race/Ethnicity</b>										
American Indian	-	-	-	-	1	3.1	-	-	-	-
Asian/PI	-	-	-	-	-	-	1	1.6	-	-
Black, NH	57	65.5	61	85.9	18	56.3	29	46.0	-	-
Hispanic/Latinx	6	6.9	-	-	-	-	2	3.2	-	-
Multi-race	5	5.7	3	4.2	2	6.3	2	3.2	-	-
White, NH	19	21.8	7	9.9	11	34.4	27	42.9	2	100.0
Unknown	-	-	-	-	-	-	2	3.2	-	-
<b>Regional Totals</b>	<b>87</b>	<b>100.0</b>	<b>71</b>	<b>100.0</b>	<b>32</b>	<b>100.0</b>	<b>63</b>	<b>100.0</b>	<b>2</b>	<b>100.0</b>

	<b>Region 1</b>		<b>Region 2</b>		<b>Region 3</b>		<b>Region 4</b>		<b>Region 5</b>	
<b>Cases with a Reported Risk*</b>	No.	%	No.	%	No.	%	No.	%	No.	%
FSF	3	3.8	0	0.0	1	3.2	1	1.9	0	0.0
GBM	50	63.3	30	55.6	13	41.9	19	35.8	1	100.0
GBM/PWID	1	1.3	0	0.0	0	0.0	0	0.0	0	0.0
HRH	11	13.9	6	11.1	6	19.4	2	3.8	0	0.0
Heterosexual contact	22	27.8	23	42.6	14	45.2	31	58.5	0	0.0
Illegal drug use (all types)	18	22.8	11	20.4	7	22.6	7	13.2	0	0.0
Incarceration	5	6.3	2	3.7	1	3.2	4	7.5	0	0.0
PWID	1	1.3	1	1.9	2	6.5	1	1.9	0	0.0
Trans women - sex with men	5	6.3	5	9.3	5	16.1	5	9.4	5	500.0
Trans women - sex with men/PWID	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transactional sex	3	3.8	0	0.0	0	0.0	4	7.5	0	0.0

	<b>Region 1</b>	<b>Region 2</b>	<b>Region 3</b>	<b>Region 4</b>	<b>Region 5</b>
<b>No Reported Risk</b>	<b>8</b>	<b>17</b>	<b>1</b>	<b>10</b>	<b>1</b>

\* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

**Persons Diagnosed with Early non-P&S Syphilis**  
**Regions 6-9**  
**January - September 2022**

	Region 6		Region 7		Region 8		Region 9	
	No.	%	No.	%	No.	%	No.	%
<b>Gender</b>								
Male	24	57.1	35	59.3	20	62.5	20	66.7
Female	18	42.9	23	39.0	12	37.5	9	30.0
Trans women	-	-	1	1.7	-	-	1	3.3
<b>Age at Diagnosis</b>								
13-24	9	21.4	10	16.9	9	28.1	7	23.3
25-34	15	35.7	25	42.4	10	31.3	15	50.0
35-44	15	35.7	11	18.6	6	18.8	3	10.0
45+	3	7.1	13	22.0	7	21.9	5	16.7
<b>Race/Ethnicity</b>								
Asian/PI	-	-	-	-	-	-	1	3.3
Black, NH	18	42.9	31	52.5	22	68.8	11	36.7
Hispanic/Latinx	3	7.1	1	1.7	-	-	4	13.3
Multi-race	1	2.4	3	5.1	-	-	2	6.7
White, NH	20	47.6	23	39.0	9	28.1	12	40.0
Unknown	-	-	1	1.7	1	3.1	-	-
<b>Regional Totals</b>	<b>42</b>	<b>100.0</b>	<b>59</b>	<b>100.0</b>	<b>32</b>	<b>100.0</b>	<b>30</b>	<b>100.0</b>

	Region 6		Region 7		Region 8		Region 9	
<i>Cases with a Reported Risk*</i>	No.	%	No.	%	No.	%	No.	%
FSF	2	5.3	4	7.3	0	0.0	0	0.0
GBM	11	28.9	16	29.1	5	17.9	12	44.4
GBM/PWID	0	0.0	0	0.0	0	0.0	0	0.0
HRH	3	7.9	13	23.6	6	21.4	5	18.5
Heterosexual contact	25	65.8	24	43.6	17	60.7	13	48.1
Illegal drug use (all types)	7	18.4	24	43.6	9	32.1	2	7.4
Incarceration	4	10.5	9	16.4	7	25.0	1	3.7
PWID	2	5.3	5	9.1	3	10.7	0	0.0
Trans women - sex with men	5	13.2	5	9.1	5	17.9	5	18.5
Trans women - sex with men/PWID	0	0.0	0	0.0	0	0.0	0	0.0
Transactional sex	1	2.6	10	18.2	1	3.6	1	3.7
	Region 6		Region 7		Region 8		Region 9	
No Reported Risk	4		4		4		3	

\* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

## **COVID-19 among Persons Living with HIV Louisiana**

From March 2020 - November 14, 2022, 5,963 persons living with HIV in Louisiana have been diagnosed with COVID-19. Among those who have been co-infected with HIV and COVID-19, 195 are deceased due to any cause of death. The table below shows demographic data for the 5,768 living, co-infected individuals. These values reflect the number of unique individuals diagnosed with COVID-19, not the number of positive tests.

	No.	%
<b>Gender</b>		
<i>Male</i>	3,562	61.8
<i>Female</i>	2,112	36.6
<i>Trans women</i>	93	1.6
<i>Trans men</i>	1	0.0
<b>Current Age</b>		
<i>0-12</i>	295	5.1
<i>13-19</i>	236	4.1
<i>20-24</i>	372	6.4
<i>25-29</i>	508	8.8
<i>30-34</i>	667	11.6
<i>35-39</i>	636	11.0
<i>40-44</i>	648	11.2
<i>45-49</i>	562	9.7
<i>50-54</i>	507	8.8
<i>55-59</i>	543	9.4
<i>60+</i>	794	13.8
<b>Race/Ethnicity</b>		
<i>American Indian</i>	10	0.2
<i>Asian/PI</i>	9	0.2
<i>Black, NH</i>	4,302	74.6
<i>Hispanic/Latinx</i>	209	3.6
<i>Multi-race</i>	59	1.0
<i>White, NH</i>	1,178	20.4
<i>Unknown</i>	1	0.0
<b>Current Region</b>		
<i>Region 1</i>	1,746	30.3
<i>Region 2</i>	1,452	25.2
<i>Region 3</i>	249	4.3
<i>Region 4</i>	505	8.8
<i>Region 5</i>	248	4.3
<i>Region 6</i>	246	4.3
<i>Region 7</i>	585	10.1
<i>Region 8</i>	353	6.1
<i>Region 9</i>	384	6.7
<b>Total</b>	<b>5,768</b>	<b>100.0</b>

Show your Support for  
People Living with HIV



#RockTheRibbon

## Around the World



In 2021, an estimated **38 million** people were **living with HIV**.



Since the start of the epidemic, an estimated **40.1 million** people have **died from an AIDS-related illness**.



An estimated **1.5 million** people were **diagnosed with HIV** in 2021, a **32% decrease** since 2010.

## HIV & AIDS in the United States

- There are over 1 million Americans living with HIV.
- In 2020, nearly 31,000 people were diagnosed with HIV.
- In 2020, over 14,000 people were diagnosed with AIDS.

**The HIV epidemic affects some groups of people more than others, including:**



**Black & Hispanic/Latinx People**



**Gay & Bisexual Men**



**Persons Living in the Southern United States**

**There are many factors that contribute to a person's risk for HIV and their overall health. Some of these factors include:**



**Education**



**Access to Healthcare**



**Stigma & Discrimination**



**Employment**



**Supportive Family & Community**



**Safe & Stable Housing**

**Finding ways to make sure people can access quality health services is important for the health of all people.**



# HIV and AIDS in Louisiana



In 2021 there were **903 new HIV diagnoses in Louisiana.**

It is estimated that **1 in 6** people living with HIV in Louisiana are **undiagnosed** and **do not know their HIV status.**



In 2021, there were **22,326 people living with HIV** in Louisiana.

**Over half** of people living with HIV had a prior **AIDS diagnosis.**


## Among persons living with HIV in 2021...



**2 in 3** were Black



**70%** were male



**Over half** were over 45 years old

## How YOU can prevent HIV transmission:

If you are living with HIV, **take your HIV medicine** to stay healthy & reduce the risk of passing HIV on to a partner.



Know your status and your partner's status. **Get tested for HIV.**



**Avoid sharing needles** and other injecting equipment.




If you are HIV-negative, ask your doctor about **PrEP**. **The daily pill to prevent HIV.**



Use **condoms** correctly every time you have oral, anal, or vaginal sex.



**Get tested and treated** for other sexually transmitted diseases (STDs).



For more information on HIV and testing locations near you visit: [lahhub.org](http://lahhub.org)