

Attachment RT-3.1 (maintain on-site)

Test Device Temperature Log

Testing Site: _____ City: _____

Testing Kits Location: _____

Type of Rapid Test Kits: Determine Insti Syphilis Health Check Rapid HCV

The high and low temperatures of the test kit storage area should be recorded using a digital thermometer with a temperature range memory that will display the warmest and coolest temperatures reached in the storage area in-between checks.

If temperature falls outside the allowable range, notify quality assurance coordinator immediately.

Allowable Temp Range:	from: ___ degrees F	to: ___ degrees F
-----------------------	---------------------	-------------------

Daily Temperature Record for Month: _____ Year: _____

Date	Low	High	Initial	Date	Low	High	Initial
1				16			
2				17			
3				18			
4				19			
5				20			
6				21			
7				22			
8				23			
9				24			
10				25			
11				26			
12				27			
13				28			
14				29			
15				30			
				31			

Note any incidents and corrective actions taken below:

Corrective Action

Date:	

Quality Assurance Coordinator _____ Date: _____

Attachment RT-3.2 (maintain on-site)

Control Kit Temperature Log

Testing Site: _____ City: _____

Control Kits location: _____

Type of Rapid Test Control Kits: Determine Insti Syphilis Health Check Rapid HCV

The high and low temperatures of the control kit storage refrigerator should be recorded using a digital thermometer with a temperature range memory that will display the warmest and coolest temperatures reached in the refrigerator in between checks.

If temperature falls outside the allowable range, notify quality assurance coordinator immediately.

Allowable Temp Range:	from: ____ degrees F	to: ____ degrees F
-----------------------	----------------------	--------------------

Daily Temperature Record for Month: _____ Year: _____

Date	Low	High	Initial	Date	Low	High	Initial
1				16			
2				17			
3				18			
4				19			
5				20			
6				21			
7				22			
8				23			
9				24			
10				25			
11				26			
12				27			
13				28			
14				29			
15				30			
				31			

Note any incidents and corrective actions taken below:

Corrective Action

date:	

Quality Assurance Coordinator _____ Date: _____

Attachment RT-3.3 (maintain on-site)

Daily Rapid Test Log

Test Site: _____ Date of Testing: _____
 (note the lot number from the test kit package, not the outer box or shipment materials)

Types of Rapid Test: Determine, Insti, Syphilis Health Check, Rapid HCV

Type of Rapid Test	Rapid Lab Counselor #	HIV Test form Number	Room Temperature	Time Test Started	Time Test Result Read	Rapid Test Result	Date Client Notified	Lot Number of Test Kit	Test Kit Expiration Date
						<input type="checkbox"/> Positive <input type="checkbox"/> Ag <input type="checkbox"/> Ab <input type="checkbox"/> Negative <input type="checkbox"/> Invalid			
						<input type="checkbox"/> Positive <input type="checkbox"/> Ag <input type="checkbox"/> Ab <input type="checkbox"/> Negative <input type="checkbox"/> Invalid			
						<input type="checkbox"/> Positive <input type="checkbox"/> Ag <input type="checkbox"/> Ab <input type="checkbox"/> Negative <input type="checkbox"/> Invalid			
						<input type="checkbox"/> Positive <input type="checkbox"/> Ag <input type="checkbox"/> Ab <input type="checkbox"/> Negative <input type="checkbox"/> Invalid			
						<input type="checkbox"/> Reactive <input type="checkbox"/> Ag <input type="checkbox"/> Ab <input type="checkbox"/> Negative <input type="checkbox"/> Invalid			
						<input type="checkbox"/> Positive <input type="checkbox"/> Ag <input type="checkbox"/> Ab <input type="checkbox"/> Negative <input type="checkbox"/> Invalid			

Quality Assurance Coordinator: _____ Date: _____

Attachment RT-3.4 (maintain on site)

Control Kit Log

Test Site: _____

Month/Year: _____

Control Lot #: _____

Manufacturer's Expiration Date: _____

Date Kits Opened: _____

Type of Kit Controls: Determine, Insti, Syphilis Health Check, Rapid HCV

Type of Kit Controls	Date	Counselor #	NEG	HIV-1	HIV-2	Antigen	Syphilis	HCV	Reason for running controls
			<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	
			<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	
			<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	
			<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	
			<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	
			<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	
			<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	
			<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	
			<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	
			<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	

Quality Assurance Coordinator: _____ Date: _____

Possible reasons for running controls: New Shipment, New Lot Number, Storage or Operating Temperature Out of Range, Arrived at Outreach Location, Facility Protocol

Attachment RT-3.5 (to be completed by Regional Coordinator and submitted as needed)

<p style="text-align: center;">HIV Prevention Counseling, Testing and Referral (CTR) Rapid Site Assessment and Registration Form</p>

**All sites, whether fixed or mobile, must be registered with OPH SHP.
Please allow four (4) weeks for processing.**

Type of Request (check one): **New Site** **Update Existing Site** **Drop Site**

Contact Information (Agency conducting CTR):

Agency: _____

Mailing Address: _____

City, State, Zip: _____

OPH Region: _____ Parish: _____

Phone Number: _____ Fax Number: _____

E-Mail Address: _____ CLIA Certificate #: _____

Is this agency conducting HIV tests as a part of the new CDC initiative? Yes _____ No _____

Executive Director Information:

Name: _____

Mailing Address: _____

City, State, Zip: _____

Phone Number: _____ Fax Number: _____

Executive Director's Email: _____

Prevention Manager Information:

Name: _____

Mailing Address: _____

City, State, Zip: _____

Phone Number: _____ Fax Number: _____

Prevention Manager's Email: _____

Quality Assurance Coordinator Information:

Name: _____

Mailing Address: _____

City, State, Zip: _____

Phone Number: _____ Fax Number: _____

Quality Assurance Coordinator's Email: _____

Site Information (location where CTR will be conducted):

Name of Site: _____

Site Address: _____

City, State, Zip: _____

Phone Number: _____ Fax Number: _____

Detailed Description of Site Type (i.e. clientele, hours of operation, services offered): _____

Detailed Description of Test Set-Up(i.e. how will confidentiality be assured, where in the building will testing happen, etc: _____

Type of Testing Requested (check all that apply):

Rapid Testing: _____ OraSure Blood (lab)

Date: _____

Observed by: _____

Check appropriate assessment of testing site:

- Work space to process test: Acceptable Conditional (describe) Unacceptable
- Confidential setting: Acceptable Conditional (describe) Unacceptable
- Cleanliness: Acceptable Conditional (describe) Unacceptable
- Lighting: Acceptable Conditional (describe) Unacceptable
- Temperature control: Acceptable Conditional (describe) Unacceptable
- Supply storage: Acceptable Conditional (describe) Unacceptable
- Hand washing station: Acceptable Conditional (describe) Unacceptable
- Record keeping: Acceptable Conditional (describe) Unacceptable
- Waiting area: Acceptable Conditional (describe) Unacceptable

Notations: _____

For Office Use Only: Date request received: _____ Date visited: _____

Recommendation: _____

SHP Coordinator Initials: _____ CTR Supervisor's Initials: _____ Date logged into database: _____

<p>Approved for: <input type="checkbox"/> HIV Rapid Testing: Primary Test _____ Second Test _____</p> <p><input type="checkbox"/> SHC <input type="checkbox"/> HCV <input type="checkbox"/> Whole Blood (lab) Site #: _____ Parent Site #: _____</p>

Attachment RT-3.6 (submit to SHP as needed)

**Quality Assurance Coordinator
Registration/Designation Form**

All Agencies conducting Rapid HIV Testing in Louisiana must designate and register a Quality Assurance Coordinator. The Quality Assurance Coordinator should be a person with significant experience conducting rapid testing (6 months experience and a minimum of 200 rapid tests conducted) and familiar with storage and operating procedures/requirements of the rapid testing device(s) used at their agency.

Submit to HAP immediately whenever the designated Quality Assurance Coordinator changes or when updates/changes to his/her contact information occur.

Rapid Testing Site: _____ Site Number: _____

Date Form Submitted: _____ Submitter: _____

Reason for Submission:

- _____ Newly Designated Quality Assurance Coordinator
- _____ Change in Quality Assurance Coordinator's contact information
- _____ Other, specify below:

About the Designated Quality Assurance Coordinator:

Name*:	_____
Title*:	_____
Work Address*:	_____

Counselor Number*:	_____
Work Phone*:	(____) _____
Cell:	(____) _____
Alternate Phone	(____) _____
Work Email*:	_____
Alternate Email:	_____
Number of Months/Years Experience with Rapid Testing: _____	
<small>*Areas marked with an asterisk are required fields</small>	

**Fax completed form to (504) 568-7044
Attention CTR Supervisor**

Attachment RT-3.7 (maintain on site – for information only)

Steps to Prevention Counseling and Rapid Testing Certification

Steps for Obtaining a Counselor Number:

1. Attend a combined HIV, Syphilis, and Hepatitis C Prevention Counseling and Rapid Testing course in its entirety and leave with a certificate of participation.
2. After completing the HIV, Syphilis, and Hepatitis C Prevention Counseling and Rapid Testing training and receiving a certificate of completion, there are two additional steps. First, a written test covering HIV, syphilis, and HCV prevention counseling, rapid testing skills, and protocol/paperwork must be passed. The dates, locations, and method of signing up for a class are outlined on www.louisianahealthhub.org. Secondly, all persons must practice the finger stick procedure (collecting the blood but NOT running an HIV or SHC test) two times in addition to observing at least two CTR sessions with an existing certified CTR counselor. Thirdly, all persons conducting CTR must successfully complete an observation session with the Regional Prevention Coordinator or other SHP Prevention staff as arranged by the Prevention Coordinator. Each person has two opportunities to pass the written test and the counselor observation. If the person fails either the test or the observation twice, they must go through the entire process again, beginning with training. Also, the written test must be passed before the observation can be scheduled. If, during the observation session, more than two lancets are required to perform the test, which will result in an automatic failure of that observation.
3. Once the SHP Training Coordinator assigns a unique counselor number to the counselor, they are fully certified and may conduct CTR.

Steps for Registering a Rapid Testing Site:

1. Regional HIV Coordinator must conduct a site visit and make their recommendation on the site assessment and registration form. This form will then be given to the CTR Supervisor.
2. If the site is favorably observed, CTR Supervisor will assign a site number and mail a certificate with this number on it. A copy of this certificate must be kept on the site premises at all times.

Please Note: Meeting all counselor requirements does not automatically qualify your agency for site approval. Meeting all site requirements does not automatically qualify your agency for funding or free testing materials.

Attachment RT-3.8 (maintain on site-for information only)

Louisiana HIV Prevention Counseling and Rapid Testing Service Delivery Model

Step 1a - Introduce and Orient the Client to the Session

- Introduce yourself to the client.
- Assess client's readiness to receive the results on the same day.
- Offer options for testing (conventional or rapid) including HIV, syphilis and hepatitis c.
- Describe the testing process, what type of specimen will be collected, how long the whole process will take, and what each of the three possible results mean.
- Explain to client that if a preliminary positive result is received, a confirmatory test should be conducted. The only exception is if Determine shows an antigen only positive.
- Address Partner Services, including informing the client that if results come back positive, a DIS will contact them to offer additional services.
- Offer anonymous and confidential options, and explain what each mean.
- Obtain Informed Consent.
- Provide appropriate subject information pamphlet for the rapid test being conducted.

Step 1b – Administer the Rapid Test

- Follow applicable universal precautions
- Clearly label the test device being used
- Demonstrate/facilitate specimen collection
- Start Timer

Step 2 – Identify Risk Behaviors and Circumstances

- Engage client in a discussion of risk behavior
- Assess client's previous experience with HIV testing and knowledge about HIV & STDs
- Complete all but results section of HIV Test Form-Part 1

Step 3a – Identify Safer Goal Behaviors

- Give client information on relevant risk and harm reduction strategies
- Use relevant information pamphlets, brochures and/or brief videos
- Have client explain what he/she can do to reduce risk
- Assessing client readiness to receive results can continue up until the timer goes off
- Allow time for client to process and respond

Step 3b – Interpret and Deliver the Test Result (after appropriate time as elapsed)

- Follow applicable universal precautions for handling rapid testing materials
- Interpret Test Result (use a second reviewer if needed and client is not present)
- Return to client and give the results immediately in a simple and direct fashion
- Allow time for client to process and respond

Step 4 – Develop Risk Reduction/Action Plan (can be initiated prior to delivery of test results but should be modified, as needed, after results are provided)

- Based on the results of the test and the client's risk profile, assist the client in developing an action plan to further protect their health and the health of their partners.
- Document risk reduction plan in client's file

Step 5 – Offer Referrals and Provide Support (can be initiated prior to delivery of test results but should be modified, as needed, after results are provided)

- Make appropriate referrals and negotiate plans to follow up with the client

Step 6 – Summarize and Close the Session

Attachment RT-3.9 (maintain on site-for information only)

Louisiana Office of Public Health HIV Prevention Counseling and Rapid Testing Skills Observation Form

All HIV prevention counselors and all prospective counselors conducting rapid HIV testing must submit a favorable observation prior to performing rapid testing on patients/clients. Counselors must be re-observed at least once per year thereafter and copies of all observation forms must be maintained in the counselor's personnel file.

Name of Counselor:		Date Trained:		Point Scale: 0 = not done 5 = deficient 10 = proficient	
Date and Time of Observation:		Location of Observation:			
FIRST: Conduct verbal test result quiz with prospective counselor and observe if they ask the client if they have ever tested positive for HIV, syphilis or hepatitis c: PASS or FAIL (circle one) If the counselor passed, continue with observation, if they failed then stop here.					
				Score	Comments
Counseling Skills-Before Rapid Test Is Run					
1. Counselor carefully explained rapid testing and potential results.					
2. Counselor carefully explained confidential and anonymous testing					
3. Counselor obtained written informed consent.					
4. Counselor addressed partner services and DIS					
5. Counselor gave client subject information pamphlet.					
6. Counselor assessed whether client was ready to receive results that day.					
Counseling Skills-While Rapid Test is Running					
7. Counselor identified client's risk(s) behaviors & reviewed transmission routes.					
8. Counselor identified client's safer goal behaviors(s).					
9. Counselor mainly used non-judgmental language and tone in speaking with client.					
10. Counselor asked the client open-ended questions.					
11. Counselor maintained strong eye contact and positive body language.					
12. Counselor offered options and did not give directives.					
Counseling Skills-After Rapid Test has Run					
13. Counselor accurately communicated result to client					
14. Counselor allowed time for client to understand result.					
15. Counselor made appropriate referrals (one to medical care if prelim. pos).					
16. Counselor documented and reviewed a risk reduction plan.					
17. Counselor identified date of last exposure and reviewed the window period, including possible retesting if client was negative.					
18. Counselor discussed client needs if result is preliminary positive.					
19. Counselor accurately completed HIV Test Form-Part 1 (and Part 2 if prelim pos).					

Rapid Test Lab Operation Skills		
20. Counselor set up lab space and labeled devices properly.		
21. Counselor adhered to all Universal Precautions.		
22. Counselor carefully instructed/demonstrated how to collect specimen and run the test properly. Counselor did not use more than 2 lancets per test device.		
23. Counselor did not contaminate specimen or device.		
24. Counselor did not move test during processing.		
25. Counselor timed the processing accurately.		
26. Counselor accurately interpreted and documented test result		
27. Counselor recapped all used vials and disposed of used testing supplies in a biohazard container.		

Scoring Required to Pass:

-Each section requires 85% correct to pass, and for those items in bold and underlined a score of 10 (adequate) is required. The break down for each section is as follows:

Counseling Skills-Before the Rapid Test is Run = 70 points possible, 60 needed to pass

Counseling Skills-While Rapid Test is Running = 60 points possible, 50 needed to pass

Counseling Skills-After Rapid Test has Run = 70 points possible, 60 needed to pass

Rapid Test Lab Operation Skills = 80 points possible, 65 needed to pass

Regardless of the scoring above, more than two attempts at fingerstick will result in failure to pass the observation.

Name of Person Conducting Observation: _____
 Name of person conducting this observation Counselor #

Affiliation of Observer to Counselor (i.e. supervisor, regional coordinator) _____

Signature and Date of Observer Named Above: _____
 Signature Date

Write in below the complete physical mailing address where Counselor Certificate should be mailed:

Name of Organization: _____

Street Address: _____ City, State, ZIP: _____

Attachment RT-3.10 (maintain on site-for information only)

**Louisiana HIV Prevention Counseling, Rapid Testing and Referral Services
Quality Assurance Site Visit Assessment**

This form should be completed on the first day of the quality assurance site visit.

SECTION I. Agency Information

Assessment Period _____

1. Agency Name _____

2. Name and Title of Supervisor/QA Coordinator _____

3. CLIA Waiver Number _____ Expiration Date _____

4. Is CLIA Waiver displayed properly? Yes No

5. Type of Rapid Tests In Use: _____

6. Describe the location where rapid test kits are stored:

7. Are Test Device Temperature Logs Maintained on site? Yes No

8. How is the temperature of stored testing devices monitored:

9. Review the Test Device Temperature Logs for missing entries, days when temperature was out of range, and any corrective actions taken. Record in the table below.

Date	Describe Problem/Issue	Describe Action Taken (if any)

10. Describe where Rapid Testing Controls are stored:

11. Are Rapid Testing Control Logs Maintained on site? Yes No

12. How is the temperature of control kits monitored?

13. Review the Control Kit Temperature Logs for missing entries, days when temperature was out of range, and any corrective actions taken. Record in the table below.

Date	Describe Problem/Issue	Describe Action Taken (if any)

14. Are Daily Test Logs maintained on site? Yes No

15. How well does the site document risk reduction plans in client charts? (review at least 10 charts and indicate what percentage had documented risk reduction plans). _____

16. Are client files maintained appropriately? Yes No

SECTION II. – Comments/Notes/Concerns about rapid testing site.

Use this remainder of this page and the back if needed to make notes about the site’s overall rapid testing policies, any additional concerns, and adherences to SHP protocol.

Louisiana Department of Health Confidential Report of Sexually Transmitted Diseases (STD)

PROVIDER INFORMATION

Name of Provider:	Phone: () -	Fax Number: () -
Facility Name:	Email:	
Address:	City:	State: Zip

Name of Person Reporting:	Position:
---------------------------	-----------

PATIENT INFORMATION

Patient Medical Rec. #:	Insurance : <input type="checkbox"/> Private <input type="checkbox"/> Medicaid <input type="checkbox"/> Unknown <input type="checkbox"/> None	
First Name:	Middle Initial: Last Name:	
Address:	City: State: Zip	
Patient Hm Ph: () -	Patient Wk Ph: () - Patient Cell Ph: () -	
DOB (MM/DD/YYYY) / /	SSN: - - Emergency Contact:	
Sex at Birth: <input type="checkbox"/> Male <input type="checkbox"/> Female	Gender: <input type="checkbox"/> Male <input type="checkbox"/> Female <input type="checkbox"/> Transgender Male-to-Female <input type="checkbox"/> Transgender Female-to-Male	Pregnant: <input type="checkbox"/> Yes, Expected Delivery Date: / / <input type="checkbox"/> No <input type="checkbox"/> Unknown
Race: <input type="checkbox"/> White <input type="checkbox"/> Black <input type="checkbox"/> Asian/Pacific Islander <input type="checkbox"/> American Indian/Alaskan Native <input type="checkbox"/> Other/Unknown		
Ethnicity: <input type="checkbox"/> Hispanic <input type="checkbox"/> Non- Hispanic Marital Status: <input type="checkbox"/> Single <input type="checkbox"/> Married <input type="checkbox"/> Partner <input type="checkbox"/> Divorced <input type="checkbox"/> Widowed		
Gender of Partner(s): <input type="checkbox"/> Male <input type="checkbox"/> Female <input type="checkbox"/> Transgender Male-to-Female <input type="checkbox"/> Transgender Female-to-Male <input type="checkbox"/> Unknown		

<p>CHLAMYDIA</p> <input type="checkbox"/> Urogenital (Urine, cervical, etc.) <input type="checkbox"/> Oral/ Pharyngeal <input type="checkbox"/> Rectal <input type="checkbox"/> Ophthalmia neonatorum <input type="checkbox"/> Proctitis <input type="checkbox"/> Pelvic Inflammatory Disease (PID) <input type="checkbox"/> Pneumonia <input type="checkbox"/> Other (specify): _____	<p>Test(s)Conducted:</p> <input type="checkbox"/> Culture <input type="checkbox"/> NAAT <input type="checkbox"/> Nucleic Acid Probe <input type="checkbox"/> Point of Care Test <input type="checkbox"/> Other (specify): _____	<p>Recommended Treatment:</p> <input type="checkbox"/> Azithromycin 1g orally in a single dose OR Doxycycline 100 orally 2x/day for 7 days <u>Alternative:</u> <input type="checkbox"/> Erythromycin base 500 mg orally 4x/day for 7days OR Erythromycin ethylsuccinate 800 mg orally 4x/day for 7days OR Levofloxacin 500 mg orally 1x/day for 7 days OR Ofloxacin 300mg orally 2x/day for 7 days <u>If Pregnant :</u> <input type="checkbox"/> Azithromycin 1 g orally in a single dose <input type="checkbox"/> Amoxicillin 500 mg orally 3x/day for 7 days OR Erythromycin base 500mg orally 4x/day for 7 days OR Erythromycin base 250 mg orally 4x/day for 14 days OR Erythromycin ethylsuccinate 800 mg orally 4x/day for 7 days OR Erythromycin ethylsuccinate 800 mg orally 4x/day for 14 days
<p>Date of Specimen Collection: ____/____/____</p> <p>Date Treatment Administered: ____/____/____</p> <p>Date of prescription given: ____/____/____</p> <p>Name of Testing Laboratory: _____</p>		

<p>GONORRHEA</p> <input type="checkbox"/> Urogenital (Urine, cervical, etc.) <input type="checkbox"/> Oral/Pharyngeal <input type="checkbox"/> Rectal <input type="checkbox"/> Disseminated Gonococcal Infection (DGI) <input type="checkbox"/> Ophthalmia neonatorum <input type="checkbox"/> Resistant Strain <input type="checkbox"/> Proctitis <input type="checkbox"/> Pelvic Inflammatory Disease (PID) <input type="checkbox"/> Other (specify): _____	<p>Test(s)Conducted:</p> <input type="checkbox"/> Culture <input type="checkbox"/> NAAT <input type="checkbox"/> Nucleic Acid Probe <input type="checkbox"/> Point of Care Test <input type="checkbox"/> Other (specify): _____	<p>Recommended Treatment:</p> <input type="checkbox"/> Dual therapy with Ceftriaxone 250 mg IM in a single dose PLUS Azithromycin 1 g orally in a single dose or Doxycycline 100 mg orally twice a day for 7 days Alternatives (*Note - Only if Ceftriaxone is not available) <input type="checkbox"/> Dual therapy with Cefixime 400 mg orally PLUS Azithromycin 1g Orally or Doxycycline 100 mg orally twice a day for 7 days If cephalosporin allergic: <input type="checkbox"/> Gemifloxacin 320 mg orally PLUS Azithromycin 2 g orally OR Gentamicin 240 mg IM PLUS Azithromycin 2 g orally
<p>Date of Specimen Collection: ____/____/____</p> <p>Date Treatment Administered: ____/____/____</p> <p>Date of prescription given: ____/____/____</p> <p>Name of Testing Laboratory: _____</p>		

<p>SYPHILIS</p> <p>NOTE: Call to report [(504) 568-7474], then follow-up with form</p> <input type="checkbox"/> Primary (Genital or oral ulcer) <input type="checkbox"/> Secondary (Rashes) <input type="checkbox"/> Early non-primary non-secondary <input type="checkbox"/> Unknown duration or Late syphilis <input type="checkbox"/> Tertiary –Cardiovascular <input type="checkbox"/> Tertiary- Neurosyphilis <input type="checkbox"/> Congenital <input type="checkbox"/> Other _____	<p>Test(s) Conducted & Results:</p> <input type="checkbox"/> RPR Titer _____ <input type="checkbox"/> VDRL Titer _____ <input type="checkbox"/> MHATP _____ <input type="checkbox"/> FTA _____ <input type="checkbox"/> IgG (EIA) _____ <input type="checkbox"/> TP-PA _____ <input type="checkbox"/> Other _____	<p>Recommended Treatment:</p> <input type="checkbox"/> 2.4 million units Benzathine Penicillin G (BIC) IM X 1 dose Date Administered: ____/____/____ <input type="checkbox"/> 2.4 million units Benzathine Penicillin G (BIC) IM X 3 doses Date 1st Dose Administered: ____/____/____ <input type="checkbox"/> Doxycycline 100 mg orally twice a day for 14 days <input type="checkbox"/> Doxycycline 100 mg orally twice a day for 28 days <input type="checkbox"/> Other: _____
<p>Date of Specimen Collection: ____/____/____</p> <p>Date prescription given: ____/____/____</p> <p>Name of Testing Laboratory: _____</p>		

<p>OTHER</p> <input type="checkbox"/> Herpes Simplex Virus (Neonates) <input type="checkbox"/> Other (specify): _____	<p>Test(s) Conducted & Results:</p> <input type="checkbox"/> _____ <input type="checkbox"/> _____ <input type="checkbox"/> _____	<p>Treatment:</p> <input type="checkbox"/> _____ <input type="checkbox"/> _____
<p>Date of Specimen Collection: ____/____/____</p> <p>Name of Testing Laboratory: _____</p>		

Risk Reduction Worksheet

Thank you for participating in our HIV, syphilis, & HCV testing program. If you received a **negative** test result that means the test did not detect any HIV, syphilis, or HCV antibodies or the p24 antigen in your body. The p24 antigen can take between 1-3 months to develop if you've been exposed to HIV, so it's important that you know that you could have HIV even if you tested negative today, especially if you've been exposed in the last month and your body hasn't developed antibodies and/or antigen yet. So get tested regularly, and at least 1 month after having sex without a condom, injecting drugs, or practicing any other behaviors that could put you at risk for HIV, including coming into contact with any of the 4 bodily fluids that HIV can be transmitted through - blood, semen, vaginal fluid, and breast milk. For syphilis and HCV, it can take up to 3 months for the antibodies to reach detectable levels on rapid tests.

If you tested **preliminary positive** that means HIV, syphilis, and/or HCV antibodies and/or the p24 antigen were detected by the test, and a confirmatory test is necessary for diagnosis. Please see a medical doctor to learn the best ways to treat HIV; your counselor will help you determine where you might go for medical treatment and can tell you about other types of support available in your area.

During your counseling session today, we talked about behaviors that may put you at risk for HIV, STDs, HCV, and ways to reduce those risks. Below is a summary of your counseling session.

<u>Behaviors</u>	<u>Action Steps to Reduce Risk</u>	<u>Time Frame</u>
<input type="radio"/> Having Anal Sex <input type="radio"/> w/ condom <input type="radio"/> w/out condom		
<input type="radio"/> Having Vaginal Sex <input type="radio"/> w/ condom <input type="radio"/> w/out condom		
<input type="radio"/> Having Oral Sex <input type="radio"/> w/ condom <input type="radio"/> w/out condom		
<input type="radio"/> Sharing Needles or Injection Equipment		
<input type="radio"/> Having Sex with a Person who is HIV+ without using a condom		
<input type="radio"/> Other		

Client Signature/Initial _____

Counselor Number: _____