

#### Louisiana Department of Health and Hospitals Office of Public Health

STD/HIV Surveillance Program

#### DeAnn Gruber, PhD, LCSW

Administrative Director

#### Chaquetta Johnson, DNP, MPH

Deputy Program Director

#### Debbie Wendell, PhD, MPH

Data Management/Analysis Manager

#### Jessica Fridge, MSPH

Surveillance Program Manager

#### Javone Davis, MPH

Regional Operations Manager

#### Stephanie Taylor, MD

STD Medical Director

#### Joy Ewell

CDC Lead PHA-Louisiana

#### Editor/Production:

#### Jessica Fridge, MSPH Catherine Desmarais, MPH

#### Data Management/Analysis and Surveillance:

Tania Bechtel, HIV Data Manager

Antoine Brantley, MPH, Data Analyst

Catherine Desmarais, MPH, STD Surveillance Epidemiologist Supervisor

Mohammad Rahman, MBBS, MPH, PhD, STD Epidemiologist

William T. Robinson, Ph.D., Biostatistician

Denise Robertson, ICCR Coordinator

Josette Russell, HIV Data Entry Specialist

Lakeesha Brumfield, HIV Data Entry Specialist

Carmen Washington, HIV Data Manager

Ashley Larche, Field Operations Supervisor

Ashley Hoover, MPH, STD/HIV Perinatal Surveillance Supervisor

#### **HIV Field Epidemiologists:**

#### Betsy Shepard, PAC, MPH, Epidemiologist Supervisor

James Hubbard	Region 1	Cheryl Edney, BS MT(ASCP)	<b>Regions 4, 5, 6</b>
<b>Monica Pendelton</b>	Regions 1, 3	Gayle Norris, MA	Regions 7, 8
		Gale Terry, LPN	Regions 2, 9

#### Regional STD Supervisors:

Michael Carter	Region 1	Patrick Williams	Region 5, 6
Megan King	Region 2	Charles Jones	Region 7
<b>Javone Davis</b>	Regions 8	John Lyons	Region 3, 9
Ken May	Region 4		

#### TABLE OF CONTENTS

Contents	Page
Surveillance Summary	1
Louisiana: Persons Living with HIV Infection	3
Persons newly diagnosed with HIV and AIDS	4
Persons diagnosed with Early Syphilis	5
Parish: Persons Living with HIV Infection	6
Persons diagnosed with Early Syphilis	7
Metro New Orleans: Persons Living with HIV Infection	8
Persons newly diagnosed with HIV and AIDS	9
Persons diagnosed with Early Syphilis	10
Metro Baton Rouge: Persons Living with HIV Infection	11
Persons newly diagnosed with HIV and AIDS	12
Persons diagnosed with Early Syphilis	13
Region 1: Persons Living with HIV Infection	14
Persons newly diagnosed with HIV and AIDS	15
Persons diagnosed with Early Syphilis	16
Region 2: Persons Living with HIV Infection	17
Persons newly diagnosed with HIV and AIDS	18
Persons diagnosed with Early Syphilis	19
Region 3: Persons Living with HIV Infection	20
Persons newly diagnosed with HIV and AIDS	21
Persons diagnosed with Early Syphilis	22
Region 4: Persons Living with HIV Infection	23
Persons newly diagnosed with HIV and AIDS	24
Persons diagnosed with Early Syphilis	25
Region 5: Persons Living with HIV Infection	26
Persons newly diagnosed with HIV and AIDS	27
Persons diagnosed with Early Syphilis	28
Region 6: Persons Living with HIV Infection	29 30
Persons newly diagnosed with HIV and AIDS	31
Persons diagnosed with Early Syphilis	32
Region 7: Persons Living with HIV Infection Persons newly diagnosed with HIV and AIDS	33
Persons diagnosed with Early Syphilis	34
Region 8: Persons Living with HIV Infection	35
Persons newly diagnosed with HIV and AIDS	36
Persons diagnosed with Early Syphilis	37
Region 9: Persons Living with HIV Infection	38
Persons newly diagnosed with HIV and AIDS	39
Persons diagnosed with Early Syphilis	40
List of Figures	40
Louisiana: 10-Year Trends New HIV and New AIDS Diagnoses (2006-2015)	41
New HIV Diagnoses	71
New AIDS Diagnoses	
Louisiana: 10-Year Trends P&S Syphilis Diagnoses (2006-2015)	42
Louisiana: 8-Year Trends Early Syphilis Diagnoses (2009-2016)	42
Surveillance Quarterly Highlight: 2017 National Black HIV/AIDS Awareness Day	43

#### **Surveillance Summary**

Data in this report includes cases diagnosed with HIV Infection and reported as of December 31, 2016.

- In 2015, Louisiana ranked 2<sup>nd</sup> in the nation for HIV case rates (24.2 per 100,000 population) and 11<sup>th</sup> in the estimated number of HIV cases. The Baton Rouge MSA ranked 2<sup>nd</sup> and the New Orleans MSA ranked 3<sup>rd</sup> for HIV case rates (32.0 and 31.9 per 100,000, respectively), among the large metropolitan areas in the nation. The most recent *CDC HIV Surveillance Report* (vol. 27) was released in November 2016 and provided the 2015 rankings.
- According to the same report, Louisiana ranked **2**<sup>nd</sup> highest in state AIDS case rates (11.2 per 100,000) and **11**<sup>th</sup> in the number of estimated AIDS cases in 2015. The Baton Rouge metropolitan area ranked **2**<sup>nd</sup> in AIDS case rates (16.0 per 100,000) and the New Orleans metropolitan area ranked **4**<sup>th</sup> in AIDS case rates (14.9 per 100,000) in 2015 among the large metropolitan areas in the nation.
- In 2015, Louisiana ranked **1st** in the nation for primary and secondary (P&S) syphilis case rates (15.0 per 100,000 population) according to the 2015 *CDC STD Surveillance Report*.
- As of December 31, 2016, a total of **21,376** persons are living with HIV infection (PLWH) in Louisiana; of these individuals, **11,029** persons (52%) have an AIDS diagnosis.
- In 2015, **1,128** new HIV cases were diagnosed in Louisiana. Of these cases, **33%** (n=371) occurred in Region 1 (New Orleans) and **22%** (n=252) occurred in Region 2 (Baton Rouge).
- In 2016, a total of **1,181** persons were diagnosed with early syphilis\* in Louisiana; **681** persons were diagnosed with P&S syphilis, and **500** persons were diagnosed with early latent syphilis. Of the total early syphilis cases, **35%** (n=408) occurred in Region 1 (New Orleans) and **19%** (n=221) occurred in Region 7 (Shreveport).
- The primary risk factor for new HIV diagnoses in Louisiana is men who have sex with men (MSM). In 2015, of the persons who reported a risk factor, **64%** reported being MSM, and an additional **3%** reported being MSM and an injection drug user (IDU). As of December 31, 2016, **55%** of all people living with HIV infection in Louisiana were MSM.
- The primary risk factor for early syphilis diagnoses in Louisiana is heterosexual contact. In 2016, of the persons who reported a risk factor, 58% reported engaging in heterosexual activity, and 49% reported being MSM. *Persons could report multiple risk factors for syphilis diagnoses*.
- In Louisiana, 75% of new HIV cases, 70% of new AIDS cases, and 71% of the early syphilis diagnoses were among men.
- African Americans in Louisiana are experiencing a severe health disparity in regards to HIV and STDs. In 2015, 72% of newly diagnosed HIV cases and 74% of newly diagnosed AIDS cases were among African Americans. In 2016, 73% of early syphilis cases were among African Americans. African Americans make up only 32% of Louisiana's overall population.
- A large percentage of new HIV and syphilis diagnoses occurred among adolescents and young adults. In 2015, **26%** of all new HIV diagnoses occurred among persons 13-24 years old and an additional **33%** occurred among persons 25-34 years old. In 2016, **39%** of all early syphilis diagnoses occurred among persons 13-24 years old and an additional **36%** occurred among persons 25-34 years old.

<sup>\*</sup> A syphilis diagnosis with less than one year duration is considered to be "early syphilis." This designation covers the primary, secondary, and early latent stages of syphilis.

#### **New Quarterly Report Format:**

SHP's new quarterly report format includes P&S syphilis and early latent syphilis diagnoses for Louisiana, the New Orleans and Baton Rouge MSAs, and all nine of the public health regions. It is important to note that the time periods for the HIV and syphilis data are not equivalent. Please pay special attention to the titles above each table. There are different reporting delays and methods for HIV and syphilis which impact the timeliness of those data in this report. The 'Persons Living with AIDS' excerpts have been removed.

#### AIDS Case Definition Change – Effective for all 2014 and future AIDS Diagnoses:

Prior to 2014, the surveillance case definition for an AIDS diagnosis was: a CD4 cell count <200, a CD4 percentage <14%, or the diagnosis of an opportunistic infection (OI) such as Kaposi Sarcoma. The CDC has changed the case surveillance definition for AIDS. For all AIDS diagnoses, starting January 1, 2014, the case definition is: a CD4 cell count <200 or the diagnosis of an OI. A CD4 percent <14% is no longer part of the AIDS case definition, unless the CD4 count is not available. Previously, a person with a CD4 count of 300 but a percent of 10%, would have been defined as an AIDS case. Because that CD4 count is not below 200, that case is no longer considered a new AIDS diagnosis. If the CD4 count of 300 was not available and only the percent of 10% was available, then the case would be newly diagnosed as AIDS. This change in surveillance case definition will reduce the number of AIDS diagnoses that occur each year, starting with 2014 data.

#### **Transgender Data:**

SHP will be incorporating more transgender and gender identity data into the quarterly report. For this current report, the addition of transgender women and transgender men was incorporated into the Gender breakdown for PLWH, new diagnoses of HIV and AIDS, and new early syphilis diagnoses.

#### **Future Quarterly Report:**

First Quarter 2017 Report: Release in May 2017 HIV and AIDS diagnoses, Calendar Year 2016 P&S Syphilis and Early Latent Syphilis diagnoses, First Quarter 2017 (January-March 2017) Persons Living with HIV infection, As of March 31, 2017

Second Quarter 2017 Report: Release in August 2017
HIV and AIDS diagnoses, Calendar Year 2016 (Updated)
P&S Syphilis and Early Latent Syphilis diagnoses, First and Second Quarter 2017 (January-June 2017)
Persons Living with HIV infection, As of June 30, 2017

Third Quarter 2017 Report: Release in November 2017 HIV and AIDS diagnoses, Calendar Year 2016 (Updated) P&S Syphilis and Early Latent Syphilis diagnoses, First-Third Quarter 2017 (January-September 2017) Persons Living with HIV infection, As of September 30, 2017

Fourth Quarter 2017 Report: Release in February 2018 HIV and AIDS diagnoses, Calendar Year 2016 (Updated) P&S Syphilis and Early Latent Syphilis diagnoses, Calendar Year 2017 Persons Living with HIV infection, As of December 31, 2017

Please note: This report reflects only information reported to Louisiana's HIV/AIDS and STD surveillance systems.

#### Persons Living with HIV/AIDS Louisiana as of December 31, 2016

 $\bullet$  37,640 cumulative cases have been detected in Louisiana,

including 354 pediatric cases.

- 13,751 cumulative deaths among persons with HIV/AIDS have occurred in Louisiana, including 93 pediatric deaths.
- 21,376 persons are currently living with HIV/AIDS in Louisiana.

Persons living with HIV: 10,347 Persons living with AIDS: 11,029

#### **Gender**

	Cases	Percent
Men	14,998	70 %
Transgender Men	2	< 0.5 %
Women	6,193	29 %
Transgender Women	183	1 %
Total	21,376	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent	<del></del>	Men	Women	Total	Percent
0 - 12	55	<1 %	Black, Non-Hispanic	9,582	5,075	14,657	69 %
13 - 19	149	1 %	White, Non-Hispanic	4,630	882	5,512	26 %
20 - 24	971	5 %	Hispanic	751	174	925	4 %
25 - 29	1,996	9 %	Asian/Pacific Islander	73	14	87	<1 %
30 - 34	2,245	11 %	American Indian	32	11	43	<1 %
35 - 39	2,579	12 %	Unknown	9	2	11	<1 %
40 - 44	2,426	11 %	Multi-race	104	37	141	1 %
45 - 49	2,686	13 %	Total	15,181	6,195	21,376	100 %
50 - 54	3,089	14 %					
55 - 59	2,476	12 %					
60+	2,704	13 %					
Total	21,376	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	8,013	0	8,013	55%
Injection drug use	1,031	638	1,669	11%
Men who have sex with men and inject drugs	855	0	855	6%
Heterosexual contact	1,189	2,571	3,760	26%
Transfusion/Hemophilia	38	30	68	<1%
Confirmed Other	0	1	1	<1%
Perinatal	96	111	207	1%
Total	11,222	3,351	14,573	100%
No Identified Risk	3,959	2,844	6,803	

#### Persons Newly Diagnosed with HIV/AIDS Louisiana

#### **HIV CASES DIAGNOSED January - December 2015**

• 1,128 persons were newly diagnosed with HIV in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	844	75 %	Black, Non-Hispanic	810	72 %
Women	278	25%	White, Non-Hispanic	233	21 %
Transgender W	omen 6	0.5 %	Hispanic	63	6 %
Total	1,128	100 %	Asian/Pacific Islander	4	<1 %
			American Indian	9	1 %
			Unknown	4	<1 %
			Multi-race	5	<1 %
			Total	1,128	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	2	<1 %	Men who have sex with men	479	64 %
13 - 24	291	26 %	Injection drug use	52	7 %
25 - 34	369	33 %	Men who have sex with men and inject drugs	25	3 %
35 - 44	212	19 %	Heterosexual contact	185	25 %
45+	254	23 %	Perinatal	3	<1 %
Total	1,128	100 %	Total	744	100 %
			No Identified Risk	384	

#### **AIDS CASES DIAGNOSED January - December 2015**

• 519 persons were newly diagnosed with AIDS in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	364	70 %	Black, Non-Hispanic	383	74 %
Women	152	29 %	White, Non-Hispanic	102	20 %
Transgender Women	. 3	<1 %	Hispanic	22	4 %
Total	519	100 %	Asian/Pacific Islander	2	<1 %
			American Indian	6	1 %
			Multi-race	4	1 %
			Total	519	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	172	53 %
13 - 24	46	9 %	Injection drug use	29	9 %
25 - 34	145	28 %	Men who have sex with men and inject drugs	11	3 %
35 - 44	127	24 %	Heterosexual contact	108	34 %
45+	200	39 %	Perinatal	2	1 %
Total	519	100 %	Total	322	100 %
			No Identified Risk	197	

#### Persons Diagnosed with Early Syphilis Louisiana

#### PERSONS DIAGNOSED WITH P&S SYPHILIS January - December 2016

• 681 persons were diagnosed with P&S Syphilis in Louisiana between January 1 and December 31, 2016.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	499	73 %	American Indian	2	<1 %
Women	175	26 %	Asian/Pacific Islander	1	<1 %
Transgender Me	en 1	<1 %	Black, Non-Hispanic	501	74 %
Transgender Wo	omen 6	1 %	Hispanic	11	2 %
Total	681	100 %	White, Non-Hispanic	166	24 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	681	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1 risk)	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	10	2 %
13 - 19	98	14 %	Men who have sex with men	303	47 %
20 - 29	332	49 %	Injection drug use	9	1 %
30 - 39	148	22 %	Transactional sex	35	5 %
40+	103	15 %	High risk heterosexual contact	124	19 %
Total	681	100 %	Heterosexual contact	243	38 %
			Incarceration	52	8 %
			Illegal drug use (non-injection)	192	30 %
			No Reported Risk	41	

#### PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January - December 2016

• 500 persons were diagnosed with Early Latent Syphilis in Louisiana between January 1 and December 31, 2016.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	335	67 %	American Indian	2	<1 %
Women	161	32 %	Asian/Pacific Islander	3	<1 %
Transgender Womer	4	1 %	Black, Non-Hispanic	363	73 %
Total	500	100 %	Hispanic	14	3 %
			White, Non-Hispanic	118	24 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	500	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1 risk)	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	7	1 %
13 - 19	53	11 %	Men who have sex with men	223	46 %
20 - 29	241	48 %	Injection drug use	6	1 %
30 - 39	118	24 %	Transactional sex	15	3 %
40+	88	18 %	High risk heterosexual contact	58	12 %
Total	500	100 %	Heterosexual contact	229	47 %
			Incarceration	52	11 %
			Illegal drug use (non-injection)	137	28 %
			No Reported Risk	13	

<sup>\*</sup> A syphilis diagnosis with less than one year duration is considered to be "early syphilis." This designation covers the primary, secondary, and early latent stages of syphilis.

## Persons Living with HIV Infection by Parish as of December 31, 2016

<u>Parish</u>	<b>Living Cases</b>	<u>Parish</u>	Living Cases
Acadia	125	Sabine	17
Allen	217	St. Bernard	192
Ascension	247	St. Charles	127
Assumption	30	St. Helena	20
Avoyelles	177	St. James	75
Beauregard	50	St. John the Baptist	183
Bienville	32	St. Landry	294
Bossier	239	St. Martin	111
Caddo	1,231	St. Mary	97
Calcasieu	717	St. Tammany	488
Caldwell	19	Tangipahoa	414
Cameron	4	Tensas	31
Catahoula	29	Terrebonne	217
Claiborne	104	Union	34
Concordia	48	Vermilion	92
De Soto	57	Vernon	77
East Baton Rouge	4,055	Washington	195
East Carroll	23	Webster	82
East Feliciana	185	West Baton Rouge	111
Evangeline	79	West Carroll	16
Franklin	50	West Feliciana	155
Grant	51	Winn	30
Iberia	128		
Iberville	304		
Jackson	21		
Jefferson	1,994		
Jefferson Davis	63		
La Salle	36		
Lafayette	795		
Lafourche	172		
Lincoln	102		
Livingston	235		
Madison	37		
Morehouse	68		
Natchitoches	124		
Orleans	5,141		
Ouachita	642		
Plaquemines	41		
Pointe Coupee	55		
Rapides	527		
Red River	14		
Richland	50		

**Total** 21,376

#### Persons Diagnosed with Early Syphilis\* by Parish January - December 2016

<b>Parish</b>	Diagnoses	<u>Parish</u>	Diagnoses
Acadia	5	Sabine	2
Allen	1	St. Bernard	4
Ascension	7	St. Charles	4
Assumption	2	St. Helena	1
Avoyelles	4	St. James	5
Beauregard	0	St. John the Baptis	t 12
Bienville	5	St. Landry	17
Bossier	27	St. Martin	13
Caddo	168	St. Mary	5
Calcasieu	25	St. Tammany	12
Caldwell	0	Tangipahoa	7
Cameron	0	Tensas	1
Catahoula	0	Terrebonne	33
Claiborne	2	Union	3
Concordia	2	Vermilion	9
De Soto	7	Vernon	3
East Baton Rouge	127	Washington	7
East Carroll	1	Webster	3
East Feliciana	4	West Baton Rouge	8
Evangeline	2	West Carroll	2
Franklin	1	West Feliciana	1
Grant	3	Winn	0
Iberia	18		
Iberville	5		
Jackson	5		
Jefferson	106		
Jefferson Davis	3		
La Salle	0		
Lafayette	56		
Lafourche	25		
Lincoln	12		
Livingston	5		
Madison	5		
Morehouse	3		
Natchitoches	6		
Orleans	292		
Ouachita	41		
Plaquemines	6		
Pointe Coupee	3		
Rapides	40		
Red River	1		
Richland	4		

**Total** 1,181

<sup>\*</sup> A syphilis diagnosis with less than one year duration is considered to be "early syphilis." This designation covers the primary, secondary, and early latent stages of syphilis.

#### Persons Living with HIV/AIDS Metro New Orleans as of December 31, 2016

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, and St. Charles Parishes

- 17,022 cumulative cases have been detected in the New Orleans MSA, including 169 pediatric cases.
- 5,881 cumulative deaths among persons with HIV/AIDS have occurred in the New Orleans MSA, including 45 pediatric deaths
- 8,241 persons are currently living with HIV/AIDS in the New Orleans MSA.

Persons living with HIV: 3,978 Persons living with AIDS: 4,263

#### Gender

	Cases	Perce	nt
Men	6,060	74	%
Transgender Men	2	< 0.5	%
Women	2,078	25	%
Transgender Women	101	1	%
Total	8,241	100	%

Age Category			Race/Ethnicity				
<b>Current Age</b>	Cases	Percent		Men	Women	Total	Percent
0 - 12	21	<1 %	Black, Non-Hispanic	3,485	1,675	5,160	63 %
13 - 19	57	1 %	White, Non-Hispanic	2,173	274	2,447	30 %
20 - 24	337	4 %	Hispanic	409	114	523	6 %
25 - 29	734	9 %	Asian/Pacific Islander	41	6	47	1 %
30 - 34	849	10 %	American Indian	7	0	7	<1 %
35 - 39	953	12 %	Unknown	8	2	10	<1 %
40 - 44	893	11 %	Multi-race	38	9	47	1 %
45 - 49	1,002	12 %	Total	6,161	2,080	8,241	100 %
50 - 54	1,232	15 %					
55 - 59	1,022	12 %					
60+	1,141	14 %					
Total	8,241	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	3,610	0	3,610	62 %
Injection drug use	318	216	534	9 %
Men who have sex with men and inject drugs	332	0	332	6 %
Heterosexual contact	388	875	1,263	22 %
Transfusion/Hemophilia	18	13	31	1 %
Perinatal	34	45	79	1 %
Total	4,700	1,149	5,849	100 %
No Identified Risk	1,461	931	2,392	

#### Persons Newly Diagnosed with HIV and AIDS Metro New Orleans

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

#### **HIV CASES DIAGNOSED January - December 2015**

• 409 persons were newly diagnosed with HIV in the New Orleans MSA.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	327	80 %	Black, Non-Hispanic	278	68 %
Women	77	19 %	White, Non-Hispanic	88	22 %
Transgender Women	n 5	1 %	Hispanic	34	8 %
Total	409	100 %	Asian/Pacific Islander	2	<1 %
			American Indian	1	<1 %
			Unknown	4	1 %
			Multi-race	2	<1 %
			Total	409	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	2	<1 %	Men who have sex with men	191	64 %
13 - 24	99	24 %	Injection drug use	28	9 %
25 - 34	146	36 %	Men who have sex with men and inject drugs	14	5 %
35 - 44	85	21 %	Heterosexual contact	65	22 %
45+	77	19 %	Perinatal	2	1 %
Total	409	100 %	Total	300	100 %
			No Identified Risk	109	

#### **AIDS CASES DIAGNOSED January - December 2015**

• 185 persons were newly diagnosed with AIDS in the New Orleans MSA.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	134	73 %	Black, Non-Hispanic	132	71 %
Women	50	27 %	White, Non-Hispanic	39	21 %
Transgender Women	1	<0.5 %	Hispanic	11	6 %
Total	185	100 %	Asian/Pacific Islander	1	1 %
			American Indian	1	1 %
			Multi-race	1	1 %
			Total	185	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	1 %	Men who have sex with men	67	50 %
13 - 24	15	8 %	Injection drug use	16	12 %
25 - 34	50	27 %	Men who have sex with men and inject drugs	4	3 %
35 - 44	48	26 %	Heterosexual contact	45	34 %
45+	71	38 %	Perinatal	2	1 %
Total	185	100 %	Total	134	100 %
			No Identified Risk	51	

#### Persons Diagnosed with Early Syphilis Metro New Orleans

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

#### PERSONS DIAGNOSED WITH P&S SYPHILIS January - December 2016

• 224 persons were diagnosed with P&S Syphilis in the New Orleans MSA from January 1 through December 31, 2016.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	196	88 %	American Indian	0	0 %
Women	24	11 %	Asian/Pacific Islander	0	0 %
Transgender Men	1	<1 %	Black, Non-Hispanic	164	73 %
Transgender Women	3	1 %	Hispanic	6	3 %
Total	224	100 %	White, Non-Hispanic	54	24 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	224	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1 risk)	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	2	1 %
13 - 19	15	7 %	Men who have sex with men	139	67 %
20 - 29	107	48 %	Injection drug use	1	<1 %
30 - 39	61	27 %	Transactional sex	6	3 %
40+	41	18 %	High risk heterosexual contact	39	19 %
Total	224	100 %	Heterosexual contact	49	23 %
			Incarceration	14	7 %
			Illegal drug use (non-injection)	62	30 %
			No Reported Risk	15	

#### PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January - December 2016

• 217 persons were diagnosed with Early Latent Syphilis in the New Orleans MSA from January 1 through December 31, 2016.

<u>Gender</u>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	174	80 %	American Indian	2	1 %
Women	40	18 %	Asian/Pacific Islander	3	1 %
Transgender Women	n 3	1 %	Black, Non-Hispanic	153	74 %
Total	217	100 %	Hispanic	9	2 %
			White, Non-Hispanic	50	22 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	217	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1 risk)	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	3	1 %
13 - 19	7	3 %	Men who have sex with men	144	68 %
20 - 29	93	43 %	Injection drug use	1	<1 %
30 - 39	65	30 %	Transactional sex	6	3 %
40+	52	24 %	High risk heterosexual contact	24	11 %
Total	217	100 %	Heterosexual contact	65	31 %
			Incarceration	16	8 %
			Illegal drug use (non-injection)	56	27 %
			No Reported Risk	6	

#### Persons Living with HIV Infection Metro Baton Rouge as of December 31, 2016

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes

- **8,693** cumulative cases have been detected in the Baton Rouge MSA, including 80 pediatric cases.
- 3,504 cumulative deaths among persons with HIV/AIDS have occurred in the Baton Rouge MSA, including 17 pediatric deaths
- 5,367 persons are currently living with HIV/AIDS in the Baton Rouge MSA.

Persons living with HIV: 2,544 Persons living with AIDS: 2,823

#### **Gender**

	Cases	Percent
Men	3,428	64 %
Women	1,897	35 %
Transgender Wom	en 42	1 %
Total	5.367	100 %

Age Category			Race/Ethnicity				
<b>Current Age</b>	Cases	Percent		Men	Women	Total	Percent
0 - 12	20	<1 %	Black, Non-Hispanic	2,692	1,693	4,385	82 %
13 - 19	31	1 %	White, Non-Hispanic	676	169	845	16 %
20 - 24	239	4 %	Hispanic	73	21	94	2 %
25 - 29	498	9 %	Asian/Pacific Islander	10	5	15	<1 %
30 - 34	604	11 %	American Indian	2	0	2	<1 %
35 - 39	693	13 %	Multi-race	17	9	26	<1 %
40 - 44	665	12 %	Total	3,470	1,897	5,367	100 %
45 - 49	684	13 %					
50 - 54	718	13 %					
55 - 59	571	11 %					
60+	644	12 %					
Total	5,367	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,503	0	1,503	45 %
Injection drug use	357	204	561	17 %
Men who have sex with men and inject drugs	193	0	193	6 %
Heterosexual contact	329	708	1,037	31 %
Transfusion/Hemophilia	7	8	15	<1 %
Perinatal	31	28	59	2 %
Total	2,420	948	3,368	100 %
No Identified Risk	1,050	949	1,999	

#### Persons Newly Diagnosed with HIV and AIDS Metro Baton Rouge

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes

#### **HIV CASES DIAGNOSED January - December 2015**

• 266 persons were newly diagnosed with HIV in the Baton Rouge MSA.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	185	70 %	Black, Non-Hispanic	225	85 %
Women	80	30 %	White, Non-Hispanic	30	11 %
Transgender Womer	1	< 0.5 %	Hispanic	8	3 %
Total	266	100 %	Asian/Pacific Islander	1	<1 %
			Multi-race	2	1 %
			Total	266	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	74	28 %	Men who have sex with men	106	67 %
25 - 34	84	32 %	Injection drug use	8	5 %
35 - 44	52	20 %	Men who have sex with men and inject drugs	5	3 %
45+	56	21 %	Heterosexual contact	39	25 %
Total	266	100 %	Perinatal	1	1 %
			Total	159	100 %
			No Identified Risk	107	

#### AIDS CASES DIAGNOSED January - December 2015

• 133 persons were newly diagnosed with AIDS in the Baton Rouge MSA.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	92	70 %	Black, Non-Hispanic	109	82 %
Women	40	30 %	White, Non-Hispanic	21	16 %
Transgender Women	1	< 0.5 %	Hispanic	1	1 %
Total	133	100 %	Asian/Pacific Islander	1	1 %
			Multi-race	1	1 %
			Total	133	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	10	8 %	Men who have sex with men	42	57 %
25 - 34	37	28 %	Injection drug use	7	9 %
35 - 44	35	26 %	Men who have sex with men and inject drugs	5	7 %
45+	51	38 %	Heterosexual contact	20	27 %
Total	133	100 %	Total	74	100 %
			No Identified Risk	59	

#### Persons Diagnosed with Early Syphilis Metro Baton Rouge

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes

#### PERSONS DIAGNOSED WITH P&S SYPHILIS January – December 2016

• 102 persons were diagnosed with P&S Syphilis in the Baton Rouge MSA from January 1 through December 31, 2016.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	80	78 %	American Indian	0	0 %
Women	21	21 %	Asian/Pacific Islander	0	0 %
Transgender Wor	men 1	1 %	Black, Non-Hispanic	86	84 %
Total	102	100 %	Hispanic	0	0 %
			White, Non-Hispanic	16	16 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	102	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1 risk)	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	7	8 %
13 - 19	15	15 %	Men who have sex with men	51	57 %
20 - 29	55	54 %	Injection drug use	1	1 %
30 - 39	19	19 %	Transactional sex	7	8 %
40+	13	13 %	High risk heterosexual contact	10	11 %
Total	102	100 %	Heterosexual contact	29	32 %
			Incarceration	3	3 %
			Illegal drug use (non-injection)	17	19 %
			No Reported Risk	12	

#### PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January – December 2016

• 59 persons were diagnosed with Early Latent Syphilis in the Baton Rouge MSA from January 1 through December 31, 2016.

<u>Gender</u>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	44	75 %	American Indian	0	0 %
Women	15	25 %	Asian/Pacific Islander	0	0 %
Total	59	100 %	Black, Non-Hispanic	47	80 %
			Hispanic	2	3 %
			White, Non-Hispanic	10	17 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	59	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1 risk)	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	3	6 %
13 - 19	4	7 %	Men who have sex with men	24	44 %
20 - 29	30	51 %	Injection drug use	0	0 %
30 - 39	14	24 %	Transactional sex	1	2 %
40+	11	19 %	High risk heterosexual contact	6	11 %
Total	59	100 %	Heterosexual contact	27	50 %
			Incarceration	3	6 %
			Illegal drug use (non-injection)	9	17 %
			No Reported Risk	5	

#### Persons Living with HIV Infection Region 1: New Orleans Region as of December 31, 2016

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

- 15,874 cumulative cases have been detected in Region 1, including 150 pediatric cases.
- 5,721 cumulative deaths among persons in Region 1 with HIV/AIDS have occurred, including 44 pediatric deaths.
- 7,368 persons are currently living with HIV/AIDS in Region 1.

Persons living with HIV: 3,551 Persons living with AIDS: 3,817

#### **Gender**

	Cases	Percent
Men	5420	74%
Transgender Men	2	< 0.5%
Women	1,851	25%
Transgender Women	95	1%
Total	7.368	100%

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	17	<1 %	Black, Non-Hispanic	3,194	1,524	4,718	64 %
13 - 19	48	1 %	White, Non-Hispanic	1,856	211	2,067	28 %
20 - 24	290	4 %	Hispanic	381	104	485	7 %
25 - 29	655	9 %	Asian/Pacific Islander	38	4	42	1 %
30 - 34	754	10 %	American Indian	6	0	6	<1 %
35 - 39	858	12 %	Unknown	8	2	10	<1 %
40 - 44	804	11 %	Multi-race	32	8	40	1 %
45 - 49	887	12 %	Total	5,515	1,853	7,368	100 %
50 - 54	1,103	15 %					
55 - 59	910	12 %					
60+	1,042	14 %					
Total	7,368	100 %					

Cases with a reported risk:	Men	Women	Total	Perc	ent
Men who have sex with men	3,222	0	3,222	61	%
Injection drug use	287	194	481	9	%
Men who have sex with men and inject drugs	306	0	306	6	%
Heterosexual contact	356	780	1,136	22	%
Transfusion/Hemophilia	17	13	30	1	%
Perinatal	28	37	65	1	%
Total	4,216	1,024	5,240	100	%
No Identified Risk	1,299	829	2,128		

#### Persons Newly Diagnosed with HIV and AIDS Region 1: New Orleans Region

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

#### **HIV CASES DIAGNOSED January - December 2015**

• 371 persons were newly diagnosed with HIV in Region 1.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	298	81 %	Black, Non-Hispanic	253	68 %
Women	69	19 %	White, Non-Hispanic	77	21 %
Transgender Women	4	1 %	Hispanic	33	9 %
Total	371	100 %	Asian/Pacific Islander	1	<1 %
			American Indian	1	<1 %
			Unknown	4	1 %
			Multi-race	2	1 %
			Total	371	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	174	64 %
13 - 24	92	25 %	Injection drug use	27	10 %
25 - 34	128	35 %	Men who have sex with men and inject drugs	13	5 %
35 - 44	79	21 %	Heterosexual contact	58	21 %
45+	71	19 %	Perinatal	1	<1 %
Total	371	100 %	Total	273	100 %
			No Identified Risk	9	

#### **AIDS CASES DIAGNOSED January - December 2015**

• 170 persons were newly diagnosed with AIDS in Region 1.

<u>Gender</u>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	120	71 %	Black, Non-Hispanic	123	72 %
Women	49	29 %	White, Non-Hispanic	34	20 %
Transgender Women	n 1	< 1 %	Hispanic	11	6 %
Total	170	100 %	American Indian	1	1 %
			Multi-race	1	1 %
			Total	170	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	1 %	Men who have sex with men	60	49 %
13 - 24	15	9 %	Injection drug use	14	11 %
25 - 34	44	26 %	Men who have sex with men and inject drugs	4	3 %
35 - 44	45	26 %	Heterosexual contact	43	35 %
45+	65	38 %	Perinatal	2	2 %
Total	170	100 %	Total	123	100 %
			No Identified Risk	47	

#### Persons Diagnosed with Early Syphilis Region 1: New Orleans Region

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

#### PERSONS DIAGNOSED WITH P&S SYPHILIS January – December 2016

• 206 persons were diagnosed with P&S Syphilis in Region 1 from January 1 through December 31, 2016.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	182	88 %	American Indian	0	0 %
Women	21	10 %	Asian/Pacific Islander	0	0 %
Transgender Men	1	<1 %	Black, Non-Hispanic	154	75 %
Transgender Wome	en 2	1 %	Hispanic	5	2 %
Total	206	100 %	White, Non-Hispanic	47	23 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	206	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1 risk)	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	2	1 %
13 - 19	13	6 %	Men who have sex with men	129	66 %
20 - 29	95	46 %	Injection drug use	1	1 %
30 - 39	58	28 %	Transactional sex	6	3 %
40+	40	19 %	High risk heterosexual contact	36	19 %
Total	206	100 %	Heterosexual contact	44	23 %
			Incarceration	12	6 %
			Illegal drug use (non-injection)	58	30 %
			No Reported Risk	12	

#### PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January – December 2016

• 202 persons were diagnosed with Early Latent Syphilis in Region 1 from January 1 through December 31, 2016.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	163	81 %	American Indian	2	1 %
Women	36	18 %	Asian/Pacific Islander	3	1 %
Transgender Women	n 3	1 %	Black, Non-Hispanic	141	70 %
Total	202	100 %	Hispanic	9	4 %
			White, Non-Hispanic	47	23 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	202	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1 risk)	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	3	2 %
13 - 19	5	2 %	Men who have sex with men	134	68 %
20 - 29	82	41 %	Injection drug use	1	1 %
30 - 39	63	31 %	Transactional sex	6	3 %
40+	52	26 %	High risk heterosexual contact	23	12 %
Total	202	100 %	Heterosexual contact	61	31 %
			Incarceration	16	8 %
			Illegal drug use (non-injection)	54	28 %
			No Reported Risk	6	

#### Persons Living with HIV Infection Region 2: Baton Rouge Region as of December 31, 2016

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes

- **8,375** cumulative cases have been detected in Region 2, including 75 pediatric cases.
- 3,385 cumulative deaths among persons in Region 2 with HIV/AIDS have occurred, including 15 pediatric deaths.
- 5,112 persons are currently living with HIV/AIDS in Region 2.

Persons living with HIV: 2,418 Persons living with AIDS: 2,694

#### Gender

	Cases	Percent
Men	3,264	64 %
Women	1,809	35 %
Transgender Wo	men 39	1 %
Total	5,112	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent	<del> </del>	Men	Women	Total	Percent
0 - 12	19	<1 %	Black, Non-Hispanic	2,635	1,652	4,287	84 %
13 - 19	30	1 %	White, Non-Hispanic	568	127	695	14 %
20 - 24	228	4 %	Hispanic	71	17	88	2 %
25 - 29	477	9 %	Asian/Pacific Islander	10	4	14	<1 %
30 - 34	583	11 %	American Indian	2	0	2	<1 %
35 - 39	668	13 %	Multi-race	17	9	26	1 %
40 - 44	628	12 %	Total	3,303	1,809	5,112	100 %
45 - 49	641	13 %					
50 - 54	681	13 %					
55 - 59	546	11 %					
60+	611	12 %					
Total	5,112	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,410	0	1,410	44 %
Injection drug use	347	192	539	17 %
Men who have sex with men and inject drugs	183	0	183	6 %
Heterosexual contact	315	676	991	31 %
Transfusion/Hemophilia	5	8	13	<1 %
Perinatal	31	26	57	2 %
Total	2,291	902	3,193	100 %
No Identified Risk	1,012	907	1,919	

#### Persons Newly Diagnosed with HIV and AIDS Region 2: Baton Rouge Region

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes

#### **HIV CASES DIAGNOSED January - December 2015**

• 252 persons were newly diagnosed with HIV in Region 2.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	177	70 %	Black, Non-Hispanic	216	86 %
Women	74	29 %	White, Non-Hispanic	25	10 %
Transgender Women	1	< 1 %	Hispanic	8	3 %
Total	252	100 %	Asian/Pacific Islander	1	<1 %
			Multi-race	2	1 %
			Total	252	100 %

<b>Age at Detection</b>	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	73	29 %	Men who have sex with men	101	67 %
25 - 34	80	32 %	Injection drug use	8	5 %
35 - 44	48	19 %	Men who have sex with men and inject drugs	5	3 %
45+	51	20 %	Heterosexual contact	35	23 %
Total	252	100 %	Perinatal	1	1 %
			Total	150	100 %
			No Identified Risk	102	

#### **AIDS CASES DIAGNOSED January - December 2015**

• 120 persons were newly diagnosed with AIDS in Region 2.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	83	39 %	Black, Non-Hispanic	101	84 %
Women	36	30 %	White, Non-Hispanic	16	13 %
Transgender Womei	n 1	< 1 %	Hispanic	1	1 %
Total	120	100 %	Asian/Pacific Islander	1	1 %
			Multi-race	1	1 %
			Total	120	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	10	8 %	Men who have sex with men	39	57 %
25 - 34	35	29 %	Injection drug use	6	9 %
35 - 44	32	27 %	Men who have sex with men and inject drugs	5	7 %
45+	43	36 %	Heterosexual contact	18	26 %
Total	120	100 %	Total	68	100 %
			No Identified Risk	52	

#### Persons Diagnosed with Early Syphilis Region 2: Baton Rouge Region

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes

#### PERSONS DIAGNOSED WITH P&S SYPHILIS January – December 2016

• 98 persons were diagnosed with P&S Syphilis in Region 2 from January 1 through December 31, 2016.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	76	78 %	American Indian	0	0 %
Women	21	21 %	Asian/Pacific Islander	0	0 %
Transgender Women	n 1	1 %	Black, Non-Hispanic	85	87 %
Total	98	100 %	Hispanic	0	0 %
			White, Non-Hispanic	13	13 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	98	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1 risk)	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	7	8 %
13 - 19	15	15 %	Men who have sex with men	48	56 %
20 - 29	53	54 %	Injection drug use	1	1 %
30 - 39	18	18 %	Transactional sex	7	8 %
40+	12	12 %	High risk heterosexual contact	10	12 %
Total	98	100 %	Heterosexual contact	28	33 %
			Incarceration	3	3 %
			Illegal drug use (non-injection)	17	20 %
			No Reported Risk	12	

#### PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January – December 2016

• 57 persons were diagnosed with Early Latent Syphilis in Region 2 from January 1 through December 31, 2016.

<u>Gender</u>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	43	75 %	American Indian	0	0 %
Women	14	25 %	Asian/Pacific Islander	0	0 %
Total	57	100 %	Black, Non-Hispanic	47	82 %
			Hispanic	1	2 %
			White, Non-Hispanic	9	16 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	57	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1 risk)	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	3	6 %
13 - 19	4	7 %	Men who have sex with men	24	46 %
20 - 29	29	51 %	Injection drug use	0	0 %
30 - 39	14	25 %	Transactional sex	1	2 %
40+	10	18 %	High risk heterosexual contact	6	12 %
Total	57	100 %	Heterosexual contact	26	50 %
			Incarceration	3	6 %
			Illegal drug use (non-injection)	8	15 %
			No Reported Risk	5	

#### Persons Living with HIV Infection Region 3: Houma Region

as of December 31, 2016

Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes

• 1,333 cumulative cases have been detected in Region 3, including 20 pediatric cases.

• 379 cumulative deaths among persons in Region 3 with HIV/AIDS have occurred,

including 2 pediatric deaths.

• 901 persons are currently living with HIV/AIDS in Region 3.

Persons living with HIV: 425 Persons living with AIDS: 476

#### **Gender**

	Cases	Percent
Men	596	66 %
Women	296	33 %
Transgender Wor	men 9	1 %
Total	901	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent	<del></del>	Men	Women	Total	Percent
0 - 12	3	<1 %	Black, Non-Hispanic	330	221	551	61 %
13 - 19	10	1 %	White, Non-Hispanic	241	62	303	34 %
20 - 24	63	7 %	Hispanic	27	8	35	4 %
25 - 29	89	10 %	Asian/Pacific Islander	2	1	3	<1 %
30 - 34	110	12 %	American Indian	2	1	3	<1 %
35 - 39	97	11 %	Multi-race	3	3	6	1 %
40 - 44	104	12 %	Total	605	296	901	100 %
45 - 49	115	13 %					
50 - 54	108	12 %					
55 - 59	99	11 %					
60+	103	11 %					
Total	901	100 %					

Cases with a reported risk:	Men	Women	Total	Perce	ent
Men who have sex with men	368	0	368	57	%
Injection drug use	37	19	56	9	%
Men who have sex with men and inject drugs	19	0	19	3	%
Heterosexual contact	39	146	185	29	%
Perinatal	6	9	15	2	%
Total	469	174	643	100	%
No Identified Risk	136	122	258		

#### Persons Newly Diagnosed with HIV and AIDS Region 3: Houma Region

Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes

#### **HIV CASES DIAGNOSED January - December 2015**

• 65 persons were newly diagnosed with HIV in Region 3.

<u>Gender</u>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	46	71 %	Black, Non-Hispanic	41	63 %
Women	19	29 %	White, Non-Hispanic	18	28 %
Total	65	100 %	Hispanic	5	8 %
			American Indian	1	2 %
			Total	65	100 %

<b>Age at Detection</b>	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	2 %	Men who have sex with men	32	59 %
13 - 24	20	31 %	Injection drug use	5	9 %
25 - 34	21	32 %	Men who have sex with men and inject drugs	2	4 %
35 - 44	10	15 %	Heterosexual contact	14	26 %
45+	13	20 %	Perinatal	1	2 %
Total	65	100 %	Total	54	100 %
			No Identified Risk	11	

#### **AIDS CASES DIAGNOSED January - December 2015**

• 25 persons were newly diagnosed with AIDS in Region 3.

<u>Gender</u>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	23	92 %	Black, Non-Hispanic	16	64 %
Women	2	8 %	White, Non-Hispanic	4	16 %
Total	25	100 %	Hispanic	4	16 %
			American Indian	1	4 %
			Total	25	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	5	20 %	Men who have sex with men	14	78 %
25 - 34	8	32 %	Injection drug use	1	6 %
35 - 44	4	16 %	Men who have sex with men and inject drugs	1	6 %
45+	8	32 %	Heterosexual contact	2	11 %
Total	25	100 %	Total	18	100 %
			No Identified Risk	7	

#### Persons Diagnosed with Early Syphilis Region 3: Houma Region

Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes

#### PERSONS DIAGNOSED WITH P&S SYPHILIS January – December 2016

• 53 persons were diagnosed with P&S Syphilis in Region 3 from January 1 through December 31, 2016.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	28	53 %	American Indian	2	4 %
Women	24	45 %	Asian/Pacific Islander	1	2 %
Transgender Womer	n 1	2 %	Black, Non-Hispanic	31	58 %
Total	53	100 %	Hispanic	1	2 %
			White, Non-Hispanic	18	34 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	53	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1 risk)	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	12	23 %	Men who have sex with men	16	31 %
20 - 29	25	47 %	Injection drug use	1	2 %
30 - 39	12	23 %	Transactional sex	2	4 %
40+	4	8 %	High risk heterosexual contact	7	13 %
Total	53	100 %	Heterosexual contact	33	63 %
			Incarceration	7	13 %
			Illegal drug use (non-injection)	14	27 %
			No Reported Risk	1	

#### PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January – December 2016

• 33 persons were diagnosed with Early Latent Syphilis in Region 3 from January 1 through December 31, 2016.

<u>Gender</u>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	20	61 %	American Indian	0	0 %
Women	13	39 %	Asian/Pacific Islander	0	0 %
Total	33	100 %	Black, Non-Hispanic	24	73 %
			Hispanic	2	6 %
			White, Non-Hispanic	7	21 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	33	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1 risk)	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	9	27 %	Men who have sex with men	11	33 %
20 - 29	19	58 %	Injection drug use	0	0 %
30 - 39	2	6 %	Transactional sex	1	3 %
40+	3	9 %	High risk heterosexual contact	7	21 %
Total	33	100 %	Heterosexual contact	17	52 %
			Incarceration	4	12 %
			Illegal drug use (non-injection)	11	33 %
			No Reported Risk	0	

#### Persons Living with HIV Infection Region 4: Lafayette Region as of December 31, 2016

Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes

- 2,494 cumulative cases have been detected in Region 4, including 19 pediatric cases.
- 856 cumulative deaths among persons in Region 4 with HIV/AIDS have occurred, including 5 pediatric deaths.
- 1,624 persons are currently living with HIV/AIDS in Region 4.

Persons living with HIV: 799 Persons living with AIDS: 825

#### **Gender**

	Cases	Percent
Men	1,198	74 %
Women	421	26 %
Transgender W	omen 5	< 0.5 %
Total	1,624	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent	<del></del>	Men	Women	Total	Percent
0 - 12	3	<1 %	Black, Non-Hispanic	637	292	929	57 %
13 - 19	8	<1 %	White, Non-Hispanic	473	114	587	36 %
20 - 24	85	5 %	Hispanic	68	7	75	5 %
25 - 29	153	9 %	Asian/Pacific Islander	4	2	6	<1 %
30 - 34	159	10 %	American Indian	4	3	7	<1 %
35 - 39	176	11 %	Multi-race	17	3	20	1 %
40 - 44	143	9 %	Total	1,203	421	1,624	100 %
45 - 49	218	13 %					
50 - 54	270	17 %					
55 - 59	204	13 %					
60+	205	13 %					
Total	1,624	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	639	0	639	58 %
Injection drug use	70	53	123	11 %
Men who have sex with men and inject drugs	56	0	56	5 %
Heterosexual contact	77	185	262	24 %
Transfusion/Hemophilia	4	1	5	<1 %
Confirmed Other	0	1	1	<1 %
Perinatal	6	6	12	1 %
Total	852	246	1,098	100 %
No Identified Risk	351	175	526	

#### Persons Newly Diagnosed with HIV and AIDS Region 4: Lafayette Region

Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes

#### **HIV CASES DIAGNOSED January - December 2015**

• 89 persons were newly diagnosed with HIV in Region 4.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	66	74 %	Black, Non-Hispanic	52	58 %
Women	23	26 %	White, Non-Hispanic	30	34 %
Total	89	100 %	Hispanic	4	4 %
			Asian/Pacific Islander	1	1 %
			American Indian	1	1 %
			Multi-race	1	1 %
			Total	89	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	23	26 %	Men who have sex with men	38	63 %
25 - 34	34	38 %	Injection drug use	2	3 %
35 - 44	10	11 %	Heterosexual contact	20	33 %
45+	22	25 %	Total	60	100 %
Total	89	100 %	No Identified Risk	29	

#### **AIDS CASES DIAGNOSED January - December 2015**

• 37 persons were newly diagnosed with AIDS in Region 4.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	30	81 %	Black, Non-Hispanic	19	51 %
Women	7	19 %	White, Non-Hispanic	15	41 %
Total	37	100 %	Hispanic	1	3 %
			American Indian	1	3 %
			Multi-race	1	3 %
			Total	37	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	4	11 %	Men who have sex with men	15	65 %
25 - 34	9	24 %	Injection drug use	1	4 %
35 - 44	6	16 %	Heterosexual contact	7	30 %
45+	18	49 %	Total	23	100 %
Total	37	100 %	No Identified Risk	14	

#### Persons Diagnosed with Early Syphilis Region 4: Lafayette Region

Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermilion Parishes

#### PERSONS DIAGNOSED WITH P&S SYPHILIS January - December 2016

• 66 persons were diagnosed with P&S Syphilis in Region 4 from January 1 through December 31, 2016.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	46	70 %	American Indian	0	0 %
Women	20	30 %	Asian/Pacific Islander	0	0 %
Total	66	100 %	Black, Non-Hispanic	34	52 %
			Hispanic	1	2 %
			White, Non-Hispanic	31	47 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	66	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1 risk)	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	3	5 %	Men who have sex with men	26	41 %
20 - 29	38	58 %	Injection drug use	3	5 %
30 - 39	9	14 %	Transactional sex	4	6 %
40+	16	24 %	High risk heterosexual contact	16	25 %
Total	66	100 %	Heterosexual contact	25	39 %
			Incarceration	6	9 %
			Illegal drug use (non-injection)	24	38 %
			No Reported Risk	2	

#### PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January – December 2016

• 54 persons were diagnosed with Early Latent Syphilis in Region 4 from January 1 through December 31, 2016.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	34	63 %	American Indian	0	0 %
Women	20	37 %	Asian/Pacific Islander	0	0 %
Total	54	100 %	Black, Non-Hispanic	32	59 %
			Hispanic	0	0 %
			White, Non-Hispanic	22	41 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	54	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1 risk)	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	4	7 %	Men who have sex with men	23	43 %
20 - 29	32	59 %	Injection drug use	2	4 %
30 - 39	10	19 %	Transactional sex	3	5 %
40+	8	15 %	High risk heterosexual contact	0	0 %
Total	54	100 %	Heterosexual contact	29	55 %
			Incarceration	10	19 %
			Illegal drug use (non-injection)	19	36 %
			No Reported Risk	0	

#### Persons Living with HIV Infection Region 5: Lake Charles Region as of December 31, 2016

Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes

- 1,478 cumulative cases have been detected in Region 5, including 10 pediatric cases.
- 559 cumulative deaths among persons in Region 5 with HIV/AIDS have occurred, including 2 pediatric deaths.
- 1,051 persons are currently living with HIV/AIDS in Region 5.

Persons living with HIV: 500 Persons living with AIDS: 551

#### **Gender**

	Cases	Percent
Men	789	75 %
Women	258	25 %
Transgender Wo	omen 4	<0.5 %
Total	1,051	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	2	<1 %	Black, Non-Hispanic	413	172	585	56 %
13 - 19	7	1 %	White, Non-Hispanic	277	76	353	34 %
20 - 24	35	3 %	Hispanic	86	6	92	9 %
25 - 29	83	8 %	Asian/Pacific Islander	5	0	5	<1 %
30 - 34	94	9 %	American Indian	4	0	4	<1 %
35 - 39	119	11 %	Multi-race	8	4	12	1 %
40 - 44	141	13 %	Total	793	258	1,051	100 %
45 - 49	148	14 %					
50 - 54	171	16 %					
55 - 59	133	13 %					
60+	118	11 %					
Total	1,051	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	362	0	362	48 %
Injection drug use	81	34	115	15 %
Men who have sex with men and inject drugs	66	0	66	9 %
Heterosexual contact	85	115	200	26 %
Transfusion/Hemophilia	2	0	2	<1 %
Perinatal	5	9	14	2 %
Total	601	158	759	100 %
No Identified Risk	192	100	292	

#### Persons Newly Diagnosed with HIV and AIDS Region 5: Lake Charles Region

Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes

#### **HIV CASES DIAGNOSED January - December 2015**

• 45 persons were newly diagnosed with HIV in Region 5.

<u>Gender</u>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	34	76 %	Black, Non-Hispanic	23	51 %
Women	11	24 %	White, Non-Hispanic	21	47 %
Total	45	100 %	Hispanic	1	2 %
			Total	45	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	10	22 %	Men who have sex with men	18	69 %
25 - 34	13	29 %	Injection drug use	4	15 %
35 - 44	9	20 %	Heterosexual contact	4	15 %
45+	13	29 %	Total	26	100 %
Total	45	100 %	No Identified Risk	19	

#### **AIDS CASES DIAGNOSED January - December 2015**

• 22 persons were newly diagnosed with AIDS in Region 5.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	16	73 %	Black, Non-Hispanic	13	59 %
Women	6	27 %	White, Non-Hispanic	7	32 %
Total	22	100 %	Hispanic	2	9 %
			Total	22	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	2	9 %	Men who have sex with men	9	53 %
25 - 34	8	36 %	Injection drug use	3	18 %
35 - 44	7	32 %	Heterosexual contact	5	29 %
45+	5	23 %	Total	17	100 %
Total	22	100 %	No Identified Risk	5	

#### Persons Diagnosed with Early Syphilis Region 5: Lake Charles Region

Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes

#### PERSONS DIAGNOSED WITH P&S SYPHILIS January – December 2016

• 19 persons were diagnosed with P&S Syphilis in Region 5 from January 1 through December 31, 2016.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	14	74 %	American Indian	0	0 %
Women	5	26 %	Asian/Pacific Islander	0	0 %
Total	19	100 %	Black, Non-Hispanic	12	63 %
			Hispanic	0	0 %
			White, Non-Hispanic	7	37 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	19	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1 risk)	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	3	16 %	Men who have sex with men	9	47 %
20 - 29	7	37 %	Injection drug use	1	5 %
30 - 39	5	26 %	Transactional sex	1	5 %
40+	4	21 %	High risk heterosexual contact	4	21 %
Total	19	100 %	Heterosexual contact	8	42 %
			Incarceration	1	5 %
			Illegal drug use (non-injection)	6	32 %
			No Reported Risk	0	

#### PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January – December 2016

• 10 persons were diagnosed with Early Latent Syphilis in Region 5 from January 1 through December 31, 2016.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	5	50 %	American Indian	0	0 %
Women	5	50 %	Asian/Pacific Islander	0	0 %
Total	10	100 %	Black, Non-Hispanic	7	70 %
			Hispanic	0	0 %
			White, Non-Hispanic	3	30 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	10	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1 risk)	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	1	10 %	Men who have sex with men	3	30 %
20 - 29	6	60 %	Injection drug use	0	0 %
30 - 39	3	30 %	Transactional sex	0	0 %
40+	0	0 %	High risk heterosexual contact	0	0 %
Total	10	100 %	Heterosexual contact	7	70 %
			Incarceration	1	10 %
			Illegal drug use (non-injection)	2	20 %
			No Reported Risk	0	

#### Persons Living with HIV Infection Region 6: Alexandria Region as of December 31, 2016

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

- 1,644 cumulative cases have been detected in Region 6, including 16 pediatric cases.
- 540 cumulative deaths among persons in Region 6 with HIV/AIDS have occurred, including 6 pediatric deaths.
- $\bullet$  975 persons are currently living with HIV/AIDS in Region 6.

Persons living with HIV: 508 Persons living with AIDS: 467

#### **Gender**

	Cases	Percent
Men	695	71 %
Women	274	28 %
Transgender Wo	men 6	< 1 %
Total	975	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	1	<1 %	Black, Non-Hispanic	429	214	643	66 %
13 - 19	6	1 %	White, Non-Hispanic	215	49	264	27 %
20 - 24	39	4 %	Hispanic	48	5	53	5 %
25 - 29	82	8 %	Asian/Pacific Islander	4	0	4	<1 %
30 - 34	102	10 %	American Indian	0	2	2	<1 %
35 - 39	133	14 %	Multi-race	5	4	9	1 %
40 - 44	108	11 %	Total	701	274	975	100 %
45 - 49	115	12 %					
50 - 54	153	16 %					
55 - 59	104	11 %					
60+	132	14 %					
Total	975	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	318	0	318	48 %
Injection drug use	64	22	86	13 %
Men who have sex with men and inject drugs	35	0	35	5 %
Heterosexual contact	79	137	216	32 %
Transfusion/Hemophilia	2	2	4	1 %
Perinatal	4	2	6	1 %
Total	502	163	665	100 %
No Identified Risk	199	111	310	

#### Persons Newly Diagnosed with HIV and AIDS Region 6: Alexandria Region

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

#### **HIV CASES DIAGNOSED January - December 2015**

• 53 persons were newly diagnosed with HIV in Region 6.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	40	75 %	Black, Non-Hispanic	32	60 %
Women	13	25 %	White, Non-Hispanic	15	28 %
Total	53	100 %	Hispanic	5	9 %
			American Indian	1	2 %
			Total	53	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	12	23 %	Men who have sex with men	18	67 %
25 - 34	17	32 %	Injection drug use	2	7 %
35 - 44	13	25 %	Heterosexual contact	7	26 %
45+	11	21 %	Total	27	100 %
Total	53	100 %	No Identified Risk	26	

#### **AIDS CASES DIAGNOSED January - December 2015**

• 22 persons were newly diagnosed with AIDS in Region 6.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	10	45 %	Black, Non-Hispanic	14	64 %
Women	11	50 %	White, Non-Hispanic	5	23 %
Transgender Women	n 1	5 %	Hispanic	2	9 %
Total	22	100 %	American Indian	1	5 %
			Total	22	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	1	5 %	Men who have sex with men	5	42 %
25 - 34	8	36 %	Injection drug use	1	8 %
35 - 44	7	32 %	Heterosexual contact	6	50 %
45+	6	27 %	Total	12	100 %
Total	22	100 %	No Identified Risk	10	

#### Persons Diagnosed with Early Syphilis Region 6: Alexandria Region

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

#### PERSONS DIAGNOSED WITH P&S SYPHILIS January – December 2016

• 31 persons were diagnosed with P&S Syphilis in Region 6 January 1 through December 31, 2016.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	23	74 %	American Indian	0	0 %
Women	8	26 %	Asian/Pacific Islander	0	0 %
Total	31	100 %	Black, Non-Hispanic	22	71 %
			Hispanic	1	3 %
			White, Non-Hispanic	8	26 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	31	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1 risk)	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	10	32 %	Men who have sex with men	14	45 %
20 - 29	12	39 %	Injection drug use	0	0 %
30 - 39	6	19 %	Transactional sex	6	19 %
40+	3	10 %	High risk heterosexual contact	14	45 %
Total	31	100 %	Heterosexual contact	7	23 %
			Incarceration	6	19 %
			Illegal drug use (non-injection)	21	68 %
			No Reported Risk	0	

#### PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January – December 2016

• 21 persons were diagnosed with Early Latent Syphilis in Region 6 January 1 through December 31, 2016.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	12	57 %	American Indian	0	0 %
Women	9	43 %	Asian/Pacific Islander	0	0 %
Total	21	100 %	Black, Non-Hispanic	14	67 %
			Hispanic	0	0 %
			White, Non-Hispanic	7	33 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	21	100 %

Age at Diagnosis	Cases	Percent	<u>Cases with a reported risk (Can have &gt;1 risk)</u>	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	1	5 %
13 - 19	4	19 %	Men who have sex with men	5	24 %
20 - 29	9	43 %	Injection drug use	0	0 %
30 - 39	6	29 %	Transactional sex	0	0 %
40+	2	10 %	High risk heterosexual contact	8	38 %
Total	21	100 %	Heterosexual contact	7	33 %
			Incarceration	3	14 %
			Illegal drug use (non-injection)	15	71 %
			No Reported Risk	0	

#### Persons Living with HIV Infection Region 7: Shreveport Region as of December 31, 2016

Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes

• 2,759 cumulative cases have been detected in Region 7,

including 27 pediatric cases.

• 1,057 cumulative deaths among persons in Region 7 with HIV/AIDS have occurred, including 11 pediatric deaths.

• 1,900 persons are currently living with HIV/AIDS in Region 7.

Persons living with HIV: 979 Persons living with AIDS: 921

#### **Gender**

	Cases	Percent
Men	1,334	70 %
Women	555	29 %
Transgender W	omen 11	< 1 %
Total	1,900	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	2	<1 %	Black, Non-Hispanic	968	456	1,424	75 %
13 - 19	20	1 %	White, Non-Hispanic	327	86	413	22 %
20 - 24	125	7 %	Hispanic	27	8	35	2 %
25 - 29	246	13 %	Asian/Pacific Islander	5	0	5	<1 %
30 - 34	214	11 %	American Indian	11	2	13	1 %
35 - 39	255	13 %	Multi-race	7	3	10	1 %
40 - 44	208	11 %	Total	1,345	555	1,900	100 %
45 - 49	227	12 %					
50 - 54	242	13 %					
55 - 59	167	9 %					
60+	194	10 %					
Total	1,900	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	768	0	768	59 %
Injection drug use	52	50	102	8 %
Men who have sex with men and inject drugs	90	0	90	7 %
Heterosexual contact	96	232	328	25 %
Transfusion/Hemophilia	3	3	6	<1 %
Perinatal	6	7	13	1 %
Total	1,015	292	1,307	100 %
No Identified Risk	330	263	593	

#### Persons Newly Diagnosed with HIV and AIDS Region 7: Shreveport Region

Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes

#### **HIV CASES DIAGNOSED January - December 2015**

• 129 persons were newly diagnosed with HIV in Region 7.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	95	74 %	Black, Non-Hispanic	99	77 %
Women	34	26 %	White, Non-Hispanic	22	17 %
Total	129	100 %	Hispanic	3	2 %
			American Indian	5	4 %
			Total	129	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	36	28 %	Men who have sex with men	57	68 %
25 - 34	35	27 %	Injection drug use	4	5 %
35 - 44	23	18 %	Men who have sex with men and inject drugs	3	4 %
45+	35	27 %	Heterosexual contact	20	24 %
Total	129	100 %	Total	84	100 %
			No Identified Risk	45	

#### **AIDS CASES DIAGNOSED January - December 2015**

• 49 persons were newly diagnosed with AIDS in Region 7.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	35	71 %	Black, Non-Hispanic	41	84 %
Women	14	29 %	White, Non-Hispanic	5	10 %
Total	49	100 %	American Indian	2	4 %
			Multi-race	1	2 %
			Total	49	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	4	8 %	Men who have sex with men	16	59 %
25 - 34	13	27 %	Injection drug use	1	4 %
35 - 44	14	29 %	Men who have sex with men and inject drugs	1	4 %
45+	18	37 %	Heterosexual contact	9	33 %
Total	49	100 %	Total	27	100 %
			No Identified Risk	22	

#### Persons Diagnosed with Early Syphilis Region 7: Shreveport Region

Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes

#### PERSONS DIAGNOSED WITH P&S SYPHILIS January – December 2016

• 136 persons were diagnosed with P&S Syphilis in Region 7 January 1 through December 31, 2016.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	83	61 %	American Indian	0	0 %
Women	53	39 %	Asian/Pacific Islander	0	0 %
Total	136	100 %	Black, Non-Hispanic	111	82 %
			Hispanic	2	1 %
			White, Non-Hispanic	23	17 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	136	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1 risk)	_Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	1	1 %
13 - 19	26	19 %	Men who have sex with men	35	28 %
20 - 29	67	49 %	Injection drug use	0	0 %
30 - 39	28	21 %	Transactional sex	6	5 %
40+	15	11 %	High risk heterosexual contact	30	24 %
Total	136	100 %	Heterosexual contact	61	48 %
			Incarceration	13	10 %
			Illegal drug use (non-injection)	34	27 %
			No Reported Risk	9	

#### PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January – December 2016

• 85 persons were diagnosed with Early Latent Syphilis in Region 7 January 1 through December 31, 2016.

<u>Gender</u>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	41	48 %	American Indian	0	0 %
Women	43	51 %	Asian/Pacific Islander	0	0 %
Transgender Womer	n 1	1 %	Black, Non-Hispanic	69	81 %
Total	85	100 %	Hispanic	1	1 %
			White, Non-Hispanic	15	18 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	85	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1 risk)	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	18	21 %	Men who have sex with men	17	20 %
20 - 29	43	51 %	Injection drug use	3	4 %
30 - 39	13	15 %	Transactional sex	3	4 %
40+	11	13 %	High risk heterosexual contact	12	14 %
Total	85	100 %	Heterosexual contact	54	64 %
			Incarceration	15	18 %
			Illegal drug use (non-injection)	22	26 %
			No Reported Risk	0	

#### Persons Living with HIV Infection

### Region 8: Monroe Region as of December 31, 2016

Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes

• 1,944 cumulative cases have been detected in Region 8,

including 18 pediatric cases.

• 736 cumulative deaths among persons in Region 8 with HIV/AIDS have occurred,

including 3 pediatric deaths.

• 1,093 persons are currently living with HIV/AIDS in Region 8.

Persons living with HIV: 535 Persons living with AIDS: 558

#### **Gender**

	Cases	Percent
Men	714	65 %
Women	371	34 %
Transgender Wom	nen 8	< 1 %
Total	1,093	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent	<u> </u>	Men	Women	Total	Percent
0 - 12	5	<1 %	Black, Non-Hispanic	519	317	836	76 %
13 - 19	12	1 %	White, Non-Hispanic	175	42	217	20 %
20 - 24	64	6 %	Hispanic	13	6	19	2 %
25 - 29	99	9 %	Asian/Pacific Islander	2	1	3	<1 %
30 - 34	96	9 %	American Indian	2	3	5	<1 %
35 - 39	132	12 %	Unknown	1	0	1	<1 %
40 - 44	140	13 %	Multi-race	10	2	12	1 %
45 - 49	131	12 %	Total	722	371	1,093	100 %
50 - 54	159	15 %					
55 - 59	118	11 %					
60+	137	13 %					
Total	1,093	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	386	0	386	52 %
Injection drug use	33	27	60	8 %
Men who have sex with men and inject drugs	42	0	42	6 %
Heterosexual contact	73	168	241	32 %
Transfusion/Hemophilia	1	3	4	1 %
Perinatal	2	10	12	2 %
Total	537	208	745	100 %
No Identified Risk	185	163	348	

#### Persons Newly Diagnosed with HIV and AIDS Region 8: Monroe Region

Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes

#### **HIV CASES DIAGNOSED January - December 2015**

• 64 persons were newly diagnosed with HIV in Region 8.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	47	73 %	Black, Non-Hispanic	56	88 %
Women	17	27 %	White, Non-Hispanic	8	12 %
Total	64	100 %	Total	64	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	21	33 %	Men who have sex with men	21	58 %
25 - 34	18	28 %	Men who have sex with men and inject drugs	1	3 %
35 - 44	6	9 %	Heterosexual contact	14	39 %
45+	19	30 %	Total	36	100 %
Total	64	100 %	No Identified Risk	28	

#### **AIDS CASES DIAGNOSED January - December 2015**

• 35 persons were newly diagnosed with AIDS in Region 8.

<u>Gender</u>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	19	54 %	Black, Non-Hispanic	31	89 %
Women	16	46 %	White, Non-Hispanic	4	11 %
Total	35	100 %	Total	35	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	2	6 %	Men who have sex with men	4	29 %
25 - 34	10	29 %	Heterosexual contact	10	71 %
35 - 44	6	17 %	Total	14	100 %
45+	17	49 %	No Identified Risk	21	
Total	35	100 %	·		

#### Persons Diagnosed with Early Syphilis Region 8: Monroe Region

Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes

#### PERSONS DIAGNOSED WITH P&S SYPHILIS January – December 2016

• 55 persons were diagnosed with P&S Syphilis in Region 8 January 1 through December 31, 2016.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	31	56 %	American Indian	0	0 %
Women	22	40 %	Asian/Pacific Islander	0	0 %
Transgender Womer	n 2	4 %	Black, Non-Hispanic	46	84 %
Total	55	100 %	Hispanic	0	0 %
			White, Non-Hispanic	9	16 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	55	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1 risk)	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	13	24 %	Men who have sex with men	16	31 %
20 - 29	26	47 %	Injection drug use	2	4 %
30 - 39	10	18 %	Transactional sex	2	4 %
40+	6	11 %	High risk heterosexual contact	5	10 %
Total	55	100 %	Heterosexual contact	33	63 %
			Incarceration	4	8 %
			Illegal drug use (non-injection)	16	31 %
			No Reported Risk	3	

#### PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January – December 2016

• 23 persons were diagnosed with Early Latent Syphilis in Region 8 January 1 through December 31, 2016.

<u>Gender</u>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	9	39 %	American Indian	0	0 %
Women	14	61 %	Asian/Pacific Islander	0	0 %
Total	23	100 %	Black, Non-Hispanic	19	83 %
			Hispanic	0	0 %
			White, Non-Hispanic	4	17 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	23	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1 risk)	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	7	30 %	Men who have sex with men	1	4 %
20 - 29	12	52 %	Injection drug use	0	0 %
30 - 39	3	13 %	Transactional sex	1	4 %
40+	1	4 %	High risk heterosexual contact	2	9 %
Total	23	100 %	Heterosexual contact	20	87 %
			Incarceration	0	0 %
			Illegal drug use (non-injection)	4	17 %
			No Reported Risk	0	

#### Persons Living with HIV Infection Region 9: Hammond/Slidell Region as of December 31, 2016

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

• 1,739 cumulative cases have been detected in Region 9,

including 19 pediatric cases.

- 518 cumulative deaths among persons in Region 9 with HIV/AIDS have occurred, including 5 pediatric deaths.
- 1,352 persons are currently living with HIV/AIDS in Region 9.

Persons living with HIV: 632 Persons living with AIDS: 720

#### **Gender**

	Cases	Percent
Men	988	73 %
Women	358	26 %
Transgender Wo	men 6	< 0.5 %
Total	1,352	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	3	<1 %	Black, Non-Hispanic	457	227	684	51 %
13 - 19	8	1 %	White, Non-Hispanic	498	115	613	45 %
20 - 24	42	3 %	Hispanic	30	13	43	3 %
25 - 29	112	8 %	Asian/Pacific Islander	3	2	5	<1 %
30 - 34	133	10 %	American Indian	1	0	1	<1 %
35 - 39	141	10 %	Multi-race	5	1	6	<1 %
40 - 44	150	11 %	Total	994	358	1,352	100 %
45 - 49	204	15 %					
50 - 54	202	15 %					
55 - 59	195	14 %					
60+	162	12 %					
Total	1,352	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	540	0	540	59 %
Injection drug use	60	47	107	12 %
Men who have sex with men and inject drugs	58	0	58	6 %
Heterosexual contact	69	132	201	22 %
Transfusion/Hemophilia	4	0	4	<1 %
Perinatal	8	5	13	1 %
Total	739	184	923	100 %
No Identified Risk	255	174	429	

#### Persons Newly Diagnosed with HIV and AIDS Region 9: Hammond/Slidell Region

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

#### **HIV CASES DIAGNOSED January - December 2015**

• 60 persons were newly diagnosed with HIV in Region 9.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	41	68 %	Black, Non-Hispanic	38	63 %
Women	18	30 %	White, Non-Hispanic	17	28 %
Transgender Women	1	2 %	Hispanic	4	7 %
Total	60	100 %	Asian/Pacific Islander	1	2 %
			Total	60	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	4	7 %	Men who have sex with men	20	59 %
25 - 34	23	38 %	Men who have sex with men and inject drugs	1	3 %
35 - 44	14	23 %	Heterosexual contact	13	38 %
45+	19	32 %	Total	34	100 %
Total	60	100 %	No Identified Risk	26	

#### **AIDS CASES DIAGNOSED January - December 2015**

• 39 persons were newly diagnosed with AIDS in Region 9.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	28	72 %	Black, Non-Hispanic	25	64 %
Women	11	28 %	White, Non-Hispanic	12	31 %
Total	39	100 %	Hispanic	1	3 %
			Asian/Pacific Islander	1	3 %
			Total	39	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	3	8 %	Men who have sex with men	10	50 %
25 - 34	10	26 %	Injection drug use	2	10 %
35 - 44	6	15 %	Heterosexual contact	8	40 %
45+	20	51 %	Total	20	100 %
Total	39	100 %	No Identified Risk	19	

#### **Region 9: Hammond/Slidell Region**

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

#### PERSONS DIAGNOSED WITH P&S SYPHILIS January – December 2016

• 17 persons were diagnosed with P&S Syphilis in Region 9 January 1 through December 31, 2016.

<b>Gender</b>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	16	94 %	American Indian	0	0 %
Women	1	6 %	Asian/Pacific Islander	0	0 %
Total	17	100 %	Black, Non-Hispanic	6	35 %
			Hispanic	1	6 %
			White, Non-Hispanic	10	59 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	17	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1 risk)	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	3	18 %	Men who have sex with men	10	67 %
20 - 29	9	53 %	Injection drug use	0	0 %
30 - 39	2	12 %	Transactional sex	1	7 %
40+	3	18 %	High risk heterosexual contact	2	13 %
Total	17	100 %	Heterosexual contact	4	27 %
			Incarceration	0	0 %
			Illegal drug use (non-injection)	2	13 %
			No Reported Risk	2	


#### PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January – December 2016


• 15 persons were diagnosed with Early Latent Syphilis in Region 9 January through December 31, 2016.

<u>Gender</u>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	8	53 %	American Indian	0	0 %
Women	7	47 %	Asian/Pacific Islander	0	0 %
Total	15	100 %	Black, Non-Hispanic	10	67 %
			Hispanic	1	7 %
			White, Non-Hispanic	4	27 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	15	100 %


Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1 risk)	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	1	7 %	Men who have sex with men	5	36 %
20 - 29	9	60 %	Injection drug use	0	0 %
30 - 39	4	27 %	Transactional sex	0	0 %
40+	1	7 %	High risk heterosexual contact	0	0 %
Total	15	100 %	Heterosexual contact	8	57 %
			Incarceration	0	0 %
			Illegal drug use (non-injection)	2	14 %
			No Reported Risk	1	

10-Year Trends in New HIV Diagnoses and New AIDS Diagnoses Louisiana, (2006-2015)






### 10-Year Trends in Persons Living With HIV Infection and Persons Living with AIDS Louisiana (2006-2015)



8-Year Trends in Persons Diagnosed with Early Syphilis Louisiana (2009-2016)



<sup>\*</sup>The number of new early syphilis diagnoses in 2016 is subject to change as the data are not finalized.



# National Black HIV/AIDS Awareness Day February 7, 2017

National Black HIV/AIDS Awareness Day (NBHAAD) was first observed in 1999. The theme of National Black HIV/AIDS Awareness Day is "I Am My Brother's and Sister's Keeper. Fight HIV/AIDS!" The goals for NBHAAD are Get Educated, Get Tested, Get Involved and Get Treated.

#### **United States**

- R Black Americans make up almost half of all new HIV diagnoses each year, despite representing only 13% of the US population.
- A One in two black gay men nationally will be diagnosed with HIV in their lifetime.
- **X** HIV rates among black women in the US have declined.
- R Black transgender women are more likely to have HIV than transgender women of other race/ethnicities.
- 8 Black Americans are more likely to die from HIV/AIDS compared to other groups.

#### Louisiana

- A In Louisiana, 14,660 blacks are living with HIV infection as of December 31, 2016; 5,077 (35%) are female, 9,437 (64%) are male, and 146 (1%) are transgender women.
- 8 Blacks make up 32% of the state's population; however
  - 71% of new HIV cases are black and 74% of new AIDS cases are black
  - 69% of all persons living with HIV infection are black
- **X** In all regions of Louisiana, the percentage of persons living with HIV infection who are black is significantly higher than the percentage of the general population that is black.
- Among men, 68% of all new HIV diagnoses are among blacks, among women, 79% of all new HIV diagnoses are among blacks, and among transgender women, 82% of diagnoses are black.
- § In Louisiana, the HIV case rate for blacks is almost six times higher than the HIV case rate for whites. The HIV case rate in black females is nine times greater than the HIV case rate for white females, and the HIV case rate in black males is over five times greater than the HIV case rate for white males.
- **Q** Of the new HIV diagnoses among blacks in Louisiana, 59% are gay, bisexual and other men who have sex with men (MSM), 7% are injection drug users (IDU), 3% are MSM/IDU, and 31% are high risk heterosexuals.
- A Over the past five years, 48 black transgender women have been diagnosed with HIV and 146 black transgender women are living with HIV in Louisiana.

For more information about NHBAAD please visit *http://nationalblackaidsday.org* or *http://aids.gov.new-and-events*. For more information about HIV in Louisiana or to find an HIV testing location please visit http://lahhub.org/.



## National Black HIV/AIDS Awareness Day February 7, 2016

#### **HIV in Children:**

- **X** There were a total of 2,477 children (<13 yrs at year-end 2014) living with HIV infection in the US, 81% of whom were infected through mother-to-child transmission (perinatal infection).
- **&** 64% of children in the US that acquired HIV through perinatal transmission from 2010 to 2015, were black, 10% were Hispanic/Latino, and 15% were white.
- **X** In Louisiana, 146 infants were born to HIV-infected mothers and exposed to HIV in 2014; 89% were black. In the past 5 years, 89% of all perinatally infected infants were black.

New HIV Diagnoses and Persons Living with HIV in Louisiana, by Region:

#### New HIV Diagnoses Among Blacks in Louisiana by Public Health Region, 2016 Black Females Black Males Transgender Women 2016 2016 (2012-2016)Statewide 257 (100%) 631 (100%) 48 (100%) 1: New Orleans 67 (26%) 192 (33%) 22 (46%) 2: Baton Rouge 67 (26%) 131 (23%) 12 (25%) 3: Houma 14 (5%) 29 (5%) 2 (4%) 4: Lafavette 24 (9%) 30 (8%) 3 (6%) 5: Lake Charles 3 (1%) 18 (3%) 0(0%)6: Alexandria 12 (5%) 17 (4%) 1 (2%) 7: Shreveport 38 (15%) 51 (15%) 3 (6%) 8: Monroe 16 (6%) 33 (6%) 3 (6%) 9: Hammond/Slidell 16 (6%) 20 (3%) 2 (4%)

- \* Of all new HIV diagnoses among blacks, 55% are in the New Orleans and Baton Rouge regions.
- \* Over 70% of black transgender HIV diagnoses from 2012 to 2016 were in the New Orleans and Baton Rouge regions.

\* Of persons living with HIV infection, 63% of black females, 70% of black males, and 75% of black transgender women are living in the New Orleans and Baton Rouge regions.

## Blacks Living with HIV Infection in Louisiana by Public Health Region, 2016 Black Females Black Males

	Black Females	Black Males	Trans Women
Statewide	5,077 (100%)	9,437 (100%)	146 (100%)
1: New Orleans	1,523 (30%)	3,133 (33%)	73 (50%)
2: Baton Rouge	1,652 (33%)	2,584 (27%)	36 (25%)
3: Houma	222 (4%)	325 (3%)	6 (4%)
4: Lafayette	293 (6%)	633 (7%)	5 (3%)
5: Lake Charles	175 (3%)	416 (4%)	3 (2%)
6: Alexandria	215 (4%)	430 (5%)	2 (1%)
7: Shreveport	455 (9%)	950 (10%)	9 (6%)
8: Monroe	315 (6%)	516 (5%)	8 (5%)
9: Hammond/Slidell	227 (4%)	450 (5%)	4 (3%)

For more information about NHBAAD please visit *http://nationalblackaidsday.org* or *http://aids.gov.new-and-events*. For more information about HIV in Louisiana or to find an HIV testing location please visit http://lahhub.org/.