Louisiana HIV, AIDS, and Early Syphilis Surveillance Quarterly Report

September 30, 2020



Louisiana Department of Health
Office of Public Health
STD, HIV, and Hepatitis Program
1450 Poydras Street, Suite 2136
New Orleans, Louisiana 70112
504.568.7474
haprequest@la.gov
http://dhh.louisiana.gov/hiv
www.lahhub.org



Louisiana Department of Health Office of Public Health

STD, HIV, & Hepatitis Surveillance Program

DeAnn Gruber, PhD, LCSW

Director, Bureau of Infectious Diseases

Sam Burgess, MA, MSHCM

Director, STD/HIV/Hepatitis Program

Anthony James, MS, MA, MSHCM

Deputy Director - Programs

Chaquetta Johnson, DNP, MPH, APRN, WHNP-BC

Deputy Director - Operations

Tsegaye Assefa, MBA

Financial Operations Manager

Jacquelyn Naomi Bickham, MPA

Prevention Manager

Javone Charles, MPH

Field Operations Manager

Joy Ewell

CDC Lead Public Health Advisor

Julie Fitch, MA

Testing and Capacity Building Manager

Jessica Fridge, MSPH

Surveillance Manager

Will F. Henderson III, MSIS

Health Systems Manager

Billy Robinson, PhD

Evaluation Manager

Erika Sugimori, MPH

Care and Services Manager

Debbie Wendell, PhD, MPH

Data Management/Analysis Manager

Editor/Production:

Lauren Ostrenga, MPH Jacob Chavez, MS

HIV Field Epidemiologists:

Susan Brodie, MT(ASCP), MSPH, Field Epidemiologist Supervisor Angela Everette, Region 1 Tarsia Williams, Regions 1 & 3 Cheryl Edney, BS MT(ASCP), Regions 4, 5, & 6 Deneena Fulco, Regions 7 & 8

Regional STD Supervisors:

Michael Carter, Region 1
Gerald Dean Scott, Region 2
Nashaine Dees-Duperclay, Region 3
Ken May, Region 4
Patrick Williams, Region 5
Kenneth Nash, Region 6
Charles Jones, Region 7
Crissey Brown, Region 8
Dawanda Thompson, Region 9

TABLE OF CONTENTS

Contents	Page
Surveillance Summary	1
Abbreviations	3
Louisiana: Persons Living with HIV	4
Persons newly diagnosed with HIV	6
Persons newly diagnosed with AIDS	7
Persons diagnosed with Primary and Secondary Syphilis	8
Persons diagnosed with Early non-Primary non-Secondary Syphilis	9
Parish: Persons Living with HIV	10
Persons diagnosed with Early Syphilis	11
Metro New Orleans: Persons Living with HIV	12
Persons newly diagnosed with HIV and AIDS	14
Persons diagnosed with Early Syphilis	15
Metro Baton Rouge: Persons Living with HIV	16
Persons newly diagnosed with HIV and AIDS	18
Persons diagnosed with Early Syphilis	19
Public Health Regions: Map & HIV/AIDS Counts	20
Region 1: Persons Living with HIV	21
Region 2: Persons Living with HIV	22
Region 3: Persons Living with HIV	23
Region 4: Persons Living with HIV	24
Region 5: Persons Living with HIV	25
Region 6: Persons Living with HIV	26
Region 7: Persons Living with HIV	27
Region 8: Persons Living with HIV	28
Region 9: Persons Living with HIV	29
Regions 1-5: Persons newly diagnosed with HIV	30
Regions 6-9: Persons newly diagnosed with HIV	31
Regions 1-5: Persons newly diagnosed with AIDS	32
Regions 6-9: Persons newly diagnosed with AIDS	33
Regions 1-5: Persons diagnosed with Primary and Secondary Syphilis	34
Regions 6-9: Persons diagnosed with Primary and Secondary Syphilis	35
Regions 1-5: Persons diagnosed with Early non-Primary non-Secondary Syphilis	36
Regions 6-9: Persons diagnosed with Early non-Primary non-Secondary Syphilis	37
List of Figures	
Louisiana: 10-Year Trends Persons Living with HIV (2010-2019)	5
Louisiana: 10-Year Trends New HIV Diagnoses (2010-2019)	6
Louisiana: 10-Year Trends New AIDS Diagnoses (2010-2019)	7
Louisiana: 10-Year Trends P&S Syphilis Diagnoses (2010-2019)	8
Louisiana: 8-Year Trends Early non-P&S Syphilis Diagnoses (2012-2019)	9
Surveillance Breakout	
2020 World AIDS Day Factsheet	38

Surveillance Summary

Data in this report includes cases diagnosed with HIV, AIDS, or Early Syphilis

- In 2018, Louisiana ranked 4th in the nation for HIV case rates (20.9 per 100,000 population) and 12th in the estimated number of HIV cases. The Baton Rouge MSA ranked 3rd and the New Orleans MSA ranked 7th for HIV case rates (27.3 and 24.2 per 100,000, respectively), among the large metropolitan areas in the nation. The preliminary CDC HIV Surveillance Report (vol. 30) was released in November 2019 and provided the 2018 AIDS rankings. An updated CDC HIV Surveillance Report (vol. 31) was released in May 2020 and provided updated 2018 HIV rankings.
- According to the same report, Louisiana ranked 4th highest in state AIDS case rates (9.1 per 100,000) and 12th in the number of estimated AIDS cases in 2018. The New Orleans metropolitan area ranked 5th in AIDS case rates (12.9 per 100,000) and the Baton Rouge metropolitan area ranked 10th in AIDS case rates (9.4 per 100,000) in 2018 among the large metropolitan areas in the nation.
- In 2018, Louisiana ranked **7th** in the nation for primary and secondary (P&S) syphilis case rates (14.3 per 100,000 population) according to the 2018 *CDC STD Surveillance Report*.
- As of September 30, 2020, a total of 22,399 persons were living with HIV (PLWH) in Louisiana; of these individuals, 11,175 persons (50%) have an AIDS diagnosis.
- In 2019, **884** new HIV cases were diagnosed in Louisiana. Of these cases, **28%** (n=250) occurred in Region 1 (New Orleans) and **21%** (n=184) occurred in Region 2 (Baton Rouge).
- As of September 30, 2020, a total of **755** persons were diagnosed with early syphilis* in Louisiana; **407** persons were diagnosed with P&S syphilis, and **348** persons were diagnosed with early non-P&S syphilis. Of the total early syphilis cases, **37%** (n=276) occurred in Region 1 (New Orleans) and **9%** (n=67) occurred in Region 2 (Baton Rouge).
- The primary risk factor for new HIV diagnoses in Louisiana is gay, bisexual, and other men who have sex with men (GBM). In 2019, among persons who reported a risk factor, 56% reported being GBM, and an additional 2% reported being GBM and a person who injects drugs. As of September 30, 2020, 45% of all people with a reported risk factor living with HIV in Louisiana were GBM.
- The primary risk factor for early syphilis diagnoses in Louisiana is gay, bisexual, and other men
 who have sex with men (GBM). As of September 30, 2020, of the persons who reported a risk
 factor, 57% reported being GBM, and 52% reported engaging in heterosexual activity. Persons
 could report multiple risk factors for syphilis diagnoses.
- In Louisiana, **76%** of new HIV cases, **72%** of new AIDS cases, and **74%** of the early syphilis diagnoses were among men.
- African Americans in Louisiana experience severe health disparities in regards to HIV and STDs. In 2019, 66% of newly diagnosed HIV cases and 74% of newly diagnosed AIDS cases were among African Americans. As of September 30, 2020, 62% of early syphilis cases with a reported race/ethnicity were among African Americans. African Americans make up only 32% of Louisiana's overall population.
- A large percentage of new HIV and syphilis diagnoses occurred among adolescents and young adults. In 2019, 21% of all new HIV diagnoses occurred among persons 13-24 years old and an additional 37% occurred among persons 25-34 years old. As of September 30, 2020, 51% of all early syphilis diagnoses occurred among persons 13-29 years old and an additional 28% occurred among persons 30-39 years old.

^{*} A syphilis diagnosis with less than one year duration is considered to be "early syphilis." This designation covers the primary, secondary, and early non-P&S stages of syphilis.

Changes to Syphilis Case Definition

The Quarterly Report includes revisions to the surveillance case definition for syphilis as approved by the Council of State and Territorial Epidemiologists (CSTE) effective January 1, 2018. Of note, the nomenclature for "Early latent syphilis" has been changed to "Early non-primary non-secondary syphilis." Throughout the Quarterly Report it has been abbreviated to "Early non-P&S syphilis." Please refer to the following documentation for additional information on all other syphilis case definition revisions: https://www.cdc.gov/std/stats/DCL-syph-case-def-sept-4-2017.pdf.

Updates to HIV Transmission Categories

Starting in 2019, the Quarterly Report has updated HIV transmission category names using people first language. Men who have sex with men (MSM) is now "Gay, bisexual, and other men who have sex with men" (GBM). Injection drug use (IDU) is now "Persons who inject drugs" (PWID).

A significant number of women living with HIV do not meet the stringent "high risk" criteria for "Heterosexual contact" and are classified as "No identified risk." In an effort to better capture and present heterosexual transmission of HIV among women, the STD, HIV, & Hepatitis Program has used an algorithm from the Centers for Disease Control that re-categorizes many women formerly classified as "No identified risk" as now meeting the exposure criteria for "Female presumed heterosexual contact" (FPHC). The primary criteria for FPHC includes: sex at birth is female, answered 'yes' to sex with men, answered 'no' to injection drug use, and has no other documentation that would suggest an alternative mode of HIV acquisition.

Time Periods for this Quarterly Report (*Third Quarter 2020 Report*):

Persons Living with HIV – As of September 30, 2020

New HIV Diagnoses – Calendar Year 2019 (Updated from 2nd Quarter Report)

New AIDS Diagnoses – Calendar Year 2019 (Updated from 2nd Quarter Report)

New P&S Syphilis Diagnoses – January 1 to September 30, 2020 (First Nine Months of 2020)

Early non-P&S Syphilis Diagnoses – January 1 to September 30, 2020 (First Nine Months of 2020)

Future Quarterly Report:

Fourth Quarter 2020 Report: Release in February 2021
Persons Living with HIV- As of December 31, 2020
HIV and AIDS Diagnoses- Calendar Year 2019 (Final Update)
P&S Syphilis Diagnoses- Calendar Year 2020
Early non-P&S Syphilis Diagnoses- Calendar Year 2020

Abbreviations

Asian/PI Asian/Pacific Islander

CDC Centers for Disease Control and Prevention FPHC Female presumed heterosexual contact

FSF Female sex with female

HRH High risk heterosexual contact PWID Persons who inject drugs

GBM Gay, bisexual, and other men who have sex with men

GBM/PWID Gay, bisexual, and other men who have sex with men & inject drugs

NH Non-Hispanic

PLWH Persons living with HIV

P&S Primary and secondary syphilis

Persons Living with HIV Louisiana as of September 30, 2020

22,399 persons are currently living with HIV/AIDS in Louisiana.Number of persons living with HIV: 11,224Number of persons living with AIDS: 11,175

	No.	%
Gender	110.	, ,
Men	15,666	69.9
Women	6,382	28.5
Trans women	348	1.6
Trans men	3	0.0
Current Age		
0-12	30	0.1
13-19	112	0.5
20-24	679	3.0
25-29	1,744	7.8
30-34	2,523	11.3
35-39	2,624	11.7
40-44	2,684	12.0
45-49	2,445	10.9
50-54	2,668	11.9
55-59	2,893	12.9
60+	3,997	17.8
Total	22,399	100.0


_	Me	n	Wor	men	Trans	women	Tran	s men	LA State	Totals
	No.	%	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity										
American Indian	40	0.3	10	0.2	1	0.3	-	-	51	0.2
Asian/PI	71	0.5	17	0.3	2	0.6	-	-	90	0.4
Black, NH	9,869	63.0	5,175	81.1	290	83.3	2	66.7	15,336	68.5
Hispanic/Latinx	910	5.8	208	3.3	24	6.9	1	33.3	1,143	5.1
Multi-race	138	0.9	46	0.7	2	0.6	-	-	186	0.8
White, NH	4,618	29.5	918	14.4	29	8.3	-	-	5,565	24.8
Unknown	20	0.1	8	0.1	-	-	-	-	28	0.1
Total	15,666	100.0	6,382	100.0	348	100.0	3	100.0	22,399	100.0

Persons Living with HIV Louisiana as of September 30, 2020

	Men		Wo	Women T		Trans women		s men	LA State	Totals
	No.	%	No.	%	No.	%	No.	%	No.	%
Exposure Category										
GBM	8,974	66.5	-	-	-	-	-	-	8,974	45.1
Trans women - sex with men	-	-	-	-	308	89.0	-	-	308	1.5
GBM/PWID	808	6.0	-	-	-	-	1	100.0	809	4.1
Trans women - sex with men/PWID	-	-	-	-	34	9.8	-	-	34	0.2
PWID	1,010	7.5	652	10.7	1	0.3	-	-	1,663	8.4
HRH	2,571	19.1	4,525	74.6	3	0.9	-	-	7,099	35.7
FPHC	-	-	761	12.5	-	-	-	-	761	3.8
Transfusion/Hemophilia	31	0.2	22	0.4	-	-	-	-	53	0.3
Perinatal	97	0.7	106	1.7	-	-	-	-	203	1.0
Confirmed Other	-	-	1	0.0	-	-	-	-	1	0.0
Total	13,491	100.0	6,067	100.0	346	100.0	1	100.0	19,905	100.0

Men Women Trans women Trans men Total
No Reported Risk 2,175 315 2 2 2,494

10-Year Trends in Persons Living with HIV Louisiana, 2010-2019



Persons Newly Diagnosed with HIV Louisiana, January - December 2019


In 2019, 884 persons were newly diagnosed with HIV in Louisiana.

	No.	%
Gender		
Men	672	76.0
Women	194	21.9
Trans women	17	1.9
Trans men	1	0.1
Age at Diagnosis	;	
13-24	188	21.3
25-34	328	37.1
35-44	177	20.0
45+	191	21.6
Race/Ethnicity		
American Indian	6	0.7
Asian/PI	4	0.5
Black, NH	582	65.8
Hispanic/Latinx	81	9.2
Multi-race	5	0.6
White, NH	206	23.3
Total	884	100.0

	No.	%
Exposure Category		
GBM	421	56.0
Trans women - sex with men	14	1.9
GBM/PWID	18	2.4
Trans women - sex with men/PWID	2	0.3
PWID	40	5.3
HRH	204	27.1
FPHC	53	7.0
Total	752	100.0

No Reported Risk 132

10-Year Trends in New HIV Diagnoses Louisiana, 2010-2019



Persons Newly Diagnosed with AIDS Louisiana, January - December 2019


In 2019, 437 persons were newly diagnosed with AIDS in Louisiana.

	No.	%
Gender		
Men	316	72.3
Women	119	27.2
Trans women	2	0.5
Age at Diagnosis	;	
0-12	1	0.2
13-24	29	6.6
25-34	145	33.2
35-44	109	24.9
45+	153	35.0
Race/Ethnicity		
Asian/PI	2	0.5
Black, NH	324	74.1
Hispanic/Latinx	29	6.6
Multi-race	7	1.6
White, NH	75	17.2
Total	437	100.0

	No.	%
Exposure Category		
GBM	148	43.1
Trans women - sex with men	1	0.3
GBM/PWID	12	3.5
Trans women - sex with men/PWID	1	0.3
PWID	32	9.3
HRH	120	35.0
FPHC	25	7.3
Perinatal	4	1.2
Total	343	100.0

No Reported Risk 94

10-Year Trends in New AIDS Diagnoses Louisiana, 2010-2019



Persons Diagnosed with P&S Syphilis Louisiana, January - September 2020


Between January 1 and September 30, 2020, 407 persons were diagnosed with P&S Syphilis in Louisiana.

	No.	%
Gender		
Men	314	77.1
Women	90	22.1
Trans women	2	0.5
Trans men	1	0.2
Age at Diagnosis	;	
0-12	2	0.5
13-19	39	9.6
20-29	176	43.2
30-39	111	27.3
40+	79	19.4
Race/Ethnicity		
American Indian	1	0.2
Asian/PI	2	0.5
Black, NH	234	57.5
Hispanic/Latinx	10	2.5
Multi-race	14	3.4
White, NH	143	35.1
Unknown	3	0.7
Total	407	100.0

Cases with a Reported Risk*	No.	%
FSF	11	3.2
GBM	179	51.3
GBM/PWID	6	1.7
HRH	77	22.1
Heterosexual contact	121	34.7
Illegal drug use (all types)	123	35.2
Incarceration	30	8.6
PWID	14	4.0
Transactional sex	20	5.7

No Reported Risk 58

10-Year Trends in P & S Syphilis Diagnoses Louisiana, 2010-2019



^{* &}gt;1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

Persons Diagnosed with Early non-P&S Syphilis Louisiana, January - September 2020


Between January 1 and September 30, 2020, **348** persons were diagnosed with Early non-P&S Syphilis in Louisiana.

	No.	%
Gender		
Men	248	71.3
Women	86	24.7
Trans women	13	3.7
Trans men	1	0.3
Age at Diagnosis	;	
13-19	24	6.9
20-29	144	41.4
30-39	104	29.9
40+	76	21.8
Race/Ethnicity		
American Indian	2	0.6
Asian/PI	2	0.6
Black, NH	231	66.4
Hispanic/Latinx	11	3.2
Multi-race	16	4.6
White, NH	83	23.9
Unknown	3	0.9
Total	348	100.0

Cases with a Reported Risk*	No.	%
FSF	5	1.6
GBM	186	60.0
GBM/PWID	7	2.3
HRH	34	11.0
Heterosexual contact	109	35.2
Illegal drug use (all types)	71	22.9
Incarceration	20	6.5
PWID	8	2.6
Transactional sex	11	3.5

No Reported Risk 38

8-Year Trends in Early non-P&S Syphilis Diagnoses Louisiana, 2012-2019



 $^{^{\}star}$ >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

Persons Living with HIV by Parish as of September 30, 2020

 Parish	No. PLWH
Acadia	248
Allen	210
Ascension	278
Assumption	120
Avoyelles	238
Beauregard	46
Bienville	79
Bossier	497
Caddo	1,162
Calcasieu	712
Caldwell	27
Cameron	10
Catahoula	38
Claiborne	81
Concordia	42
De Soto	51
East Baton Rouge	4,230
East Carroll	18
East Feliciana	55
Evangeline	97
Franklin	64
Grant	65
Iberia	232
Iberville	264
Jackson	60
Jefferson	2,179
Jefferson Davis	37
LaSalle	43
Lafayette	855
Lafourche	156
Lincoln	72
Livingston	356
Madison	45
Morehouse	91
Natchitoches	154
Orleans	5,288
Ouachita	670
Plaquemines	48
Pointe Coupee	65
Rapides	466
Red River	4
Richland	16

Parish	No. PLWH
Sabine	23
St. Bernard	215
St. Charles	205
St. Helena	80
St. James	90
St. John the Baptist	100
St. Landry	307
St. Martin	37
St. Mary	84
St. Tammany	610
Tangipahoa	313
Tensas	31
Terrebonne	169
Union	14
Vermilion	100
Vernon	70
Washington	167
Webster	41
West Baton Rouge	123
West Carroll	16
West Feliciana	108
Winn	27

Total PLWH: 22,399

Persons Diagnosed with Early Syphilis* by Parish January - September 2020

Parish	No. Diagnoses
Acadia	4
Allen	0
Ascension	3
Assumption	0
Avoyelles	15
Beauregard	3
Bienville	1
Bossier	10
Caddo	62
Calcasieu	20
Caldwell	3
Cameron	0
Catahoula	0
Claiborne	0
Concordia	2
De Soto	6
East Baton Rouge	57
East Carroll	0
East Feliciana	3
Evangeline	1
Franklin	0
Grant	9 3 3 2
Iberia	3
Iberville	3
Jackson	2
Jefferson	86
Jefferson Davis	0
LaSalle	2
Lafayette	25
Lafourche	12
Lincoln	9
Livingston	8
Madison	2
Morehouse	2 6
Natchitoches	7
Orleans	178
Ouachita	35
Plaquemines	2
Pointe Coupee	0
Rapides	79
Red River	0
Richland	2
ornana	

Parish	No. Diagnoses
Sabine	1
St. Bernard	10
St. Charles	5
St. Helena	1
St. James	1
St. John the Baptist	6
St. Landry	8
St. Martin	2
St. Mary	3
St. Tammany	20
Tangipahoa	12
Tensas	0
Terrebonne	9
Union	3
Vermilion	2
Vernon	3
Washington	4
Webster	2
West Baton Rouge	1
West Carroll	0
West Feliciana	0
Winn	2

Total Early Syphilis Cases: 755

^{*} A syphilis diagnosis with less than one year duration is considered "early syphilis." This designation covers the primary, secondary, and early non-P&S stages of syphilis.

Persons Living with HIV Metro New Orleans

as of September 30, 2020

Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, & St. Tammany Parishes

8,735 persons are currently living with HIV/AIDS in Metro New Orleans. Number of persons living with HIV: 4,331 Number of persons living with AIDS: 4,404

	No.	%
Gender		
Men	6,343	72.6
Women	2,209	25.3
Trans women	180	2.1
Trans men	3	0.0
Current Age		
0-12	9	0.1
13-19	43	0.5
20-24	215	2.5
25-29	628	7.2
30-34	944	10.8
35-39	1,024	11.7
40-44	1,022	11.7
45-49	906	10.4
50-54	1,046	12.0
55-59	1,207	13.8
60+	1,691	19.4
Total	8,735	100.0

	M	en	Woi	men	Trans	women	Tran	s men	Metro New O	rleans Totals
	No.	%	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity										
American Indian	12	0.2	2	0.1	-	-	-	-	14	0.2
Asian/PI	39	0.6	6	0.3	2	1.1	-	-	47	0.5
Black, NH	3,659	57.7	1,768	80.0	144	80.0	2	66.7	5,573	63.8
Hispanic/Latinx	479	7.6	136	6.2	17	9.4	1	33.3	633	7.2
Multi-race	58	0.9	17	0.8	-	-	-	-	75	0.9
White, NH	2,087	32.9	275	12.4	17	9.4	-	-	2,379	27.2
Unknown	9	0.1	5	0.2	-	-	-	-	14	0.2
Total	6,343	100.0	2,209	100.0	180	100.0	3	100.0	8,735	100.0

Persons Living with HIV Metro New Orleans

as of September 30, 2020

Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, & St. Tammany Parishes

	M	en	Wor	Women Trans won		women Trans men		Metro New Orleans Totals		
	No.	%	No.	%	No.	%	No.	%	No.	%
Exposure Category										
GBM	3,954	70.9	-	-	-	-	-	-	3,954	50.5
Trans women - sex with										
men	-	-	-	-	159	88.8	-	-	159	2.0
GBM/PWID	307	5.5	-	-	-	-	1	100.0	308	3.9
Trans women - sex with										
men/PWID	-	-	-	-	19	10.6	-	-	19	0.2
PWID	330	5.9	216	10.4	-	-	-	-	546	7.0
HRH	945	16.9	1,552	74.8	1	0.6	-	-	2,498	31.9
FPHC	-	-	253	12.2	-	-	-	-	253	3.2
Transfusion/Hemophilia	12	0.2	9	0.4	-	-	-	-	21	0.3
Perinatal	31	0.6	44	2.1	-	-	-	-	75	1.0
Total	5,579	100.0	2,074	100.0	179	100.0	1	100.0	7,833	100.0

Men Women Trans women Trans men Total No Reported Risk 764 135 2 902

Persons Newly Diagnosed with HIV and AIDS Metro New Orleans

Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, & St. Tammany Parishes

Persons Diagnosed with HIV January - December 2019

In 2019, 285 persons were newly diagnosed with HIV in Metro New Orleans.

	No.	%
Gender		
Men	218	76.5
Women	60	21.1
Trans women	6	2.1
Trans men	1	0.4
Age at Diagnosis	;	
13-24	51	17.9
25-34	121	42.5
35-44	71	24.9
45+	42	14.7
Race/Ethnicity		
American Indian	4	1.4
Asian/PI	1	0.4
Black, NH	178	62.5
Hispanic/Latinx	34	11.9
Multi-race	1	0.4
White, NH	67	23.5
Total	285	100.0

	No.	%
Exposure Category		
GBM	140	56.7
Trans women - sex with men	5	2.0
GBM/PWID	11	4.5
PWID	16	6.5
HRH	65	26.3
FPHC	10	4.0
Total	247	100.0

No Reported Risk 38

Persons Diagnosed with AIDS January - December 2019

In 2019, 149 persons were newly diagnosed with AIDS in Metro New Orleans.

	No.	%
Gender		
Men	105	70.5
Women	44	29.5
Age at Diagnosis		
13-24	5	3.4
25-34	56	37.6
35-44	43	28.9
45+	45	30.2
Race/Ethnicity		
Asian/PI	1	0.7
Black, NH	115	77.2
Hispanic/Latinx	16	10.7
Multi-race	1	0.7
White, NH	16	10.7
Total	149	100.0

	No.	%
Exposure Category		
GBM	44	36.1
GBM/PWID	8	6.6
PWID	12	9.8
HRH	50	41.0
FPHC	7	5.7
Perinatal	1	0.8
Total	122	100.0

No Reported Risk 27

Persons Diagnosed with Early Syphilis Metro New Orleans

Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, & St. Tammany Parishes

Persons Diagnosed with P&S Syphilis January - September 2020

Between January 1 through September 30, 2020, **136** persons were newly diagnosed with P&S Syphilis in Metro New Orleans.

	No.	%
Gender		
Men	128	94.1
Women	6	4.4
Trans women	1	0.7
Trans men	1	0.7
Age at Diagnosis		
13-19	7	5.1
20-29	63	46.3
30-39	40	29.4
40+	26	19.1
Race/Ethnicity		
Asian/PI	2	1.5
Black, NH	84	61.8
Hispanic/Latinx	5	3.7
Multi-race	4	2.9
White, NH	41	30.1
Total	136	100.0

Cases with a Reported Risk*	No.	%
FSF	0	0.0
GBM	90	76.3
GBM/PWID	2	1.7
HRH	25	21.2
Heterosexual contact	14	11.9
Illegal drug use (all types)	36	30.5
Incarceration	12	10.2
PWID	2	1.7
Transactional sex	5	4.2
		-

No Reported Risk 18

Persons Diagnosed with Early non-P&S Syphilis January - September 2020

Between January 1 through September 30, 2020, **172** persons were newly diagnosed with Early non-P&S Syphilis in Metro New Orleans.

	No.	%
Gender		
Men	142	82.6
Women	20	11.6
Trans women	9	5.2
Trans men	1	0.6
Age at Diagnosis		
13-19	7	4.1
20-29	58	33.7
30-39	64	37.2
40+	43	25.0
Race/Ethnicity		
American Indian	1	0.6
Asian/PI	1	0.6
Black, NH	110	64.0
Hispanic/Latinx	8	4.7
Multi-race	4	2.3
White, NH	48	27.9
Total	172	100.0

Case with a Reported Risk*	No.	%
FSF	2	1.3
GBM	121	78.6
GBM/PWID	5	3.2
HRH	15	9.7
Heterosexual contact	31	20.1
Illegal drug use (all types)	29	18.8
Incarceration	11	7.1
PWID	2	1.3
Transactional sex	4	2.6

No Reported Risk 18

 $^{^{\}star}$ >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

Persons Living with HIV Metro Baton Rouge

as of September 30, 2020

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, & West Feliciana Parishes

5,559 persons are currently living with HIV/AIDS in Metro Baton Rouge.

Number of persons living with HIV: 2,732 Number of persons living with AIDS: 2,827

	No.	%
Gender		
Men	3,531	63.5
Women	1,948	35.0
Trans women	80	1.4
Current Age		
0-12	11	0.2
13-19	31	0.6
20-24	158	2.8
25-29	417	7.5
30-34	611	11.0
35-39	675	12.1
40-44	715	12.9
45-49	641	11.5
50-54	673	12.1
55-59	682	12.3
60+	945	17.0
Total	5,559	100.0

	M	en	Wor	nen	Trans	women	vomen Metro Baton Rouge	
	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity								
American Indian	7	0.2	-	-	-	-	7	0.1
Asian/PI	10	0.3	5	0.3	-	-	15	0.3
Black, NH	2,729	77.3	1,733	89.0	72	90.0	4,534	81.6
Hispanic/Latinx	89	2.5	25	1.3	3	3.8	117	2.1
Multi-race	20	0.6	8	0.4	1	1.3	29	0.5
White, NH	670	19.0	175	9.0	4	5.0	849	15.3
Unknown	6	0.2	2	0.1	-	-	8	0.1
Total	3,531	100.0	1,948	100.0	80	100.0	5,559	100.0

Persons Living with HIV Metro Baton Rouge

as of September 30, 2020

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, & West Feliciana Parishes

	Men Women Trans women Me		Men Women Trans women I		Metro Baton	Rouge Totals		
	No.	%	No.	%	No.	%	No.	%
Exposure Category								
GBM	1,694	55.6	-	-	-	-	1,694	33.8
Trans women - sex with men	-	-	-	-	70	88.6	70	1.4
GBM/PWID	187	6.1	-	-	-	-	187	3.7
Trans women - sex with								
men/PWID	-	-	-	-	8	10.1	8	0.2
PWID	328	10.8	201	10.7	-	-	529	10.6
HRH	797	26.2	1,452	77.2	1	1.3	2,250	44.9
FPHC	-	-	195	10.4	-	-	195	3.9
Transfusion/Hemophilia	7	0.2	6	0.3	-	-	13	0.3
Perinatal	33	1.1	27	1.4	-	-	60	1.2
Total	3,046	100.0	1,881	100.0	79	100.0	5,006	100.0

Men Women Trans women Total No Reported Risk 485 67 1 553

Persons Newly Diagnosed with HIV and AIDS Metro Baton Rouge

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, & West Feliciana Parishes

Persons Diagnosed with HIV January - December 2019

In 2019, 199 persons were newly diagnosed with HIV in Metro Baton Rouge.

	No.	%
Gender		
Men	148	74.4
Women	51	25.6
Age at Diagnosis		
13-24	48	24.1
25-34	62	31.2
35-44	36	18.1
45+	53	26.6
Race/Ethnicity		
Asian/PI	1	0.5
Black, NH	155	77.9
Hispanic/Latinx	7	3.5
White, NH	36	18.1
Total	199	100.0

	No.	%
Exposure Category		
GBM	90	51.7
GBM/PWID	2	1.1
PWID	6	3.4
HRH	60	34.5
FPHC	16	9.2
Total	174	100.0

No Reported Risk 25

Persons Diagnosed with AIDS January - December 2019

In 2019, 91 persons were newly diagnosed with AIDS in Metro Baton Rouge.

	No.	%
Gender		
Men	61	67.0
Women	30	33.0
Age at Diagnosis		
13-24	9	9.9
25-34	28	30.8
35-44	16	17.6
45+	38	41.8
Race/Ethnicity		
Black, NH	76	83.5
Hispanic/Latinx	2	2.2
Multi-race	1	1.1
White, NH	12	13.2
Total	91	100.0

	No.	%
Exposure Category		
GBM	25	36.8
PWID	6	8.8
HRH	29	42.6
FPHC	8	11.8
Total	68	100.0

No Reported Risk 23

Persons Diagnosed with Early Syphilis Metro Baton Rouge

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, & West Feliciana Parishes

Persons Diagnosed with P&S Syphilis January - September 2020

Between January 1 through September 30, 2020, **47** persons were newly diagnosed with P&S Syphilis in Metro Baton Rouge.

	No.	%
Gender		
Men	37	78.7
Women	10	21.3
Age at Diagnosis		
0-12	1	2.1
13-19	5	10.6
20-29	16	34.0
30-39	15	31.9
40+	10	21.3
Race/Ethnicity		
Black, NH	31	66.0
Hispanic/Latinx	3	6.4
White, NH	13	27.7
Total	47	100.0

Cases with a Reported Risk*	No.	%
FSF	1	3.0
GBM	17	51.5
GBM/PWID	0	0.0
HRH	4	12.1
Heterosexual contact	12	36.4
Illegal drug use (all types)	5	15.2
Incarceration	3	9.1
PWID	1	3.0
Transactional sex	3	9.1

No Reported Risk 14

Persons Diagnosed with Early non-P&S Syphilis January - September 2020

Between January 1 through September 30, 2020, **29** persons were newly diagnosed with Early non-P&S Syphilis in Metro Baton Rouge.

-	No.	%
Gender		
Men	20	69.0
Women	7	24.1
Trans women	2	6.9
Age at Diagnosis		
20-29	15	51.7
30-39	8	27.6
40+	6	20.7
Race/Ethnicity		
Asian/PI	1	3.4
Black, NH	21	72.4
Hispanic/Latinx	2	6.9
Multi-race	1	3.4
White, NH	3	10.3
Unknown	1	3.4
Total	29	100.0

Cases with a Reported Risk*	No.	%
FSF	0	0.0
GBM	14	58.3
GBM/PWID	0	0.0
HRH	1	4.2
Heterosexual contact	12	50.0
Illegal drug use (all types)	1	4.2
Incarceration	1	4.2
PWID	0	0.0
Transactional sex	2	8.3

No Reported Risk 5

^{* &}gt;1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

Persons Living with HIV/AIDS by Region as of September 30, 2020

	New HIV	New AIDS	Persons Living with	Persons Living	Persons Living
	Diagnoses 2019	Diagnoses 2019	HIV(nonAIDS) thru	with AIDS thru	with HIV or AIDS
	Calendar Year	Calendar Year	9-30-2020	9-30-2020	thru 9-30-2020
Region 1	250	131	3,848	3,882	7,730
Region 2	184	86	2,529	2,594	5,123
Region 3	43	20	450	474	924
Region 4	92	44	977	899	1,876
Region 5	50	21	523	492	1,015
Region 6	47	18	514	475	989
Region 7	115	66	1,078	1,014	2,092
Region 8	42	17	566	558	1,124
Region 9	61	34	739	787	1,526
State Total	884	437	11,224	11,175	22,399



Region 1 (New Orleans): Jefferson, Orleans, Plaquemines, St. Bernard

Region 2 (Baton Rouge): Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana

- Region 3 (Houma): Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne
- Region 4 (Lafayette): Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermilion
- Region 5 (Lake Charles): Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis
- Region 6 (Alexandria): Avoyelles, Catahoula, Concordia, Grant, LaSalle, Rapides, Vernon, Winn
- Region 7 (Shreveport): Bienville, Bossier, Caddo, Claiborne, De Soto, Natchitoches, Red River, Sabine, Webster
- Region 8 (Monroe): Caldwell, East Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, West Carroll
- Region 9 (Hammond/Slidell): Livingston, St. Helena, St. Tammany, Tangipahoa, Washington

Persons Living with HIV Region 1: New Orleans Region as of September 30, 2020 Jefferson, Orleans, Plaquemines & St. Bernard Parishes

	No.	%
Gender		
Men	5,640	73.0
Women	1,920	24.8
Trans women	168	2.2
Trans men	2	0.0
Current Age		
0-12	7	0.1
13-19	33	0.4
20-24	193	2.5
25-29	561	7.3
30-34	833	10.8
35-39	908	11.7
40-44	905	11.7
45-49	800	10.3
50-54	924	12.0
55-59	1,057	13.7
60+	1,509	19.5
Total	7,730	100.0

	M	Men \		Women		Trans women		s men	Region '	1 Totals
	No.	%	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity										
American Indian	9	0.2	2	0.1	-	-	-	-	11	0.1
Asian/PI	37	0.7	4	0.2	2	1.2	-	-	43	0.6
Black, NH	3,328	59.0	1,573	81.9	136	81.0	1	50.0	5,038	65.2
Hispanic/Latinx	442	7.8	124	6.5	16	9.5	1	50.0	583	7.5
Multi-race	53	0.9	13	0.7	-	-	-	-	66	0.9
White, NH	1,764	31.3	201	10.5	14	8.3	-	-	1,979	25.6
Unknown	7	0.1	3	0.2	-	-	-	-	10	0.1
Total	5,640	100.0	1,920	100.0	168	100.0	2	100.0	7,730	100.0

	Men		Woi	Women Trans		s women Tra		s men	Region '	1 Totals
	No.	%	No.	%	No.	%	No.	%	No.	%
Exposure Category										
GBM	3,512	70.6	-	-	-	-	-	-	3,512	50.5
Trans women - sex with men	-	-	-	-	148	88.6	-	-	148	2.1
GBM/PWID	279	5.6	-	-	-	-	1	100.0	280	4.0
Trans women - sex with men/PWID	-	-	-	-	18	10.8	-	-	18	0.3
PWID	296	5.9	184	10.2	-	-	-	-	480	6.9
HRH	856	17.2	1,368	75.7	1	0.6	-	-	2,225	32.0
FPHC	-	-	212	11.7	-	-	-	-	212	3.0
Transfusion/Hemophilia	10	0.2	9	0.5	-	-	-	-	19	0.3
Perinatal	25	0.5	35	1.9	-	-	-	-	60	0.9
Total	4,978	100.0	1,808	100.0	167	100.0	1	100.0	6,954	100.0

Men Women Trans women Trans men Total No Reported Risk 662 112

Persons Living with HIV Region 2: Baton Rouge Region as of September 30, 2020

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, & West Feliciana Parishes

	No.	%
Gender		
Men	3,242	63.3
Women	1,805	35.2
Trans women	76	1.5
Current Age		
0-12	9	0.2
13-19	27	0.5
20-24	148	2.9
25-29	393	7.7
30-34	571	11.1
35-39	635	12.4
40-44	664	13.0
45-49	578	11.3
50-54	610	11.9
55-59	616	12.0
60+	872	17.0
Total	5,123	100.0

	M	Men		nen	Trans	women	Region 2 Totals		
	No.	%	No.	%	No.	%	No.	%	
Race/Ethnicity									
American Indian	7	0.2	-	-	-	-	7	0.1	
Asian/PI	10	0.3	3	0.2	-	-	13	0.3	
Black, NH	2,592	80.0	1,645	91.1	68	89.5	4,305	84.0	
Hispanic/Latinx	77	2.4	20	1.1	3	3.9	100	2.0	
Multi-race	19	0.6	8	0.4	1	1.3	28	0.5	
White, NH	531	16.4	127	7.0	4	5.3	662	12.9	
Unknown	6	0.2	2	0.1	-	-	8	0.2	
Total	3,242	100.0	1,805	100.0	76	100.0	5,123	100.0	

	M	en	Wo	men	Trans	women	Region 2 Totals		
	No.	%	No.	%	No.	%	No.	%	
Exposure Category									
GBM	1,531	54.7	-	-	-	-	1,531	33.2	
Trans women - sex with men	-	-	-	-	66	88.0	66	1.4	
GBM/PWID	165	5.9	-	-	-	-	165	3.6	
Trans women - sex with men/PWID	-	-	-	-	8	10.7	8	0.2	
PWID	309	11.0	182	10.4	-	-	491	10.6	
HRH	760	27.1	1,356	77.8	1	1.3	2,117	45.8	
FPHC	-	-	174	10.0	-	-	174	3.8	
Transfusion/Hemophilia	6	0.2	6	0.3	-	-	12	0.3	
Perinatal	30	1.1	24	1.4	-	-	54	1.2	
Total	2,801	100.0	1,742	100.0	75	100.0	4,618	100.0	

Men Women Trans women Total
No Reported Risk 441 63 1 505

Persons Living with HIV Region 3: Houma Region as of September 30, 2020 Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, & Terrebonne Parishes

	No.	%
Gender		
Men	602	65.2
Women	313	33.9
Trans women	8	0.9
Trans men	1	0.1
Current Age		
0-12	3	0.3
13-19	5	0.5
20-24	37	4.0
25-29	82	8.9
30-34	111	12.0
35-39	115	12.4
40-44	95	10.3
45-49	104	11.3
50-54	110	11.9
55-59	118	12.8
60+	144	15.6
Total	924	100.0

	Men		Wo	Women		Trans women		s men	Region	3 Totals
	No.	%	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity										
American Indian	4	0.7	1	0.3	-	-	-	-	5	0.5
Asian/PI	1	0.2	1	0.3	-	-	-	-	2	0.2
Black, NH	332	55.1	223	71.2	5	62.5	1	100.0	561	60.7
Hispanic/Latinx	30	5.0	13	4.2	-	-	-	-	43	4.7
Multi-race	6	1.0	4	1.3	-	-	-	-	10	1.1
White, NH	227	37.7	71	22.7	3	37.5	-	-	301	32.6
Unknown	2	0.3	-	-	-	-	-	-	2	0.2
Total	602	100.0	313	100.0	8	100.0	1	100.0	924	100.0

	Men		Women		Trans women		Region	3 Totals
	No.	%	No.	%	No.	%	No.	%
Exposure Category								
GBM	360	69.5	-	-	-	-	360	43.8
Trans women - sex with men	-	-	-	-	7	87.5	7	0.9
GBM/PWID	22	4.2	-	-	-	-	22	2.7
Trans women - sex with men/PWID	-	-	-	-	1	12.5	1	0.1
PWID	39	7.5	21	7.1	-	-	60	7.3
HRH	90	17.4	218	73.9	-	-	308	37.5
FPHC	-	-	47	15.9	-	-	47	5.7
Perinatal	7	1.4	9	3.1	-	-	16	1.9
Total	518	100.0	295	100.0	8	100.0	821	100.0

	Men	Women	Trans women	Trans men	Total
No Reported Risk	84	18	0	1	103

Persons Living with HIV Region 4: Lafayette Region as of September 30, 2020 Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, & Vermilion Parishes

	No.	%
Gender		
Men	1,399	74.6
Women	460	24.5
Trans women	17	0.9
Current Age		
0-12	2	0.1
13-19	8	0.4
20-24	79	4.2
25-29	173	9.2
30-34	235	12.5
35-39	198	10.6
40-44	182	9.7
45-49	188	10.0
50-54	220	11.7
55-59	268	14.3
60+	323	17.2
Total	1,876	100.0

	M	en	Wo	men	Trans women		Region 4	1 Totals
	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity								
American Indian	4	0.3	2	0.4	-	-	6	0.3
Asian/PI	7	0.5	4	0.9	-	-	11	0.6
Black, NH	721	51.5	314	68.3	14	82.4	1,049	55.9
Hispanic/Latinx	83	5.9	7	1.5	1	5.9	91	4.9
Multi-race	16	1.1	5	1.1	-	-	21	1.1
White, NH	567	40.5	127	27.6	2	11.8	696	37.1
Unknown	1	0.1	1	0.2	-	-	2	0.1
Total	1,399	100.0	460	100.0	17	100.0	1,876	100.0

	M	en	Wo	men	Trans	women	Region	4 Totals
	No.	%	No.	%	No.	%	No.	%
Exposure Category								
GBM	850	73.3	-	-	-	-	850	52.8
Trans women - sex with men	-	-	-	-	15	88.2	15	0.9
GBM/PWID	72	6.2	-	-	-	-	72	4.5
Trans women - sex with men/PWID	-	-	-	-	2	11.8	2	0.1
PWID	69	5.9	51	11.8	-	-	120	7.5
HRH	157	13.5	344	79.4	-	-	501	31.1
FPHC	-	-	33	7.6	-	-	33	2.0
Transfusion/Hemophilia	4	0.3	1	0.2	-	-	5	0.3
Perinatal	8	0.7	3	0.7	-	-	11	0.7
Confirmed Other	-	-	1	0.2	-	-	1	0.1
Total	1,160	100.0	433	100.0	17	100.0	1,610	100.0

Men Women Trans women Total No Reported Risk 239 0 266 27

Persons Living with HIV

Region 5: Lake Charles Region as of September 30, 2020 Allen, Beauregard, Calcasieu, Cameron, & Jefferson Davis Parishes

	No.	%
Gender		
Men	761	75.0
Women	241	23.7
Trans women	13	1.3
Current Age		
0-12	2	0.2
13-19	7	0.7
20-24	30	3.0
25-29	67	6.6
30-34	105	10.3
35-39	100	9.9
40-44	127	12.5
45-49	112	11.0
50-54	132	13.0
55-59	148	14.6
60+	185	18.2
Total	1,015	100.0

	N	len	Wo	Women Trans w			Region 5	Totals
	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity								
American Indian	1	0.1	-	-	1	7.7	2	0.2
Asian/PI	3	0.4	-	-	-	-	3	0.3
Black, NH	396	52.0	157	65.1	12	92.3	565	55.7
Hispanic/Latinx	88	11.6	8	3.3	-	-	96	9.5
Multi-race	10	1.3	4	1.7	-	-	14	1.4
White, NH	263	34.6	72	29.9	-	-	335	33.0
Total	761	100.0	241	100.0	13	100.0	1,015	100.0

	Men		Wo	men	Trans women		Region	5 Totals
	No.	%	No.	%	No.	%	No.	%
Exposure Category								
GBM	371	60.5	-	-	-	-	371	43.5
Trans women - sex with men	-	-	-	-	13	100.0	13	1.5
GBM/PWID	50	8.2	-	-	-	-	50	5.9
PWID	73	11.9	34	15.0	-	-	107	12.5
HRH	112	18.3	160	70.5	-	-	272	31.9
FPHC	-	-	24	10.6	-	-	24	2.8
Transfusion/Hemophilia	3	0.5	-	-	-	-	3	0.4
Perinatal	4	0.7	9	4.0	-	-	13	1.5
Total	613	100.0	227	100.0	13	100.0	853	100.0

Men Women Trans women Total No Reported Risk 148 0 162 14

Persons Living with HIV

Region 6: Alexandria Region
as of September 30, 2020
Avoyelles, Catahoula, Concordia, Grant, LaSalle, Rapides, Vernon, & Winn Parishes

	No.	%
Gender		
Men	711	71.9
Women	268	27.1
Trans women	10	1.0
Current Age		
0-12	2	0.2
13-19	3	0.3
20-24	26	2.6
25-29	67	6.8
30-34	109	11.0
35-39	120	12.1
40-44	123	12.4
45-49	123	12.4
50-54	122	12.3
55-59	122	12.3
60+	172	17.4
Total	989	100.0

	N	Men		men	Trans women		Region	6 Totals
	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity								
American Indian	-	-	2	0.7	-	-	2	0.2
Asian/PI	3	0.4	-	-	-	-	3	0.3
Black, NH	417	58.6	209	78.0	7	70.0	633	64.0
Hispanic/Latinx	67	9.4	5	1.9	_	-	72	7.3
Multi-race	5	0.7	3	1.1	_	-	8	0.8
White, NH	219	30.8	49	18.3	3	30.0	271	27.4
Total	711	100.0	268	100.0	10	100.0	989	100.0

	Men		Women		Trans women		Region	6 Totals
	No.	%	No.	%	No.	%	No.	%
Exposure Category								
GBM	364	61.3	-	-	-	-	364	42.3
Trans women - sex with men	-	-	-	-	8	80.0	8	0.9
GBM/PWID	35	5.9	-	-	-	-	35	4.1
Trans women - sex with men/PWID	-	-	-	-	2	20.0	2	0.2
PWID	59	9.9	21	8.2	-	-	80	9.3
HRH	129	21.7	188	73.4	-	-	317	36.9
FPHC	-	-	43	16.8	-	-	43	5.0
Transfusion/Hemophilia	2	0.3	1	0.4	-	-	3	0.3
Perinatal	5	0.8	3	1.2	-	-	8	0.9
Total	594	100.0	256	100.0	10	100.0	860	100.0

Men Women Trans women Total No Reported Risk 117 12 0 129

Persons Living with HIV

Region 7: Shreveport Region
as of September 30, 2020
Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, & Webster Parishes

	No.	%
Gender		
Men	1,454	69.5
Women	614	29.3
Trans women	24	1.1
Current Age		
0-12	1	0.0
13-19	14	0.7
20-24	75	3.6
25-29	234	11.2
30-34	307	14.7
35-39	253	12.1
40-44	276	13.2
45-49	210	10.0
50-54	212	10.1
55-59	223	10.7
60+	287	13.7
Total	2,092	100.0

	M	en	Wo	men	Trans	women	Region 7	Totals
	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity								
American Indian	9	0.6	2	0.3	-	-	11	0.5
Asian/PI	5	0.3	1	0.2	-	-	6	0.3
Black, NH	1,031	70.9	500	81.4	22	91.7	1,553	74.2
Hispanic/Latinx	44	3.0	11	1.8	2	8.3	57	2.7
Multi-race	15	1.0	2	0.3	-	-	17	0.8
White, NH	350	24.1	98	16.0	-	-	448	21.4
Total	1,454	100.0	614	100.0	24	100.0	2,092	100.0

	M	en	Wo	men	Trans	women	Region	7 Totals
	No.	%	No.	%	No.	%	No.	%
Exposure Category								
GBM	903	73.1	-	-	-	-	903	49.0
Trans women - sex with men	-	-	-	-	21	87.5	21	1.1
GBM/PWID	81	6.6	-	-	-	-	81	4.4
Trans women - sex with men/PWID	-	-	-	-	2	8.3	2	0.1
PWID	57	4.6	69	11.8	-	-	126	6.8
HRH	185	15.0	371	63.5	1	4.2	557	30.2
FPHC	-	-	134	22.9	-	-	134	7.3
Transfusion/Hemophilia	2	0.2	3	0.5	-	-	5	0.3
Perinatal	7	0.6	7	1.2	-	-	14	0.8
Total	1,235	100.0	584	100.0	24	100.0	1,843	100.0

Men Women Trans women Total No Reported Risk 219 30 0 249

Persons Living with HIV Region 8: Monroe Region as of September 30, 2020

Caldwell, East Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, & West Carroll Parishes

	No.	%
Gender		
Men	757	67.3
Women	355	31.6
Trans women	12	1.1
Current Age		
0-12	1	0.1
13-19	6	0.5
20-24	53	4.7
25-29	87	7.7
30-34	104	9.3
35-39	122	10.9
40-44	140	12.5
45-49	144	12.8
50-54	125	11.1
55-59	128	11.4
60+	214	19.0
Total	1,124	100.0

	N	len	Women		Trans	women	Region 8	3 Totals
	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity								
American Indian	3	0.4	1	0.3	-	-	4	0.4
Asian/PI	3	0.4	1	0.3	-	-	4	0.4
Black, NH	525	69.4	298	83.9	11	91.7	834	74.2
Hispanic/Latinx	29	3.8	7	2.0	1	8.3	37	3.3
Multi-race	9	1.2	3	0.8	-	-	12	1.1
White, NH	186	24.6	45	12.7	-	-	231	20.6
Unknown	2	0.3	-	-	-	-	2	0.2
Total	<i>757</i>	100.0	355	100.0	12	100.0	1,124	100.0

	N	len	Wo	men	Trans	women	Region 8	3 Totals
	No.	%	No.	%	No.	%	No.	%
Exposure Category								
GBM	435	65.2	-	-	-	-	435	42.8
Trans women - sex with men	-	-	-	-	12	100.0	12	1.2
GBM/PWID	45	6.7	-	-	-	-	45	4.4
PWID	42	6.3	28	8.3	-	-	70	6.9
HRH	142	21.3	269	79.8	-	-	411	40.5
FPHC	-	-	29	8.6	-	-	29	2.9
Transfusion/Hemophilia	1	0.1	2	0.6	-	-	3	0.3
Perinatal	2	0.3	9	2.7	-	-	11	1.1
Total	667	100.0	337	100.0	12	100.0	1,016	100.0

Men Women Trans women Total
No Reported Risk 90 18 0 108

Persons Living with HIV Region 9: Hammond/Slidell Region as of September 30, 2020 Livingston, St. Helena, St. Tammany, Tangipahoa, & Washington Parishes

	No.	%
Gender		
Men	1,100	72.1
Women	406	26.6
Trans women	20	1.3
Current Age		
0-12	3	0.2
13-19	9	0.6
20-24	38	2.5
25-29	80	5.2
30-34	148	9.7
35-39	173	11.3
40-44	172	11.3
45-49	186	12.2
50-54	213	14.0
55-59	213	14.0
60+	291	19.1
Total	1,526	100.0

	M	en	Wo	men	men Trans women		Region 9	Totals
	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity								
American Indian	3	0.3	-	-	-	-	3	0.2
Asian/PI	2	0.2	3	0.7	-	-	5	0.3
Black, NH	527	47.9	256	63.1	15	75.0	798	52.3
Hispanic/Latinx	50	4.5	13	3.2	1	5.0	64	4.2
Multi-race	5	0.5	4	1.0	1	5.0	10	0.7
White, NH	511	46.5	128	31.5	3	15.0	642	42.1
Unknown	2	0.2	2	0.5	-	-	4	0.3
Total	1,100	100.0	406	100.0	20	100.0	1,526	100.0

	N	len	Wo	men	Trans	women	Region 9	Totals
	No.	%	No.	%	No.	%	No.	%
Exposure Category								
GBM	648	70.1	-	-	-	-	648	48.7
Trans women - sex with men	-	-	-	-	18	90.0	18	1.4
GBM/PWID	59	6.4	-	-	-	-	59	4.4
Trans women - sex with men/PWID	-	-	-	-	1	5.0	1	0.1
PWID	66	7.1	62	16.1	1	5.0	129	9.7
HRH	140	15.1	251	65.2	-	-	391	29.4
FPHC	-	-	65	16.9	-	-	65	4.9
Transfusion/Hemophilia	3	0.3	-	-	-	-	3	0.2
Perinatal	9	1.0	7	1.8	-	-	16	1.2
Total	925	100.0	385	100.0	20	100.0	1,330	100.0

Men Women Trans women Total No Reported Risk 175 21 0 196

Persons Newly Diagnosed with HIV Regions 1 - 5 January - December 2019

-	Reg	jion 1	Reg	jion 2	Reg	gion 3	Reg	gion 4	Region 5	
	No.	%	No.	%	No.	%	No.	%	No.	%
Gender										
Men	192	76.8	137	74.5	34	79.1	72	78.3	40	80.0
Women	51	20.4	47	25.5	9	20.9	18	19.6	9	18.0
Trans women	6	2.4	-	-	-	-	2	2.2	1	2.0
Trans men	1	0.4	-	-	-	-	-	-	-	-
Age at Diagnosis	;									
13-24	45	18.0	47	25.5	11	25.6	22	23.9	9	18.0
25-34	101	40.4	57	31.0	18	41.9	34	37.0	17	34.0
35-44	67	26.8	33	17.9	7	16.3	14	15.2	13	26.0
45+	37	14.8	47	25.5	7	16.3	22	23.9	11	22.0
Race/Ethnicity										
American Indian	3	1.2	-	-	1	2.3	-	-	-	-
Asian/PI	1	0.4	1	0.5	-	-	1	1.1	-	-
Black, NH	156	62.4	148	80.4	27	62.8	45	48.9	28	56.0
Hispanic/Latinx	32	12.8	6	3.3	4	9.3	7	7.6	9	18.0
Multi-race	1	0.4	-	-	-	-	-	-	1	2.0
White, NH	57	22.8	29	15.8	11	25.6	39	42.4	12	24.0
Regional Totals	250	100.0	184	100.0	43	100.0	92	100.0	50	100.0

-	Region 1		Reg	jion 2	Region 3		Region 4		Region 5	
	No.	%	No.	%	No.	%	No.	%	No.	%
Exposure Category										
GBM	125	57.1	86	53.1	21	61.8	54	70.1	23	60.5
Trans women - sex with men	5	2.3	-	-	-	-	2	2.6	1	2.6
GBM/PWID	11	5.0	1	0.6	-	-	-	-	-	-
PWID	13	5.9	4	2.5	1	2.9	2	2.6	3	7.9
HRH	56	25.6	57	35.2	10	29.4	17	22.1	7	18.4
FPHC	9	4.1	14	8.6	2	5.9	2	2.6	4	10.5
Regional Totals	219	100.0	162	100.0	34	100.0	77	100.0	38	100.0

Region 1 Region 2 Region 3 Region 4 Region 5
No Reported Risk 31 22 9 15 12

Persons Newly Diagnosed with HIV Regions 6 - 9 January - December 2019

	Reg	gion 6	Reg	jion 7	Reg	gion 8	Reg	gion 9
	No.	%	No.	%	No.	%	No.	%
Gender								
Men	37	78.7	83	72.2	32	76.2	45	73.8
Women	7	14.9	27	23.5	10	23.8	16	26.2
Trans women	3	6.4	5	4.3	-	-	-	-
Age at Diagnosis								
13-24	7	14.9	28	24.3	9	21.4	10	16.4
25-34	15	31.9	43	37.4	19	45.2	24	39.3
35-44	9	19.1	19	16.5	5	11.9	10	16.4
45+	16	34.0	25	21.7	9	21.4	17	27.9
Race/Ethnicity								
American Indian	-	-	1	0.9	-	-	1	1.6
Asian/PI	-	-	-	-	1	2.4	-	-
Black, NH	28	59.6	86	74.8	27	64.3	37	60.7
Hispanic/Latinx	7	14.9	6	5.2	6	14.3	4	6.6
Multi-race	-	-	1	0.9	1	2.4	1	1.6
White, NH	12	25.5	21	18.3	7	16.7	18	29.5
Regional Totals	47	100.0	115	100.0	42	100.0	61	100.0

-	Reg	gion 6	Reg	gion 7	Reg	gion 8	Reg	gion 9
	No.	%	No.	%	No.	%	No.	%
Exposure Category								
GBM	16	47.1	52	51.0	20	57.1	24	47.1
Trans women - sex with men	3	8.8	3	2.9	-	-	-	-
GBM/PWID	1	2.9	3	2.9	-	-	2	3.9
Trans women - sex with men/PWID	-	-	2	2.0	-	-	-	-
PWID	4	11.8	5	4.9	2	5.7	6	11.8
HRH	7	20.6	28	27.5	8	22.9	14	27.5
FPHC	3	8.8	9	8.8	5	14.3	5	9.8
Regional Totals	34	100.0	102	100.0	35	100.0	51	100.0

	Region 6	Region 7	7 Region	8 Region 9
No Reported Risk	13	13	7	10

Persons Newly Diagnosed with AIDS Regions 1 - 5 January - December 2019

	Reg	jion 1	Reg	jion 2	Reg	gion 3	Reg	gion 4	Reg	jion 5
	No.	%								
Gender										
Men	95	72.5	57	66.3	14	70.0	36	81.8	16	76.2
Women	36	27.5	29	33.7	6	30.0	8	18.2	5	23.8
Age at Diagnosis										
0-12	-	-	-	-	-	-	1	2.3	-	-
13-24	4	3.1	9	10.5	2	10.0	-	-	2	9.5
25-34	46	35.1	27	31.4	9	45.0	20	45.5	2	9.5
35-44	41	31.3	13	15.1	4	20.0	8	18.2	6	28.6
45+	40	30.5	37	43.0	5	25.0	15	34.1	11	52.4
Race/Ethnicity										
Asian/PI	1	0.8	-	-	-	-	1	2.3	-	-
Black, NH	97	74.0	72	83.7	15	75.0	25	56.8	13	61.9
Hispanic/Latinx	16	12.2	2	2.3	1	5.0	5	11.4	2	9.5
Multi-race	1	0.8	1	1.2	1	5.0	-	-	-	-
White, NH	16	12.2	11	12.8	3	15.0	13	29.5	6	28.6
Regional Totals	131	100.0	86	100.0	20	100.0	44	100.0	21	100.0

	Region 1		Reg	Region 2		Region 3		gion 4	Region 5	
	No.	%	No.	%	No.	%	No.	%	No.	%
Exposure Category										
GBM	41	38.3	23	35.4	6	37.5	21	67.7	5	31.3
GBM/PWID	7	6.5	-	-	2	12.5	-	-	1	6.3
PWID	10	9.3	6	9.2	2	12.5	-	-	3	18.8
HRH	42	39.3	28	43.1	5	31.3	8	25.8	6	37.5
FPHC	7	6.5	8	12.3	-	-	1	3.2	-	-
Perinatal	-	-	-	-	1	6.3	1	3.2	1	6.3
Regional Totals	107	100.0	65	100.0	16	100.0	31	100.0	16	100.0

Region 1 Region 2 Region 3 Region 4 Region 5
No Reported Risk 24 21 4 12 5

Persons Newly Diagnosed with AIDS Regions 6 - 9 January - December 2019

	Reg	gion 6	Reg	gion 7	Reg	gion 8	Region 9		
	No.	%	No.	%	No.	%	No.	%	
Gender									
Men	14	77.8	45	68.2	14	82.4	25	73.5	
Women	4	22.2	19	28.8	3	17.6	9	26.5	
Trans women	-	-	2	3.0	-	-	-	-	
Age at Diagnosis									
13-24	3	16.7	4	6.1	5	29.4	-	-	
25-34	5	27.8	23	34.8	3	17.6	10	29.4	
35-44	5	27.8	19	28.8	2	11.8	11	32.4	
45+	5	27.8	20	30.3	7	41.2	13	38.2	
Race/Ethnicity									
Black, NH	12	66.7	51	77.3	11	64.7	28	82.4	
Hispanic/Latinx	1	5.6	2	3.0	-	-	-	-	
Multi-race	1	5.6	1	1.5	1	5.9	1	2.9	
White, NH	4	22.2	12	18.2	5	29.4	5	14.7	
Regional Totals	18	100.0	66	100.0	17	100.0	34	100.0	

	Reg	gion 6	Reg	gion 7	Region 8		Reg	gion 9
	No.	%	No.	%	No.	%	No.	%
Exposure Category								
GBM	8	53.3	24	45.3	9	56.3	11	45.8
Trans women - sex with men	-	-	1	1.9	-	-	-	-
GBM/PWID	-	-	1	1.9	-	-	1	4.2
Trans women - sex with men/PWID	-	-	1	1.9	-	-	-	-
PWID	3	20.0	4	7.5	2	12.5	2	8.3
HRH	3	20.0	15	28.3	5	31.3	8	33.3
FPHC	1	6.7	6	11.3	-	-	2	8.3
Perinatal	-	-	1	1.9	-	-	-	-
Regional Totals	15	100.0	53	100.0	16	100.0	24	100.0

Region 6 Region 7 Region 8 Region 9
No Reported Risk 3 13 1 10

Persons Diagnosed with P&S Syphilis Regions 1-5 January - September 2020

	Reg	gion 1	Reg	jion 2	Region 3		Region 4		Reg	gion 5
	No.	%	No.	%	No.	%	No.	%	No.	%
Gender										
Men	114	95.0	33	76.7	10	58.8	17	73.9	8	80.0
Women	5	4.2	10	23.3	7	41.2	5	21.7	2	20.0
Trans women	-	-	-	-	-	-	1	4.3	-	-
Trans men	1	0.8	-	-	-	-	-	-	-	-
Age at Diagnosis	;									
0-12	-	-	1	2.3	-	-	-	-	-	-
13-19	7	5.8	5	11.6	-	-	2	8.7	2	20.0
20-29	52	43.3	13	30.2	12	70.6	9	39.1	3	30.0
30-39	38	31.7	14	32.6	3	17.6	6	26.1	1	10.0
40+	23	19.2	10	23.3	2	11.8	6	26.1	4	40.0
Race/Ethnicity										
American Indian	-	-	-	-	-	-	1	4.3	-	-
Asian/PI	2	1.7	-	-	-	-	-	-	-	-
Black, NH	74	61.7	30	69.8	10	58.8	8	34.8	2	20.0
Hispanic/Latinx	5	4.2	2	4.7	-	-	-	-	-	-
Multi-race	2	1.7	-	-	1	5.9	3	13.0	1	10.0
White, NH	37	30.8	11	25.6	6	35.3	9	39.1	7	70.0
Unknown	-	-	-	-	-	-	2	8.7	-	-
Regional Totals	120	100.0	43	100.0	17	100.0	23	100.0	10	100.0

	Reg	iion 1	Reg	ion 2	Reg	ion 3	Reg	iion 4	Reg	ion 5
Cases with a Reported Risk*	No.	%	No.	%	No.	%	No.	%	No.	%
FSF	0	0.0	1	3.3	0	0.0	0	0.0	0	0.0
GBM	80	77.7	15	50.0	7	41.2	11	57.9	3	37.5
GBM/PWID	2	1.9	0	0.0	1	5.9	0	0.0	0	0.0
HRH	19	18.4	4	13.3	2	11.8	4	21.1	2	25.0
Heterosexual contact	12	11.7	11	36.7	8	47.1	5	26.3	5	62.5
Illegal drug use (all types)	31	30.1	5	16.7	9	52.9	9	47.4	3	37.5
Incarceration	10	9.7	3	10.0	1	5.9	1	5.3	0	0.0
PWID	1	1.0	1	3.3	0	0.0	0	0.0	1	12.5
Transactional sex	4	3.9	3	10.0	1	5.9	1	5.3	0	0.0

	Region 1	Region 2	Region 3	Region 4	Region 5
No Reported Risk	17	13	0	4	2

^{* &}gt;1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

Persons Diagnosed with P&S Syphilis Regions 6-9 January - September 2020

	Reg	gion 6	Reg	gion 7	Reg	gion 8	Region 9		
	No.	%	No.	%	No.	%	No.	%	
Gender									
Men	44	51.8	39	75.0	27	81.8	22	91.7	
Women	41	48.2	13	25.0	6	18.2	1	4.2	
Trans women	-	-	-	-	-	-	1	4.2	
Age at Diagnosis									
0-12	-	-	1	1.9	-	-	-	-	
13-19	4	4.7	10	19.2	8	24.2	1	4.2	
20-29	39	45.9	18	34.6	16	48.5	14	58.3	
30-39	27	31.8	11	21.2	6	18.2	5	20.8	
40+	15	17.6	12	23.1	3	9.1	4	16.7	
Race/Ethnicity									
Black, NH	39	45.9	33	63.5	27	81.8	11	45.8	
Hispanic/Latinx	-	-	1	1.9	-	-	2	8.3	
Multi-race	4	4.7	2	3.8	-	-	1	4.2	
White, NH	42	49.4	16	30.8	5	15.2	10	41.7	
Unknown	-	-	-	-	1	3.0	-	-	
Regional Totals	85	100.0	52	100.0	33	100.0	24	100.0	

	Reg	ion 6	Reg	ion 7	Reg	ion 8	Reg	ion 9
Cases with a Reported Risk*	No.	%	No.	%	No.	%	No.	%
FSF	9	11.5	1	2.2	0	0.0	0	0.0
GBM	17	21.8	24	52.2	12	42.9	10	50.0
GBM/PWID	2	2.6	1	2.2	0	0.0	0	0.0
HRH	25	32.1	9	19.6	6	21.4	6	30.0
Heterosexual contact	44	56.4	14	30.4	14	50.0	8	40.0
Illegal drug use (all types)	42	53.8	13	28.3	6	21.4	5	25.0
Incarceration	8	10.3	3	6.5	0	0.0	4	20.0
PWID	10	12.8	0	0.0	0	0.0	1	5.0
Transactional sex	8	10.3	2	4.3	0	0.0	1	5.0

Region 6 Region 7 Region 8 Region 9
No Reported Risk 7 6 5 4

^{* &}gt;1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

Persons Diagnosed with Early non-P&S Syphilis Regions 1-5 January - September 2020

	Reg	gion 1	Reg	gion 2	Reg	gion 3	Reg	gion 4	Reg	gion 5
	No.	%								
Gender										
Men	127	81.4	17	70.8	16	84.2	17	77.3	8	61.5
Women	19	12.2	5	20.8	3	15.8	5	22.7	4	30.8
Trans women	9	5.8	2	8.3	-	-	-	-	1	7.7
Trans men	1	0.6	-	-	-	-	-	-	-	-
Age at Diagnosis										
13-19	6	3.8	-	-	2	10.5	3	13.6	-	-
20-29	53	34.0	13	54.2	6	31.6	8	36.4	7	53.8
30-39	61	39.1	7	29.2	3	15.8	4	18.2	5	38.5
40+	36	23.1	4	16.7	8	42.1	7	31.8	1	7.7
Race/Ethnicity										
American Indian	-	-	-	-	1	5.3	-	-	-	-
Asian/PI	-	-	1	4.2	-	-	-	-	-	-
Black, NH	102	65.4	18	75.0	13	68.4	15	68.2	7	53.8
Hispanic/Latinx	8	5.1	1	4.2	-	-	-	-	-	-
Multi-race	4	2.6	1	4.2	2	10.5	-	-	1	7.7
White, NH	42	26.9	2	8.3	3	15.8	5	22.7	5	38.5
Unknown	-	-	1	4.2	-	-	2	9.1	-	-
Regional Totals	156	100.0	24	100.0	19	100.0	22	100.0	13	100.0

	Reg	ion 1	Reg	ion 2	Reg	ion 3	Reg	ion 4	Region	1 5
Cases with a Reported Risk*	No.	%	No.	%	No.	%	No.	%	No. %	6
FSF	2	1.4	0	0.0	0	0.0	0	0.0	1 10	0.0
GBM	113	80.1	11	57.9	8	44.4	9	60.0	3 30	0.0
GBM/PWID	4	2.8	0	0.0	0	0.0	0	0.0	1 10	0.0
HRH	11	7.8	1	5.3	4	22.2	1	6.7	1 10	0.0
Heterosexual contact	28	19.9	10	52.6	7	38.9	6	40.0	7 70	0.0
Illegal drug use (all types)	29	20.6	1	5.3	5	27.8	7	46.7	4 40	0.0
Incarceration	11	7.8	1	5.3	2	11.1	1	6.7	2 20	0.0
PWID	2	1.4	0	0.0	2	11.1	0	0.0	1 10	0.0
Transactional sex	4	2.8	2	10.5	1	5.6	0	0.0	1 10	0.0

	Region 1	Region 2	Region 3	Region 4	Region 5
No Reported Risk	15	5	1	7	3

^{* &}gt;1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

Persons Diagnosed with Early non-P&S Syphilis Regions 6-9 January - September 2020

	Region 6		Region 7		Region 8		Region 9	
	No.	%	No.	%	No.	%	No.	%
Gender								
Men	11	40.7	20	54.1	17	58.6	15	71.4
Women	16	59.3	16	43.2	12	41.4	6	28.6
Trans women	-	-	1	2.7	-	-	-	-
Age at Diagnosis								
13-19	3	11.1	6	16.2	3	10.3	1	4.8
20-29	13	48.1	24	64.9	13	44.8	7	33.3
30-39	7	25.9	3	8.1	9	31.0	5	23.8
40+	4	14.8	4	10.8	4	13.8	8	38.1
Race/Ethnicity								
American Indian	-	-	-	-	-	-	1	4.8
Asian/PI	-	-	-	-	-	-	1	4.8
Black, NH	11	40.7	31	83.8	24	82.8	10	47.6
Hispanic/Latinx	1	3.7	-	-	-	-	1	4.8
Multi-race	4	14.8	2	5.4	2	6.9	-	-
White, NH	11	40.7	4	10.8	3	10.3	8	38.1
Regional Totals	27	100.0	37	100.0	29	100.0	21	100.0

	Reg	gion 6	Reg	ion 7	Reg	ion 8	Reg	ion 9
Cases with a Reported Risk*	No.	%	No.	%	No.	%	No.	%
FSF	1	3.8	1	2.9	0	0.0	0	0.0
GBM	7	26.9	13	37.1	11	40.7	11	57.9
GBM/PWID	1	3.8	0	0.0	0	0.0	1	5.3
HRH	7	26.9	7	20.0	0	0.0	2	10.5
Heterosexual contact	12	46.2	16	45.7	16	59.3	7	36.8
Illegal drug use (all types)	11	42.3	9	25.7	4	14.8	1	5.3
Incarceration	0	0.0	2	5.7	1	3.7	0	0.0
PWID	2	7.7	0	0.0	0	0.0	1	5.3
Transactional sex	1	3.8	2	5.7	0	0.0	0	0.0

	Region 6	Region 7	Region 8	Region 9
No Reported Risk	1	2	2	2

^{* &}gt;1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.



#IWEARREDBECAUSE

Around the World



In 2019, an estimated **38 million** people were living with HIV.



Since the start of the epidemic, an estimated **32.7 million** people have **died from an AIDS-related illness**.



An estimated **1.7 million** people were **diagnosed with HIV** in 2019, a **40% decrease** since diagnoses peaked in 1998.

HIV & AIDS in the United States

- There are over 1 million Americans living with HIV.
- In 2018, nearly 38,000 people were diagnosed with HIV.
- In 2018, over 17,000 people were diagnosed with AIDS.

The HIV epidemic affects some groups of people more than others, including:



African American & Hispanic/Latinx People



Gay & Bisexual Men



Persons Living in the Southern United States

There are many factors that contribute to a person's risk for HIV and their overall health. Some of these factors include:



Education



Access to Healthcare



Stigma & Discrimination



Employment



Supportive Family & Community



Safe & Stable Housing

Finding ways to make sure people can access quality health services is important for the health of all people.



HIV and AIDS in Louisiana



In 2019 there were **884 new HIV diagnoses in Louisiana.**

The lowest number of new diagnoses since the peak of the epidemic in 1992.

It is estimated that 1 in 5 people living with HIV in Louisiana

are undiagnosed and do not know their HIV status.






In 2019, there were 22,162 people living with HIV in Louisiana.

Over half of people living with HIV had a prior AIDS diagnosis.

Among persons living with HIV in 2019...









Half were over 45-years-old

How YOU can prevent HIV transmission:

