

Louisiana HIV, AIDS, and Early and Congenital Syphilis Surveillance

Quarterly Report

December 31, 2022



Louisiana Department of Health
Office of Public Health
STD, HIV, and Hepatitis Program
1450 Poydras Street, Suite 2136
New Orleans, Louisiana 70112
504.568.7474
<http://dhh.louisiana.gov/hiv>
www.lahhub.org

**Louisiana Department of Health
Office of Public Health
STD, HIV, & Hepatitis Surveillance Program**

DeAnn Gruber, PhD, LCSW
Director, Bureau of Infectious Diseases

Sam Burgess, DHA
Director, STD/HIV/Hepatitis Program

Anthony James, MS, MA, MSHCM
Deputy Director - Programs

Franda Thomas, MEd
Deputy Director - Operations

Tsegaye Assefa, MBA
Financial Operations Manager

Jacquelyn Naomi Bickham, MPA
Prevention Manager

Joy Ewell
CDC Lead Public Health Advisor

Samantha Euraque, MA
Field Operations Manager

Jessica Fridge, MSPH
Surveillance Manager

Will F. Henderson III, MSIS
Health Systems Manager

Billy Robinson, PhD
Evaluation Manager

Erika Sugimori, MPH
Services Manager

Debbie Wendell, PhD, MPH
Data Management/Analysis Manager

Jimmy Gale
Capacity Building Community Mobilization Unit Manager

Editor/Production:
Jacob Chavez, MSAS
Elizabeth Lindsay, MPH
Caroline Moore, MPH
Lauren Ostrenga, MPH

HIV Field Epidemiologists:

Susan Brodie, MT(ASCP), MSPH, *Field Epidemiologist Supervisor*

Angela Everette, *Region 1*

Tarsia Williams, *Regions 1 & 3*

Nechole Farlough, *Regions 2 & 9*

Leticia Collins, *Regions 4, 5 & 6*

Alfredia Holmes, *Regions 7 & 8*

Regional STD Supervisors:

Michael Carter, *Region 1*

Gerald Dean Scott, *Region 2*

Nashaine Dees-Duperclay, *Region 3*

Ken May, *Region 4*

Patrick Williams, *Region 5*

Kenneth Nash, *Region 6*

Charles Jones, *Region 7*

Crissey Brown, *Region 8*

Dawanda Thompson, *Region 9*

TABLE OF CONTENTS

Contents	Page
Surveillance Summary	1
Abbreviations	3
Louisiana: People Living with HIV	4
People newly diagnosed with HIV	6
People newly diagnosed with AIDS	7
People diagnosed with Primary and Secondary Syphilis	8
People diagnosed with Early non-Primary non-Secondary Syphilis	9
Congenital Syphilis Cases	10
Parish: People Living with HIV	11
People diagnosed with Early Syphilis	12
Metro New Orleans: Persons Living with HIV	13
People newly diagnosed with HIV and AIDS	15
People diagnosed with Early Syphilis	16
Metro Baton Rouge: Persons Living with HIV	17
People newly diagnosed with HIV and AIDS	19
People diagnosed with Early Syphilis	20
Public Health Regions: Map & HIV/AIDS Counts	21
Region 1: People Living with HIV	22
Region 2: People Living with HIV	23
Region 3: People Living with HIV	24
Region 4: People Living with HIV	25
Region 5: People Living with HIV	26
Region 6: People Living with HIV	27
Region 7: People Living with HIV	28
Region 8: People Living with HIV	29
Region 9: People Living with HIV	30
Regions 1-5: People newly diagnosed with HIV	31
Regions 6-9: People newly diagnosed with HIV	32
Regions 1-5: People newly diagnosed with AIDS	33
Regions 6-9: People newly diagnosed with AIDS	34
Regions 1-5: People diagnosed with Primary and Secondary Syphilis	35
Regions 6-9: People diagnosed with Primary and Secondary Syphilis	36
Regions 1-5: People diagnosed with Early non-Primary non-Secondary Syphilis	37
Regions 6-9: People diagnosed with Early non-Primary non-Secondary Syphilis	38
COVID-19 among People Living with HIV in Louisiana	39
 List of Figures	
Louisiana: 10-Year Trends People Living with HIV (2012-2021)	5
Louisiana: 10-Year Trends New HIV Diagnoses (2012-2021)	6
Louisiana: 10-Year Trends New AIDS Diagnoses (2012-2021)	7
Louisiana: 10-Year Trends P&S Syphilis Diagnoses (2012-2021)	8
Louisiana: 10-Year Trends Early non-P&S Syphilis Diagnoses (2012-2021)	9
 Surveillance Breakout	
HIV and People Diagnosed with STIs Among People Diagnosed with MPOX	40

Surveillance Summary

Data in this report includes cases diagnosed with HIV, AIDS, and Early and Congenital Syphilis

- In 2020, Louisiana ranked **4th** in the nation for HIV case rates (15.6 per 100,000 population) and **11th** in the estimated number of HIV cases. The Baton Rouge MSA ranked **7th** and the New Orleans MSA ranked **9th** for HIV case rates (18.4 and 17.3 per 100,000, respectively), among the large metropolitan areas in the nation. The *CDC HIV Surveillance Report* (vol. 32) was released in May 2022. The CDC no longer provides AIDS rankings in the annual report.
- In 2020, Louisiana ranked **12th** in the nation for primary and secondary (P&S) syphilis case rates (15.1 per 100,000 population) according to the 2020 *CDC STD Surveillance Report*.
- As of December 31, 2022, a total of **22,777** people were living with HIV (PLWH) in Louisiana; of these individuals, **11,071** people (49%) have an AIDS diagnosis.
- In 2021, **902** new HIV cases were diagnosed in Louisiana. Of these cases, **27%** (n=247) occurred in Region 1 (New Orleans) and **19%** (n=174) occurred in Region 2 (Baton Rouge).
- Between January 1 through December 31, 2022, a total of **1,747** people were diagnosed with early syphilis* in Louisiana; **1,034** people were diagnosed with P&S syphilis, and **713** people were diagnosed with early non-P&S syphilis. Of the total early syphilis cases, **24%** (n=424) occurred in Region 1 (New Orleans) and **18%** (n=306) occurred in Region 2 (Baton Rouge).
- The primary risk factor for new HIV diagnoses in Louisiana is gay, bisexual, and other men who have sex with men (GBM). In 2021, among new diagnoses who reported a risk factor, **57%** reported being GBM, and an additional **2%** reported being GBM and a person who injects drugs. As of December 31, 2022, **46%** of all people with a reported risk factor living with HIV in Louisiana were GBM.
- The primary risk factor for early syphilis diagnoses in Louisiana is heterosexual activity. As of December 31, 2022, of the people who reported a risk factor, **50%** reported heterosexual activity, and **25%** reported engaging in any type of illegal drug use. Additionally, **25%** reported being gay, bisexual, or other men who have sex with men. *People could report multiple risk factors for syphilis diagnoses.*
- In Louisiana, **74%** of new HIV cases, **68%** of new AIDS cases, and **66%** of the early syphilis diagnoses were among men.
- Black people in Louisiana experience severe health disparities in regards to HIV and STDs. In 2021, **65%** of newly diagnosed HIV cases and **66%** of newly diagnosed AIDS cases were Black. As of December 31, 2022, **59%** of early syphilis cases with a reported race/ethnicity were Black. Only 32% of Louisiana's overall population is Black.
- A large percentage of new HIV and syphilis diagnoses occurred among adolescents and young adults. In 2021, **25%** of all new HIV diagnoses occurred among people 13-24 years old and an additional **33%** occurred among people 25-34 years old. As of December 31, 2022, **25%** of all early syphilis diagnoses occurred among people 13-24 years old and an additional **35%** occurred among people 25-34 years old.
- In 2021, Louisiana ranked **7th** in the nation for congenital syphilis case rates (106.9 per 100,000 live births). Between January 1st and December 31st 2022, a total of 83 mothers and infants have been linked to a congenital syphilis case. Among them, 19.3% (n=16) resided in Region 2 (Baton Rouge) and 18.1% resided in Region 8 (Monroe). During that same period, 65.1% (n=54) of cases were among Black mothers, and 32.5% (n=27) were between the ages of 25 to 29 at delivery.

* A syphilis diagnosis with less than one year duration is considered to be "early syphilis." This designation covers the primary, secondary, and early non-P&S stages of syphilis.

Changes to Syphilis Case Definition

The Quarterly Report includes revisions to the surveillance case definition for syphilis as approved by the Council of State and Territorial Epidemiologists (CSTE) effective January 1, 2018. Of note, the nomenclature for “Early latent syphilis” has been changed to “Early non-primary non-secondary syphilis.” Throughout the Quarterly Report it has been abbreviated to “Early non-P&S syphilis.” Please refer to the following documentation for additional information on all other syphilis case definition revisions: <https://www.cdc.gov/std/stats/DCL-syph-case-def-sept-4-2017.pdf>.

Congenital Syphilis Case Definition

A case of congenital syphilis (CS) occurs when a pregnant woman diagnosed with inadequately treated syphilis passes the infection on to her infant in utero or during delivery. This may result in stillbirth, death of the newborn, or significant future health and developmental problems. A wide spectrum of severity exists, from inapparent infection to severe cases that are clinically apparent at birth. An infant or child (aged less than 2 years) may have signs such as hepatosplenomegaly, rash, condyloma lata, snuffles, jaundice (nonviral hepatitis), pseudoparalysis, anemia, or edema (nephrotic syndrome and/or malnutrition). An older child may have stigmata (e.g., interstitial keratitis, nerve deafness, anterior bowing of shins, frontal bossing, mulberry molars, Hutchinson teeth, saddle nose, rhagades, or Clutton joints).

Updates to HIV Transmission Categories

Starting in 2019, the Quarterly Report has updated HIV transmission category names using people first language. Men who have sex with men (MSM) is now “Gay, bisexual, and other men who have sex with men” (GBM). Injection drug use (IDU) is now “Persons who inject drugs” (PWID).

A significant number of women living with HIV do not meet the stringent “high risk” criteria for “Heterosexual contact” and are classified as “No identified risk.” In an effort to better capture and present heterosexual transmission of HIV among women, the STD, HIV, & Hepatitis Program has used an algorithm from the Centers for Disease Control that re-categorizes many women formerly classified as “No identified risk” as now meeting the exposure criteria for “Female presumed heterosexual contact” (FPHC). The primary criteria for FPHC includes: sex at birth is female, answered ‘yes’ to sex with men, answered ‘no’ to injection drug use, and has no other documentation that would suggest an alternative mode of HIV acquisition.

Time Periods for this Quarterly Report (Fourth Quarter 2021 Report):

Persons Living with HIV – As of December 31, 2022
 New HIV Diagnoses – Calendar Year 2021 (Updated from 3rd Quarter Report)
 New AIDS Diagnoses – Calendar Year 2021 (Updated from 3rd Quarter Report)
 New P&S Syphilis Diagnoses – January 1 to December 31, 2022 (Calendar Year 2022)
 Early non-P&S Syphilis Diagnoses – January 1 to December 31, 2022 (Calendar Year 2022)
 Congenital Syphilis Cases – January 1 to December 31, 2022 (Calendar Year 2022)

Future Quarterly Report:

First Quarter 2023 Report: Release in May 2023
 Persons Living with HIV- As of March 31, 2023
 HIV and AIDS Diagnoses- Calendar Year 2022
 P&S Syphilis Diagnoses- January 1 – March 31, 2023 (First Quarter 2023)
 Early non-P&S Syphilis Diagnoses- January 1 – March 31, 2023 (First Quarter 2023)
 Congenital Syphilis Cases- January 1 – March 31, 2023 (First Quarter 2023)

Abbreviations

Asian/PI	Asian/Pacific Islander
CDC	Centers for Disease Control and Prevention
CS	Congenital Syphilis
FPHC	Female presumed heterosexual contact
FSF	Female sex with female
HRH	High risk heterosexual contact
PWID	Persons who inject drugs
GBM	Gay, bisexual, and other men who have sex with men
GBM/PWID	Gay, bisexual, and other men who have sex with men & inject drugs
NH	Non-Hispanic
PLWH	Persons living with HIV
P&S	Primary and secondary syphilis

***Persons Living with HIV
Louisiana
as of December 31, 2022***

22,777 persons are currently living with HIV/AIDS in Louisiana.

Number of persons living with HIV: 11,706

Number of persons living with AIDS: 11,071

	No.	%
<i>Gender</i>		
Male	15,929	69.9
Female	6,414	28.2
Trans women	423	1.9
Trans men	11	0.0
<i>Current Age</i>		
0-12	25	0.1
13-19	92	0.4
20-24	680	3.0
25-29	1,597	7.0
30-34	2,559	11.2
35-39	2,627	11.5
40-44	2,701	11.9
45-49	2,436	10.7
50-54	2,589	11.4
55-59	2,745	12.1
60+	4,726	20.7
<i>Total</i>	22,777	100.0


<i>Race/Ethnicity</i>	Male		Female		Trans women		Trans men		LA State Totals	
	No.	%	No.	%	No.	%	No.	%	No.	%
American Indian	39	0.2	12	0.2	1	0.2	-	-	52	0.2
Asian/PI	78	0.5	21	0.3	3	0.7	-	-	102	0.4
Black, NH	9,878	62.0	5,168	80.6	350	82.7	8	72.7	15,404	67.6
Hispanic/Latinx	1,053	6.6	242	3.8	28	6.6	1	9.1	1,324	5.8
Multi-race	177	1.1	58	0.9	4	0.9	-	-	239	1.0
White, NH	4,693	29.5	911	14.2	37	8.7	2	18.2	5,643	24.8
Unknown	11	0.1	2	0.0	-	-	-	-	13	0.1
<i>Total</i>	15,929	100.0	6,414	100.0	423	100.0	11	100.0	22,777	100.0

**Persons Living with HIV
Louisiana
as of December 31, 2022**

Exposure Category	Male		Female		Trans women		Trans men		LA State Totals	
	No.	%	No.	%	No.	%	No.	%	No.	%
GBM	9,247	67.4	-	-	-	-	-	-	9,247	45.8
Trans women - sex with men	-	-	-	-	376	90.4	-	-	376	1.9
GBM/PWID	843	6.1	-	-	-	-	-	-	843	4.2
Trans women - sex with men/PWID	-	-	-	-	34	8.2	-	-	34	0.2
PWID	972	7.1	630	10.4	2	0.5	3	75.0	1,607	8.0
HRH	2,518	18.4	4,501	74.5	4	1.0	1	25.0	7,024	34.8
FPHC	-	-	778	12.9	-	-	-	-	778	3.9
Transfusion/Hemophilia	33	0.2	22	0.4	-	-	-	-	55	0.3
Perinatal	97	0.7	113	1.9	-	-	-	-	210	1.0
Confirmed Other	-	-	1	0.0	-	-	-	-	1	0.0
Total	13,710	100.0	6,045	100.0	416	100.0	4	100.0	20,175	100.0

	<i>Male</i>	<i>Female</i>	<i>Trans women</i>	<i>Trans men</i>	<i>Total</i>
No Reported Risk	2219	369	7	7	2,602

**10-Year Trends in Persons Living with HIV
Louisiana, 2012-2021**



Persons Newly Diagnosed with HIV Louisiana, January - December 2021

In 2021, **902** persons were newly diagnosed with HIV in Louisiana.


	No.	%
Gender		
Male	669	74.2
Female	209	23.2
Trans women	24	2.7
Age at Diagnosis		
0-12	1	0.1
13-24	222	24.6
25-34	300	33.3
35-44	194	21.5
45+	185	20.5
Race/Ethnicity		
American Indian	3	0.3
Asian/PI	8	0.9
Black, NH	585	64.9
Hispanic/Latinx	69	7.6
Multi-race	8	0.9
White, NH	229	25.4
Total	902	100.0

	No.	%
Exposure Category		
GBM	408	56.7
Trans women - sex with men	23	3.2
GBM/PWID	17	2.4
Trans women - sex with men/PWID	1	0.1
PWID	50	6.9
HRH	168	23.3
FPHC	52	7.2
Perinatal	1	0.1
Total	720	100.0

NIR New HIV - Louisiana

No Reported Risk 182

10-Year Trends in New HIV Diagnoses Louisiana, 2012-2021



Persons Newly Diagnosed with AIDS Louisiana, January - December 2021

In 2021, 419 persons were newly diagnosed with AIDS in Louisiana.

	No.	%
Gender		
Male	285	68.0
Female	122	29.1
Trans women	12	2.9
Age at Diagnosis		
13-24	35	8.4
25-34	140	33.4
35-44	117	27.9
45+	127	30.3
Race/Ethnicity		
American Indian	1	0.2
Asian/PI	4	1.0
Black, NH	278	66.3
Hispanic/Latinx	34	8.1
Multi-race	10	2.4
White, NH	92	22.0
Total	419	100.0


	No.	%
Exposure Category		
GBM	133	39.8
Trans women - sex with men	11	3.3
GBM/PWID	12	3.6
Trans women - sex with men/PWID	1	0.3
PWID	27	8.1
HRH	117	35.0
FPHC	29	8.7
Perinatal	4	1.2
Total	334	100.0

New AIDS Cases with NIR

Louisiana, 2021

No Reported Risk 85

10-Year Trends in New AIDS Diagnoses Louisiana, 2012-2021



People Diagnosed with P&S Syphilis
Louisiana, January - December 2022

Between January 1 and December 31, 2022, 1,034 people were diagnosed with P&S Syphilis in Louisiana.


	No.	%
Gender		
Male	673	65.1
Female	348	33.7
Trans women	12	1.2
Trans men	1	0.1
Age at Diagnosis		
13-24	282	27.3
25-34	355	34.3
35-44	227	22.0
45+	170	16.4
Race/Ethnicity		
Asian/PI	3	0.3
Black, NH	604	58.4
Hispanic/Latinx	31	3.0
Multi-race	51	4.9
White, NH	324	31.3
Unknown	21	2.0
Total	1,034	100.0

<i>Cases with a Reported Risk*</i>	No.	%
FSF	34	4.2
GBM	237	29.0
GBM/PWID	12	1.5
HRH	207	25.4
Heterosexual contact	382	46.8
Illegal drug use (all types)	313	38.4
Incarceration	90	11.0
PWID	42	5.1
Trans women - sex with men	7	0.9
Trans women - sex with men/PWID	0	0.0
Transactional sex	57	7.0

No Reported Risk 80

* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

10-Year Trends in P & S Syphilis Diagnoses
Louisiana, 2012-2021



People Diagnosed with Early non-P&S Syphilis
Louisiana, January - December 2022

Between January 1 and December 31, 2022, 713 people were diagnosed with Early non-P&S Syphilis in Louisiana.


	No.	%
Gender		
Male	485	68.0
Female	205	28.8
Trans women	22	3.1
Trans men	1	0.1
Age at Diagnosis		
13-24	147	20.6
25-34	264	37.0
35-44	174	24.4
45+	128	18.0
Race/Ethnicity		
Asian/PI	4	0.6
Black, NH	431	60.4
Hispanic/Latinx	30	4.2
Multi-race	34	4.8
White, NH	207	29.0
Unknown	7	1.0
Total	713	100.0

<i>Cases with a Reported Risk*</i>	No.	%
FSF	11	3.0
GBM	157	42.9
GBM/PWID	1	0.3
HRH	52	14.2
Heterosexual contact	169	46.2
Illegal drug use (all types)	85	23.2
Incarceration	33	9.0
PWID	15	4.1
Trans women - sex with men	5	1.4
Trans women - sex with men/PWID	0	0.0
Transactional sex	20	5.5

No Reported Risk 52

* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

10-Year Trends in Early non-P&S Syphilis Diagnoses
Louisiana, 2012-2021



Louisiana -Congenital Syphilis Cases January - December 2022

Louisiana

Between January 1st and December 31st 2022, a total of 83 mothers and infants have been linked to a congenital syphilis case.

	No.	%
Age at Delivery		
13-19	7	8.4
20-24	19	22.9
25-29	27	32.5
30-34	19	22.9
35-39	10	12.0
40-44	1	1.2
Race/Ethnicity		
Black, NH	54	65.1
Hispanic/Latinx	4	4.8
Multi-race	3	3.6
White, NH	22	26.5
Region at Delivery		
Region 1	6	7.2
Region 2	16	19.3
Region 3	5	6.0
Region 4	13	15.7
Region 5	3	3.6
Region 6	11	13.3
Region 7	9	10.8
Region 8	15	18.1
Region 9	5	6.0
Total	83	100.0

***People Living with HIV by Parish
as of December 31, 2022***

<i>Parish</i>	<i>No. PLWH</i>	<i>Parish</i>	<i>No. PLWH</i>
Acadia	153	Sabine	19
Allen	229	St. Bernard	228
Ascension	302	St. Charles	150
Assumption	49	St. Helena	35
Avoyelles	157	St. James	88
Beauregard	52	St. John the Baptist	174
Bienville	52	St. Landry	333
Bossier	386	St. Martin	127
Caddo	1,355	St. Mary	111
Calcasieu	677	St. Tammany	631
Caldwell	25	Tangipahoa	457
Cameron	3	Tensas	36
Catahoula	39	Terrebonne	217
Claiborne	48	Union	14
Concordia	45	Vermilion	112
De Soto	69	Vernon	73
East Baton Rouge	4,150	Washington	210
East Carroll	32	Webster	70
East Feliciana	151	West Baton Rouge	134
Evangeline	105	West Carroll	23
Franklin	56	West Feliciana	101
Grant	57	Winn	35
Iberia	177		
Iberville	248		
Jackson	35		
Jefferson	2,192		
Jefferson Davis	71		
LaSalle	52		
Lafayette	957		
Lafourche	167		
Lincoln	111		
Livingston	304		
Madison	36		
Morehouse	58		
Natchitoches	147		
Orleans	5,163		
Ouachita	702		
Plaquemines	57		
Pointe Coupee	74		
Rapides	586		
Red River	13		
Richland	57		

Total PLWH: 22,777

***People Diagnosed with Early Syphilis* by Parish
January - December 2022***

<i>Parish</i>	<i>No. Diagnoses</i>	<i>Parish</i>	<i>No. Diagnoses</i>
Acadia	11	Sabine	2
Allen	3	St. Bernard	17
Ascension	34	St. Charles	4
Assumption	2	St. Helena	4
Avoyelles	31	St. James	7
Beauregard	6	St. John the Baptist	16
Bienville	2	St. Landry	18
Bossier	44	St. Martin	27
Caddo	127	St. Mary	9
Calcasieu	28	St. Tammany	32
Caldwell	0	Tangipahoa	33
Cameron	0	Tensas	0
Catahoula	5	Terrebonne	37
Claiborne	2	Union	4
Concordia	9	Vermilion	19
De Soto	9	Vernon	12
East Baton Rouge	228	Washington	6
East Carroll	2	Webster	10
East Feliciana	11	West Baton Rouge	13
Evangeline	5	West Carroll	1
Franklin	7	West Feliciana	0
Grant	14	Winn	2
Iberia	27		
Iberville	16		
Jackson	5		
Jefferson	125		
Jefferson Davis	1		
LaSalle	2		
Lafayette	120		
Lafourche	15		
Lincoln	13		
Livingston	45		
Madison	9		
Morehouse	7		
Natchitoches	10		
Orleans	279		
Ouachita	99		
Plaquemines	3		
Pointe Coupee	4		
Rapides	107		
Red River	1		
Richland	6		

Total Early Syphilis Cases: 1,747

* A syphilis diagnosis with less than one year duration is considered "early syphilis." This designation covers the primary, secondary, and early non-P&S stages of syphilis.

**People Living with HIV
Metro New Orleans
as of December 31, 2022**

Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, & St. Tammany Parishes

8,683 people are currently living with HIV/AIDS in Metro New Orleans.

Number of persons living with HIV: 4,393

Number of persons living with AIDS: 4,290

	No.	%
Gender		
Male	6,301	72.6
Female	2,164	24.9
Trans women	212	2.4
Trans men	6	0.1
Current Age		
0-12	8	0.1
13-19	27	0.3
20-24	192	2.2
25-29	518	6.0
30-34	951	11.0
35-39	1,029	11.9
40-44	1,006	11.6
45-49	893	10.3
50-54	970	11.2
55-59	1,099	12.7
60+	1,990	22.9
Total	8,683	100.0

	Male		Female		Trans women		Trans men		Metro New Orleans Totals	
Race/Ethnicity	No.	%	No.	%	No.	%	No.	%	No.	%
American Indian	12	0.2	2	0.1	-	-	-	-	14	0.2
Asian/PI	42	0.7	7	0.3	3	1.4	-	-	52	0.6
Black, NH	3,621	57.5	1,718	79.4	169	79.7	4	66.7	5,512	63.5
Hispanic/Latinx	524	8.3	160	7.4	21	9.9	1	16.7	706	8.1
Multi-race	75	1.2	19	0.9	2	0.9	-	-	96	1.1
White, NH	2,020	32.1	257	11.9	17	8.0	1	16.7	2,295	26.4
Unknown	7	0.1	1	0.0	-	-	-	-	8	0.1
Total	6,301	100.0	2,164	100.0	212	100.0	6	100.0	8,683	100.0

**People Living with HIV
Metro New Orleans
as of December 31, 2022**

Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, & St. Tammany Parishes

Exposure Category	Male		Female		Trans women		Trans men		Metro New Orleans Totals	
	No.	%	No.	%	No.	%	No.	%	No.	%
GBM	3,966	71.5	-	-	-	-	-	-	3,966	51.0
Trans women - sex with men	-	-	-	-	188	90.4	-	-	188	2.4
GBM/PWID	302	5.4	-	-	-	-	-	-	302	3.9
Trans women - sex with men/PWID	-	-	-	-	19	9.1	-	-	19	0.2
PWID	319	5.8	191	9.5	-	-	2	66.7	512	6.6
HRH	912	16.4	1,515	75.2	1	0.5	1	33.3	2,429	31.3
FPHC	-	-	253	12.6	-	-	-	-	253	3.3
Transfusion/Hemophilia	14	0.3	8	0.4	-	-	-	-	22	0.3
Perinatal	33	0.6	48	2.4	-	-	-	-	81	1.0
Total	5,546	100.0	2,015	100.0	208	100.0	3	100.0	7,772	100.0

	<i>Male</i>	<i>Female</i>	<i>Trans women</i>	<i>Trans men</i>	<i>Total</i>
No Reported Risk	755	149	4	3	911

People Newly Diagnosed with HIV and AIDS Metro New Orleans

Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, & St. Tammany Parishes

Persons Diagnosed with HIV January - December 2021

In 2021, **278** people were newly diagnosed with HIV in Metro New Orleans.

	No.	%
Gender		
Male	198	71.2
Female	71	25.5
Trans women	9	3.2
Age at Diagnosis		
13-24	54	19.4
25-34	111	39.9
35-44	68	24.5
45+	45	16.2
Race/Ethnicity		
Asian/PI	3	1.1
Black, NH	177	63.7
Hispanic/Latinx	34	12.2
Multi-race	1	0.4
White, NH	63	22.7
Total	278	100.0

	No.	%
Exposure Category		
GBM	126	55.3
Trans women - sex with men	8	3.5
GBM/PWID	2	0.9
Trans women - sex with men/PWID	1	0.4
PWID	21	9.2
HRH	54	23.7
FPHC	16	7.0
Total	228	100.0

Metro New Orleans New HIV Cases with NIR

2021

No Reported Risk 50

People Diagnosed with AIDS January - December 2021

In 2021, **134** people were newly diagnosed with AIDS in Metro New Orleans.

	No.	%
Gender		
Male	90	67.2
Female	38	28.4
Trans women	6	4.5
Age at Diagnosis		
13-24	11	8.2
25-34	45	33.6
35-44	34	25.4
45+	44	32.8
Race/Ethnicity		
Black, NH	91	67.9
Hispanic/Latinx	14	10.4
Multi-race	2	1.5
White, NH	27	20.1
Total	134	100.0

	No.	%
Exposure Category		
GBM	44	39.3
Trans women - sex with men	5	4.5
GBM/PWID	6	5.4
Trans women - sex with men/PWID	1	0.9
PWID	10	8.9
HRH	36	32.1
FPHC	9	8.0
Perinatal	1	0.9
Total	112	100.0

Metro New Orleans New AIDS Cases with NIR

2021

No Reported Risk 22

People Diagnosed with Early Syphilis Metro New Orleans

Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, & St. Tammany Parishes

People Diagnosed with P&S Syphilis January - December 2022

Between January 1 through December 31, 2022, 240 people were newly diagnosed with P&S Syphilis in Metro New Orleans.

	No.	%
Gender		
Male	180	75.0
Female	55	22.9
Trans women	4	1.7
Trans men	1	0.4
Age at Diagnosis		
13-24	56	23.3
25-34	81	33.8
35-44	55	22.9
45+	48	20.0
Race/Ethnicity		
Black, NH	149	62.1
Hispanic/Latinx	13	5.4
Multi-race	10	4.2
White, NH	63	26.3
Unknown	5	2.1
Total	240	100.0

<i>Cases with a Reported Risk*</i>	No.	%
FSF	4	0.8
GBM	68	12.8
GBM/PWID	3	0.6
HRH	37	7.0
Heterosexual contact	49	9.2
Illegal drug use (all types)	55	10.3
Incarceration	6	1.1
PWID	10	1.9
Trans women - sex with men	7	1.3
Trans women - sex with men/PWID	0	0.0
Transactional sex	15	2.8

No Reported Risk 17

People Diagnosed with Early non-P&S Syphilis January - December 2022

Between January 1 through December 31, 2022, 243 people were newly diagnosed with Early non-P&S Syphilis in Metro New Orleans.

	No.	%
Gender		
Male	187	77.0
Female	42	17.3
Trans women	13	5.3
Trans men	1	0.4
Age at Diagnosis		
13-24	30	12.3
25-34	87	35.8
35-44	77	31.7
45+	49	20.2
Race/Ethnicity		
Asian/PI	3	1.2
Black, NH	152	62.6
Hispanic/Latinx	16	6.6
Multi-race	10	4.1
White, NH	61	25.1
Unknown	1	0.4
Total	243	100.0

<i>Case with a Reported Risk*</i>	No.	%
FSF	4	0.8
GBM	82	15.4
GBM/PWID	2	0.4
HRH	16	3.0
Heterosexual contact	43	8.1
Illegal drug use (all types)	30	5.6
Incarceration	9	1.7
PWID	3	0.6
Trans women - sex with men	7	1.3
Trans women - sex with men/PWID	0	0.0
Transactional sex	5	0.9

No Reported Risk 110

* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

**People Living with HIV
Metro Baton Rouge
as of December 31, 2022**

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, & West Feliciana Parishes

5,499 people are currently living with HIV/AIDS in Metro Baton Rouge.

Number of persons living with HIV: **2,806**

Number of persons living with AIDS: **2,693**

	No.	%
Gender		
Male	3,497	63.6
Female	1,909	34.7
Trans women	89	1.6
Trans men	4	0.1
Current Age		
0-12	9	0.2
13-19	27	0.5
20-24	178	3.2
25-29	366	6.7
30-34	583	10.6
35-39	615	11.2
40-44	726	13.2
45-49	625	11.4
50-54	664	12.1
55-59	620	11.3
60+	1,086	19.7
Total	5,499	100.0

	Male		Female		Trans women		Trans men		Metro Baton Rouge Totals	
Race/Ethnicity	No.	%	No.	%	No.	%	No.	%	No.	%
American Indian	6	0.2	2	0.1	-	-	-	-	8	0.1
Asian/PI	12	0.3	4	0.2	-	-	-	-	16	0.3
Black, NH	2,654	75.9	1,698	88.9	80	89.9	3	75.0	4,435	80.7
Hispanic/Latinx	127	3.6	32	1.7	4	4.5	-	-	163	3.0
Multi-race	26	0.7	9	0.5	-	-	-	-	35	0.6
White, NH	672	19.2	164	8.6	5	5.6	1	25.0	842	15.3
Total	3,497	100.0	1,909	100.0	89	100.0	4	100.0	5,499	100.0

**People Living with HIV
Metro Baton Rouge
as of December 31, 2022**

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, & West Feliciana Parishes

Exposure Category	Male		Female		Trans women		Trans men		Metro Baton Rouge Totals	
	No.	%	No.	%	No.	%	No.	%	No.	%
GBM	1,767	57.7	-	-	-	-	-	-	1,767	35.4
Trans women - sex with men	-	-	-	-	77	87.5	-	-	77	1.5
GBM/PWID	181	5.9	-	-	-	-	-	-	181	3.6
Trans women - sex with men/PWID	-	-	-	-	9	10.2	-	-	9	0.2
PWID	308	10.1	188	10.2	-	-	1	100.0	497	10.0
HRH	770	25.1	1,423	77.3	2	2.3	-	-	2,195	44.0
FPHC	-	-	197	10.7	-	-	-	-	197	3.9
Transfusion/Hemophilia	7	0.2	6	0.3	-	-	-	-	13	0.3
Perinatal	31	1.0	27	1.5	-	-	-	-	58	1.2
Total	3,064	100.0	1,841	100.0	88	100.0	1	100.0	4,994	100.0

	<i>Male</i>	<i>Female</i>	<i>Trans women</i>	<i>Trans men</i>	<i>Total</i>
No Reported Risk	433	68	1	3	505

People Newly Diagnosed with HIV and AIDS Metro Baton Rouge

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, & West Feliciana Parishes

People Diagnosed with HIV January - December 2021

In 2021, **188** people were newly diagnosed with HIV in Metro Baton Rouge.

	No.	%
Gender		
Male	149	79.3
Female	39	20.7
Age at Diagnosis		
13-24	62	33.0
25-34	52	27.7
35-44	37	19.7
45+	37	19.7
Race/Ethnicity		
American Indian	1	0.5
Asian/PI	1	0.5
Black, NH	148	78.7
Hispanic/Latinx	12	6.4
White, NH	26	13.8
Total	188	100.0

	No.	%
Exposure Category		
GBM	99	60.4
GBM/PWID	1	0.6
PWID	8	4.9
HRH	46	28.0
FPHC	10	6.1
Total	164	100.0

Metro Baton Rouge New HIV Cases with NIR

January - December 2021

No Reported Risk 24

People Diagnosed with AIDS January - December 2021

In 2021, **77** people were newly diagnosed with AIDS in Metro Baton Rouge.

	No.	%
Gender		
Male	50	64.9
Female	26	33.8
Trans women	1	1.3
Age at Diagnosis		
13-24	8	10.4
25-34	23	29.9
35-44	27	35.1
45+	19	24.7
Race/Ethnicity		
Asian/PI	1	1.3
Black, NH	61	79.2
Hispanic/Latinx	6	7.8
White, NH	9	11.7
Total	77	100.0

	No.	%
Exposure Category		
GBM	21	35.0
Trans women - sex with men	1	1.7
PWID	4	6.7
HRH	28	46.7
FPHC	4	6.7
Perinatal	2	3.3
Total	60	100.0

Metro Baton Rouge New AIDS Cases with NIR

2021

No Reported Risk 17

People Diagnosed with Early Syphilis Metro Baton Rouge

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, & West Feliciana Parishes

People Diagnosed with P&S Syphilis January - December 2022

Between January 1 through December 31, 2022, **234** people were newly diagnosed with P&S Syphilis in Metro Baton Rouge.

	No.	%
Gender		
Male	144	61.5
Female	87	37.2
Trans women	3	1.3
Age at Diagnosis		
13-24	71	30.3
25-34	87	37.2
35-44	45	19.2
45+	31	13.2
Race/Ethnicity		
Black, NH	151	64.5
Hispanic/Latinx	6	2.6
Multi-race	19	8.1
White, NH	56	23.9
Unknown	2	0.9
Total	234	100.0

<i>Cases with a Reported Risk*</i>	No.	%
FSF	4	0.8
GBM	47	8.8
GBM/PWID	2	0.4
HRH	37	7.0
Heterosexual contact	103	19.4
Illegal drug use (all types)	60	11.3
Incarceration	13	2.4
PWID	4	0.8
Trans women - sex with men	7	1.3
Trans women - sex with men/PWID	0	0.0
Transactional sex	9	1.7

No Reported Risk 48

People Diagnosed with Early non-P&S Syphilis January - December 2022

Between January 1 through December 31, 2022, **121** people were newly diagnosed with Early non-P&S Syphilis in Metro Baton Rouge.

	No.	%
Gender		
Male	84	69.4
Female	33	27.3
Trans women	4	3.3
Age at Diagnosis		
13-24	30	24.8
25-34	48	39.7
35-44	23	19.0
45+	20	16.5
Race/Ethnicity		
Black, NH	96	79.3
Hispanic/Latinx	2	1.7
Multi-race	4	3.3
White, NH	19	15.7
Total	121	100.0

<i>Cases with a Reported Risk*</i>	No.	%
FSF	0	0.0
GBM	45	8.5
GBM/PWID	0	0.0
HRH	8	1.5
Heterosexual contact	46	8.6
Illegal drug use (all types)	19	3.6
Incarceration	4	0.8
PWID	1	0.2
Trans women - sex with men	7	1.3
Trans women - sex with men/PWID	0	0.0
Transactional sex	1	0.2

No Reported Risk 28

* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

Persons Living with HIV/AIDS by Region as of Decemberr 31, 2022

	<i>New HIV Diagnoses 2021 Calendar Year</i>	<i>New AIDS Diagnoses 2021 Calendar Year</i>	<i>Persons Living with HIV(nonAIDS) thru 12-31-2022</i>	<i>Persons Living with AIDS thru 12-31-2022</i>	<i>Persons Living with HIV or AIDS thru 12-31-2022</i>
Region 1	247	118	3,862	3,778	7,640
Region 2	174	69	2,629	2,531	5,160
Region 3	49	19	472	484	956
Region 4	109	40	1,071	893	1,964
Region 5	45	23	545	487	1,032
Region 6	44	34	564	480	1,044
Region 7	115	57	1,119	1,040	2,159
Region 8	61	31	611	574	1,185
Region 9	58	28	833	804	1,637
State Total	902	419	11,706	11,071	22,777



Region 1 (New Orleans): Jefferson, Orleans, Plaquemines, St. Bernard

Region 2 (Baton Rouge): Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana

Region 3 (Houma): Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne

Region 4 (Lafayette): Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermilion

Region 5 (Lake Charles): Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis

Region 6 (Alexandria): Avoyelles, Catahoula, Concordia, Grant, LaSalle, Rapides, Vernon, Winn

Region 8 (Monroe): Caldwell, East Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, West Carroll

Region 9 (Hammond/Slidell): Livingston, St. Helena, St. Tammany, Tangipahoa, Washington

People Living with HIV
Region 1: New Orleans Region
as of December 31, 2022

Jefferson, Orleans, Plaquemines & St. Bernard Parishes

	No.	%
Gender		
Male	5,547	72.6
Female	1,891	24.8
Trans women	197	2.6
Trans men	5	0.1
Current Age		
0-12	7	0.1
13-19	20	0.3
20-24	158	2.1
25-29	441	5.8
30-34	844	11.0
35-39	903	11.8
40-44	884	11.6
45-49	785	10.3
50-54	861	11.3
55-59	957	12.5
60+	1,780	23.3
Total	7,640	100.0

	Male		Female		Trans women		Trans men		Region 1 Totals	
	No.	%	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity										
American Indian	10	0.2	2	0.1	-	-	-	-	12	0.2
Asian/PI	38	0.7	5	0.3	3	1.5	-	-	46	0.6
Black, NH	3,261	58.8	1,535	81.2	155	78.7	4	80.0	4,955	64.9
Hispanic/Latinx	476	8.6	143	7.6	21	10.7	1	20.0	641	8.4
Multi-race	66	1.2	16	0.8	2	1.0	-	-	84	1.1
White, NH	1,690	30.5	189	10.0	16	8.1	-	-	1,895	24.8
Unknown	6	0.1	1	0.1	-	-	-	-	7	0.1
Total	5,547	100.0	1,891	100.0	197	100.0	5	100.0	7,640	100.0

	Male		Female		Trans women		Trans men		Region 1 Totals	
	No.	%	No.	%	No.	%	No.	%	No.	%
Exposure Category										
GBM	3,482	71.2	-	-	-	-	-	-	3,482	50.8
Trans women - sex with men	-	-	-	-	173	89.6	-	-	173	2.5
GBM/PWID	264	5.4	-	-	-	-	-	-	264	3.9
Trans women - sex with men/PWID	-	-	-	-	19	9.8	-	-	19	0.3
PWID	286	5.8	166	9.4	-	-	1	50.0	453	6.6
HRH	823	16.8	1,333	75.7	1	0.5	1	50.0	2,158	31.5
FPHC	-	-	213	12.1	-	-	-	-	213	3.1
Transfusion/Hemophilia	12	0.2	8	0.5	-	-	-	-	20	0.3
Perinatal	25	0.5	41	2.3	-	-	-	-	66	1.0
Total	4,892	100.0	1,761	100.0	193	100.0	2	100.0	6,848	100.0

	Male	Female	Trans women	Trans men	Total
No Reported Risk	655	130	4	3	792

People Living with HIV
Region 2: Baton Rouge Region
as of December 31, 2022

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, & West Feliciana Parishes

	No.	%
Gender		
Male	3,274	63.4
Female	1,799	34.9
Trans women	84	1.6
Trans men	3	0.1
Current Age		
0-12	9	0.2
13-19	25	0.5
20-24	166	3.2
25-29	347	6.7
30-34	555	10.8
35-39	578	11.2
40-44	689	13.4
45-49	589	11.4
50-54	612	11.9
55-59	560	10.9
60+	1,030	20.0
Total	5,160	100.0

	Male		Female		Trans women		Trans men		Region 2 Totals	
Race/Ethnicity	No.	%	No.	%	No.	%	No.	%	No.	%
American Indian	5	0.2	2	0.1	-	-	-	-	7	0.1
Asian/PI	12	0.4	3	0.2	-	-	-	-	15	0.3
Black, NH	2,560	78.2	1,641	91.2	75	89.3	3	100.0	4,279	82.9
Hispanic/Latinx	107	3.3	27	1.5	4	4.8	-	-	138	2.7
Multi-race	24	0.7	9	0.5	-	-	-	-	33	0.6
White, NH	566	17.3	117	6.5	5	6.0	-	-	688	13.3
Total	3,274	100.0	1,799	100.0	84	100.0	3	100.0	5,160	100.0

	Male		Female		Trans women		Region 2 Totals	
Exposure Category	No.	%	No.	%	No.	%	No.	%
GBM	1,643	57.2	-	-	-	-	1,643	35.0
Trans women - sex with men	-	-	-	-	73	88.0	73	1.6
GBM/PWID	165	5.7	-	-	-	-	165	3.5
Trans women - sex with men/PWID	-	-	-	-	8	9.6	8	0.2
PWID	292	10.2	175	10.1	-	-	467	10.0
HRH	738	25.7	1,346	77.5	2	2.4	2,086	44.5
FPHC	-	-	184	10.6	-	-	184	3.9
Transfusion/Hemophilia	6	0.2	6	0.3	-	-	12	0.3
Perinatal	28	1.0	25	1.4	-	-	53	1.1
Total	2,872	100.0	1,736	100.0	83	100.0	4,691	100.0

	Male	Female	Trans women	Total
No Reported Risk	402	63	1	469

People Living with HIV
Region 3: Houma Region
as of December 31, 2022

Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, & Terrebonne Parishes

	No.	%
Gender		
Male	622	65.1
Female	321	33.6
Trans women	13	1.4
Current Age		
0-12	2	0.2
13-19	5	0.5
20-24	39	4.1
25-29	92	9.6
30-34	101	10.6
35-39	108	11.3
40-44	104	10.9
45-49	101	10.6
50-54	112	11.7
55-59	115	12.0
60+	177	18.5
Total	956	100.0

	Male		Female		Trans women		Region 3 Totals	
	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity								
American Indian	2	0.3	1	0.3	-	-	3	0.3
Asian/PI	-	-	2	0.6	-	-	2	0.2
Black, NH	350	56.3	216	67.3	11	84.6	577	60.4
Hispanic/Latinx	36	5.8	20	6.2	-	-	56	5.9
Multi-race	8	1.3	3	0.9	-	-	11	1.2
White, NH	224	36.0	79	24.6	2	15.4	305	31.9
Unknown	2	0.3	-	-	-	-	2	0.2
Total	622	100.0	321	100.0	13	100.0	956	100.0

	Male		Female		Trans women		Region 3 Totals	
	No.	%	No.	%	No.	%	No.	%
Exposure Category								
GBM	382	71.3	-	-	-	-	382	45.0
Trans women - sex with men	-	-	-	-	13	100.0	13	1.5
GBM/PWID	26	4.9	-	-	-	-	26	3.1
PWID	38	7.1	25	8.3	-	-	63	7.4
HRH	84	15.7	216	72.0	-	-	300	35.3
FPHC	-	-	52	17.3	-	-	52	6.1
Perinatal	6	1.1	7	2.3	-	-	13	1.5
Total	536	100.0	300	100.0	13	100.0	849	100.0

	Male	Female	Trans women	Trans men	Total
No Reported Risk	86	21	0	0	107

People Living with HIV
Region 4: Lafayette Region
as of December 31, 2022

Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, & Vermilion Parishes

	No.	%
Gender		
Male	1,461	74.4
Female	472	24.0
Trans women	31	1.6
Current Age		
0-12	1	0.1
13-19	7	0.4
20-24	72	3.7
25-29	174	8.9
30-34	253	12.9
35-39	214	10.9
40-44	212	10.8
45-49	157	8.0
50-54	213	10.8
55-59	273	13.9
60+	388	19.8
Total	1,964	100.0

	Male		Female		Trans women		Region 4 Totals	
	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity								
American Indian	3	0.2	2	0.4	-	-	5	0.3
Asian/PI	7	0.5	5	1.1	-	-	12	0.6
Black, NH	737	50.4	319	67.6	25	80.6	1,081	55.0
Hispanic/Latinx	97	6.6	12	2.5	1	3.2	110	5.6
Multi-race	22	1.5	5	1.1	-	-	27	1.4
White, NH	595	40.7	129	27.3	5	16.1	729	37.1
Total	1,461	100.0	472	100.0	31	100.0	1,964	100.0

	Male		Female		Trans women		Region 4 Totals	
	No.	%	No.	%	No.	%	No.	%
Exposure Category								
GBM	904	74.5	-	-	-	-	904	53.8
Trans women - sex with men	-	-	-	-	29	96.7	29	1.7
GBM/PWID	77	6.3	-	-	-	-	77	4.6
Trans women - sex with men/PWID	-	-	-	-	1	3.3	1	0.1
PWID	67	5.5	48	11.0	-	-	115	6.8
HRH	153	12.6	335	76.7	-	-	488	29.0
FPHC	-	-	48	11.0	-	-	48	2.9
Transfusion/Hemophilia	4	0.3	1	0.2	-	-	5	0.3
Perinatal	9	0.7	4	0.9	-	-	13	0.8
Confirmed Other	-	-	1	0.2	-	-	1	0.1
Total	1,214	100.0	437	100.0	30	100.0	1,681	100.0

	Male	Female	Trans women	Total
No Reported Risk	247	35	1	283

People Living with HIV
Region 5: Lake Charles Region
as of December 31, 2022

Allen, Beauregard, Calcasieu, Cameron, & Jefferson Davis Parishes

	No.	%
Gender		
Male	776	75.2
Female	241	23.4
Trans women	15	1.5
Current Age		
0-12	2	0.2
13-19	5	0.5
20-24	26	2.5
25-29	68	6.6
30-34	115	11.1
35-39	107	10.4
40-44	118	11.4
45-49	119	11.5
50-54	124	12.0
55-59	144	14.0
60+	204	19.8
Total	1,032	100.0

	Male		Female		Trans women		Region 5 Totals	
Race/Ethnicity	No.	%	No.	%	No.	%	No.	%
American Indian	-	-	-	-	1	6.7	1	0.1
Asian/PI	3	0.4	1	0.4	-	-	4	0.4
Black, NH	379	48.8	154	63.9	13	86.7	546	52.9
Hispanic/Latinx	104	13.4	6	2.5	-	-	110	10.7
Multi-race	8	1.0	5	2.1	1	6.7	14	1.4
White, NH	282	36.3	75	31.1	-	-	357	34.6
Total	776	100.0	241	100.0	15	100.0	1,032	100.0

	Male		Female		Trans women		Region 5 Totals	
Exposure Category	No.	%	No.	%	No.	%	No.	%
GBM	365	59.7	-	-	-	-	365	43.0
Trans women - sex with men	-	-	-	-	15	100.0	15	1.8
GBM/PWID	56	9.2	-	-	-	-	56	6.6
PWID	74	12.1	36	16.2	-	-	110	13.0
HRH	109	17.8	149	67.1	-	-	258	30.4
FPHC	-	-	27	12.2	-	-	27	3.2
Transfusion/Hemophilia	3	0.5	-	-	-	-	3	0.4
Perinatal	4	0.7	10	4.5	-	-	14	1.7
Total	611	100.0	222	100.0	15	100.0	848	100.0

	Male	Female	Trans women	Total
No Reported Risk	165	19	0	184

People Living with HIV
Region 6: Alexandria Region
as of December 31, 2022

Avoyelles, Catahoula, Concordia, Grant, LaSalle, Rapides, Vernon, & Winn Parishes

	No.	%
Gender		
Male	769	73.7
Female	264	25.3
Trans women	11	1.1
Current Age		
0-12	2	0.2
13-19	2	0.2
20-24	27	2.6
25-29	62	5.9
30-34	118	11.3
35-39	133	12.7
40-44	118	11.3
45-49	129	12.4
50-54	120	11.5
55-59	126	12.1
60+	207	19.8
Total	1,044	100.0

	Male		Female		Trans women		Region 6 Totals	
	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity								
American Indian	1	0.1	1	0.4	-	-	2	0.2
Asian/PI	2	0.3	1	0.4	-	-	3	0.3
Black, NH	423	55.0	204	77.3	7	63.6	634	60.7
Hispanic/Latinx	88	11.4	4	1.5	-	-	92	8.8
Multi-race	9	1.2	4	1.5	-	-	13	1.2
White, NH	243	31.6	50	18.9	4	36.4	297	28.4
Unknown	3	0.4	-	-	-	-	3	0.3
Total	769	100.0	264	100.0	11	100.0	1,044	100.0

	Male		Female		Trans women		Region 6 Totals	
	No.	%	No.	%	No.	%	No.	%
Exposure Category								
GBM	397	62.5	-	-	-	-	397	44.1
Trans women - sex with men	-	-	-	-	7	63.6	7	0.8
GBM/PWID	46	7.2	-	-	-	-	46	5.1
Trans women - sex with men/PWID	-	-	-	-	3	27.3	3	0.3
PWID	67	10.6	20	7.8	1	9.1	88	9.8
HRH	119	18.7	196	76.9	-	-	315	35.0
FPHC	-	-	35	13.7	-	-	35	3.9
Transfusion/Hemophilia	1	0.2	1	0.4	-	-	2	0.2
Perinatal	5	0.8	3	1.2	-	-	8	0.9
Total	635	100.0	255	100.0	11	100.0	901	100.0

	Male	Female	Trans women	Total
No Reported Risk	134	9	0	143

People Living with HIV
Region 7: Shreveport Region
as of December 31, 2022

Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, & Webster Parishes

	No.	%
Gender		
Male	1,489	69.0
Female	633	29.3
Trans women	36	1.7
Trans men	1	0.0
Current Age		
13-19	12	0.6
20-24	92	4.3
25-29	214	9.9
30-34	289	13.4
35-39	288	13.3
40-44	263	12.2
45-49	217	10.1
50-54	226	10.5
55-59	195	9.0
60+	363	16.8
Total	2,159	100.0

	Male		Female		Trans women		Trans men		Region 7 Totals	
	No.	%	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity										
American Indian	10	0.7	2	0.3	-	-	-	-	12	0.6
Asian/PI	8	0.5	2	0.3	-	-	-	-	10	0.5
Black, NH	1,046	70.2	518	81.8	33	91.7	1	100.0	1,598	74.0
Hispanic/Latinx	44	3.0	10	1.6	2	5.6	-	-	56	2.6
Multi-race	15	1.0	6	0.9	-	-	-	-	21	1.0
White, NH	366	24.6	94	14.8	1	2.8	-	-	461	21.4
Unknown	-	-	1	0.2	-	-	-	-	1	0.0
Total	1,489	100.0	633	100.0	36	100.0	1	100.0	2,159	100.0

	Male		Female		Trans women		Region 7 Totals	
	No.	%	No.	%	No.	%	No.	%
Exposure Category								
GBM	900	72.2	-	-	-	-	900	48.3
Trans women - sex with men	-	-	-	-	32	91.4	32	1.7
GBM/PWID	92	7.4	-	-	-	-	92	4.9
Trans women - sex with men/PWID	-	-	-	-	2	5.7	2	0.1
PWID	52	4.2	66	11.3	-	-	118	6.3
HRH	193	15.5	381	65.5	1	2.9	575	30.9
FPHC	-	-	125	21.5	-	-	125	6.7
Transfusion/Hemophilia	2	0.2	3	0.5	-	-	5	0.3
Perinatal	7	0.6	7	1.2	-	-	14	0.8
Total	1,246	100.0	582	100.0	35	100.0	1,863	100.0

	Male	Female	Trans women	Total
No Reported Risk	243	51	1	296

People Living with HIV
Region 8: Monroe Region
as of December 31, 2022

*Caldwell, East Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas,
 Union, & West Carroll Parishes*

	No.	%
Gender		
Male	801	67.6
Female	369	31.1
Trans women	15	1.3
Current Age		
0-12	1	0.1
13-19	9	0.8
20-24	50	4.2
25-29	107	9.0
30-34	131	11.1
35-39	110	9.3
40-44	135	11.4
45-49	158	13.3
50-54	123	10.4
55-59	135	11.4
60+	226	19.1
Total	1,185	100.0

	Male		Female		Trans women		Region 8 Totals	
	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity								
American Indian	4	0.5	1	0.3	-	-	5	0.4
Asian/PI	4	0.5	-	-	-	-	4	0.3
Black, NH	541	67.5	307	83.2	13	86.7	861	72.7
Hispanic/Latinx	33	4.1	5	1.4	-	-	38	3.2
Multi-race	12	1.5	5	1.4	-	-	17	1.4
White, NH	207	25.8	51	13.8	2	13.3	260	21.9
Total	801	100.0	369	100.0	15	100.0	1,185	100.0

	Male		Female		Trans women		Region 8 Totals	
	No.	%	No.	%	No.	%	No.	%
Exposure Category								
GBM	471	67.3	-	-	-	-	471	44.2
Trans women - sex with men	-	-	-	-	15	100.0	15	1.4
GBM/PWID	47	6.7	-	-	-	-	47	4.4
PWID	36	5.1	34	9.7	-	-	70	6.6
HRH	142	20.3	271	77.2	-	-	413	38.7
FPHC	-	-	33	9.4	-	-	33	3.1
Transfusion/Hemophilia	1	0.1	3	0.9	-	-	4	0.4
Perinatal	3	0.4	10	2.8	-	-	13	1.2
Total	700	100.0	351	100.0	15	100.0	1,066	100.0

	Male	Female	Trans women	Total
No Reported Risk	101	18	0	119

People Living with HIV
Region 9: Hammond/Slidell Region
as of December 31, 2022

Livingston, St. Helena, St. Tammany, Tangipahoa, & Washington Parishes

	No.	%
Gender		
Male	1,190	72.7
Female	424	25.9
Trans women	21	1.3
Trans men	2	0.1
Current Age		
0-12	1	0.1
13-19	7	0.4
20-24	50	3.1
25-29	92	5.6
30-34	153	9.3
35-39	186	11.4
40-44	178	10.9
45-49	181	11.1
50-54	198	12.1
55-59	240	14.7
60+	351	21.4
Total	1,637	100.0

	Male		Female		Trans women		Trans men		Region 9 Totals	
Race/Ethnicity	No.	%	No.	%	No.	%	No.	%	No.	%
American Indian	4	0.3	1	0.2	-	-	-	-	5	0.3
Asian/PI	4	0.3	2	0.5	-	-	-	-	6	0.4
Black, NH	581	48.8	274	64.6	18	85.7	-	-	873	53.3
Hispanic/Latinx	68	5.7	15	3.5	-	-	-	-	83	5.1
Multi-race	13	1.1	5	1.2	1	4.8	-	-	19	1.2
White, NH	520	43.7	127	30.0	2	9.5	2	100.0	651	39.8
Total	1,190	100.0	424	100.0	21	100.0	2	100.0	1,637	100.0

	Male		Female		Trans women		Trans men		Region 9 Totals	
Exposure Category	No.	%	No.	%	No.	%	No.	%	No.	%
GBM	703	70.0	-	-	-	-	-	-	703	49.2
Trans women - sex with men	-	-	-	-	19	90.5	-	-	19	1.3
GBM/PWID	70	7.0	-	-	-	-	-	-	70	4.9
Trans women - sex with men/PWID	-	-	-	-	1	4.8	-	-	1	0.1
PWID	60	6.0	60	15.0	1	4.8	2	100.0	123	8.6
HRH	157	15.6	274	68.3	-	-	-	-	431	30.2
FPHC	-	-	61	15.2	-	-	-	-	61	4.3
Transfusion/Hemophilia	4	0.4	-	-	-	-	-	-	4	0.3
Perinatal	10	1.0	6	1.5	-	-	-	-	16	1.1
Total	1,004	100.0	401	100.0	21	100.0	2	100.0	1,428	100.0

	Male	Female	Trans women	Trans men	Total
No Reported Risk	186	23	0	0	209

People Newly Diagnosed with HIV
Regions 1 - 5
January - December 2021

	Region 1		Region 2		Region 3		Region 4		Region 5	
	No.	%	No.	%	No.	%	No.	%	No.	%
Gender										
Male	175	70.9	139	79.9	34	69.4	83	76.1	32	71.1
Female	64	25.9	35	20.1	13	26.5	20	18.3	12	26.7
Trans women	8	3.2	-	-	2	4.1	6	5.5	1	2.2
Age at Diagnosis										
0-12	-	-	-	-	-	-	-	-	1	2.2
13-24	44	17.8	59	33.9	14	28.6	25	22.9	7	15.6
25-34	98	39.7	44	25.3	18	36.7	31	28.4	19	42.2
35-44	63	25.5	34	19.5	11	22.4	24	22.0	8	17.8
45+	42	17.0	37	21.3	6	12.2	29	26.6	10	22.2
Race/Ethnicity										
American Indian	-	-	1	0.6	1	2.0	-	-	-	-
Asian/PI	3	1.2	1	0.6	-	-	2	1.8	-	-
Black, NH	154	62.3	142	81.6	28	57.1	60	55.0	17	37.8
Hispanic/Latinx	33	13.4	10	5.7	4	8.2	6	5.5	3	6.7
Multi-race	1	0.4	-	-	-	-	1	0.9	3	6.7
White, NH	56	22.7	20	11.5	16	32.7	40	36.7	22	48.9
Regional Totals	247	100.0	174	100.0	49	100.0	109	100.0	45	100.0

	Region 1		Region 2		Region 3		Region 4		Region 5	
	No.	%	No.	%	No.	%	No.	%	No.	%
Exposure Category										
GBM	115	56.4	93	61.2	22	52.4	51	62.2	19	55.9
Trans women - sex with men	7	3.4	-	-	2	4.8	6	7.3	1	2.9
GBM/PWID	1	0.5	-	-	3	7.1	4	4.9	-	-
Trans women - sex with men/PWID	1	0.5	-	-	-	-	-	-	-	-
PWID	18	8.8	7	4.6	1	2.4	2	2.4	4	11.8
HRH	48	23.5	43	28.3	11	26.2	11	13.4	5	14.7
FPHC	14	6.9	9	5.9	3	7.1	8	9.8	4	11.8
Perinatal	-	-	-	-	-	-	-	-	1	2.9
Regional Totals	204	100.0	152	100.0	42	100.0	82	100.0	34	100.0

New HIV Cases with NRR

Regions 1 - 5, 2021

	Region 1	Region 2	Region 3	Region 4	Region 5
No Reported Risk	43	22	7	27	11

People Newly Diagnosed with HIV
Regions 6 - 9
January - December 2021

	Region 6		Region 7		Region 8		Region 9	
	No.	%	No.	%	No.	%	No.	%
Gender								
Male	35	79.5	82	71.3	43	70.5	46	79.3
Female	8	18.2	29	25.2	17	27.9	11	19.0
Trans women	1	2.3	4	3.5	1	1.6	1	1.7
Age at Diagnosis								
13-24	6	13.6	35	30.4	17	27.9	15	25.9
25-34	13	29.5	31	27.0	20	32.8	26	44.8
35-44	15	34.1	19	16.5	11	18.0	9	15.5
45+	10	22.7	30	26.1	13	21.3	8	13.8
Race/Ethnicity								
American Indian	-	-	1	0.9	-	-	-	-
Asian/PI	1	2.3	1	0.9	-	-	-	-
Black, NH	26	59.1	81	70.4	41	67.2	36	62.1
Hispanic/Latinx	6	13.6	-	-	4	6.6	3	5.2
Multi-race	-	-	2	1.7	1	1.6	-	-
White, NH	11	25.0	30	26.1	15	24.6	19	32.8
Regional Totals	44	100.0	115	100.0	61	100.0	58	100.0

	Region 6		Region 7		Region 8		Region 9	
	No.	%	No.	%	No.	%	No.	%
Exposure Category								
GBM	13	41.9	47	53.4	27	60.0	21	50.0
Trans women - sex with men	1	3.2	4	4.5	1	2.2	1	2.4
GBM/PWID	1	3.2	5	5.7	1	2.2	2	4.8
PWID	4	12.9	3	3.4	3	6.7	8	19.0
HRH	8	25.8	23	26.1	11	24.4	8	19.0
FPHC	4	12.9	6	6.8	2	4.4	2	4.8
Regional Totals	31	100.0	88	100.0	45	100.0	42	100.0

New HIV Cases with NRR

Regions 6-9, 2021

	Region 6	Region 7	Region 8	Region 9
No Reported Risk	13	27	16	16

People Newly Diagnosed with AIDS
Regions 1 - 5
January - December 2021

	Region 1		Region 2		Region 3		Region 4		Region 5	
	No.	%	No.	%	No.	%	No.	%	No.	%
Gender										
Male	82	69.5	46	66.7	10	52.6	33	82.5	18	78.3
Female	30	25.4	22	31.9	9	47.4	7	17.5	4	17.4
Trans women	6	5.1	1	1.4	-	-	-	-	1	4.3
Age at Diagnosis										
13-24	9	7.6	7	10.1	2	10.5	3	7.5	2	8.7
25-34	37	31.4	22	31.9	8	42.1	8	20.0	6	26.1
35-44	31	26.3	25	36.2	5	26.3	12	30.0	6	26.1
45+	41	34.7	15	21.7	4	21.1	17	42.5	9	39.1
Race/Ethnicity										
Asian/PI	-	-	1	1.4	-	-	1	2.5	-	-
Black, NH	81	68.6	57	82.6	10	52.6	24	60.0	11	47.8
Hispanic/Latinx	12	10.2	5	7.2	3	15.8	3	7.5	2	8.7
Multi-race	2	1.7	-	-	-	-	-	-	1	4.3
White, NH	23	19.5	6	8.7	6	31.6	12	30.0	9	39.1
Regional Totals	118	100.0	69	100.0	19	100.0	40	100.0	23	100.0

	Region 1		Region 2		Region 3		Region 4		Region 5	
	No.	%	No.	%	No.	%	No.	%	No.	%
Exposure Category										
GBM	41	41.8	20	36.4	3	18.8	15	55.6	10	62.5
Trans women - sex with men	5	5.1	1	1.8	-	-	-	-	1	6.3
GBM/PWID	4	4.1	-	-	-	-	1	3.7	-	-
Trans women - sex with men/PWID	1	1.0	-	-	-	-	-	-	-	-
PWID	9	9.2	2	3.6	2	12.5	2	7.4	1	6.3
HRH	30	30.6	26	47.3	9	56.3	4	14.8	3	18.8
FPHC	7	7.1	4	7.3	2	12.5	5	18.5	1	6.3
Perinatal	1	1.0	2	3.6	-	-	-	-	-	-
Regional Totals	98	100.0	55	100.0	16	100.0	27	100.0	16	100.0

New AIDS Cases with NIR

Regions 1 - 5, 2021

	Region 1	Region 2	Region 3	Region 4	Region 5
No Reported Risk	20	14	3	13	7

People Newly Diagnosed with AIDS
Regions 6 - 9
January - December 2021

	Region 6		Region 7		Region 8		Region 9	
	No.	%	No.	%	No.	%	No.	%
Gender								
Male	25	73.5	30	52.6	22	71.0	19	67.9
Female	8	23.5	25	43.9	9	29.0	8	28.6
Trans women	1	2.9	2	3.5	-	-	1	3.6
Age at Diagnosis								
13-24	1	2.9	4	7.0	5	16.1	2	7.1
25-34	11	32.4	25	43.9	10	32.3	13	46.4
35-44	12	35.3	13	22.8	7	22.6	6	21.4
45+	10	29.4	15	26.3	9	29.0	7	25.0
Race/Ethnicity								
American Indian	-	-	1	1.8	-	-	-	-
Asian/PI	1	2.9	1	1.8	-	-	-	-
Black, NH	22	64.7	42	73.7	15	48.4	16	57.1
Hispanic/Latinx	4	11.8	-	-	3	9.7	2	7.1
Multi-race	-	-	5	8.8	2	6.5	-	-
White, NH	7	20.6	8	14.0	11	35.5	10	35.7
Regional Totals	34	100.0	57	100.0	31	100.0	28	100.0

	Region 6		Region 7		Region 8		Region 9	
	No.	%	No.	%	No.	%	No.	%
Exposure Category								
GBM	12	41.4	16	32.0	10	43.5	6	30.0
Trans women - sex with men	1	3.4	2	4.0	-	-	1	5.0
GBM/PWID	-	-	3	6.0	1	4.3	3	15.0
PWID	3	10.3	2	4.0	1	4.3	5	25.0
HRH	10	34.5	22	44.0	9	39.1	4	20.0
FPHC	3	10.3	5	10.0	1	4.3	1	5.0
Perinatal	-	-	-	-	1	4.3	-	-
Regional Totals	29	100.0	50	100.0	23	100.0	20	100.0

New AIDS Cases with NIR

Regions 6 -9, 2021

	Region 6	Region 7	Region 8	Region 9
No Reported Risk	5	7	8	8

People Diagnosed with P&S Syphilis
Regions 1-5
January - December 2022

	Region 1		Region 2		Region 3		Region 4		Region 5	
	No.	%	No.	%	No.	%	No.	%	No.	%
Gender										
Male	154	73.7	123	62.1	34	70.8	74	62.7	22	68.8
Female	50	23.9	72	36.4	13	27.1	43	36.4	10	31.3
Trans women	4	1.9	3	1.5	1	2.1	1	0.8	-	-
Trans men	1	0.5	-	-	-	-	-	-	-	-
Age at Diagnosis										
13-24	47	22.5	60	30.3	12	25.0	28	23.7	11	34.4
25-34	72	34.4	71	35.9	18	37.5	39	33.1	9	28.1
35-44	46	22.0	39	19.7	12	25.0	29	24.6	9	28.1
45+	44	21.1	28	14.1	6	12.5	22	18.6	3	9.4
Race/Ethnicity										
Asian/PI	-	-	-	-	-	-	2	1.7	-	-
Black, NH	133	63.6	142	71.7	24	50.0	53	44.9	12	37.5
Hispanic/Latinx	13	6.2	5	2.5	1	2.1	1	0.8	-	-
Multi-race	8	3.8	17	8.6	2	4.2	5	4.2	2	6.3
White, NH	52	24.9	33	16.7	19	39.6	54	45.8	17	53.1
Unknown	3	1.4	1	0.5	2	4.2	3	2.5	1	3.1
Regional Totals	209	100.0	198	100.0	48	100.0	118	100.0	32	100.0

	Region 1		Region 2		Region 3		Region 4		Region 5	
<i>Cases with a Reported Risk*</i>	No.	%	No.	%	No.	%	No.	%	No.	%
FSF	4	3.2	3	1.9	3	6.8	3	3.1	0	0.0
GBM	54	43.2	41	26.6	18	40.9	21	21.6	7	33.3
GBM/PWID	3	2.4	1	0.6	0	0.0	1	1.0	0	0.0
HRH	29	23.2	29	18.8	6	13.6	19	19.6	1	4.8
Heterosexual contact	42	33.6	88	57.1	20	45.5	57	58.8	10	47.6
Illegal drug use (all types)	44	35.2	49	31.8	19	43.2	19	19.6	9	42.9
Incarceration	4	3.2	9	5.8	5	11.4	6	6.2	3	14.3
PWID	9	7.2	2	1.3	2	4.5	2	2.1	1	4.8
Trans women - sex with men	7	5.6	7	4.5	7	15.9	7	7.2	7	33.3
Trans women - sex with men/PWID	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transactional sex	12	9.6	9	5.8	2	4.5	8	8.2	2	9.5

	Region 1	Region 2	Region 3	Region 4	Region 5
No Reported Risk	84	44	4	21	11

* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

People Diagnosed with P&S Syphilis
Regions 6-9
January - December 2022

	Region 6		Region 7		Region 8		Region 9	
	No.	%	No.	%	No.	%	No.	%
Gender								
Male	81	63.3	77	62.6	53	55.2	55	67.1
Female	45	35.2	45	36.6	43	44.8	27	32.9
Trans women	2	1.6	1	0.8	-	-	-	-
Age at Diagnosis								
13-24	28	21.9	26	21.1	44	45.8	26	31.7
25-34	46	35.9	43	35.0	31	32.3	26	31.7
35-44	29	22.7	33	26.8	13	13.5	17	20.7
45+	25	19.5	21	17.1	8	8.3	13	15.9
Race/Ethnicity								
Asian/PI	-	-	1	0.8	-	-	-	-
Black, NH	51	39.8	80	65.0	76	79.2	33	40.2
Hispanic/Latinx	7	5.5	2	1.6	1	1.0	1	1.2
Multi-race	7	5.5	3	2.4	2	2.1	5	6.1
White, NH	59	46.1	37	30.1	15	15.6	38	46.3
Unknown	4	3.1	-	-	2	2.1	5	6.1
Regional Totals	128	100.0	123	100.0	96	100.0	82	100.0

	Region 6		Region 7		Region 8		Region 9	
	No.	%	No.	%	No.	%	No.	%
Cases with a Reported Risk*								
FSF	12	11.0	5	4.8	2	2.2	2	2.9
GBM	24	22.0	31	29.8	18	19.6	23	32.9
GBM/PWID	4	3.7	0	0.0	2	2.2	1	1.4
HRH	42	38.5	28	26.9	30	32.6	23	32.9
Heterosexual contact	45	41.3	50	48.1	45	48.9	25	35.7
Illegal drug use (all types)	49	45.0	50	48.1	47	51.1	27	38.6
Incarceration	25	22.9	12	11.5	18	19.6	8	11.4
PWID	13	11.9	6	5.8	3	3.3	4	5.7
Trans women - sex with men	7	6.4	7	6.7	7	7.6	7	10.0
Trans women - sex with men/PWID	0	0.0	0	0.0	0	0.0	0	0.0
Transactional sex	15	13.8	4	3.8	4	4.3	1	1.4
	Region 6		Region 7		Region 8		Region 9	
No Reported Risk	19		19		4		12	

* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

People Diagnosed with Early non-P&S Syphilis
Regions 1-5
January - December 2022

	Region 1		Region 2		Region 3		Region 4		Region 5	
	No.	%	No.	%	No.	%	No.	%	No.	%
Gender										
Male	167	77.7	74	68.5	23	54.8	69	63.3	4	66.7
Female	35	16.3	30	27.8	18	42.9	36	33.0	2	33.3
Trans women	12	5.6	4	3.7	1	2.4	4	3.7	-	-
Trans men	1	0.5	-	-	-	-	-	-	-	-
Age at Diagnosis										
13-24	25	11.6	29	26.9	12	28.6	25	22.9	2	33.3
25-34	72	33.5	43	39.8	19	45.2	42	38.5	2	33.3
35-44	72	33.5	22	20.4	4	9.5	22	20.2	1	16.7
45+	46	21.4	14	13.0	7	16.7	20	18.3	1	16.7
Race/Ethnicity										
Asian/PI	2	0.9	-	-	-	-	1	0.9	-	-
Black, NH	137	63.7	91	84.3	23	54.8	48	44.0	3	50.0
Hispanic/Latinx	14	6.5	1	0.9	1	2.4	5	4.6	1	16.7
Multi-race	9	4.2	4	3.7	4	9.5	8	7.3	-	-
White, NH	52	24.2	12	11.1	14	33.3	43	39.4	2	33.3
Unknown	1	0.5	-	-	-	-	4	3.7	-	-
Regional Totals	215	100.0	108	100.0	42	100.0	109	100.0	6	100.0

	Region 1		Region 2		Region 3		Region 4		Region 5	
<i>Cases with a Reported Risk*</i>	No.	%	No.	%	No.	%	No.	%	No.	%
FSF	4	3.7	0	0.0	1	2.6	1	1.1	0	0.0
GBM	68	63.6	41	50.0	14	36.8	36	39.6	3	60.0
GBM/PWID	2	1.9	0	0.0	0	0.0	1	1.1	0	0.0
HRH	13	12.1	6	7.3	7	18.4	6	6.6	0	0.0
Heterosexual contact	31	29.0	40	48.8	18	47.4	48	52.7	1	20.0
Illegal drug use (all types)	24	22.4	16	19.5	12	31.6	15	16.5	1	20.0
Incarceration	7	6.5	2	2.4	3	7.9	5	5.5	1	20.0
PWID	2	1.9	1	1.2	3	7.9	2	2.2	0	0.0
Trans women - sex with men	7	6.5	7	8.5	7	18.4	7	7.7	7	140.0
Trans women - sex with men/PWID	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transactional sex	5	4.7	0	0.0	1	2.6	5	5.5	0	0.0

	Region 1	Region 2	Region 3	Region 4	Region 5
No Reported Risk	108	26	4	18	1

* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

People Diagnosed with Early non-P&S Syphilis
Regions 6-9
January - December 2022

	Region 6		Region 7		Region 8		Region 9	
	No.	%	No.	%	No.	%	No.	%
Gender								
Male	32	59.3	53	63.1	37	64.9	26	68.4
Female	22	40.7	30	35.7	20	35.1	12	31.6
Trans women	-	-	1	1.2	-	-	-	-
Age at Diagnosis								
13-24	10	18.5	16	19.0	20	35.1	8	21.1
25-34	20	37.0	34	40.5	18	31.6	14	36.8
35-44	21	38.9	14	16.7	10	17.5	8	21.1
45+	3	5.6	20	23.8	9	15.8	8	21.1
Race/Ethnicity								
Asian/PI	-	-	-	-	-	-	1	2.6
Black, NH	23	42.6	47	56.0	43	75.4	16	42.1
Hispanic/Latinx	3	5.6	2	2.4	-	-	3	7.9
Multi-race	1	1.9	4	4.8	1	1.8	3	7.9
White, NH	27	50.0	30	35.7	12	21.1	15	39.5
Unknown	-	-	1	1.2	1	1.8	-	-
Regional Totals	54	100.0	84	100.0	57	100.0	38	100.0

	Region 6		Region 7		Region 8		Region 9	
	No.	%	No.	%	No.	%	No.	%
Cases with a Reported Risk*								
FSF	4	7.7	4	5.3	0	0.0	0	0.0
GBM	12	23.1	26	34.7	12	25.0	15	44.1
GBM/PWID	0	0.0	0	0.0	0	0.0	0	0.0
HRH	8	15.4	17	22.7	10	20.8	6	17.6
Heterosexual contact	33	63.5	32	42.7	27	56.3	18	52.9
Illegal drug use (all types)	12	23.1	30	40.0	18	37.5	6	17.6
Incarceration	8	15.4	9	12.0	10	20.8	3	8.8
PWID	4	7.7	6	8.0	3	6.3	0	0.0
Trans women - sex with men	7	13.5	7	9.3	7	14.6	7	20.6
Trans women - sex with men/PWID	0	0.0	0	0.0	0	0.0	0	0.0
Transactional sex	2	3.8	11	14.7	3	6.3	1	2.9
	Region 6		Region 7		Region 8		Region 9	
No Reported Risk	2		9		9		4	

* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.


COVID-19 among People Living with HIV Louisiana

From March 2020 - February 14, 2022, 5,620 people living with HIV in Louisiana have been diagnosed with COVID-19. Among those who have been co-infected with HIV and COVID-19, 242 are deceased due to any cause of death. The table below shows demographic data for the 5,378 living, co-infected individuals. These values reflect the number of unique individuals diagnosed with COVID-19, not the number of positive tests.

	No.	%
Gender		
<i>Male</i>	3,406	63.3
<i>Female</i>	1,868	34.7
<i>Trans women</i>	103	1.9
<i>Trans men</i>	1	0.0
Current Age		
<i>0-12</i>	7	0.1
<i>13-19</i>	26	0.5
<i>20-24</i>	216	4.0
<i>25-29</i>	431	8.0
<i>30-34</i>	689	12.8
<i>35-39</i>	674	12.5
<i>40-44</i>	715	13.3
<i>45-49</i>	613	11.4
<i>50-54</i>	554	10.3
<i>55-59</i>	607	11.3
<i>60+</i>	846	15.7
Race/Ethnicity		
<i>American Indian</i>	11	0.2
<i>Asian/PI</i>	8	0.1
<i>Black, NH</i>	3,882	72.2
<i>Hispanic/Latinx</i>	212	3.9
<i>Multi-race</i>	65	1.2
<i>White, NH</i>	1,199	22.3
<i>Unknown</i>	1	0.0
Current Region		
<i>Region 1</i>	1,599	29.7
<i>Region 2</i>	1,318	24.5
<i>Region 3</i>	239	4.4
<i>Region 4</i>	479	8.9
<i>Region 5</i>	225	4.2
<i>Region 6</i>	246	4.6
<i>Region 7</i>	571	10.6
<i>Region 8</i>	316	5.9
<i>Region 9</i>	385	7.2
Total	5,378	100.0


HIV and sexually transmitted infections (STIs) are common among people diagnosed with mpox.

Of the 309 People Diagnosed with Mpox in Louisiana:




STI diagnoses include: Chlamydia, gonorrhea, or early syphilis in the 12 months prior to mpox diagnosis.


Of the 9,440 People Vaccinated Against Mpox in Louisiana*:



Of the 5,560 People Fully Vaccinated Against Mpox in Louisiana:




Of the 3,880 People Partially Vaccinated Against Mpox in Louisiana:




*Includes people fully or partially vaccinated

Of the 545 PLWH Partially Vaccinated Against Mpox in Louisiana:



13 (2.4%) were diagnosed with mpox

Of the 1,304 PLWH Fully Vaccinated Against Mpox in Louisiana:



only 2 (0.2%) were diagnosed with mpox