## Louisiana HIV, AIDS, Early Syphilis, & Congenital Syphilis Surveillance

## **Quarterly Report**

September 30, 2024



Louisiana Department of Health
Office of Public Health
STD, HIV, and Hepatitis Program
1450 Poydras Street, Suite 2136
New Orleans, Louisiana 70112
504.568.7474
http://dhh.louisiana.gov/hiv
www.lahhub.org



## Louisiana Department of Health Office of Public Health

STD, HIV, & Hepatitis Surveillance Program

DeAnn Gruber, PhD, LCSW Director, Bureau of Infectious Diseases

Sam Burgess, DHA
Director, STD/HIV/Hepatitis Program

Anthony James, MS, MA, MSHCM

Deputy Director - Programs

Franda Thomas, MEd Deputy Director - Operations

Tsegaye Assefa, MBA Financial Operations Manager

Jacquelyn Naomi Bickham, MPA
Prevention Manager

Todd Noletto, MPH Surveillance Manager

Jimmy Gale
Capacity Building Community Mobilization Unit Manager

Will F. Henderson III, MSIS
Health Systems Manager

Billy Robinson, PhD Evaluation Manager

Erika Sugimori, MPH Services Manager

Debbie Wendell, PhD, MPH Data Management/Analysis Manager

Analysis/Editor/Production:
Jacob Chávez, MSAS
STD Data Analyst Supervisor
Elizabeth Lindsay, MPH
Perinatal Supervisor
Caroline Moore, MPH
Public Health Data Analyst

#### **HIV Field Epidemiologists:**

Susan B. Brodie, MSPH, CLS (ASCP), HIV Field Epidemiologist Supervisor Tarsia Williams, Regions 1 & 3

Angela Everette, MPH, Region 1

Nechole Farlough, CLS (ASCP), Regions 2 & 9

Leticia Collins, MBA, CLS (ASCP), Regions 4, 5 & 6

Deneena Fulco, CLS (ASCP), Regions 6, 7 & 8

#### Regional STD Supervisors:

Rha'Keisha Ware, Region 1
Mary Riley, Region 2
Nashaine Dees-Duperclay, Region 3
Monica Murphy, Region 4
Patrick Williams, Region 5
Kenneth Nash, Region 6
Charles Jones, Region 7
Crissey Brown, Region 8
Dawanda Thompson, Region 9

### **TABLE OF CONTENTS**

Contents	Page
Surveillance Summary	1
Abbreviations	3
Louisiana: People Living with HIV	4
People newly diagnosed with HIV	6
People newly diagnosed with AIDS	7
People diagnosed with Primary and Secondary Syphilis	8
People diagnosed with Early non-Primary non-Secondary Syphilis	9
Congenital Syphilis Cases	10
Parish: People Living with HIV	11
People diagnosed with Early Syphilis	12
Metro New Orleans: People Living with HIV	13
People newly diagnosed with HIV and AIDS	15
People diagnosed with Early Syphilis	16
Metro Baton Rouge: People Living with HIV	17
People newly diagnosed with HIV and AIDS  People diagnosed with Early Syphilis	19 20
Public Health Regions: Map & HIV/AIDS Counts	21
Region 1: People Living with HIV	22
Region 2: People Living with HIV	23
Region 3: People Living with HIV	24
Region 4: People Living with HIV	25
Region 5: People Living with HIV	26
Region 6: People Living with HIV	27
Region 7: People Living with HIV	28
Region 8: People Living with HIV	29
Region 9: People Living with HIV	30
Regions 1-5: People newly diagnosed with HIV	31
Regions 6-9: People newly diagnosed with HIV	32
Regions 1-5: People newly diagnosed with AIDS	33
Regions 6-9: People newly diagnosed with AIDS	34
Regions 1-5: People diagnosed with Primary and Secondary Syphilis	35
Regions 6-9: People diagnosed with Primary and Secondary Syphilis	36
Regions 1-5: People diagnosed with Early non-Primary non-Secondary Syphilis	37
Regions 6-9: People diagnosed with Early non-Primary non-Secondary Syphilis	38
1 to 6 of Firms	
List of Figures	
Louisiana: 10-Year Trends People Living with HIV (2014-2023)	5
Louisiana: 10-Year Trends Newly Diagnosed with HIV (2014-2023)	6
Louisiana: 10-Year Trends Newly Diagnosed with AIDS (2014-2023)	7
Louisiana: 10-Year Trends People Diagnosed with P&S Syphilis (2014-2023)	8
Louisiana: 10-Year Trends People Diagnosed with Early non-P&S Syphilis (2014-2023)	9
Louisiana: 10-Year Trends Reported Congenital Syphilis Cases (2013-2022)	10
Surveillance Breakout	
2023 World AIDS Day	39

### **Surveillance Summary**

#### Data in this report includes cases diagnosed with HIV, AIDS, and Early and Congenital Syphilis

- In 2022, Louisiana ranked 4<sup>th</sup> in the nation for HIV diagnosis rates (18.6 new diagnoses per 100,000 population) and 12<sup>th</sup> in the estimated number of HIV diagnoses. The Baton Rouge MSA ranked 5<sup>th</sup> and the New Orleans MSA ranked 11<sup>th</sup> for HIV diagnosis rates (22.0 new diagnoses and 19.3 new diagnoses per 100,000, respectively), among the large metropolitan areas in the nation. The CDC HIV Surveillance Report (vol. 35) was released in May 2024. The CDC no longer provides AIDS rankings in the annual report.
- In 2023, Louisiana ranked 8<sup>th</sup> in the nation for primary and secondary (P&S) syphilis diagnoses rates (26.1 new diagnoses per 100,000 population) according to the 2023 CDC STD Surveillance Report.
- As of September 30, 2024, a total of 23,444 people were living with HIV (PLWH) in Louisiana; of these individuals, 11,017 people (47%) have an AIDS diagnosis.
- In 2023, **873** people were newly diagnosed with HIV in Louisiana. Of people newly diagnosed, **24%** (n=211) occurred in Region 1 (New Orleans) and **20%** (n=171) occurred in Region 2 (Baton Rouge).
- Between January 1 and September 30, 2024, a total of **1,168** people were diagnosed with early syphilis\* in Louisiana; **634** people were diagnosed with P&S syphilis, and **534** people were diagnosed with early non-P&S syphilis. Among all early syphilis diagnoses, **18%** (n=215) occurred in Region 1 (New Orleans) and **21%** (n=246) occurred in Region 2 (Baton Rouge).
- The primary risk factor for people newly diagnosed with HIV in Louisiana is gay, bisexual, and other men who have sex with men (GBM). In 2023, among new diagnoses who reported a risk factor, **61%** reported being GBM, and an additional **3%** reported being GBM and a person who injects drugs. As of September 30, 2024, **47%** of all people with a reported risk factor living with HIV in Louisiana were GBM.
- The primary risk factor for people diagnosed with early syphilis in Louisiana is heterosexual activity. As of September 30, 2024, of the people who reported a risk factor, 66% reported heterosexual activity, and 33% reported engaging in any type of illegal drug use. Additionally, 34% reported being gay, bisexual, or other men who have sex with men. People could report multiple risk factors for syphilis diagnoses.
- In Louisiana, 75% of people newly diagnosed with HIV, 68% of people newly diagnosed with AIDS, and 63% of people diagnosed with early syphilis were men.
- Black people in Louisiana experience severe health disparities in regards to HIV and STDs. In 2023, 68% of people newly diagnosed with HIV and 69% of people newly diagnosed with AIDS were Black. As of September 30, 2024, 62% of early syphilis cases with a reported race/ethnicity were Black. Only 32% of Louisiana's overall population is Black.
- A large percentage of new HIV and syphilis diagnoses occurred among adolescents and young adults. In 2023, 25% of people newly diagnosed with HIV were 13-24 years old and an additional 34% were 25-34 years old. As of September 30, 2024, 22% of people diagnosed with early syphilis were 13-24 years old and an additional 36% were 25-34 years old.
- In 2023, Louisiana ranked 7th in the nation for congenital syphilis case rates (193.0 per 100,000 live births) with 109 cases. In 2023, a total of 107 mother and 109 infants were linked to a congenital syphilis case. Between January 1 and September 30 2024, a total of 51 mothers and 51 infants have been linked to a congenital syphilis case. Among the mothers linked to a congenital syphilis case, 24% (n=12) resided in Region 2 (Baton Rouge) and 18% (n=9) resided in Region 7 (Shreveport). During that same period, 65% (n=33) of cases were among Black mothers, and 39% (n=20) were between the ages of 20 to 24 at delivery.

<sup>\*</sup> A syphilis diagnosis with less than one year duration is considered to be "early syphilis." This designation covers the primary, secondary, and early non-P&S stages of syphilis.

#### **Changes to Gender Variable**

The gender variable now encompasses five genders: man, woman, transgender man, transgender woman, and additional gender identity. The gender category "additional gender identity" was added to include those who identified as gender queer, gender non-conforming, or non-binary. Gender defaults to birth sex unless a gender identity different from birth sex has been collected from medical chart review, case management notes, or during a partner services interview. People of transgender and additional gender identities are likely undercounted.

#### **Changes to Syphilis Case Definition**

The Quarterly Report includes revisions to the surveillance case definition for syphilis as approved by the Council of State and Territorial Epidemiologists (CSTE) effective January 1, 2018. Of note, the nomenclature for "Early latent syphilis" has been changed to "Early non-primary non-secondary syphilis." Throughout the Quarterly Report it has been abbreviated to "Early non-P&S syphilis." Please refer to the following documentation for additional information on all other syphilis case definition revisions: <a href="https://www.cdc.gov/std/stats/DCL-syph-case-def-sept-4-2017.pdf">https://www.cdc.gov/std/stats/DCL-syph-case-def-sept-4-2017.pdf</a>.

#### **Congenital Syphilis Case Definition**

A case of congenital syphilis (CS) occurs when a pregnant woman diagnosed with inadequately treated syphilis passes the infection on to her infant in utero or during delivery. This may result in stillbirth, death of the newborn, or significant future health and developmental problems. A wide spectrum of severity exists, from inapparent infection to severe cases that are clinically apparent at birth. An infant or child (aged less than 2 years) may have signs such as hepatosplenomegaly, rash, condyloma lata, snuffles, jaundice (nonviral hepatitis), pseudoparalysis, anemia, or edema (nephrotic syndrome and/or malnutrition). An older child may have stigmata (e.g., interstitial keratitis, nerve deafness, anterior bowing of shins, frontal bossing, mulberry molars, Hutchinson teeth, saddle nose, rhagades, or Clutton joints).

#### Time Periods for this Quarterly Report (Third Quarter 2023 Report):

People Living with HIV - As of September 30, 2024

People Newly Diagnosed with HIV - Calendar Year 2023

People Newly Diagnosed with AIDS- Calendar Year 2023

People Newly Diagnosed with P&S Syphilis- January 1 to September 30, 2024

People Newly Diagnosed with Early non-P&S Syphilis- January 1 to September 30, 2024

Cases of Congenital Syphilis-January 1 to September 30, 2024

#### **Future Quarterly Report:**

Fourth Quarter 2023 Report: Release in February 2025

People Living with HIV- As of December 31, 2024

People Diagnosed with HIV and AIDS, Calendar Year 2023

People Diagnosed with P&S Syphilis, January-December 2024

People Diagnosed with Early non-P&S Syphilis, January-December 2024

Cases of Congenital Syphilis, January-December 2024

### **Abbreviations**

AGI Additional Gender Identity
Asian/PI Asian/Pacific Islander

CDC Centers for Disease Control and Prevention

CS Congenital Syphilis

FPHC Female presumed heterosexual contact

FSF Female sex with female
HRH High risk heterosexual contact
PWID Persons who inject drugs

GBM Gay, bisexual, and other men who have sex with men

GBM/PWID Gay, bisexual, and other men who have sex with men & inject drugs

NH Non-Hispanic

PLWH Persons living with HIV

P&S Primary and secondary syphilis

## Persons Living with HIV Louisiana as of September 30, 2024

23,444 persons are currently living with HIV/AIDS in Louisiana.

Number of persons living with HIV: 12,427

Number of persons living with AIDS: 11,017

	No.	%
Gender		
Man	16,392	69.9
Woman	6,545	27.9
Trans Woman	480	2.0
Trans Man	17	0.1
Additional Gender Identity	10	0.0
Current Age		
0-12	16	0.1
13-19	111	0.5
20-24	641	2.7
25-29	1,412	6.0
30-34	2,477	10.6
35-39	2,797	11.9
40-44	2,771	11.8
45-49	2,636	11.2
50-54	2,426	10.3
55-59	2,586	11.0
60+	5,571	23.8
Total	23,444	100.0


	Man Won			Woman Trans Woman Trans Man		Addit Gen Iden	der	LA S				
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity												
American Indian	39	0.2	11	0.2	-	-	-	-	-	-	50	0.2
Asian/PI	92	0.6	21	0.3	4	0.8	-	-	-	-	117	0.5
Black, NH	10,117	61.7	5,224	79.8	393	81.9	11	64.7	6	60.0	15,751	67.2
Hispanic/Latinx	1,230	7.5	288	4.4	37	7.7	2	11.8	1	10.0	1,558	6.6
Multi-race	202	1.2	62	0.9	5	1.0	-	-	-	-	269	1.1
White, NH	4,683	28.6	934	14.3	41	8.5	4	23.5	3	30.0	5,665	24.2
Unknown	29	0.2	5	0.1	-	-	-	-	-	-	34	0.1
Total	16,392	100.0	6,545	100.0	480	100.0	17	100.0	10	100.0	23,444	100.0

## Persons Living with HIV Louisiana as of September 30, 2024

	Man		Woman Trans Woman Tran		Additional Trans Man Gender Identity		LA State Totals					
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Exposure Category												
GBM	9,606	68.9	-	-	-	-	-	-	8	88.9	9,614	46.8
Trans women - sex with												
men	-	-	-	-	435	91.8	-	-	-	-	435	2.1
GBM/PWID	825	5.9	-	-	-	-	-	-	-	-	825	4.0
Trans women - sex with												
men/PWID	-	-	-	-	33	7.0	-	-	-	-	33	0.2
PWID	940	6.7	617	10.1	2	0.4	4	57.1	-	-	1,563	7.6
HRH	2,441	17.5	4,447	72.7	4	0.8	3	42.9	1	11.1	6,896	33.6
FPHC	-	-	921	15.0	-	-	-	-	-	-	921	4.5
Transfusion/Hemophilia	29	0.2	21	0.3	-	-	-	-	-	-	50	0.2
Perinatal ·	94	0.7	114	1.9	-	-	-	-	-	-	208	1.0
Confirmed Other	-	-	1	0.0	-	-	-	-	-	-	1	0.0
Total	13,935	100.0	6,121	100.0	474	100.0	7	100.0	9	100.0	20,546	100.0

Male Female Trans woman Trans man AGI Total
No Reported Risk 2,457 424 6 10 1 2,898

## 10-Year Trends in Persons Living with HIV Louisiana, 2014-2023



## Persons Newly Diagnosed with HIV Louisiana, January - December 2023

In 2023, 873 persons were newly diagnosed with HIV in Louisiana.


	No.	%
Gender		
Man	658	75.4
Woman	193	22.1
Trans Woman	21	2.4
Additional Gender Identity	1	0.1
Age at Diagnosis		
13-24	218	25.0
25-34	294	33.7
35-44	195	22.3
45+	166	19.0
Race/Ethnicity		
American Indian	2	0.2
Asian/PI	8	0.9
Black, NH	593	67.9
Hispanic/Latinx	69	7.9
Multi-race	3	0.3
White, NH	198	22.7
Total	873	100.0

	No.	%
Exposure Category		
GBM	405	61.3
Trans women - sex with men	19	2.9
GBM/PWID	20	3.0
Trans women - sex with men/PWID	2	0.3
PWID	46	7.0
HRH	84	12.7
FPHC	85	12.9
Total	661	100.0

NIR New HIV - Louisiana

No Reported Risk 212

## 10-Year Trends in New HIV Diagnoses Louisiana, 2014-2023



## Persons Newly Diagnosed with AIDS Louisiana, January - December 2023


In 2023, 386 persons were newly diagnosed with AIDS in Louisiana.

	No.	%
Gender		
Man	264	68.4
Woman	111	28.8
Trans Woman	11	2.8
Age at Diagnosis	S	
13-24	32	8.3
25-34	121	31.3
35-44	119	30.8
45+	114	29.5
Race/Ethnicity		
Asian/PI	4	1.0
Black, NH	267	69.2
Hispanic/Latinx	31	8.0
Multi-race	2	0.5
White, NH	82	21.2
Total	386	100.0

	No.	%
Exposure Category		
GBM	128	43.8
Trans women - sex with men	9	3.1
GBM/PWID	12	4.1
Trans women - sex with men/PWID	1	0.3
PWID	27	9.2
HRH	77	26.4
FPHC	36	12.3
Perinatal	2	0.7
Total	292	100.0

No Reported Risk 94

## 10-Year Trends in New AIDS Diagnoses Louisiana, 2014-2023



### People Diagnosed with P&S Syphilis Louisiana, January - September 2024


Between January 1 and September 30, 2024, 634 people were diagnosed with P&S Syphilis in Louisiana.

	No.	%
Gender		
Man	409	64.5
Woman	216	34.1
Trans Woman	9	1.4
Age at Diagnosis	5	
13-24	138	21.8
25-34	231	36.4
35-44	149	23.5
45+	116	18.3
Race/Ethnicity		
American Indian	4	0.6
Asian/PI	3	0.5
Black, NH	371	58.5
Hispanic/Latinx	9	1.4
Multi-race	25	3.9
White, NH	212	33.4
Unknown	10	1.6
Total	634	100.0

Cases with a Reported Risk*	No.	%
FSF	22	4.2
GBM	135	25.7
GBM/PWID	0	0.0
HRH	139	26.4
Heterosexual contact	250	47.5
Illegal drug use (all types)	195	37.1
Incarceration	82	15.6
PWID	18	3.4
Trans women - sex with men	7	1.3
Trans women - sex with men/PWID	0	0.0
Transactional sex	26	4.9

No Reported Risk 108

## 10-Year Trends in P & S Syphilis Diagnoses Louisiana, 2014-2023



<sup>\* &</sup>gt;1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

## People Diagnosed with Early non-P&S Syphilis Louisiana, January - September 2024


Between January 1 and September 30, 2024, **534** people were diagnosed with Early non-P&S Syphilis in Louisiana.

	No.	%
Gender		
Man	327	61.2
Woman	196	36.7
Trans Woman	11	2.1
Age at Diagnosis	3	
13-24	115	21.5
25-34	191	35.8
35-44	129	24.2
45+	99	18.5
Race/Ethnicity		
Asian/PI	1	0.2
Black, NH	349	65.4
Hispanic/Latinx	18	3.4
Multi-race	24	4.5
White, NH	137	25.7
Unknown	5	0.9
Total	534	100.0

Cases with a Reported Risk*	No.	%
FSF	11	2.7
GBM	173	43.0
GBM/PWID	4	1.0
HRH	71	17.7
Heterosexual contact	153	38.1
Illegal drug use (all types)	109	27.1
Incarceration	34	8.5
PWID	9	2.2
Trans women - sex with men	7	1.7
Trans women - sex with men/PWID	0	0.0
Transactional sex	16	4.0

### No Reported Risk 132

## 10-Year Trends in Early non-P&S Syphilis Diagnoses Louisiana, 2014-2023




 $<sup>^{\</sup>star}$  >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

## Congenital Syphilis Cases January - September 2024 Louisiana

As of September 30, 2024, a total of **51** mothers and **51** infants have been linked to a congenital syphilis case. The counts in the table below reflect the unique count of mothers.

	No.	%
Age at Delivery		
13-19	2	3.9
20-24	20	39.2
25-29	15	29.4
30-34	8	15.7
35-39	2	3.9
40-44	4	7.8
Race/Ethnicity		
Black, NH	33	64.7
Hispanic/Latinx	4	7.8
Multi-race	4	7.8
White, NH	10	19.6
Region at Delivery		
Region 1	5	9.8
Region 2	12	23.5
Region 3	3	5.9
Region 4	6	11.8
Region 6	4	7.8
Region 7	9	17.6
Region 8	7	13.7
Region 9	5	9.8
Total	51	100.0

## 10-Year Trends in Reported Congenital Syphilis Cases Louisiana, 2014-2023



## People Living with HIV by Parish as of September 30, 2024

Parish	No. PLWH
Acadia	140
Allen	240
Ascension	319
Assumption	50
Avoyelles	157
Beauregard	60
Bienville	55
Bossier	355
Caddo	1,445
Calcasieu	712
Caldwell	26
Cameron	10
Catahoula	37
Claiborne	43
Concordia	58
De Soto	65
East Baton Rouge	4,210
East Carroll	27
East Feliciana	157
Evangeline	141
Franklin	72
Grant	50
Iberia	184
Iberville	245
Jackson	68
Jefferson	2,180
Jefferson Davis	78
LaSalle	82
Lafayette	997
Lafourche	194
Lincoln	115
Livingston	324
Madison	47
Morehouse	71
Natchitoches	140
Orleans	5,093
Ouachita	788
Plaquemines	55
Pointe Coupee	78
Rapides	591
Red River	21
Richland	73

Parish	No. PLWH
Sabine	30
St. Bernard	246
St. Charles	127
St. Helena	36
St. James	81
St. John the Baptist	215
St. Landry	336
St. Martin	158
St. Mary	109
St. Tammany	654
Tangipahoa	490
Tensas	30
Terrebonne	240
Union	44
Vermilion	113
Vernon	75
Washington	235
Webster	73
West Baton Rouge	132
West Carroll	23
West Feliciana	90
Winn	54

Total PLWH: 23,444

## People Diagnosed with Early Syphilis\* by Parish January - September 2024

Parish	No. Diagnoses
Acadia	6
Allen	2
Ascension	23
Assumption	3
Avoyelles	6
Beauregard	1
Bienville	2
Bossier	33
Caddo	111
Calcasieu	21
Caldwell	1
Cameron	0
Catahoula	0
Claiborne	1
Concordia	5
De Soto	7
East Baton Rouge	200
East Carroll	3
East Feliciana	3
Evangeline	0
Franklin	4
Grant	2
Iberia	6
Iberville	9
Jackson	4
Jefferson	62
Jefferson Davis	5
LaSalle	0
Lafayette	45
Lafourche	21
Lincoln	1
Livingston	37
Madison	3
Morehouse	16
Natchitoches	8
Orleans	147
Ouachita	74
Plaquemines	1
Pointe Coupee	5
Rapides	65
Red River	2
Richland	3

Parish	No. Diagnoses
Sabine	4
St. Bernard	5
St. Charles	4
St. Helena	3
St. James	9
St. John the Baptist	14
St. Landry	8
St. Martin	15
St. Mary	9
St. Tammany	33
Tangipahoa	35
Tensas	0
Terrebonne	34
Union	2
Vermilion	8
Vernon	3
Washington	16
Webster	9
West Baton Rouge	5
West Carroll	1
West Feliciana	1
Winn	2

Total Early Syphilis Cases: 1,168

<sup>\*</sup> A syphilis diagnosis with less than one year duration is considered "early syphilis." This designation covers the primary, secondary, and early non-P&S stages of syphilis.

## People Living with HIV Metro New Orleans

as of September 30, 2024

Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, & St. Tammany Parishes

**8,651** people are currently living with HIV/AIDS in Metro New Orleans. Number of persons living with HIV: 4,488 Number of persons living with AIDS: 4,163

-	No.	%
Gender		
Man	6,247	72.2
Woman	2,156	24.9
Trans Woman	236	2.7
Trans Man	8	0.1
Additional Gender Identity	4	0.0
Current Age		
0-12	5	0.1
13-19	35	0.4
20-24	178	2.1
25-29	410	4.7
30-34	887	10.3
35-39	1,014	11.7
40-44	1,008	11.7
45-49	946	10.9
50-54	862	10.0
55-59	997	11.5
60+	2,309	26.7
Total	8,651	100.0

	M	an	Wor	man	Trans	Woman	Tran	s Man	Additional Gender Identity		Metro New Orleans Totals	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity												
American Indian	13	0.2	3	0.1	-	-	-	-	-	-	16	0.2
Asian/PI	41	0.7	7	0.3	3	1.3	-	-	-	-	51	0.6
Black, NH	3,639	58.3	1,702	78.9	189	80.1	5	62.5	2	50.0	5,537	64.0
Hispanic/Latinx	552	8.8	168	7.8	21	8.9	1	12.5	1	25.0	743	8.6
Multi-race	83	1.3	21	1.0	3	1.3	-	-	-	-	107	1.2
White, NH	1,909	30.6	253	11.7	20	8.5	2	25.0	1	25.0	2,185	25.3
Unknown	10	0.2	2	0.1	-	-	-	-	-	-	12	0.1
Total	6,247	100.0	2,156	100.0	236	100.0	8	100.0	4	100.0	8,651	100.0

## People Living with HIV Metro New Orleans

as of September 30, 2024

Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, & St. Tammany Parishes

	Man		an Woman Trans . Woman		Trans Man		Additional Gender Identity		Metro New Orleans Totals			
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Exposure Category												
GBM	3,952	72.4	-	-	-	-	-	-	3	75.0	3,955	51.5
Trans women - sex with												
men	-	-	-	-	215	92.7	-	-	-	-	215	2.8
GBM/PWID	293	5.4	-	-	-	-	-	-	-	-	293	3.8
Trans women - sex with												
men/PWID	-	-	-	-	16	6.9	-	-	-	-	16	0.2
PWID	299	5.5	188	9.5	-	-	2	50.0	-	-	489	6.4
HRH	866	15.9	1,466	73.9	1	0.4	2	50.0	1	25.0	2,336	30.4
FPHC	-	-	276	13.9	-	-	-	-	-	-	276	3.6
Transfusion/Hemophilia	13	0.2	8	0.4	-	-	-	-	-	-	21	0.3
Perinatal	32	0.6	47	2.4	-	-	-	-	-	-	79	1.0
Total	5,455	100.0	1,985	100.0	232	100.0	4	100.0	4	100.0	7,680	100.0

Male Female Trans women Trans men AGI Total No Reported Risk 792 171

## People Newly Diagnosed with HIV and AIDS Metro New Orleans

Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, & St. Tammany Parishes

### Persons Diagnosed with HIV January - December 2023

In 2023, 245 people were newly diagnosed with HIV in Metro New Orleans.

	No.	%
Gender		
Man	188	76.7
Woman	49	20.0
Trans Woman	8	3.3
Age at Diagnosis		
13-24	59	24.1
25-34	89	36.3
35-44	54	22.0
45+	43	17.6
Race/Ethnicity		
American Indian	1	0.4
Asian/PI	2	0.8
Black, NH	170	69.4
Hispanic/Latinx	27	11.0
White, NH	45	18.4
Total	245	100.0

	No.	%
Exposure Category		
GBM	123	66.8
Trans women - sex with men	7	3.8
GBM/PWID	6	3.3
Trans women - sex with men/PWID	1	0.5
PWID	15	8.2
HRH	13	7.1
FPHC	19	10.3
Total	184	100.0

No Reported Risk 61

### People Diagnosed with AIDS January - December 2023

In 2023, 105 people were newly diagnosed with AIDS in Metro New Orleans.

	No.	%
Gender		
Man	72	68.6
Woman	27	25.7
Trans Woman	6	5.7
Age at Diagnosis		
13-24	7	6.7
25-34	36	34.3
35-44	31	29.5
45+	31	29.5
Race/Ethnicity		
Asian/PI	1	1.0
Black, NH	73	69.5
Hispanic/Latinx	13	12.4
White, NH	18	17.1
Total	105	100.0

	No.	%
Exposure Category		
GBM	44	52.4
Trans women - sex with men	5	6.0
GBM/PWID	4	4.8
Trans women - sex with men/PWID	1	1.2
PWID	8	9.5
HRH	16	19.0
FPHC	6	7.1
Total	84	100.0

No Reported Risk 21

## People Diagnosed with Early Syphilis Metro New Orleans

Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, & St. Tammany Parishes

#### People Diagnosed with P&S Syphilis January - September 2024

Between January 1 and September 30, 2024, **129** people were newly diagnosed with P&S Syphilis in Metro New Orleans.

	No.	%
Gender		
Man	100	77.5
Woman	25	19.4
Trans Woman	4	3.1
Age at Diagnosis		
13-24	21	16.3
25-34	39	30.2
35-44	34	26.4
45+	35	27.1
Race/Ethnicity		
American Indian	2	1.6
Asian/PI	1	0.8
Black, NH	79	61.2
Hispanic/Latinx	5	3.9
Multi-race	3	2.3
White, NH	36	27.9
Unknown	3	2.3
Total	129	100.0

0 " 0 (10:14		
Cases with a Reported Risk*	No.	%
FSF	4	3.9
GBM	44	42.7
GBM/PWID	0	0.0
HRH	21	20.4
Heterosexual contact	36	35.0
Illegal drug use (all types)	32	31.1
Incarceration	10	9.7
PWID	1	1.0
Trans women - sex with men	7	6.8
Trans women - sex with men/PWID	0	0.0
Transactional sex	4	3.9

No Reported Risk 26

#### People Diagnosed with Early non-P&S Syphilis January - September 2024

Between January 1 and September 30, 2024, **146** people were newly diagnosed with Early non-P&S Syphilis in Metro New Orleans.

	No.	%
Gender		
Man	107	73.3
Woman	33	22.6
Trans Woman	6	4.1
Age at Diagnosis	;	
13-24	14	9.6
25-34	50	34.2
35-44	40	27.4
45+	42	28.8
Race/Ethnicity		
Black, NH	90	61.6
Hispanic/Latinx	10	6.8
Multi-race	6	4.1
White, NH	39	26.7
Unknown	1	0.7
Total	146	100.0

Case with a Reported Risk*	No.	%
FSF	2	1.9
GBM	69	67.0
GBM/PWID	0	0.0
HRH	18	17.5
Heterosexual contact	20	19.4
Illegal drug use (all types)	20	19.4
Incarceration	5	4.9
PWID	1	1.0
Trans women - sex with men	7	6.8
Trans women - sex with men/PWID	0	0.0
Transactional sex	6	5.8

No Reported Risk 40

<sup>\* &</sup>gt;1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

## People Living with HIV Metro Baton Rouge as of September 30, 2024

as of September 30, 2024

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, & West Feliciana Parishes

5,591 people are currently living with HIV/AIDS in Metro Baton Rouge.Number of persons living with HIV: 2,917Number of persons living with AIDS: 2,674

	No.	%
Gender		70
Man	3,534	63.2
Woman	1,953	34.9
Trans Woman	97	1.7
Trans Man	6	0.1
Additional Gender Identity	1	0.0
Current Age		
0-12	6	0.1
13-19	25	0.4
20-24	163	2.9
25-29	312	5.6
30-34	546	9.8
35-39	642	11.5
40-44	728	13.0
45-49	673	12.0
50-54	628	11.2
55-59	589	10.5
60+	1,279	22.9
Total	5,591	100.0

	M	Man		man	Trans Woman		Trans Man		Additi		Metro	
									Gender I	dentity	Rouge Totals	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity												
American Indian	6	0.2	2	0.1	-	-	-	-	-	-	8	0.1
Asian/PI	15	0.4	4	0.2	1	1.0	-	-	-	-	20	0.4
Black, NH	2,654	75.1	1,721	88.1	84	86.6	5	83.3	1	100.0	4,465	79.9
Hispanic/Latinx	159	4.5	39	2.0	6	6.2	-	-	-	-	204	3.6
Multi-race	29	0.8	12	0.6	-	-	-	-	-	-	41	0.7
White, NH	670	19.0	174	8.9	6	6.2	1	16.7	-	-	851	15.2
Unknown	1	0.0	1	0.1	-	-	-	-	-	-	2	0.0
Total	3,534	100.0	1,953	100.0	97	100.0	6	100.0	1	100.0	5,591	100.0

## People Living with HIV Metro Baton Rouge as of September 30, 2024

as of September 30, 2024

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, & West Feliciana Parishes

	M	an	Wor	Woman T		Trans Woman Trans Man			Metro Baton Rouge Totals		
	No.	%	No.	%	No.	%	No.	%	No.	%	
Exposure Category											
GBM	1,841	60.1	_	-	-	-	-	_	1,841	36.5	
Trans women - sex with											
men	-	-	-	-	87	89.7	-	-	87	1.7	
GBM/PWID	174	5.7	_	-	-	-	_	-	174	3.4	
Trans women - sex with											
men/PWID	-	-	-	-	8	8.2	-	-	8	0.2	
PWID	291	9.5	180	9.5	-	-	1	50.0	472	9.4	
HRH	720	23.5	1,422	75.4	2	2.1	1	50.0	2,145	42.5	
FPHC	-	-	249	13.2	-	-	-	-	249	4.9	
Transfusion/Hemophilia	4	0.1	6	0.3	-	-	-	_	10	0.2	
Perinatal	32	1.0	28	1.5	-	-	-	-	60	1.2	
Total	3,062	100.0	1,885	100.0	97	100.0	2	100.0	5,046	100.0	

Male Female Trans women Trans men AGI Total
No Reported Risk 472 68 0 4 1 545

## People Newly Diagnosed with HIV and AIDS Metro Baton Rouge

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, & West Feliciana Parishes

## People Diagnosed with HIV January - December 2023

In 2023, 187 people were newly diagnosed with HIV in Metro Baton Rouge.

	No.	%
Gender		
Man	137	73.3
Woman	45	24.1
Trans Woman	5	2.7
Age at Diagnosis		
13-24	54	28.9
25-34	61	32.6
35-44	34	18.2
45+	38	20.3
Race/Ethnicity		
Asian/PI	3	1.6
Black, NH	139	74.3
Hispanic/Latinx	16	8.6
White, NH	29	15.5
Total	187	100.0

	No.	%
Exposure Category		
GBM	92	59.7
Trans women - sex with men	4	2.6
GBM/PWID	1	0.6
Trans women - sex with men/PWID	1	0.6
PWID	10	6.5
HRH	18	11.7
FPHC	28	18.2
Total	154	100.0

No Reported Risk 33

### People Diagnosed with AIDS January - December 2023

In 2023, 70 people were newly diagnosed with AIDS in Metro Baton Rouge.

	No.	%
Gender		
Man	49	70.0
Woman	20	28.6
Trans Woman	1	1.4
Age at Diagnosis		
13-24	5	7.1
25-34	24	34.3
35-44	15	21.4
45+	26	37.1
Race/Ethnicity		
Asian/PI	1	1.4
Black, NH	53	75.7
Hispanic/Latinx	2	2.9
White, NH	14	20.0
Total	70	100.0

	No.	%
Exposure Category		
GBM	21	37.5
Trans women - sex with men	1	1.8
GBM/PWID	3	5.4
PWID	5	8.9
HRH	15	26.8
FPHC	10	17.9
Perinatal	1	1.8
Total	56	100.0

No Reported Risk 14

## People Diagnosed with Early Syphilis Metro Baton Rouge

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, & West Feliciana Parishes

### People Diagnosed with P&S Syphilis January - September 2024

Between January 1 through September 30, 2024, **159** people were newly diagnosed with P&S Syphilis in Metro Baton Rouge.

	No.	%
Gender		
Man	104	65.4
Woman	51	32.1
Trans Woman	4	2.5
Age at Diagnosis		
13-24	34	21.4
25-34	68	42.8
35-44	29	18.2
45+	28	17.6
Race/Ethnicity		
Asian/PI	1	0.6
Black, NH	101	63.5
Multi-race	8	5.0
White, NH	46	28.9
Unknown	3	1.9
Total	159	100.0

Cases with a Reported Risk*	No.	%
FSF	1	1.0
GBM	45	43.7
GBM/PWID	0	0.0
HRH	35	34.0
Heterosexual contact	59	57.3
Illegal drug use (all types)	31	30.1
Incarceration	14	13.6
PWID	6	5.8
Trans women - sex with men	7	6.8
Trans women - sex with men/PWID	0	0.0
Transactional sex	6	5.8

No Reported Risk 22

## People Diagnosed with Early non-P&S Syphilis January - September 2024

Between January 1 through September 30, 2024, **127** people were newly diagnosed with Early non-P&S Syphilis in Metro Baton Rouge.

	No.	%
Gender		
Man	90	70.9
Woman	35	27.6
Trans Woman	2	1.6
Age at Diagnosis		
13-24	25	19.7
25-34	54	42.5
35-44	24	18.9
45+	24	18.9
Race/Ethnicity		
Asian/PI	1	0.8
Black, NH	99	78.0
Hispanic/Latinx	5	3.9
Multi-race	4	3.1
White, NH	17	13.4
Unknown	1	0.8
Total	127	100.0

Cases with a Reported Risk*	No.	%
FSF	2	1.9
GBM	47	45.6
GBM/PWID	1	1.0
HRH	13	12.6
Heterosexual contact	34	33.0
Illegal drug use (all types)	21	20.4
Incarceration	1	1.0
PWID	1	1.0
Trans women - sex with men	7	6.8
Trans women - sex with men/PWID	0	0.0
Transactional sex	2	1.9

No Reported Risk 33

<sup>\* &</sup>gt;1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

### Persons Living with HIV/AIDS by Region as of September 30, 2024

#### New HIV/AIDS Diagnoses and PLWH

#### by Region

	Now HIV Diagnosas	New AIDS	Persons Living with	Persons Living	Persons Living
	New HIV Diagnoses 2023 Calendar Year	Diagnoses 2023	HIV(nonAIDS) thru 09-	with AIDS thru 09-	with HIV or AIDS
	2023 Calefluar Year	Calendar Year	30-2024	30-2024	thru 09-30-2024
Region 1	211	88	3,942	3,632	7,574
Region 2	171	65	2,726	2,505	5,231
Region 3	46	22	509	507	1,016
Region 4	96	48	1,154	915	2,069
Region 5	49	20	602	498	1,100
Region 6	49	29	628	476	1,104
Region 7	113	55	1,200	1,027	2,227
Region 8	74	33	763	621	1,384
Region 9	64	26	903	836	1,739
State Total	873	386	12,427	11,017	23,444



 $\textbf{Region 1} \ (\text{New Orleans}) : \ \ \textbf{Jefferson}, \ \textbf{Orleans}, \ \textbf{Plaquemines}, \ \textbf{St}. \ \textbf{Bernard}$ 

Region 2 (Baton Rouge): Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana

Region 3 (Houma): Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne

Region 4 (Lafayette): Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermilion

Region 5 (Lake Charles): Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis

Region 6 (Alexandria): Avoyelles, Catahoula, Concordia, Grant, LaSalle, Rapides, Vernon, Winn

Region 7 (Shreveport): Bienville, Bossier, Caddo, Claiborne, De Soto, Natchitoches, Red River, Sabine, Webster

Region 8 (Monroe): Caldwell, East Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, West Carroll

Region 9 (Hammond/Slidell): Livingston, St. Helena, St. Tammany, Tangipahoa, Washington

## People Living with HIV Region 1: New Orleans Region as of September 30, 2024 Jefferson, Orleans, Plaquemines & St. Bernard Parishes

	No.	%
Gender		
Man	5,481	72.4
Woman	1,862	24.6
Trans Woman	220	2.9
Trans Man	7	0.1
Additional Gender Identity	4	0.1
Current Age		
0-12	5	0.1
13-19	29	0.4
20-24	146	1.9
25-29	354	4.7
30-34	775	10.2
35-39	879	11.6
40-44	887	11.7
45-49	828	10.9
50-54	767	10.1
55-59	858	11.3
60+	2,046	27.0
Total	7,574	100.0

	Man		Man Woman		Trans Woman		Tran	s Man	Additional G	ender Identity	Region '	1 Totals
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity												
American Indian	11	0.2	3	0.2	-	-	-	-	-	-	14	0.2
Asian/PI	37	0.7	5	0.3	3	1.4	-	-	-	-	45	0.6
Black, NH	3,252	59.3	1,500	80.6	175	79.5	5	71.4	2	50.0	4,934	65.1
Hispanic/Latinx	500	9.1	153	8.2	21	9.5	1	14.3	1	25.0	676	8.9
Multi-race	76	1.4	19	1.0	3	1.4	-	-	-	-	98	1.3
White, NH	1,596	29.1	180	9.7	18	8.2	1	14.3	1	25.0	1,796	23.7
Unknown	9	0.2	2	0.1	-	-	-	-	-	-	11	0.1
Total	5,481	100.0	1,862	100.0	220	100.0	7	100.0	4	100.0	7,574	100.0

	Man Woman		Trans	Woman	Tran	s Man	Additional Identi		Region 1 Totals			
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Exposure Category												
GBM	3,459	72.3	-	-	-	-	-	-	3	75.0	3,462	51.5
Trans women - sex with												
men	-	-	-	-	199	92.1	-	-	-	-	199	3.0
GBM/PWID	261	5.5	-	-	-	-	-	-	-	-	261	3.9
Trans women - sex with												
men/PWID	-	-	-	-	16	7.4	-	-	-	-	16	0.2
PWID	259	5.4	157	9.2	-	-	1	33.3	-	-	417	6.2
HRH	769	16.1	1,277	74.7	1	0.5	2	66.7	1	25.0	2,050	30.5
FPHC	-	-	230	13.5	-	-	-	-	-	-	230	3.4
Transfusion/Hemophilia	11	0.2	8	0.5	-	-	-	-	-	-	19	0.3
Perinatal	26	0.5	38	2.2	-	-	-	-	-	-	64	1.0
Total	4,785	100.0	1,710	100.0	216	100.0	3	100.0	4	100.0	6,718	100.0

Male Female Trans woman Trans man AGI Total No Reported Risk 696 152 4 0 856

People Living with HIV

Region 2: Baton Rouge Region

as of September 30, 2024

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, & West Feliciana Parishes

	No.	%
Gender		
Man	3,303	63.1
Woman	1,835	35.1
Trans Woman	87	1.7
Trans Man	5	0.1
Additional Gender Identity	1	0.0
Current Age		
0-12	6	0.1
13-19	22	0.4
20-24	154	2.9
25-29	289	5.5
30-34	519	9.9
35-39	608	11.6
40-44	688	13.2
45-49	631	12.1
50-54	579	11.1
55-59	543	10.4
60+	1,192	22.8
Total	5,231	100.0

	Man Woman		Trans	Woman	Tran	s Man	Addition	al Gender	Region 2 Totals			
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity												
American Indian	4	0.1	2	0.1	-	-	-	-	-	-	6	0.1
Asian/PI	15	0.5	3	0.2	1	1.1	-	-	-	-	19	0.4
Black, NH	2,563	77.6	1,654	90.1	76	87.4	5	100.0	1	100.0	4,299	82.2
Hispanic/Latinx	136	4.1	33	1.8	6	6.9	-	-	-	-	175	3.3
Multi-race	26	0.8	12	0.7	-	-	-	-	-	-	38	0.7
White, NH	558	16.9	131	7.1	4	4.6	-	-	-	-	693	13.2
Unknown	1	0.0	-	-	-	-	-	-	-	-	1	0.0
Total	3,303	100.0	1,835	100.0	87	100.0	5	100.0	1	100.0	5,231	100.0

	Man		Woi	Woman Trans		Woman Trans		s Man	Region 2	2 Totals
	No.	%	No.	%	No.	%	No.	%	No.	%
Exposure Category										
GBM	1,709	59.7	-	-	-	-	-	-	1,709	36.2
Trans women - sex with men	-	-	-	-	77	88.5	-	-	77	1.6
GBM/PWID	158	5.5	-	-	-	-	-	-	158	3.3
Trans women - sex with men/PWID	-	-	-	-	8	9.2	-	-	8	0.2
PWID	275	9.6	170	9.6	-	-	-	-	445	9.4
HRH	688	24.0	1,339	75.6	2	2.3	1	100.0	2,030	43.0
FPHC	-	-	229	12.9	-	-	-	-	229	4.8
Transfusion/Hemophilia	3	0.1	6	0.3	-	-	-	-	9	0.2
Perinatal	31	1.1	26	1.5	-	-	-	-	57	1.2
Total	2,864	100.0	1,770	100.0	87	100.0	1	100.0	4,722	100.0

Male Female Trans woman Trans man AGI Total No Reported Risk 439 65 4 1 509 0

## People Living with HIV Region 3: Houma Region as of September 30, 2024 Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, & Terrebonne Parishes

	No.	%
Gender		
Man	675	66.4
Woman	322	31.7
Trans Woman	17	1.7
Additional Gender Identity	2	0.2
Current Age		
0-12	2	0.2
13-19	5	0.5
20-24	29	2.9
25-29	68	6.7
30-34	126	12.4
35-39	117	11.5
40-44	120	11.8
45-49	110	10.8
50-54	103	10.1
55-59	110	10.8
60+	226	22.2
Total	1,016	100.0

	Man		lan Woman		Trans	Woman	Additional G	ender Identity	Region 3 Totals		
	No.	%	No.	%	No.	%	No.	%	No.	%	
Race/Ethnicity											
American Indian	2	0.3	1	0.3	-	-	-	-	3	0.3	
Asian/PI	-	-	2	0.6	_	-	-	-	2	0.2	
Black, NH	383	56.7	217	67.4	14	82.4	1	50.0	615	60.5	
Hispanic/Latinx	50	7.4	20	6.2	1	5.9	-	-	71	7.0	
Multi-race	15	2.2	3	0.9	_	-	-	-	18	1.8	
White, NH	224	33.2	79	24.5	2	11.8	1	50.0	306	30.1	
Unknown	1	0.1	-	-	_	-	-	-	1	0.1	
Total	675	100.0	322	100.0	17	100.0	2	100.0	1016	100.0	

	N	Man Woman		Trans	Woman	Additional G	ender Identity	entity Region 3 Totals		
	No.	%	No.	%	No.	%	No.	%	No.	%
Exposure Category										
GBM	426	72.4	-	-	-	-	2	100.0	428	47.0
Trans women - sex with										
men	-	-	-	-	17	100.0	-	-	17	1.9
GBM/PWID	24	4.1	-	-	-	-	_	-	24	2.6
PWID	36	6.1	23	7.6	-	-	_	-	59	6.5
HRH	96	16.3	218	71.9	-	-	_	-	314	34.5
FPHC	-	-	54	17.8	-	-	_	-	54	5.9
Perinatal	6	1.0	8	2.6	-	-	-	-	14	1.5
Total	588	100.0	303	100.0	17	100.0	2	100.0	910	100.0

	Male	Female	Trans woman	AGI	Total
No Reported Risk	87	19	0	0	106

## People Living with HIV Region 4: Lafayette Region as of September 30, 2024 Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, & Vermilion Parishes

	No.	%
Gender		
Man	1,558	75.3
Woman	475	23.0
Trans Woman	36	1.7
Current Age		
0-12	1	0.0
13-19	8	0.4
20-24	72	3.5
25-29	163	7.9
30-34	249	12.0
35-39	265	12.8
40-44	229	11.1
45-49	182	8.8
50-54	184	8.9
55-59	240	11.6
60+	476	23.0
Total	2,069	100.0

	Man		Wo	man	Trans	Woman	Region 4	1 Totals
	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity								
American Indian	2	0.1	1	0.2	-	-	3	0.1
Asian/PI	8	0.5	4	0.8	-	-	12	0.6
Black, NH	790	50.7	318	66.9	29	80.6	1,137	55.0
Hispanic/Latinx	118	7.6	27	5.7	2	5.6	147	7.1
Multi-race	22	1.4	4	0.8	_	-	26	1.3
White, NH	615	39.5	121	25.5	5	13.9	741	35.8
Unknown	3	0.2	_	-	_	-	3	0.1
Total	1,558	100.0	475	100.0	36	100.0	2,069	100.0

	M	Man		man	Trans	Woman	Region	4 Totals
	No.	%	No.	%	No.	%	No.	%
Exposure Category								
GBM	976	76.3	-	-	-	-	976	56.1
Trans women - sex with men	-	-	-	-	33	94.3	33	1.9
GBM/PWID	79	6.2	-	-	-	-	79	4.5
Trans women - sex with men/PWID	-	-	-	-	2	5.7	2	0.1
PWID	63	4.9	44	10.3	-	-	107	6.1
HRH	150	11.7	319	74.7	_	-	469	26.9
FPHC	-	-	56	13.1	-	-	56	3.2
Transfusion/Hemophilia	4	0.3	1	0.2	_	-	5	0.3
Perinatal	7	0.5	6	1.4	-	-	13	0.7
Confirmed Other	-	-	1	0.2	_	-	1	0.1
Total	1,279	100.0	427	100.0	35	100.0	1,741	100.0

Male Female Trans woman Total No Reported Risk 279 48 1 328

## People Living with HIV Region 5: Lake Charles Region as of September 30, 2024 Allen, Beauregard, Calcasieu, Cameron, & Jefferson Davis Parishes

	No.	%
Gender		
Man	827	75.2
Woman	258	23.5
Trans Woman	15	1.4
Current Age		
0-12	1	0.1
13-19	4	0.4
20-24	29	2.6
25-29	66	6.0
30-34	109	9.9
35-39	126	11.5
40-44	133	12.1
45-49	128	11.6
50-54	122	11.1
55-59	134	12.2
60+	248	22.5
Total	1,100	100.0

	Man		Wo	man	Trans	Woman	Region 5	Totals
	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity								
Asian/PI	7	0.8	1	0.4	-	-	8	0.7
Black, NH	409	49.5	161	62.4	14	93.3	584	53.1
Hispanic/Latinx	107	12.9	7	2.7	-	-	114	10.4
Multi-race	9	1.1	7	2.7	1	6.7	17	1.5
White, NH	289	34.9	81	31.4	-	-	370	33.6
Unknown	6	0.7	1	0.4	-	-	7	0.6
Total	827	100.0	258	100.0	15	100.0	1,100	100.0

-	Man		Wo	man	Trans	Woman	Region	5 Totals
	No.	%	No.	%	No.	%	No.	%
Exposure Category								
GBM	392	61.3	-	-	-	-	392	44.0
Trans women - sex with men	-	-	-	-	15	100.0	15	1.7
GBM/PWID	58	9.1	-	-	-	-	58	6.5
PWID	72	11.3	38	16.0	-	-	110	12.3
HRH	110	17.2	157	66.2	-	-	267	30.0
FPHC	-	-	34	14.3	-	-	34	3.8
Transfusion/Hemophilia	3	0.5	-	-	-	-	3	0.3
Perinatal	4	0.6	8	3.4	-	-	12	1.3
Total	639	100.0	237	100.0	15	100.0	891	100.0

	Male	Female	Trans woman	Total
No Reported Risk	188	21	0	209

## People Living with HIV Region 6: Alexandria Region as of September 30, 2024 Avoyelles, Catahoula, Concordia, Grant, LaSalle, Rapides, Vernon, & Winn Parishes

	No.	<del></del> %
Gender		
Man	805	72.9
Woman	281	25.5
Trans Woman	18	1.6
Current Age		
0-12	1	0.1
13-19	4	0.4
20-24	23	2.1
25-29	68	6.2
30-34	110	10.0
35-39	137	12.4
40-44	123	11.1
45-49	147	13.3
50-54	125	11.3
55-59	118	10.7
60+	248	22.5
Total	1,104	100.0

	Man		Wo	man	Trans	Woman	Region 6	Totals
	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity								
American Indian	1	0.1	-	-	-	-	1	0.1
Asian/PI	3	0.4	2	0.7	-	-	5	0.5
Black, NH	418	51.9	216	76.9	10	55.6	644	58.3
Hispanic/Latinx	119	14.8	6	2.1	5	27.8	130	11.8
Multi-race	9	1.1	4	1.4	-	-	13	1.2
White, NH	254	31.6	53	18.9	3	16.7	310	28.1
Unknown	1	0.1	-	-	-	-	1	0.1
Total	805	100.0	281	100.0	18	100.0	1,104	100.0

	Man		Wo	man	Trans Woman Reg		Region	egion 6 Totals	
	No.	%	No.	%	No.	%	No.	%	
Exposure Category									
GBM	416	64.0	-	-	-	-	416	44.5	
Trans women - sex with men	-	-	-	-	13	76.5	13	1.4	
GBM/PWID	43	6.6	-	-	-	-	43	4.6	
Trans women - sex with men/PWID	-	-	-	-	3	17.6	3	0.3	
PWID	66	10.2	24	9.0	1	5.9	91	9.7	
HRH	119	18.3	199	74.5	-	-	318	34.0	
FPHC	-	-	40	15.0	-	-	40	4.3	
Transfusion/Hemophilia	2	0.3	1	0.4	-	-	3	0.3	
Perinatal	4	0.6	3	1.1	-	-	7	0.7	
Total	650	100.0	267	100.0	17	100.0	934	100.0	

	Male	Female	Trans woman	Total
No Reported Risk	155	14	1	170

## People Living with HIV

Region 7: Shreveport Region
as of September 30, 2024
Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, & Webster Parishes

	No.	%
Gender		
Man	1,525	68.5
Woman	659	29.6
Trans Woman	39	1.8
Trans Man	2	0.1
Additional Gender Identity	2	0.1
Current Age		
13-19	14	0.6
20-24	82	3.7
25-29	184	8.3
30-34	281	12.6
35-39	306	13.7
40-44	268	12.0
45-49	249	11.2
50-54	212	9.5
55-59	211	9.5
60+	420	18.9
Total	2,227	100.0

	Man \		Wo	Woman		Woman	Tran	s Man	Additional G	ender Identity	Region 7	7 Totals
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity												
American Indian	11	0.7	3	0.5	-	-	-	-	-	-	14	0.6
Asian/PI	11	0.7	2	0.3	-	-	-	-	-	-	13	0.6
Black, NH	1,059	69.4	539	81.8	35	89.7	1	50.0	2	100.0	1,636	73.5
Hispanic/Latinx	54	3.5	13	2.0	2	5.1	-	-	-	-	69	3.1
Multi-race	18	1.2	6	0.9	-	-	-	-	-	-	24	1.1
White, NH	369	24.2	96	14.6	2	5.1	1	50.0	-	-	468	21.0
Unknown	3	0.2	-	-	-	-	-	-	-	-	3	0.1
Total	1,525	100.0	659	100.0	39	100.0	2	100.0	2	100.0	2,227	100.0

	Man Woman <sup>-</sup>		Trans	Trans Woman Trans Man			Additiona Iden	Region 7 Totals				
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Exposure Category GBM Trans women - sex with	919	72.9	-	-	-	-	-	-	2	100.0	921	48.2
men	-	-	-	-	34	87.2	-	-	-	-	34	1.8
GBM/PWID	87	6.9	-	-	-	-	-	-	-	-	87	4.6
Trans women - sex with												
men/PWID	-	-	-	-	4	10.3	-	-	-	-	4	0.2
PWID	58	4.6	65	10.7	-	-	1	100.0	-	-	124	6.5
HRH	189	15.0	379	62.5	1	2.6	-	-	-	-	569	29.8
FPHC	-	-	151	24.9	-	-	-	-	-	-	151	7.9
Transfusion/Hemophilia	1	0.1	3	0.5	-	-	-	-	-	-	4	0.2
Perinatal	7	0.6	8	1.3	-	-	-	-	-	-	15	0.8
Total	1,261	100.0	606	100.0	39	100.0	1	100.0	2	100.0	1,909	100.0

Male Female Trans woman Trans man AGI Total No Reported Risk 264 53 1 0 318

## People Living with HIV

Region 8: Monroe Region
as of September 30, 2024
Caldwell, East Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, & West Carroll Parishes

	No.	%
Gender		
Man	974	70.4
Woman	389	28.1
Trans Woman	19	1.4
Trans Man	1	0.1
Additional Gender Identity	1	0.1
Current Age		
13-19	18	1.3
20-24	65	4.7
25-29	119	8.6
30-34	154	11.1
35-39	159	11.5
40-44	145	10.5
45-49	171	12.4
50-54	140	10.1
55-59	136	9.8
60+	277	20.0
Total	1,384	100.0

	Man Woman		Trans	Woman	Tran	s Man	Additional G	Sender Identity	Region 8	3 Totals		
	No.	%	No.	%	No.	%		%	No.	%	No.	%
Race/Ethnicity												
American Indian	4	0.4	1	0.3	-	-	-	-	-	-	5	0.4
Asian/PI	6	0.6	-	-	-	-	-	-	-	-	6	0.4
Black, NH	630	64.7	311	79.9	17	89.5	-	-	-	-	958	69.2
Hispanic/Latinx	71	7.3	11	2.8	-	-	1	100.0	-	-	83	6.0
Multi-race	16	1.6	3	0.8	-	-	-	-	-	-	19	1.4
White, NH	244	25.1	62	15.9	2	10.5	-	-	1	100.0	309	22.3
Unknown	3	0.3	1	0.3	-	-	-	-	-	-	4	0.3
Total	974	100.0	389	100.0	19	100.0	1	100.0	1	100.0	1,384	100.0

	Man		Wo	man	Trans	Woman	Additional G	Sender Identity	Identity Region 8	
	No.	%	No.	%	No.	%	No.	%	No.	%
Exposure Category										
GBM	562	69.4	-	-	-	-	1	100.0	563	47.3
Trans women - sex with men	-	-	-	-	19	100.0	-	-	19	1.6
GBM/PWID	47	5.8	-	-	-	-	-	-	47	3.9
PWID	42	5.2	36	10.0	-	-	-	-	78	6.6
HRH	156	19.3	263	73.1	-	-	-	-	419	35.2
FPHC	-	-	49	13.6	-	-	-	-	49	4.1
Transfusion/Hemophilia	1	0.1	2	0.6	-	-	-	-	3	0.3
Perinatal	2	0.2	10	2.8	-	-	-	-	12	1.0
Total	810	100.0	360	100.0	19	100.0	1	100.0	1,190	100.0

	Male	Female	Trans woma	an	AGI	Total
No Reported Risk	164	29		0	0	194

## People Living with HIV Region 9: Hammond/Slidell Region as of September 30, 2024 Livingston, St. Helena, St. Tammany, Tangipahoa, & Washington Parishes

	No.	%
Gender		
Man	1,244	71.5
Woman	464	26.7
Trans Woman	29	1.7
Trans Man	2	0.1
Current Age		
13-19	7	0.4
20-24	41	2.4
25-29	101	5.8
30-34	154	8.9
35-39	200	11.5
40-44	178	10.2
45-49	190	10.9
50-54	194	11.2
55-59	236	13.6
60+	438	25.2
Total	1,739	100.0

	Man Womar		man	Trans	Woman	Tran	s Man	Region	9 Totals	
	No.	%	No.	%	No.	%	No.	%	No.	%
Race/Ethnicity										
American Indian	4	0.3	-	-	-	-	-	-	4	0.2
Asian/PI	5	0.4	2	0.4	-	-	-	-	7	0.4
Black, NH	613	49.3	308	66.4	23	79.3	-	-	944	54.3
Hispanic/Latinx	75	6.0	18	3.9	-	-	-	-	93	5.3
Multi-race	11	0.9	4	0.9	1	3.4	-	-	16	0.9
White, NH	534	42.9	131	28.2	5	17.2	2	100.0	672	38.6
Unknown	2	0.2	1	0.2	_	-	-	-	3	0.2
Total	1,244	100.0	464	100.0	29	100.0	2	100.0	1,739	100.0

	Man		Wo	man	<b>Trans</b>	Woman	Tran	s Man	Region	9 Totals
	No.	%	No.	%	No.	%	No.	%	No.	%
Exposure Category										
GBM	747	70.5	-	-	-	-	-	-	747	48.8
Trans women - sex with men	-	-	-	-	28	96.6	-	-	28	1.8
GBM/PWID	68	6.4	-	-	-	-	-	-	68	4.4
PWID	69	6.5	60	13.6	1	3.4	2	100.0	132	8.6
HRH	164	15.5	296	67.1	-	-	-	-	460	30.0
FPHC	-	-	78	17.7	-	-	-	-	78	5.1
Transfusion/Hemophilia	4	0.4	-	-	-	-	-	-	4	0.3
Perinatal	7	0.7	7	1.6	-	-	-	-	14	0.9
Total	1,059	100.0	441	100.0	29	100.0	2	100.0	1,531	100.0

	Male	Female	Trans woman	Trans man	Total
No Reported Risk	185	23	0	0	208

## People Newly Diagnosed with HIV Regions 1 - 5 January - December 2023

	Reg	gion 1	Reg	jion 2	Reg	gion 3	Reg	gion 4	Region 5	
	No.	%	No.	%	No.	%	No.	%	No.	%
Gender										
Man	160	75.8	126	73.7	38	82.6	71	74.0	44	89.8
Woman	43	20.4	42	24.6	6	13.0	22	22.9	5	10.2
Trans Woman	8	3.8	3	1.8	2	4.3	3	3.1	-	-
Age at Diagnosis	•									
13-24	50	23.7	49	28.7	8	17.4	19	19.8	14	28.6
25-34	76	36.0	57	33.3	17	37.0	33	34.4	13	26.5
35-44	47	22.3	31	18.1	13	28.3	32	33.3	15	30.6
45+	38	18.0	34	19.9	8	17.4	12	12.5	7	14.3
Race/Ethnicity										
American Indian	1	0.5	-	-	-	-	-	-	-	-
Asian/PI	2	0.9	3	1.8	-	-	-	-	1	2.0
Black, NH	145	68.7	132	77.2	25	54.3	62	64.6	23	46.9
Hispanic/Latinx	24	11.4	11	6.4	7	15.2	5	5.2	5	10.2
Multi-race	-	-	-	-	1	2.2	2	2.1	-	-
White, NH	39	18.5	25	14.6	13	28.3	27	28.1	20	40.8
Regional Totals	211	100.0	171	100.0	46	100.0	96	100.0	49	100.0

	Reg	jion 1	Reg	jion 2	Reg	gion 3	Region 4		Region 5	
	No.	%	No.	%	No.	%	No.	%	No.	%
Exposure Category										
GBM	100	64.5	86	60.6	26	68.4	47	66.2	23	65.7
Trans women - sex with men	7	4.5	2	1.4	2	5.3	3	4.2	-	-
GBM/PWID	6	3.9	1	0.7	1	2.6	1	1.4	6	17.1
Trans women - sex with men/PWID	1	0.6	1	0.7	-	-	-	-	-	-
PWID	14	9.0	9	6.3	1	2.6	2	2.8	1	2.9
HRH	11	7.1	18	12.7	8	21.1	10	14.1	3	8.6
FPHC	16	10.3	25	17.6	-	-	8	11.3	2	5.7
Regional Totals	155	100.0	142	100.0	38	100.0	71	100.0	35	100.0

	Region 1	Region 2	Region 3	Region 4	Region 5
No Reported Risk	56	29	8	25	14

## People Newly Diagnosed with HIV Regions 6 - 9 January - December 2023

-	Reg	gion 6	Reg	gion 7	Reg	gion 8	Reg	jion 9
	No.	%	No.	%	No.	%	No.	%
Gender								
Man	39	79.6	71	62.8	61	82.4	48	75.0
Woman	9	18.4	39	34.5	13	17.6	14	21.9
Trans Woman	1	2.0	2	1.8	-	-	2	3.1
Additional Gender Identity	-	-	1	0.9	-	-	-	-
Age at Diagnosis								
13-24	9	18.4	26	23.0	24	32.4	19	29.7
25-34	18	36.7	34	30.1	24	32.4	22	34.4
35-44	12	24.5	21	18.6	12	16.2	12	18.8
45+	10	20.4	32	28.3	14	18.9	11	17.2
Race/Ethnicity								
American Indian	-	-	1	0.9	-	-	-	-
Asian/PI	-	-	1	0.9	1	1.4	-	-
Black, NH	24	49.0	85	75.2	58	78.4	39	60.9
Hispanic/Latinx	3	6.1	6	5.3	1	1.4	7	10.9
White, NH	22	44.9	20	17.7	14	18.9	18	28.1
Regional Totals	49	100.0	113	100.0	74	100.0	64	100.0

	Reg	gion 6	Reg	gion 7	Region 8		Reg	gion 9
	No.	%	No.	%	No.	%	No.	%
Exposure Category								
GBM	16	51.6	37	46.8	37	64.9	33	62.3
Trans women - sex with men	1	3.2	2	2.5	-	-	2	3.8
GBM/PWID	1	3.2	2	2.5	2	3.5	-	-
PWID	7	22.6	5	6.3	2	3.5	5	9.4
HRH	4	12.9	16	20.3	10	17.5	4	7.5
FPHC	2	6.5	17	21.5	6	10.5	9	17.0
Regional Totals	31	100.0	79	100.0	57	100.0	53	100.0

	Region 6	Region 7	Region 8	Region 9
No Reported Risk	18	34	17	11

## People Newly Diagnosed with AIDS Regions 1 - 5 January - December 2023

	Reg	gion 1	Reg	gion 2	Reg	gion 3	Reg	gion 4	Region 5	
	No.	%	No.	%	No.	%	No.	%	No.	%
Gender										
Man	60	68.2	46	70.8	17	77.3	30	62.5	16	80.0
Woman	23	26.1	19	29.2	5	22.7	16	33.3	4	20.0
Trans Woman	5	5.7	-	-	-	-	2	4.2	-	-
Age at Diagnosis	;									
13-24	5	5.7	5	7.7	2	9.1	2	4.2	2	10.0
25-34	31	35.2	23	35.4	8	36.4	16	33.3	4	20.0
35-44	27	30.7	14	21.5	7	31.8	19	39.6	9	45.0
45+	25	28.4	23	35.4	5	22.7	11	22.9	5	25.0
Race/Ethnicity										
Asian/PI	1	1.1	1	1.5	-	-	-	-	1	5.0
Black, NH	62	70.5	51	78.5	15	68.2	22	45.8	14	70.0
Hispanic/Latinx	12	13.6	2	3.1	3	13.6	5	10.4	2	10.0
Multi-race	-	-	-	-	-	-	1	2.1	-	-
White, NH	13	14.8	11	16.9	4	18.2	20	41.7	3	15.0
Regional Totals	88	100.0	65	100.0	22	100.0	48	100.0	20	100.0

	Reg	gion 1	Reg	jion 2	Reg	Region 3		Region 4		gion 5
	No.	%	No.	%	No.	%	No.	%	No.	%
Exposure Category										
GBM	36	52.2	20	38.5	9	50.0	14	40.0	6	54.5
Trans women - sex with men	5	7.2	-	-	-	-	2	5.7	-	-
GBM/PWID	3	4.3	2	3.8	-	-	2	5.7	-	-
PWID	7	10.1	5	9.6	1	5.6	4	11.4	1	9.1
HRH	14	20.3	15	28.8	6	33.3	7	20.0	1	9.1
FPHC	4	5.8	9	17.3	1	5.6	6	17.1	3	27.3
Perinatal	-	-	1	1.9	1	5.6	-	-	-	-
Regional Totals	69	100.0	52	100.0	18	100.0	35	100.0	11	100.0

Region 1 Region 2 Region 3 Region 4 Region 5
No Reported Risk 19 13 4 13 9

## People Newly Diagnosed with AIDS Regions 6 - 9 January - December 2023

	Reg	gion 6	Reg	jion 7	Reg	gion 8	Reg	gion 9
	No.	%	No.	%	No.	%	No.	%
Gender								
Man	23	79.3	37	67.3	19	57.6	16	61.5
Woman	5	17.2	17	30.9	14	42.4	8	30.8
Trans Woman	1	3.4	1	1.8	-	-	2	7.7
Age at Diagnosis								
13-24	4	13.8	6	10.9	6	18.2	-	-
25-34	11	37.9	13	23.6	8	24.2	7	26.9
35-44	8	27.6	15	27.3	10	30.3	10	38.5
45+	6	20.7	21	38.2	9	27.3	9	34.6
Race/Ethnicity								
Asian/PI	-	-	1	1.8	-	-	-	-
Black, NH	18	62.1	48	87.3	27	81.8	10	38.5
Hispanic/Latinx	2	6.9	2	3.6	1	3.0	2	7.7
Multi-race	1	3.4	-	-	-	-	-	-
White, NH	8	27.6	4	7.3	5	15.2	14	53.8
Regional Totals	29	100.0	55	100.0	33	100.0	26	100.0

	Reg	gion 6	Reg	gion 7	Region 8		Reg	jion 9
	No.	%	No.	%	No.	%	No.	%
Exposure Category								
GBM	8	38.1	17	47.2	11	37.9	7	33.3
Trans women - sex with men	1	4.8	-	-	-	-	1	4.8
GBM/PWID	2	9.5	1	2.8	-	-	2	9.5
Trans women - sex with men/PWID	-	-	-	-	-	-	1	4.8
PWID	5	23.8	1	2.8	1	3.4	2	9.5
HRH	5	23.8	9	25.0	14	48.3	6	28.6
FPHC	-	-	8	22.2	3	10.3	2	9.5
Regional Totals	21	100.0	36	100.0	29	100.0	21	100.0

	Region	6 Region	7 Region	8 Region 9
No Reported Risk	8	19	4	5

## People Diagnosed with P&S Syphilis Regions 1-5 January - September 2024

	Reg	gion 1	n 1 Region 2		Reg	gion 3	Reg	gion 4	Region 5	
	No.	%	No.	%	No.	%	No.	%	No.	%
Gender										
Man	76	80.0	85	62.5	34	70.8	41	80.4	13	68.4
Woman	15	15.8	47	34.6	14	29.2	10	19.6	6	31.6
Trans Woman	4	4.2	4	2.9	-	-	-	-	-	-
Age at Diagnosis										
13-24	16	16.8	32	23.5	4	8.3	4	7.8	4	21.1
25-34	27	28.4	57	41.9	18	37.5	21	41.2	6	31.6
35-44	24	25.3	24	17.6	15	31.3	13	25.5	5	26.3
45+	28	29.5	23	16.9	11	22.9	13	25.5	4	21.1
Race/Ethnicity										
American Indian	1	1.1	-	-	2	4.2	-	-	-	-
Asian/PI	1	1.1	1	0.7	-	-	-	-	-	-
Black, NH	63	66.3	97	71.3	19	39.6	26	51.0	5	26.3
Hispanic/Latinx	3	3.2	-	-	2	4.2	2	3.9	-	-
Multi-race	2	2.1	8	5.9	3	6.3	-	-	3	15.8
White, NH	24	25.3	27	19.9	22	45.8	22	43.1	10	52.6
Unknown	1	1.1	3	2.2	-	-	1	2.0	1	5.3
Regional Totals	95	100.0	136	100.0	48	100.0	51	100.0	19	100.0

	Reg	ion 1	Reg	ion 2	Reg	ion 3	Reg	ion 4	Reg	ion 5
Cases with a Reported Risk*	No.	%								
FSF	3	4.2	1	8.0	2	4.7	1	2.6	1	6.3
GBM	35	49.3	41	34.2	12	27.9	7	17.9	5	31.3
GBM/PWID	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
HRH	17	23.9	32	26.7	14	32.6	8	20.5	4	25.0
Heterosexual contact	15	21.1	48	40.0	19	44.2	24	61.5	8	50.0
Illegal drug use (all types)	21	29.6	25	20.8	23	53.5	10	25.6	5	31.3
Incarceration	6	8.5	12	10.0	9	20.9	4	10.3	0	0.0
PWID	1	1.4	4	3.3	2	4.7	0	0.0	0	0.0
Trans women - sex with men	7	9.9	7	5.8	7	16.3	7	17.9	7	43.8
Trans women - sex with men/PWID	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transactional sex	4	5.6	6	5.0	1	2.3	2	5.1	2	12.5

	Region 1	Region 2	Region 3	Region 4	Region 5
No Reported Risk	24	16	5	12	3

<sup>\* &</sup>gt;1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

## People Diagnosed with P&S Syphilis Regions 6-9 January - September 2024

-	Region 6		Reg	gion 7	Reg	gion 8	Region 9		
	No.	%	No.	%	No.	%	No.	%	
Gender									
Man	25	49.0	51	51.5	31	49.2	53	73.6	
Woman	26	51.0	48	48.5	31	49.2	19	26.4	
Trans Woman	-	-	-	-	1	1.6	-	-	
Age at Diagnosis									
13-24	11	21.6	32	32.3	25	39.7	10	13.9	
25-34	21	41.2	31	31.3	20	31.7	30	41.7	
35-44	13	25.5	26	26.3	13	20.6	16	22.2	
45+	6	11.8	10	10.1	5	7.9	16	22.2	
Race/Ethnicity									
American Indian	-	-	-	-	1	1.6	-	-	
Asian/PI	-	-	-	-	1	1.6	-	-	
Black, NH	24	47.1	69	69.7	41	65.1	27	37.5	
Hispanic/Latinx	-	-	2	2.0	-	-	-	-	
Multi-race	5	9.8	1	1.0	2	3.2	1	1.4	
White, NH	22	43.1	25	25.3	18	28.6	42	58.3	
Unknown	-	-	2	2.0	-	-	2	2.8	
Regional Totals	51	100.0	99	100.0	63	100.0	72	100.0	

	Reg	ion 6	Reg	ion 7	Reg	ion 8	Reg	ion 9
Cases with a Reported Risk*	No.	%	No.	%	No.	%	No.	%
FSF	5	12.5	9	11.0	0	0.0	0	0.0
GBM	4	10.0	13	15.9	3	5.9	15	23.4
GBM/PWID	0	0.0	0	0.0	0	0.0	0	0.0
HRH	11	27.5	29	35.4	13	25.5	11	17.2
Heterosexual contact	23	57.5	40	48.8	33	64.7	40	62.5
Illegal drug use (all types)	16	40.0	51	62.2	28	54.9	16	25.0
Incarceration	4	10.0	19	23.2	19	37.3	9	14.1
PWID	2	5.0	3	3.7	4	7.8	2	3.1
Trans women - sex with men	7	17.5	7	8.5	7	13.7	7	10.9
Trans women - sex with men/PWID	0	0.0	0	0.0	0	0.0	0	0.0
Transactional sex	4	10.0	6	7.3	1	2.0	0	0.0

	Region 6	Region 7	Region 8	Region 9
No Reported Risk	11	17	12	8

<sup>\* &</sup>gt;1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

## People Diagnosed with Early non-P&S Syphilis Regions 1-5 January - September 2024

-	Reg	jion 1	Region 2		Reg	gion 3	Reg	gion 4	Region 5	
	No.	%	No.	%	No.	%	No.	%	No.	%
Gender										
Man	94	78.3	81	73.6	27	58.7	20	54.1	9	90.0
Woman	21	17.5	27	24.5	18	39.1	17	45.9	1	10.0
Trans Woman	5	4.2	2	1.8	1	2.2	-	-	-	-
Age at Diagnosis										
13-24	11	9.2	22	20.0	3	6.5	11	29.7	2	20.0
25-34	40	33.3	50	45.5	23	50.0	14	37.8	2	20.0
35-44	34	28.3	18	16.4	11	23.9	9	24.3	2	20.0
45+	35	29.2	20	18.2	9	19.6	3	8.1	4	40.0
Race/Ethnicity										
Asian/PI	-	-	1	0.9	-	-	-	-	-	-
Black, NH	75	62.5	94	85.5	21	45.7	18	48.6	6	60.0
Hispanic/Latinx	9	7.5	3	2.7	1	2.2	-	-	-	-
Multi-race	5	4.2	4	3.6	3	6.5	3	8.1	-	-
White, NH	30	25.0	7	6.4	21	45.7	15	40.5	3	30.0
Unknown	1	0.8	1	0.9	-	-	1	2.7	1	10.0
Regional Totals	120	100.0	110	100.0	46	100.0	37	100.0	10	100.0

	Reg	ion 1	Reg	ion 2	Reg	ion 3	Reg	ion 4	Reg	gion 5
Cases with a Reported Risk*	No.	%								
FSF	1	1.2	1	1.3	3	7.1	0	0.0	1	16.7
GBM	59	72.0	41	52.6	16	38.1	11	44.0	3	50.0
GBM/PWID	0	0.0	1	1.3	1	2.4	1	4.0	0	0.0
HRH	13	15.9	11	14.1	12	28.6	1	4.0	0	0.0
Heterosexual contact	13	15.9	25	32.1	13	31.0	11	44.0	1	16.7
Illegal drug use (all types)	15	18.3	19	24.4	13	31.0	4	16.0	1	16.7
Incarceration	2	2.4	1	1.3	4	9.5	5	20.0	1	16.7
PWID	1	1.2	1	1.3	2	4.8	1	4.0	0	0.0
Trans women - sex with men	7	8.5	7	9.0	7	16.7	7	28.0	7	116.7
Trans women - sex with men/PWID	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transactional sex	5	6.1	2	2.6	1	2.4	0	0.0	0	0.0

Region 1 Region 2 Region 3 Region 4 Region 5
No Reported Risk 38 32 4 12 4

<sup>\* &</sup>gt;1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

## People Diagnosed with Early non-P&S Syphilis Regions 6-9 January - September 2024

	Reg	gion 6	Reg	jion 7	Reg	gion 8	Region 9	
	No.	%	No.	%	No.	%	No.	%
Gender								
Man	14	43.8	37	47.4	21	42.9	24	46.2
Woman	16	50.0	41	52.6	28	57.1	27	51.9
Trans Woman	2	6.3	-	-	-	-	1	1.9
Age at Diagnosis								
13-24	10	31.3	24	30.8	18	36.7	14	26.9
25-34	7	21.9	26	33.3	15	30.6	14	26.9
35-44	10	31.3	23	29.5	8	16.3	14	26.9
45+	5	15.6	5	6.4	8	16.3	10	19.2
Race/Ethnicity								
Black, NH	22	68.8	58	74.4	34	69.4	21	40.4
Hispanic/Latinx	-	-	2	2.6	1	2.0	2	3.8
Multi-race	1	3.1	5	6.4	1	2.0	2	3.8
White, NH	8	25.0	13	16.7	13	26.5	27	51.9
Unknown	1	3.1	-	-	-	-	_	-
Regional Totals	32	100.0	78	100.0	49	100.0	52	100.0

	Reg	ion 6	Reg	ion 7	Reg	ion 8	Reg	ion 9
Cases with a Reported Risk*	No.	%	No.	%	No.	%	No.	%
FSF	0	0.0	3	5.0	0	0.0	2	4.2
GBM	5	20.0	15	25.0	6	16.7	17	35.4
GBM/PWID	0	0.0	0	0.0	0	0.0	1	2.1
HRH	7	28.0	12	20.0	7	19.4	8	16.7
Heterosexual contact	12	48.0	32	53.3	23	63.9	23	47.9
Illegal drug use (all types)	10	40.0	22	36.7	13	36.1	12	25.0
Incarceration	2	8.0	6	10.0	9	25.0	4	8.3
PWID	1	4.0	1	1.7	1	2.8	1	2.1
Trans women - sex with men	7	28.0	7	11.7	7	19.4	7	14.6
Trans women - sex with men/PWID	0	0.0	0	0.0	0	0.0	0	0.0
Transactional sex	1	4.0	2	3.3	4	11.1	1	2.1

	Region 6	Region 7	Region 8	Region 9
No Reported Risk	7	18	13	4

<sup>\* &</sup>gt;1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.





## World AIDS Day

**December 1** 

Show your support for people living with HIV. #RockTheRibbon



## Global Impact



In 2023, an estimated 39.9 million people were living with HIV.

Since the start of the epidemic, an estimated **42.3 million** people have died from an **AIDS-related illness**.

An estimated **1.3 million** were *diagnosed* with HIV in 2023, a **39%** *decrease* since 2010.

## In the United States

Over 1 million Americans are living with HIV.

In 2022.

over **37,000** people were *diagnosed* with **HIV** 



over **16,000** people were *diagnosed* with **AIDS** 

## The HIV epidemic affects some groups more than others, including:

▶ Black and Hispanic/Latinx people ▶ Gay and bisexual men ▶ Persons living in the southern U.S.

Many factors contribute to a person's risk of HIV and their overall health. Some of these factors include:



- Education
- · Access to healthcare
- Stigma and discrimination
- Employment
- Supportive family and community
- Safe and stable housing

Finding ways to make sure people can access quality health services is important for the health of all people.





# HIV and AIDS in Louisiana

December 1 #RockTheRibbon



In 2023, there were 872 new HIV diagnoses in Louisiana.



It is estimated that **1 in 6** people living with HIV in Louisiana are **undiagnosed** and **do not know their status.** 

In 2023, **22,966** people were living with HIV in **Louisiana**.

**Almost half (48%)** of people living with HIV had a **prior AIDS diagnosis**.

## Among persons living with HIV in 2023:



2 in 3 were Black



70% were male



Over half were over 45 years old

If you are living with HIV, taking your medications and maintaining an undetectable viral load means that you cannot transmit HIV to sexual partners.

The **science** is there. **U=U**.

**Undetectable=Untransmittable** 

### How you can prevent HIV transmission:

**Sexually active** gay and bisexual men should **get tested** for HIV at least once a year. Some people may benefit from more frequent testing every 3-6 months.

If you are *HIV negative*, ask your doctor about **pre-exposure prophylaxis (PrEP)**, a daily medication to *prevent* HIV.

Regardless of your status, **use a condom** every time you have sex. Condoms *reduce* the risk of getting **HIV** and other **sexually transmitted infections**.

Know your status. Get tested for HIV.