

# Louisiana HIV, AIDS, and Early Syphilis Surveillance

## Quarterly Report

June 30, 2019



Louisiana Department of Health  
Office of Public Health  
STD, HIV, and Hepatitis Program  
1450 Poydras Street, Suite 2136  
New Orleans, Louisiana 70112  
504.568.7474  
[haprequest@la.gov](mailto:haprequest@la.gov)  
<http://dhh.louisiana.gov/hiv>  
[www.lahhub.org](http://www.lahhub.org)

**Louisiana Department of Health**  
**Office of Public Health**  
STD, HIV, & Hepatitis Surveillance Program

**DeAnn Gruber, PhD, LCSW**  
*Director, Bureau of Infectious Diseases*

**Sam Burgess, MA, MSHCM**  
*STD/HIV/Hepatitis Program Director*

**Chaquetta Johnson, DNP, MPH, APRN, WHNP-BC**  
*Deputy Director - Operations*

**Tsegaye Assefa, MBA**  
*Financial Operations Manager*

**Jacquelyn Naomi Bickham, MPA**  
*Prevention Manager*

**Javone Charles, MPH**  
*Field Operations Manager*

**Joy Ewell**  
*CDC Lead Public Health Advisor*

**Julie Fitch, MA**  
*Testing and Capacity Building Supervisor*

**Jessica Fridge, MSPH**  
*Surveillance Manager*

**Kira Radtke Friedrich, MPH**  
*Care and Services Manager*

**Will F. Henderson III, MSIS**  
*Health Systems Manager*

**Billy Robinson, PhD**  
*Evaluation Manager*

**Debbie Wendell, PhD, MPH**  
*Data Management/Analysis Manager*

*Editor/Production:*

**Lauren Ostrenga, MPH**  
**Catherine Desmarais, DrPH**

HIV Field Epidemiologists:

**Susan Brodie, MT(ASCP), MSPH**, *Field Epidemiologist Supervisor*  
**Angela Everette**, *Region 1*  
**Tarsia Williams**, *Regions 1 & 3*  
**Gale Terry, LPN**, *Regions 2 & 9*  
**Cheryl Edney, BS MT(ASCP)**, *Regions 4, 5, & 6*  
**Deneena Fulco**, *Regions 7 & 8*

Regional STD Supervisors:

**Michael Carter**, *Region 1*  
**Gerald Dean Scott**, *Region 2*  
**Javone Charles**, *Region 3 & 9*  
**Ken May**, *Region 4*  
**Patrick Williams**, *Region 5 & 6*  
**Charles Jones**, *Region 7*  
**Crissey Brown**, *Region 8*

## TABLE OF CONTENTS

<b>Contents</b>	<b>Page</b>
Surveillance Summary	1
Abbreviations	3
Louisiana: Persons Living with HIV	4
Persons newly diagnosed with HIV	6
Persons newly diagnosed with AIDS	7
Persons diagnosed with Primary and Secondary Syphilis	8
Persons diagnosed with Early non-Primary non-Secondary Syphilis	9
Parish: Persons Living with HIV	10
Persons diagnosed with Early Syphilis	11
Metro New Orleans: Persons Living with HIV	12
Persons newly diagnosed with HIV and AIDS	14
Persons diagnosed with Early Syphilis	15
Metro Baton Rouge: Persons Living with HIV	16
Persons newly diagnosed with HIV and AIDS	18
Persons diagnosed with Early Syphilis	19
Public Health Regions: Map & HIV/AIDS Counts	20
Region 1: Persons Living with HIV	21
Region 2: Persons Living with HIV	22
Region 3: Persons Living with HIV	23
Region 4: Persons Living with HIV	24
Region 5: Persons Living with HIV	25
Region 6: Persons Living with HIV	26
Region 7: Persons Living with HIV	27
Region 8: Persons Living with HIV	28
Region 9: Persons Living with HIV	29
Regions 1-5: Persons newly diagnosed with HIV	30
Regions 6-9: Persons newly diagnosed with HIV	31
Regions 1-5: Persons newly diagnosed with AIDS	32
Regions 6-9: Persons newly diagnosed with AIDS	33
Regions 1-5: Persons diagnosed with Primary and Secondary Syphilis	34
Regions 6-9: Persons diagnosed with Primary and Secondary Syphilis	35
Regions 1-5: Persons diagnosed with Early non-Primary non-Secondary Syphilis	36
Regions 6-9: Persons diagnosed with Early non-Primary non-Secondary Syphilis	37
 <b>List of Figures</b>	
Louisiana: 10-Year Trends Persons Living with HIV (2009-2018)	5
Louisiana: 10-Year Trends New HIV Diagnoses (2009-2018)	6
Louisiana: 10-Year Trends New AIDS Diagnoses (2009-2018)	7
Louisiana: 10-Year Trends P&S Syphilis Diagnoses (2009-2018)	8
Louisiana: 8-Year Trends Early non-P&S Syphilis Diagnoses (2011-2018)	9
 <b>Surveillance Breakout</b>	
National HIV/AIDS and Aging Awareness Day 2019	38

## Surveillance Summary

### Data in this report includes cases diagnosed with HIV, AIDS, or Early Syphilis

- In 2017, Louisiana ranked **4<sup>th</sup>** in the nation for HIV case rates (22.1 per 100,000 population) and **10<sup>th</sup>** in the estimated number of HIV cases. The Baton Rouge MSA ranked **5<sup>th</sup>** and the New Orleans MSA ranked **4<sup>th</sup>** for HIV case rates (26.9 and 27.0 per 100,000, respectively), among the large metropolitan areas in the nation. The most recent *CDC HIV Surveillance Report* (vol. 29) was released in November 2018 and provided the 2017 rankings.
- According to the same report, Louisiana ranked **3<sup>rd</sup>** highest in state AIDS case rates (10.8 per 100,000) and **10<sup>th</sup>** in the number of estimated AIDS cases in 2017. The Baton Rouge metropolitan area ranked **2<sup>nd</sup>** in AIDS case rates (15.3 per 100,000) and the New Orleans metropolitan area ranked **6<sup>th</sup>** in AIDS case rates (12.5 per 100,000) in 2017 among the large metropolitan areas in the nation.
- In 2017, Louisiana ranked **3<sup>rd</sup>** in the nation for primary and secondary (P&S) syphilis case rates (14.5 per 100,000 population) according to the 2017 *CDC STD Surveillance Report*.
- As of June 30, 2019, a total of **22,292** persons were living with HIV (PLWH) in Louisiana; of these individuals, **11,191** persons (50%) have an AIDS diagnosis.
- In 2018, **989** new HIV cases were diagnosed in Louisiana. Of these cases, **29%** (n=282) occurred in Region 1 (New Orleans) and **22%** (n=219) occurred in Region 2 (Baton Rouge).
- As of June 30, 2019, a total of **563** persons were diagnosed with early syphilis\* in Louisiana; **294** persons were diagnosed with P&S syphilis, and **269** persons were diagnosed with early non-P&S syphilis. Of the total early syphilis cases, **36%** (n=202) occurred in Region 1 (New Orleans) and **18%** (n=99) occurred in Region 2 (Baton Rouge).
- The primary risk factor for new HIV diagnoses in Louisiana is gay, bisexual, and other men who have sex with men (GBM). In 2018, among persons who reported a risk factor, **53%** reported being GBM, and an additional **2%** reported being GBM and a person who injects drugs (PWID). As of June 30, 2019, **45%** of all people with a reported risk factor living with HIV in Louisiana were GBM.
- The primary risk factor for early syphilis diagnoses in Louisiana is gay, bisexual, and other men who have sex with men (GBM). As of June 30, 2019, of the persons who reported a risk factor, **55%** reported being GBM, and **51%** reported engaging in heterosexual activity. *Persons could report multiple risk factors for syphilis diagnoses.*
- In Louisiana, **72%** of new HIV cases, **67%** of new AIDS cases, and **76%** of the early syphilis diagnoses were among men.
- African Americans in Louisiana are experiencing a severe health disparity in regards to HIV and STDs. In 2018, **70%** of newly diagnosed HIV cases and **72%** of newly diagnosed AIDS cases were among African Americans. As of June 30, 2019, **70%** of early syphilis cases were among African Americans. African Americans make up only 32% of Louisiana's overall population.
- A large percentage of new HIV and syphilis diagnoses occurred among adolescents and young adults. In 2018, **23%** of all new HIV diagnoses occurred among persons 13-24 years old and an additional **36%** occurred among persons 25-34 years old. As of June 30, 2019, **30%** of all early syphilis diagnoses occurred among persons 13-24 years old and an additional **41%** occurred among persons 25-34 years old.

\* A syphilis diagnosis with less than one year duration is considered to be "early syphilis." This designation covers the primary, secondary, and early non-P&S stages of syphilis.



### **Updates to HIV Transmission Category Nomenclature**

Starting in 2019, the Quarterly Report has updated HIV transmission category names using people first language. Men who have sex with men (MSM) is now “Gay, bisexual, and other men who have sex with men” (GBM). Injection drug use (IDU) is now “People who inject drugs” (PWID).

### **Changes to Syphilis Case Definition**

The Quarterly Report includes revisions to the surveillance case definition for syphilis as approved by the Council of State and Territorial Epidemiologists (CSTE) effective January 1, 2018. Of note, the nomenclature for “Early latent syphilis” has been changed to “Early non-primary non-secondary syphilis.” Throughout the Quarterly Report it has been abbreviated to “Early non-P&S syphilis.” Please refer to the following documentation for additional information on all other syphilis case definition revisions: <https://www.cdc.gov/std/stats/DCL-syph-case-def-sept-4-2017.pdf>.

### **New Quarterly Report Format:**

The format of the Quarterly Report has been redesigned starting Third Quarter 2017. Besides for the removal of cumulative HIV/AIDS cases and cumulative HIV/AIDS deaths by state and region, the core content of the Quarterly Report remains the same with some new modifications described below.

In efforts to more accurately present the data as it relates to gender identity, tables for persons living with HIV now include race/ethnicity and exposure category stratified by current gender identity (i.e. men, women, trans women, & trans men) rather than sex at birth.

In addition, there are three new HIV/AIDS exposure categories: “Trans women- sex with men,” “Trans women- sex with men/injection drug user (IDU),” and “Female presumed heterosexual contact” (FPHC). In previous versions of the Quarterly Report, trans women who indicated engaging in sex with men would have their HIV exposure classified as “Men who has sex with men” (MSM) or “MSM/IDU.” The new exposure categories (“Trans women- sex with men” & “Trans women- sex with men/IDU”) acknowledge and highlight the differences in gender identity between gay and bisexual men versus trans women as well as strive to better describe the populations affected by HIV in Louisiana.

In previous Quarterly Reports, a significant number of HIV-positive women who did not meet the stringent “high risk” criteria for “Heterosexual contact” were classified as “No identified risk.” In an effort to better capture and present heterosexual transmission of HIV among women, the STD/HIV Program has used an algorithm from the Centers for Disease Control that re-categorizes many women formerly classified as “No identified risk” as now meeting the exposure criteria for FPHC. The primary criteria for FPHC includes: sex at birth is female, answered ‘yes’ to sex with men, answered ‘no’ to injection drug use, and has no other documentation that would suggest an alternative mode of HIV acquisition.

### **Time Periods for this Quarterly Report (Second Quarter 2019 Report):**

Persons Living with HIV – As of June 30, 2019

New HIV Diagnoses – Calendar Year 2018 (Updated from 1<sup>st</sup> Quarter Report)

New AIDS Diagnoses – Calendar Year 2018 (Updated from 1<sup>st</sup> Quarter Report)

New P&S Syphilis Diagnoses – January 1 to June 30, 2019 (First Half of 2019)

Early non-P&S Syphilis Diagnoses – January 1 to June 30, 2019 (First Half of 2019)

### **Future Quarterly Report:**

*Third Quarter 2019 Report:* Release in November 2019

Persons Living with HIV- As of September 30, 2019

HIV and AIDS Diagnoses- Calendar Year 2018 (Updated)

P&S Syphilis Diagnoses- January 1 to September 30, 2019 (First Nine Months of 2019)

Early non-P&S Syphilis Diagnoses- January 1 to September 30, 2019 (First Nine Months of 2019)

## **Abbreviations**

Asian/PI	Asian/Pacific Islander
CDC	Centers for Disease Control and Prevention
FPHC	Female presumed heterosexual contact
FSF	Female sex with female
HRH	High risk heterosexual contact
PWID	Persons who inject drugs
GBM	Gay, bisexual, and other men who have sex with men
GBM/PWID	Gay, bisexual, and other men who have sex with men & inject drugs
NH	Non-Hispanic
PLWH	Persons living with HIV
P&S	Primary and secondary syphilis

**Persons Living with HIV  
Louisiana  
as of June 30, 2019**

**22,292** persons are currently living with HIV/AIDS in Louisiana.

Number of persons living with HIV: **11,101**

Number of persons living with AIDS: **11,191**

	No.	%
<b>Gender</b>		
Men	15,603	70.0
Women	6,369	28.6
Trans women	316	1.4
Trans men	4	0.0
<b>Current Age</b>		
0-12	32	0.1
13-19	109	0.5
20-24	712	3.2
25-29	1,888	8.5
30-34	2,433	10.9
35-39	2,590	11.6
40-44	2,653	11.9
45-49	2,532	11.4
50-54	2,772	12.4
55-59	2,890	13.0
60+	3,681	16.5
<b>Total</b>	<b>22,292</b>	<b>100.0</b>


	<b>Men</b>		<b>Women</b>		<b>Trans women</b>		<b>Trans men</b>		<b>LA State Totals</b>	
	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Race/Ethnicity</b>										
American Indian	33	0.2	8	0.1	1	0.3	-	-	42	0.2
Asian/PI	70	0.4	17	0.3	2	0.6	-	-	89	0.4
Black, NH	9,841	63.1	5,177	81.3	261	82.6	3	75.0	15,282	68.6
Hispanic/Latinx	849	5.4	200	3.1	22	7.0	1	25.0	1,072	4.8
Multi-race	122	0.8	43	0.7	2	0.6	-	-	167	0.7
White, NH	4,679	30.0	921	14.5	28	8.9	-	-	5,628	25.2
Unknown	9	0.1	3	0.0	-	-	-	-	12	0.1
<b>Total</b>	<b>15,603</b>	<b>100.0</b>	<b>6,369</b>	<b>100.0</b>	<b>316</b>	<b>100.0</b>	<b>4</b>	<b>100.0</b>	<b>22,292</b>	<b>100.0</b>

**Persons Living with HIV  
Louisiana  
as of June 30, 2019**

<b>Exposure Category</b>	<b>Men</b>		<b>Women</b>		<b>Trans women</b>		<b>Trans men</b>		<b>LA State Totals</b>	
	No.	%	No.	%	No.	%	No.	%	No.	%
GBM	8,828	66.1	-	-	-	-	-	-	8,828	44.9
Trans women - sex with men	-	-	-	-	279	88.6	-	-	279	1.4
GBM/PWID	818	6.1	-	-	-	-	1	50.0	819	4.2
Trans women - sex with men/PWID	-	-	-	-	31	9.8	-	-	31	0.2
PWID	1,038	7.8	670	11.1	2	0.6	-	-	1,710	8.7
HRH	2,541	19.0	4,486	74.6	3	1.0	1	50.0	7,031	35.7
FPHC	-	-	725	12.1	-	-	-	-	725	3.7
Transfusion/Hemophilia	32	0.2	26	0.4	-	-	-	-	58	0.3
Perinatal	92	0.7	104	1.7	-	-	-	-	196	1.0
Confirmed Other	-	-	1	0.0	-	-	-	-	1	0.0
<b>Total</b>	<b>13,349</b>	<b>100.0</b>	<b>6,012</b>	<b>100.0</b>	<b>315</b>	<b>100.0</b>	<b>2</b>	<b>100.0</b>	<b>19,678</b>	<b>100.0</b>

	Men	Women	Trans women	Trans men	Total
No Reported Risk	2,254	357	1	2	2,614

**10-Year Trends in Persons Living with HIV  
Louisiana, 2009-2018**



## ***Persons Newly Diagnosed with HIV Louisiana, January - December 2018***


In 2018, **989** persons were newly diagnosed with HIV in Louisiana.

	No.	%
<b>Gender</b>		
Men	714	72.2
Women	255	25.8
Trans women	19	1.9
Trans men	1	0.1
<b>Age at Diagnosis</b>		
0-12	1	0.1
13-24	230	23.3
25-34	354	35.8
35-44	192	19.4
45+	212	21.4
<b>Race/Ethnicity</b>		
American Indian	3	0.3
Asian/PI	6	0.6
Black, NH	693	70.1
Hispanic/Latinx	58	5.9
Multi-race	5	0.5
White, NH	223	22.5
Unknown	1	0.1
<b>Total</b>	<b>989</b>	<b>100.0</b>

	No.	%
<b>Exposure Category</b>		
GBM	417	53.8
Trans women - sex with men	17	2.2
GBM/PWID	13	1.7
Trans women - sex with men/PWID	2	0.3
PWID	42	5.4
HRH	230	29.7
FPHC	52	6.7
Perinatal	2	0.3
<b>Total</b>	<b>775</b>	<b>100.0</b>

No Reported Risk 214

**10-Year Trends in New HIV Diagnoses  
Louisiana, 2009-2018**



## Persons Newly Diagnosed with AIDS Louisiana, January - December 2018


In 2018, **419** persons were newly diagnosed with AIDS in Louisiana.

	No.	%
<b>Gender</b>		
Men	282	67.3
Women	130	31.0
Trans women	7	1.7
<b>Age at Diagnosis</b>		
13-24	36	8.6
25-34	143	34.1
35-44	105	25.1
45+	135	32.2
<b>Race/Ethnicity</b>		
Asian/PI	1	0.2
Black, NH	301	71.8
Hispanic/Latinx	20	4.8
Multi-race	4	1.0
White, NH	93	22.2
<b>Total</b>	<b>419</b>	<b>100.0</b>

	No.	%
<b>Exposure Category</b>		
GBM	146	43.7
Trans women - sex with men	6	1.8
GBM/PWID	7	2.1
Trans women - sex with men/PWID	1	0.3
PWID	19	5.7
HRH	122	36.5
FPHC	30	9.0
Transfusion/Hemophilia	1	0.3
Perinatal	2	0.6
<b>Total</b>	<b>334</b>	<b>100.0</b>

No Reported Risk 85

### 10-Year Trends in New AIDS Diagnoses Louisiana, 2009-2018



**Persons Diagnosed with P&S Syphilis  
Louisiana, January - June 2019**

Between January 1 and June 30, 2019, **294** persons were diagnosed with P&S Syphilis in Louisiana.


	No.	%
<b>Gender</b>		
Men	222	75.5
Women	67	22.8
Trans women	5	1.7
<b>Age at Diagnosis</b>		
0-12	1	0.3
13-19	25	8.5
20-29	135	45.9
30-39	87	29.6
40+	46	15.6
<b>Race/Ethnicity</b>		
American Indian	1	0.3
Asian/PI	3	1.0
Black, NH	193	65.6
Hispanic/Latinx	5	1.7
White, NH	92	31.3
<b>Total</b>	<b>294</b>	<b>100.0</b>

<i>Cases with a Reported Risk*</i>	No.	%
FSF	3	1.1
GBM	138	48.8
GBM/PWID	5	1.8
HRH	61	21.6
Heterosexual contact	102	36.0
Illegal drug use (all types)	121	42.8
Incarceration	35	12.4
PWID	11	3.9
Transactional sex	18	6.4

No Reported Risk 11

\* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

**10-Year Trends in P & S Syphilis Diagnoses  
Louisiana, 2009-2018**



**Persons Diagnosed with Early non-P&S Syphilis  
Louisiana, January - June 2019**

Between January 1 and June 30, 2019, **269** persons were diagnosed with Early non-P&S Syphilis in Louisiana.


	No.	%
<b>Gender</b>		
Men	204	75.8
Women	56	20.8
Trans women	9	3.3
<b>Age at Diagnosis</b>		
0-12	1	0.4
13-19	6	2.2
20-29	123	45.7
30-39	85	31.6
40+	54	20.1
<b>Race/Ethnicity</b>		
Asian/PI	1	0.4
Black, NH	199	74.0
Hispanic/Latinx	12	4.5
White, NH	57	21.2
<b>Total</b>	<b>269</b>	<b>100.0</b>

<i>Cases with a Reported Risk*</i>	No.	%
FSF	4	1.5
GBM	162	60.9
GBM/PWID	1	0.4
HRH	39	14.7
Heterosexual contact	76	28.6
Illegal drug use (all types)	98	36.8
Incarceration	29	10.9
PWID	6	2.3
Transactional sex	16	6.0

No Reported Risk 3

\* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

**8-Year Trends in Early non-P&S Syphilis Diagnoses  
Louisiana, 2011-2018**





***Persons Living with HIV by Parish  
as of June 30, 2019***

<i>Parish</i>	<i>No. PLWH</i>	<i>Parish</i>	<i>No. PLWH</i>
Acadia	142	Sabine	19
Allen	209	St. Bernard	203
Ascension	261	St. Charles	113
Assumption	40	St. Helena	23
Avoyelles	170	St. James	82
Beauregard	47	St. John the Baptist	184
Bienville	39	St. Landry	324
Bossier	279	St. Martin	112
Caddo	1,310	St. Mary	107
Calcasieu	716	St. Tammany	543
Caldwell	24	Tangipahoa	442
Cameron	3	Tensas	30
Catahoula	33	Terrebonne	221
Claiborne	78	Union	38
Concordia	51	Vermilion	106
De Soto	63	Vernon	73
East Baton Rouge	4,148	Washington	213
East Carroll	23	Webster	75
East Feliciana	188	West Baton Rouge	126
Evangeline	92	West Carroll	17
Franklin	49	West Feliciana	130
Grant	51	Winn	25
Iberia	140		
Iberville	294		
Jackson	23		
Jefferson	2,126		
Jefferson Davis	66		
LaSalle	59		
Lafayette	875		
Lafourche	172		
Lincoln	104		
Livingston	241		
Madison	42		
Morehouse	63		
Natchitoches	135		
Orleans	5,310		
Ouachita	693		
Plaquemines	52		
Pointe Coupee	58		
Rapides	555		
Red River	16		
Richland	46		

Total PLWH: 22,292

***Persons Diagnosed with Early Syphilis\* by Parish***  
***January - June 2019***

<i>Parish</i>	<i>No. Diagnoses</i>	<i>Parish</i>	<i>No. Diagnoses</i>
Acadia	2	Sabine	2
Allen	0	St. Bernard	6
Ascension	6	St. Charles	3
Assumption	2	St. Helena	1
Avoyelles	5	St. James	4
Beauregard	4	St. John the Baptist	6
Bienville	0	St. Landry	0
Bossier	11	St. Martin	1
Caddo	44	St. Mary	6
Calcasieu	13	St. Tammany	7
Caldwell	2	Tangipahoa	19
Cameron	0	Tensas	2
Catahoula	2	Terrebonne	7
Claiborne	0	Union	1
Concordia	1	Vermilion	2
De Soto	4	Vernon	2
East Baton Rouge	79	Washington	1
East Carroll	0	Webster	3
East Feliciana	4	West Baton Rouge	4
Evangeline	1	West Carroll	0
Franklin	1	West Feliciana	0
Grant	3	Winn	0
Iberia	2		
Iberville	5		
Jackson	0		
Jefferson	48		
Jefferson Davis	1		
LaSalle	1		
Lafayette	13		
Lafourche	4		
Lincoln	9		
Livingston	1		
Madison	4		
Morehouse	3		
Natchitoches	0		
Orleans	148		
Ouachita	15		
Plaquemines	0		
Pointe Coupee	1		
Rapides	46		
Red River	0		
Richland	1		

Total Early Syphilis Cases: 563

\* A syphilis diagnosis with less than one year duration is considered "early syphilis." This designation covers the primary, secondary, and early non-P&S stages of syphilis.

**Persons Living with HIV  
Metro New Orleans  
as of June 30, 2019**

*Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, & St. Tammany Parishes*

**8,613** persons are currently living with HIV/AIDS in Metro New Orleans.

Number of persons living with HIV: **4,261**

Number of persons living with AIDS: **4,352**

	No.	%
<b>Gender</b>		
Men	6,294	73.1
Women	2,153	25.0
Trans women	163	1.9
Trans men	3	0.0
<b>Current Age</b>		
0-12	9	0.1
13-19	38	0.4
20-24	233	2.7
25-29	702	8.2
30-34	904	10.5
35-39	983	11.4
40-44	984	11.4
45-49	935	10.9
50-54	1,081	12.6
55-59	1,192	13.8
60+	1,552	18.0
<b>Total</b>	<b>8,613</b>	<b>100.0</b>

	<b>Men</b>		<b>Women</b>		<b>Trans women</b>		<b>Trans men</b>		<b>Metro New Orleans Totals</b>	
<b>Race/Ethnicity</b>	No.	%	No.	%	No.	%	No.	%	No.	%
American Indian	8	0.1	1	0.0	-	-	-	-	9	0.1
Asian/PI	39	0.6	7	0.3	2	1.2	-	-	48	0.6
Black, NH	3,639	57.8	1,728	80.3	132	81.0	2	66.7	5,501	63.9
Hispanic/Latinx	445	7.1	130	6.0	15	9.2	1	33.3	591	6.9
Multi-race	46	0.7	14	0.7	1	0.6	-	-	61	0.7
White, NH	2,112	33.6	270	12.5	13	8.0	-	-	2,395	27.8
Unknown	5	0.1	3	0.1	-	-	-	-	8	0.1
<b>Total</b>	<b>6,294</b>	<b>100.0</b>	<b>2,153</b>	<b>100.0</b>	<b>163</b>	<b>100.0</b>	<b>3</b>	<b>100.0</b>	<b>8,613</b>	<b>100.0</b>

***Persons Living with HIV  
Metro New Orleans  
as of June 30, 2019***

*Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, & St. Tammany Parishes*

<b><i>Exposure Category</i></b>	<b>Men</b>		<b>Women</b>		<b>Trans women</b>		<b>Trans men</b>		<b>Metro New Orleans Totals</b>	
	No.	%	No.	%	No.	%	No.	%	No.	%
GBM	3,905	70.6	-	-	-	-	-	-	3,905	50.6
Trans women - sex with men	-	-	-	-	142	87.7	-	-	142	1.8
GBM/PWID	311	5.6	-	-	-	-	1	100.0	312	4.0
Trans women - sex with men/PWID	-	-	-	-	18	11.1	-	-	18	0.2
PWID	340	6.1	212	10.5	-	-	-	-	552	7.2
HRH	933	16.9	1,508	74.6	2	1.2	-	-	2,443	31.7
FPHC	-	-	248	12.3	-	-	-	-	248	3.2
Transfusion/Hemophilia	14	0.3	13	0.6	-	-	-	-	27	0.3
Perinatal	30	0.5	41	2.0	-	-	-	-	71	0.9
<b><i>Total</i></b>	<b>5,533</b>	<b>100.0</b>	<b>2,022</b>	<b>100.0</b>	<b>162</b>	<b>100.0</b>	<b>1</b>	<b>100.0</b>	<b>7,718</b>	<b>100.0</b>

	<i>Men</i>	<i>Women</i>	<i>Trans women</i>	<i>Trans men</i>	<i>Total</i>
No Reported Risk	761	131	1	2	895

## ***Persons Newly Diagnosed with HIV and AIDS Metro New Orleans***

*Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, & St. Tammany Parishes*

### ***Persons Diagnosed with HIV January - December 2018***

In 2018, **319** persons were newly diagnosed with HIV in Metro New Orleans.

	No.	%		No.	%
<b>Gender</b>			<b>Exposure Category</b>		
Men	233	73.0	GBM	153	57.3
Women	76	23.8	Trans women - sex with men	8	3.0
Trans women	9	2.8	GBM/PWID	3	1.1
Trans men	1	0.3	Trans women - sex with men/PWID	1	0.4
<b>Age at Diagnosis</b>			PWID	19	7.1
13-24	77	24.1	HRH	69	25.8
25-34	118	37.0	FPHC	14	5.2
35-44	61	19.1	<b>Total</b>	<b>267</b>	<b>100.0</b>
45+	63	19.7			
<b>Race/Ethnicity</b>					
Asian/PI	3	0.9			
Black, NH	213	66.8			
Hispanic/Latinx	33	10.3			
Multi-race	1	0.3			
White, NH	68	21.3			
Unknown	1	0.3			
<b>Total</b>	<b>319</b>	<b>100.0</b>			

No Reported Risk 52

### ***Persons Diagnosed with AIDS January - December 2018***

In 2018, **159** persons were newly diagnosed with AIDS in Metro New Orleans.

	No.	%		No.	%
<b>Gender</b>			<b>Exposure Category</b>		
Men	114	71.7	GBM	67	49.3
Women	43	27.0	Trans women - sex with men	2	1.5
Trans women	2	1.3	GBM/PWID	5	3.7
<b>Age at Diagnosis</b>			PWID	7	5.1
13-24	12	7.5	HRH	44	32.4
25-34	58	36.5	FPHC	9	6.6
35-44	37	23.3	Transfusion/Hemophilia	1	0.7
45+	52	32.7	Perinatal	1	0.7
<b>Race/Ethnicity</b>			<b>Total</b>	<b>136</b>	<b>100.0</b>
Asian/PI	1	0.6			
Black, NH	109	68.6			
Hispanic/Latinx	15	9.4			
Multi-race	2	1.3			
White, NH	32	20.1			
<b>Total</b>	<b>159</b>	<b>100.0</b>			

No Reported Risk 23

## ***Persons Diagnosed with Early Syphilis Metro New Orleans***

*Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, & St. Tammany Parishes*

### ***Persons Diagnosed with P&S Syphilis January - June 2019***

Between January 1 through June 30, 2019, **94** persons were newly diagnosed with P&S Syphilis in Metro New Orleans.

	No.	%
<b>Gender</b>		
Men	79	84.0
Women	14	14.9
Trans women	1	1.1
<b>Age at Diagnosis</b>		
13-19	6	6.4
20-29	42	44.7
30-39	31	33.0
40+	15	16.0
<b>Race/Ethnicity</b>		
Asian/PI	2	2.1
Black, NH	67	71.3
Hispanic/Latinx	2	2.1
White, NH	23	24.5
<b>Total</b>	<b>94</b>	<b>100.0</b>

<i>Cases with a Reported Risk*</i>	No.	%
FSF	1	1.1
GBM	64	71.1
GBM/PWID	5	5.6
HRH	14	15.6
Heterosexual contact	20	22.2
Illegal drug use (all types)	51	56.7
Incarceration	8	8.9
PWID	0	0.0
Transactional sex	7	7.8

No Reported Risk 4

### ***Persons Diagnosed with Early non-P&S Syphilis January - June 2019***

Between January 1 through June 30, 2019, **128** persons were newly diagnosed with Early non-P&S Syphilis in Metro New Orleans.

	No.	%
<b>Gender</b>		
Men	113	88.3
Women	9	7.0
Trans women	6	4.7
<b>Age at Diagnosis</b>		
13-19	2	1.6
20-29	51	39.8
30-39	46	35.9
40+	29	22.7
<b>Race/Ethnicity</b>		
Asian/PI	1	0.8
Black, NH	90	70.3
Hispanic/Latinx	9	7.0
White, NH	28	21.9
<b>Total</b>	<b>128</b>	<b>100.0</b>

<i>Case with a Reported Risk*</i>	No.	%
FSF	1	0.8
GBM	100	79.4
GBM/PWID	1	0.8
HRH	9	7.1
Heterosexual contact	24	19.0
Illegal drug use (all types)	56	44.4
Incarceration	8	6.3
PWID	0	0.0
Transactional sex	5	4.0

No Reported Risk 2

\* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

**Persons Living with HIV  
Metro Baton Rouge  
as of June 30, 2019**

*Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, & West Feliciana Parishes*

**5,469** persons are currently living with HIV/AIDS in Metro Baton Rouge.

Number of persons living with HIV: **2,685**

Number of persons living with AIDS: **2,784**

	No.	%
<b>Gender</b>		
Men	3,456	63.2
Women	1,942	35.5
Trans women	71	1.3
<b>Current Age</b>		
0-12	12	0.2
13-19	30	0.5
20-24	166	3.0
25-29	449	8.2
30-34	589	10.8
35-39	685	12.5
40-44	695	12.7
45-49	673	12.3
50-54	637	11.6
55-59	686	12.5
60+	847	15.5
<b>Total</b>	<b>5,469</b>	<b>100.0</b>

	<b>Men</b>		<b>Women</b>		<b>Trans women</b>		<b>Metro Baton Rouge Totals</b>	
	No.	%	No.	%	No.	%	No.	%
<b>Race/Ethnicity</b>								
American Indian	6	0.2	-	-	-	-	6	0.1
Asian/PI	9	0.3	5	0.3	-	-	14	0.3
Black, NH	2,682	77.6	1,726	88.9	66	93.0	4,474	81.8
Hispanic/Latinx	84	2.4	26	1.3	2	2.8	112	2.0
Multi-race	15	0.4	8	0.4	-	-	23	0.4
White, NH	659	19.1	177	9.1	3	4.2	839	15.3
Unknown	1	0.0	-	-	-	-	1	0.0
<b>Total</b>	<b>3,456</b>	<b>100.0</b>	<b>1,942</b>	<b>100.0</b>	<b>71</b>	<b>100.0</b>	<b>5,469</b>	<b>100.0</b>

**Persons Living with HIV**  
**Metro Baton Rouge**  
**as of June 30, 2019**

*Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, & West Feliciana Parishes*

<b>Exposure Category</b>	<b>Men</b>		<b>Women</b>		<b>Trans women</b>		<b>Metro Baton Rouge Totals</b>	
	No.	%	No.	%	No.	%	No.	%
GBM	1,621	54.6	-	-	-	-	1,621	33.0
Trans women - sex with men	-	-	-	-	62	87.3	62	1.3
GBM/PWID	185	6.2	-	-	-	-	185	3.8
Trans women - sex with men/PWID	-	-	-	-	7	9.9	7	0.1
PWID	333	11.2	218	11.7	1	1.4	552	11.2
HRH	791	26.7	1,428	76.4	1	1.4	2,220	45.2
FPHC	-	-	190	10.2	-	-	190	3.9
Transfusion/Hemophilia	6	0.2	6	0.3	-	-	12	0.2
Perinatal	31	1.0	27	1.4	-	-	58	1.2
<b>Total</b>	<b>2,967</b>	<b>100.0</b>	<b>1,869</b>	<b>100.0</b>	<b>71</b>	<b>100.0</b>	<b>4,907</b>	<b>100.0</b>

	<i>Men</i>	<i>Women</i>	<i>Trans women</i>	<i>Total</i>
No Reported Risk	489	73	0	562



## ***Persons Newly Diagnosed with HIV and AIDS*** ***Metro Baton Rouge***

*Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, & West Feliciana Parishes*

### ***Persons Diagnosed with HIV*** ***January - December 2018***

In 2018, **230** persons were newly diagnosed with HIV in Metro Baton Rouge.

	No.	%		No.	%
<b>Gender</b>			<b>Exposure Category</b>		
Men	156	67.8	GBM	76	40.9
Women	72	31.3	Trans women - sex with men	1	0.5
Trans women	2	0.9	GBM/PWID	1	0.5
<b>Age at Diagnosis</b>			Trans women - sex with men/PWID	1	0.5
13-24	42	18.3	PWID	8	4.3
25-34	75	32.6	HRH	83	44.6
35-44	55	23.9	FPHC	15	8.1
45+	58	25.2	Perinatal	1	0.5
<b>Race/Ethnicity</b>			<b>Total</b>	<b>186</b>	<b>100.0</b>
American Indian	2	0.9	<u>No Reported Risk 44</u>		
Asian/PI	1	0.4			
Black, NH	196	85.2			
Hispanic/Latinx	3	1.3			
Multi-race	2	0.9			
White, NH	26	11.3			
<b>Total</b>	<b>230</b>	<b>100.0</b>			

### ***Persons Diagnosed with AIDS*** ***January - December 2018***

In 2018, **79** persons were newly diagnosed with AIDS in Metro Baton Rouge.

	No.	%		No.	%
<b>Gender</b>			<b>Exposure Category</b>		
Men	51	64.6	GBM	22	33.3
Women	26	32.9	Trans women - sex with men	1	1.5
Trans women	2	2.5	Trans women - sex with men/PWID	1	1.5
<b>Age at Diagnosis</b>			PWID	6	9.1
13-24	4	5.1	HRH	30	45.5
25-34	27	34.2	FPHC	5	7.6
35-44	21	26.6	Perinatal	1	1.5
45+	27	34.2	<b>Total</b>	<b>66</b>	<b>100.0</b>
<b>Race/Ethnicity</b>			<u>No Reported Risk 13</u>		
Black, NH	66	83.5			
Hispanic/Latinx	1	1.3			
White, NH	12	15.2			
<b>Total</b>	<b>79</b>	<b>100.0</b>			

## ***Persons Diagnosed with Early Syphilis Metro Baton Rouge***

*Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, & West Feliciana Parishes*

### ***Persons Diagnosed with P&S Syphilis January - June 2019***

Between January 1 through June 30, 2019, **64** persons were newly diagnosed with P&S Syphilis in Metro Baton Rouge.

	No.	%
<b>Gender</b>		
Men	45	70.3
Women	19	29.7
<b>Age at Diagnosis</b>		
13-19	5	7.8
20-29	35	54.7
30-39	14	21.9
40+	10	15.6
<b>Race/Ethnicity</b>		
Black, NH	55	85.9
White, NH	9	14.1
<b>Total</b>	<b>64</b>	<b>100.0</b>

<i>Cases with a Reported Risk*</i>	No.	%
FSF	0	0.0
GBM	23	37.7
GBM/PWID	0	0.0
HRH	9	14.8
Heterosexual contact	35	57.4
Illegal drug use (all types)	12	19.7
Incarceration	6	9.8
PWID	1	1.6
Transactional sex	0	0.0

No Reported Risk 3

### ***Persons Diagnosed with Early non-P&S Syphilis January - June 2019***

Between January 1 through June 30, 2019, **37** persons were newly diagnosed with Early non-P&S Syphilis in Metro Baton Rouge.

	No.	%
<b>Gender</b>		
Men	30	81.1
Women	5	13.5
Trans women	2	5.4
<b>Age at Diagnosis</b>		
20-29	19	51.4
30-39	8	21.6
40+	10	27.0
<b>Race/Ethnicity</b>		
Black, NH	32	86.5
White, NH	5	13.5
<b>Total</b>	<b>37</b>	<b>100.0</b>

<i>Cases with a Reported Risk*</i>	No.	%
FSF	2	5.6
GBM	26	72.2
GBM/PWID	0	0.0
HRH	1	2.8
Heterosexual contact	9	25.0
Illegal drug use (all types)	7	19.4
Incarceration	2	5.6
PWID	0	0.0
Transactional sex	2	5.6

No Reported Risk 1

\* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

## Persons Living with HIV/AIDS by Region as of June 30, 2019

	<i>New HIV Diagnoses 2018 Calendar Year</i>	<i>New AIDS Diagnoses 2018 Calendar Year</i>	<i>Persons Living with HIV(nonAIDS) thru 6-30-2019</i>	<i>Persons Living with AIDS thru 6-30-2019</i>	<i>Persons Living with HIV or AIDS thru 6-30-2019</i>
Region 1	282	140	3,803	3,888	7,691
Region 2	219	73	2,561	2,644	5,205
Region 3	47	21	444	475	919
Region 4	129	47	921	870	1,791
Region 5	38	13	530	511	1,041
Region 6	73	27	534	483	1,017
Region 7	88	54	1,027	987	2,014
Region 8	50	17	571	581	1,152
Region 9	63	27	710	752	1,462
State Total	989	419	11,101	11,191	22,292



**Region 1** (New Orleans): Jefferson, Orleans, Plaquemines, St. Bernard

**Region 2** (Baton Rouge): Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana

**Region 3** (Houma): Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne

**Region 4** (Lafayette): Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermilion

**Region 5** (Lake Charles): Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis

**Region 6** (Alexandria): Avoyelles, Catahoula, Concordia, Grant, LaSalle, Rapides, Vernon, Winn

**Region 7** (Shreveport): Bienville, Bossier, Caddo, Claiborne, De Soto, Natchitoches, Red River, Sabine, Webster

**Region 8** (Monroe): Caldwell, East Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, West Carroll

**Region 9** (Hammond/Slidell): Livingston, St. Helena, St. Tammany, Tangipahoa, Washington

**Persons Living with HIV**  
**Region 1: New Orleans Region**  
**as of June 30, 2019**

*Jefferson, Orleans, Plaquemines & St. Bernard Parishes*

	No.	%
<b>Gender</b>		
Men	5,620	73.1
Women	1,912	24.9
Trans women	157	2.0
Trans men	2	0.0
<b>Current Age</b>		
0-12	8	0.1
13-19	29	0.4
20-24	203	2.6
25-29	630	8.2
30-34	811	10.5
35-39	874	11.4
40-44	874	11.4
45-49	845	11.0
50-54	960	12.5
55-59	1,061	13.8
60+	1,396	18.2
<b>Total</b>	<b>7,691</b>	<b>100.0</b>

	<b>Men</b>		<b>Women</b>		<b>Trans women</b>		<b>Trans men</b>		<b>Region 1 Totals</b>	
	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Race/Ethnicity</b>										
American Indian	6	0.1	1	0.1	-	-	-	-	7	0.1
Asian/PI	36	0.6	5	0.3	2	1.3	-	-	43	0.6
Black, NH	3,324	59.1	1,564	81.8	125	79.6	1	50.0	5,014	65.2
Hispanic/Latinx	413	7.3	120	6.3	15	9.6	1	50.0	549	7.1
Multi-race	41	0.7	13	0.7	1	0.6	-	-	55	0.7
White, NH	1,795	31.9	206	10.8	14	8.9	-	-	2,015	26.2
Unknown	5	0.1	3	0.2	-	-	-	-	8	0.1
<b>Total</b>	<b>5,620</b>	<b>100.0</b>	<b>1,912</b>	<b>100.0</b>	<b>157</b>	<b>100.0</b>	<b>2</b>	<b>100.0</b>	<b>7,691</b>	<b>100.0</b>

	<b>Men</b>		<b>Women</b>		<b>Trans women</b>		<b>Trans men</b>		<b>Region 1 Totals</b>	
	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Exposure Category</b>										
GBM	3,481	70.2	-	-	-	-	-	-	3,481	50.4
Trans women - sex with men	-	-	-	-	136	87.2	-	-	136	2.0
GBM/PWID	288	5.8	-	-	-	-	1	100.0	289	4.2
Trans women - sex with men/PWID	-	-	-	-	18	11.5	-	-	18	0.3
PWID	309	6.2	192	10.7	-	-	-	-	501	7.3
HRH	845	17.0	1,354	75.5	2	1.3	-	-	2,201	31.9
FPHC	-	-	201	11.2	-	-	-	-	201	2.9
Transfusion/Hemophilia	12	0.2	13	0.7	-	-	-	-	25	0.4
Perinatal	24	0.5	34	1.9	-	-	-	-	58	0.8
<b>Total</b>	<b>4,959</b>	<b>100.0</b>	<b>1,794</b>	<b>100.0</b>	<b>156</b>	<b>100.0</b>	<b>1</b>	<b>100.0</b>	<b>6,910</b>	<b>100.0</b>

	<i>Men</i>	<i>Women</i>	<i>Trans women</i>	<i>Trans men</i>	<i>Total</i>
No Reported Risk	661	118	1	1	781

**Persons Living with HIV**  
**Region 2: Baton Rouge Region**  
**as of June 30, 2019**

*Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, & West Feliciana Parishes*

	No.	%
<b>Gender</b>		
Men	3,285	63.1
Women	1,850	35.5
Trans women	70	1.3
<b>Current Age</b>		
0-12	10	0.2
13-19	30	0.6
20-24	160	3.1
25-29	433	8.3
30-34	568	10.9
35-39	664	12.8
40-44	662	12.7
45-49	626	12.0
50-54	593	11.4
55-59	650	12.5
60+	809	15.5
<b>Total</b>	<b>5,205</b>	<b>100.0</b>

	<b>Men</b>		<b>Women</b>		<b>Trans women</b>		<b>Region 2 Totals</b>	
	No.	%	No.	%	No.	%	No.	%
<b>Race/Ethnicity</b>								
American Indian	6	0.2	-	-	-	-	6	0.1
Asian/PI	9	0.3	3	0.2	-	-	12	0.2
Black, NH	2,620	79.8	1,684	91.0	65	92.9	4,369	83.9
Hispanic/Latinx	76	2.3	22	1.2	2	2.9	100	1.9
Multi-race	15	0.5	8	0.4	-	-	23	0.4
White, NH	559	17.0	133	7.2	3	4.3	695	13.4
<b>Total</b>	<b>3,285</b>	<b>100.0</b>	<b>1,850</b>	<b>100.0</b>	<b>70</b>	<b>100.0</b>	<b>5,205</b>	<b>100.0</b>

	<b>Men</b>		<b>Women</b>		<b>Trans women</b>		<b>Region 2 Totals</b>	
	No.	%	No.	%	No.	%	No.	%
<b>Exposure Category</b>								
GBM	1,525	54.1	-	-	-	-	1,525	32.7
Trans women - sex with men	-	-	-	-	60	85.7	60	1.3
GBM/PWID	169	6.0	-	-	-	-	169	3.6
Trans women - sex with men/PWID	-	-	-	-	8	11.4	8	0.2
PWID	319	11.3	206	11.6	1	1.4	526	11.3
HRH	770	27.3	1,368	77.1	1	1.4	2,139	45.9
FPHC	-	-	170	9.6	-	-	170	3.6
Transfusion/Hemophilia	5	0.2	6	0.3	-	-	11	0.2
Perinatal	31	1.1	24	1.4	-	-	55	1.2
<b>Total</b>	<b>2,819</b>	<b>100.0</b>	<b>1,774</b>	<b>100.0</b>	<b>70</b>	<b>100.0</b>	<b>4,663</b>	<b>100.0</b>

	Men	Women	Trans women	Total
No Reported Risk	466	76	0	542

**Persons Living with HIV**  
**Region 3: Houma Region**  
**as of June 30, 2019**

*Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, & Terrebonne Parishes*

	No.	%
<b>Gender</b>		
Men	612	66.6
Women	299	32.5
Trans women	7	0.8
Trans men	1	0.1
<b>Current Age</b>		
0-12	2	0.2
13-19	7	0.8
20-24	36	3.9
25-29	84	9.1
30-34	99	10.8
35-39	113	12.3
40-44	102	11.1
45-49	103	11.2
50-54	116	12.6
55-59	116	12.6
60+	141	15.3
<b>Total</b>	<b>919</b>	<b>100.0</b>

	<b>Men</b>		<b>Women</b>		<b>Trans women</b>		<b>Trans men</b>		<b>Region 3 Totals</b>	
	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Race/Ethnicity</b>										
American Indian	2	0.3	1	0.3	-	-	-	-	3	0.3
Asian/PI	1	0.2	1	0.3	-	-	-	-	2	0.2
Black, NH	332	54.2	215	71.9	5	71.4	1	100.0	553	60.2
Hispanic/Latinx	31	5.1	11	3.7	-	-	-	-	42	4.6
Multi-race	6	1.0	2	0.7	-	-	-	-	8	0.9
White, NH	240	39.2	69	23.1	2	28.6	-	-	311	33.8
<b>Total</b>	<b>612</b>	<b>100.0</b>	<b>299</b>	<b>100.0</b>	<b>7</b>	<b>100.0</b>	<b>1</b>	<b>100.0</b>	<b>919</b>	<b>100.0</b>

	<b>Men</b>		<b>Women</b>		<b>Trans women</b>		<b>Region 3 Totals</b>	
	No.	%	No.	%	No.	%	No.	%
<b>Exposure Category</b>								
GBM	361	69.4	-	-	-	-	361	44.8
Trans women - sex with men	-	-	-	-	7	100.0	7	0.9
GBM/PWID	23	4.4	-	-	-	-	23	2.9
PWID	42	8.1	18	6.5	-	-	60	7.5
HRH	88	16.9	209	75.2	-	-	297	36.9
FPHC	-	-	44	15.8	-	-	44	5.5
Perinatal	6	1.2	7	2.5	-	-	13	1.6
<b>Total</b>	<b>520</b>	<b>100.0</b>	<b>278</b>	<b>100.0</b>	<b>7</b>	<b>100.0</b>	<b>805</b>	<b>100.0</b>

	<i>Men</i>	<i>Women</i>	<i>Trans women</i>	<i>Trans men</i>	<i>Total</i>
No Reported Risk	92	21	0	1	114

**Persons Living with HIV****Region 4: Lafayette Region****as of June 30, 2019***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, & Vermilion Parishes*

	No.	%
<b>Gender</b>		
Men	1,336	74.6
Women	442	24.7
Trans women	13	0.7
<b>Current Age</b>		
0-12	3	0.2
13-19	11	0.6
20-24	85	4.7
25-29	164	9.2
30-34	221	12.3
35-39	182	10.2
40-44	172	9.6
45-49	187	10.4
50-54	242	13.5
55-59	247	13.8
60+	277	15.5
<b>Total</b>	<b>1,791</b>	<b>100.0</b>

	<b>Men</b>		<b>Women</b>		<b>Trans women</b>		<b>Region 4 Totals</b>	
<b>Race/Ethnicity</b>	No.	%	No.	%	No.	%	No.	%
American Indian	4	0.3	1	0.2	-	-	5	0.3
Asian/PI	5	0.4	3	0.7	-	-	8	0.4
Black, NH	684	51.2	308	69.7	10	76.9	1,002	55.9
Hispanic/Latinx	79	5.9	8	1.8	1	7.7	88	4.9
Multi-race	15	1.1	4	0.9	-	-	19	1.1
White, NH	549	41.1	118	26.7	2	15.4	669	37.4
<b>Total</b>	<b>1,336</b>	<b>100.0</b>	<b>442</b>	<b>100.0</b>	<b>13</b>	<b>100.0</b>	<b>1,791</b>	<b>100.0</b>

	<b>Men</b>		<b>Women</b>		<b>Trans women</b>		<b>Region 4 Totals</b>	
<b>Exposure Category</b>	No.	%	No.	%	No.	%	No.	%
GBM	791	72.5	-	-	-	-	791	52.1
Trans women - sex with men	-	-	-	-	11	84.6	11	0.7
GBM/PWID	68	6.2	-	-	-	-	68	4.5
Trans women - sex with men/PWID	-	-	-	-	2	15.4	2	0.1
PWID	67	6.1	48	11.6	-	-	115	7.6
HRH	153	14.0	331	80.0	-	-	484	31.9
FPHC	-	-	30	7.2	-	-	30	2.0
Transfusion/Hemophilia	4	0.4	1	0.2	-	-	5	0.3
Perinatal	8	0.7	3	0.7	-	-	11	0.7
Confirmed Other	-	-	1	0.2	-	-	1	0.1
<b>Total</b>	<b>1,091</b>	<b>100.0</b>	<b>414</b>	<b>100.0</b>	<b>13</b>	<b>100.0</b>	<b>1,518</b>	<b>100.0</b>

	<i>Men</i>	<i>Women</i>	<i>Trans women</i>	<i>Total</i>
No Reported Risk	245	28	0	273

**Persons Living with HIV**  
**Region 5: Lake Charles Region**  
**as of June 30, 2019**

*Allen, Beauregard, Calcasieu, Cameron, & Jefferson Davis Parishes*

	No.	%
<b>Gender</b>		
Men	775	74.4
Women	254	24.4
Trans women	12	1.2
<b>Current Age</b>		
0-12	2	0.2
13-19	9	0.9
20-24	23	2.2
25-29	80	7.7
30-34	96	9.2
35-39	104	10.0
40-44	137	13.2
45-49	117	11.2
50-54	150	14.4
55-59	146	14.0
60+	177	17.0
<b>Total</b>	<b>1,041</b>	<b>100.0</b>

	<b>Men</b>		<b>Women</b>		<b>Trans women</b>		<b>Region 5 Totals</b>	
	No.	%	No.	%	No.	%	No.	%
<b>Race/Ethnicity</b>								
American Indian	1	0.1	-	-	1	8.3	2	0.2
Asian/PI	4	0.5	-	-	-	-	4	0.4
Black, NH	398	51.4	165	65.0	10	83.3	573	55.0
Hispanic/Latinx	87	11.2	5	2.0	-	-	92	8.8
Multi-race	10	1.3	6	2.4	-	-	16	1.5
White, NH	274	35.4	78	30.7	1	8.3	353	33.9
Unknown	1	0.1	-	-	-	-	1	0.1
<b>Total</b>	<b>775</b>	<b>100.0</b>	<b>254</b>	<b>100.0</b>	<b>12</b>	<b>100.0</b>	<b>1,041</b>	<b>100.0</b>

	<b>Men</b>		<b>Women</b>		<b>Trans women</b>		<b>Region 5 Totals</b>	
	No.	%	No.	%	No.	%	No.	%
<b>Exposure Category</b>								
GBM	372	60.0	-	-	-	-	372	42.7
Trans women - sex with men	-	-	-	-	12	100.0	12	1.4
GBM/PWID	52	8.4	-	-	-	-	52	6.0
PWID	78	12.6	36	15.1	-	-	114	13.1
HRH	111	17.9	172	72.0	-	-	283	32.5
FPHC	-	-	22	9.2	-	-	22	2.5
Transfusion/Hemophilia	3	0.5	-	-	-	-	3	0.3
Perinatal	4	0.6	9	3.8	-	-	13	1.5
<b>Total</b>	<b>620</b>	<b>100.0</b>	<b>239</b>	<b>100.0</b>	<b>12</b>	<b>100.0</b>	<b>871</b>	<b>100.0</b>

	<b>Men</b>	<b>Women</b>	<b>Trans women</b>	<b>Total</b>
No Reported Risk	155	15	0	170



**Persons Living with HIV**  
**Region 6: Alexandria Region**  
**as of June 30, 2019**

*Avoyelles, Catahoula, Concordia, Grant, LaSalle, Rapides, Vernon, & Winn Parishes*

	No.	%
<b>Gender</b>		
Men	726	71.4
Women	283	27.8
Trans women	8	0.8
<b>Current Age</b>		
0-12	2	0.2
13-19	2	0.2
20-24	26	2.6
25-29	69	6.8
30-34	118	11.6
35-39	112	11.0
40-44	145	14.3
45-49	122	12.0
50-54	127	12.5
55-59	129	12.7
60+	165	16.2
<b>Total</b>	<b>1,017</b>	<b>100.0</b>

	<b>Men</b>		<b>Women</b>		<b>Trans women</b>		<b>Region 6 Totals</b>	
<b>Race/Ethnicity</b>	No.	%	No.	%	No.	%	No.	%
American Indian	-	-	2	0.7	-	-	2	0.2
Asian/PI	3	0.4	-	-	-	-	3	0.3
Black, NH	424	58.4	222	78.4	5	62.5	651	64.0
Hispanic/Latinx	66	9.1	6	2.1	1	12.5	73	7.2
Multi-race	6	0.8	3	1.1	-	-	9	0.9
White, NH	227	31.3	50	17.7	2	25.0	279	27.4
<b>Total</b>	<b>726</b>	<b>100.0</b>	<b>283</b>	<b>100.0</b>	<b>8</b>	<b>100.0</b>	<b>1,017</b>	<b>100.0</b>

	<b>Men</b>		<b>Women</b>		<b>Trans women</b>		<b>Region 6 Totals</b>	
<b>Exposure Category</b>	No.	%	No.	%	No.	%	No.	%
GBM	362	60.8	-	-	-	-	362	41.6
Trans women - sex with men	-	-	-	-	6	75.0	6	0.7
GBM/PWID	32	5.4	-	-	-	-	32	3.7
Trans women - sex with men/PWID	-	-	-	-	2	25.0	2	0.2
PWID	60	10.1	22	8.2	-	-	82	9.4
HRH	135	22.7	193	72.3	-	-	328	37.7
FPHC	-	-	48	18.0	-	-	48	5.5
Transfusion/Hemophilia	1	0.2	1	0.4	-	-	2	0.2
Perinatal	5	0.8	3	1.1	-	-	8	0.9
<b>Total</b>	<b>595</b>	<b>100.0</b>	<b>267</b>	<b>100.0</b>	<b>8</b>	<b>100.0</b>	<b>870</b>	<b>100.0</b>

	<b>Men</b>	<b>Women</b>	<b>Trans women</b>	<b>Total</b>
No Reported Risk	131	16	0	147

**Persons Living with HIV**  
**Region 7: Shreveport Region**  
**as of June 30, 2019**

*Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, & Webster Parishes*

	No.	%
<b>Gender</b>		
Men	1,408	69.9
Women	587	29.1
Trans women	18	0.9
Trans men	1	0.0
<b>Current Age</b>		
0-12	1	0.0
13-19	9	0.4
20-24	84	4.2
25-29	235	11.7
30-34	279	13.9
35-39	257	12.8
40-44	253	12.6
45-49	209	10.4
50-54	224	11.1
55-59	204	10.1
60+	259	12.9
<b>Total</b>	<b>2,014</b>	<b>100.0</b>

	<b>Men</b>		<b>Women</b>		<b>Trans women</b>		<b>Trans men</b>		<b>Region 7 Totals</b>	
	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Race/Ethnicity</b>										
American Indian	10	0.7	2	0.3	-	-	-	-	12	0.6
Asian/PI	5	0.4	1	0.2	-	-	-	-	6	0.3
Black, NH	1,010	71.7	475	80.9	16	88.9	1	100.0	1,502	74.6
Hispanic/Latinx	32	2.3	8	1.4	2	11.1	-	-	42	2.1
Multi-race	15	1.1	3	0.5	-	-	-	-	18	0.9
White, NH	335	23.8	98	16.7	-	-	-	-	433	21.5
Unknown	1	0.1	-	-	-	-	-	-	1	0.0
<b>Total</b>	<b>1,408</b>	<b>100.0</b>	<b>587</b>	<b>100.0</b>	<b>18</b>	<b>100.0</b>	<b>1</b>	<b>100.0</b>	<b>2,014</b>	<b>100.0</b>

	<b>Men</b>		<b>Women</b>		<b>Trans women</b>		<b>Trans men</b>		<b>Region 7 Totals</b>	
	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Exposure Category</b>										
GBM	868	73.7	-	-	-	-	-	-	868	49.6
Trans women - sex with men	-	-	-	-	17	94.4	-	-	17	1.0
GBM/PWID	84	7.1	-	-	-	-	-	-	84	4.8
Trans women - sex with men/PWID	-	-	-	-	1	5.6	-	-	1	0.1
PWID	52	4.4	64	11.6	-	-	-	-	116	6.6
HRH	166	14.1	357	64.7	-	-	1	100.0	524	30.0
FPHC	-	-	121	21.9	-	-	-	-	121	6.9
Transfusion/Hemophilia	2	0.2	3	0.5	-	-	-	-	5	0.3
Perinatal	6	0.5	7	1.3	-	-	-	-	13	0.7
<b>Total</b>	<b>1,178</b>	<b>100.0</b>	<b>552</b>	<b>100.0</b>	<b>18</b>	<b>100.0</b>	<b>1</b>	<b>100.0</b>	<b>1,749</b>	<b>100.0</b>

	<b>Men</b>	<b>Women</b>	<b>Trans women</b>	<b>Total</b>
No Reported Risk	230	35	0	265

**Persons Living with HIV**  
**Region 8: Monroe Region**  
**as of June 30, 2019**

*Caldwell, East Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas,  
Union, & West Carroll Parishes*

	No.	%
<b>Gender</b>		
Men	776	67.4
Women	363	31.5
Trans women	13	1.1
<b>Current Age</b>		
0-12	1	0.1
13-19	6	0.5
20-24	58	5.0
25-29	101	8.8
30-34	99	8.6
35-39	131	11.4
40-44	146	12.7
45-49	144	12.5
50-54	135	11.7
55-59	141	12.2
60+	190	16.5
<b>Total</b>	<b>1,152</b>	<b>100.0</b>

	<b>Men</b>		<b>Women</b>		<b>Trans women</b>		<b>Region 8 Totals</b>	
	No.	%	No.	%	No.	%	No.	%
<b>Race/Ethnicity</b>								
American Indian	2	0.3	1	0.3	-	-	3	0.3
Asian/PI	4	0.5	1	0.3	-	-	5	0.4
Black, NH	547	70.5	306	84.3	12	92.3	865	75.1
Hispanic/Latinx	23	3.0	7	1.9	1	7.7	31	2.7
Multi-race	10	1.3	2	0.6	-	-	12	1.0
White, NH	189	24.4	46	12.7	-	-	235	20.4
Unknown	1	0.1	-	-	-	-	1	0.1
<b>Total</b>	<b>776</b>	<b>100.0</b>	<b>363</b>	<b>100.0</b>	<b>13</b>	<b>100.0</b>	<b>1,152</b>	<b>100.0</b>

	<b>Men</b>		<b>Women</b>		<b>Trans women</b>		<b>Region 8 Totals</b>	
	No.	%	No.	%	No.	%	No.	%
<b>Exposure Category</b>								
GBM	445	65.2	-	-	-	-	445	42.9
Trans women - sex with men	-	-	-	-	13	100.0	13	1.3
GBM/PWID	43	6.3	-	-	-	-	43	4.1
PWID	49	7.2	29	8.5	-	-	78	7.5
HRH	142	20.8	274	79.9	-	-	416	40.1
FPHC	-	-	28	8.2	-	-	28	2.7
Transfusion/Hemophilia	1	0.1	2	0.6	-	-	3	0.3
Perinatal	2	0.3	10	2.9	-	-	12	1.2
<b>Total</b>	<b>682</b>	<b>100.0</b>	<b>343</b>	<b>100.0</b>	<b>13</b>	<b>100.0</b>	<b>1,038</b>	<b>100.0</b>

	Men	Women	Trans women	Total
No Reported Risk	94	20	0	114

**Persons Living with HIV**  
**Region 9: Hammond/Slidell Region**  
**as of June 30, 2019**

*Livingston, St. Helena, St. Tammany, Tangipahoa, & Washington Parishes*

	No.	%
<b>Gender</b>		
Men	1,065	72.8
Women	379	25.9
Trans women	18	1.2
<b>Current Age</b>		
0-12	3	0.2
13-19	6	0.4
20-24	37	2.5
25-29	92	6.3
30-34	142	9.7
35-39	153	10.5
40-44	162	11.1
45-49	179	12.2
50-54	225	15.4
55-59	196	13.4
60+	267	18.3
<b>Total</b>	<b>1,462</b>	<b>100.0</b>

	Men		Women		Trans women		Region 9 Totals	
	No.	%	No.	%	No.	%	No.	%
<b>Race/Ethnicity</b>								
American Indian	2	0.2	-	-	-	-	2	0.1
Asian/PI	3	0.3	3	0.8	-	-	6	0.4
Black, NH	502	47.1	238	62.8	13	72.2	753	51.5
Hispanic/Latinx	42	3.9	13	3.4	-	-	55	3.8
Multi-race	4	0.4	2	0.5	1	5.6	7	0.5
White, NH	511	48.0	123	32.5	4	22.2	638	43.6
Unknown	1	0.1	-	-	-	-	1	0.1
<b>Total</b>	<b>1,065</b>	<b>100.0</b>	<b>379</b>	<b>100.0</b>	<b>18</b>	<b>100.0</b>	<b>1,462</b>	<b>100.0</b>

	Men		Women		Trans women		Region 9 Totals	
	No.	%	No.	%	No.	%	No.	%
<b>Exposure Category</b>								
GBM	623	70.4	-	-	-	-	623	49.7
Trans women - sex with men	-	-	-	-	17	94.4	17	1.4
GBM/PWID	59	6.7	-	-	-	-	59	4.7
PWID	62	7.0	55	15.7	1	5.6	118	9.4
HRH	131	14.8	228	65.0	-	-	359	28.6
FPHC	-	-	61	17.4	-	-	61	4.9
Transfusion/Hemophilia	4	0.5	-	-	-	-	4	0.3
Perinatal	6	0.7	7	2.0	-	-	13	1.0
<b>Total</b>	<b>885</b>	<b>100.0</b>	<b>351</b>	<b>100.0</b>	<b>18</b>	<b>100.0</b>	<b>1,254</b>	<b>100.0</b>

	Men	Women	Trans women	Total
No Reported Risk	180	28	0	208

**Persons Newly Diagnosed with HIV**  
**Regions 1 - 5**  
**January - December 2018**

	Region 1		Region 2		Region 3		Region 4		Region 5	
	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Gender</b>										
Men	207	73.4	150	68.5	34	72.3	105	81.4	26	68.4
Women	66	23.4	68	31.1	12	25.5	23	17.8	10	26.3
Trans women	9	3.2	1	0.5	-	-	1	0.8	2	5.3
Trans men	-	-	-	-	1	2.1	-	-	-	-
<b>Age at Diagnosis</b>										
0-12	-	-	-	-	-	-	-	-	1	2.6
13-24	69	24.5	41	18.7	12	25.5	39	30.2	7	18.4
25-34	106	37.6	72	32.9	16	34.0	49	38.0	13	34.2
35-44	52	18.4	50	22.8	10	21.3	18	14.0	8	21.1
45+	55	19.5	56	25.6	9	19.1	23	17.8	9	23.7
<b>Race/Ethnicity</b>										
American Indian	-	-	2	0.9	-	-	-	-	-	-
Asian/PI	3	1.1	-	-	-	-	2	1.6	-	-
Black, NH	190	67.4	191	87.2	29	61.7	69	53.5	24	63.2
Hispanic/Latinx	32	11.3	2	0.9	2	4.3	9	7.0	1	2.6
Multi-race	1	0.4	2	0.9	-	-	1	0.8	-	-
White, NH	55	19.5	22	10.0	16	34.0	48	37.2	13	34.2
Unknown	1	0.4	-	-	-	-	-	-	-	-
<b>Regional Totals</b>	<b>282</b>	<b>100.0</b>	<b>219</b>	<b>100.0</b>	<b>47</b>	<b>100.0</b>	<b>129</b>	<b>100.0</b>	<b>38</b>	<b>100.0</b>

	Region 1		Region 2		Region 3		Region 4		Region 5	
	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Exposure Category</b>										
GBM	138	58.2	72	41.6	19	54.3	63	69.2	17	56.7
Trans women - sex with men	8	3.4	-	-	-	-	1	1.1	2	6.7
GBM/PWID	3	1.3	1	0.6	-	-	3	3.3	-	-
Trans women - sex with men/PWID	1	0.4	1	0.6	-	-	-	-	-	-
PWID	18	7.6	8	4.6	1	2.9	1	1.1	1	3.3
HRH	62	26.2	78	45.1	13	37.1	19	20.9	7	23.3
FPHC	7	3.0	12	6.9	2	5.7	4	4.4	2	6.7
Perinatal	-	-	1	0.6	-	-	-	-	1	3.3
<b>Regional Totals</b>	<b>237</b>	<b>100.0</b>	<b>173</b>	<b>100.0</b>	<b>35</b>	<b>100.0</b>	<b>91</b>	<b>100.0</b>	<b>30</b>	<b>100.0</b>

	Region 1	Region 2	Region 3	Region 4	Region 5
No Reported Risk	45	46	12	38	8

**Persons Newly Diagnosed with HIV**  
**Regions 6 - 9**  
**January - December 2018**

	Region 6		Region 7		Region 8		Region 9	
	No.	%	No.	%	No.	%	No.	%
<b>Gender</b>								
Men	51	69.9	57	64.8	40	80.0	44	69.8
Women	22	30.1	27	30.7	9	18.0	18	28.6
Trans women	-	-	4	4.5	1	2.0	1	1.6
<b>Age at Diagnosis</b>								
13-24	9	12.3	23	26.1	20	40.0	10	15.9
25-34	26	35.6	41	46.6	14	28.0	17	27.0
35-44	13	17.8	17	19.3	7	14.0	17	27.0
45+	25	34.2	7	8.0	9	18.0	19	30.2
<b>Race/Ethnicity</b>								
American Indian	-	-	-	-	1	2.0	-	-
Asian/PI	-	-	-	-	-	-	1	1.6
Black, NH	39	53.4	75	85.2	39	78.0	37	58.7
Hispanic/Latinx	6	8.2	3	3.4	1	2.0	2	3.2
Multi-race	1	1.4	-	-	-	-	-	-
White, NH	27	37.0	10	11.4	9	18.0	23	36.5
<b>Regional Totals</b>	<b>73</b>	<b>100.0</b>	<b>88</b>	<b>100.0</b>	<b>50</b>	<b>100.0</b>	<b>63</b>	<b>100.0</b>

	Region 6		Region 7		Region 8		Region 9	
	No.	%	No.	%	No.	%	No.	%
<b>Exposure Category</b>								
GBM	24	42.9	34	48.6	31	72.1	19	47.5
Trans women - sex with men	-	-	4	5.7	1	2.3	1	2.5
GBM/PWID	3	5.4	2	2.9	-	-	1	2.5
PWID	5	8.9	4	5.7	1	2.3	3	7.5
HRH	15	26.8	17	24.3	7	16.3	12	30.0
FPHC	9	16.1	9	12.9	3	7.0	4	10.0
<b>Regional Totals</b>	<b>56</b>	<b>100.0</b>	<b>70</b>	<b>100.0</b>	<b>43</b>	<b>100.0</b>	<b>40</b>	<b>100.0</b>

	Region 6	Region 7	Region 8	Region 9
No Reported Risk	17	18	7	23

**Persons Newly Diagnosed with AIDS**  
**Regions 1 - 5**  
**January - December 2018**

	Region 1		Region 2		Region 3		Region 4		Region 5	
	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Gender</b>										
Men	100	71.4	47	64.4	13	61.9	28	59.6	9	69.2
Women	39	27.9	25	34.2	8	38.1	19	40.4	4	30.8
Trans women	1	0.7	1	1.4	-	-	-	-	-	-
<b>Age at Diagnosis</b>										
13-24	11	7.9	4	5.5	-	-	8	17.0	2	15.4
25-34	54	38.6	26	35.6	6	28.6	12	25.5	3	23.1
35-44	29	20.7	19	26.0	9	42.9	13	27.7	6	46.2
45+	46	32.9	24	32.9	6	28.6	14	29.8	2	15.4
<b>Race/Ethnicity</b>										
Asian/PI	1	0.7	-	-	-	-	-	-	-	-
Black, NH	95	67.9	64	87.7	14	66.7	32	68.1	10	76.9
Hispanic/Latinx	15	10.7	-	-	-	-	2	4.3	-	-
Multi-race	2	1.4	-	-	1	4.8	-	-	-	-
White, NH	27	19.3	9	12.3	6	28.6	13	27.7	3	23.1
<b>Regional Totals</b>	<b>140</b>	<b>100.0</b>	<b>73</b>	<b>100.0</b>	<b>21</b>	<b>100.0</b>	<b>47</b>	<b>100.0</b>	<b>13</b>	<b>100.0</b>

	Region 1		Region 2		Region 3		Region 4		Region 5	
	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Exposure Category</b>										
GBM	61	50.4	20	33.9	5	38.5	14	40.0	5	45.5
Trans women - sex with men	1	0.8	-	-	-	-	-	-	-	-
GBM/PWID	5	4.1	-	-	-	-	-	-	-	-
Trans women - sex with men/PWID	-	-	1	1.7	-	-	-	-	-	-
PWID	6	5.0	5	8.5	-	-	3	8.6	-	-
HRH	40	33.1	28	47.5	5	38.5	13	37.1	6	54.5
FPHC	6	5.0	4	6.8	3	23.1	5	14.3	-	-
Transfusion/Hemophilia	1	0.8	-	-	-	-	-	-	-	-
Perinatal	1	0.8	1	1.7	-	-	-	-	-	-
<b>Regional Totals</b>	<b>121</b>	<b>100.0</b>	<b>59</b>	<b>100.0</b>	<b>13</b>	<b>100.0</b>	<b>35</b>	<b>100.0</b>	<b>11</b>	<b>100.0</b>

	Region 1	Region 2	Region 3	Region 4	Region 5
No Reported Risk	19	14	8	12	2

**Persons Newly Diagnosed with AIDS**  
**Regions 6 - 9**  
**January - December 2018**

	Region 6		Region 7		Region 8		Region 9	
	No.	%	No.	%	No.	%	No.	%
<b>Gender</b>								
Men	21	77.8	33	61.1	12	70.6	19	70.4
Women	6	22.2	18	33.3	5	29.4	6	22.2
Trans women	-	-	3	5.6	-	-	2	7.4
<b>Age at Diagnosis</b>								
13-24	1	3.7	7	13.0	2	11.8	1	3.7
25-34	9	33.3	19	35.2	6	35.3	8	29.6
35-44	4	14.8	17	31.5	2	11.8	6	22.2
45+	13	48.1	11	20.4	7	41.2	12	44.4
<b>Race/Ethnicity</b>								
Black, NH	14	51.9	44	81.5	15	88.2	13	48.1
Hispanic/Latinx	1	3.7	1	1.9	-	-	1	3.7
Multi-race	1	3.7	-	-	-	-	-	-
White, NH	11	40.7	9	16.7	2	11.8	13	48.1
<b>Regional Totals</b>	<b>27</b>	<b>100.0</b>	<b>54</b>	<b>100.0</b>	<b>17</b>	<b>100.0</b>	<b>27</b>	<b>100.0</b>

	Region 6		Region 7		Region 8		Region 9	
	No.	%	No.	%	No.	%	No.	%
<b>Exposure Category</b>								
GBM	8	50.0	17	37.8	9	64.3	7	35.0
Trans women - sex with men	-	-	3	6.7	-	-	2	10.0
GBM/PWID	-	-	2	4.4	-	-	-	-
PWID	-	-	2	4.4	-	-	3	15.0
HRH	6	37.5	15	33.3	4	28.6	5	25.0
FPHC	2	12.5	6	13.3	1	7.1	3	15.0
<b>Regional Totals</b>	<b>16</b>	<b>100.0</b>	<b>45</b>	<b>100.0</b>	<b>14</b>	<b>100.0</b>	<b>20</b>	<b>100.0</b>

	Region 6	Region 7	Region 8	Region 9
No Reported Risk	11	9	3	7



**Persons Diagnosed with P&S Syphilis**  
**Regions 1-5**  
**January - June 2019**

	Region 1		Region 2		Region 3		Region 4		Region 5	
	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Gender</b>										
Men	70	83.3	44	71.0	15	83.3	8	72.7	8	80.0
Women	13	15.5	18	29.0	3	16.7	3	27.3	2	20.0
Trans women	1	1.2	-	-	-	-	-	-	-	-
<b>Age at Diagnosis</b>										
13-19	3	3.6	5	8.1	2	11.1	-	-	2	20.0
20-29	39	46.4	34	54.8	9	50.0	5	45.5	3	30.0
30-39	29	34.5	14	22.6	4	22.2	4	36.4	1	10.0
40+	13	15.5	9	14.5	3	16.7	2	18.2	4	40.0
<b>Race/Ethnicity</b>										
American Indian	-	-	-	-	1	5.6	-	-	-	-
Asian/PI	2	2.4	-	-	-	-	-	-	-	-
Black, NH	60	71.4	54	87.1	14	77.8	3	27.3	2	20.0
Hispanic/Latinx	2	2.4	-	-	-	-	-	-	1	10.0
White, NH	20	23.8	8	12.9	3	16.7	8	72.7	7	70.0
<b>Regional Totals</b>	<b>84</b>	<b>100.0</b>	<b>62</b>	<b>100.0</b>	<b>18</b>	<b>100.0</b>	<b>11</b>	<b>100.0</b>	<b>10</b>	<b>100.0</b>

	Region 1		Region 2		Region 3		Region 4		Region 5	
<i>Cases with a Reported Risk*</i>	No.	%	No.	%	No.	%	No.	%	No.	%
FSF	1	1.2	0	0.0	0	0.0	0	0.0	0	0.0
GBM	58	71.6	23	39.0	10	58.8	6	54.5	4	40.0
GBM/PWID	4	4.9	0	0.0	1	5.9	0	0.0	0	0.0
HRH	11	13.6	9	15.3	3	17.6	0	0.0	0	0.0
Heterosexual contact	19	23.5	33	55.9	5	29.4	6	54.5	6	60.0
Illegal drug use (all types)	45	55.6	11	18.6	7	41.2	6	54.5	3	30.0
Incarceration	8	9.9	6	10.2	0	0.0	1	9.1	1	10.0
PWID	0	0.0	1	1.7	0	0.0	0	0.0	1	10.0
Transactional sex	7	8.6	0	0.0	1	5.9	1	9.1	0	0.0
	Region 1		Region 2		Region 3		Region 4		Region 5	
No Reported Risk	3		3		1		0		0	

\* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

**Persons Diagnosed with P&S Syphilis**  
**Regions 6-9**  
**January - June 2019**

	<b>Region 6</b>		<b>Region 7</b>		<b>Region 8</b>		<b>Region 9</b>	
	No.	%	No.	%	No.	%	No.	%
<b>Gender</b>								
Men	24	63.2	24	77.4	15	68.2	14	77.8
Women	14	36.8	7	22.6	4	18.2	3	16.7
Trans women	-	-	-	-	3	13.6	1	5.6
<b>Age at Diagnosis</b>								
0-12	-	-	1	3.2	-	-	-	-
13-19	5	13.2	2	6.5	2	9.1	4	22.2
20-29	15	39.5	16	51.6	8	36.4	6	33.3
30-39	13	34.2	10	32.3	8	36.4	4	22.2
40+	5	13.2	2	6.5	4	18.2	4	22.2
<b>Race/Ethnicity</b>								
Asian/PI	-	-	1	3.2	-	-	-	-
Black, NH	15	39.5	21	67.7	17	77.3	7	38.9
Hispanic/Latinx	-	-	-	-	1	4.5	1	5.6
White, NH	23	60.5	9	29.0	4	18.2	10	55.6
<b>Regional Totals</b>	<b>38</b>	<b>100.0</b>	<b>31</b>	<b>100.0</b>	<b>22</b>	<b>100.0</b>	<b>18</b>	<b>100.0</b>

	<i>Region 6</i>		<i>Region 7</i>		<i>Region 8</i>		<i>Region 9</i>	
<i>Cases with a Reported Risk*</i>	No.	%	No.	%	No.	%	No.	%
FSF	2	5.6	0	0.0	0	0.0	0	0.0
GBM	5	13.9	9	30.0	12	54.5	11	64.7
GBM/PWID	0	0.0	0	0.0	0	0.0	0	0.0
HRH	20	55.6	10	33.3	6	27.3	2	11.8
Heterosexual contact	12	33.3	11	36.7	5	22.7	5	29.4
Illegal drug use (all types)	24	66.7	8	26.7	10	45.5	7	41.2
Incarceration	11	30.6	5	16.7	2	9.1	1	5.9
PWID	7	19.4	1	3.3	1	4.5	0	0.0
Transactional sex	8	22.2	1	3.3	0	0.0	0	0.0
	<i>Region 6</i>		<i>Region 7</i>		<i>Region 8</i>		<i>Region 9</i>	
No Reported Risk	2		1		0		1	

\* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

**Persons Diagnosed with Early non-P&S Syphilis**  
**Regions 1-5**  
**January - June 2019**

	Region 1		Region 2		Region 3		Region 4		Region 5	
	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Gender</b>										
Men	104	88.1	30	81.1	10	71.4	9	90.0	7	87.5
Women	8	6.8	5	13.5	4	28.6	1	10.0	1	12.5
Trans women	6	5.1	2	5.4	-	-	-	-	-	-
<b>Age at Diagnosis</b>										
13-19	2	1.7	-	-	-	-	-	-	-	-
20-29	46	39.0	19	51.4	8	57.1	3	30.0	4	50.0
30-39	43	36.4	8	21.6	5	35.7	2	20.0	1	12.5
40+	27	22.9	10	27.0	1	7.1	5	50.0	3	37.5
<b>Race/Ethnicity</b>										
Asian/PI	1	0.8	-	-	-	-	-	-	-	-
Black, NH	84	71.2	32	86.5	10	71.4	4	40.0	3	37.5
Hispanic/Latinx	8	6.8	-	-	1	7.1	1	10.0	-	-
White, NH	25	21.2	5	13.5	3	21.4	5	50.0	5	62.5
<b>Regional Totals</b>	<b>118</b>	<b>100.0</b>	<b>37</b>	<b>100.0</b>	<b>14</b>	<b>100.0</b>	<b>10</b>	<b>100.0</b>	<b>8</b>	<b>100.0</b>

	Region 1		Region 2		Region 3		Region 4		Region 5	
<i>Cases with a Reported Risk*</i>	No.	%	No.	%	No.	%	No.	%	No.	%
FSF	1	0.9	2	5.6	1	7.1	0	0.0	0	0.0
GBM	92	78.6	26	72.2	8	57.1	8	80.0	4	50.0
GBM/PWID	1	0.9	0	0.0	0	0.0	0	0.0	0	0.0
HRH	9	7.7	1	2.8	2	14.3	0	0.0	2	25.0
Heterosexual contact	23	19.7	9	25.0	4	28.6	2	20.0	3	37.5
Illegal drug use (all types)	54	46.2	7	19.4	8	57.1	0	0.0	3	37.5
Incarceration	8	6.8	2	5.6	3	21.4	0	0.0	1	12.5
PWID	0	0.0	0	0.0	0	0.0	0	0.0	2	25.0
Transactional sex	5	4.3	2	5.6	0	0.0	0	0.0	0	0.0
<hr/>										
	Region 1		Region 2		Region 3		Region 4		Region 5	
No Reported Risk	1		1		0		0		0	

\* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

**Persons Diagnosed with Early non-P&S Syphilis**  
**Regions 6-9**  
**January - June 2019**

	Region 6		Region 7		Region 8		Region 9	
	No.	%	No.	%	No.	%	No.	%
<b>Gender</b>								
Men	12	54.5	16	48.5	8	50.0	8	72.7
Women	9	40.9	17	51.5	8	50.0	3	27.3
Trans women	1	4.5	-	-	-	-	-	-
<b>Age at Diagnosis</b>								
0-12	1	4.5	-	-	-	-	-	-
13-19	1	4.5	2	6.1	1	6.3	-	-
20-29	8	36.4	23	69.7	11	68.8	1	9.1
30-39	8	36.4	7	21.2	4	25.0	7	63.6
40+	4	18.2	1	3.0	-	-	3	27.3
<b>Race/Ethnicity</b>								
Black, NH	18	81.8	26	78.8	16	100.0	6	54.5
Hispanic/Latinx	-	-	1	3.0	-	-	1	9.1
White, NH	4	18.2	6	18.2	-	-	4	36.4
<b>Regional Totals</b>	<b>22</b>	<b>100.0</b>	<b>33</b>	<b>100.0</b>	<b>16</b>	<b>100.0</b>	<b>11</b>	<b>100.0</b>

	Region 6		Region 7		Region 8		Region 9	
<i>Cases with a Reported Risk*</i>	No.	%	No.	%	No.	%	No.	%
FSF	0	0.0	0	0.0	0	0.0	0	0.0
GBM	7	31.8	6	18.2	5	31.3	6	60.0
GBM/PWID	0	0.0	0	0.0	0	0.0	0	0.0
HRH	7	31.8	13	39.4	4	25.0	1	10.0
Heterosexual contact	9	40.9	14	42.4	7	43.8	5	50.0
Illegal drug use (all types)	9	40.9	12	36.4	3	18.8	2	20.0
Incarceration	4	18.2	9	27.3	2	12.5	0	0.0
PWID	1	4.5	3	9.1	0	0.0	0	0.0
Transactional sex	6	27.3	3	9.1	0	0.0	0	0.0

	Region 6	Region 7	Region 8	Region 9
No Reported Risk	0	0	0	1


\* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.



# National HIV and Aging Awareness Day

## September 18th

The number of older adults living with HIV is increasing in the United States. Treatment is helping people diagnosed with HIV live long, healthy lives. In addition, each year thousands of adults 50 years and older are diagnosed with HIV.




In 2016, **half of the people living with HIV** in the U.S. were **50 years and older**.

**64% of older adults living with HIV are **virally suppressed**.**

Viral suppression is when a person has very low levels of HIV in their blood. People who are virally suppressed **cannot** pass HIV on to sex partners.

**6,513** adults 50 years and older were diagnosed with HIV in 2017 in the U.S.



**Half of the new HIV diagnoses among adults 50 years and older are among **gay, bisexual, and other men who have sex with men**.**



**Older people are more likely than young people to be diagnosed with late-stage HIV infection.**




Persons diagnosed early and engaged in HIV care will have stronger immune systems and live long, healthy lives with HIV.

**Older people are less likely to get tested for HIV than younger people.**

Most of the risk factors for HIV are the same for all people no matter what your age.




The Centers for Disease Control and Prevention (CDC) recommends all people 13 to 64 years-old get tested for HIV at least once. If you are 65 and older and at risk for HIV, your doctor may recommend you get tested.



# HIV and Aging in Louisiana


In 2018, **2 in 5** people living with HIV in Louisiana were **50 years and older**.




**68%** of adults 50 years and older living with HIV in Louisiana are **virally suppressed**.

Viral suppression is when a person has very low levels of HIV in their blood. People who are virally suppressed **cannot** pass HIV on to sex partners.





Among adults 50 years and older diagnosed with HIV in 2018, nearly half were high risk heterosexuals.



There were **144** adults age 50 and older diagnosed with HIV in 2018 in Louisiana.



## Ways to Reduce Your Risk for HIV

-  If you are living with HIV, take your medications as prescribed to stay healthy and greatly reduce the risk of passing HIV to a partner.
-  If you are HIV-negative, ask your doctor about pre-exposure prophylaxis (PrEP), a daily pill to prevent HIV.
-  Use a condom every time you have sex. Condoms reduce the risk of getting HIV and other sexually transmitted diseases.
-  Know your status. Get tested for HIV. To find a testing location near you and information on HIV & other sexually transmitted infections visit:

 [www.lahhub.org](http://www.lahhub.org)

 [@lahealthhub](https://www.instagram.com/lahealthhub)



## Ways You **Cannot** Get HIV



-  You **cannot** get HIV from sharing food or drinks.
-  You **cannot** get HIV from a swimming pool.
-  You **cannot** get HIV from shaking hands or hugging a person with HIV or AIDS.
-  You **cannot** get HIV from sweat, tears, or saliva.
-  You **cannot** get HIV from bug bites.
-  You **cannot** get HIV from a toilet seat.
-  You **cannot** get HIV from coughs or sneezes.