

Louisiana HIV, AIDS, and Early Syphilis Surveillance

Quarterly Report

June 30, 2021



Louisiana Department of Health
Office of Public Health
STD, HIV, and Hepatitis Program
1450 Poydras Street, Suite 2136
New Orleans, Louisiana 70112
504.568.7474
haprequest@la.gov
<http://dhh.louisiana.gov/hiv>
www.lahhub.org

**Louisiana Department of Health
Office of Public Health
STD, HIV, & Hepatitis Surveillance Program**

DeAnn Gruber, PhD, LCSW
Director, Bureau of Infectious Diseases

Sam Burgess, MA, MSHCM
Director, STD/HIV/Hepatitis Program

Anthony James, MS, MA, MSHCM
Deputy Director - Programs

Chaquetta Johnson, DNP, MPH, APRN, WHNP-BC
Deputy Director - Operations

Tsegaye Assefa, MBA
Financial Operations Manager

Jacquelyn Naomi Bickham, MPA
Prevention Manager

Javone Charles, MPH
Field Operations Manager

Joy Ewell
CDC Lead Public Health Advisor

Julie Fitch, MA
Capacity Building and Community Mobilization Manager

Jessica Fridge, MSPH
Surveillance Manager

Will F. Henderson III, MSIS
Health Systems Manager

Billy Robinson, PhD
Evaluation Manager

Erika Sugimori, MPH
Care and Services Manager

Debbie Wendell, PhD, MPH
Data Management/Analysis Manager

Editor/Production:
Lauren Ostrenga, MPH
Jacob Chavez, MS

HIV Field Epidemiologists:

Susan Brodie, MT(ASCP), MSPH, *Field Epidemiologist Supervisor*

Angela Everette, *Region 1*

Tarsia Williams, *Regions 1 & 3*

Nechole Farlough, *Regions 2 & 9*

Cheryl Edney, BS MT(ASCP), *Regions 4, 5, & 6*

Deneena Fulco, *Regions 7 & 8*

Regional STD Supervisors:

Michael Carter, *Region 1*

Gerald Dean Scott, *Region 2*

Nashaine Dees-Duperclay, *Region 3*

Ken May, *Region 4*

Patrick Williams, *Region 5*

Kenneth Nash, *Region 6*

Charles Jones, *Region 7*

Crissey Brown, *Region 8*

Dawanda Thompson, *Region 9*

TABLE OF CONTENTS

| Contents | Page |
|--|-------------|
| Surveillance Summary | 1 |
| Abbreviations | 3 |
| Louisiana: Persons Living with HIV | 4 |
| Persons newly diagnosed with HIV | 6 |
| Persons newly diagnosed with AIDS | 7 |
| Persons diagnosed with Primary and Secondary Syphilis | 8 |
| Persons diagnosed with Early non-Primary non-Secondary Syphilis | 9 |
| Parish: Persons Living with HIV | 10 |
| Persons diagnosed with Early Syphilis | 11 |
| Metro New Orleans: Persons Living with HIV | 12 |
| Persons newly diagnosed with HIV and AIDS | 14 |
| Persons diagnosed with Early Syphilis | 15 |
| Metro Baton Rouge: Persons Living with HIV | 16 |
| Persons newly diagnosed with HIV and AIDS | 18 |
| Persons diagnosed with Early Syphilis | 19 |
| Public Health Regions: Map & HIV/AIDS Counts | 20 |
| Region 1: Persons Living with HIV | 21 |
| Region 2: Persons Living with HIV | 22 |
| Region 3: Persons Living with HIV | 23 |
| Region 4: Persons Living with HIV | 24 |
| Region 5: Persons Living with HIV | 25 |
| Region 6: Persons Living with HIV | 26 |
| Region 7: Persons Living with HIV | 27 |
| Region 8: Persons Living with HIV | 28 |
| Region 9: Persons Living with HIV | 29 |
| Regions 1-5: Persons newly diagnosed with HIV | 30 |
| Regions 6-9: Persons newly diagnosed with HIV | 31 |
| Regions 1-5: Persons newly diagnosed with AIDS | 32 |
| Regions 6-9: Persons newly diagnosed with AIDS | 33 |
| Regions 1-5: Persons diagnosed with Primary and Secondary Syphilis | 34 |
| Regions 6-9: Persons diagnosed with Primary and Secondary Syphilis | 35 |
| Regions 1-5: Persons diagnosed with Early non-Primary non-Secondary Syphilis | 36 |
| Regions 6-9: Persons diagnosed with Early non-Primary non-Secondary Syphilis | 37 |
| COVID-19 among Persons Living with HIV in Louisiana | 38 |
| List of Figures | |
| Louisiana: 10-Year Trends Persons Living with HIV (2011-2020) | 5 |
| Louisiana: 10-Year Trends New HIV Diagnoses (2011-2020) | 6 |
| Louisiana: 10-Year Trends New AIDS Diagnoses (2011-2020) | 7 |
| Louisiana: 10-Year Trends P&S Syphilis Diagnoses (2011-2020) | 8 |
| Louisiana: 10-Year Trends Early non-P&S Syphilis Diagnoses (2011-2020) | 9 |
| Surveillance Breakout | |
| 2020 Louisiana STD/HIV Diagnosis Summary | 39 |

Surveillance Summary

Data in this report includes cases diagnosed with HIV, AIDS, or Early Syphilis

- In 2019, Louisiana ranked **4th** in the nation for HIV case rates (19.0 per 100,000 population) and **12th** in the estimated number of HIV cases. The Baton Rouge MSA ranked **4th** and the New Orleans MSA ranked **6th** for HIV case rates (23.5 and 22.2 per 100,000, respectively), among the large metropolitan areas in the nation. The *CDC HIV Surveillance Report* (vol. 32) was released in May 2021. The CDC no longer provides AIDS rankings in the annual report. State AIDS rankings can be found on the CDC Atlas Plus webpage.
- According to the CDC's Atlas Plus webpage, Louisiana ranked **3rd** highest in state AIDS case rates (11.1 per 100,000) and **12th** in the number of estimated AIDS cases in 2019.
- In 2019, Louisiana ranked **9th** in the nation for primary and secondary (P&S) syphilis case rates (15.0 per 100,000 population) according to the 2019 *CDC STD Surveillance Report*.
- As of June 30, 2021, a total of **22,498** persons were living with HIV (PLWH) in Louisiana; of these individuals, **11,149** persons (50%) have an AIDS diagnosis.
- In 2020, **727** new HIV cases were diagnosed in Louisiana. Of these cases, **26%** (n=187) occurred in Region 1 (New Orleans) and **20%** (n=149) occurred in Region 2 (Baton Rouge).
- As of June 30, 2021, a total of 716 persons were diagnosed with early syphilis* in Louisiana; **430** persons were diagnosed with P&S syphilis, and **286** persons were diagnosed with early non-P&S syphilis. Of the total early syphilis cases, **29%** (n=207) occurred in Region 1 (New Orleans) and **13%** (n=90) occurred in Region 2 (Baton Rouge).
- The primary risk factor for new HIV diagnoses in Louisiana is gay, bisexual, and other men who have sex with men (GBM). In 2020, among persons who reported a risk factor, **56%** reported being GBM, and an additional **2%** reported being GBM and a person who injects drugs. As of June 30, 2021, **45%** of all people with a reported risk factor living with HIV in Louisiana were GBM.
- The primary risk factor for early syphilis diagnoses in Louisiana is gay, bisexual, and other men who have sex with men (GBM). As of June 30, 2021, of the persons who reported a risk factor, **48%** reported being GBM, and **55%** reported engaging in heterosexual activity. *Persons could report multiple risk factors for syphilis diagnoses.*
- In Louisiana, **74%** of new HIV cases, **67%** of new AIDS cases, and **70%** of the early syphilis diagnoses were among men.
- African Americans in Louisiana experience severe health disparities in regards to HIV and STDs. In 2020, **70%** of newly diagnosed HIV cases and **71%** of newly diagnosed AIDS cases were Black. As of June 30, 2021, **61%** of early syphilis cases with a reported race/ethnicity were among African Americans. Only 32% of Louisiana's overall population is Black.
- A large percentage of new HIV and syphilis diagnoses occurred among adolescents and young adults. In 2020, **26%** of all new HIV diagnoses occurred among persons 13-24 years old and an additional **33%** occurred among persons 25-34 years old. As of June 30, 2021, **25%** of all early syphilis diagnoses occurred among persons 13-24 years old and an additional **36%** occurred among persons 25-34 years old.

* A syphilis diagnosis with less than one year duration is considered to be "early syphilis." This designation covers the primary, secondary, and early non-P&S stages of syphilis.

Updates to HIV Transmission Category Nomenclature

In 2019, the Quarterly Report updated HIV transmission category names to use people first language. Men who have sex with men (MSM) is now “Gay, bisexual, and other men who have sex with men” (GBM). Injection drug use (IDU) is now “People who inject drugs” (PWID).

Female Presumed Heterosexual Contact Transmission Category:

In an effort to better capture and present heterosexual transmission of HIV among women, the STD/HIV/Hepatitis Program uses an algorithm from the Centers for Disease Control that re-categorizes many women formerly classified as “No identified risk” as now meeting the exposure criteria for “Female presumed heterosexual contact” (FPHC). The primary criteria for FPHC includes: sex at birth is female, answered ‘yes’ to sex with men, answered ‘no’ to injection drug use, and has no other documentation that would suggest an alternative mode of HIV acquisition.

Changes to Syphilis Case Definition

The Quarterly Report includes revisions to the surveillance case definition for syphilis as approved by the Council of State and Territorial Epidemiologists (CSTE) effective January 1, 2018. Of note, the nomenclature for “Early latent syphilis” has been changed to “Early non-primary non-secondary syphilis.” Throughout the Quarterly Report it has been abbreviated to “Early non-P&S syphilis.” Please refer to the following documentation for additional information on all other syphilis case definition revisions:

<https://www.cdc.gov/std/stats/DCL-syph-case-def-sept-4-2017.pdf>.

Time Periods for this Quarterly Report (Second Quarter 2021 Report):

Persons Living with HIV – As of June 30, 2021

New HIV Diagnoses – Calendar Year 2020 (Updated from 1st Quarter Report)

New AIDS Diagnoses – Calendar Year 2020 (Updated from 1st Quarter Report)

New P&S Syphilis Diagnoses – January 1 to June 30, 2021 (First Half of 2021)

Early non-P&S Syphilis Diagnoses – January 1 to June 30, 2021 (First Half of 2021)

Future Quarterly Report:

Third Quarter 2021 Report: Release in November 2021

Persons Living with HIV- As of September 30, 2021

HIV and AIDS Diagnoses- Calendar Year 2020 (Updated)

P&S Syphilis Diagnoses- January 1 to September 30, 2021 (First Nine Months of 2021)

Early non-P&S Syphilis Diagnoses- January 1 to September 30, 2021 (First Nine Months of 2021)

Abbreviations

| | |
|----------|---|
| Asian/PI | Asian/Pacific Islander |
| CDC | Centers for Disease Control and Prevention |
| FPHC | Female presumed heterosexual contact |
| FSF | Female sex with female |
| HRH | High risk heterosexual contact |
| PWID | Persons who inject drugs |
| GBM | Gay, bisexual, and other men who have sex with men |
| GBM/PWID | Gay, bisexual, and other men who have sex with men & inject drugs |
| NH | Non-Hispanic |
| PLWH | Persons living with HIV |
| P&S | Primary and secondary syphilis |

***Persons Living with HIV
Louisiana
as of June 30, 2021***

22,498 persons are currently living with HIV/AIDS in Louisiana.

Number of persons living with HIV: **11,349**

Number of persons living with AIDS: **11,149**

| | No. | % |
|--------------------|---------------|--------------|
| Gender | | |
| Male | 15,722 | 69.9 |
| Female | 6,386 | 28.4 |
| Trans women | 383 | 1.7 |
| Trans men | 7 | 0.0 |
| Current Age | | |
| 0-12 | 28 | 0.1 |
| 13-19 | 93 | 0.4 |
| 20-24 | 596 | 2.6 |
| 25-29 | 1,606 | 7.1 |
| 30-34 | 2,559 | 11.4 |
| 35-39 | 2,575 | 11.4 |
| 40-44 | 2,747 | 12.2 |
| 45-49 | 2,432 | 10.8 |
| 50-54 | 2,595 | 11.5 |
| 55-59 | 2,869 | 12.8 |
| 60+ | 4,398 | 19.5 |
| Total | 22,498 | 100.0 |


| | Male | | Female | | Trans women | | Trans men | | LA State Totals | |
|-----------------------|---------------|--------------|---------------|--------------|--------------------|--------------|------------------|--------------|------------------------|--------------|
| | No. | % | No. | % | No. | % | No. | % | No. | % |
| Race/Ethnicity | | | | | | | | | | |
| American Indian | 38 | 0.2 | 11 | 0.2 | 1 | 0.3 | - | - | 50 | 0.2 |
| Asian/PI | 70 | 0.4 | 22 | 0.3 | 3 | 0.8 | - | - | 95 | 0.4 |
| Black, NH | 9,880 | 62.8 | 5,165 | 80.9 | 320 | 83.6 | 4 | 57.1 | 15,369 | 68.3 |
| Hispanic/Latinx | 931 | 5.9 | 218 | 3.4 | 27 | 7.0 | 1 | 14.3 | 1,177 | 5.2 |
| Multi-race | 159 | 1.0 | 51 | 0.8 | 3 | 0.8 | - | - | 213 | 0.9 |
| White, NH | 4,630 | 29.4 | 915 | 14.3 | 29 | 7.6 | 2 | 28.6 | 5,576 | 24.8 |
| Unknown | 14 | 0.1 | 4 | 0.1 | - | - | - | - | 18 | 0.1 |
| Total | 15,722 | 100.0 | 6,386 | 100.0 | 383 | 100.0 | 7 | 100.0 | 22,498 | 100.0 |

**Persons Living with HIV
Louisiana
as of June 30, 2021**

| Exposure Category | Male | | Female | | Trans women | | Trans men | | LA State Totals | |
|---------------------------------|---------------|--------------|---------------|--------------|--------------------|--------------|------------------|--------------|------------------------|--------------|
| | No. | % | No. | % | No. | % | No. | % | No. | % |
| GBM | 9,021 | 66.6 | - | - | - | - | - | - | 9,021 | 45.2 |
| Trans women - sex with men | - | - | - | - | 342 | 91.0 | - | - | 342 | 1.7 |
| GBM/PWID | 800 | 5.9 | - | - | - | - | - | - | 800 | 4.0 |
| Trans women - sex with men/PWID | - | - | - | - | 29 | 7.7 | - | - | 29 | 0.1 |
| PWID | 997 | 7.4 | 626 | 10.3 | 1 | 0.3 | 3 | 100.0 | 1,627 | 8.1 |
| HRH | 2,600 | 19.2 | 4,540 | 75.0 | 4 | 1.1 | - | - | 7,144 | 35.8 |
| FPHC | - | - | 750 | 12.4 | - | - | - | - | 750 | 3.8 |
| Transfusion/Hemophilia | 31 | 0.2 | 22 | 0.4 | - | - | - | - | 53 | 0.3 |
| Perinatal | 95 | 0.7 | 112 | 1.9 | - | - | - | - | 207 | 1.0 |
| Confirmed Other | - | - | 1 | 0.0 | - | - | - | - | 1 | 0.0 |
| Total | 13,544 | 100.0 | 6,051 | 100.0 | 376 | 100.0 | 3 | 100.0 | 19,974 | 100.0 |

| | <i>Male</i> | <i>Female</i> | <i>Trans women</i> | <i>Trans men</i> | <i>Total</i> |
|------------------|-------------|---------------|--------------------|------------------|--------------|
| No Reported Risk | 2178 | 335 | 7 | 4 | 2,524 |

**10-Year Trends in Persons Living with HIV
Louisiana, 2011-2020**



Persons Newly Diagnosed with HIV Louisiana, January - December 2020


In 2020, **727** persons were newly diagnosed with HIV in Louisiana.

| | No. | % |
|-------------------------|------------|--------------|
| Gender | | |
| Male | 535 | 73.6 |
| Female | 171 | 23.5 |
| Trans women | 19 | 2.6 |
| Trans men | 2 | 0.3 |
| Age at Diagnosis | | |
| 0-12 | 1 | 0.1 |
| 13-24 | 186 | 25.6 |
| 25-34 | 240 | 33.0 |
| 35-44 | 165 | 22.7 |
| 45+ | 135 | 18.6 |
| Race/Ethnicity | | |
| American Indian | 3 | 0.4 |
| Asian/PI | 3 | 0.4 |
| Black, NH | 506 | 69.6 |
| Hispanic/Latinx | 62 | 8.5 |
| Multi-race | 5 | 0.7 |
| White, NH | 146 | 20.1 |
| Unknown | 2 | 0.3 |
| Total | 727 | 100.0 |

| | No. | % |
|----------------------------|------------|--------------|
| Exposure Category | | |
| GBM | 321 | 56.0 |
| Trans women - sex with men | 17 | 3.0 |
| GBM/PWID | 14 | 2.4 |
| PWID | 36 | 6.3 |
| HRH | 140 | 24.4 |
| FPHC | 43 | 7.5 |
| Perinatal | 2 | 0.3 |
| Total | 573 | 100.0 |

No Reported Risk 154

10-Year Trends in New HIV Diagnoses Louisiana, 2011-2020



Persons Newly Diagnosed with AIDS Louisiana, January - December 2020


In 2020, **367** persons were newly diagnosed with AIDS in Louisiana.

| | No. | % |
|-------------------------|------------|--------------|
| Gender | | |
| Male | 244 | 66.5 |
| Female | 113 | 30.8 |
| Trans women | 10 | 2.7 |
| Age at Diagnosis | | |
| 0-12 | 1 | 0.3 |
| 13-24 | 22 | 6.0 |
| 25-34 | 105 | 28.6 |
| 35-44 | 105 | 28.6 |
| 45+ | 134 | 36.5 |
| Race/Ethnicity | | |
| American Indian | 2 | 0.5 |
| Black, NH | 261 | 71.1 |
| Hispanic/Latinx | 26 | 7.1 |
| Multi-race | 3 | 0.8 |
| White, NH | 74 | 20.2 |
| Unknown | 1 | 0.3 |
| Total | 367 | 100.0 |

| | No. | % |
|----------------------------|------------|--------------|
| Exposure Category | | |
| GBM | 111 | 39.1 |
| Trans women - sex with men | 9 | 3.2 |
| GBM/PWID | 8 | 2.8 |
| PWID | 21 | 7.4 |
| HRH | 96 | 33.8 |
| FPHC | 34 | 12.0 |
| Perinatal | 5 | 1.8 |
| Total | 284 | 100.0 |

No Reported Risk 83

10-Year Trends in New AIDS Diagnoses Louisiana, 2011-2020



Persons Diagnosed with P&S Syphilis
Louisiana, January - June 2021

Between January 1 and June 30, 2021, **430** persons were diagnosed with P&S Syphilis in Louisiana.


| | No. | % |
|-------------------------|------------|--------------|
| Gender | | |
| Male | 309 | 71.9 |
| Female | 115 | 26.7 |
| Trans women | 5 | 1.2 |
| Trans men | 1 | 0.2 |
| Age at Diagnosis | | |
| 13-19 | 33 | 7.7 |
| 20-29 | 167 | 38.8 |
| 30-39 | 130 | 30.2 |
| 40+ | 100 | 23.3 |
| Race/Ethnicity | | |
| Black, NH | 249 | 57.9 |
| Hispanic/Latinx | 17 | 4.0 |
| Multi-race | 9 | 2.1 |
| White, NH | 150 | 34.9 |
| Unknown | 5 | 1.2 |
| Total | 430 | 100.0 |

| <i>Cases with a Reported Risk*</i> | No. | % |
|------------------------------------|-----|------|
| FSF | 16 | 4.4 |
| GBM | 144 | 40.0 |
| GBM/PWID | 1 | 0.3 |
| HRH | 83 | 23.1 |
| Heterosexual contact | 141 | 39.2 |
| Illegal drug use (all types) | 144 | 40.0 |
| Incarceration | 48 | 13.3 |
| PWID | 20 | 5.6 |
| Transactional sex | 26 | 7.2 |

No Reported Risk 70

* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

10-Year Trends in P & S Syphilis Diagnoses
Louisiana, 2011-2020



***Persons Diagnosed with Early non-P&S Syphilis
Louisiana, January - June 2021***

Between January 1 and June 30, 2021, **286** persons were diagnosed with Early non-P&S Syphilis in Louisiana.


| | No. | % |
|-------------------------|------------|--------------|
| Gender | | |
| Male | 195 | 68.2 |
| Female | 82 | 28.7 |
| Trans women | 9 | 3.1 |
| Age at Diagnosis | | |
| 13-19 | 17 | 5.9 |
| 20-29 | 107 | 37.4 |
| 30-39 | 84 | 29.4 |
| 40+ | 78 | 27.3 |
| Race/Ethnicity | | |
| American Indian | 2 | 0.7 |
| Asian/PI | 2 | 0.7 |
| Black, NH | 186 | 65.0 |
| Hispanic/Latinx | 6 | 2.1 |
| Multi-race | 3 | 1.0 |
| White, NH | 84 | 29.4 |
| Unknown | 3 | 1.0 |
| Total | 286 | 100.0 |

| <i>Cases with a Reported Risk*</i> | No. | % |
|------------------------------------|-----|------|
| FSF | 6 | 2.7 |
| GBM | 131 | 59.5 |
| GBM/PWID | 0 | 0.0 |
| HRH | 25 | 11.4 |
| Heterosexual contact | 71 | 32.3 |
| Illegal drug use (all types) | 51 | 23.2 |
| Incarceration | 13 | 5.9 |
| PWID | 4 | 1.8 |
| Transactional sex | 9 | 4.1 |

No Reported Risk 66

* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

**10-Year Trends in Early non-P&S Syphilis Diagnoses
Louisiana, 2011-2020**



***Persons Living with HIV by Parish
as of June 30, 2021***

| <i>Parish</i> | <i>No. PLWH</i> | <i>Parish</i> | <i>No. PLWH</i> |
|------------------|-----------------|----------------------|-----------------|
| Acadia | 267 | Sabine | 24 |
| Allen | 227 | St. Bernard | 218 |
| Ascension | 286 | St. Charles | 222 |
| Assumption | 134 | St. Helena | 93 |
| Avoyelles | 255 | St. James | 95 |
| Beauregard | 51 | St. John the Baptist | 80 |
| Bienville | 91 | St. Landry | 295 |
| Bossier | 587 | St. Martin | 27 |
| Caddo | 1,115 | St. Mary | 77 |
| Calcasieu | 675 | St. Tammany | 639 |
| Caldwell | 26 | Tangipahoa | 291 |
| Cameron | 10 | Tensas | 30 |
| Catahoula | 39 | Terrebonne | 163 |
| Claiborne | 79 | Union | 9 |
| Concordia | 51 | Vermilion | 91 |
| De Soto | 59 | Vernon | 69 |
| East Baton Rouge | 4,286 | Washington | 161 |
| East Carroll | 24 | Webster | 24 |
| East Feliciana | 46 | West Baton Rouge | 120 |
| Evangeline | 98 | West Carroll | 20 |
| Franklin | 73 | West Feliciana | 105 |
| Grant | 71 | Winn | 25 |
| Iberia | 254 | | |
| Iberville | 250 | | |
| Jackson | 68 | | |
| Jefferson | 2,172 | | |
| Jefferson Davis | 31 | | |
| LaSalle | 46 | | |
| Lafayette | 871 | | |
| Lafourche | 159 | | |
| Lincoln | 68 | | |
| Livingston | 387 | | |
| Madison | 40 | | |
| Morehouse | 99 | | |
| Natchitoches | 159 | | |
| Orleans | 5,218 | | |
| Ouachita | 672 | | |
| Plaquemines | 54 | | |
| Pointe Coupee | 65 | | |
| Rapides | 446 | | |
| Red River | 1 | | |
| Richland | 10 | | |

Total PLWH: 22,498

***Persons Diagnosed with Early Syphilis* by Parish
January - June 2021***

| <i>Parish</i> | <i>No. Diagnoses</i> | <i>Parish</i> | <i>No. Diagnoses</i> |
|------------------|----------------------|----------------------|----------------------|
| Acadia | 8 | Sabine | 2 |
| Allen | 0 | St. Bernard | 8 |
| Ascension | 3 | St. Charles | 7 |
| Assumption | 1 | St. Helena | 1 |
| Avoyelles | 9 | St. James | 1 |
| Beauregard | 1 | St. John the Baptist | 8 |
| Bienville | 2 | St. Landry | 3 |
| Bossier | 15 | St. Martin | 5 |
| Caddo | 32 | St. Mary | 8 |
| Calcasieu | 16 | St. Tammany | 14 |
| Caldwell | 3 | Tangipahoa | 19 |
| Cameron | 0 | Tensas | 0 |
| Catahoula | 2 | Terrebonne | 18 |
| Claiborne | 0 | Union | 0 |
| Concordia | 6 | Vermilion | 6 |
| De Soto | 2 | Vernon | 7 |
| East Baton Rouge | 80 | Washington | 4 |
| East Carroll | 0 | Webster | 1 |
| East Feliciana | 0 | West Baton Rouge | 4 |
| Evangeline | 2 | West Carroll | 0 |
| Franklin | 0 | West Feliciana | 0 |
| Grant | 18 | Winn | 0 |
| Iberia | 13 | | |
| Iberville | 1 | | |
| Jackson | 0 | | |
| Jefferson | 68 | | |
| Jefferson Davis | 4 | | |
| LaSalle | 1 | | |
| Lafayette | 34 | | |
| Lafourche | 3 | | |
| Lincoln | 6 | | |
| Livingston | 8 | | |
| Madison | 5 | | |
| Morehouse | 2 | | |
| Natchitoches | 9 | | |
| Orleans | 129 | | |
| Ouachita | 33 | | |
| Plaquemines | 2 | | |
| Pointe Coupee | 2 | | |
| Rapides | 76 | | |
| Red River | 1 | | |
| Richland | 3 | | |

Total Early Syphilis Cases: 716

* A syphilis diagnosis with less than one year duration is considered "early syphilis." This designation covers the primary, secondary, and early non-P&S stages of syphilis.

**Persons Living with HIV
Metro New Orleans
as of June 30, 2021**

Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, & St. Tammany Parishes

8,698 persons are currently living with HIV/AIDS in Metro New Orleans.

Number of persons living with HIV: **4,310**

Number of persons living with AIDS: **4,388**

| | No. | % |
|--------------------|--------------|--------------|
| Gender | | |
| Male | 6,305 | 72.5 |
| Female | 2,195 | 25.2 |
| Trans women | 192 | 2.2 |
| Trans men | 6 | 0.1 |
| Current Age | | |
| 0-12 | 8 | 0.1 |
| 13-19 | 29 | 0.3 |
| 20-24 | 178 | 2.0 |
| 25-29 | 547 | 6.3 |
| 30-34 | 964 | 11.1 |
| 35-39 | 984 | 11.3 |
| 40-44 | 1,033 | 11.9 |
| 45-49 | 913 | 10.5 |
| 50-54 | 982 | 11.3 |
| 55-59 | 1,187 | 13.6 |
| 60+ | 1,873 | 21.5 |
| Total | 8,698 | 100.0 |

| | Male | | Female | | Trans women | | Trans men | | Metro New Orleans Totals | |
|-----------------------|--------------|--------------|---------------|--------------|--------------------|--------------|------------------|--------------|---------------------------------|--------------|
| Race/Ethnicity | No. | % | No. | % | No. | % | No. | % | No. | % |
| American Indian | 12 | 0.2 | 2 | 0.1 | - | - | - | - | 14 | 0.2 |
| Asian/PI | 39 | 0.6 | 6 | 0.3 | 3 | 1.6 | - | - | 48 | 0.6 |
| Black, NH | 3,632 | 57.6 | 1,749 | 79.7 | 157 | 81.8 | 4 | 66.7 | 5,542 | 63.7 |
| Hispanic/Latinx | 480 | 7.6 | 144 | 6.6 | 19 | 9.9 | 1 | 16.7 | 644 | 7.4 |
| Multi-race | 64 | 1.0 | 19 | 0.9 | 1 | 0.5 | - | - | 84 | 1.0 |
| White, NH | 2,072 | 32.9 | 273 | 12.4 | 12 | 6.3 | 1 | 16.7 | 2,358 | 27.1 |
| Unknown | 6 | 0.1 | 2 | 0.1 | - | - | - | - | 8 | 0.1 |
| Total | 6,305 | 100.0 | 2,195 | 100.0 | 192 | 100.0 | 6 | 100.0 | 8,698 | 100.0 |

***Persons Living with HIV
Metro New Orleans
as of June 30, 2021***

Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, & St. Tammany Parishes

| <i>Exposure Category</i> | Male | | Female | | Trans women | | Trans men | | Metro New Orleans Totals | |
|---------------------------------|--------------|--------------|---------------|--------------|--------------------|--------------|------------------|--------------|-------------------------------------|--------------|
| | No. | % | No. | % | No. | % | No. | % | No. | % |
| GBM | 3,939 | 70.8 | - | - | - | - | - | - | 3,939 | 50.5 |
| Trans women - sex with men | - | - | - | - | 173 | 91.5 | - | - | 173 | 2.2 |
| GBM/PWID | 299 | 5.4 | - | - | - | - | - | - | 299 | 3.8 |
| Trans women - sex with men/PWID | - | - | - | - | 15 | 7.9 | - | - | 15 | 0.2 |
| PWID | 333 | 6.0 | 206 | 10.0 | - | - | 2 | 100.0 | 541 | 6.9 |
| HRH | 947 | 17.0 | 1,539 | 75.0 | 1 | 0.5 | - | - | 2,487 | 31.9 |
| FPHC | - | - | 253 | 12.3 | - | - | - | - | 253 | 3.2 |
| Transfusion/Hemophilia | 13 | 0.2 | 9 | 0.4 | - | - | - | - | 22 | 0.3 |
| Perinatal | 30 | 0.5 | 46 | 2.2 | - | - | - | - | 76 | 1.0 |
| <i>Total</i> | 5,561 | 100.0 | 2,053 | 100.0 | 189 | 100.0 | 2 | 100.0 | 7,805 | 100.0 |

| | <i>Male</i> | <i>Female</i> | <i>Trans women</i> | <i>Trans men</i> | <i>Total</i> |
|------------------|-------------|---------------|--------------------|------------------|--------------|
| No Reported Risk | 744 | 142 | 3 | 4 | 893 |

Persons Newly Diagnosed with HIV and AIDS Metro New Orleans

Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, & St. Tammany Parishes

Persons Diagnosed with HIV January - December 2020

In 2020, **221** persons were newly diagnosed with HIV in Metro New Orleans.

| | No. | % | | No. | % |
|-------------------------|------------|--------------|----------------------------|------------|--------------|
| Gender | | | Exposure Category | | |
| Male | 156 | 70.6 | GBM | 101 | 56.1 |
| Female | 56 | 25.3 | Trans women - sex with men | 7 | 3.9 |
| Trans women | 8 | 3.6 | GBM/PWID | 3 | 1.7 |
| Trans men | 1 | 0.5 | PWID | 10 | 5.6 |
| Age at Diagnosis | | | HRH | 40 | 22.2 |
| 0-12 | 1 | 0.5 | FPHC | 17 | 9.4 |
| 13-24 | 50 | 22.6 | Perinatal | 2 | 1.1 |
| 25-34 | 76 | 34.4 | Total | 180 | 100.0 |
| 35-44 | 49 | 22.2 | <u>No Reported Risk 41</u> | | |
| 45+ | 45 | 20.4 | | | |
| Race/Ethnicity | | | | | |
| American Indian | 2 | 0.9 | | | |
| Asian/PI | 2 | 0.9 | | | |
| Black, NH | 146 | 66.1 | | | |
| Hispanic/Latinx | 32 | 14.5 | | | |
| Multi-race | 1 | 0.5 | | | |
| White, NH | 38 | 17.2 | | | |
| Total | 221 | 100.0 | | | |

Persons Diagnosed with AIDS January - December 2020

In 2020, **118** persons were newly diagnosed with AIDS in Metro New Orleans.

| | No. | % | | No. | % |
|-------------------------|------------|--------------|----------------------------|-----------|--------------|
| Gender | | | Exposure Category | | |
| Male | 72 | 61.0 | GBM | 34 | 34.7 |
| Female | 41 | 34.7 | Trans women - sex with men | 4 | 4.1 |
| Trans women | 5 | 4.2 | GBM/PWID | 3 | 3.1 |
| Age at Diagnosis | | | PWID | 9 | 9.2 |
| 0-12 | 1 | 0.8 | HRH | 30 | 30.6 |
| 13-24 | 4 | 3.4 | FPHC | 15 | 15.3 |
| 25-34 | 42 | 35.6 | Perinatal | 3 | 3.1 |
| 35-44 | 33 | 28.0 | Total | 98 | 100.0 |
| 45+ | 38 | 32.2 | <u>No Reported Risk 20</u> | | |
| Race/Ethnicity | | | | | |
| American Indian | 1 | 0.8 | | | |
| Black, NH | 77 | 65.3 | | | |
| Hispanic/Latinx | 16 | 13.6 | | | |
| Multi-race | 2 | 1.7 | | | |
| White, NH | 22 | 18.6 | | | |
| Total | 118 | 100.0 | | | |

Persons Diagnosed with Early Syphilis Metro New Orleans

Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, & St. Tammany Parishes

Persons Diagnosed with P&S Syphilis January - June 2021

Between January 1 through June 30, 2021, **120** persons were newly diagnosed with P&S Syphilis in Metro New Orleans.

| | No. | % |
|-------------------------|------------|--------------|
| Gender | | |
| Male | 102 | 85.0 |
| Female | 16 | 13.3 |
| Trans women | 2 | 1.7 |
| Age at Diagnosis | | |
| 13-19 | 10 | 8.3 |
| 20-29 | 39 | 32.5 |
| 30-39 | 40 | 33.3 |
| 40+ | 31 | 25.8 |
| Race/Ethnicity | | |
| Black, NH | 77 | 64.2 |
| Hispanic/Latinx | 8 | 6.7 |
| Multi-race | 1 | 0.8 |
| White, NH | 34 | 28.3 |
| Total | 120 | 100.0 |

| <i>Cases with a Reported Risk*</i> | No. | % |
|------------------------------------|-----|------|
| FSF | 1 | 1.0 |
| GBM | 66 | 65.3 |
| GBM/PWID | 1 | 1.0 |
| HRH | 11 | 10.9 |
| Heterosexual contact | 26 | 25.7 |
| Illegal drug use (all types) | 27 | 26.7 |
| Incarceration | 8 | 7.9 |
| PWID | 1 | 1.0 |
| Transactional sex | 3 | 3.0 |

No Reported Risk 19

Persons Diagnosed with Early non-P&S Syphilis January - June 2021

Between January 1 through June 30, 2021, **117** persons were newly diagnosed with Early non-P&S Syphilis in Metro New Orleans.

| | No. | % |
|-------------------------|------------|--------------|
| Gender | | |
| Male | 95 | 81.2 |
| Female | 18 | 15.4 |
| Trans women | 4 | 3.4 |
| Age at Diagnosis | | |
| 13-19 | 5 | 4.3 |
| 20-29 | 36 | 30.8 |
| 30-39 | 34 | 29.1 |
| 40+ | 42 | 35.9 |
| Race/Ethnicity | | |
| Asian/PI | 1 | 0.9 |
| Black, NH | 77 | 65.8 |
| Hispanic/Latinx | 5 | 4.3 |
| Multi-race | 1 | 0.9 |
| White, NH | 32 | 27.4 |
| Unknown | 1 | 0.9 |
| Total | 117 | 100.0 |

| <i>Case with a Reported Risk*</i> | No. | % |
|-----------------------------------|-----|------|
| FSF | 1 | 1.2 |
| GBM | 67 | 77.9 |
| GBM/PWID | 0 | 0.0 |
| HRH | 9 | 10.5 |
| Heterosexual contact | 15 | 17.4 |
| Illegal drug use (all types) | 16 | 18.6 |
| Incarceration | 5 | 5.8 |
| PWID | 0 | 0.0 |
| Transactional sex | 3 | 3.5 |

No Reported Risk 31

* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

Persons Living with HIV
Metro Baton Rouge
as of June 30, 2021

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, & West Feliciana Parishes

5,638 persons are currently living with HIV/AIDS in Metro Baton Rouge.

Number of persons living with HIV: **2,831**

Number of persons living with AIDS: **2,807**

| | No. | % |
|--------------------|--------------|--------------|
| Gender | | |
| Male | 3,592 | 63.7 |
| Female | 1,956 | 34.7 |
| Trans women | 89 | 1.6 |
| Trans men | 1 | 0.0 |
| Current Age | | |
| 0-12 | 10 | 0.2 |
| 13-19 | 32 | 0.6 |
| 20-24 | 166 | 2.9 |
| 25-29 | 377 | 6.7 |
| 30-34 | 612 | 10.9 |
| 35-39 | 660 | 11.7 |
| 40-44 | 725 | 12.9 |
| 45-49 | 664 | 11.8 |
| 50-54 | 670 | 11.9 |
| 55-59 | 677 | 12.0 |
| 60+ | 1,045 | 18.5 |
| Total | 5,638 | 100.0 |

| | Male | | Female | | Trans women | | Trans men | | Metro Baton Rouge Totals | |
|-----------------------|--------------|--------------|---------------|--------------|--------------------|--------------|------------------|--------------|---------------------------------|--------------|
| Race/Ethnicity | No. | % | No. | % | No. | % | No. | % | No. | % |
| American Indian | 6 | 0.2 | 1 | 0.1 | - | - | - | - | 7 | 0.1 |
| Asian/PI | 9 | 0.3 | 6 | 0.3 | - | - | - | - | 15 | 0.3 |
| Black, NH | 2,764 | 76.9 | 1,741 | 89.0 | 77 | 86.5 | - | - | 4,582 | 81.3 |
| Hispanic/Latinx | 93 | 2.6 | 25 | 1.3 | 4 | 4.5 | - | - | 122 | 2.2 |
| Multi-race | 27 | 0.8 | 8 | 0.4 | 1 | 1.1 | - | - | 36 | 0.6 |
| White, NH | 691 | 19.2 | 175 | 8.9 | 7 | 7.9 | 1 | 100.0 | 874 | 15.5 |
| Unknown | 2 | 0.1 | - | - | - | - | - | - | 2 | 0.0 |
| Total | 3,592 | 100.0 | 1,956 | 100.0 | 89 | 100.0 | 1 | 100.0 | 5,638 | 100.0 |

Persons Living with HIV
Metro Baton Rouge
as of June 30, 2021

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, & West Feliciana Parishes

| Exposure Category | Male | | Female | | Trans women | | Trans men | | Metro Baton Rouge Totals | |
|---------------------------------|--------------|--------------|---------------|--------------|--------------------|--------------|------------------|--------------|---------------------------------|--------------|
| | No. | % | No. | % | No. | % | No. | % | No. | % |
| GBM | 1,761 | 56.6 | - | - | - | - | - | - | 1,761 | 34.6 |
| Trans women - sex with men | - | - | - | - | 77 | 88.5 | - | - | 77 | 1.5 |
| GBM/PWID | 180 | 5.8 | - | - | - | - | - | - | 180 | 3.5 |
| Trans women - sex with men/PWID | - | - | - | - | 8 | 9.2 | - | - | 8 | 0.2 |
| PWID | 323 | 10.4 | 191 | 10.1 | - | - | 1 | 100.0 | 515 | 10.1 |
| HRH | 810 | 26.0 | 1,473 | 77.9 | 2 | 2.3 | - | - | 2,285 | 44.9 |
| FPHC | - | - | 192 | 10.2 | - | - | - | - | 192 | 3.8 |
| Transfusion/Hemophilia | 6 | 0.2 | 6 | 0.3 | - | - | - | - | 12 | 0.2 |
| Perinatal | 33 | 1.1 | 29 | 1.5 | - | - | - | - | 62 | 1.2 |
| Total | 3,113 | 100.0 | 1,891 | 100.0 | 87 | 100.0 | 1 | 100.0 | 5,092 | 100.0 |

| | <i>Male</i> | <i>Female</i> | <i>Trans women</i> | <i>Trans men</i> | <i>Total</i> |
|------------------|-------------|---------------|--------------------|------------------|--------------|
| No Reported Risk | 479 | 65 | 2 | 0 | 546 |

Persons Newly Diagnosed with HIV and AIDS Metro Baton Rouge

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, & West Feliciana Parishes

Persons Diagnosed with HIV January - December 2020

In 2020, **159** persons were newly diagnosed with HIV in Metro Baton Rouge.

| | No. | % | | No. | % |
|-------------------------|------------|--------------|----------------------------|------------|--------------|
| Gender | | | Exposure Category | | |
| Male | 119 | 74.8 | GBM | 73 | 54.5 |
| Female | 35 | 22.0 | Trans women - sex with men | 3 | 2.2 |
| Trans women | 4 | 2.5 | GBM/PWID | 5 | 3.7 |
| Trans men | 1 | 0.6 | PWID | 9 | 6.7 |
| Age at Diagnosis | | | HRH | 38 | 28.4 |
| 13-24 | 43 | 27.0 | FPHC | 6 | 4.5 |
| 25-34 | 58 | 36.5 | Total | 134 | 100.0 |
| 35-44 | 37 | 23.3 | | | |
| 45+ | 21 | 13.2 | <u>No Reported Risk 25</u> | | |
| Race/Ethnicity | | | | | |
| Black, NH | 123 | 77.4 | | | |
| Hispanic/Latinx | 5 | 3.1 | | | |
| Multi-race | 1 | 0.6 | | | |
| White, NH | 29 | 18.2 | | | |
| Unknown | 1 | 0.6 | | | |
| Total | 159 | 100.0 | | | |

Persons Diagnosed with AIDS January - December 2020

In 2020, **87** persons were newly diagnosed with AIDS in Metro Baton Rouge.

| | No. | % | | No. | % |
|-------------------------|-----------|--------------|----------------------------|-----------|--------------|
| Gender | | | Exposure Category | | |
| Male | 59 | 67.8 | GBM | 26 | 37.7 |
| Female | 26 | 29.9 | Trans women - sex with men | 2 | 2.9 |
| Trans women | 2 | 2.3 | GBM/PWID | 3 | 4.3 |
| Age at Diagnosis | | | PWID | 6 | 8.7 |
| 13-24 | 5 | 5.7 | HRH | 26 | 37.7 |
| 25-34 | 23 | 26.4 | FPHC | 5 | 7.2 |
| 35-44 | 26 | 29.9 | Perinatal | 1 | 1.4 |
| 45+ | 33 | 37.9 | Total | 69 | 100.0 |
| Race/Ethnicity | | | | | |
| Black, NH | 71 | 81.6 | <u>No Reported Risk 18</u> | | |
| Hispanic/Latinx | 1 | 1.1 | | | |
| White, NH | 15 | 17.2 | | | |
| Total | 87 | 100.0 | | | |

Persons Diagnosed with Early Syphilis Metro Baton Rouge

*Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge,
& West Feliciana Parishes*

Persons Diagnosed with P&S Syphilis January - June 2021

Between January 1 through June 30, 2021, **57** persons were newly diagnosed with P&S Syphilis in Metro Baton Rouge.

| | No. | % |
|-------------------------|-----------|--------------|
| Gender | | |
| Male | 42 | 73.7 |
| Female | 15 | 26.3 |
| Age at Diagnosis | | |
| 13-19 | 7 | 12.3 |
| 20-29 | 25 | 43.9 |
| 30-39 | 15 | 26.3 |
| 40+ | 10 | 17.5 |
| Race/Ethnicity | | |
| Black, NH | 38 | 66.7 |
| White, NH | 17 | 29.8 |
| Unknown | 2 | 3.5 |
| Total | 57 | 100.0 |

| <i>Cases with a Reported Risk*</i> | No. | % |
|------------------------------------|-----|------|
| FSF | 1 | 2.2 |
| GBM | 20 | 43.5 |
| GBM/PWID | 0 | 0.0 |
| HRH | 12 | 26.1 |
| Heterosexual contact | 14 | 30.4 |
| Illegal drug use (all types) | 12 | 26.1 |
| Incarceration | 3 | 6.5 |
| PWID | 4 | 8.7 |
| Transactional sex | 4 | 8.7 |

No Reported Risk 11

Persons Diagnosed with Early non-P&S Syphilis January - March 2021

Between January 1 through June 30, 2021, **42** persons were newly diagnosed with Early non-P&S Syphilis in Metro Baton Rouge.

| | No. | % |
|-------------------------|-----------|--------------|
| Gender | | |
| Male | 30 | 71.4 |
| Female | 10 | 23.8 |
| Trans women | 2 | 4.8 |
| Age at Diagnosis | | |
| 13-19 | 2 | 4.8 |
| 20-29 | 19 | 45.2 |
| 30-39 | 12 | 28.6 |
| 40+ | 9 | 21.4 |
| Race/Ethnicity | | |
| American Indian | 1 | 2.4 |
| Black, NH | 30 | 71.4 |
| Multi-race | 1 | 2.4 |
| White, NH | 9 | 21.4 |
| Unknown | 1 | 2.4 |
| Total | 42 | 100.0 |

| <i>Cases with a Reported Risk*</i> | No. | % |
|------------------------------------|-----|------|
| FSF | 0 | 0.0 |
| GBM | 24 | 70.6 |
| GBM/PWID | 0 | 0.0 |
| HRH | 3 | 8.8 |
| Heterosexual contact | 10 | 29.4 |
| Illegal drug use (all types) | 4 | 11.8 |
| Incarceration | 0 | 0.0 |
| PWID | 0 | 0.0 |
| Transactional sex | 2 | 5.9 |

No Reported Risk 8

* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

Persons Living with HIV/AIDS by Region as of June 30, 2021

| | <i>New HIV Diagnoses 2020 Calendar Year</i> | <i>New AIDS Diagnoses 2020 Calendar Year</i> | <i>Persons Living with HIV(nonAIDS) thru 6-30-2021</i> | <i>Persons Living with AIDS thru 6-30-2021</i> | <i>Persons Living with HIV or AIDS thru 6-30-2021</i> |
|-------------|---|--|--|--|---|
| Region 1 | 187 | 100 | 3,801 | 3,861 | 7,662 |
| Region 2 | 149 | 85 | 2,586 | 2,572 | 5,158 |
| Region 3 | 35 | 16 | 451 | 479 | 930 |
| Region 4 | 86 | 35 | 1,016 | 887 | 1,903 |
| Region 5 | 31 | 18 | 515 | 479 | 994 |
| Region 6 | 44 | 23 | 524 | 478 | 1,002 |
| Region 7 | 78 | 40 | 1,094 | 1,045 | 2,139 |
| Region 8 | 51 | 20 | 589 | 550 | 1,139 |
| Region 9 | 66 | 30 | 773 | 798 | 1,571 |
| State Total | 727 | 367 | 11,349 | 11,149 | 22,498 |



Region 1 (New Orleans): Jefferson, Orleans, Plaquemines, St. Bernard

Region 2 (Baton Rouge): Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana

Region 3 (Houma): Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne

Region 4 (Lafayette): Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermilion

Region 5 (Lake Charles): Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis

Region 6 (Alexandria): Avoyelles, Catahoula, Concordia, Grant, LaSalle, Rapides, Vernon, Winn

Region 7 (Shreveport): Bienville, Bossier, Caddo, Claiborne, De Soto, Natchitoches, Red River, Sabine, Webster

Region 8 (Monroe): Caldwell, East Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, West Carroll

Region 9 (Hammond/Slidell): Livingston, St. Helena, St. Tammany, Tangipahoa, Washington

Persons Living with HIV
Region 1: New Orleans Region
as of June 30, 2021

Jefferson, Orleans, Plaquemines & St. Bernard Parishes

| | No. | % |
|--------------------|--------------|--------------|
| Gender | | |
| Male | 5,572 | 72.7 |
| Female | 1,908 | 24.9 |
| Trans women | 178 | 2.3 |
| Trans men | 4 | 0.1 |
| Current Age | | |
| 0-12 | 8 | 0.1 |
| 13-19 | 23 | 0.3 |
| 20-24 | 152 | 2.0 |
| 25-29 | 475 | 6.2 |
| 30-34 | 842 | 11.0 |
| 35-39 | 869 | 11.3 |
| 40-44 | 914 | 11.9 |
| 45-49 | 810 | 10.6 |
| 50-54 | 863 | 11.3 |
| 55-59 | 1,044 | 13.6 |
| 60+ | 1,662 | 21.7 |
| Total | 7,662 | 100.0 |

| | Male | | Female | | Trans women | | Trans men | | Region 1 Totals | |
|-----------------------|--------------|--------------|---------------|--------------|--------------------|--------------|------------------|--------------|------------------------|--------------|
| | No. | % | No. | % | No. | % | No. | % | No. | % |
| Race/Ethnicity | | | | | | | | | | |
| American Indian | 10 | 0.2 | 2 | 0.1 | - | - | - | - | 12 | 0.2 |
| Asian/PI | 36 | 0.6 | 4 | 0.2 | 3 | 1.7 | - | - | 43 | 0.6 |
| Black, NH | 3,289 | 59.0 | 1,554 | 81.4 | 146 | 82.0 | 3 | 75.0 | 4,992 | 65.2 |
| Hispanic/Latinx | 440 | 7.9 | 129 | 6.8 | 18 | 10.1 | 1 | 25.0 | 588 | 7.7 |
| Multi-race | 57 | 1.0 | 15 | 0.8 | 1 | 0.6 | - | - | 73 | 1.0 |
| White, NH | 1,734 | 31.1 | 202 | 10.6 | 10 | 5.6 | - | - | 1,946 | 25.4 |
| Unknown | 6 | 0.1 | 2 | 0.1 | - | - | - | - | 8 | 0.1 |
| Total | 5,572 | 100.0 | 1,908 | 100.0 | 178 | 100.0 | 4 | 100.0 | 7,662 | 100.0 |

| | Male | | Female | | Trans women | | Trans men | | Region 1 Totals | |
|---------------------------------|--------------|--------------|---------------|--------------|--------------------|--------------|------------------|--------------|------------------------|--------------|
| | No. | % | No. | % | No. | % | No. | % | No. | % |
| Exposure Category | | | | | | | | | | |
| GBM | 3,480 | 70.6 | - | - | - | - | - | - | 3,480 | 50.5 |
| Trans women - sex with men | - | - | - | - | 159 | 90.9 | - | - | 159 | 2.3 |
| GBM/PWID | 266 | 5.4 | - | - | - | - | - | - | 266 | 3.9 |
| Trans women - sex with men/PWID | - | - | - | - | 15 | 8.6 | - | - | 15 | 0.2 |
| PWID | 297 | 6.0 | 177 | 9.9 | - | - | 1 | 100.0 | 475 | 6.9 |
| HRH | 850 | 17.2 | 1,349 | 75.5 | 1 | 0.6 | - | - | 2,200 | 31.9 |
| FPHC | - | - | 211 | 11.8 | - | - | - | - | 211 | 3.1 |
| Transfusion/Hemophilia | 11 | 0.2 | 9 | 0.5 | - | - | - | - | 20 | 0.3 |
| Perinatal | 24 | 0.5 | 40 | 2.2 | - | - | - | - | 64 | 0.9 |
| Total | 4,928 | 100.0 | 1,786 | 100.0 | 175 | 100.0 | 1 | 100.0 | 6,890 | 100.0 |

| | Male | Female | Trans women | Trans men | Total |
|------------------|------|--------|-------------|-----------|-------|
| No Reported Risk | 644 | 122 | 3 | 3 | 772 |

Persons Living with HIV
Region 2: Baton Rouge Region
as of June 30, 2021

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, & West Feliciana Parishes

| | No. | % |
|--------------------|--------------|--------------|
| Gender | | |
| Male | 3,268 | 63.4 |
| Female | 1,806 | 35.0 |
| Trans women | 84 | 1.6 |
| Current Age | | |
| 0-12 | 9 | 0.2 |
| 13-19 | 27 | 0.5 |
| 20-24 | 156 | 3.0 |
| 25-29 | 353 | 6.8 |
| 30-34 | 566 | 11.0 |
| 35-39 | 611 | 11.8 |
| 40-44 | 682 | 13.2 |
| 45-49 | 596 | 11.6 |
| 50-54 | 597 | 11.6 |
| 55-59 | 605 | 11.7 |
| 60+ | 956 | 18.5 |
| Total | 5,158 | 100.0 |

| | Male | | Female | | Trans women | | Region 2 Totals | |
|-----------------------|--------------|--------------|---------------|--------------|--------------------|--------------|------------------------|--------------|
| | No. | % | No. | % | No. | % | No. | % |
| Race/Ethnicity | | | | | | | | |
| American Indian | 6 | 0.2 | 1 | 0.1 | - | - | 7 | 0.1 |
| Asian/PI | 9 | 0.3 | 4 | 0.2 | - | - | 13 | 0.3 |
| Black, NH | 2,595 | 79.4 | 1,646 | 91.1 | 73 | 86.9 | 4,314 | 83.6 |
| Hispanic/Latinx | 82 | 2.5 | 23 | 1.3 | 4 | 4.8 | 109 | 2.1 |
| Multi-race | 25 | 0.8 | 8 | 0.4 | 1 | 1.2 | 34 | 0.7 |
| White, NH | 549 | 16.8 | 124 | 6.9 | 6 | 7.1 | 679 | 13.2 |
| Unknown | 2 | 0.1 | - | - | - | - | 2 | 0.0 |
| Total | 3,268 | 100.0 | 1,806 | 100.0 | 84 | 100.0 | 5,158 | 100.0 |

| | Male | | Female | | Trans women | | Region 2 Totals | |
|---------------------------------|--------------|--------------|---------------|--------------|--------------------|--------------|------------------------|--------------|
| | No. | % | No. | % | No. | % | No. | % |
| Exposure Category | | | | | | | | |
| GBM | 1,584 | 55.9 | - | - | - | - | 1,584 | 34.0 |
| Trans women - sex with men | - | - | - | - | 72 | 87.8 | 72 | 1.5 |
| GBM/PWID | 157 | 5.5 | - | - | - | - | 157 | 3.4 |
| Trans women - sex with men/PWID | - | - | - | - | 8 | 9.8 | 8 | 0.2 |
| PWID | 302 | 10.7 | 172 | 9.9 | - | - | 474 | 10.2 |
| HRH | 757 | 26.7 | 1,371 | 78.6 | 2 | 2.4 | 2,130 | 45.7 |
| FPHC | - | - | 170 | 9.7 | - | - | 170 | 3.6 |
| Transfusion/Hemophilia | 4 | 0.1 | 6 | 0.3 | - | - | 10 | 0.2 |
| Perinatal | 30 | 1.1 | 26 | 1.5 | - | - | 56 | 1.2 |
| Total | 2,834 | 100.0 | 1,745 | 100.0 | 82 | 100.0 | 4,661 | 100.0 |

| | Male | Female | Trans women | Total |
|------------------|------|--------|-------------|-------|
| No Reported Risk | 434 | 61 | 2 | 497 |

Persons Living with HIV

Region 3: Houma Region

as of June 30, 2021

Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, & Terrebonne Parishes

| | No. | % |
|--------------------|------------|--------------|
| Gender | | |
| Male | 603 | 64.8 |
| Female | 314 | 33.8 |
| Trans women | 12 | 1.3 |
| Trans men | 1 | 0.1 |
| Current Age | | |
| 0-12 | 2 | 0.2 |
| 13-19 | 4 | 0.4 |
| 20-24 | 28 | 3.0 |
| 25-29 | 87 | 9.4 |
| 30-34 | 116 | 12.5 |
| 35-39 | 109 | 11.7 |
| 40-44 | 100 | 10.8 |
| 45-49 | 101 | 10.9 |
| 50-54 | 104 | 11.2 |
| 55-59 | 115 | 12.4 |
| 60+ | 164 | 17.6 |
| Total | 930 | 100.0 |

| | Male | | Female | | Trans women | | Trans men | | Region 3 Totals | |
|-----------------------|------------|--------------|------------|--------------|-------------|--------------|-----------|--------------|-----------------|--------------|
| | No. | % | No. | % | No. | % | No. | % | No. | % |
| Race/Ethnicity | | | | | | | | | | |
| American Indian | 4 | 0.7 | 1 | 0.3 | - | - | - | - | 5 | 0.5 |
| Asian/PI | - | - | 2 | 0.6 | - | - | - | - | 2 | 0.2 |
| Black, NH | 335 | 55.6 | 216 | 68.8 | 9 | 75.0 | 1 | 100.0 | 561 | 60.3 |
| Hispanic/Latinx | 29 | 4.8 | 15 | 4.8 | 1 | 8.3 | - | - | 45 | 4.8 |
| Multi-race | 6 | 1.0 | 5 | 1.6 | - | - | - | - | 11 | 1.2 |
| White, NH | 228 | 37.8 | 75 | 23.9 | 2 | 16.7 | - | - | 305 | 32.8 |
| Unknown | 1 | 0.2 | - | - | - | - | - | - | 1 | 0.1 |
| Total | 603 | 100.0 | 314 | 100.0 | 12 | 100.0 | 1 | 100.0 | 930 | 100.0 |

| | Male | | Female | | Trans women | | Region 3 Totals | |
|----------------------------|------------|--------------|------------|--------------|-------------|--------------|-----------------|--------------|
| | No. | % | No. | % | No. | % | No. | % |
| Exposure Category | | | | | | | | |
| GBM | 359 | 69.4 | - | - | - | - | 359 | 43.5 |
| Trans women - sex with men | - | - | - | - | 12 | 100.0 | 12 | 1.5 |
| GBM/PWID | 22 | 4.3 | - | - | - | - | 22 | 2.7 |
| PWID | 36 | 7.0 | 23 | 7.8 | - | - | 59 | 7.2 |
| HRH | 93 | 18.0 | 214 | 72.3 | - | - | 307 | 37.2 |
| FPHC | - | - | 52 | 17.6 | - | - | 52 | 6.3 |
| Perinatal | 7 | 1.4 | 7 | 2.4 | - | - | 14 | 1.7 |
| Total | 517 | 100.0 | 296 | 100.0 | 12 | 100.0 | 825 | 100.0 |

| | Male | Female | Trans women | Trans men | Total |
|------------------|------|--------|-------------|-----------|-------|
| No Reported Risk | 86 | 18 | 0 | 1 | 105 |

Persons Living with HIV**Region 4: Lafayette Region****as of June 30, 2021***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, & Vermilion Parishes*

| | No. | % |
|--------------------|--------------|--------------|
| Gender | | |
| Male | 1,426 | 74.9 |
| Female | 457 | 24.0 |
| Trans women | 20 | 1.1 |
| Current Age | | |
| 0-12 | 2 | 0.1 |
| 13-19 | 12 | 0.6 |
| 20-24 | 66 | 3.5 |
| 25-29 | 177 | 9.3 |
| 30-34 | 237 | 12.5 |
| 35-39 | 209 | 11.0 |
| 40-44 | 202 | 10.6 |
| 45-49 | 150 | 7.9 |
| 50-54 | 224 | 11.8 |
| 55-59 | 270 | 14.2 |
| 60+ | 354 | 18.6 |
| Total | 1,903 | 100.0 |

| | Male | | Female | | Trans women | | Region 4 Totals | |
|-----------------------|--------------|--------------|---------------|--------------|--------------------|--------------|------------------------|--------------|
| | No. | % | No. | % | No. | % | No. | % |
| Race/Ethnicity | | | | | | | | |
| American Indian | 3 | 0.2 | 2 | 0.4 | - | - | 5 | 0.3 |
| Asian/PI | 9 | 0.6 | 5 | 1.1 | - | - | 14 | 0.7 |
| Black, NH | 745 | 52.2 | 312 | 68.3 | 16 | 80.0 | 1,073 | 56.4 |
| Hispanic/Latinx | 87 | 6.1 | 10 | 2.2 | 1 | 5.0 | 98 | 5.1 |
| Multi-race | 17 | 1.2 | 4 | 0.9 | - | - | 21 | 1.1 |
| White, NH | 565 | 39.6 | 124 | 27.1 | 3 | 15.0 | 692 | 36.4 |
| Total | 1,426 | 100.0 | 457 | 100.0 | 20 | 100.0 | 1,903 | 100.0 |

| | Male | | Female | | Trans women | | Region 4 Totals | |
|---------------------------------|--------------|--------------|---------------|--------------|--------------------|--------------|------------------------|--------------|
| | No. | % | No. | % | No. | % | No. | % |
| Exposure Category | | | | | | | | |
| GBM | 871 | 73.7 | - | - | - | - | 871 | 53.4 |
| Trans women - sex with men | - | - | - | - | 19 | 95.0 | 19 | 1.2 |
| GBM/PWID | 71 | 6.0 | - | - | - | - | 71 | 4.4 |
| Trans women - sex with men/PWID | - | - | - | - | 1 | 5.0 | 1 | 0.1 |
| PWID | 65 | 5.5 | 45 | 10.5 | - | - | 110 | 6.7 |
| HRH | 163 | 13.8 | 344 | 80.2 | - | - | 507 | 31.1 |
| FPHC | - | - | 35 | 8.2 | - | - | 35 | 2.1 |
| Transfusion/Hemophilia | 4 | 0.3 | 1 | 0.2 | - | - | 5 | 0.3 |
| Perinatal | 8 | 0.7 | 3 | 0.7 | - | - | 11 | 0.7 |
| Confirmed Other | - | - | 1 | 0.2 | - | - | 1 | 0.1 |
| Total | 1,182 | 100.0 | 429 | 100.0 | 20 | 100.0 | 1,631 | 100.0 |

| | <i>Male</i> | <i>Female</i> | <i>Trans women</i> | <i>Total</i> |
|------------------|-------------|---------------|--------------------|--------------|
| No Reported Risk | 244 | 28 | 0 | 272 |

Persons Living with HIV
Region 5: Lake Charles Region
as of June 30, 2021

Allen, Beauregard, Calcasieu, Cameron, & Jefferson Davis Parishes

| | No. | % |
|--------------------|------------|--------------|
| Gender | | |
| Male | 745 | 74.9 |
| Female | 235 | 23.6 |
| Trans women | 14 | 1.4 |
| Current Age | | |
| 0-12 | 2 | 0.2 |
| 13-19 | 5 | 0.5 |
| 20-24 | 29 | 2.9 |
| 25-29 | 67 | 6.7 |
| 30-34 | 94 | 9.5 |
| 35-39 | 103 | 10.4 |
| 40-44 | 120 | 12.1 |
| 45-49 | 107 | 10.8 |
| 50-54 | 136 | 13.7 |
| 55-59 | 139 | 14.0 |
| 60+ | 192 | 19.3 |
| Total | 994 | 100.0 |

| | Male | | Female | | Trans women | | Region 5 Totals | |
|-----------------------|-------------|--------------|---------------|--------------|--------------------|--------------|------------------------|--------------|
| Race/Ethnicity | No. | % | No. | % | No. | % | No. | % |
| American Indian | - | - | - | - | 1 | 7.1 | 1 | 0.1 |
| Asian/PI | 3 | 0.4 | 1 | 0.4 | - | - | 4 | 0.4 |
| Black, NH | 375 | 50.3 | 152 | 64.7 | 13 | 92.9 | 540 | 54.3 |
| Hispanic/Latinx | 92 | 12.3 | 7 | 3.0 | - | - | 99 | 10.0 |
| Multi-race | 14 | 1.9 | 3 | 1.3 | - | - | 17 | 1.7 |
| White, NH | 259 | 34.8 | 71 | 30.2 | - | - | 330 | 33.2 |
| Unknown | 2 | 0.3 | 1 | 0.4 | - | - | 3 | 0.3 |
| Total | 745 | 100.0 | 235 | 100.0 | 14 | 100.0 | 994 | 100.0 |

| | Male | | Female | | Trans women | | Region 5 Totals | |
|----------------------------|-------------|--------------|---------------|--------------|--------------------|--------------|------------------------|--------------|
| Exposure Category | No. | % | No. | % | No. | % | No. | % |
| GBM | 352 | 59.8 | - | - | - | - | 352 | 42.9 |
| Trans women - sex with men | - | - | - | - | 14 | 100.0 | 14 | 1.7 |
| GBM/PWID | 51 | 8.7 | - | - | - | - | 51 | 6.2 |
| PWID | 72 | 12.2 | 32 | 14.7 | - | - | 104 | 12.7 |
| HRH | 108 | 18.3 | 148 | 68.2 | - | - | 256 | 31.2 |
| FPHC | - | - | 27 | 12.4 | - | - | 27 | 3.3 |
| Transfusion/Hemophilia | 3 | 0.5 | - | - | - | - | 3 | 0.4 |
| Perinatal | 3 | 0.5 | 10 | 4.6 | - | - | 13 | 1.6 |
| Total | 589 | 100.0 | 217 | 100.0 | 14 | 100.0 | 820 | 100.0 |

| | Male | Female | Trans women | Total |
|------------------|-------------|---------------|--------------------|--------------|
| No Reported Risk | 156 | 18 | 0 | 174 |

Persons Living with HIV
Region 6: Alexandria Region
as of June 30, 2021

Avoyelles, Catahoula, Concordia, Grant, LaSalle, Rapides, Vernon, & Winn Parishes

| | No. | % |
|--------------------|--------------|--------------|
| Gender | | |
| Male | 719 | 71.8 |
| Female | 275 | 27.4 |
| Trans women | 8 | 0.8 |
| Current Age | | |
| 0-12 | 2 | 0.2 |
| 13-19 | 2 | 0.2 |
| 20-24 | 20 | 2.0 |
| 25-29 | 59 | 5.9 |
| 30-34 | 111 | 11.1 |
| 35-39 | 125 | 12.5 |
| 40-44 | 124 | 12.4 |
| 45-49 | 125 | 12.5 |
| 50-54 | 107 | 10.7 |
| 55-59 | 137 | 13.7 |
| 60+ | 190 | 19.0 |
| Total | 1,002 | 100.0 |

| | Male | | Female | | Trans women | | Region 6 Totals | |
|-----------------------|-------------|--------------|---------------|--------------|--------------------|--------------|------------------------|--------------|
| | No. | % | No. | % | No. | % | No. | % |
| Race/Ethnicity | | | | | | | | |
| American Indian | - | - | 2 | 0.7 | - | - | 2 | 0.2 |
| Asian/PI | 3 | 0.4 | 1 | 0.4 | - | - | 4 | 0.4 |
| Black, NH | 416 | 57.9 | 211 | 76.7 | 5 | 62.5 | 632 | 63.1 |
| Hispanic/Latinx | 74 | 10.3 | 5 | 1.8 | - | - | 79 | 7.9 |
| Multi-race | 5 | 0.7 | 3 | 1.1 | - | - | 8 | 0.8 |
| White, NH | 219 | 30.5 | 53 | 19.3 | 3 | 37.5 | 275 | 27.4 |
| Unknown | 2 | 0.3 | - | - | - | - | 2 | 0.2 |
| Total | 719 | 100.0 | 275 | 100.0 | 8 | 100.0 | 1,002 | 100.0 |

| | Male | | Female | | Trans women | | Region 6 Totals | |
|---------------------------------|-------------|--------------|---------------|--------------|--------------------|--------------|------------------------|--------------|
| | No. | % | No. | % | No. | % | No. | % |
| Exposure Category | | | | | | | | |
| GBM | 364 | 61.0 | - | - | - | - | 364 | 41.8 |
| Trans women - sex with men | - | - | - | - | 6 | 75.0 | 6 | 0.7 |
| GBM/PWID | 36 | 6.0 | - | - | - | - | 36 | 4.1 |
| Trans women - sex with men/PWID | - | - | - | - | 2 | 25.0 | 2 | 0.2 |
| PWID | 57 | 9.5 | 21 | 7.9 | - | - | 78 | 9.0 |
| HRH | 133 | 22.3 | 202 | 75.9 | - | - | 335 | 38.5 |
| FPHC | - | - | 39 | 14.7 | - | - | 39 | 4.5 |
| Transfusion/Hemophilia | 2 | 0.3 | 1 | 0.4 | - | - | 3 | 0.3 |
| Perinatal | 5 | 0.8 | 3 | 1.1 | - | - | 8 | 0.9 |
| Total | 597 | 100.0 | 266 | 100.0 | 8 | 100.0 | 871 | 100.0 |

| | Male | Female | Trans women | Total |
|------------------|------|--------|-------------|-------|
| No Reported Risk | 122 | 9 | 0 | 131 |

Persons Living with HIV
Region 7: Shreveport Region
as of June 30, 2021

Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, & Webster Parishes

| | No. | % |
|--------------------|--------------|--------------|
| Gender | | |
| Male | 1,491 | 69.7 |
| Female | 620 | 29.0 |
| Trans women | 28 | 1.3 |
| Current Age | | |
| 0-12 | 1 | 0.0 |
| 13-19 | 8 | 0.4 |
| 20-24 | 61 | 2.9 |
| 25-29 | 214 | 10.0 |
| 30-34 | 310 | 14.5 |
| 35-39 | 266 | 12.4 |
| 40-44 | 284 | 13.3 |
| 45-49 | 221 | 10.3 |
| 50-54 | 229 | 10.7 |
| 55-59 | 215 | 10.1 |
| 60+ | 330 | 15.4 |
| Total | 2,139 | 100.0 |

| | Male | | Female | | Trans women | | Region 7 Totals | |
|-----------------------|--------------|--------------|---------------|--------------|--------------------|--------------|------------------------|--------------|
| | No. | % | No. | % | No. | % | No. | % |
| Race/Ethnicity | | | | | | | | |
| American Indian | 10 | 0.7 | 2 | 0.3 | - | - | 12 | 0.6 |
| Asian/PI | 4 | 0.3 | 1 | 0.2 | - | - | 5 | 0.2 |
| Black, NH | 1,050 | 70.4 | 506 | 81.6 | 26 | 92.9 | 1,582 | 74.0 |
| Hispanic/Latinx | 45 | 3.0 | 9 | 1.5 | 2 | 7.1 | 56 | 2.6 |
| Multi-race | 16 | 1.1 | 6 | 1.0 | - | - | 22 | 1.0 |
| White, NH | 365 | 24.5 | 95 | 15.3 | - | - | 460 | 21.5 |
| Unknown | 1 | 0.1 | 1 | 0.2 | - | - | 2 | 0.1 |
| Total | 1,491 | 100.0 | 620 | 100.0 | 28 | 100.0 | 2,139 | 100.0 |

| | Male | | Female | | Trans women | | Region 7 Totals | |
|---------------------------------|--------------|--------------|---------------|--------------|--------------------|--------------|------------------------|--------------|
| | No. | % | No. | % | No. | % | No. | % |
| Exposure Category | | | | | | | | |
| GBM | 911 | 72.2 | - | - | - | - | 911 | 48.7 |
| Trans women - sex with men | - | - | - | - | 25 | 92.6 | 25 | 1.3 |
| GBM/PWID | 87 | 6.9 | - | - | - | - | 87 | 4.6 |
| Trans women - sex with men/PWID | - | - | - | - | 1 | 3.7 | 1 | 0.1 |
| PWID | 63 | 5.0 | 68 | 11.7 | - | - | 131 | 7.0 |
| HRH | 192 | 15.2 | 380 | 65.2 | 1 | 3.7 | 573 | 30.6 |
| FPHC | - | - | 125 | 21.4 | - | - | 125 | 6.7 |
| Transfusion/Hemophilia | 2 | 0.2 | 3 | 0.5 | - | - | 5 | 0.3 |
| Perinatal | 7 | 0.6 | 7 | 1.2 | - | - | 14 | 0.7 |
| Total | 1,262 | 100.0 | 583 | 100.0 | 27 | 100.0 | 1,872 | 100.0 |

| | Male | Female | Trans women | Total |
|------------------|------|--------|-------------|-------|
| No Reported Risk | 229 | 37 | 1 | 267 |

Persons Living with HIV
Region 8: Monroe Region
as of June 30, 2021

*Caldwell, East Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas,
 Union, & West Carroll Parishes*

| | No. | % |
|--------------------|--------------|--------------|
| Gender | | |
| Male | 760 | 66.7 |
| Female | 365 | 32.0 |
| Trans women | 14 | 1.2 |
| Current Age | | |
| 0-12 | 1 | 0.1 |
| 13-19 | 5 | 0.4 |
| 20-24 | 42 | 3.7 |
| 25-29 | 86 | 7.6 |
| 30-34 | 126 | 11.1 |
| 35-39 | 112 | 9.8 |
| 40-44 | 149 | 13.1 |
| 45-49 | 143 | 12.6 |
| 50-54 | 120 | 10.5 |
| 55-59 | 136 | 11.9 |
| 60+ | 219 | 19.2 |
| Total | 1,139 | 100.0 |

| | Male | | Female | | Trans women | | Region 8 Totals | |
|-----------------------|-------------|--------------|---------------|--------------|--------------------|--------------|------------------------|--------------|
| | No. | % | No. | % | No. | % | No. | % |
| Race/Ethnicity | | | | | | | | |
| American Indian | 3 | 0.4 | 1 | 0.3 | - | - | 4 | 0.4 |
| Asian/PI | 3 | 0.4 | 1 | 0.3 | - | - | 4 | 0.4 |
| Black, NH | 525 | 69.1 | 306 | 83.8 | 13 | 92.9 | 844 | 74.1 |
| Hispanic/Latinx | 31 | 4.1 | 7 | 1.9 | 1 | 7.1 | 39 | 3.4 |
| Multi-race | 11 | 1.4 | 3 | 0.8 | - | - | 14 | 1.2 |
| White, NH | 187 | 24.6 | 47 | 12.9 | - | - | 234 | 20.5 |
| Total | 760 | 100.0 | 365 | 100.0 | 14 | 100.0 | 1,139 | 100.0 |

| | Male | | Female | | Trans women | | Region 8 Totals | |
|----------------------------|-------------|--------------|---------------|--------------|--------------------|--------------|------------------------|--------------|
| | No. | % | No. | % | No. | % | No. | % |
| Exposure Category | | | | | | | | |
| GBM | 436 | 65.1 | - | - | - | - | 436 | 42.5 |
| Trans women - sex with men | - | - | - | - | 14 | 100.0 | 14 | 1.4 |
| GBM/PWID | 43 | 6.4 | - | - | - | - | 43 | 4.2 |
| PWID | 40 | 6.0 | 30 | 8.7 | - | - | 70 | 6.8 |
| HRH | 148 | 22.1 | 272 | 79.3 | - | - | 420 | 40.9 |
| FPHC | - | - | 29 | 8.5 | - | - | 29 | 2.8 |
| Transfusion/Hemophilia | 1 | 0.1 | 2 | 0.6 | - | - | 3 | 0.3 |
| Perinatal | 2 | 0.3 | 10 | 2.9 | - | - | 12 | 1.2 |
| Total | 670 | 100.0 | 343 | 100.0 | 14 | 100.0 | 1,027 | 100.0 |

| | Male | Female | Trans women | Total |
|------------------|------|--------|-------------|-------|
| No Reported Risk | 90 | 22 | 0 | 112 |

Persons Living with HIV
Region 9: Hammond/Slidell Region
as of June 30, 2021

Livingston, St. Helena, St. Tammany, Tangipahoa, & Washington Parishes

| | No. | % |
|--------------------|--------------|--------------|
| Gender | | |
| Male | 1,138 | 72.4 |
| Female | 406 | 25.8 |
| Trans women | 25 | 1.6 |
| Trans men | 2 | 0.1 |
| Current Age | | |
| 0-12 | 1 | 0.1 |
| 13-19 | 7 | 0.4 |
| 20-24 | 42 | 2.7 |
| 25-29 | 88 | 5.6 |
| 30-34 | 157 | 10.0 |
| 35-39 | 171 | 10.9 |
| 40-44 | 172 | 10.9 |
| 45-49 | 179 | 11.4 |
| 50-54 | 215 | 13.7 |
| 55-59 | 208 | 13.2 |
| 60+ | 331 | 21.1 |
| Total | 1,571 | 100.0 |

| | Male | | Female | | Trans women | | Trans men | | Region 9 Totals | |
|-----------------------|--------------|--------------|---------------|--------------|--------------------|--------------|------------------|--------------|------------------------|--------------|
| Race/Ethnicity | No. | % | No. | % | No. | % | No. | % | No. | % |
| American Indian | 2 | 0.2 | - | - | - | - | - | - | 2 | 0.1 |
| Asian/PI | 3 | 0.3 | 3 | 0.7 | - | - | - | - | 6 | 0.4 |
| Black, NH | 550 | 48.3 | 262 | 64.5 | 19 | 76.0 | - | - | 831 | 52.9 |
| Hispanic/Latinx | 51 | 4.5 | 13 | 3.2 | - | - | - | - | 64 | 4.1 |
| Multi-race | 8 | 0.7 | 4 | 1.0 | 1 | 4.0 | - | - | 13 | 0.8 |
| White, NH | 524 | 46.0 | 124 | 30.5 | 5 | 20.0 | 2 | 100.0 | 655 | 41.7 |
| Total | 1,138 | 100.0 | 406 | 100.0 | 25 | 100.0 | 2 | 100.0 | 1,571 | 100.0 |

| | Male | | Female | | Trans women | | Trans men | | Region 9 Totals | |
|---------------------------------|-------------|--------------|---------------|--------------|--------------------|--------------|------------------|--------------|------------------------|--------------|
| Exposure Category | No. | % | No. | % | No. | % | No. | % | No. | % |
| GBM | 664 | 68.8 | - | - | - | - | - | - | 664 | 48.2 |
| Trans women - sex with men | - | - | - | - | 21 | 87.5 | - | - | 21 | 1.5 |
| GBM/PWID | 67 | 6.9 | - | - | - | - | - | - | 67 | 4.9 |
| Trans women - sex with men/PWID | - | - | - | - | 2 | 8.3 | - | - | 2 | 0.1 |
| PWID | 65 | 6.7 | 58 | 15.0 | 1 | 4.2 | 2 | 100.0 | 126 | 9.2 |
| HRH | 156 | 16.2 | 260 | 67.4 | - | - | - | - | 416 | 30.2 |
| FPHC | - | - | 62 | 16.1 | - | - | - | - | 62 | 4.5 |
| Transfusion/Hemophilia | 4 | 0.4 | - | - | - | - | - | - | 4 | 0.3 |
| Perinatal | 9 | 0.9 | 6 | 1.6 | - | - | - | - | 15 | 1.1 |
| Total | 965 | 100.0 | 386 | 100.0 | 24 | 100.0 | 2 | 100.0 | 1,377 | 100.0 |

| | Male | Female | Trans women | Trans men | Total |
|------------------|-------------|---------------|--------------------|------------------|--------------|
| No Reported Risk | 173 | 20 | 1 | 0 | 194 |

Persons Newly Diagnosed with HIV
Regions 1 - 5
January - December 2020

| | Region 1 | | Region 2 | | Region 3 | | Region 4 | | Region 5 | |
|-------------------------|------------|--------------|------------|--------------|-----------|--------------|-----------|--------------|-----------|--------------|
| | No. | % | No. | % | No. | % | No. | % | No. | % |
| Gender | | | | | | | | | | |
| Male | 130 | 69.5 | 113 | 75.8 | 23 | 65.7 | 69 | 80.2 | 23 | 74.2 |
| Female | 49 | 26.2 | 32 | 21.5 | 12 | 34.3 | 14 | 16.3 | 8 | 25.8 |
| Trans women | 8 | 4.3 | 4 | 2.7 | - | - | 3 | 3.5 | - | - |
| Age at Diagnosis | | | | | | | | | | |
| 0-12 | - | - | - | - | 1 | 2.9 | - | - | - | - |
| 13-24 | 44 | 23.5 | 40 | 26.8 | 13 | 37.1 | 25 | 29.1 | 16 | 51.6 |
| 25-34 | 61 | 32.6 | 56 | 37.6 | 12 | 34.3 | 27 | 31.4 | 4 | 12.9 |
| 35-44 | 45 | 24.1 | 34 | 22.8 | 4 | 11.4 | 15 | 17.4 | 7 | 22.6 |
| 45+ | 37 | 19.8 | 19 | 12.8 | 5 | 14.3 | 19 | 22.1 | 4 | 12.9 |
| Race/Ethnicity | | | | | | | | | | |
| American Indian | 2 | 1.1 | - | - | - | - | 1 | 1.2 | - | - |
| Asian/PI | 2 | 1.1 | - | - | - | - | - | - | - | - |
| Black, NH | 129 | 69.0 | 121 | 81.2 | 28 | 80.0 | 55 | 64.0 | 23 | 74.2 |
| Hispanic/Latinx | 27 | 14.4 | 4 | 2.7 | 1 | 2.9 | 8 | 9.3 | 2 | 6.5 |
| Multi-race | - | - | 1 | 0.7 | - | - | 1 | 1.2 | - | - |
| White, NH | 27 | 14.4 | 22 | 14.8 | 6 | 17.1 | 21 | 24.4 | 5 | 16.1 |
| Unknown | - | - | 1 | 0.7 | - | - | - | - | 1 | 3.2 |
| Regional Totals | 187 | 100.0 | 149 | 100.0 | 35 | 100.0 | 86 | 100.0 | 31 | 100.0 |

| | Region 1 | | Region 2 | | Region 3 | | Region 4 | | Region 5 | |
|----------------------------|------------|--------------|------------|--------------|-----------|--------------|-----------|--------------|-----------|--------------|
| | No. | % | No. | % | No. | % | No. | % | No. | % |
| Exposure Category | | | | | | | | | | |
| GBM | 83 | 55.3 | 70 | 56.5 | 14 | 48.3 | 44 | 67.7 | 12 | 60.0 |
| Trans women - sex with men | 7 | 4.7 | 3 | 2.4 | - | - | 3 | 4.6 | - | - |
| GBM/PWID | 2 | 1.3 | 2 | 1.6 | 2 | 6.9 | - | - | 1 | 5.0 |
| PWID | 8 | 5.3 | 8 | 6.5 | - | - | 3 | 4.6 | 2 | 10.0 |
| HRH | 34 | 22.7 | 36 | 29.0 | 6 | 20.7 | 13 | 20.0 | 3 | 15.0 |
| FPHC | 15 | 10.0 | 5 | 4.0 | 6 | 20.7 | 2 | 3.1 | 2 | 10.0 |
| Perinatal | 1 | 0.7 | - | - | 1 | 3.4 | - | - | - | - |
| Regional Totals | 150 | 100.0 | 124 | 100.0 | 29 | 100.0 | 65 | 100.0 | 20 | 100.0 |

| | Region 1 | Region 2 | Region 3 | Region 4 | Region 5 |
|------------------|----------|----------|----------|----------|----------|
| No Reported Risk | 37 | 25 | 6 | 21 | 11 |

Persons Newly Diagnosed with HIV
Regions 6 - 9
January - December 2020

| | Region 6 | | Region 7 | | Region 8 | | Region 9 | |
|-------------------------|-----------|--------------|-----------|--------------|-----------|--------------|-----------|--------------|
| | No. | % | No. | % | No. | % | No. | % |
| Gender | | | | | | | | |
| Male | 33 | 75.0 | 57 | 73.1 | 33 | 64.7 | 54 | 81.8 |
| Female | 10 | 22.7 | 18 | 23.1 | 18 | 35.3 | 10 | 15.2 |
| Trans women | 1 | 2.3 | 3 | 3.8 | - | - | - | - |
| Trans men | - | - | - | - | - | - | 2 | 3.0 |
| Age at Diagnosis | | | | | | | | |
| 13-24 | 4 | 9.1 | 21 | 26.9 | 11 | 21.6 | 12 | 18.2 |
| 25-34 | 11 | 25.0 | 34 | 43.6 | 15 | 29.4 | 20 | 30.3 |
| 35-44 | 14 | 31.8 | 18 | 23.1 | 12 | 23.5 | 16 | 24.2 |
| 45+ | 15 | 34.1 | 5 | 6.4 | 13 | 25.5 | 18 | 27.3 |
| Race/Ethnicity | | | | | | | | |
| Asian/PI | 1 | 2.3 | - | - | - | - | - | - |
| Black, NH | 25 | 56.8 | 57 | 73.1 | 34 | 66.7 | 34 | 51.5 |
| Hispanic/Latinx | 7 | 15.9 | 2 | 2.6 | 5 | 9.8 | 6 | 9.1 |
| Multi-race | - | - | - | - | 2 | 3.9 | 1 | 1.5 |
| White, NH | 11 | 25.0 | 19 | 24.4 | 10 | 19.6 | 25 | 37.9 |
| Regional Totals | 44 | 100.0 | 78 | 100.0 | 51 | 100.0 | 66 | 100.0 |

| | Region 6 | | Region 7 | | Region 8 | | Region 9 | |
|----------------------------|-----------|--------------|-----------|--------------|-----------|--------------|-----------|--------------|
| | No. | % | No. | % | No. | % | No. | % |
| Exposure Category | | | | | | | | |
| GBM | 14 | 51.9 | 31 | 50.0 | 22 | 52.4 | 31 | 57.4 |
| Trans women - sex with men | 1 | 3.7 | 3 | 4.8 | - | - | - | - |
| GBM/PWID | - | - | 2 | 3.2 | - | - | 5 | 9.3 |
| PWID | 2 | 7.4 | 3 | 4.8 | 4 | 9.5 | 6 | 11.1 |
| HRH | 7 | 25.9 | 18 | 29.0 | 14 | 33.3 | 9 | 16.7 |
| FPHC | 3 | 11.1 | 5 | 8.1 | 2 | 4.8 | 3 | 5.6 |
| Regional Totals | 27 | 100.0 | 62 | 100.0 | 42 | 100.0 | 54 | 100.0 |

| | Region 6 | Region 7 | Region 8 | Region 9 |
|------------------|----------|----------|----------|----------|
| No Reported Risk | 17 | 16 | 9 | 12 |

Persons Newly Diagnosed with AIDS
Regions 1 - 5
January - December 2020

| | Region 1 | | Region 2 | | Region 3 | | Region 4 | | Region 5 | |
|-------------------------|------------|--------------|-----------|--------------|-----------|--------------|-----------|--------------|-----------|--------------|
| | No. | % | No. | % | No. | % | No. | % | No. | % |
| Gender | | | | | | | | | | |
| Male | 60 | 60.0 | 57 | 67.1 | 10 | 62.5 | 24 | 68.6 | 10 | 55.6 |
| Female | 35 | 35.0 | 26 | 30.6 | 6 | 37.5 | 10 | 28.6 | 8 | 44.4 |
| Trans women | 5 | 5.0 | 2 | 2.4 | - | - | 1 | 2.9 | - | - |
| Age at Diagnosis | | | | | | | | | | |
| 0-12 | - | - | - | - | 1 | 6.3 | - | - | - | - |
| 13-24 | 4 | 4.0 | 4 | 4.7 | 1 | 6.3 | 2 | 5.7 | 2 | 11.1 |
| 25-34 | 35 | 35.0 | 23 | 27.1 | 4 | 25.0 | 9 | 25.7 | 3 | 16.7 |
| 35-44 | 32 | 32.0 | 26 | 30.6 | 3 | 18.8 | 7 | 20.0 | 7 | 38.9 |
| 45+ | 29 | 29.0 | 32 | 37.6 | 7 | 43.8 | 17 | 48.6 | 6 | 33.3 |
| Race/Ethnicity | | | | | | | | | | |
| American Indian | 1 | 1.0 | - | - | 1 | 6.3 | - | - | - | - |
| Black, NH | 69 | 69.0 | 71 | 83.5 | 11 | 68.8 | 25 | 71.4 | 12 | 66.7 |
| Hispanic/Latinx | 13 | 13.0 | - | - | - | - | 3 | 8.6 | 2 | 11.1 |
| Multi-race | 1 | 1.0 | - | - | - | - | - | - | - | - |
| White, NH | 16 | 16.0 | 14 | 16.5 | 4 | 25.0 | 7 | 20.0 | 3 | 16.7 |
| Unknown | - | - | - | - | - | - | - | - | 1 | 5.6 |
| Regional Totals | 100 | 100.0 | 85 | 100.0 | 16 | 100.0 | 35 | 100.0 | 18 | 100.0 |

| | Region 1 | | Region 2 | | Region 3 | | Region 4 | | Region 5 | |
|----------------------------|-----------|--------------|-----------|--------------|-----------|--------------|-----------|--------------|-----------|--------------|
| | No. | % | No. | % | No. | % | No. | % | No. | % |
| Exposure Category | | | | | | | | | | |
| GBM | 28 | 32.9 | 25 | 37.3 | 7 | 50.0 | 14 | 53.8 | 3 | 30.0 |
| Trans women - sex with men | 4 | 4.7 | 2 | 3.0 | - | - | 1 | 3.8 | - | - |
| GBM/PWID | 3 | 3.5 | 2 | 3.0 | - | - | - | - | - | - |
| PWID | 8 | 9.4 | 6 | 9.0 | - | - | - | - | 1 | 10.0 |
| HRH | 27 | 31.8 | 26 | 38.8 | 3 | 21.4 | 9 | 34.6 | 2 | 20.0 |
| FPHC | 13 | 15.3 | 5 | 7.5 | 3 | 21.4 | 2 | 7.7 | 3 | 30.0 |
| Perinatal | 2 | 2.4 | 1 | 1.5 | 1 | 7.1 | - | - | 1 | 10.0 |
| Regional Totals | 85 | 100.0 | 67 | 100.0 | 14 | 100.0 | 26 | 100.0 | 10 | 100.0 |

| | Region 1 | Region 2 | Region 3 | Region 4 | Region 5 |
|------------------|----------|----------|----------|----------|----------|
| No Reported Risk | 15 | 18 | 2 | 9 | 8 |

Persons Newly Diagnosed with AIDS
Regions 6 - 9
January - December 2020

| | Region 6 | | Region 7 | | Region 8 | | Region 9 | |
|-------------------------|-----------|--------------|-----------|--------------|-----------|--------------|-----------|--------------|
| | No. | % | No. | % | No. | % | No. | % |
| Gender | | | | | | | | |
| Male | 17 | 73.9 | 32 | 80.0 | 12 | 60.0 | 22 | 73.3 |
| Female | 6 | 26.1 | 7 | 17.5 | 8 | 40.0 | 7 | 23.3 |
| Trans women | - | - | 1 | 2.5 | - | - | 1 | 3.3 |
| Age at Diagnosis | | | | | | | | |
| 13-24 | 2 | 8.7 | 5 | 12.5 | 1 | 5.0 | 1 | 3.3 |
| 25-34 | 2 | 8.7 | 15 | 37.5 | 6 | 30.0 | 8 | 26.7 |
| 35-44 | 11 | 47.8 | 11 | 27.5 | 5 | 25.0 | 3 | 10.0 |
| 45+ | 8 | 34.8 | 9 | 22.5 | 8 | 40.0 | 18 | 60.0 |
| Race/Ethnicity | | | | | | | | |
| Black, NH | 14 | 60.9 | 34 | 85.0 | 12 | 60.0 | 13 | 43.3 |
| Hispanic/Latinx | 2 | 8.7 | - | - | 1 | 5.0 | 5 | 16.7 |
| Multi-race | - | - | - | - | 1 | 5.0 | 1 | 3.3 |
| White, NH | 7 | 30.4 | 6 | 15.0 | 6 | 30.0 | 11 | 36.7 |
| Regional Totals | 23 | 100.0 | 40 | 100.0 | 20 | 100.0 | 30 | 100.0 |

| | Region 6 | | Region 7 | | Region 8 | | Region 9 | |
|----------------------------|-----------|--------------|-----------|--------------|-----------|--------------|-----------|--------------|
| | No. | % | No. | % | No. | % | No. | % |
| Exposure Category | | | | | | | | |
| GBM | 5 | 35.7 | 16 | 50.0 | 5 | 35.7 | 8 | 36.4 |
| Trans women - sex with men | - | - | 1 | 3.1 | - | - | 1 | 4.5 |
| GBM/PWID | - | - | 1 | 3.1 | 1 | 7.1 | 1 | 4.5 |
| PWID | 1 | 7.1 | - | - | 1 | 7.1 | 4 | 18.2 |
| HRH | 6 | 42.9 | 12 | 37.5 | 5 | 35.7 | 6 | 27.3 |
| FPHC | 2 | 14.3 | 2 | 6.3 | 2 | 14.3 | 2 | 9.1 |
| Regional Totals | 14 | 100.0 | 32 | 100.0 | 14 | 100.0 | 22 | 100.0 |

| | Region 6 | Region 7 | Region 8 | Region 9 |
|------------------|----------|----------|----------|----------|
| No Reported Risk | 9 | 8 | 6 | 8 |

Persons Diagnosed with P&S Syphilis
Regions 1-5
January - June 2021

| | Region 1 | | Region 2 | | Region 3 | | Region 4 | | Region 5 | |
|-------------------------|------------|--------------|-----------|--------------|-----------|--------------|-----------|--------------|-----------|--------------|
| | No. | % | No. | % | No. | % | No. | % | No. | % |
| Gender | | | | | | | | | | |
| Male | 91 | 86.7 | 38 | 76.0 | 16 | 72.7 | 28 | 62.2 | 8 | 66.7 |
| Female | 14 | 13.3 | 12 | 24.0 | 3 | 13.6 | 17 | 37.8 | 4 | 33.3 |
| Trans women | - | - | - | - | 2 | 9.1 | - | - | - | - |
| Trans men | - | - | - | - | 1 | 4.5 | - | - | - | - |
| Age at Diagnosis | | | | | | | | | | |
| 13-19 | 7 | 6.7 | 6 | 12.0 | 2 | 9.1 | 4 | 8.9 | 1 | 8.3 |
| 20-29 | 34 | 32.4 | 22 | 44.0 | 7 | 31.8 | 22 | 48.9 | 5 | 41.7 |
| 30-39 | 34 | 32.4 | 13 | 26.0 | 6 | 27.3 | 9 | 20.0 | 4 | 33.3 |
| 40+ | 30 | 28.6 | 9 | 18.0 | 7 | 31.8 | 10 | 22.2 | 2 | 16.7 |
| Race/Ethnicity | | | | | | | | | | |
| Black, NH | 66 | 62.9 | 36 | 72.0 | 9 | 40.9 | 20 | 44.4 | 7 | 58.3 |
| Hispanic/Latinx | 8 | 7.6 | - | - | - | - | 2 | 4.4 | 1 | 8.3 |
| Multi-race | 1 | 1.0 | - | - | 2 | 9.1 | - | - | - | - |
| White, NH | 30 | 28.6 | 13 | 26.0 | 11 | 50.0 | 23 | 51.1 | 4 | 33.3 |
| Unknown | - | - | 1 | 2.0 | - | - | - | - | - | - |
| Regional Totals | 105 | 100.0 | 50 | 100.0 | 22 | 100.0 | 45 | 100.0 | 12 | 100.0 |

| | Region 1 | | Region 2 | | Region 3 | | Region 4 | | Region 5 | |
|------------------------------------|----------|------|----------|------|----------|------|----------|------|----------|------|
| <i>Cases with a Reported Risk*</i> | No. | % | No. | % | No. | % | No. | % | No. | % |
| FSF | 1 | 1.1 | 1 | 2.4 | 0 | 0.0 | 3 | 7.0 | 1 | 10.0 |
| GBM | 57 | 64.8 | 19 | 46.3 | 7 | 36.8 | 11 | 25.6 | 5 | 50.0 |
| GBM/PWID | 1 | 1.1 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| HRH | 9 | 10.2 | 11 | 26.8 | 6 | 31.6 | 6 | 14.0 | 2 | 20.0 |
| Heterosexual contact | 24 | 27.3 | 12 | 29.3 | 6 | 31.6 | 25 | 58.1 | 3 | 30.0 |
| Illegal drug use (all types) | 20 | 22.7 | 12 | 29.3 | 9 | 47.4 | 12 | 27.9 | 1 | 10.0 |
| Incarceration | 5 | 5.7 | 0 | 0.0 | 4 | 21.1 | 4 | 9.3 | 2 | 20.0 |
| PWID | 1 | 1.1 | 4 | 9.8 | 1 | 5.3 | 1 | 2.3 | 0 | 0.0 |
| Transactional sex | 3 | 3.4 | 4 | 9.8 | 1 | 5.3 | 3 | 7.0 | 0 | 0.0 |
| <hr/> | | | | | | | | | | |
| | Region 1 | | Region 2 | | Region 3 | | Region 4 | | Region 5 | |
| No Reported Risk | 17 | | 9 | | 3 | | 2 | | 2 | |

* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

Persons Diagnosed with P&S Syphilis
Regions 6-9
January - June 2021

| | Region 6 | | Region 7 | | Region 8 | | Region 9 | |
|-------------------------|-----------|--------------|-----------|--------------|-----------|--------------|-----------|--------------|
| | No. | % | No. | % | No. | % | No. | % |
| Gender | | | | | | | | |
| Male | 60 | 61.9 | 27 | 77.1 | 20 | 55.6 | 21 | 75.0 |
| Female | 36 | 37.1 | 7 | 20.0 | 16 | 44.4 | 6 | 21.4 |
| Trans women | 1 | 1.0 | 1 | 2.9 | - | - | 1 | 3.6 |
| Age at Diagnosis | | | | | | | | |
| 13-19 | 2 | 2.1 | 4 | 11.4 | 4 | 11.1 | 3 | 10.7 |
| 20-29 | 42 | 43.3 | 10 | 28.6 | 15 | 41.7 | 10 | 35.7 |
| 30-39 | 30 | 30.9 | 13 | 37.1 | 12 | 33.3 | 9 | 32.1 |
| 40+ | 23 | 23.7 | 8 | 22.9 | 5 | 13.9 | 6 | 21.4 |
| Race/Ethnicity | | | | | | | | |
| Black, NH | 42 | 43.3 | 25 | 71.4 | 26 | 72.2 | 18 | 64.3 |
| Hispanic/Latinx | 1 | 1.0 | 1 | 2.9 | 3 | 8.3 | 1 | 3.6 |
| Multi-race | 5 | 5.2 | - | - | - | - | 1 | 3.6 |
| White, NH | 47 | 48.5 | 9 | 25.7 | 6 | 16.7 | 7 | 25.0 |
| Unknown | 2 | 2.1 | - | - | 1 | 2.8 | 1 | 3.6 |
| Regional Totals | 97 | 100.0 | 35 | 100.0 | 36 | 100.0 | 28 | 100.0 |

| | Region 6 | | Region 7 | | Region 8 | | Region 9 | |
|------------------------------------|----------|------|----------|------|----------|------|----------|------|
| <i>Cases with a Reported Risk*</i> | No. | % | No. | % | No. | % | No. | % |
| FSF | 8 | 11.1 | 1 | 3.1 | 1 | 3.2 | 0 | 0.0 |
| GBM | 14 | 19.4 | 16 | 50.0 | 6 | 19.4 | 9 | 37.5 |
| GBM/PWID | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| HRH | 33 | 45.8 | 4 | 12.5 | 7 | 22.6 | 5 | 20.8 |
| Heterosexual contact | 30 | 41.7 | 13 | 40.6 | 20 | 64.5 | 8 | 33.3 |
| Illegal drug use (all types) | 48 | 66.7 | 17 | 53.1 | 19 | 61.3 | 6 | 25.0 |
| Incarceration | 20 | 27.8 | 0 | 0.0 | 6 | 19.4 | 7 | 29.2 |
| PWID | 13 | 18.1 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Transactional sex | 11 | 15.3 | 0 | 0.0 | 3 | 9.7 | 1 | 4.2 |
| | | | | | | | | |
| | Region 6 | | Region 7 | | Region 8 | | Region 9 | |
| No Reported Risk | 25 | | 3 | | 5 | | 4 | |

* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

Persons Diagnosed with Early non-P&S Syphilis
Regions 1-5
January - June 2021

| | Region 1 | | Region 2 | | Region 3 | | Region 4 | | Region 5 | |
|-------------------------|------------|--------------|-----------|--------------|-----------|--------------|-----------|--------------|----------|--------------|
| | No. | % | No. | % | No. | % | No. | % | No. | % |
| Gender | | | | | | | | | | |
| Male | 85 | 83.3 | 30 | 75.0 | 15 | 62.5 | 17 | 65.4 | 8 | 88.9 |
| Female | 13 | 12.7 | 9 | 22.5 | 9 | 37.5 | 8 | 30.8 | 1 | 11.1 |
| Trans women | 4 | 3.9 | 1 | 2.5 | - | - | 1 | 3.8 | - | - |
| Age at Diagnosis | | | | | | | | | | |
| 13-19 | 3 | 2.9 | 2 | 5.0 | 2 | 8.3 | 1 | 3.8 | 1 | 11.1 |
| 20-29 | 31 | 30.4 | 19 | 47.5 | 10 | 41.7 | 10 | 38.5 | 4 | 44.4 |
| 30-39 | 28 | 27.5 | 12 | 30.0 | 4 | 16.7 | 8 | 30.8 | 4 | 44.4 |
| 40+ | 40 | 39.2 | 7 | 17.5 | 8 | 33.3 | 7 | 26.9 | - | - |
| Race/Ethnicity | | | | | | | | | | |
| American Indian | - | - | 1 | 2.5 | 1 | 4.2 | - | - | - | - |
| Asian/PI | 1 | 1.0 | - | - | - | - | - | - | 1 | 11.1 |
| Black, NH | 67 | 65.7 | 29 | 72.5 | 15 | 62.5 | 16 | 61.5 | 5 | 55.6 |
| Hispanic/Latinx | 5 | 4.9 | - | - | 1 | 4.2 | - | - | - | - |
| Multi-race | 1 | 1.0 | 1 | 2.5 | 1 | 4.2 | - | - | - | - |
| White, NH | 27 | 26.5 | 8 | 20.0 | 6 | 25.0 | 10 | 38.5 | 3 | 33.3 |
| Unknown | 1 | 1.0 | 1 | 2.5 | - | - | - | - | - | - |
| Regional Totals | 102 | 100.0 | 40 | 100.0 | 24 | 100.0 | 26 | 100.0 | 9 | 100.0 |

| | Region 1 | | Region 2 | | Region 3 | | Region 4 | | Region 5 | |
|------------------------------------|----------|------|----------|------|----------|------|----------|------|----------|------|
| <i>Cases with a Reported Risk*</i> | No. | % | No. | % | No. | % | No. | % | No. | % |
| FSF | 1 | 1.3 | 0 | 0.0 | 0 | 0.0 | 1 | 5.0 | 0 | 0.0 |
| GBM | 62 | 80.5 | 23 | 71.9 | 8 | 42.1 | 11 | 55.0 | 5 | 62.5 |
| GBM/PWID | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| HRH | 9 | 11.7 | 2 | 6.3 | 4 | 21.1 | 2 | 10.0 | 0 | 0.0 |
| Heterosexual contact | 12 | 15.6 | 10 | 31.3 | 6 | 31.6 | 7 | 35.0 | 3 | 37.5 |
| Illegal drug use (all types) | 14 | 18.2 | 4 | 12.5 | 6 | 31.6 | 2 | 10.0 | 2 | 25.0 |
| Incarceration | 4 | 5.2 | 0 | 0.0 | 3 | 15.8 | 0 | 0.0 | 0 | 0.0 |
| PWID | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 12.5 |
| Transactional sex | 3 | 3.9 | 2 | 6.3 | 0 | 0.0 | 2 | 10.0 | 0 | 0.0 |

| | Region 1 | Region 2 | Region 3 | Region 4 | Region 5 |
|------------------|----------|----------|----------|----------|----------|
| No Reported Risk | 25 | 8 | 5 | 6 | 1 |

* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

Persons Diagnosed with Early non-P&S Syphilis
Regions 6-9
January - June 2021

| | Region 6 | | Region 7 | | Region 8 | | Region 9 | |
|-------------------------|-----------|--------------|-----------|--------------|-----------|--------------|-----------|--------------|
| | No. | % | No. | % | No. | % | No. | % |
| Gender | | | | | | | | |
| Male | 7 | 31.8 | 20 | 69.0 | 5 | 31.3 | 8 | 44.4 |
| Female | 15 | 68.2 | 7 | 24.1 | 11 | 68.8 | 9 | 50.0 |
| Trans women | - | - | 2 | 6.9 | - | - | 1 | 5.6 |
| Age at Diagnosis | | | | | | | | |
| 13-19 | - | - | 2 | 6.9 | 3 | 18.8 | 3 | 16.7 |
| 20-29 | 8 | 36.4 | 7 | 24.1 | 10 | 62.5 | 8 | 44.4 |
| 30-39 | 9 | 40.9 | 11 | 37.9 | 3 | 18.8 | 5 | 27.8 |
| 40+ | 5 | 22.7 | 9 | 31.0 | - | - | 2 | 11.1 |
| Race/Ethnicity | | | | | | | | |
| Black, NH | 9 | 40.9 | 20 | 69.0 | 15 | 93.8 | 10 | 55.6 |
| White, NH | 12 | 54.5 | 9 | 31.0 | 1 | 6.3 | 8 | 44.4 |
| Unknown | 1 | 4.5 | - | - | - | - | - | - |
| Regional Totals | 22 | 100.0 | 29 | 100.0 | 16 | 100.0 | 18 | 100.0 |

| | Region 6 | | Region 7 | | Region 8 | | Region 9 | |
|------------------------------------|----------|------|----------|------|----------|------|----------|------|
| <i>Cases with a Reported Risk*</i> | No. | % | No. | % | No. | % | No. | % |
| FSF | 1 | 7.7 | 1 | 4.2 | 1 | 7.7 | 1 | 7.1 |
| GBM | 1 | 7.7 | 11 | 45.8 | 3 | 23.1 | 7 | 50.0 |
| GBM/PWID | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| HRH | 0 | 0.0 | 3 | 12.5 | 1 | 7.7 | 4 | 28.6 |
| Heterosexual contact | 11 | 84.6 | 9 | 37.5 | 11 | 84.6 | 2 | 14.3 |
| Illegal drug use (all types) | 5 | 38.5 | 10 | 41.7 | 6 | 46.2 | 2 | 14.3 |
| Incarceration | 2 | 15.4 | 2 | 8.3 | 1 | 7.7 | 1 | 7.1 |
| PWID | 2 | 15.4 | 0 | 0.0 | 1 | 7.7 | 0 | 0.0 |
| Transactional sex | 0 | 0.0 | 0 | 0.0 | 1 | 7.7 | 1 | 7.1 |

| | Region 6 | Region 7 | Region 8 | Region 9 |
|------------------|----------|----------|----------|----------|
| No Reported Risk | 9 | 5 | 3 | 4 |

* >1 reported risk per case possible. Cases with No Reported Risk excluded from denominator for risk percent calculations.

COVID-19 among Persons Living with HIV Louisiana

As of June 14, 2021 there were 1,917 persons living with HIV in Louisiana who had been diagnosed with COVID-19, approximately 9% of PLWH. This value reflects the number of unique individuals diagnosed with COVID-19, not the number of positive tests.

COVID Among PLWH

| | No. | % |
|-----------------------|--------------|--------------|
| Gender | | |
| Male | 1,254 | 65.4 |
| Female | 636 | 33.2 |
| Trans women | 27 | 1.4 |
| Current Age | | |
| 0-12 | 2 | 0.1 |
| 13-19 | 8 | 0.4 |
| 20-24 | 38 | 2.0 |
| 25-29 | 163 | 8.5 |
| 30-34 | 220 | 11.5 |
| 35-39 | 240 | 12.5 |
| 40-44 | 234 | 12.2 |
| 45-49 | 216 | 11.3 |
| 50-54 | 217 | 11.3 |
| 55-59 | 252 | 13.1 |
| 60+ | 327 | 17.1 |
| Race/Ethnicity | | |
| American Indian | 3 | 0.2 |
| Asian/PI | 3 | 0.2 |
| Black, NH | 1,417 | 73.9 |
| Hispanic/Latinx | 84 | 4.4 |
| Multi-race | 22 | 1.1 |
| White, NH | 386 | 20.1 |
| Unknown | 2 | 0.1 |
| Current Region | | |
| Region 1 | 550 | 28.7 |
| Region 2 | 504 | 26.3 |
| Region 3 | 76 | 4.0 |
| Region 4 | 165 | 8.6 |
| Region 5 | 73 | 3.8 |
| Region 6 | 85 | 4.4 |
| Region 7 | 216 | 11.3 |
| Region 8 | 108 | 5.6 |
| Region 9 | 140 | 7.3 |
| Total | 1,917 | 100.0 |

2020 STD/HIV Diagnoses in Louisiana

In Table 1 below are the 2020 diagnoses for STDs, HIV, and congenital syphilis. Please keep in mind that March 2020 to present, has largely been defined by the sweeping institutional effects of COVID-19; the extent of which is still unrealized. All trends in the data should be observed with this consideration. Table 2 below includes a comparison of case counts between 2019 and 2020.

Table 1: 2020 case counts for Louisiana and the nine Public Health Regions.

| | Chlamydia | | Gonorrhea | | P&S Syphilis | | Early Latent Syphilis | | Congenital Syphilis | | HIV | |
|----------------------------|---------------|------------|---------------|------------|--------------|------------|-----------------------|------------|---------------------|------------|------------|------------|
| | No. | % | No. | % | No. | % | No. | % | No. | % | No. | % |
| Louisiana | 32,977 | 100 | 15,483 | 100 | 704 | 100 | 614 | 100 | 63 | 100 | 727 | 100 |
| Region 1 - New Orleans | 7,571 | 22.9% | 3,791 | 24.5% | 174 | 24.7% | 241 | 39.3% | 6 | 9.5% | 187 | 25.7% |
| Region 2 - Baton Rouge | 5,767 | 17.5% | 2,613 | 16.9% | 99 | 14.1% | 69 | 11.2% | 5 | 7.9% | 149 | 20.5% |
| Region 3 - Houma | 2,696 | 8.2% | 1,105 | 7.1% | 27 | 3.8% | 31 | 5.1% | 4 | 6.4% | 35 | 4.8% |
| Region 4 - Lafayette | 4,065 | 12.3% | 1,656 | 10.7% | 44 | 6.3% | 40 | 6.5% | 3 | 4.8% | 86 | 11.8% |
| Region 5 - Lake Charles | 1,403 | 4.3% | 541 | 3.5% | 23 | 3.3% | 25 | 4.1% | 2 | 3.2% | 31 | 4.3% |
| Region 6 - Alexandria | 2,065 | 6.3% | 1,088 | 7.0% | 134 | 19.0% | 45 | 7.3% | 9 | 14.3% | 44 | 6.1% |
| Region 7 - Shreveport | 3,688 | 11.2% | 1,936 | 12.5% | 96 | 13.6% | 69 | 11.2% | 15 | 23.8% | 78 | 10.7% |
| Region 8 - Monroe | 2,724 | 8.3% | 1,537 | 9.9% | 65 | 9.2% | 66 | 10.8% | 15 | 23.8% | 51 | 7.0% |
| Region 9 - Hammond/Slidell | 3,002 | 9.1% | 1,207 | 7.8% | 42 | 6.0% | 28 | 4.6% | 4 | 6.4% | 66 | 9.1% |
| Unknown Region | 16 | 0.1% | 9 | 0.1% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |

Table 2: Case count percent change from 2019 to 2020.

| | 2019 | 2020 | Percent Change from 2019 to 2020 |
|------------------------------|--------|--------|----------------------------------|
| | No. | No. | % |
| Chlamydia | 36,131 | 32,977 | -8.7% |
| Gonorrhea | 12,800 | 15,483 | 21.0% |
| P&S Syphilis | 700 | 704 | 0.6% |
| Early Latent Syphilis | 576 | 614 | 6.6% |
| Congenital Syphilis | 68 | 63 | -7.35% |
| HIV | 881 | 727 | -17.5% |