

STI/HIV/Hepatitis B & C Update

2022

Data Tables

New Orleans
Region 1



LOUISIANA
**DEPARTMENT OF
HEALTH**

STD/HIV/Hepatitis Program

Reported Cases of HIV Region 1 - New Orleans, 2022

	2022 New Diagnoses ^a			2022 Prevalence ^b		
	Cases ^c	%	Rate ^d	Cases ^c	%	Rate ^d
Total	206	100.0%	23.5	7,484	100.0%	852.2
Race/Ethnicity^e						
Black	136	66.0%	38.3	4,859	65.0%	1,367.1
Hispanic/Latinx	36	17.5%	38.1	628	8.4%	665.1
White	31	15.0%	8.2	1,859	24.9%	490.0
Other	3	1.5%	n/a	134	1.8%	n/a
Gender^f						
Female	49	23.8%	10.8	1,855	24.8%	407.0
Male	153	74.3%	36.2	5,424	72.5%	1,283.5
Transgender Male to Female	4	2.0%	n/a	200	2.7%	n/a
Transgender Female to Male	0	0.0%	n/a	5	0.1%	n/a
Age^g						
0-14	1	0.5%	n/a	8	0.1%	5.1
15-19	7	3.4%	14.1	21	0.3%	42.2
20-29	61	29.6%	56.4	591	7.9%	546.5
30-39	68	33.0%	50.5	1,721	23.0%	1,278.5
40-49	40	19.4%	37.4	1,627	21.7%	1,521.6
50+	29	14.1%	9.0	3,516	47.0%	1,094.8
Risk^h						
GBM	128	62.1%	n/a	4,039	54.0%	n/a
PWID	13	6.3%	n/a	531	7.1%	n/a
GBM/PWID	12	5.8%	n/a	343	4.6%	n/a
High Risk Heterosexual	52	25.2%	n/a	2,484	33.2%	n/a
Perinatal	0	0.0%	n/a	65	0.9%	n/a
Transfusion/Hemophilia	0	0.0%	n/a	20	0.3%	n/a
Other	0	0.0%	n/a	0	0.0%	n/a
Parishⁱ						
Jefferson	76	36.9%	17.5	2,173	29.0%	501.1
Orleans	125	60.7%	33.2	5,023	67.1%	1,332.5
Plaquemines	0	0.0%	0.0	57	0.8%	244.6
St. Bernard	5	2.4%	11.3	231	3.1%	521.9

^a New diagnoses include only individuals whose initial HIV diagnosis was made in Louisiana.

^b Prevalent cases include all cases presumed to be alive and living in Louisiana, regardless of the state of initial HIV report.

^c Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses and prevalence includes all cases, regardless of demographic variable completeness.

^d Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for other/unknown race groups, transgender groups, and risk exposure groups.

^e Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^f Cases are presented by current gender identity rather than sex at birth.

^g Age when first diagnosed with HIV is used for new HIV diagnoses. Current age is used for HIV prevalence. Age categories align with 2021 census age groups.

^h Risk shows imputed risk, not reported risk. Persons with no imputed risk are not included in the total percentage. GBM = Gay, bisexual, & other men who have sex with men; PWID = Persons who inject drugs.

ⁱ Parish where first diagnosed with HIV is used for new HIV diagnoses. Parish of current residence is used for HIV prevalence. Persons without a parish of residence are not included in the total percentage.

Reported Cases of Primary and Secondary Syphilis Region 1 - New Orleans, 2022

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	282	100.0%	32.1

Race/Ethnicity^d

Black	179	63.7%	50.4
Hispanic/Latinx	15	5.3%	15.9
White	74	26.3%	19.5

Gender^e

Female	62	22.0%	13.6
Male	213	75.5%	50.4
Transgender Male to Female	6	2.1%	n/a
Transgender Female to Male	1	0.4%	n/a

Age^f

10-19	17	6.0%	16.5
20-29	85	30.1%	78.6
30-39	89	31.6%	66.1
40-49	40	14.2%	37.4
50+	51	18.1%	15.9

Parish^g

Jefferson	77	27.3%	17.8
Orleans	192	68.1%	50.9
Plaquemines	3	1.1%	n/a
St. Bernard	10	3.5%	22.6

Affected Subpopulations Female^h

	Cases ^b	%
Black Female 10-19	7	2.5%
Black Female 20-29	18	6.4%
Black Female 30-39	11	3.9%
White Female 30-39	6	2.1%
White Female 40-49	6	2.1%

Affected Subpopulations Male^h

Black Male 10-19	6	2.1%
Black Male 20-29	41	14.6%
Black Male 30-39	40	14.2%
Black Male 40-49	15	5.3%
Black Male 50+	28	10.0%
Hispanic Male 20-29	5	1.8%
Other Male 30-39	8	2.8%
White Male 20-29	11	3.9%
White Male 30-39	17	6.0%
White Male 40-49	14	5.0%
White Male 50+	17	6.0%

^a New diagnoses include only individuals whose initial primary and secondary syphilis diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Cases are presented by current gender identity rather than sex at birth.

^f Age when first diagnosed with primary and secondary syphilis is used for new primary and secondary syphilis diagnoses. Age categories align with 2021 census age groups.

^g Parish where first diagnosed with primary and secondary syphilis is used for new primary and secondary syphilis diagnoses. Persons without a parish of residence are not included in the total percentage.

^h All subpopulations under 5 were excluded.

Reported Cases of Early Non-Primary Non-Secondary Syphilis Region 1 - New Orleans, 2022

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	301	100.0%	34.3

Race/Ethnicity^d

Black	194	64.5%	54.6
Hispanic/Latinx	16	5.3%	16.9
White	73	24.3%	19.2
Other	18	6.0%	n/a

Gender^e

Female	54	17.9%	11.8
Male	228	75.7%	54.0
Transgender Male to Female	17	5.6%	n/a
Transgender Female to Male	2	0.7%	n/a

Age^f

10-19	12	4.0%	11.6
20-29	70	23.3%	64.7
30-39	107	35.5%	79.5
40-49	70	23.3%	65.5
50+	42	14.0%	13.1

Parish^g

Jefferson	91	30.2%	21.0
Orleans	202	67.1%	53.6
Plaquemines	0	0.0%	0.0
St. Bernard	8	2.7%	18.1

Affected Subpopulations Female^h

	Cases ^b	%
Black Female 10-19	7	2.3%
Black Female 20-29	14	4.7%
Black Female 30-39	12	4.0%
Black Female 40-49	8	2.7%

Affected Subpopulations Male^h

Black Male 20-29	41	13.6%
Black Male 30-39	52	17.3%
Black Male 40-49	23	7.6%
Black Male 50+	20	6.6%
Hispanic Male 40-49	7	2.3%
Other Male 30-39	5	1.7%
Other Male 40-49	5	1.7%
White Male 20-29	7	2.3%
White Male 30-39	21	7.0%
White Male 40-49	19	6.3%
White Male 50+	16	5.3%

^a New diagnoses include only individuals whose initial non-primary non-secondary syphilis diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Cases are presented by current gender identity rather than sex at birth.

^f Age when first diagnosed with non-primary non-secondary syphilis is used for new non-primary non-secondary syphilis diagnoses. Age categories align with 2021 census age groups.

^g Parish where first diagnosed with non-primary non-secondary syphilis is used for new non-primary non-secondary syphilis diagnoses. Persons without a parish of residence are not included in the total percentage.

^h All subpopulations under 5 were excluded.

Reported Cases of Congenital Syphilis Louisiana, 2022

Region specific table not available due to low case counts.

Infants and Mothers Linked to New Congenital Syphilis Cases^a

	Cases	%	Rate ^b
Total Infant CS Cases	115	100.0%	204.0
Total Mothers Linked to New Cases	114	100.0%	4.8

Maternal Race/Ethnicity

Black	71	62.3%	9.0
Hispanic/Latinx	6	5.3%	4.9
White	29	24.6%	2.1
Other	9	7.9%	n/a

Positive Toxicology Screens^e

Positive Toxicology Screens ^e	Cases
Amphetamines/Meth	18
Cocaine	1
Heroin	4
Marijuana	22

Maternal Age^c

15-19	7	6.1%	4.8
20-24	22	19.3%	14.8
25-29	37	32.5%	24.5
30-34	25	21.9%	15.3
35+	23	20.2%	1.8

Maternal Region of Residence^d

Alexandria - Region 6	11	31.0%	7.7
Baton Rouge - Region 2	21	18.4%	5.9
Hammond - Region 9	6	5.3%	1.9
Houma - Region 3	5	4.4%	2.5
Lafayette - Region 4	17	14.9%	5.6
Lake Charles - Region 5	8	7.0%	5.3
Monroe - Region 8	15	13.2%	8.5
New Orleans - Region 1	15	13.2%	3.3
Shreveport - Region 7	16	14.0%	6.0

Infant Region of Residence^d

Alexandria - Region 6	11	9.6%	293.2
Baton Rouge - Region 2	21	18.3%	246.2
Hammond - Region 9	6	5.2%	81.6
Houma - Region 3	5	4.3%	113.3
Lafayette - Region 4	17	14.8%	215.7
Lake Charles - Region 5	9	7.8%	237.8
Monroe - Region 8	15	13.0%	373.9
New Orleans - Region 1	15	13.0%	145.5
Shreveport - Region 7	16	13.9%	252.5

Maternal Stage of Syphilis

Primary	2	1.8%	n/a
Secondary	8	7.0%	n/a
Early non-primary non-secondary	57	50.0%	n/a
Unknown/Late Latent	42	36.8%	n/a
Other	5	4.4%	n/a

^a New cases only include those who indicated a Louisiana residence at the time of delivery.

^b Congenital syphilis rates are calculated per 100,000 live births. Maternal rates are calculated using yearly census data, per 100,000 population. Percentages for maternal variables reflect distinct count of mothers. Rates for case counts under 20 are unreliable. Rates for case counts under 5 are not available.

^c Reflects maternal age at delivery.

^d Reflects maternal and infant region of residence at delivery.

^e Reflects substances detected during maternal toxicology screens conducted during pregnancy or delivery. Mothers can have positive toxicology screens for more than one substance.

Reported Cases of Gonorrhea Region 1 - New Orleans, 2022

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	3,372	100.0%	384.0

Race/Ethnicity^d

Black	2,276	69.4%	640.3
Hispanic/Latinx	112	3.4%	118.6
White	683	20.8%	180.0
Other	209	6.4%	n/a

Sex at Birth

Female	1,202	35.7%	263.7
Male	2,169	64.3%	513.5

Age^e

Under 10	0	0.0%	0.0
10-19	590	17.5%	571.5
20-29	1,520	45.1%	1,405.5
30-39	810	24.0%	601.7
40-49	276	8.2%	258.1
50+	176	5.2%	54.8

Parish^f

Jefferson	1,032	30.6%	238.0
Orleans	2,191	65.0%	581.2
Plaquemines	25	0.7%	107.3
St. Bernard	124	3.7%	280.2

Affected Subpopulations Females^g

	Cases ^b	%
Black Female 10-19	285	8.7%
Black Female 20-29	484	14.8%
Black Female 30-39	119	3.6%
Black Female 40-49	28	0.9%
Black Female 50+	9	0.3%
Hispanic Female 10-19	7	0.2%
Hispanic Female 20-29	24	0.7%
Other Female 10-19	12	0.4%
Other Female 20-29	38	1.2%
Other Female 30-39	12	0.4%
Other Female 40-49	5	0.2%
White Female 10-19	26	0.8%
White Female 20-29	64	2.0%
White Female 30-39	52	1.6%
White Female 40-49	10	0.3%
White Female 50+	5	0.2%

Affected Subpopulations Males^g

Black Male 10-19	203	6.2%
Black Male 20-29	643	19.6%
Black Male 30-39	312	9.5%
Black Male 40-49	104	3.2%
Black Male 50+	89	2.7%
Hispanic Male 20-29	24	0.7%
Hispanic Male 30-39	39	1.2%
Hispanic Male 40-49	12	0.4%
Other Male 10-19	18	0.5%
Other Male 20-29	52	1.6%
Other Male 30-39	39	1.2%
Other Male 40-49	20	0.6%
Other Male 50+	12	0.4%
White Male 10-19	13	0.4%
White Male 20-29	143	4.4%
White Male 30-39	218	6.6%
White Male 40-49	94	2.9%
White Male 50+	58	1.8%

^a New diagnoses include only individuals whose initial gonorrhea diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Age categories align with 2021 census age groups.

^f Parish where first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chlamydia Region 1 - New Orleans, 2022

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	7,670	100.0%	873.4

Race/Ethnicity^d

Black	5,087	69.4%	1,431.2
Hispanic/Latinx	323	4.4%	342.1
White	1,282	17.5%	337.9
Other	639	8.7%	n/a

Sex at Birth

Female	4,874	63.6%	1,069.4
Male	2,795	36.4%	661.6

Age^e

Under 10	1	0.0%	n/a
10-19	1,984	25.9%	1,921.8
20-29	3,918	51.1%	3,622.9
30-39	1,273	16.6%	945.7
40-49	323	4.2%	302.1
50+	171	2.2%	53.2

Parish^f

Jefferson	2,864	37.3%	660.4
Orleans	4,370	57.0%	1,159.2
Plaquemines	89	1.2%	381.9
St. Bernard	347	4.5%	784.0

Affected Subpopulations Females^g

	Cases ^b	%
Black Female 10-19	1,046	14.3%
Black Female 20-29	1,730	23.6%
Black Female 30-39	425	5.8%
Black Female 40-49	55	0.8%
Black Female 50+	22	0.3%
Hispanic Female 10-19	46	0.6%
Hispanic Female 20-29	131	1.8%
Hispanic Female 30-39	25	0.3%
Hispanic Female 40-49	9	0.1%
Other Female 10-19	120	1.6%
Other Female 20-29	225	3.1%
Other Female 30-39	71	1.0%
Other Female 40-49	19	0.3%
Other Female 50+	7	0.1%
White Female 10-19	200	2.7%
White Female 20-29	390	5.3%
White Female 30-39	105	1.4%
White Female 40-49	27	0.4%
White Female 50+	15	0.2%

Affected Subpopulations Males^g

Black Male 10-19	397	5.4%
Black Male 20-29	930	12.7%
Black Male 30-39	338	4.6%
Black Male 40-49	96	1.3%
Black Male 50+	47	0.6%
Hispanic Male 10-19	10	0.1%
Hispanic Male 20-29	39	0.5%
Hispanic Male 30-39	38	0.5%
Hispanic Male 40-49	17	0.2%
Hispanic Male 50+	5	0.1%
Other Male 10-19	35	0.5%
Other Male 20-29	85	1.2%
Other Male 30-39	43	0.6%
Other Male 40-49	21	0.3%
Other Male 50+	13	0.2%
White Male 10-19	33	0.5%
White Male 20-29	202	2.8%
White Male 30-39	184	2.5%
White Male 40-49	70	1.0%
White Male 50+	56	0.8%

^a New diagnoses include only individuals whose initial chlamydia diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with chlamydia is used for new chlamydia diagnoses. Age categories align with 2021 census age groups.

^f Parish where first diagnosed with chlamydia is used for new chlamydia diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Acute Hepatitis B Louisiana, 2022

Region specific table not available due to low case counts.

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	29	100.0%	0.6

Race/Ethnicity^d

Asian	0	0.0%	0.0
Black	6	22.2%	0.4
Hispanic/ Latinx	0	0.0%	0.0
White	21	77.8%	0.7

Affected Subpopulations Female^g

Cases ^b	%
White Female	9 33.3%

Sex at Birth

Female	15	51.7%	0.6
Male	14	48.3%	0.6

Age^e

18-29	1	3.4%	n/a
30-39	4	13.8%	n/a
40-49	10	34.5%	1.8
50-59	9	31.0%	1.5
60-69	3	10.3%	n/a
70+	2	6.9%	n/a

Region^f

Region 1 - New Orleans	2	6.9%	n/a
Region 2 - Baton Rouge	4	13.8%	n/a
Region 3 - Houma	6	20.7%	1.5
Region 4 - Lafayette	2	6.9%	n/a
Region 5 - Lake Charles	5	17.2%	1.6
Region 6 - Alexandria	5	17.2%	1.7
Region 7 - Shreveport	0	0.0%	0.0
Region 8 - Monroe	0	0.0%	0.0
Region 9 - Hammond/Slidell	5	17.2%	0.8

Affected Subpopulations Male^g

White Male	12 44.4%
------------	----------

^a New diagnoses include only individuals whose initial acute hepatitis B diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with acute hepatitis B is used for new diagnoses. Age categories align with 2021 census age groups.

^f Region where first diagnosed with acute hepatitis B is used for new diagnoses. Persons without a region of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chronic Hepatitis B

Region 1 - New Orleans, 2022

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	250	100.0%	28.5

Race/Ethnicity^d

Asian	44	18.4%	137.6
Black	102	42.7%	28.6
Hispanic/ Latinx	24	10.0%	25.4
White	69	28.9%	18.1

Sex at Birth

Female	95	38.0%	20.8
Male	155	62.0%	36.7

Age^e

0-17	4	1.6%	n/a
18-29	28	11.2%	22.0
30-39	61	24.4%	45.3
40-49	50	20.0%	46.7
50-59	43	17.2%	38.8
60-69	29	11.6%	25.8
70+	35	14.0%	35.5

Parish^f

Jefferson	107	42.8%	24.7
Orleans	117	46.8%	31.0
Plaquemines	8	3.2%	34.3
St. Bernard	18	7.2%	40.7

Affected Subpopulations Females^g

	Cases ^b	%
Asian Female 40-49	6	2.4%
Asian Female 50-59	5	2.0%
Black Female 50-59	9	3.7%
Black Female 70+	7	2.8%
White Female 30-39	6	2.4%
White Female 40-49	5	2.0%

Affected Subpopulations Males^g

Asian Male 30-39	6	2.4%
Asian Male 70+	5	2.0%
Black Male 18-29	5	2.0%
Black Male 30-39	13	5.3%
Black Male 40-49	12	4.9%
Black Male 50-59	11	4.5%
Black Male 60-69	11	4.5%
Black Male 70+	9	3.7%
Hispanic Male 40-49	7	2.8%
White Male 18-29	7	2.8%
White Male 30-39	12	4.9%
White Male 40-49	10	4.1%
White Male 50-59	7	2.8%
White Male 60-69	5	2.0%

^a New diagnoses include only individuals whose initial chronic hepatitis B diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with chronic hepatitis B is used for new diagnoses. Age categories align with 2021 census age groups.

^f Parish where first diagnosed with chronic hepatitis B is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Acute Hepatitis C Region 1 - New Orleans, 2022

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	45	100.0%	5.1

Race/Ethnicity^d

Asian	1	2.2%	n/a
Black	22	48.9%	6.1
Hispanic/ Latinx	2	4.4%	n/a
White	20	44.4%	5.2

Affected Subpopulations Female^g

	Cases ^b	%
Black Female 18-29	5	11.1%
White Female 18-29	5	11.1%
White Female 30-39	5	11.1%

Sex at Birth

Female	20	44.4%	4.3
Male	25	55.6%	5.9

Age^e

0-17	0	0.0%	0.0
18-29	16	35.6%	12.5
30-39	13	28.9%	9.6
40-49	7	15.6%	6.5
50-59	6	13.3%	5.4
60-69	2	4.4%	n/a
70+	1	2.2%	n/a

Parish^f

Jefferson	15	33.3%	3.4
Orleans	23	51.1%	6.1
Plaquemines	1	2.2%	n/a
St. Bernard	6	13.3%	13.5

Affected Subpopulations Male^g

Black Male	14	31.1%
White Male	9	20.0%

^a New diagnoses include only individuals whose initial acute hepatitis C diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with acute hepatitis C is used for new diagnoses. Age categories align with 2021 census age groups.

^f Parish where first diagnosed with acute hepatitis C is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chronic Hepatitis C Region 1 - New Orleans, 2022

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	880	100.0%	100.2

Race/Ethnicity^d

Asian	12	1.4%	37.5
Black	382	45.6%	107.4
Hispanic/ Latinx	46	5.5%	48.7
White	397	47.4%	104.6

Sex at Birth

Female	311	35.3%	68.2
Male	569	64.7%	134.7

Age^e

0-17	2	0.2%	n/a
18-29	72	8.2%	56.6
30-39	174	19.8%	129.2
40-49	173	19.7%	161.7
50-59	151	17.2%	136.4
60-69	212	24.1%	189.1
70+	96	10.9%	97.5

Parish^f

Jefferson	375	42.6%	86.5
Orleans	433	49.2%	114.9
Plaquemines	19	2.2%	81.5
St. Bernard	53	6.0%	119.8

Affected Subpopulations Female^g Cases^b

	Cases ^b	%
Black Female 18-29	13	1.5%
Black Female 30-39	21	2.4%
Black Female 40-49	19	2.2%
Black Female 50-59	22	2.6%
Black Female 60-69	36	4.2%
Black Female 70+	29	3.4%
White Female 18-29	19	2.2%
White Female 30-39	50	5.8%
White Female 40-49	23	2.7%
White Female 50-59	19	2.2%
White Female 60-69	24	2.8%
White Female 70+	13	1.5%

Affected Subpopulations Male^g

Black Male 18-29	6	0.7%
Black Male 30-39	31	3.6%
Black Male 40-49	54	6.3%
Black Male 50-59	46	5.3%
Black Male 70+	30	3.5%
Hispanic Male 30-39	11	1.3%
Hispanic Male 40-49	8	0.9%
Hispanic Male 60-69	6	0.7%
OtherM40-49	7	0.8%
OtherM60-69	9	1.0%
White Male 18-29	22	2.6%
White Male 30-39	48	5.6%
White Male 40-49	52	6.0%
White Male 50-59	53	6.1%
White Male 60-69	56	6.5%
White Male 70+	16	1.9%

^a New diagnoses include only individuals whose initial chronic hepatitis C diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with chronic hepatitis C is used for new diagnoses. Age categories align with 2021 census age groups.

^f Parish where first diagnosed with chronic hepatitis C is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.