STI/HIV/Hepatitis B & C Update

2022

Data Tables

Baton Rouge Region 2



Reported Cases of HIV Region 2 - Baton Rouge, 2022

		2022 New Diagnoses ^a		2022	Prevalence	9 _p	
		Cases	%	Rated	Cases	%	Rated
	Total	167	100.0%	24.0	5,098	100.0%	734.1
Race/Ethi	nicity ^e						
	Black	118	70.7%	40.6	4,222	82.8%	1,450.9
	Hispanic/Latinx	16	9.6%	49.8	139	2.7%	432.4
	White	29	17.4%	8.5	681	13.4%	198.8
	Other	4	2.4%	n/a	56	1.1%	n/a
Gender							
Gender	Female	39	23.4%	11.0	1,791	35.1%	504.7
	Male	123	73.7%	36.2	3,224	63.3%	807.6
	Transgender Male to Female	3	1.8%	n/a	82	1.6%	n/a
	Transgender Female to Male	2	1.2%	n/a	1	0.0%	n/a
Ageg							
	0-14	0	0.0%	0.0	11	0.2%	8.3
	15-19	8	4.8%	17	23	0.5%	48.9
	20-29	70	41.9%	64.9	507	9.9%	469.8
	30-39	47	28.1%	49.7	1,116	21.9%	1,178.9
	40-49	26	15.6%	31.5	1,278	25.1%	1,549.9
	50+	16	9.6%	7.0	2,163	42.4%	943.0
Riskh							
	GBM	102	61.1%	n/a	1,950	38.3%	n/a
	PWID	16	9.6%	n/a	518	10.2%	n/a
	GBM/PWID	3	1.8%	n/a	210	4.1%	n/a
	High Risk Heterosexual	46	27.5%	n/a	2,354	46.2%	n/a
	Perinatal	0	0.0%	n/a	54	1.1%	n/a
	Transfusion/Hemophilia	0	0.0%	n/a	11	0.2%	n/a
	Other	0	0.0%	n/a	0	0.0%	n/a
Parish ^ı							
	Ascension	15	9.0%	11.7	293	5.7%	228.2
	East Baton Rouge	132	79.0%	29.1	4,127	81.0%	910.4
	East Feliciana	4	2.4%	n/a	156	3.1%	806.7
	Iberville	3	1.8%	n/a	225	4.4%	754.4
	Pointe Coupee	1	0.6%	n/a	69	1.4%	339.0
	West Baton Rouge	11	6.6%	39.6	132	2.6%	475.0
	West Feliciana	1	0.6%	n/a	96	1.9%	619.6

a New diagnoses include only individuals whose initial HIV diagnosis was made in Louisiana.
b Prevalent cases include all cases presumed to be alive and living in Louisiana, regardless of the state of initial HIV report.
c Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses and prevalence includes all cases, regardless of demographic variable completeness.
c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for other/unknown race groups, transgender groups, and risk exposure groups.
c Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
c Cases are presented by current gender identity rather than sex at birth.
d Age when first diagnosed with HIV is used for new HIV diagnoses. Current age is used for HIV prevalence. Age categories align with 2021 census age groups.
h Risk shows imputed risk, not reported risk. Persons with no imputed risk are not included in the total percentage. GBM = Gay, bisexual, & other men who have sex with men; PWID = Persons who inject drugs.
I Parish where first diagnosed with HIV is used for new HIV diagnoses. Parish of current residence is used for HIV prevalence. Persons without a parish of residence are not included in the total percentage.

Reported Cases of Primary and Secondary Syphilis Region 2 - Baton Rouge, 2022

			N	lew Diagno	oses ^a		
		Cases ^b	%	Ratec			_
	Total	248	100.0%	35.7			
Race/E	thnicityd				Affected Subpopulations Femaleh	Cases ^b	%
	Black	179	72.2%	61.5	Black Female 20-29	30	12.1%
	Hispanic/Latinx	6	2.4%	18.7	Black Female 30-39	17	6.9%
	White	43	17.3%	12.6	White Female 20-29	5	2.0%
	Other	20	8.1%	n/a	White Female 30-39	7	2.8%
					White Female 40-49	7	2.8%
Gende						,	
	Female	87	35.1%	24.5			
	Male	157	63.3%	46.2 n/a			
	Transgender Male to Female	4	1.6%				
Agef					Affected Subpopulations Male ^h		
J	10-19	22	8.9%	23.7	Black Male 10-19	13	5.2%
	20-29	96	38.7%	89.0	Black Male 20-29	42	16.9%
	30-39	75	30.2%	79.2	Black Male 30-39	32	12.9%
	40-49	32	12.9%	38.8	Black Male 40-49	22	8.9%
	50+	23	9.3%	10.0	Black Male 50+	12	4.8%
					White Male 20-29	9	3.6%
Parish:	9				White Male 30-39	9	3.6%
	Ascension	30	12.1%	23.4			
	East Baton Rouge	181	73.0%	39.9			
	East Feliciana	7	2.8%	36.2			
	Iberville	13	5.2%	43.6			
	Pointe Coupee	7	2.8%	34.4			
	West Baton Rouge	10	4.0%	36.0			
	West Feliciana	0	0.0%	0.0			

a New diagnoses include only individuals whose initial primary and secondary syphillis diagnosis was made in Louisiana.
b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.
d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
c Cases are presented by current gender identity rather than sex at birth.
f Age when first diagnosed with primary and secondary syphillis is used for new primary and secondary syphillis diagnoses. Age categories align with 2021 census age groups.
g Parish where first diagnosed with primary and secondary syphillis is used for new primary and secondary syphillis diagnoses. Persons without a parish of residence are not included in the total percentage.
h All subpopulations under 5 were excluded.

Reported Cases of Early Non-Primary Non-Secondary Syphilis Region 2 - Baton Rouge, 2022

			N	lew Diagno	ses ^a		
		Cases ^b	%	Rate			
	Total	139	100.0%	20.0			
Race/E	thnicity ^d				Affected Subpopulations Femaleh	Casesb	%
	Black	112	80.6%	38.5	Black Female 20-29	15	10.8%
	Hispanic/Latinx	2	1.4%	n/a	Black Female 30-39	7	5.0%
	White	18	12.9%	5.3	Black Female 40-49	5	3.6%
	Other	7	5.0%	n/a			
Gende	re						
Gende	Female	37	26.6%	10.4			
	Male	98	70.5%	28.9			
	Transgender Male to Female	4	2.9%	n/a			
Agef					Affected Subpopulations Maleh		
_	10-19	7	5.0%	7.5	Black Male 20-29	24	17.3%
	20-29	48	34.5%	44.5	Black Male 30-39	29	20.9%
	30-39	46	33.1%	48.6	Black Male 40-49	18	12.9%
	40-49	27	19.4%	32.7	Black Male 50+	6	4.3%
	50+	11	7.9%	4.8			
Parish	g						
	Ascension	11	7.9%	8.6			
	East Baton Rouge	114	82.0%	25.1			
	East Feliciana	6	4.3%	31.0			
	Iberville	5	3.6%	16.8			
	Pointe Coupee	0	0.0%	0.0			
	West Baton Rouge	3	2.2%	n/a			
	West Feliciana	0	0.0%	0.0			

a New diagnoses include only individuals whose initial non-primary non-secondary syphillis diagnosis was made in Louisiana.
b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
c Cases per 100,000 population. Rates not available (na) for case counts less than 5. Rates not available for "Other" race group.
Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
c Cases are presented by current gender identity rather than sex at birth.
Age when first diagnosed with non-primary non-secondary syphillis is used for new non-primary non-secondary syphillis diagnoses. Age categories align with 2021 census age groups.
Parish where first diagnosed with non-primary non-secondary syphillis is used for new non-primary non-secondary syphillis diagnoses. Persons without a parish of residence are not included in the total percentage.
All subpopulations under 5 were excluded.

Reported Cases of Congenital Syphilis Louisiana, 2022

Region specific table not available due to low case counts.

Infants and Mothers Linked to New Congenital Syphilis Cases^a

	intants and	wotners	Linkea to
	Cases	%	Rateb
Total Infant CS Cases	115	100.0%	204.0
Total Mothers Linked to New Cases	114	100.0%	4.8
Maternal Race/Ethnicity			
Black	71	62.3%	9.0
Hispanic/Latinx	6	5.3%	4.9
White	29	24.6%	2.1
Other	9	7.9%	n/a
Maternal Age			
15-19	7	6.1%	4.8
20-24	22	19.3%	14.8
25-29	37	32.5%	24.5
30-34	25	21.9%	15.3
35+	23	20.2%	1.8
Maternal Region of Residenced			
Alexandria - Region 6	11	31.0%	7.7
Baton Rouge - Region 2	21	18.4%	5.9
Hammond - Region 9	6	5.3%	1.9
Houma - Region 3	5	4.4%	2.5
Lafayette - Region 4	17	14.9%	5.6
Lake Charles - Region 5	8	7.0%	5.3
Monroe - Region 8	15	13.2%	8.5
New Orleans - Region 1	15	13.2%	3.3
Shreveport - Region 7	16	14.0%	6.0
Infant Region of Residenced			
Alexandria - Region 6	11	9.6%	293.2
Baton Rouge - Region 2	21	18.3%	246.2
Hammond - Region 9	6	5.2%	81.6
Houma - Region 3	5	4.3%	113.3
Lafayette - Region 4	17	14.8%	215.7
Lake Charles - Region 5	9	7.8%	237.8
Monroe - Region 8	15	13.0%	373.9
New Orleans - Region 1	15	13.0%	145.5
Shreveport - Region 7	16	13.9%	252.5
Maternal Stage of Syphilis			
Primary	2	1.8%	n/a
Secondary	8	7.0%	n/a
Early non-primary non-secondary	57	50.0%	n/a
Unknown/Late Latent	42	36.8%	n/a
Other	5	4.4%	n/a

Positive Toxicology Screense	Cases
Amphetamines/Meth	18
Cocaine	1
Heroin	4
Marijuana	22

 ^a New cases only include those who indicated a Louisiana residence at the time of delivery.
 ^b Congenital syphilis rates are calculated per 100,000 live births. Maternal rates are calculated using yearly census data, per 100,000 population. Percentages for maternal variables reflect distinct count of mothers. Rates for case counts under 20 are unreliable. Rates for case counts under 5 are not available.
 ^c Reflects maternal age at delivery.
 ^d Reflects maternal and infant region of residence at delivery.

e Reflects substances detected during maternal toxicology screens conducted during pregnancy or delivery. Mothers can have positive toxicology screens for more than one substance.

Reported Cases of Gonorrhea Region 2 - Baton Rouge, 2022

New Diagnoses^a

		Cases ^b	%	Ratec	
	Total	2,804	100.0%	403.8	
Race/	Ethnicity ^d				Affected Subpopulations Female
	Black	2,220	82.1%	762.9	Black Female 10-19
	Hispanic/Latinx	40	1.5%	124.4	Black Female 20-29
	White	309	11.4%	90.2	Black Female 30-39
	Other	136	5.0%	n/a	Black Female 40-49
					Black Female 50+
Sex af	t Birth				Other Female 10-19
	Female	1,278	45.6%	360.1	Other Female 20-29
	Male	1,526	54.4%	449.4	Other Female 30-39
	•				White Female 10-19
Agee					White Female 20-29
	Under 10	0	0.0%	0.0	White Female 30-39
	10-19	606	21.6%	653.5	White Female 40-49
	20-29	1,525	54.4%	1,413.1	
	30-39	451	16.1%	476.4	
	40-49	135	4.8%	163.7	
	50+	87	3.1%	37.9	

p.p.a		, ,
Black Female 10-19	276	10.2%
Black Female 20-29	603	22.3%
Black Female 30-39	106	3.9%
Black Female 40-49	36	1.3%
Black Female 50+	6	0.2%
Other Female 10-19	14	0.5%
Other Female 20-29	38	1.4%
Other Female 30-39	9	0.3%
White Female 10-19	41	1.5%
White Female 20-29	69	2.6%
White Female 30-39	34	1.3%
White Female 40-49	7	0.3%

Casesb

Parishf

ļ [*]			
Ascension	253	9.0%	197.1
East Baton Rouge	2,163	77.1%	477.2
East Feliciana	51	1.8%	263.7
Iberville	154	5.5%	516.4
Pointe Coupee	51	1.8%	250.5
West Baton Rouge	93	3.3%	334.6
West Feliciana	39	1.4%	251.7

Affected Subpopulations Maleg

Black Male 10-19	222	8.2%
Black Male 20-29	633	23.4%
Black Male 30-39	224	8.3%
Black Male 40-49	61	2.3%
Black Male 50+	53	2.0%
Hispanic Male 20-29	22	0.8%
Hispanic Male 30-39	9	0.3%
Other Male 10-19	10	0.4%
Other Male 20-29	39	1.4%
Other Male 30-39	15	0.6%
Other Male 50+	5	0.2%
White Male 10-19	12	0.4%
White Male 20-29	70	2.6%
White Male 30-39	39	1.4%
White Male 40-49	19	0.7%
White Male 50+	14	0.5%

<sup>a New diagnoses include only individuals whose initial gonorrhea diagnosis was made in Louisiana.
b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.
d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
d Age when first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Age categories align with 2021 census age groups.
I Parish where first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Persons without a parish of residence are not included in the total percentage.

Affected subpopulations with counts less than 5 are excluded.</sup>

Reported Cases of Chlamydia Region 2 - Baton Rouge, 2022

New	Diag	nosesa
-----	------	--------

		Casesb	%	Ratec
	Total	6,598	100.0%	950.1
Race/E	Ethnicity ^d			
	Black	4,859	77.4%	1,669.8
	Hispanic/Latinx	84	1.3%	261.3
	White	899	14.3%	262.4
	Other	432	6.9%	n/a
Sex at	Birth			
	Female	4,424	67.1%	1,246.6
	Male	2,173	32.9%	639.9
Agee				
	Under 10	1	0.0%	n/a
	10-19	1,903	28.8%	2,052.2
	20-29	3,759	57.0%	3,483.2
	30-39	719	10.9%	759.5
	40-49	157	2.4%	190.4
	50+	59	0.9%	25.7
Paris	hf			
	Ascension	823	12.5%	641.1
	East Baton Rouge	4,914	74.5%	1,084.0
	East Feliciana	121	1.8%	625.7
	Iberville	312	4.7%	1,046.1
	Pointe Coupee	130	2.0%	638.6
	West Baton Rouge	220	3.3%	791.6
	West Feliciana	78	1.2%	503.4

Affected Subpopulations Femaleg	Cases ^b	%
Black Female 10-19	1,000	15.9%
Black Female 20-29	1,851	29.5%
Black Female 30-39	329	5.2%
Black Female 40-49	46	0.7%
Black Female 50+	11	0.2%
Hispanic Female 10-19	14	0.2%
Hispanic Female 20-29	29	0.5%
Hispanic Female 30-39	6	0.1%
Other Female 10-19	91	1.5%
Other Female 20-29	197	3.1%
Other Female 30-39	31	0.5%
White Female 10-19	204	3.3%
White Female 20-29	342	5.5%
White Female 30-39	57	0.9%
White Female 40-49	23	0.4%

Affected Subpopulations Maleg

Black Male 10-19	400	6.4%
Black Male 20-29	933	14.9%
Black Male 30-39	208	3.3%
Black Male 40-49	58	0.9%
Black Male 50+	22	0.4%
Hispanic Male 20-29	18	0.3%
Hispanic Male 30-39	6	0.1%
Other Male 10-19	18	0.3%
Other Male 20-29	70	1.1%
Other Male 30-39	12	0.2%
White Male 10-19	40	0.6%
White Male 20-29	162	2.6%
White Male 30-39	41	0.7%
White Male 40-49	14	0.2%
White Male 50+	12	0.2%

<sup>a New diagnoses include only individuals whose initial chlamydia diagnosis was made in Louisiana.
b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.
d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
e Age when first diagnosed with chlamydia is used for new chlamydia diagnoses. Age categories align with 2021 census age groups.
f Parish where first diagnosed with chlamydia is used for new chlamydia diagnoses. Persons without a parish of residence are not included in the total percentage.
g Affected subpopulations with counts less than 5 are excluded.</sup>

Reported Cases of Acute Hepatitis B Louisiana, 2022

Region specific table not available due to low case counts.

New Diagnoses^a

	Cases ^b	%	Ratec			
Total	29	100.0%	0.6			
ce/Ethnicity ^d				Affected Subpopulations Femaleg	Casesb	%
Asian	0	0.0%	0.0	White Female	9	33.3%
Black	6	22.2%	0.4			
Hispanic/ Latinx	0	0.0%	0.0			
White	21	77.8%	0.7			
x at Birth						
Female	15	51.7%	0.6	•		
Male	14	48.3%	0.6			
le _e						
18-29	1	3.4%	n/a			
30-39	4	13.8%	n/a			
40-49	10	34.5%	1.8			
50-59	9	31.0%	1.5			
60-69	3	10.3%	n/a			
70+	2	6.9%	n/a			
gion ^f				Affected Subpopulations Male		
Region 1 - New Orleans	2	6.9%	n/a	White Male	12	44.49
Region 2 - Baton Rouge	4	13.8%	n/a			
Region 3 - Houma	6	20.7%	1.5			
Region 4 - Lafayette	2	6.9%	n/a			
Region 5 - Lake Charles	5	17.2%	1.6			
Region 6 - Alexandria	5	17.2%	1.7			

0

0

5

0.0%

0.0%

17.2%

0.0 0.0

8.0

Region 7 - Shreveport

Region 9 - Hammond/Slidell

Region 8 - Monroe



a New diagnoses include only individuals whose initial acute hepatitis B diagnosis was made in Louisiana.
 b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
 c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race

Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.
 Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
 Age when first diagnosed with acute hepatitis B is used for new diagnoses. Age categories align with 2021 census age groups.
 Region where first diagnosed with acute hepatitis B is used for new diagnoses. Persons without a region of residence are not included in the total percentage.
 Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chronic Hepatitis B Region 2 - Baton Rouge, 2022

New Diagnosesa

Ratec			

		Casesb	%	Ratec
	Total	135	100.0%	19.4
Race/E	thnicity ^a			
	Asian	15	11.4%	84.7
	Black	71	53.8%	24.3
	Hispanic/ Latinx	9	6.8%	27.9
	White	37	28.0%	10.8

Affected Subpopulations Female ⁹	Casesb	%
Black Female 30-39	5	3.7%
Black Female 40-49	8	6.0%

Sex at Birth

Female	50	37.0%	14.09
Male	85	63.0%	25.03

Agee

0-17	0	0.0%	0.0
18-29	15	11.1%	11.7
30-39	26	19.3%	27.4
40-49	42	31.1%	50.9
50-59	16	11.9%	19.4
60-69	19	14.1%	24.3
70+	17	12.6%	24.5

Parish^f

Ascension	26	19.3%	20.2
East Baton Rouge	86	63.7%	18.9
East Feliciana	6	4.4%	31.0
Iberville	7	5.2%	23.4
Pointe Coupee	0	0.0%	0.0
West Baton Rouge	8	5.9%	28.7
West Feliciana	2	1.5%	n/a

Affected S	Subpo	pulations	Maleg
------------	-------	-----------	-------

appopulations malo-			
Black Male 18-29	5	3.7%	
Black Male 30-39	9	6.7%	
Black Male 40-49	10	7.5%	
Black Male 50-59	8	6.0%	
Black Male 60-69	9	6.7%	
Black Male 70+	8	6.0%	
White Male 30-39	5	3.7%	
White Male 40-49	8	6.0%	
White Male 50-59	6	4.5%	



a New diagnoses include only individuals whose initial chronic hepatitis B diagnosis was made in Louisiana.
 b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
 c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race

Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.
 Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
 Age when first diagnosed with chronic hepatitis B is used for new diagnoses. Age categories align with 2021 census age groups.
 Parish where first diagnosed with chronic hepatitis B is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.
 Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Acute Hepatitis C Region 2 - Baton Rouge, 2022

New Diagnosesa

	Casesb	%	Ratec
Total	27	100.0%	3.9
ce/Ethnicity ^d			
Asian	0	0.0%	0.0
Black	13	54.2%	4.4
Hispanic/ Latinx	0	0.0%	0.0
White	11	45.8%	3.2

Affected Subpopulations Female⁹

All female subpopulations had a case count less than 5.

Sex at Birth

Female	7	25.9%	1.9
Male	20	74.1%	5.8

Agee

0-17	0	0.0%	0.0
18-29	6	22.2%	4.6
30-39	13	48.1%	13.7
40-49	4	14.8%	n/a
50-59	3	11.1%	n/a
60-69	1	3.7%	n/a
70+	0	0.0%	0.0

Parishf

2	7.4%	n/a
18	66.7%	3.9
2	7.4%	n/a
3	11.1%	n/a
0	0.0%	0.0
0	0.0%	0.0
2	7.4%	n/a
	18 2 3 0	18 66.7% 2 7.4% 3 11.1% 0 0.0% 0 0.0%

Affected Subpopulations Maleg	Casesb	%
Black Male	9	33.3%
White Male	8	29.6%



a New diagnoses include only individuals whose initial acute hepatitis C diagnosis was made in Louisiana.
 b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
 c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race

Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

Age when first diagnosed with acute hepatitis C is used for new diagnoses. Age categories align with 2021 census age groups.

Parish where first diagnosed with acute hepatitis C is used for new diagnoses. Persons without a parish of residence are not

included in the total percentage.

9 Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chronic Hepatitis C Region 2 - Baton Rouge, 2022

New	Diagnosesa
-----	------------

	Casesb	%	Ratec	_		
Total	646	100.0%	93.0	<u>-</u>		
ace/Ethnicity ^d				Affected Subpopulations Female ⁹ Ca	sesb	%
Asian	4	0.7%	n/a	Black Female 18-29	10	1.6%
Black	272	44.7%	93.4	Black Female 30-39	11	1.7%
Hispanic/ Latinx	33	5.4%	102.6	Black Female 40-49	8	1.3%
White	300	49.3%	87.5	Black Female 50-59	20	3.1%
				Black Female 60-69	17	2.7%
				Black Female 70+	11	1.7%
ex at Birth				White Female 18-29	19	3.0%
Female	211	32.7%	59.4	White Female 30-39	32	5.0%
Male	435	67.3%	128.0	White Female 40-49	23	3.6%
				White Female 50-59	13	2.0%
gee				White Female 60-69	14	2.2%
0-17	7	1.1%	3.8			
18-29	67	10.4%	52.3			
30-39	153	23.7%	161.6			
40-49	119	18.4%	144.3			
50-59	116	18.0%	141.1			
60-69	151	23.4%	193.5			
70+	33	5.1%	47.7			

D۵	ric	hf
-	115	ıı.

Ascension	146	22.6%	113.7
East Baton Rouge	361	55.9%	79.6
East Feliciana	24	3.7%	124.1
Iberville	63	9.8%	211.2
Pointe Coupee	11	1.7%	54.0
West Baton Rouge	20	3.1%	71.9
West Feliciana	21	3.3%	135.5

Affected Subpor	oulations Maleg
-----------------	-----------------

abpopulations males			
Black Male 18-29	10	1.6%	
Black Male 30-39	22	3.5%	
Black Male 40-49	20	3.1%	
Black Male 50-59	53	8.3%	
Black Male 60-69	72	11.3%	
Black Male 70+	13	2.0%	
HispanicM40-49	7	1.1%	
Other Male 40-49	5	0.8%	
White Male 18-29	17	2.7%	
White Male 30-39	72	11.3%	
White Male 40-49	49	7.7%	
White Male 50-59	20	3.1%	
White Male 60-69	32	5.0%	



a New diagnoses include only individuals whose initial chronic hepatitis C diagnosis was made in Louisiana.
 b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
 c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race

Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.
 Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
 Age when first diagnosed with chronic hepatitis C is used for new diagnoses. Age categories align with 2021 census age groups.
 Parish where first diagnosed with chronic hepatitis C is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.
 Affected subpopulations with counts less than 5 are excluded.