

# STI/HIV/Hepatitis B & C Update

**2022**

## Data Tables

**Houma**  
Region 3



**LOUISIANA**  
**DEPARTMENT OF**  
**HEALTH**

*STD/HIV/Hepatitis Program*

## Reported Cases of HIV Region 3 - Houma, 2022

	2022 New Diagnoses <sup>a</sup>			2022 Prevalence <sup>b</sup>		
	Cases <sup>c</sup>	%	Rate <sup>d</sup>	Cases <sup>c</sup>	%	Rate <sup>d</sup>
Total	46	100.0%	11.8	958	100.0%	246.1
<b>Race/Ethnicity<sup>e</sup></b>						
Black	27	58.7%	26.4	583	60.9%	569.3
Hispanic/Latinx	1	2.2%	n/a	55	5.7%	252.0
White	15	32.6%	6.2	303	31.6%	124.6
Other	3	6.5%	n/a	17	1.8%	n/a
<b>Gender<sup>f</sup></b>						
Female	12	26.1%	6.1	327	34.1%	165.6
Male	34	73.9%	17.7	618	64.6%	322.7
Transgender Male to Female	0	0.0%	n/a	13	1.4%	n/a
Transgender Female to Male	0	0.0%	n/a	0	0.0%	n/a
<b>Age<sup>g</sup></b>						
0-14	0	0.0%	0.0	2	0.2%	n/a
15-19	2	4.3%	n/a	2	0.2%	n/a
20-29	19	41.3%	40.9	130	13.6%	279.9
30-39	11	23.9%	21.3	214	22.3%	414.4
40-49	7	15.2%	15.1	200	20.9%	431.2
50+	7	15.2%	4.9	410	42.8%	286.6
<b>Risk<sup>h</sup></b>						
GBM	30	65.2%	n/a	456	47.6%	n/a
PWID	5	10.9%	n/a	79	8.3%	n/a
GBM/PWID	0	0.0%	n/a	27	2.8%	n/a
High Risk Heterosexual	11	23.9%	n/a	382	39.9%	n/a
Perinatal	0	0.0%	n/a	13	1.4%	n/a
Transfusion/Hemophilia	0	0.0%	n/a	0	0.0%	n/a
Other	0	0.0%	n/a	0	0.0%	n/a
<b>Parish<sup>i</sup></b>						
Assumption	8	17.4%	38.7	48	5.0%	232.0
Lafourche	9	19.6%	9.2	163	17.0%	167.2
St. Charles	3	6.5%	n/a	130	13.6%	248.7
St. James	2	4.3%	n/a	86	9.0%	435.6
St. John the Baptist	4	8.7%	n/a	195	20.4%	463.2
St. Mary	7	15.2%	14.5	115	12.0%	238.4
Terrebonne	13	28.3%	12.0	221	23.1%	203.3

<sup>a</sup> New diagnoses include only individuals whose initial HIV diagnosis was made in Louisiana.

<sup>b</sup> Prevalent cases include all cases presumed to be alive and living in Louisiana, regardless of the state of initial HIV report.

<sup>c</sup> Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses and prevalence includes all cases, regardless of demographic variable completeness.

<sup>d</sup> Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for other/unknown race groups, transgender groups, and risk exposure groups.

<sup>e</sup> Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

<sup>f</sup> Cases are presented by current gender identity rather than sex at birth.

<sup>g</sup> Age when first diagnosed with HIV is used for new HIV diagnoses. Current age is used for HIV prevalence. Age categories align with 2021 census age groups.

<sup>h</sup> Risk shows imputed risk, not reported risk. Persons with no imputed risk are not included in the total percentage. GBM = Gay, bisexual, & other men who have sex with men; PWID = Persons who inject drugs.

<sup>i</sup> Parish where first diagnosed with HIV is used for new HIV diagnoses. Parish of current residence is used for HIV prevalence. Persons without a parish of residence are not included in the total percentage.

# Reported Cases of Primary and Secondary Syphilis Region 3 - Houma, 2022

## New Diagnoses<sup>a</sup>

	Cases <sup>b</sup>	%	Rate <sup>c</sup>
Total	53	100.0%	13.6

### Race/Ethnicity<sup>d</sup>

Black	26	50.0%	25.4
Hispanic/Latinx	2	3.8%	n/a
White	22	42.3%	9.0
Other	2	3.8%	n/a

### Affected Subpopulations Female<sup>h</sup>

	Cases <sup>b</sup>	%
White Female 20-29	5	9.6%

### Gender<sup>e</sup>

Female	13	24.5%	6.6
Male	39	73.6%	20.3
Transgender Male to Female	1	1.9%	n/a

### Age<sup>f</sup>

10-19	2	3.8%	n/a
20-29	18	34.0%	38.8
30-39	22	41.5%	42.6
40-49	7	13.2%	15.1
50+	4	7.5%	n/a

### Affected Subpopulations Male<sup>h</sup>

Black Male 20-29	5	9.6%
Black Male 30-39	11	21.2%
White Male 30-39	6	11.5%

### Parish<sup>g</sup>

Assumption	2	3.8%	n/a
Lafourche	8	15.1%	8.2
St. Charles	1	1.9%	n/a
St. James	2	3.8%	n/a
St. John the Baptist	8	15.1%	19.0
St. Mary	8	15.1%	16.6
Terrebonne	24	45.3%	22.1

<sup>a</sup> New diagnoses include only individuals whose initial primary and secondary syphilis diagnosis was made in Louisiana.

<sup>b</sup> Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

<sup>c</sup> Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

<sup>d</sup> Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

<sup>e</sup> Cases are presented by current gender identity rather than sex at birth.

<sup>f</sup> Age when first diagnosed with primary and secondary syphilis is used for new primary and secondary syphilis diagnoses. Age categories align with 2021 census age groups.

<sup>g</sup> Parish where first diagnosed with primary and secondary syphilis is used for new primary and secondary syphilis diagnoses. Persons without a parish of residence are not included in the total percentage.

<sup>h</sup> All subpopulations under 5 were excluded.

# Reported Cases of Early Non-Primary Non-Secondary Syphilis Region 3 - Houma, 2022

## New Diagnoses<sup>a</sup>

	Cases <sup>b</sup>	%	Rate <sup>c</sup>
Total	43	100.0%	11.0

### Race/Ethnicity<sup>d</sup>

Black	23	53.5%	22.5
Hispanic/Latinx	1	2.3%	n/a
White	15	34.9%	6.2
Other	4	9.3%	n/a

### Affected Subpopulations Female<sup>h</sup>

	Cases <sup>b</sup>	%
Black Female 20-29	6	14.0%

### Gender<sup>e</sup>

Female	18	41.9%	9.1
Male	24	55.8%	12.5
Transgender Male to Female	1	2.3%	n/a

### Age<sup>f</sup>

10-19	2	4.7%	n/a
20-29	21	48.8%	45.2
30-39	9	20.9%	17.4
40-49	7	16.3%	15.1
50+	4	9.3%	n/a

### Affected Subpopulations Male<sup>h</sup>

Black Male 20-29	6	14.0%
------------------	---	-------

### Parish<sup>g</sup>

Assumption	0	0.0%	0.0
Lafourche	8	18.6%	8.2
St. Charles	3	7.0%	n/a
St. James	5	11.6%	25.3
St. John the Baptist	9	20.9%	21.4
St. Mary	4	9.3%	n/a
Terrebonne	14	32.6%	12.9

<sup>a</sup> New diagnoses include only individuals whose initial non-primary non-secondary syphilis diagnosis was made in Louisiana.

<sup>b</sup> Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

<sup>c</sup> Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

<sup>d</sup> Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

<sup>e</sup> Cases are presented by current gender identity rather than sex at birth.

<sup>f</sup> Age when first diagnosed with non-primary non-secondary syphilis is used for new non-primary non-secondary syphilis diagnoses. Age categories align with 2021 census age groups.

<sup>g</sup> Parish where first diagnosed with non-primary non-secondary syphilis is used for new non-primary non-secondary syphilis diagnoses. Persons without a parish of residence are not included in the total percentage.

<sup>h</sup> All subpopulations under 5 were excluded.



# Reported Cases of Congenital Syphilis Louisiana, 2022

Region specific table not available due to low case counts.

## Infants and Mothers Linked to New Congenital Syphilis Cases<sup>a</sup>

	Cases	%	Rate <sup>b</sup>
Total Infant CS Cases	115	100.0%	204.0
Total Mothers Linked to New Cases	114	100.0%	4.8

### Maternal Race/Ethnicity

Black	71	62.3%	9.0
Hispanic/Latinx	6	5.3%	4.9
White	29	24.6%	2.1
Other	9	7.9%	n/a

### Positive Toxicology Screens<sup>e</sup>

Positive Toxicology Screens <sup>e</sup>	Cases
Amphetamines/Meth	18
Cocaine	1
Heroin	4
Marijuana	22

### Maternal Age<sup>c</sup>

15-19	7	6.1%	4.8
20-24	22	19.3%	14.8
25-29	37	32.5%	24.5
30-34	25	21.9%	15.3
35+	23	20.2%	1.8

### Maternal Region of Residence<sup>d</sup>

Alexandria - Region 6	11	31.0%	7.7
Baton Rouge - Region 2	21	18.4%	5.9
Hammond - Region 9	6	5.3%	1.9
Houma - Region 3	5	4.4%	2.5
Lafayette - Region 4	17	14.9%	5.6
Lake Charles - Region 5	8	7.0%	5.3
Monroe - Region 8	15	13.2%	8.5
New Orleans - Region 1	15	13.2%	3.3
Shreveport - Region 7	16	14.0%	6.0

### Infant Region of Residence<sup>d</sup>

Alexandria - Region 6	11	9.6%	293.2
Baton Rouge - Region 2	21	18.3%	246.2
Hammond - Region 9	6	5.2%	81.6
Houma - Region 3	5	4.3%	113.3
Lafayette - Region 4	17	14.8%	215.7
Lake Charles - Region 5	9	7.8%	237.8
Monroe - Region 8	15	13.0%	373.9
New Orleans - Region 1	15	13.0%	145.5
Shreveport - Region 7	16	13.9%	252.5

### Maternal Stage of Syphilis

Primary	2	1.8%	n/a
Secondary	8	7.0%	n/a
Early non-primary non-secondary	57	50.0%	n/a
Unknown/Late Latent	42	36.8%	n/a
Other	5	4.4%	n/a

<sup>a</sup> New cases only include those who indicated a Louisiana residence at the time of delivery.

<sup>b</sup> Congenital syphilis rates are calculated per 100,000 live births. Maternal rates are calculated using yearly census data, per 100,000 population. Percentages for maternal variables reflect distinct count of mothers. Rates for case counts under 20 are unreliable. Rates for case counts under 5 are not available.

<sup>c</sup> Reflects maternal age at delivery.

<sup>d</sup> Reflects maternal and infant region of residence at delivery.

<sup>e</sup> Reflects substances detected during maternal toxicology screens conducted during pregnancy or delivery. Mothers can have positive toxicology screens for more than one substance.

# Reported Cases of Gonorrhea Region 3 - Houma, 2022

## New Diagnoses<sup>a</sup>

	Cases <sup>b</sup>	%	Rate <sup>c</sup>
Total	1,022	100.0%	262.6

### Race/Ethnicity<sup>d</sup>

Black	679	67.8%	663.0
Hispanic/Latinx	8	0.8%	36.7
White	252	25.1%	103.7
Other	63	6.3%	n/a

### Sex at Birth

Female	493	48.2%	249.7
Male	529	51.8%	275.8

### Age<sup>e</sup>

Under 10	0	0.0%	0.0
10-19	229	22.4%	437.4
20-29	539	52.7%	1,160.5
30-39	169	16.5%	327.3
40-49	52	5.1%	112.1
50+	33	3.2%	23.1

### Parish<sup>f</sup>

Assumption	52	5.1%	251.3
Lafourche	236	23.1%	242.0
St. Charles	106	10.4%	202.7
St. James	46	4.5%	233.0
St. John the Baptist	132	12.9%	313.6
St. Mary	126	12.3%	261.2
Terrebonne	324	31.7%	298.0

### Affected Subpopulations Females<sup>g</sup>

	Cases <sup>b</sup>	%
Black Female 10-19	84	8.4%
Black Female 20-29	166	16.6%
Black Female 30-39	36	3.6%
Black Female 40-49	10	1.0%
Other Female 10-19	9	0.9%
Other Female 20-29	35	3.5%
Other Female 30-39	6	0.6%
White Female 10-19	27	2.7%
White Female 20-29	76	7.6%
White Female 30-39	24	2.4%

### Affected Subpopulations Males<sup>g</sup>

Black Male 10-19	83	8.3%
Black Male 20-29	198	19.8%
Black Male 30-39	58	5.8%
Black Male 40-49	26	2.6%
Black Male 50+	14	1.4%
White Male 10-19	12	1.2%
White Male 20-29	49	4.9%
White Male 30-39	38	3.8%
White Male 40-49	11	1.1%
White Male 50+	11	1.1%

<sup>a</sup> New diagnoses include only individuals whose initial gonorrhea diagnosis was made in Louisiana.

<sup>b</sup> Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

<sup>c</sup> Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

<sup>d</sup> Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

<sup>e</sup> Age when first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Age categories align with 2021 census age groups.

<sup>f</sup> Parish where first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Persons without a parish of residence are not included in the total percentage.

<sup>g</sup> Affected subpopulations with counts less than 5 are excluded.

# Reported Cases of Chlamydia Region 3 - Houma, 2022

## New Diagnoses<sup>a</sup>

	Cases <sup>b</sup>	%	Rate <sup>c</sup>
Total	2,718	100.0%	698.3

### Race/Ethnicity<sup>d</sup>

Black	1,622	61.3%	1,583.9
Hispanic/Latinx	37	1.4%	169.5
White	785	29.7%	322.9
Other	203	7.7%	n/a

### Sex at Birth

Female	1,922	70.7%	973.4
Male	796	29.3%	415.0

### Age<sup>e</sup>

Under 10	0	0.0%	0.0
10-19	834	30.7%	1,592.9
20-29	1,425	52.4%	3,068.1
30-39	366	13.5%	708.8
40-49	65	2.4%	140.1
50+	28	1.0%	19.6

### Parish<sup>f</sup>

Assumption	128	4.7%	618.7
Lafourche	597	22.0%	612.3
St. Charles	279	10.3%	533.6
St. James	163	6.0%	825.7
St. John the Baptist	409	15.0%	971.6
St. Mary	275	10.1%	570.2
Terrebonne	867	31.9%	797.5

### Affected Subpopulations Females<sup>g</sup>

	Cases <sup>b</sup>	%
Black Female 10-19	385	14.5%
Black Female 20-29	557	21.0%
Black Female 30-39	115	4.3%
Black Female 40-49	16	0.6%
Black Female 50+	5	0.2%
Hispanic Female 10-19	8	0.3%
Hispanic Female 20-29	16	0.6%
Other Female 10-19	54	2.0%
Other Female 20-29	96	3.6%
Other Female 30-39	18	0.7%
White Female 10-19	155	5.9%
White Female 20-29	334	12.6%
White Female 30-39	90	3.4%
White Female 40-49	13	0.5%

### Affected Subpopulations Males<sup>g</sup>

	Cases <sup>b</sup>	%
Black Male 10-19	154	5.8%
Black Male 20-29	279	10.5%
Black Male 30-39	80	3.0%
Black Male 40-49	17	0.6%
Black Male 50+	14	0.5%
Other Male 10-19	10	0.4%
Other Male 20-29	15	0.6%
White Male 10-19	36	1.4%
White Male 20-29	94	3.6%
White Male 30-39	44	1.7%
White Male 40-49	10	0.4%
White Male 50+	5	0.2%

<sup>a</sup> New diagnoses include only individuals whose initial chlamydia diagnosis was made in Louisiana.

<sup>b</sup> Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

<sup>c</sup> Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

<sup>d</sup> Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

<sup>e</sup> Age when first diagnosed with chlamydia is used for new chlamydia diagnoses. Age categories align with 2021 census age groups.

<sup>f</sup> Parish where first diagnosed with chlamydia is used for new chlamydia diagnoses. Persons without a parish of residence are not included in the total percentage.

<sup>g</sup> Affected subpopulations with counts less than 5 are excluded.

# Reported Cases of Acute Hepatitis B Louisiana, 2022

Region specific table not available due to low case counts.

## New Diagnoses<sup>a</sup>

	Cases <sup>b</sup>	%	Rate <sup>c</sup>
Total	29	100.0%	0.6

### Race/Ethnicity<sup>d</sup>

Asian	0	0.0%	0.0
Black	6	22.2%	0.4
Hispanic/ Latinx	0	0.0%	0.0
White	21	77.8%	0.7

### Affected Subpopulations Female<sup>g</sup>

Cases <sup>b</sup>	%
White Female	9 33.3%

### Sex at Birth

Female	15	51.7%	0.6
Male	14	48.3%	0.6

### Age<sup>e</sup>

18-29	1	3.4%	n/a
30-39	4	13.8%	n/a
40-49	10	34.5%	1.8
50-59	9	31.0%	1.5
60-69	3	10.3%	n/a
70+	2	6.9%	n/a

### Region<sup>f</sup>

Region 1 - New Orleans	2	6.9%	n/a
Region 2 - Baton Rouge	4	13.8%	n/a
Region 3 - Houma	6	20.7%	1.5
Region 4 - Lafayette	2	6.9%	n/a
Region 5 - Lake Charles	5	17.2%	1.6
Region 6 - Alexandria	5	17.2%	1.7
Region 7 - Shreveport	0	0.0%	0.0
Region 8 - Monroe	0	0.0%	0.0
Region 9 - Hammond/Slidell	5	17.2%	0.8

### Affected Subpopulations Male<sup>g</sup>

White Male	12 44.4%
------------	----------

<sup>a</sup> New diagnoses include only individuals whose initial acute hepatitis B diagnosis was made in Louisiana.

<sup>b</sup> Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

<sup>c</sup> Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

<sup>d</sup> Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

<sup>e</sup> Age when first diagnosed with acute hepatitis B is used for new diagnoses. Age categories align with 2021 census age groups.

<sup>f</sup> Region where first diagnosed with acute hepatitis B is used for new diagnoses. Persons without a region of residence are not included in the total percentage.

<sup>g</sup> Affected subpopulations with counts less than 5 are excluded.

# Reported Cases of Chronic Hepatitis B Region 3 - Houma, 2022

## New Diagnoses<sup>a</sup>

	Cases <sup>b</sup>	%	Rate <sup>c</sup>
Total	48	100.0%	12.3

### Race/Ethnicity<sup>d</sup>

Asian	4	8.3%	n/a
Black	15	31.3%	14.6
Hispanic/ Latinx	2	4.2%	n/a
White	27	56.3%	11.1

### Affected Subpopulations Female<sup>g</sup>

	Cases <sup>b</sup>	%
Black Female	9	18.8%
White Female	12	25.0%

### Sex at Birth

Female	22	45.8%	11.1
Male	26	54.2%	13.6

### Age<sup>e</sup>

0-17	1	2.1%	n/a
18-29	4	8.3%	n/a
30-39	4	8.3%	n/a
40-49	13	27.1%	28.0
50-59	10	20.8%	19.0
60-69	13	27.1%	26.5
70+	3	6.3%	n/a

### Parish<sup>f</sup>

Assumption	3	6.3%	n/a
Lafourche	11	22.9%	11.2
St. Charles	6	12.5%	11.4
St. James	4	8.3%	n/a
St. John the Baptist	3	6.3%	n/a
St. Mary	5	10.4%	10.3
Terrebonne	16	33.3%	14.7

### Affected Subpopulations Male<sup>g</sup>

Black Male	6	12.5%
White Male	15	31.3%

<sup>a</sup> New diagnoses include only individuals whose initial chronic hepatitis B diagnosis was made in Louisiana.

<sup>b</sup> Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

<sup>c</sup> Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

<sup>d</sup> Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

<sup>e</sup> Age when first diagnosed with chronic hepatitis B is used for new diagnoses. Age categories align with 2021 census age groups.

<sup>f</sup> Parish where first diagnosed with chronic hepatitis B is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.

<sup>g</sup> Affected subpopulations with counts less than 5 are excluded.

# Reported Cases of Acute Hepatitis C Region 3 - Houma, 2022

## New Diagnoses<sup>a</sup>

	Cases <sup>b</sup>	% of	Rate <sup>c</sup>
Total	10	100.0%	2.6

### Race/Ethnicity<sup>d</sup>

Asian	0	0.0%	0.0
Black	3	30.0%	n/a
Hispanic/Latinx	0	0.0%	0.0
White	7	70.0%	2.8

### Affected Subpopulations Female<sup>g</sup>

Cases <sup>b</sup>	%
All female subpopulations had a case count less than 5.	

### Sex at Birth

Female	7	70.0%	3.5
Male	3	30.0%	n/a

### Age<sup>e</sup>

0-17	0	0.0%	0.0
18-29	2	20.0%	n/a
30-39	3	30.0%	n/a
40-49	2	20.0%	n/a
50-59	3	30.0%	n/a
60-69	0	0.0%	0.0
70+	0	0.0%	0.0

### Parish<sup>f</sup>

Assumption	1	10.0%	n/a
Lafourche	0	0.0%	0.0
St. Charles	1	10.0%	n/a
St. James	0	0.0%	0.0
St. John the Baptist	3	30.0%	n/a
St. Mary	2	20.0%	n/a
Terrebonne	3	30.0%	n/a

### Affected Subpopulations Male<sup>g</sup>

All male subpopulations had a case count less than 5.

<sup>a</sup> New diagnoses include only individuals whose initial acute hepatitis C diagnosis was made in Louisiana.

<sup>b</sup> Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

<sup>c</sup> Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

<sup>d</sup> Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

<sup>e</sup> Age when first diagnosed with acute hepatitis C is used for new diagnoses. Age categories align with 2021 census age groups.

<sup>f</sup> Parish where first diagnosed with acute hepatitis C is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.

<sup>g</sup> Affected subpopulations with counts less than 5 are excluded.



# Reported Cases of Chronic Hepatitis C Region 3 - Houma, 2022

## New Diagnoses<sup>a</sup>

	Cases <sup>b</sup>	%	Rate <sup>c</sup>
Total	274	100.0%	70.4

### Race/Ethnicity<sup>d</sup>

Asian	0	0.0%	0.0
Black	80	31.7%	78.1
Hispanic/ Latinx	9	3.6%	41.2
White	163	64.7%	67.0

### Sex at Birth

Female	112	40.9%	56.7
Male	162	59.1%	84.4

### Age<sup>e</sup>

0-17	2	0.7%	n/a
18-29	33	12.0%	59.7
30-39	71	25.9%	137.5
40-49	47	17.2%	101.3
50-59	50	18.2%	95.2
60-69	50	18.2%	101.9
70+	21	7.7%	50.5

### Parish<sup>f</sup>

Assumption	17	6.2%	82.1
Lafourche	42	15.3%	43.0
St. Charles	28	10.2%	53.5
St. James	19	6.9%	96.2
St. John the Baptist	32	11.7%	76.0
St. Mary	41	15.0%	85.0
Terrebonne	95	34.7%	87.3

### Affected Subpopulations Females<sup>g</sup>

	Cases <sup>b</sup>	%
Black Female 50-59	5	1.9%
Black Female 60-69	6	2.2%
Black Female 70+	7	2.6%
White Female 18-29	10	3.7%
White Female 30-39	23	8.6%
White Female 40-49	6	2.2%
White Female 50-59	12	4.5%
White Female 60-69	9	3.4%
White Female 70+	6	2.2%

### Affected Subpopulations Males<sup>g</sup>

	Cases <sup>b</sup>	%
Black Male 30-39	10	3.7%
Black Male 40-49	10	3.7%
Black Male 50-59	8	3.0%
Black Male 60-69	15	5.6%
Black Male 70+	5	1.9%
White Male 18-29	11	4.1%
White Male 30-39	24	9.0%
White Male 40-49	20	7.5%
White Male 50-59	22	8.2%
White Male 60-69	17	6.4%

<sup>a</sup> New diagnoses include only individuals whose initial chronic hepatitis C diagnosis was made in Louisiana.

<sup>b</sup> Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

<sup>c</sup> Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

<sup>d</sup> Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

<sup>e</sup> Age when first diagnosed with chronic hepatitis C is used for new diagnoses. Age categories align with 2021 census age groups.

<sup>f</sup> Parish where first diagnosed with chronic hepatitis C is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.

<sup>g</sup> Affected subpopulations with counts less than 5 are excluded.