

STI/HIV/Hepatitis B & C Update

2022

Data Tables

Lafayette
Region 4



LOUISIANA
**DEPARTMENT OF
HEALTH**

STD/HIV/Hepatitis Program

Reported Cases of HIV Region 4 - Lafayette, 2022

	2022 New Diagnoses ^a			2022 Prevalence ^b		
	Cases ^c	%	Rate ^d	Cases ^c	%	Rate ^d
Total	90	100.0%	15.2	1,965	100.0%	331.1
Race/Ethnicity^e						
Black	50	55.6%	30.4	1,083	55.1%	658.6
Hispanic/Latinx	2	2.2%	n/a	112	5.7%	470.3
White	37	41.1%	9.6	728	37.0%	189.1
Other	1	1.1%	n/a	42	2.1%	n/a
Gender^f						
Female	22	24.4%	7.3	463	23.6%	152.9
Male	64	71.1%	22.0	1,471	74.9%	506.6
Transgender Male to Female	4	4.4%	n/a	31	1.6%	n/a
Transgender Female to Male	0	0.0%	n/a	0	0.0%	n/a
Age^g						
0-14	0	0.0%	0.0	1	0.1%	n/a
15-19	2	2.2%	n/a	6	0.3%	15.5
20-29	35	38.9%	46.6	244	12.4%	324.7
30-39	20	22.2%	24.2	465	23.7%	562.0
40-49	15	16.7%	21.4	377	19.2%	538.0
50+	18	20.0%	8.8	872	44.4%	426.1
Risk^h						
GBM	57	63.3%	n/a	1,110	56.6%	n/a
PWID	8	8.9%	n/a	151	7.7%	n/a
GBM/PWID	4	4.4%	n/a	103	5.3%	n/a
High Risk Heterosexual	21	23.3%	n/a	577	29.4%	n/a
Perinatal	0	0.0%	n/a	13	0.7%	n/a
Transfusion/Hemophilia	0	0.0%	n/a	5	0.3%	n/a
Other	0	0.0%	n/a	1	0.1%	n/a
Parishⁱ						
Acadia	13	14.4%	22.7	148	7.5%	258.3
Evangeline	11	12.2%	34.1	109	5.5%	338.4
Iberia	12	13.3%	17.4	171	8.7%	247.9
Lafayette	29	32.2%	11.9	963	49.0%	394.3
St. Landry	17	18.9%	20.7	338	17.2%	411.8
St. Martin	3	3.3%	n/a	130	6.6%	252.2
Vermilion	5	5.6%	8.7	106	5.4%	185.3

^a New diagnoses include only individuals whose initial HIV diagnosis was made in Louisiana.

^b Prevalent cases include all cases presumed to be alive and living in Louisiana, regardless of the state of initial HIV report.

^c Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses and prevalence includes all cases, regardless of demographic variable completeness.

^d Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for other/unknown race groups, transgender groups, and risk exposure groups.

^e Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^f Cases are presented by current gender identity rather than sex at birth.

^g Age when first diagnosed with HIV is used for new HIV diagnoses. Current age is used for HIV prevalence. Age categories align with 2021 census age groups.

^h Risk shows imputed risk, not reported risk. Persons with no imputed risk are not included in the total percentage. GBM = Gay, bisexual, & other men who have sex with men; PWID = Persons who inject drugs.

ⁱ Parish where first diagnosed with HIV is used for new HIV diagnoses. Parish of current residence is used for HIV prevalence. Persons without a parish of residence are not included in the total percentage.

Reported Cases of Primary and Secondary Syphilis Region 4 - Lafayette, 2022

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	136	100.0%	22.9

Race/Ethnicity^d

Black	60	44.1%	36.5
Hispanic/Latinx	1	0.7%	n/a
White	66	48.5%	17.1
Other	9	6.6%	n/a

Gender^e

Female	49	36.0%	16.2
Male	86	63.2%	29.6
Transgender Male to Female	1	0.7%	n/a

Age^f

10-19	12	8.8%	14.8
20-29	36	26.5%	47.9
30-39	44	32.4%	53.2
40-49	28	20.6%	40.0
50+	16	11.8%	7.8

Parish^g

Acadia	9	6.6%	15.7
Evangeline	3	2.2%	n/a
Iberia	18	13.2%	26.1
Lafayette	55	40.4%	22.5
St. Landry	18	13.2%	21.9
St. Martin	18	13.2%	34.9
Vermilion	15	11.0%	26.2

Affected Subpopulations Female^h

	Cases ^b	%
Black Female 20-29	6	4.4%
Black Female 30-39	6	4.4%
Black Female 40-49	5	3.7%
White Female 20-29	8	5.9%
White Female 30-39	8	5.9%
White Female 40-49	11	8.1%

Affected Subpopulations Male^h

Black Male 10-19	6	4.4%
Black Male 20-29	11	8.1%
Black Male 30-39	17	12.5%
White Male 20-29	8	5.9%
White Male 30-39	9	6.6%
White Male 40-49	8	5.9%
White Male 50+	9	6.6%

^a New diagnoses include only individuals whose initial primary and secondary syphilis diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Cases are presented by current gender identity rather than sex at birth.

^f Age when first diagnosed with primary and secondary syphilis is used for new primary and secondary syphilis diagnoses. Age categories align with 2021 census age groups.

^g Parish where first diagnosed with primary and secondary syphilis is used for new primary and secondary syphilis diagnoses. Persons without a parish of residence are not included in the total percentage.

^h All subpopulations under 5 were excluded.

Reported Cases of Early Non-Primary Non-Secondary Syphilis Region 4 - Lafayette, 2022

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	126	100.0%	21.2

Race/Ethnicity^d

Black	56	44.8%	34.1
Hispanic/Latinx	5	4.0%	21.0
White	53	42.4%	13.8
Other	11	8.8%	n/a

Affected Subpopulations Female^h

	Cases ^b	%
Black Female 20-29	15	12.0%
White Female 20-29	8	6.4%
White Female 30-39	7	5.6%

Gender^e

Female	45	35.7%	14.9
Male	77	61.1%	26.5
Transgender Male to Female	4	3.2%	n/a

Age^f

10-19	4	3.2%	n/a
20-29	49	38.9%	65.2
30-39	36	28.6%	43.5
40-49	21	16.7%	30.0
50+	16	12.7%	7.8

Affected Subpopulations Male^h

Black Male 20-29	14	11.2%
Black Male 30-39	11	8.8%
White Male 20-29	7	5.6%
White Male 30-39	8	6.4%
White Male 40-49	7	5.6%
White Male 50+	10	8.0%

Parish^g

Acadia	4	3.2%	n/a
Evangeline	4	3.2%	n/a
Iberia	12	9.5%	17.4
Lafayette	73	57.9%	29.9
St. Landry	16	12.7%	19.5
St. Martin	11	8.7%	21.3
Vermilion	6	4.8%	10.5

^a New diagnoses include only individuals whose initial non-primary non-secondary syphilis diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Cases are presented by current gender identity rather than sex at birth.

^f Age when first diagnosed with non-primary non-secondary syphilis is used for new non-primary non-secondary syphilis diagnoses. Age categories align with 2021 census age groups.

^g Parish where first diagnosed with non-primary non-secondary syphilis is used for new non-primary non-secondary syphilis diagnoses. Persons without a parish of residence are not included in the total percentage.

^h All subpopulations under 5 were excluded.

Reported Cases of Congenital Syphilis Louisiana, 2022

Region specific table not available due to low case counts.

Infants and Mothers Linked to New Congenital Syphilis Cases^a

	Cases	%	Rate ^b
Total Infant CS Cases	115	100.0%	204.0
Total Mothers Linked to New Cases	114	100.0%	4.8

Maternal Race/Ethnicity

Black	71	62.3%	9.0
Hispanic/Latinx	6	5.3%	4.9
White	29	24.6%	2.1
Other	9	7.9%	n/a

Positive Toxicology Screens^e

Positive Toxicology Screens ^e	Cases
Amphetamines/Meth	18
Cocaine	1
Heroin	4
Marijuana	22

Maternal Age^c

15-19	7	6.1%	4.8
20-24	22	19.3%	14.8
25-29	37	32.5%	24.5
30-34	25	21.9%	15.3
35+	23	20.2%	1.8

Maternal Region of Residence^d

Alexandria - Region 6	11	31.0%	7.7
Baton Rouge - Region 2	21	18.4%	5.9
Hammond - Region 9	6	5.3%	1.9
Houma - Region 3	5	4.4%	2.5
Lafayette - Region 4	17	14.9%	5.6
Lake Charles - Region 5	8	7.0%	5.3
Monroe - Region 8	15	13.2%	8.5
New Orleans - Region 1	15	13.2%	3.3
Shreveport - Region 7	16	14.0%	6.0

Infant Region of Residence^d

Alexandria - Region 6	11	9.6%	293.2
Baton Rouge - Region 2	21	18.3%	246.2
Hammond - Region 9	6	5.2%	81.6
Houma - Region 3	5	4.3%	113.3
Lafayette - Region 4	17	14.8%	215.7
Lake Charles - Region 5	9	7.8%	237.8
Monroe - Region 8	15	13.0%	373.9
New Orleans - Region 1	15	13.0%	145.5
Shreveport - Region 7	16	13.9%	252.5

Maternal Stage of Syphilis

Primary	2	1.8%	n/a
Secondary	8	7.0%	n/a
Early non-primary non-secondary	57	50.0%	n/a
Unknown/Late Latent	42	36.8%	n/a
Other	5	4.4%	n/a

^a New cases only include those who indicated a Louisiana residence at the time of delivery.

^b Congenital syphilis rates are calculated per 100,000 live births. Maternal rates are calculated using yearly census data, per 100,000 population. Percentages for maternal variables reflect distinct count of mothers. Rates for case counts under 20 are unreliable. Rates for case counts under 5 are not available.

^c Reflects maternal age at delivery.

^d Reflects maternal and infant region of residence at delivery.

^e Reflects substances detected during maternal toxicology screens conducted during pregnancy or delivery. Mothers can have positive toxicology screens for more than one substance.

Reported Cases of Gonorrhea Region 4 - Lafayette, 2022

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	1,960	100.0%	330.2

Race/Ethnicity^d

Black	1,318	69.0%	801.5
Hispanic/Latinx	19	1.0%	79.8
White	490	25.6%	127.3
Other	84	4.4%	n/a

Sex at Birth

Female	896	45.7%	295.8
Male	1,064	54.3%	366.1

Age^e

Under 10	4	0.2%	n/a
10-19	523	26.7%	643.3
20-29	945	48.2%	1,257.7
30-39	318	16.2%	384.3
40-49	104	5.3%	148.4
50+	66	3.4%	32.3

Parish^f

Acadia	178	9.1%	310.7
Evangeline	113	5.8%	350.8
Iberia	298	15.2%	432.0
Lafayette	697	35.6%	285.4
St. Landry	378	19.3%	460.6
St. Martin	169	8.6%	327.9
Vermilion	127	6.5%	222.0

Affected Subpopulations Females^g

	Cases ^b	%
Black Female 10-19	181	9.5%
Black Female 20-29	296	15.5%
Black Female 30-39	58	3.0%
Black Female 40-49	6	0.3%
Black Female 50+	8	0.4%
Other Female 10-19	15	0.8%
Other Female 20-29	14	0.7%
White Female 10-19	87	4.6%
White Female 20-29	116	6.1%
White Female 30-39	59	3.1%
White Female 40-49	16	0.8%
White Female 50+	6	0.3%

Affected Subpopulations Males^g

Black Male 10-19	187	9.8%
Black Male 20-29	388	20.3%
Black Male 30-39	122	6.4%
Black Male 40-49	45	2.4%
Black Male 50+	24	1.3%
Hispanic Male 20-29	5	0.3%
Other Male 10-19	6	0.3%
Other Male 20-29	16	0.8%
Other Male 30-39	16	0.8%
Other Male 40-49	7	0.4%
White Male 10-19	26	1.4%
White Male 20-29	88	4.6%
White Male 30-39	49	2.6%
White Male 40-49	25	1.3%
White Male 50+	18	0.9%

^a New diagnoses include only individuals whose initial gonorrhea diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Age categories align with 2021 census age groups.

^f Parish where first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chlamydia

Region 4 - Lafayette, 2022

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	4,491	100.0%	756.7

Race/Ethnicity^d

Black	2,816	65.3%	1,712.5
Hispanic/Latinx	68	1.6%	285.5
White	1,251	29.0%	325.0
Other	180	4.2%	n/a

Sex at Birth

Female	2,978	66.4%	983.2
Male	1,510	33.6%	519.6

Age^e

Under 10	2	0.0%	n/a
10-19	1,531	34.1%	1,883.2
20-29	2,300	51.2%	3,061.1
30-39	507	11.3%	612.7
40-49	102	2.3%	145.6
50+	49	1.1%	23.9

Parish^f

Acadia	384	8.6%	670.3
Evangeline	200	4.5%	620.8
Iberia	650	14.5%	942.4
Lafayette	1,745	38.9%	714.6
St. Landry	860	19.1%	1,047.9
St. Martin	360	8.0%	698.5
Vermilion	292	6.5%	510.5

Affected Subpopulations Females^g

	Cases ^b	%
Black Female 10-19	665	15.4%
Black Female 20-29	913	21.2%
Black Female 30-39	153	3.5%
Black Female 40-49	24	0.6%
Black Female 50+	8	0.2%
Hispanic Female 10-19	12	0.3%
Hispanic Female 20-29	32	0.7%
Other Female 10-19	41	1.0%
Other Female 20-29	64	1.5%
Other Female 30-39	14	0.3%
White Female 10-19	339	7.9%
White Female 20-29	453	10.5%
White Female 30-39	102	2.4%
White Female 40-49	17	0.4%
White Female 50+	10	0.2%

Affected Subpopulations Males^g

	Cases ^b	%
Black Male 10-19	319	7.4%
Black Male 20-29	538	12.5%
Black Male 30-39	151	3.5%
Black Male 40-49	32	0.7%
Black Male 50+	13	0.3%
Hispanic Male 10-19	5	0.1%
Hispanic Male 20-29	10	0.2%
Other Male 10-19	8	0.2%
Other Male 20-29	24	0.6%
Other Male 30-39	14	0.3%
Other Male 40-49	9	0.2%
White Male 10-19	69	1.6%
White Male 20-29	192	4.5%
White Male 30-39	44	1.0%
White Male 40-49	11	0.3%
White Male 50+	12	0.3%

^a New diagnoses include only individuals whose initial chlamydia diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with chlamydia is used for new chlamydia diagnoses. Age categories align with 2021 census age groups.

^f Parish where first diagnosed with chlamydia is used for new chlamydia diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Acute Hepatitis B Louisiana, 2022

Region specific table not available due to low case counts.

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	29	100.0%	0.6

Race/Ethnicity^d

Asian	0	0.0%	0.0
Black	6	22.2%	0.4
Hispanic/ Latinx	0	0.0%	0.0
White	21	77.8%	0.7

Affected Subpopulations Female^g

Cases ^b	%
White Female	9 33.3%

Sex at Birth

Female	15	51.7%	0.6
Male	14	48.3%	0.6

Age^e

18-29	1	3.4%	n/a
30-39	4	13.8%	n/a
40-49	10	34.5%	1.8
50-59	9	31.0%	1.5
60-69	3	10.3%	n/a
70+	2	6.9%	n/a

Region^f

Region 1 - New Orleans	2	6.9%	n/a
Region 2 - Baton Rouge	4	13.8%	n/a
Region 3 - Houma	6	20.7%	1.5
Region 4 - Lafayette	2	6.9%	n/a
Region 5 - Lake Charles	5	17.2%	1.6
Region 6 - Alexandria	5	17.2%	1.7
Region 7 - Shreveport	0	0.0%	0.0
Region 8 - Monroe	0	0.0%	0.0
Region 9 - Hammond/Slidell	5	17.2%	0.8

Affected Subpopulations Male^g

White Male	12 44.4%
------------	----------

^a New diagnoses include only individuals whose initial acute hepatitis B diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with acute hepatitis B is used for new diagnoses. Age categories align with 2021 census age groups.

^f Region where first diagnosed with acute hepatitis B is used for new diagnoses. Persons without a region of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chronic Hepatitis B Region 4 - Lafayette, 2022

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	116	100.0%	19.5

Race/Ethnicity^d

Asian	18	15.9%	201.2
Black	43	38.1%	26.1
Hispanic/ Latinx	4	3.5%	n/a
White	48	42.5%	12.4

Sex at Birth

Female	60	51.7%	19.8
Male	56	48.3%	19.3

Age^e

0-17	0	0.0%	0.0
18-29	13	11.2%	14.6
30-39	25	21.6%	30.2
40-49	27	23.3%	38.5
50-59	20	17.2%	27.1
60-69	14	12.1%	19.6
70+	17	14.7%	28.5

Parish^f

Acadia	5	4.3%	8.7
Evangeline	7	6.0%	21.7
Iberia	12	10.3%	17.3
Lafayette	60	51.7%	24.5
St. Landry	15	12.9%	18.2
St. Martin	7	6.0%	13.5
Vermillion	10	8.6%	17.4

Affected Subpopulations Female^g

	Cases ^b	%
Black Female 18-29	7	6.2%
Black Female 30-39	5	4.4%
Black Female 40-49	6	5.3%
White Female 30-39	6	5.3%
White Female 40-49	5	4.4%
White Female 70+	5	4.4%

Affected Subpopulations Male^g

Black Male 50-59	5	4.4%
Black Male 70+	5	4.4%
White Male 30-39	5	4.4%
White Male 40-49	7	6.2%
White Male 50-59	5	4.4%

^a New diagnoses include only individuals whose initial chronic hepatitis B diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with chronic hepatitis B is used for new diagnoses. Age categories align with 2021 census age groups.

^f Parish where first diagnosed with chronic hepatitis B is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Acute Hepatitis C Region 4 - Lafayette, 2022

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	11	100.0%	1.9

Race/Ethnicity^d

Asian	1	9.1%	n/a
Black	3	27.3%	n/a
Hispanic/ Latinx	0	0.0%	0.0
White	6	54.5%	1.5
Other	1	9.1%	n/a

Affected Subpopulations Female^g

All female subpopulations had a case count less than 5.

Sex at Birth

Female	4	36.4%	n/a
Male	7	63.6%	2.4

Age^e

0-17	0	0.0%	0.0
18-29	3	27.3%	n/a
30-39	4	36.4%	n/a
40-49	2	18.2%	n/a
50-59	0	0.0%	0.0
60-69	1	9.1%	n/a
70+	1	9.1%	n/a

Parish^f

Acadia	0	0.0%	0.0
Evangeline	0	0.0%	0.0
Iberia	1	9.1%	n/a
Lafayette	5	45.5%	2.0
St. Landry	3	27.3%	n/a
St. Martin	0	0.0%	0.0
Vermilion	2	18.2%	n/a

Affected Subpopulations Male^g

All male subpopulations had a case count less than 5.

^a New diagnoses include only individuals whose initial acute hepatitis C diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with acute hepatitis C is used for new diagnoses. Age categories align with 2021 census age groups.

^f Parish where first diagnosed with acute hepatitis C is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chronic Hepatitis C Region 4 - Lafayette, 2022

New Diagnoses^a

	Cases ^b	%	Rate ^c
Total	369	100.0%	62.2

Race/Ethnicity^d

Asian	3	0.8%	n/a
Black	138	39.0%	83.9
Hispanic/ Latinx	18	5.1%	75.5
White	195	55.1%	50.6

Sex at Birth

Female	121	32.8%	39.9
Male	248	67.2%	85.3

Age^e

0-17	2	0.5%	n/a
18-29	30	8.1%	33.7
30-39	69	18.7%	83.3
40-49	55	14.9%	78.4
50-59	81	22.0%	109.7
60-69	107	29.0%	149.8
70+	25	6.8%	42.0

Parish^f

Acadia	53	14.4%	92.5
Evangeline	21	5.7%	65.1
Iberia	31	8.4%	44.9
Lafayette	133	36.0%	54.4
St. Landry	56	15.2%	68.2
St. Martin	30	8.1%	58.2
Vermilion	45	12.2%	78.6

Affected Subpopulations Females^g

	Cases ^b	%
Black Female 30-39	5	1.4%
Black Female 50-59	10	2.8%
Black Female 60-69	9	2.5%
Black Female 70+	6	1.7%
White Female 18-29	13	3.6%
White Female 30-39	22	6.1%
White Female 40-49	13	3.6%
White Female 50-59	11	3.0%
White Female 60-69	9	2.5%

Affected Subpopulations Males^g

	Cases ^b	%
Black Male 18-29	5	1.4%
Black Male 30-39	7	1.9%
Black Male 40-49	11	3.0%
Black Male 50-59	29	8.0%
Black Male 60-69	39	10.7%
Black Male 70+	12	3.3%
White Male 18-29	5	1.4%
White Male 30-39	26	7.2%
White Male 40-49	27	7.4%
White Male 50-59	26	7.2%
White Male 60-69	37	10.2%
White Male 70+	5	1.4%

^a New diagnoses include only individuals whose initial chronic hepatitis C diagnosis was made in Louisiana.

^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

^e Age when first diagnosed with chronic hepatitis C is used for new diagnoses. Age categories align with 2021 census age groups.

^f Parish where first diagnosed with chronic hepatitis C is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.

^g Affected subpopulations with counts less than 5 are excluded.