STI/HIV/Hepatitis B & C Update

2022 Data Tables

> Alexandria Region 6



Reported Cases of HIV Region 6 - Alexandria, 2022

| | | 2022 New Diagnoses ^a | | | 2022 Prevalenceb | | |
|---------------------|----------------------------|---------------------------------|--------|-------|------------------|--------|-------|
| | | Cases | % | Rated | Cases | % | Rated |
| | Total | 55 | 100.0% | 18.7 | 1,046 | 100.0% | 356.2 |
| Race/Eth | nicitye | | | | | | |
| | Black | 27 | 49.1% | 34.3 | 633 | 60.5% | 803.4 |
| | Hispanic/Latinx | 7 | 12.7% | 55.1 | 97 | 9.3% | 763.5 |
| | White | 20 | 36.4% | 10.5 | 294 | 28.1% | 154.4 |
| | Other | 1 | 1.8% | n/a | 22 | 2.1% | n/a |
| Gender | | | | | | | |
| | Female | 8 | 14.5% | 5.6 | 265 | 25.3% | 184.3 |
| | Male | 45 | 81.8% | 30.0 | 772 | 73.9% | 516.5 |
| | Transgender Male to Female | 2 | 3.6% | n/a | 9 | 0.9% | n/a |
| | Transgender Female to Male | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| Ageg | | | | | | | |
| | 0-14 | 0 | 0.0% | 0.0 | 2 | 0.2% | n/a |
| | 15-19 | 3 | 5.5% | n/a | 1 | 0.1% | n/a |
| | 20-29 | 20 | 36.4% | 48.5 | 89 | 8.5% | 215.9 |
| | 30-39 | 13 | 23.6% | 32.5 | 239 | 22.8% | 597.9 |
| | 40-49 | 8 | 14.5% | 23.3 | 259 | 24.8% | 754.4 |
| | 50+ | 11 | 20.0% | 10.8 | 456 | 43.6% | 449.6 |
| Riskh | | | | | | | |
| | GBM | 35 | 63.6% | n/a | 489 | 46.9% | n/a |
| | PWID | 7 | 12.7% | n/a | 106 | 10.2% | n/a |
| | GBM/PWID | 6 | 10.9% | n/a | 67 | 6.4% | n/a |
| | High Risk Heterosexual | 7 | 12.7% | n/a | 372 | 35.7% | n/a |
| | Perinatal | 0 | 0.0% | n/a | 6 | 0.6% | n/a |
| | Transfusion/Hemophilia | 0 | 0.0% | n/a | 2 | 0.2% | n/a |
| | Other | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| Parish [,] | | | | | | | |
| | Avoyelles | 8 | 14.5% | 20.4 | 165 | 15.8% | 420.5 |
| | Catahoula | 2 | 3.6% | n/a | 36 | 3.4% | 408.9 |
| | Concordia | 3 | 5.5% | n/a | 45 | 4.3% | 244.9 |
| | Grant | 2 | 3.6% | n/a | 59 | 5.6% | 265.3 |
| | LaSalle | 3 | 5.5% | n/a | 56 | 5.4% | 377.5 |
| | Rapides | 27 | 49.1% | 21.0 | 578 | 55.3% | 449.3 |
| | Vernon | 6 | 10.9% | 12.5 | 69 | 6.6% | 143.7 |
| | Winn | 4 | 7.3% | n/a | 38 | 3.6% | 281.7 |

a New diagnoses include only individuals whose initial HIV diagnosis was made in Louisiana.
b Prevalent cases include all cases presumed to be alive and living in Louisiana, regardless of the state of initial HIV report.
c Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses and prevalence includes all cases, regardless of demographic variable completeness.
c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for other/unknown race groups, transgender groups, and risk exposure groups.
c Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
c Cases are presented by current gender identity rather than sex at birth.
d Age when first diagnosed with HIV is used for new HIV diagnoses. Current age is used for HIV prevalence. Age categories align with 2021 census age groups.
h Risk shows imputed risk, not reported risk. Persons with no imputed risk are not included in the total percentage. GBM = Gay, bisexual, & other men who have sex with men; PWID = Persons who inject drugs.
I Parish where first diagnosed with HIV is used for new HIV diagnoses. Parish of current residence is used for HIV prevalence. Persons without a parish of residence are not included in the total percentage.

Reported Cases of Primary and Secondary Syphilis Region 6 - Alexandria, 2022

| | | | N | lew Diagno | ses ^a | | |
|---------|----------------------------|--------------------|--------|------------|---------------------------------|--------|-------|
| | | Cases ^b | % | Ratec | | | |
| | Total | 131 | 100.0% | 44.6 | | | |
| Race/I | Ethnicity ^d | | | | Affected Subpopulations Femaleh | Casesb | % |
| | Black | 53 | 40.5% | 67.3 | Black Female 20-29 | 13 | 9.9% |
| | Hispanic/Latinx | 7 | 5.3% | 55.1 | White Female 20-29 | 9 | 6.9% |
| | White | 62 | 47.3% | 32.6 | White Female 30-39 | 9 | 6.9% |
| | Other | 9 | 6.9% | n/a | | | |
| Gende | re | | | | | | |
| | Female | 44 | 33.6% | 30.6 | | | |
| | Male | 85 | 64.9% | 56.7 | | | |
| | Transgender Male to Female | 2 | 1.5% | n/a | | | |
| | | | | | | | |
| Agef | | | | | Affected Subpopulations Maleh | | |
| _ | 10-19 | 1 | 0.8% | n/a | Black Male 20-29 | 17 | 13.0% |
| | 20-29 | 51 | 38.9% | 123.7 | Black Male 30-39 | 10 | 7.6% |
| | 30-39 | 42 | 32.1% | 105.1 | White Male 20-29 | 8 | 6.1% |
| | 40-49 | 21 | 16.0% | 61.2 | White Male 30-39 | 11 | 8.4% |
| | 50+ | 16 | 12.2% | 15.8 | White Male 40-49 | 9 | 6.9% |
| Davis I | _ | | | | White Male 50+ | 8 | 6.1% |
| Parish | Avoyelles | 22 | 16.8% | 56.1 | | | |
| | Catahoula | 4 | 3.1% | n/a | | | |
| | Concordia | 7 | 5.3% | 38.1 | | | |
| | Grant | 7 | 5.3% | 31.5 | | | |
| | LaSalle | 2 | 1.5% | n/a | | | |
| | Rapides | _ 77 | 58.8% | 59.9 | | | |
| | Vernon | 10 | 7.6% | 20.8 | | | |

1.5%

n/a

Winn

a New diagnoses include only individuals whose initial primary and secondary syphillis diagnosis was made in Louisiana.
b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.
d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
c Cases are presented by current gender identity rather than sex at birth.
f Age when first diagnosed with primary and secondary syphillis is used for new primary and secondary syphillis diagnoses. Age categories align with 2021 census age groups.
g Parish where first diagnosed with primary and secondary syphillis is used for new primary and secondary syphillis diagnoses. Persons without a parish of residence are not included in the total percentage.
h All subpopulations under 5 were excluded.

Reported Cases of Early Non-Primary Non-Secondary Syphilis Region 6 - Alexandria, 2022

| | | | N | lew Diagno | ses ^a | | |
|---------|-----------------|--------|--------|------------|---------------------------------|--------|-------|
| | | Casesb | % | Ratec | | | |
| | Total | 57 | 100.0% | 19.4 | | | |
| Race/E | thnicityd | | | | Affected Subpopulations Femaleh | Casesb | % |
| | Black | 23 | 40.4% | 29.2 | Black Female 20-29 | 5 | 8.8% |
| | Hispanic/Latinx | 3 | 5.3% | n/a | White Female 20-29 | 5 | 8.8% |
| | White | 27 | 47.4% | 14.2 | White Female 30-39 | 8 | 14.0% |
| | Other | 4 | 7.0% | n/a | | | - |
| Gende | re | | | | | | |
| 0011010 | Female | 26 | 45.6% | 18.1 | | | |
| | Male | 31 | 54.4% | 20.7 | | | |
| | | | | | | | |
| | | | | | | | |
| Agef | | | | | Affected Subpopulations Maleh | | |
| J | 10-19 | 4 | 7.0% | n/a | Black Male 20-29 | 6 | 10.5% |
| | 20-29 | 22 | 38.6% | 53.4 | White Male 40-49 | 5 | 8.8% |
| | 30-39 | 19 | 33.3% | 47.5 | | | |
| | 40-49 | 11 | 19.3% | 32.0 | | | |
| | 50+ | 1 | 1.8% | n/a | | | |
| Parish | ı | | | | | | |
| | Avoyelles | 10 | 17.5% | 25.5 | | | |
| | Catahoula | 0 | 0.0% | 0.0 | | | |
| | Concordia | 2 | 3.5% | n/a | | | |
| | Grant | 8 | 14.0% | 36.0 | | | |
| | LaSalle | 1 | 1.8% | n/a | | | |
| | Rapides | 33 | 57.9% | 25.7 | | | |
| | Vernon | 3 | 5.3% | n/a | | | |
| | Winn | 0 | 0.0% | 0.0 | | | |

a New diagnoses include only individuals whose initial non-primary non-secondary syphillis diagnosis was made in Louisiana.
b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
c Cases per 100,000 population. Rates not available (na) for case counts less than 5. Rates not available for "Other" race group.
Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
c Cases are presented by current gender identity rather than sex at birth.
Age when first diagnosed with non-primary non-secondary syphillis is used for new non-primary non-secondary syphillis diagnoses. Age categories align with 2021 census age groups.
Parish where first diagnosed with non-primary non-secondary syphillis is used for new non-primary non-secondary syphillis diagnoses. Persons without a parish of residence are not included in the total percentage.
All subpopulations under 5 were excluded.

Reported Cases of Congenital Syphilis Louisiana, 2022

Region specific table not available due to low case counts.

Infants and Mothers Linked to New Congenital Syphilis Cases^a

| | intants and | wotners | Linkea to |
|--------------------------------------|-------------|---------|-----------|
| | Cases | % | Rateb |
| Total Infant CS Cases | 115 | 100.0% | 204.0 |
| Total Mothers Linked to New Cases | 114 | 100.0% | 4.8 |
| Maternal Race/Ethnicity | | | |
| Black | 71 | 62.3% | 9.0 |
| Hispanic/Latinx | 6 | 5.3% | 4.9 |
| White | 29 | 24.6% | 2.1 |
| Other | 9 | 7.9% | n/a |
| Maternal Age | | | |
| 15-19 | 7 | 6.1% | 4.8 |
| 20-24 | 22 | 19.3% | 14.8 |
| 25-29 | 37 | 32.5% | 24.5 |
| 30-34 | 25 | 21.9% | 15.3 |
| 35+ | 23 | 20.2% | 1.8 |
| Maternal Region of Residenced | | | |
| Alexandria - Region 6 | 11 | 31.0% | 7.7 |
| Baton Rouge - Region 2 | 21 | 18.4% | 5.9 |
| Hammond - Region 9 | 6 | 5.3% | 1.9 |
| Houma - Region 3 | 5 | 4.4% | 2.5 |
| Lafayette - Region 4 | 17 | 14.9% | 5.6 |
| Lake Charles - Region 5 | 8 | 7.0% | 5.3 |
| Monroe - Region 8 | 15 | 13.2% | 8.5 |
| New Orleans - Region 1 | 15 | 13.2% | 3.3 |
| Shreveport - Region 7 | 16 | 14.0% | 6.0 |
| Infant Region of Residenced | | | |
| Alexandria - Region 6 | 11 | 9.6% | 293.2 |
| Baton Rouge - Region 2 | 21 | 18.3% | 246.2 |
| Hammond - Region 9 | 6 | 5.2% | 81.6 |
| Houma - Region 3 | 5 | 4.3% | 113.3 |
| Lafayette - Region 4 | 17 | 14.8% | 215.7 |
| Lake Charles - Region 5 | 9 | 7.8% | 237.8 |
| Monroe - Region 8 | 15 | 13.0% | 373.9 |
| New Orleans - Region 1 | 15 | 13.0% | 145.5 |
| Shreveport - Region 7 | 16 | 13.9% | 252.5 |
| Maternal Stage of Syphilis | | | |
| Primary | 2 | 1.8% | n/a |
| Secondary | 8 | 7.0% | n/a |
| Early non-primary non-secondary | 57 | 50.0% | n/a |
| Unknown/Late Latent | 42 | 36.8% | n/a |
| Other | 5 | 4.4% | n/a |

| Positive Toxicology Screense | Cases |
|------------------------------|-------|
| Amphetamines/Meth | 18 |
| Cocaine | 1 |
| Heroin | 4 |
| Marijuana | 22 |

 ^a New cases only include those who indicated a Louisiana residence at the time of delivery.
 ^b Congenital syphilis rates are calculated per 100,000 live births. Maternal rates are calculated using yearly census data, per 100,000 population. Percentages for maternal variables reflect distinct count of mothers. Rates for case counts under 20 are unreliable. Rates for case counts under 5 are not available.
 ^c Reflects maternal age at delivery.
 ^d Reflects maternal and infant region of residence at delivery.

e Reflects substances detected during maternal toxicology screens conducted during pregnancy or delivery. Mothers can have positive toxicology screens for more than one substance.

Reported Cases of Gonorrhea Region 6 - Alexandria, 2022

| New | Diagnoses ^a |
|-----|-------------------------------|
| | |

| | Casesb | % | Ratec |
|-----------------------|--|--|---|
| Total | 1,107 | 100.0% | 377.0 |
| thnicitv ^d | | | |
| Black | 653 | 61.5% | 828.8 |
| Hispanic/Latinx | 28 | 2.6% | 220.4 |
| White | 334 | 31.5% | 175.4 |
| Other | 46 | 4.3% | n/a |
| Birth | | | |
| Female | 498 | 45.0% | 346.3 |
| Male | 609 | 55.0% | 406.4 |
| | | | |
| Under 10 | 0 | 0.0% | 0.0 |
| 10-19 | 274 | 24.8% | 711.8 |
| 20-29 | 531 | 48.0% | 1,288.3 |
| 30-39 | 207 | 18.7% | 517.9 |
| 40-49 | 71 | 6.4% | 206.8 |
| 50+ | 24 | 2.2% | 23.7 |
| f | | | |
| Avoyelles | 149 | 13.5% | 379.8 |
| Catahoula | 21 | 1.9% | 238.5 |
| Concordia | 80 | 7.2% | 435.4 |
| Grant | 37 | 3.3% | 166.4 |
| LaSalle | 12 | 1.1% | 80.9 |
| Rapides | 642 | 58.0% | 499.0 |
| Vernon | 119 | 10.7% | 247.8 |
| Winn | 47 | 4.2% | 348.5 |
| | thnicityd Black Hispanic/Latinx White Other Birth Female Male Under 10 10-19 20-29 30-39 40-49 50+ f Avoyelles Catahoula Concordia Grant LaSalle Rapides Vernon | Total 1,107 thnicityd Black 653 Hispanic/Latinx 28 White 334 Other 46 Birth Female 498 Male 609 Under 10 0 10-19 274 20-29 531 30-39 207 40-49 71 50+ 24 f Avoyelles 149 Catahoula 21 Concordia 80 Grant 37 LaSalle 12 Rapides 642 Vernon 119 | Total 1,107 100.0% thnicityd Black 653 61.5% Hispanic/Latinx 28 2.6% White 334 31.5% Other 46 4.3% Birth Female 498 45.0% Male 609 55.0% Under 10 0 0.0% 10-19 274 24.8% 20-29 531 48.0% 30-39 207 18.7% 40-49 71 6.4% 50+ 24 2.2% f Avoyelles 149 13.5% Catahoula 21 1.9% Concordia 80 7.2% Grant 37 3.3% LaSalle 12 1.1% Rapides 642 58.0% Vernon 119 10.7% |

| Affected Subpopulations Femaleg | Casesb | % |
|---------------------------------|--------|-------|
| Black Female 10-19 | 107 | 10.1% |
| Black Female 20-29 | 146 | 13.8% |
| Black Female 30-39 | 20 | 1.9% |
| Black Female 40-49 | 5 | 0.5% |
| Other Female 10-19 | 6 | 0.6% |
| Other Female 20-29 | 9 | 0.8% |
| White Female 10-19 | 24 | 2.3% |
| White Female 20-29 | 74 | 7.0% |
| White Female 30-39 | 50 | 4.7% |
| White Female 40-49 | 20 | 1.9% |
| White Female 50+ | 5 | 0.5% |

Affected Subpopulations Maleg

| Black Male 10-19 | 97 | 9.1% |
|---------------------|-----|-------|
| Black Male 20-29 | 183 | 17.2% |
| Black Male 30-39 | 67 | 6.3% |
| Black Male 40-49 | 17 | 1.6% |
| Black Male 50+ | 10 | 0.9% |
| Hispanic Male 20-29 | 12 | 1.1% |
| Hispanic Male 30-39 | 5 | 0.5% |
| Other Male 20-29 | 13 | 1.2% |
| Other Male 30-39 | 10 | 0.9% |
| White Male 10-19 | 17 | 1.6% |
| White Male 20-29 | 64 | 6.0% |
| White Male 30-39 | 46 | 4.3% |
| White Male 40-49 | 26 | 2.5% |
| White Male 50+ | 8 | 0.8% |

<sup>a New diagnoses include only individuals whose initial gonorrhea diagnosis was made in Louisiana.
b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.
d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
d Age when first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Age categories align with 2021 census age groups.
I Parish where first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Persons without a parish of residence are not included in the total percentage.

Affected subpopulations with counts less than 5 are excluded.</sup>

Reported Cases of Chlamydia Region 6 - Alexandria, 2022

| New D | iagnoses |
|-------|----------|
|-------|----------|

| | | Casesb | % | Ratec |
|--------|-----------------|--------|--------|---------|
| | Total | 2,367 | 100.0% | 806.0 |
| Race/E | thnicityd | | | |
| | Black | 1,402 | 62.2% | 1,779.5 |
| | Hispanic/Latinx | 71 | 3.1% | 558.9 |
| | White | 673 | 29.8% | 353.5 |
| | Other | 109 | 4.8% | n/a |
| Sex at | Birth | | | |
| | Female | 1,511 | 63.8% | 1,050.8 |
| | Male | 856 | 36.2% | 571.2 |
| Agee | | | | |
| | Under 10 | 4 | 0.2% | n/a |
| | 10-19 | 794 | 33.5% | 2,062.7 |
| | 20-29 | 1,202 | 50.8% | 2,916.3 |
| | 30-39 | 281 | 11.9% | 703.0 |
| | 40-49 | 70 | 3.0% | 203.9 |
| | 50+ | 16 | 0.7% | 15.8 |
| Parish | ıf | | | |
| | Avoyelles | 301 | 12.7% | 767.2 |
| | Catahoula | 43 | 1.8% | 488.4 |
| | Concordia | 137 | 5.8% | 745.5 |
| | Grant | 112 | 4.7% | 503.7 |
| | LaSalle | 48 | 2.0% | 323.6 |
| | Rapides | 1,211 | 51.2% | 941.3 |
| | Vernon | 399 | 16.9% | 830.8 |
| | Winn | 116 | 4.9% | 860.0 |
| | | | | |

| Affected Subpopulations Female ⁹ | Casesb | % |
|---|--------|-------|
| Black Female 10-19 | 346 | 15.3% |
| Black Female 20-29 | 432 | 19.2% |
| Black Female 30-39 | 89 | 3.9% |
| Black Female 40-49 | 12 | 0.5% |
| Hispanic Female 10-19 | 9 | 0.4% |
| Hispanic Female 20-29 | 19 | 0.8% |
| Other Female 10-19 | 28 | 1.2% |
| Other Female 20-29 | 42 | 1.9% |
| Other Female 30-39 | 10 | 0.4% |
| White Female 10-19 | 161 | 7.1% |
| White Female 20-29 | 227 | 10.1% |
| White Female 30-39 | 49 | 2.2% |
| White Female 40-49 | 21 | 0.9% |

Affected Subpopulations Maleg

| Black Male 10-19 | 158 | 7.0% |
|---------------------|-----|-------|
| Black Male 20-29 | 254 | 11.3% |
| Black Male 30-39 | 79 | 3.5% |
| Black Male 40-49 | 20 | 0.9% |
| Black Male 50+ | 7 | 0.3% |
| Hispanic Male 10-19 | 9 | 0.4% |
| Hispanic Male 20-29 | 26 | 1.2% |
| Other Male 10-19 | 7 | 0.3% |
| Other Male 20-29 | 14 | 0.6% |
| Other Male 30-39 | 6 | 0.3% |
| White Male 10-19 | 38 | 1.7% |
| White Male 20-29 | 127 | 5.6% |
| White Male 30-39 | 31 | 1.4% |
| White Male 40-49 | 13 | 0.6% |
| | | |

<sup>a New diagnoses include only individuals whose initial chlamydia diagnosis was made in Louisiana.
b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.
d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
e Age when first diagnosed with chlamydia is used for new chlamydia diagnoses. Age categories align with 2021 census age groups.
f Parish where first diagnosed with chlamydia is used for new chlamydia diagnoses. Persons without a parish of residence are not included in the total percentage.
g Affected subpopulations with counts less than 5 are excluded.</sup>

Reported Cases of Acute Hepatitis B Louisiana, 2022

Region specific table not available due to low case counts.

New Diagnoses^a

| | Cases ^b | % | Ratec | | | |
|---------------------------|--------------------|--------|-------|---------------------------------|--------|-------|
| Total | 29 | 100.0% | 0.6 | | | |
| ce/Ethnicity ^d | | | | Affected Subpopulations Femaleg | Casesb | % |
| Asian | 0 | 0.0% | 0.0 | White Female | 9 | 33.3% |
| Black | 6 | 22.2% | 0.4 | | | |
| Hispanic/ Latinx | 0 | 0.0% | 0.0 | | | |
| White | 21 | 77.8% | 0.7 | | | |
| x at Birth | | | | | | |
| Female | 15 | 51.7% | 0.6 | • | | |
| Male | 14 | 48.3% | 0.6 | | | |
| le _e | | | | | | |
| 18-29 | 1 | 3.4% | n/a | | | |
| 30-39 | 4 | 13.8% | n/a | | | |
| 40-49 | 10 | 34.5% | 1.8 | | | |
| 50-59 | 9 | 31.0% | 1.5 | | | |
| 60-69 | 3 | 10.3% | n/a | | | |
| 70+ | 2 | 6.9% | n/a | | | |
| gion ^f | | | | Affected Subpopulations Male | | |
| Region 1 - New Orleans | 2 | 6.9% | n/a | White Male | 12 | 44.49 |
| Region 2 - Baton Rouge | 4 | 13.8% | n/a | | | |
| Region 3 - Houma | 6 | 20.7% | 1.5 | | | |
| Region 4 - Lafayette | 2 | 6.9% | n/a | | | |
| Region 5 - Lake Charles | 5 | 17.2% | 1.6 | | | |
| Region 6 - Alexandria | 5 | 17.2% | 1.7 | | | |

0

0

5

0.0%

0.0%

17.2%

0.0 0.0

8.0

Region 7 - Shreveport

Region 9 - Hammond/Slidell

Region 8 - Monroe



a New diagnoses include only individuals whose initial acute hepatitis B diagnosis was made in Louisiana.
 b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
 c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race

Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.
 Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
 Age when first diagnosed with acute hepatitis B is used for new diagnoses. Age categories align with 2021 census age groups.
 Region where first diagnosed with acute hepatitis B is used for new diagnoses. Persons without a region of residence are not included in the total percentage.
 Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chronic Hepatitis B Region 6 - Alexandria, 2022

New Diagnoses Casesb % Ratec 100.0% Total 67 22.8 Casesb % Race/Ethnicity^d Affected Subpopulations Female⁹ 10 17.5% 4 7.1% n/a Black Female Asian 29 36.8 White Female 9 15.8% Black 51.8% Hispanic/Latinx 3 5.4% n/a White 20 35.7% 10.5 Sex at Birth 20 Female 29.9% 13.9 Male 47 70.1% 31.4 Agee 0-17 2 3.0% n/a 18-29 9 13.4% 18.7 30-39 16.4% 27.5 11 40.7 20.9% 40-49 14 50-59 14 20.9% 40.2 60-69 14 20.9% 41.4 70+ 3 4.5% n/a Parish^f Affected Subpopulations Maleg Avoyelles 8 11.9% 20.3 Black Male 19 33.3% Catahoula 1.5% n/a White Male 11 19.3% Concordia 2 3.0% n/a n/a Grant 1 1.5% LaSalle 6 9.0% 40.4

24.0

18.7

66.7

31

9

9

46.3%

13.4%

13.4%

Rapides

Vernon

Winn



New diagnoses include only individuals whose initial chronic hepatitis B diagnosis was made in Louisiana.
 Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable

c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race

groups.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

e Age when first diagnosed with chronic hepatitis B is used for new diagnoses. Age categories align with 2021 census age

groups.

Farish where first diagnosed with chronic hepatitis B is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.

Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Acute Hepatitis C Region 6 - Alexandria, 2022

| Now | Diagn | ococa |
|-----|--------|-------|
| new | Diadii | usesª |

| | | Casesb | Percent | Ratec | | | |
|---------|------------------------|--------|---------|-------|-----------------------------------|-------------------|--------|
| | Total | 14 | 100.0% | 4.8 | · - | | |
| Race/E | :thnicity ^d | | | | Affected Subpopulations Female | Casesb | q |
| | Asian | 0 | 0.0% | 0.0 | | | |
| | Black | 6 | 60.0% | 7.6 | All female subpopulations had a c | ase count less i | .nan : |
| | Hispanic/Latinx | 0 | 0.0% | 0.0 | | | |
| | White | 4 | 40.0% | n/a | | | |
| Sex at | Birth | | | | | | |
| | Female | 4 | 28.6% | n/a | • | | |
| | Male | 10 | 71.4% | 6.6 | | | |
| \gee | | | | | | | |
| | 0-17 | 0 | 0.0% | 0.0 | | | |
| | 18-29 | 3 | 21.4% | n/a | | | |
| | 30-39 | 3 | 21.4% | n/a | | | |
| | 40-49 | 3 | 21.4% | n/a | | | |
| | 50-59 | 3 | 21.4% | n/a | | | |
| | 60-69 | 2 | 14.3% | n/a | | | |
| | 70+ | 0 | 0.0% | 0.0 | | | |
| Parishf | f | | | | Affected Subpopulations Male | | |
| | Avoyelles | 3 | 21.4% | n/a | · | | |
| | Catahoula | 1 | 7.1% | n/a | All male subpopulations had a ca | se count less tha | an 5. |
| | Concordia | 3 | 21.4% | n/a | | | |
| | Grant | 1 | 7.1% | n/a | | | |

1

5

0

0

7.1%

35.7%

0.0%

0.0%

3.8

0.0

0.0

LaSalle

Rapides

Vernon

Winn



a New diagnoses include only individuals whose initial acute hepatitis C diagnosis was made in Louisiana.
 b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
 c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race

Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.
 Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
 Age when first diagnosed with acute hepatitis C is used for new diagnoses. Age categories align with 2021 census age groups.
 Parish where first diagnosed with acute hepatitis C is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.
 Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chronic Hepatitis C Region 6 - Alexandria, 2022

| New | Diagnoses ^a |
|-----|-------------------------------|
|-----|-------------------------------|

| | Casesb | % | Ratec | | | |
|----------------------------|--------|--------|-------|--------------------------------|--------|------|
| Total | 396 | 100.0% | 134.9 | - - | | |
| ace/Ethnicity ^d | | | | Affected Subpopulations Female | Casesb | % |
| Asian | 1 | 0.3% | n/a | Black Female 60-69 | 7 | 2.1% |
| Black | 98 | 31.5% | 124.3 | BlackF40-49 | 6 | 1.8% |
| Hispanic/ Latinx | 28 | 9.0% | 220.4 | BlackF50-59 | 7 | 2.1% |
| White | 184 | 59.2% | 96.6 | White Female 18-29 | 6 | 1.8% |
| | | | | White Female 30-39 | 19 | 5.7% |
| | | | | White Female 40-49 | 16 | 4.8% |
| ex at Birth | | | | White Female 50-59 | 13 | 3.9% |
| Female | 104 | 26.3% | 72.3 | White Female 60-69 | 7 | 2.1% |
| Male | 292 | 73.7% | 194.8 | - | | |
| ge ^e | | | | | | |
| 0-17 | 1 | 0.3% | n/a | - | | |
| 18-29 | 32 | 8.1% | 66.5 | | | |
| 30-39 | 105 | 26.5% | 262.6 | | | |
| 40-49 | 85 | 21.5% | 247.5 | | | |
| 50-59 | 93 | 23.5% | 267.1 | | | |
| 60-69 | 70 | 17.7% | 207.0 | | | |
| 70+ | 10 | 2.5% | 30.4 | • | | |
| arish ^f | | | | Affected Subpopulations Male | | |
| Avoyelles | 76 | 19.2% | 193.6 | Black Male 18-29 | 5 | 1.5% |
| Catahoula | 6 | 1.5% | 68.1 | Black Male 30-39 | 5 | 1.5% |
| Concordia | 12 | 3.0% | 65.3 | Black Male 40-49 | 5 | 1.5% |
| Grant | 87 | 22.0% | 391.2 | Black Male 50-59 | 20 | 6.0% |
| LaSalle | 17 | 4.3% | 114.6 | Black Male 60-69 | 33 | 9.9% |

| a New diagnoses include onl | v individuals whose initia | al chronic hepatitis C di | agnosis was made in Louisiana. |
|-----------------------------|----------------------------|---------------------------|--------------------------------|
| | | | |

New diagnoses include only individuals winose initial crironic nepatitis. C diagnosis was made in Louisiana.
 Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
 Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race

158

31

9

39.9%

7.8%

2.3%

122.8

64.5

66.7

Hispanic Male 30-39

Hispanic Male 40-49

White Male 18-29

White Male 30-39 White Male 40-49

White Male 50-59 White Male 60-69

Rapides

Vernon

Winn



5

8

10

39

17

35

18

1.5%

2.4%

3.0%

11.7%

5.1%

10.5%

5.4%

oroups.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

d Race/ethnicity "Other" category do

not included in the total percentage.

9 Affected subpopulations with counts less than 5 are excluded