STI/HIV/Hepatitis B & C Update 2022 Data Tables

Shreveport Region 7



Reported Cases of HIV Region 7 - Shreveport, 2022

		2022 New Diagnoses ^a		2022	Prevalence	ġb	
		Cases⁰	%	Rated	Cases⁰	%	Rate
	Total	121	100.0%	23.3	2,124	100.0%	409.3
Race/Ethi	nicity ^e						
	Black	86	71.1%	42.4	1,566	73.7%	772.3
	Hispanic/Latinx	2	1.7%	n/a	56	2.6%	270.5
	White	31	25.6%	11.3	459	21.6%	167.0
	Other	2	1.7%	n/a	43	2.0%	n/a
Gender ^f							
	Female	31	25.6%	11.6	626	29.5%	234.8
	Male	85	70.2%	33.7	1,457	68.6%	577.2
	Transgender Male to Female	4	3.3%	n/a	40	1.9%	n/a
	Transgender Female to Male	1	0.8%	n/a	1	0.0%	n/a
Age ^g							
	0-14	0	0.0%	0.0	1	0.0%	n/a
	15-19	7	5.8%	20.8	10	0.5%	29.8
	20-29	49	40.5%	74.3	302	14.2%	458.2
	30-39	29	24.0%	42.4	575	27.1%	840.
	40-49	13	10.7%	21.4	471	22.2%	775.9
	50+	23	19.0%	12.2	765	36.0%	404.6
Risk ^h							
	GBM	73	60.3%	n/a	1,079	50.9%	n/a
	PWID	17	14.0%	n/a	158	7.5%	n/a
	GBM/PWID	3	2.5%	n/a	118	5.6%	n/a
	High Risk Heterosexual	28	23.1%	n/a	745	35.2%	n/a
	Perinatal	0	0.0%	n/a	13	0.6%	n/a
	Transfusion/Hemophilia	0	0.0%	n/a	5	0.2%	n/a
	Other	0	0.0%	n/a	0	0.0%	n/a
Parish							
	Bienville	3	2.5%	n/a	49	2.3%	383.5
	Bossier	19	15.7%	14.7	352	16.6%	272.6
	Caddo	80	66.1%	34.3	1,363	64.2%	584.7
	Claiborne	0	0.0%	0.0	42	2.0%	299.2
	De Soto	6	5.0%	22.3	66	3.1%	245.2
	Natchitoches	5	4.1%	13.5	146	6.9%	394.3
	Red River	3	2.5%	n/a	17	0.8%	224.7
	Sabine	1	0.8%	n/a	21	1.0%	94.9
	Webster	4	3.3%	n/a	68	3.2%	187.9

^a New diagnoses include only individuals whose initial HIV diagnosis was made in Louisiana.
 ^b Prevalent cases include all cases presumed to be alive and living in Louisiana, regardless of the state of initial HIV report.

^b Prevalent cases include all cases presumed to be alive and living in Louisiana, regardless of the state of initial HIV report.
^c Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses and prevalence includes all cases, regardless of demographic variable completeness.
^c Cases with unknown/microletanes.
^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for other/unknown race groups, transgender groups, and risk exposure groups.
^e Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
^r Cases are presented by current gender identity rather than sex at birth.
^a Age when first diagnosed with HIV is used for new HIV diagnoses. Current age is used for HIV prevalence. Age categories align with 2021 census age groups.
^h Risk shows imputed risk, not reported risk. Persons with no imputed risk are not included in the total percentage. GBM = Gay, bisexual, & other men who have sex with men; PWID = Persons who inject drugs.
ⁱ Parish where first diagnosed with HIV is used for new HIV diagnoses. Parish of current residence is used for HIV prevalence. Persons without a parish of residence are not included in the total percentage.

Reported Cases of Primary and Secondary Syphilis Region 7 - Shreveport, 2022

Cases^b

5

5

8

5 7

6

22

15 13

5

5

6

%

3.8%

3.8%

6.2% 3.8%

5.4%

4.6%

16.9%

11.5%

10.0%

3.8%

3.8% 4.6%

	New Diagnoses ^a					
		Cases ^b	%	Ratec		
	Total	130	100.0%	25.1		
Race/E	Ethnicity ^d				Affected Subpopulations Female	
	Black	84	64.6%	41.4	Black Female 10-19	
	Hispanic/Latinx	2	1.5%	n/a	Black Female 20-29	
	White	38	29.2%	13.8	Black Female 30-39	
	Other	6	4.6%	n/a	White Female 20-29	
					White Female 30-39	
Gende	re				White Female 40-49	
	Female	45	34.6%	16.9		
	Male	84	64.6%	33.3		
	Transgender Male to Female	1	0.8%	n/a		
Ager	10-19	11	8.5%	16.0		
Agef					Affected Subpopulations Male ^h	
					Black Male 20-29	
	20-29	40	30.8%	60.7	Black Male 30-39	
	30-39	38	29.2%	55.5	Black Male 40-49	
	40-49	29	22.3%	47.8	Black Male 50+	
	50+	12	9.2%	6.3	White Male 20-29	
Parish	g				White Male 30-39	
Parish	g Bienville	2	1.5%	n/a		
Parish		2 18	1.5% 13.8%	n/a 13.9		
Parish	Bienville					
Parish	Bienville Bossier	18	13.8%	13.9		
Parish	Bienville Bossier Caddo	18 86	13.8% 66.2%	13.9 36.9		
Parish	Bienville Bossier Caddo Claiborne	18 86 2	13.8% 66.2% 1.5%	13.9 36.9 n/a		
Parish	Bienville Bossier Caddo Claiborne De Soto	18 86 2 6	13.8% 66.2% 1.5% 4.6%	13.9 36.9 n/a 22.3		
Parish	Bienville Bossier Caddo Claiborne De Soto Natchitoches	18 86 2 6 6	13.8% 66.2% 1.5% 4.6% 4.6%	13.9 36.9 n/a 22.3 16.2		

^a New diagnoses include only individuals whose initial primary and secondary syphillis diagnosis was made in Louisiana.
 ^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
 ^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.
 ^d Race/ethnicity "Other" rategory does not include missing or unknown race/ethnicity.
 ^e Cases are presented by current gender identity rather than sex at birth.
 ^f Age when first diagnosed with primary and secondary syphillis is used for new primary and secondary syphillis diagnoses. Age categories align with 2021 census age groups.

Proje when this tradightsed with primary and secondary syphills is used for new primary and secondary syphills diagnoses. Age categories any with 2021 Census age groups.
 Parish where first diagnosed with primary and secondary syphillis is used for new primary and secondary syphillis diagnoses. Persons without a parish of residence are not included in the total percentage.
 All subpopulations under 5 were excluded.

Reported Cases of Early Non-Primary Non-Secondary Syphilis Region 7 - Shreveport, 2022

			N	lew Diagno	Sesa		
		Cases ^b	%	Rate ^c			
	Total	94	100.0%	18.1			
Race/I	Ethnicity ^d				Affected Subpopulations Female ^h	Cases ^b	%
	Black	57	60.6%	28.1	Black Female 20-29	8	8.5%
	Hispanic/Latinx	2	2.1%	n/a	Black Female 30-39	11	11.7%
	White	30	31.9%	10.9	White Female 30-39	5	5.3%
	Other	5	5.3%	n/a			
Gende)Le						
	Female	35	37.2%	13.1			
	Male	57	60.6%	22.6			
	Transgender Male to Female	2	2.1%	n/a			
Agef					Affected Subpopulations Maleh		
-	10-19	7	7.4%	10.2	Black Male 20-29	8	8.5%
	20-29	29	30.9%	44.0	Black Male 30-39	10	10.6%
	30-39	33	35.1%	48.2	Black Male 40-49	6	6.4%
	40-49	9	9.6%	14.8	Black Male 50+	5	5.3%
	50+	16	17.0%	8.5	White Male 50+	9	9.6%
Parish	18						
	Bienville	0	0.0%	0.0			
	Bossier	26	27.7%	20.1			
	Caddo	55	58.5%	23.6			
	Claiborne	0	0.0%	0.0			
	De Soto	4	4.3%	n/a			
	Natchitoches	4	4.3%	n/a			
	Red River	0	0.0%	0.0			
	Sabine	1	1.1%	n/a			
	Webster	4	4.3%	n/a			

New diagnoses include only individuals whose initial non-primary non-secondary syphillis diagnosis was made in Louisiana.
Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
Cases per 100,000 population. Rates not available (na) for case counts less than 5. Rates not available for "Other" race group.
Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
Cases are presented by current gender identity rather than sex at birth.
Age when first diagnosed with non-primary non-secondary syphillis is used for new non-primary non-secondary syphillis diagnoses. Age categories align with 2021 census age groups.
Parish where first diagnosed with non-primary non-secondary syphillis is used for new non-primary non-secondary syphillis diagnoses. Persons without a parish of residence are not included in the total percentage.
All subpopulations under 5 were excluded.

Reported Cases of Congenital Syphilis Louisiana, 2022

Region specific table not available due to low case counts.

Infants and Mothers Linked to New Congenital Syphilis Cases^a

	initante e		5 Ellikeu to
	Case	s %	Rate
Total Infant CS Case	es 115	100.0%	204.0
Total Mothers Linke New Cases	d to 114	100.0%	4.8
Maternal Race/Ethnicity			
Black	71	62.3%	9.0
Hispanic/Latinx	6	5.3%	4.9
White	29	24.6%	2.1
Other	g	7.9%	n/a
 Maternal Age∘			
15-19		7 6.1%	4.8
20-24	2	2 19.3%	14.8
25-29	3	7 32.5%	24.5
30-34	2	5 21.9%	15.3
35+	2		
Maternal Region of Reside	enced		
Alexandria - Region		1 31.0%	7.7
Baton Rouge - Regi	on 2 2	1 18.4%	5.9
Hammond - Region		6 5.3%	1.9
Houma - Region 3		5 4.4%	2.5
Lafayette - Region 4	+ 1	7 14.9%	5.6
Lake Charles - Regi	on 5	8 7.0%	5.3
Monroe - Region 8	1	5 13.2%	8.5
New Orleans - Regional	on 1 1	5 13.2%	3.3
Shreveport - Region	7 1	6 14.0%	6.0
nfant Region of Residenc	:e ^d		
Alexandria - Region	6 1	1 9.6%	293.2
Baton Rouge - Regi	on 2 2	1 18.3%	246.2
Hammond - Region	9	6 5.2%	81.6
Houma - Region 3		5 4.3%	113.3
Lafayette - Region 4	1	7 14.8%	215.7
Lake Charles - Regi	on 5	9 7.8%	237.8
Monroe - Region 8	1	5 13.0%	373.9
New Orleans - Region	on 1 1	5 13.0%	145.5
Shreveport - Region	7 1	6 13.9%	252.5
Maternal Stage of Syphilis	6		
Primary		2 1.8%	n/a
Secondary		8 7.0%	n/a
Early non-primary non-secondary	5	7 50.0%	n/a
Unknown/Late Later	nt 4	2 36.8%	n/a
Other		5 4.4%	n/a

^a New cases only include those who indicated a Louisiana residence at the time of delivery.
 ^b Congenital syphilis rates are calculated per 100,000 live births. Maternal rates are calculated using yearly census data, per 100,000 population. Percentages for maternal variables reflect distinct count of mothers. Rates for case counts under 20 are unreliable. Rates for case counts under 5 are not available.
 ^c Reflects maternal and infant region of residence at delivery.

e Reflects substances detected during maternal toxicology screens conducted during pregnancy or delivery. Mothers can have positive toxicology screens for more than one substance.

Positive Toxicology Screense Cases

Amphetamines/Meth	18
Cocaine	1
Heroin	4
Marijuana	22

Reported Cases of Gonorrhea Region 7 - Shreveport, 2022

			١	New Diagnos
		Cases⁵	%	Ratec
	Total	1,789	100.0%	344.8
Race/E	thnicityd			
	Black	1,303	74.4%	642.6
	Hispanic/Latinx	11	0.6%	53.1
	White	261	14.9%	95.0
	Other	177	10.1%	n/a
Sex at				
	Female	843	47.1%	316.2
	Male	946	52.9%	375.0
Agee				
	Under 10	1	0.1%	n/a
	10-19	504	28.2%	732.6
	20-29	843	47.1%	1,279.1
	30-39	315	17.6%	460.5
	40-49	90	5.0%	148.3
	50+	36	2.0%	19.0
Parish	nf			
i unoi	Bienville	52	2.9%	407.0
	Bossier	330	18.4%	255.5
	Caddo	899	50.3%	385.7
	Claiborne	34	1.9%	242.2
	De Soto	98	5.5%	364.1
	Natchitoches	169	9.4%	456.4
	Red River	43	2.4%	568.5
	Sabine	36	2.0%	162.6
	Webster	128	7.2%	353.7

lew Diagnoses ^a	
----------------------------	--

Affected Subpopulations Female ^g	Cases ^b	%
Black Female 10-19	202	11.5%
Black Female 20-29	284	16.2%
Black Female 30-39	71	4.1%
Black Female 40-49	15	0.9%
Black Female 50+	5	0.3%
Hispanic Female 20-29	5	0.3%
Other Female 10-19	37	2.1%
Other Female 20-29	44	2.5%
Other Female 30-39	8	0.5%
White Female 10-19	23	1.3%
White Female 20-29	64	3.7%
White Female 30-39	44	2.5%
White Female 40-49	21	1.2%

Affected Subpopulations Male^g

	Black Male 10-19	189	10.8%
	Black Male 20-29	347	19.8%
	Black Male 30-39	144	8.2%
	Black Male 40-49	33	1.9%
	Black Male 50+	13	0.7%
	Other Male 10-19	35	2.0%
	Other Male 20-29	30	1.7%
	Other Male 30-39	13	0.7%
	White Male 10-19	9	0.5%
	White Male 20-29	44	2.5%
	White Male 30-39	30	1.7%
	White Male 40-49	14	0.8%
_	White Male 50+	8	0.5%

^a New diagnoses include only individuals whose initial gonorrhea diagnosis was made in Louisiana.
^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.
^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
^e Age when first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Age categories align with 2021 census age groups.
^f Parish Where first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Persons without a parish of residence are not included in the total percentage.
^g Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Chlamydia Region 7 - Shreveport, 2022

			I	New Diagnos
		Cases ^b	%	Rate ^c
	Total	4,185	100.0%	806.5
Race/E	:thnicity ^d			
	Black	2,863	70.4%	1,411.9
	Hispanic/Latinx	35	0.9%	169.0
	White	707	17.4%	257.2
	Other	462	11.4%	n/a
Sex at	Birth			
	Female	2,793	66.8%	1,047.5
	Male	1,391	33.2%	551.5
Agee				
	Under 10	2	0.0%	n/a
	10-19	1,478	35.3%	2,148.5
	20-29	2,071	49.5%	3,142.4
	30-39	471	11.3%	688.5
	40-49	111	2.7%	182.9
	50+	52	1.2%	27.5
Parisł	۱ ^۴			
	Bienville	89	2.1%	696.6
	Bossier	744	17.8%	576.1
	Caddo	2,094	50.0%	898.4
	Claiborne	98	2.3%	698.1
	De Soto	205	4.9%	761.5
	Natchitoches	430	10.3%	1,161.3
	Red River	110	2.6%	1,454.3

New Diagnoses ^a	
----------------------------	--

Affected Subpopulations Female ^g	Cases ^b	%
Black Female 10-19	720	17.7%
Black Female 20-29	915	22.5%
Black Female 30-39	171	4.2%
Black Female 40-49	24	0.6%
Black Female 50+	11	0.3%
Hispanic Female 10-19	6	0.1%
Hispanic Female 20-29	15	0.4%
Other Female 10-19	143	3.5%
Other Female 20-29	165	4.1%
Other Female 30-39	19	0.5%
White Female 10-19	168	4.1%
White Female 20-29	256	6.3%
White Female 30-39	71	1.7%
White Female 40-49	25	0.6%
White Female 50+	6	0.1%

Affected Subpopulations Male^g

 ouppopulations males		
Black Male 10-19	308	7.6%
Black Male 20-29	504	12.4%
Black Male 30-39	149	3.7%
Black Male 40-49	45	1.1%
Black Male 50+	14	0.3%
Other Male 10-19	43	1.1%
Other Male 20-29	68	1.7%
Other Male 30-39	13	0.3%
White Male 10-19	38	0.9%
White Male 20-29	91	2.2%
White Male 30-39	30	0.7%
White Male 40-49	6	0.1%
White Male 50+	15	0.4%

^a New diagnoses include only individuals whose initial chlamydia diagnosis was made in Louisiana.
^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.
^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
^e Age when first diagnosed with chlamydia is used for new chlamydia diagnoses. Age categories align with 2021 census age groups.
^f Parish Where first diagnosed with chlamydia is used for new chlamydia diagnoses. Persons without a parish of residence are not included in the total percentage.
^g Affected subpopulations with counts less than 5 are excluded.

144

271

3.4%

6.5%

650.6

748.9

Sabine

Webster

Reported Cases of Acute Hepatitis B Louisiana, 2022

Region specific table not available due to low case counts.

				New Diag	nosesa
		Cases⁵	%	Rate∝	
	Total	29	100.0%	0.6	-
Race/I	Ethnicityd				Aff
	Asian	0	0.0%	0.0	-
	Black	6	22.2%	0.4	
	Hispanic/ Latinx	0	0.0%	0.0	
	White	21	77.8%	0.7	
					_
Sex at	Birth				_
	Female	15	51.7%	0.6	
	Male	14	48.3%	0.6	-
Age∘					
	18-29	1	3.4%	n/a	_
	30-39	4	13.8%	n/a	
	40-49	10	34.5%	1.8	
	50-59	9	31.0%	1.5	
	60-69	3	10.3%	n/a	
		2	6.9%	n/a	

Affected Subpopulations Female ^g	Cases ^b	%
White Female	9	33.3%

Regionf

н.					
	Region 1 - New Orleans	2	6.9%	n/a	
	Region 2 - Baton Rouge	4	13.8%	n/a	
	Region 3 - Houma	6	20.7%	1.5	
	Region 4 - Lafayette	2	6.9%	n/a	
	Region 5 - Lake Charles	5	17.2%	1.6	
	Region 6 - Alexandria	5	17.2%	1.7	
	Region 7 - Shreveport	0	0.0%	0.0	
	Region 8 - Monroe	0	0.0%	0.0	
	Region 9 - Hammond/Slidell	5	17.2%	0.8	

Affected Subpopulations Male^g

White Male	12	44.4%	

^a New diagnoses include only individuals whose initial acute hepatitis B diagnosis was made in Louisiana.
 ^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
 ^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race

c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.
d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
Age when first diagnosed with acute hepatitis B is used for new diagnoses. Age categories align with 2021 census age groups.
f Region where first diagnosed with acute hepatitis B is used for new diagnoses. Persons without a region of residence are not included in the total percentage.
Affected subpopulations with counts less than 5 are excluded.



Reported Cases of Chronic Hepatitis B Region 7 - Shreveport, 2022

_		Cases ^b	%	Rate∝	_		
1	Fotal	92	100.0%	17.73	-		
ace/Eth	nicity ^d				Affected Subpopulations Female ^g	Cases ^b	9
l	Asian	7	7.9%	114.3	Black Female 30-39	7	7.8%
E	Black	48	53.9%	23.6			
ł	Hispanic/ Latinx	2	2.2%	n/a			
<u>\</u>	White	32	36.0%	11.6	-		
ex at Bi	rth						
	emale	38	41.3%	14.3	-		
1	Male	54	58.7%	21.4			
gee							
()-17	0	0.0%	0.0	-		
	18-29	8	8.7%	10.1			
3	30-39	19	20.7%	27.7			
2	10-49	12	13.0%	19.7			
Ę	50-59	16	17.4%	25.6			
6	60-69	21	22.8%	32.8			
7	70+	16	17.4%	25.5	-		
arish ^f					Affected Subpopulations Male ^g		
E	Bienville	2	2.2%	n/a	Black Male 50-59	8	8.9
E	Bossier	17	18.5%	13.1	Black Male 60-69	9	10.0
(Caddo	55	59.8%	23.5			
(Caliborne	2	2.2%	n/a			
[De Soto	0	0.0%	0.0			
1	Natchitoches	7	7.6%	18.9			
	Red River	3	3.3%	n/a			
	Sabine	1	1.1%	n/a			
۱.	Vebster	5	5.4%	13.8			

^a New diagnoses include only individuals whose initial chronic hepatitis B diagnosis was made in Louisiana.
^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completenes.
^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race counts.

Cases per 100,000 population. Kates not available (n/a) for case counts less than 5. Kates not available for "Other" race groups.
 Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
 Age when first diagnosed with chronic hepatitis B is used for new diagnoses. Age categories align with 2021 census age groups.
 Parish where first diagnosed with chronic hepatitis B is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.
 Affected subpopulations with counts less than 5 are excluded.

Reported Cases of Acute Hepatitis C Region 7 - Shreveport, 2022

				New Diagnoses ^a		
		Cases ^b	%	Rate∝		
	Total	12	100.0%	2.3	_	
Race/E	thnicity ^d				Affe	
	Asian	0	0.0%	0.0	_	
	Black	4	33.3%	n/a		
	Hispanic/ Latinx	0	0.0%	0.0		
	White	8	66.7%	2.9	_	

Affected Subpopulations Female^g **Cases**^b %

All female subpopulations had a case count less than 5.

Sex at Birth

Female	6	50.0%	2.2
Male	6	50.0%	2.3

Agee

0-17	0	0.0%	0.0
18-29	4	33.3%	n/a
30-39	2	16.7%	n/a
40-49	3	25.0%	n/a
50-59	1	8.3%	n/a
60-69	2	16.7%	n/a
70+	0	0.0%	0.0

Parishf

ansn				
	Bienville	0	0.0%	0.0
	Bossier	3	25.0%	n/a
	Caddo	9	75.0%	3.8
	Claiborne	0	0.0%	0.0
	De Soto	0	0.0%	0.0
	Natchitoches	0	0.0%	0.0
	Red River	0	0.0%	0.0
	Sabine	0	0.0%	0.0
	Webster	0	0.0%	0.0

Affected Subpopulations Maleg

All male subpopulations had a case count less than 5.

^a New diagnoses include only individuals whose initial acute hepatitis C diagnosis was made in Louisiana.
 ^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
 ^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race

Cases per 100,000 population. Kates not available (n/a) for case counts less than 5. Kates not available for "Other" race groups.
 ^d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
 ^e Age when first diagnosed with acute hepatitis C is used for new diagnoses. Age categories align with 2021 census age groups.
 ^e Parish where first diagnosed with acute hepatitis C is used for new diagnoses. Persons without a parish of residence are not available to table to ta

included in the total percentage.

9 Affected subpopulations with counts less than 5 are excluded.



Reported Cases of Chronic Hepatitis C Region 7 - Shreveport, 2022

				New Diagr	ios
		Cases ^b	%	Rate ^c	
	Total	445	100.0%	85.8	
Race/E	Ethnicity ^d				
	Asian	7	1.6%	114.3	
	Black	164	38.5%	80.8	
	Hispanic/ Latinx	14	3.3%	67.6	
	White	241	56.6%	87.6	
	Female	171	38.4%	64.1	
	Male	274	61.6%	108.6	
Agee					
	0-17	0	0.0%	0.0	
	18-29	37	8.3%	47.0	
	30-39	60	13.5%	87.7	
	40-49	74	16.6%	121.9	
	50-59	102	22.9%	163.4	
	60-69	128	28.8%	200.1	
	70+	44	9.9%	70.1	

Affected Subpopulations Female ^g	Cases ^b	%	
Black Female 18-29	6	1.4%	-
Black Female 30-39	5	1.1%	
Black Female 40-49	11	2.5%	
Black Female 50-59	10	2.3%	
Black Female 60-69	20	4.5%	
Black Female 70+	16	3.6%	
White Female 18-29	10	2.3%	
White Female 30-39	17	3.8%	
White Female 40-49	14	3.2%	
White Female 50-59	30	6.8%	
White Female 60-69	16	3.6%	
			_

Parishf

ansn					
	Bienville	7	1.6%	54.7	
	Bossier	73	16.4%	56.5	
	Caddo	247	55.5%	105.9	
	Claiborne	21	4.7%	149.5	
	De Soto	22	4.9%	81.7	
	Natchitoches	17	3.8%	45.9	
	Red River	4	0.9%	n/a	
	Sabine	19	4.3%	85.8	
	Webster	35	7.9%	96.7	

Affected Subpopulations Maleg

Black Male 30-39	8	1.8%	
Black Male 40-49	6	1.4%	
Black Male 50-59	23	5.2%	
Black Male 60-69	43	9.7%	
Black Male 70+	14	3.2%	
White Male 18-29	13	2.9%	
White Male 30-39	23	5.2%	
White Male 40-49	36	8.1%	
White Male 50-59	32	7.2%	
White Male 60-69	42	9.5%	
White Male 70+	5	1.1%	

^a New diagnoses include only individuals whose initial chronic hepatitis C diagnosis was made in Louisiana.
 ^b Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.
 ^c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race

c Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.
d Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.
Age when first diagnosed with chronic hepatitis C is used for new diagnoses. Age categories align with 2021 census age groups.
Parish where first diagnosed with chronic hepatitis C is used for new diagnoses. Persons without a parish of residence are not included in the total percentage.
Affected subpopulations with counts less than 5 are excluded.

