

# STI/HIV/Hepatitis B & C Update 2021 Data Tables

## Louisiana



## Reported Cases of HIV Louisiana, 2021

	2021 New Diagnoses <sup>a</sup>			2021 Prevalence <sup>b</sup>		
	Cases <sup>c</sup>	%	Rate <sup>d</sup>	Cases <sup>c</sup>	%	Rate <sup>d</sup>
Total	901	100.0%	19.3	22,304	100.0%	478.2
<b>Race/Ethnicity<sup>e</sup></b>						
Black	584	64.8%	38.9	15,151	67.9%	1,009.6
Hispanic/Latinx	69	7.7%	28.4	1,243	5.6%	510.7
White	229	25.4%	8.4	5,529	24.8%	203.2
Other	19	2.1%	n/a	377	1.7%	n/a
<b>Gender<sup>f</sup></b>						
Female	209	23.2%	8.8	6,310	28.3%	264.3
Male	668	74.1%	29.3	15,576	69.8%	684.1
Transgender Male to Female	24	2.7%	n/a	411	1.8%	n/a
Transgender Female to Male	0	0.0%	n/a	7	0.0%	n/a
<b>Age<sup>g</sup></b>						
0-14	2	0.2%	n/a	35	0.2%	3.8
15-19	42	4.7%	14.1	93	0.4%	31.3
20-29	329	36.5%	50.5	2,321	10.4%	356.5
30-39	268	29.7%	41.7	5,127	23.0%	798.7
40-49	115	12.8%	21.1	5,060	22.7%	926.7
50+	145	16.1%	9.0	9,668	43.3%	599.8
<b>Risk<sup>h</sup></b>						
GBM	538	59.8%	n/a	10,803	48.6%	n/a
PWID	72	8.0%	n/a	1,915	8.6%	n/a
GBM/PWID	32	3.6%	n/a	1,061	4.8%	n/a
High Risk Heterosexual	257	28.6%	n/a	8,196	36.9%	n/a
Perinatal	1	0.1%	n/a	207	0.9%	n/a
Transfusion/Hemophilia	0	0.0%	n/a	56	0.3%	n/a
Other	0	0.0%	n/a	1	0.0%	n/a
<b>Region<sup>i</sup></b>						
Region 1 - New Orleans	247	27.4%	27.6	7,516	33.8%	838.7
Region 2 - Baton Rouge	174	19.3%	25.4	5,091	22.9%	744.5
Region 3 - Houma	49	5.4%	12.3	915	4.1%	229.6
Region 4 - Lafayette	109	12.1%	18.0	1,905	8.6%	314.1
Region 5 - Lake Charles	45	5.0%	14.8	1,006	4.5%	330.7
Region 6 - Alexandria	44	4.9%	14.6	1,005	4.5%	334.2
Region 7 - Shreveport	115	12.8%	21.4	2,073	9.3%	386.4
Region 8 - Monroe	61	6.8%	17.5	1,166	5.2%	334.2
Region 9 - Hammond/Slidell	57	6.3%	9.7	1,581	7.1%	268.3

<sup>a</sup> New diagnoses include only individuals whose initial HIV diagnosis was made in Louisiana.

<sup>b</sup> Prevalent cases include all cases presumed to be alive and living in Louisiana, regardless of the state of initial HIV report.

<sup>c</sup> Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses and prevalence includes all cases, regardless of demographic variable completeness.

<sup>d</sup> Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for other/unknown race groups, transgender groups, and risk exposure groups.

<sup>e</sup> Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

<sup>f</sup> Cases are presented by current gender identity rather than sex at birth.

<sup>g</sup> Age when first diagnosed with HIV is used for new HIV diagnoses. Current age is used for HIV prevalence. Age categories align with 2020 census age groups.

<sup>h</sup> Risk shows imputed risk, not reported risk. Persons with no imputed risk are not included in the total percentage. GBM = Gay, bisexual, & other men who have sex with men; PWID = Persons who inject drugs.

<sup>i</sup> Region where first diagnosed with HIV is used for new HIV diagnoses. Region of current residence is used for HIV prevalence. Persons without a region of residence are not included in the total percentage.

# Reported Cases of Primary and Secondary Syphilis Louisiana, 2021

## New Diagnoses<sup>a</sup>

	Cases <sup>b</sup>	%	Rate <sup>c</sup>
Total	995	100.0%	21.3

### Race/Ethnicity<sup>d</sup>

Black	593	59.6%	39.5
Hispanic/Latinx	28	2.8%	11.5
White	339	34.1%	12.5
Other	35	3.5%	n/a

### Gender<sup>e</sup>

Female	271	27.2%	11.3
Male	710	71.4%	31.2
Transgender Male to Female	12	1.2%	n/a
Transgender Female to Male	2	0.2%	n/a

### Age<sup>f</sup>

10-19	75	7.5%	12.3
20-29	390	39.2%	59.9
30-39	303	30.5%	47.2
40-49	140	14.1%	25.6
50+	87	8.7%	5.4

### Regions<sup>g</sup>

Region 1 - New Orleans	223	22.4%	24.9
Region 2 - Baton Rouge	175	17.6%	25.6
Region 3 - Houma	35	3.5%	8.8
Region 4 - Lafayette	104	10.5%	17.1
Region 5 - Lake Charles	31	3.1%	10.2
Region 6 - Alexandria	160	16.1%	53.2
Region 7 - Shreveport	91	9.1%	17.0
Region 8 - Monroe	100	10.1%	28.7
Region 9 - Hammond/Slidell	76	7.6%	12.9

### Affected Subpopulations Female<sup>h</sup>

	Cases <sup>b</sup>	%
Black Female 10-19	17	1.7%
Black Female 20-29	57	5.7%
Black Female 30-39	31	3.1%
Black Female 40-49	18	1.8%
Black Female 50+	6	0.6%
White Female 10-19	9	0.9%
White Female 20-29	42	4.2%
White Female 30-39	51	5.1%
White Female 40-49	19	1.9%
White Female 50+	6	0.6%

### Affected Subpopulations Male<sup>h</sup>

Black Male 10-19	38	3.8%
Black Male 20-29	193	19.4%
Black Male 30-39	140	14.1%
Black Male 40-49	55	5.5%
Black Male 50+	29	2.9%
Hispanic Male 20-29	9	0.9%
Hispanic Male 30-39	5	0.5%
Hispanic Male 40-49	6	0.6%
Other Male 20-29	9	0.9%
Other Male 30-39	9	0.9%
White Male 10-19	6	0.6%
White Male 20-29	69	6.9%
White Male 30-39	59	5.9%
White Male 40-49	34	3.4%
White Male 50+	41	4.1%

<sup>a</sup> New diagnoses include only individuals whose initial primary and secondary syphilis diagnosis was made in Louisiana.

<sup>b</sup> Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

<sup>c</sup> Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

<sup>d</sup> Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

<sup>e</sup> Cases are presented by current gender identity rather than sex at birth.

<sup>f</sup> Age when first diagnosed with primary and secondary syphilis is used for new primary and secondary syphilis diagnoses. Age categories align with 2020 census age groups.

<sup>g</sup> Region where first diagnosed with primary and secondary syphilis is used for new primary and secondary syphilis diagnoses. Persons without a region of residence are not included in the total percentage.

<sup>h</sup> All subpopulations under 5 were excluded; this includes subpopulations of Hispanic women and transgender persons.

# Reported Cases of Congenital Syphilis Louisiana, 2021

## Infants and Mothers Linked to New Congenital Syphilis Cases<sup>a</sup>

	Cases	%	Rate <sup>b</sup>
Total Infant CS Cases	110	100.0%	191.7
Total Mothers Linked to New Cases	107	100.0%	4.5
<b>Maternal Race/Ethnicity</b>			
Black	70	65.4%	8.9
Hispanic/Latinx	6	5.6%	5.3
White	31	29.0%	2.2
Other	0	0.0%	n/a
<b>Maternal Age<sup>c</sup></b>			
15-19	7	6.5%	4.8
20-24	28	26.2%	18.3
25-29	33	30.8%	19.5
30-34	26	24.3%	15.8
35+	13	12.1%	4.4
<b>Maternal Region of Residence<sup>d</sup></b>			
Region 1 - New Orleans	9	8.4%	1.9
Region 2 - Baton Rouge	18	16.8%	5.2
Region 3 - Houma	6	5.6%	3.0
Region 4 - Lafayette	13	12.1%	4.2
Region 5 - Lake Charles	3	2.8%	n/a
Region 6 - Alexandria	22	20.6%	14.8
Region 7 - Shreveport	10	9.3%	3.6
Region 8 - Monroe	18	16.8%	10.1
Region 9 - Hammond/Slidell	8	7.5%	2.6
<b>Infant Region of Residence<sup>d</sup></b>			
Region 1 - New Orleans	9	8.2%	87.1
Region 2 - Baton Rouge	18	16.4%	209.4
Region 3 - Houma	6	5.5%	129.5
Region 4 - Lafayette	14	12.7%	171.8
Region 5 - Lake Charles	3	2.7%	n/a
Region 6 - Alexandria	22	20.0%	564.5
Region 7 - Shreveport	11	10.0%	174.7
Region 8 - Monroe	19	17.3%	466.1
Region 9 - Hammond/Slidell	8	7.3%	105.5
<b>Maternal Stage of Syphilis</b>			
Primary	4	3.7%	n/a
Secondary	5	4.7%	n/a
Early non-primary non-secondary	48	44.9%	n/a
Unknown/Late Latent	47	43.9%	n/a
Other	3	2.8%	n/a

<sup>a</sup> New cases only include those who indicated a Louisiana residence at the time of delivery.

<sup>b</sup> Congenital syphilis rates are calculated per 100,000 live births. Maternal rates are calculated using yearly census data, per 100,000 population. Percentages for maternal variables reflect distinct count of mothers. Rates for case counts under 20 are unreliable. Rates for case counts under 5 are not available.

<sup>c</sup> Reflects maternal age at delivery.

<sup>d</sup> Reflects maternal and infant region of residence at delivery.



# Reported Cases of Gonorrhea Louisiana, 2021

## New Diagnoses<sup>a</sup>

	Cases <sup>b</sup>	%	Rate <sup>c</sup>
Total	16,390	100.0%	351.4

### Race/Ethnicity<sup>d</sup>

Black	11,688	72.3%	778.9
Hispanic/Latinx	411	2.5%	168.9
White	3,483	21.5%	128.0
Other	588	3.6%	n/a

### Sex at Birth

Female	7,845	47.9%	328.6
Male	8,541	52.1%	375.1

### Age<sup>e</sup>

Under 10	12	0.1%	2.0
10-19	3,996	24.4%	654.7
20-29	8,070	49.2%	1,239.4
30-39	2,959	18.1%	461.0
40-49	896	5.5%	164.1
50+	457	2.8%	28.4

### Region<sup>f</sup>

Region 1 - New Orleans	3,532	21.6%	394.1
Region 2 - Baton Rouge	3,289	20.1%	481.0
Region 3 - Houma	1,149	7.0%	288.3
Region 4 - Lafayette	2,143	13.1%	353.3
Region 5 - Lake Charles	533	3.3%	175.2
Region 6 - Alexandria	1,029	6.3%	342.2
Region 7 - Shreveport	1,719	10.5%	320.4
Region 8 - Monroe	1,411	8.6%	404.5
Region 9 - Hammond/Slidell	1,565	9.6%	265.6

### Affected Subpopulations Females<sup>g</sup>

	Cases <sup>b</sup>	%
Black Female 10-19	1,778	11.0%
Black Female 20-29	2,811	17.4%
Black Female 30-39	644	4.0%
Black Female 40-49	150	0.9%
Black Female 50+	52	0.3%
Hispanic Female 10-19	49	0.3%
Hispanic Female 20-29	78	0.5%
Hispanic Female 30-39	24	0.1%
Other Female 10-19	99	0.6%
Other Female 20-29	150	0.9%
Other Female 30-39	24	0.1%
Other Female 40-49	7	0.0%
White Female 10-19	455	2.8%
White Female 20-29	807	5.0%
White Female 30-39	408	2.5%
White Female 40-49	157	1.0%
White Female 50+	39	0.2%

### Affected Subpopulations Males<sup>g</sup>

	Cases <sup>b</sup>	%
Black Male 10-19	1,320	8.2%
Black Male 20-29	3,212	19.9%
Black Male 30-39	1,172	7.2%
Black Male 40-49	329	2.0%
Black Male 50+	214	1.3%
Hispanic Male 10-19	47	0.3%
Hispanic Male 20-29	119	0.7%
Hispanic Male 30-39	59	0.4%
Hispanic Male 40-49	19	0.1%
Hispanic Male 50+	9	0.1%
Other Male 10-19	47	0.3%
Other Male 20-29	155	1.0%
Other Male 30-39	75	0.5%
Other Male 40-49	20	0.1%
Other Male 50+	10	0.1%
White Male 10-19	121	0.7%
White Male 20-29	649	4.0%
White Male 30-39	515	3.2%
White Male 40-49	206	1.3%
White Male 50+	123	0.8%

<sup>a</sup> New diagnoses include only individuals whose initial gonorrhea diagnosis was made in Louisiana.

<sup>b</sup> Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

<sup>c</sup> Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

<sup>d</sup> Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

<sup>e</sup> Age when first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Age categories align with 2020 census age groups.

<sup>f</sup> Region where first diagnosed with gonorrhea is used for new gonorrhea diagnoses. Persons without a region of residence are not included in the total percentage.

<sup>g</sup> Affected subpopulations with counts less than 5 are excluded.

# Reported Cases of Chlamydia Louisiana, 2021

## New Diagnoses<sup>a</sup>

	Cases <sup>b</sup>	%	Rate <sup>c</sup>
Total	33,759	100.0%	723.7

### Race/Ethnicity<sup>d</sup>

Black	22,148	66.7%	1,475.9
Hispanic/Latinx	1,292	3.9%	530.9
White	8,283	24.9%	304.5
Other	1,480	4.5%	n/a

### Sex at Birth

Female	22,878	67.8%	958.2
Male	10,877	32.2%	477.7

### Age<sup>e</sup>

Under 10	12	0.0%	2.0
10-19	10,940	32.4%	1,792.5
20-29	17,596	52.1%	2,702.4
30-39	3,946	11.7%	614.7
40-49	867	2.6%	158.8
50+	398	1.2%	24.7

### Region<sup>f</sup>

Region 1 - New Orleans	7,587	22.5%	846.6
Region 2 - Baton Rouge	6,397	19.0%	935.5
Region 3 - Houma	2,473	7.3%	620.4
Region 4 - Lafayette	4,036	12.0%	665.5
Region 5 - Lake Charles	1,473	4.4%	484.2
Region 6 - Alexandria	2,119	6.3%	704.6
Region 7 - Shreveport	3,613	10.7%	673.4
Region 8 - Monroe	2,552	7.6%	731.5
Region 9 - Hammond/Slidell	3,456	10.3%	586.5

### Affected Subpopulations Females<sup>g</sup>

	Cases <sup>b</sup>	%
Black Female 10-19	5,260	15.8%
Black Female 20-29	7,718	23.2%
Black Female 30-39	1,318	4.0%
Black Female 40-49	204	0.6%
Black Female 50+	90	0.3%
Hispanic Female 10-19	312	0.9%
Hispanic Female 20-29	431	1.3%
Hispanic Female 30-39	116	0.3%
Hispanic Female 40-49	22	0.1%
Hispanic Female 50+	8	0.0%
Other Female 10-19	398	1.2%
Other Female 20-29	612	1.8%
Other Female 30-39	84	0.3%
Other Female 40-49	20	0.1%
White Female 10-19	2,069	6.2%
White Female 20-29	3,060	9.2%
White Female 30-39	619	1.9%
White Female 40-49	137	0.4%
White Female 50+	43	0.1%

### Affected Subpopulations Males<sup>g</sup>

	Cases <sup>b</sup>	%
Black Male Under 10	5	0.0%
Black Male 10-19	2,096	6.3%
Black Male 20-29	3,939	11.9%
Black Male 30-39	1,132	3.4%
Black Male 40-49	259	0.8%
Black Male 50+	123	0.4%
Hispanic Male 10-19	87	0.3%
Hispanic Male 20-29	192	0.6%
Hispanic Male 30-39	87	0.3%
Hispanic Male 40-49	26	0.1%
Hispanic Male 50+	11	0.0%
Other Male 10-19	73	0.2%
Other Male 20-29	203	0.6%
Other Male 30-39	63	0.2%
Other Male 40-49	18	0.1%
White Male 10-19	413	1.2%
White Male 20-29	1,202	3.6%
White Male 30-39	468	1.4%
White Male 40-49	166	0.5%
White Male 50+	105	0.3%

<sup>a</sup> New diagnoses include only individuals whose initial chlamydia diagnosis was made in Louisiana.

<sup>b</sup> Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

<sup>c</sup> Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race group.

<sup>d</sup> Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

<sup>e</sup> Age when first diagnosed with chlamydia is used for new chlamydia diagnoses. Age categories align with 2020 census age groups.

<sup>f</sup> Region where first diagnosed with chlamydia is used for new chlamydia diagnoses. Persons without a region of residence are not included in the total percentage.

<sup>g</sup> Affected subpopulations with counts less than 5 are excluded.

# Reported Cases of Acute Hepatitis B Louisiana, 2021

## New Diagnoses<sup>a</sup>

	Cases <sup>b</sup>	%	Rate <sup>c</sup>
Total	36	100.0%	0.8

### Race/Ethnicity<sup>d</sup>

Asian	1	2.8%	n/a
Black	12	33.3%	0.7
Hispanic/Latinx	1	2.8%	n/a
White	22	61.1%	0.8
Other	0	0.0%	n/a

### Affected Subpopulations Female<sup>g</sup>

Cases <sup>b</sup>	%
White Female	11 30.6%

### Sex at Birth

Female	14	38.9%	0.5
Male	22	61.1%	0.9

### Age<sup>e</sup>

0-17	0	0.0%	0.0
18-29	5	13.9%	0.6
30-39	5	13.9%	0.7
40-49	15	41.7%	2.7
50-59	7	19.4%	1.2
60-69	3	8.3%	n/a
70+	1	2.8%	n/a

### Region<sup>f</sup>

Region 1 - New Orleans	7	19.4%	0.7
Region 2 - Baton Rouge	6	16.7%	0.8
Region 3 - Houma	2	5.6%	n/a
Region 4 - Lafayette	6	16.7%	0.9
Region 5 - Lake Charles	3	8.3%	n/a
Region 6 - Alexandria	2	5.6%	n/a
Region 7 - Shreveport	0	0.0%	0.0
Region 8 - Monroe	3	8.3%	n/a
Region 9 - Hammond/Slidell	7	19.4%	1.1

### Affected Subpopulations Male<sup>g</sup>

Black Male	9 25.0%
White Male	11 30.6%

<sup>a</sup> New diagnoses include only individuals whose initial acute hepatitis B diagnosis was made in Louisiana.

<sup>b</sup> Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

<sup>c</sup> Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

<sup>d</sup> Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

<sup>e</sup> Age when first diagnosed with acute hepatitis B is used for new diagnoses. Age categories align with 2020 census age groups.

<sup>f</sup> Region where first diagnosed with acute hepatitis B is used for new diagnoses. Persons without a region of residence are not included in the total percentage.

<sup>g</sup> Affected subpopulations with counts less than 5 are excluded.

# Reported Cases of Chronic Hepatitis B Louisiana, 2021

## New Diagnoses<sup>a</sup>

	Cases <sup>b</sup>	%	Rate <sup>c</sup>
Total	1,161	100.0%	25.0

### Race/Ethnicity<sup>d</sup>

Asian	124	11.2%	147.5
Black	469	42.3%	31.2
Hispanic/Latinx	55	5.0%	21.8
White	449	40.5%	16.6
Other	11	1.0%	n/a

### Sex at Birth

Female	473	40.7%	19.9
Male	688	59.3%	30.4

### Age<sup>e</sup>

0-17	11	0.9%	1.0
18-29	123	10.6%	16.6
30-39	225	19.4%	35.2
40-49	242	20.8%	44.3
50-59	242	20.8%	42.0
60-69	196	16.9%	35.4
70+	122	10.5%	24.0

### Region<sup>f</sup>

Region 1 - New Orleans	257	22.1%	28.8
Region 2 - Baton Rouge	192	16.5%	28.1
Region 3 - Houma	92	7.9%	23.4
Region 4 - Lafayette	145	12.5%	24.0
Region 5 - Lake Charles	61	5.3%	20.0
Region 6 - Alexandria	77	6.6%	26.0
Region 7 - Shreveport	139	12.0%	26.3
Region 8 - Monroe	66	5.7%	19.3
Region 9 - Hammond/Slidell	132	11.4%	22.0

### Affected Subpopulations Females<sup>g</sup>

	Cases <sup>b</sup>	%
Asian Female 30-39	20	1.8%
Asian Female 40-49	14	1.3%
Asian Female 50-59	11	1.0%
Asian Female 70+	5	0.5%
Black Female 18-29	33	3.0%
Black Female 30-39	33	3.0%
Black Female 40-49	32	2.9%
Black Female 50-59	40	3.6%
Black Female 60-69	40	3.6%
Black Female 70+	20	1.8%
Hispanic Female 40-49	6	0.5%
White Female 18-29	27	2.4%
White Female 30-39	36	3.2%
White Female 40-49	33	3.0%
White Female 50-59	32	2.9%
White Female 60-69	24	2.2%
White Female 70+	28	2.5%

### Affected Subpopulations Males<sup>g</sup>

Asian Male 18-29	5	0.5%
Asian Male 30-39	16	1.4%
Asian Male 40-49	19	1.7%
Asian Male 50-59	15	1.4%
Asian Male 60-69	6	0.5%
Asian Male 70+	7	0.6%
Black Male 18-29	25	2.3%
Black Male 30-39	49	4.4%
Black Male 40-49	51	4.6%
Black Male 50-59	61	5.5%
Black Male 60-69	49	4.4%
Black Male 70+	30	2.7%
Hispanic Male 30-39	5	0.5%
Hispanic Male 40-49	10	0.9%
Hispanic Male 50-59	9	0.8%
Hispanic Male 60-69	8	0.7%
White Male 18-29	20	1.8%
White Male 30-39	44	4.0%
White Male 40-49	64	5.8%
White Male 50-59	59	5.3%
White Male 60-69	53	4.8%
White Male 70+	25	2.3%

<sup>a</sup> New diagnoses include only individuals whose initial chronic hepatitis B diagnosis was made in Louisiana.

<sup>b</sup> Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

<sup>c</sup> Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

<sup>d</sup> Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

<sup>e</sup> Age when first diagnosed with chronic hepatitis B is used for new diagnoses. Age categories align with 2020 census age groups.

<sup>f</sup> Region where first diagnosed with chronic hepatitis B is used for new diagnoses. Persons without a region of residence are not included in the total percentage.

<sup>g</sup> Affected subpopulations with counts less than 5 are excluded.



# Reported Cases of Acute Hepatitis C

## Louisiana, 2021

### New Diagnoses<sup>a</sup>

	Cases <sup>b</sup>	%	Rate <sup>c</sup>
Total	302	100.0%	6.5

#### Race/Ethnicity<sup>d</sup>

Asian	3	1.0%	n/a
Black	103	34.2%	6.8
Hispanic/Latinx	11	3.7%	4.3
White	178	59.1%	6.5
Other	6	2.0%	n/a

#### Sex at Birth

Female	138	45.7%	5.7
Male	164	54.3%	7.2

#### Age<sup>e</sup>

0-17	0	0.0%	0.0
18-29	90	29.8%	12.1
30-39	81	26.8%	12.6
40-49	57	18.9%	10.4
50-59	38	12.6%	6.6
60-69	32	10.6%	5.7
70+	4	1.3%	n/a

#### Region<sup>f</sup>

Region 1 - New Orleans	96	31.8%	10.7
Region 2 - Baton Rouge	63	20.9%	9.2
Region 3 - Houma	22	7.3%	5.5
Region 4 - Lafayette	36	11.9%	5.9
Region 5 - Lake Charles	10	3.3%	3.2
Region 6 - Alexandria	6	2.0%	2.0
Region 7 - Shreveport	12	4.0%	2.2
Region 8 - Monroe	8	2.6%	2.3
Region 9 - Hammond/Slidell	49	16.2%	8.1

#### Affected Subpopulations Females<sup>g</sup>

	Cases <sup>b</sup>	%
Black Female 18-29	13	4.3%
Black Female 30-39	14	4.7%
Black Female 40-49	10	3.3%
Black Female 50-59	5	1.7%
Black Female 60-69	5	1.7%
White Female 18-29	34	11.3%
White Female 30-39	24	8.0%
White Female 40-49	11	3.7%
White Female 50-59	9	3.0%

#### Affected Subpopulations Males<sup>g</sup>

Black Male 18-29	12	4.0%
Black Male 30-39	10	3.3%
Black Male 40-49	10	3.3%
Black Male 50-59	12	4.0%
Black Male 60-69	11	3.7%
White Male 18-29	25	8.3%
White Male 30-39	27	9.0%
White Male 40-49	24	8.0%
White Male 50-59	10	3.3%
White Male 60-69	8	2.7%

<sup>a</sup> New diagnoses include only individuals whose initial acute hepatitis C diagnosis was made in Louisiana.

<sup>b</sup> Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

<sup>c</sup> Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

<sup>d</sup> Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

<sup>e</sup> Age when first diagnosed with acute hepatitis C is used for new diagnoses. Age categories align with 2020 census age groups.

<sup>f</sup> Region where first diagnosed with acute hepatitis C is used for new diagnoses. Persons without a region of residence are not included in the total percentage.

<sup>g</sup> Affected subpopulations with counts less than 5 are excluded.

# Reported Cases of Chronic Hepatitis C Louisiana, 2021

## New Diagnoses<sup>a</sup>

	Cases <sup>b</sup>	%	Rate <sup>c</sup>
Total	4,732	100.0%	101.9

### Race/Ethnicity<sup>d</sup>

Asian	26	0.6%	30.9
Black	1,496	34.0%	99.4
Hispanic/Latinx	224	5.1%	88.6
White	2,557	58.2%	94.6
Other	93	2.1%	n/a

### Sex at Birth

Female	1,600	33.8%	67.2
Male	3,131	66.2%	138.3

### Age<sup>e</sup>

0-17	16	0.3%	1.3
18-29	484	10.2%	65.3
30-39	953	20.1%	149.1
40-49	895	18.9%	163.8
50-59	1,001	21.2%	173.9
60-69	1,083	22.9%	195.7
70+	300	6.3%	59.0

### Region<sup>f</sup>

Region 1 - New Orleans	948	20.0%	106.2
Region 2 - Baton Rouge	974	20.6%	142.6
Region 3 - Houma	295	6.2%	74.9
Region 4 - Lafayette	434	9.2%	71.8
Region 5 - Lake Charles	280	5.9%	91.9
Region 6 - Alexandria	354	7.5%	119.7
Region 7 - Shreveport	431	9.1%	81.5
Region 8 - Monroe	264	5.6%	77.1
Region 9 - Hammond/Slidell	752	15.9%	125.4

### Affected Subpopulations Females<sup>g</sup>

	Cases <sup>b</sup>	%
Asian Female 18-29	5	0.1%
Black Female 18-29	34	0.8%
Black Female 30-39	42	1.0%
Black Female 40-49	63	1.4%
Black Female 50-59	116	2.6%
Black Female 60-69	149	3.4%
Black Female 70+	60	1.4%
Hispanic Female 18-29	15	0.3%
Hispanic Female 30-39	30	0.7%
Hispanic Female 40-49	14	0.3%
Hispanic Female 50-59	12	0.3%
Other Female 50-59	6	0.1%
White Female 18-29	145	3.3%
White Female 30-39	255	5.8%
White Female 40-49	185	4.2%
White Female 50-59	181	4.1%
White Female 60-69	130	3.0%
White Female 70+	55	1.3%

### Affected Subpopulations Males<sup>g</sup>

Black Male 18-29	38	0.9%
Black Male 30-39	114	2.6%
Black Male 40-49	148	3.4%
Black Male 50-59	252	5.7%
Black Male 60-69	380	8.7%
Black Male 70+	96	2.2%
Hispanic Male 18-29	22	0.5%
Hispanic Male 30-39	42	1.0%
Hispanic Male 40-49	32	0.7%
Hispanic Male 50-59	24	0.5%
Hispanic Male 60-69	21	0.5%
Other Male 30-39	11	0.3%
Other Male 40-49	16	0.4%
Other Male 50-59	10	0.2%
Other Male 60-69	14	0.3%
White Male 18-29	187	4.3%
White Male 30-39	378	8.6%
White Male 40-49	350	8.0%
White Male 50-59	327	7.5%
White Male 60-69	302	6.9%
White Male 70+	54	1.2%

<sup>a</sup> New diagnoses include only individuals whose initial chronic hepatitis C diagnosis was made in Louisiana.

<sup>b</sup> Cases with unknown/missing values for a demographic variable have been excluded from the counts and percentages for the demographic category. Total number of new diagnoses includes all cases, regardless of demographic variable completeness.

<sup>c</sup> Cases per 100,000 population. Rates not available (n/a) for case counts less than 5. Rates not available for "Other" race groups.

<sup>d</sup> Race/ethnicity "Other" category does not include missing or unknown race/ethnicity.

<sup>e</sup> Age when first diagnosed with chronic hepatitis C is used for new diagnoses. Age categories align with 2020 census age groups.

<sup>f</sup> Region where first diagnosed with chronic hepatitis C is used for new diagnoses. Persons without a region of residence are not included in the total percentage.

<sup>g</sup> Affected subpopulations with counts less than 5 are excluded.