


Second Quarter 2010

Vol. 8, No. 2



HIV/AIDS Surveillance Program

**DeAnn Gruber, PhD, LCSW**

*Interim Administrative Director*

**Amy Zapata, MPH**

*HIV/AIDS Surveillance Program Manager*

Editor/Production:

**Jessica Fridge**

**William T. Robinson**

Data Management and Analysis:

**Debbie Wendell, MPH, Ph.D.,** *Coordinator*

**Jessica Fridge, MSPH,** *Surveillance Data Supervisor*

**Tania Bechtel,** *Data Manager*

**Joseph Foxhood,** *Information Systems Developer*

**George Stephens,** *Computer Technician*

**Josette Russell,** *Data Manager*

Special Projects:

**William T. Robinson, Ph.D.,** *Biostatistician*

**Jessica Cole, MPH,** *Perinatal Surveillance Coordinator*

Field Epidemiologists:

**Betsy Shepard, PAC, MPH,** *Epidemiologist Supervisor*

**James Hubbard**

**Region 1**

**Cheryl Edney, BS MT(ASCP)**

**Regions 4, 5, 6**

**Connie Gordon**

**Regions 1, 3**

**Gayle Norris, MA**

**Regions 7, 8**

**Gale Terry, LPN**

**Regions 2, 9**

---

**TABLE OF CONTENTS**

<b>Contents</b>	<b>Page</b>
Surveillance Summary	1
Louisiana: Persons Living with HIV/AIDS	2
Persons Living with AIDS	3
Persons newly diagnosed with HIV/AIDS	4
Parish: Persons Living with HIV/AIDS	5
Persons Living with AIDS	6
Metro New Orleans: Persons Living with HIV/AIDS	7
Persons Living with AIDS	8
Persons newly diagnosed with HIV/AIDS	9
Metro Baton Rouge: Persons Living with HIV/AIDS	10
Persons Living with AIDS	11
Persons newly diagnosed with HIV/AIDS	12
Region 1: Persons Living with HIV/AIDS	13
Persons Living with AIDS	14
Persons newly diagnosed with HIV/AIDS	15
Region 2: Persons Living with HIV/AIDS	16
Persons Living with AIDS	17
Persons newly diagnosed with HIV/AIDS	18
Region 3: Persons Living with HIV/AIDS	19
Persons Living with AIDS	20
Persons newly diagnosed with HIV/AIDS	21
Region 4: Persons Living with HIV/AIDS	22
Persons Living with AIDS	23
Persons newly diagnosed with HIV/AIDS	24
Region 5: Persons Living with HIV/AIDS	25
Persons Living with AIDS	26
Persons newly diagnosed with HIV/AIDS	27
Region 6: Persons Living with HIV/AIDS	28
Persons Living with AIDS	29
Persons newly diagnosed with HIV/AIDS	30
Region 7: Persons Living with HIV/AIDS	31
Persons Living with AIDS	32
Persons newly diagnosed with HIV/AIDS	33
Region 8: Persons Living with HIV/AIDS	34
Persons Living with AIDS	35
Persons newly diagnosed with HIV/AIDS	36
Region 9: Persons Living with HIV/AIDS	37
Persons Living with AIDS	38
Persons newly diagnosed with HIV/AIDS	39

## Surveillance Summary

Data in this report includes cases diagnosed with HIV/AIDS and reported as of June 30, 2010<sup>1</sup>.

- As of June 30, 2010, a cumulative total of **30,299** HIV/AIDS cases have been reported in Louisiana, including **314** pediatric cases.
- The cumulative number of deaths among persons diagnosed with HIV/AIDS, reported to the Louisiana Office of Public Health through June 30, 2010, is **12,697** including **101** deaths among pediatric cases.
- A total of **17,695** persons are living with HIV/AIDS in Louisiana; of these individuals, **9,594** persons (54%) have an AIDS diagnosis.
- Among women living with HIV/AIDS, the predominant known mode of transmission is high-risk heterosexual contact followed by injection drug use. Among men living with HIV/AIDS, the predominant mode of transmission is men who have sex with men followed by high-risk heterosexual contact.
- The primary risk factor for new HIV diagnoses in Louisiana is men who have sex with men (MSM). In 2009, of the persons who reported a risk factor, 55% reported being MSM, and an additional 3% reported being MSM and an injection drug user (IDU). As of June 30, 2010, 48% of all people living with HIV infection in Louisiana were MSM.
- Nationally, Louisiana ranked **4<sup>th</sup>** highest in AIDS case rates and **11<sup>th</sup>** in the number of AIDS cases diagnosed in 2008, according to the CDC 2008 HIV/AIDS Surveillance Report (Vol. 20).
- The Baton Rouge metropolitan area ranked **2<sup>nd</sup>** for AIDS case rates among the largest metropolitan areas in the U.S. in 2008; the New Orleans metropolitan area ranked **3<sup>rd</sup>**.
- In 2009, **1,243** new HIV cases were diagnosed in Louisiana. Of these cases, **32%** (n=393) occurred in Region 1 (New Orleans) and **25%** (n=312) occurred in Region 2 (Baton Rouge).
- In 2009, **798** new AIDS cases were diagnosed in Louisiana. Of these cases, **30%** (n=240) occurred in Region 1 (New Orleans) and **25%** (n=201) occurred in Region 2 (Baton Rouge).
- In Louisiana, **32%** of new HIV cases and **31%** of new AIDS cases are among women.
- HIV continues to disproportionately affect African Americans in Louisiana. In 2009, **75%** of newly diagnosed HIV cases and **76%** of newly diagnosed AIDS cases were among African Americans.

<sup>1</sup>Please note: This report reflects only information reported to Louisiana's HIV/AIDS surveillance system and information on persons living with HIV/AIDS (PLWH/A) may not be accurate due to population changes resulting from Hurricane Katrina. In March 2006, the Louisiana Office of Public Health HIV/AIDS Program (OPH-HAP) published the Louisiana HIV/AIDS Surveillance First Quarter 2006 report. In addition to the HIV/AIDS surveillance information, as presented here, this report contained a description of two methodologies used to estimate the impact of Hurricane Katrina on the number of PLWH/A in the New Orleans metropolitan area (see <http://www.dhh.louisiana.gov/offices/publications/pubs-264/1st%20Quarter%202006.pdf> for the full report). Updated estimates were provided in the 2006 Third Quarter Report at: <http://www.dhh.louisiana.gov/offices/publications/pubs-264/Third%20Quarter%202006.pdf>. Additional updated population estimates were presented at the February 2007 Statewide HIV/AIDS Meeting. This presentation can be found at: <http://www.dhh.louisiana.gov/offices/page.asp?ID=264&Detail=7584>. Updated estimates were also presented in the 2005-2006 Annual Report located at <http://www.dhh.louisiana.gov/offices/reports.asp?ID=264&Detail=261>.

More recent estimates indicate that as much as 84% of the pre-Katrina PLWH/A may now be living within the metropolitan area.

**Persons Living with HIV/AIDS**  
**Louisiana**  
**as of June 30, 2010**

- **30,299** cumulative cases have been detected in Louisiana, including **314** pediatric cases.
- **12,697** cumulative deaths among persons with HIV/AIDS have occurred in Louisiana, including **101** pediatric deaths.
- **17,695** persons are currently living with HIV/AIDS in Louisiana.  
Persons living with HIV: **8,101**  
Persons living with AIDS: **9,594**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	76	<1 %	Black, Non-Hispanic	7,508	4,339	11,847	67 %
13 - 19	136	1 %	White, Non-Hispanic	4,254	763	5,017	28 %
20 - 24	737	4 %	Hispanic	527	115	642	4 %
25 - 29	1,410	8 %	Asian/Pacific Islander	46	12	58	<1 %
30 - 34	1,960	11 %	American Indian	22	6	28	<1 %
35 - 39	2,124	12 %	Unknown	20	4	24	<1 %
40 - 44	2,629	15 %	Multi-race	56	23	79	<1 %
45 - 49	3,195	18 %	<b>Total</b>	<b>12,433</b>	<b>5,262</b>	<b>17,695</b>	<b>100 %</b>
50 - 54	2,504	14 %					
55 - 59	1,567	9 %					
60+	1,357	8 %					
<b>Total</b>	<b>17,695</b>	<b>100 %</b>					

**Exposure Category**

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	5,541	0	5,541	48 %
Injection drug use	1,195	702	1,897	16 %
Men who have sex with men and inject drugs	881	0	881	8 %
Heterosexual contact	957	1,962	2,919	25 %
Transfusion/Hemophilia	63	37	100	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	94	93	187	2 %
<b>Total</b>	<b>8,731</b>	<b>2,795</b>	<b>11,526</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>3,702</i>	<i>2,467</i>	<i>6,169</i>	

**Persons Living with AIDS**  
**Louisiana**  
as of June 30, 2010

- **20,477** cumulative AIDS cases have been diagnosed in Louisiana, including **144** pediatric cases.
- **9,594** persons are currently living with AIDS in Louisiana.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	9	<1 %	Black, Non-Hispanic	4,180	2,144	6,324	66 %
13 - 19	39	<1 %	White, Non-	2,481	352	2,833	30 %
20 - 24	179	2 %	Hispanic	281	69	350	4 %
25 - 29	485	5 %	Asian/Pacific	17	5	22	<1 %
30 - 34	824	9 %	American Indian	10	3	13	<1 %
35 - 39	1,111	12 %	Unknown	4	0	4	<1 %
40 - 44	1,529	16 %	Multi-race	36	12	48	1 %
45 - 49	1,969	21 %	<b>Total</b>	<b>7,009</b>	<b>2,585</b>	<b>9,594</b>	<b>100 %</b>
50 - 54	1,564	16 %					
55 - 59	1,018	11 %					
60+	867	9 %					
<b>Total</b>	<b>9,594</b>	<b>100 %</b>					

**Exposure Category**

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	3,173	0	3,173	47 %
Injection drug use	792	401	1,193	18 %
Men who have sex with men and inject drugs	600	0	600	9 %
Heterosexual contact	560	1,049	1,609	24 %
Transfusion/Hemophilia	44	24	68	1 %
Perinatal	25	30	55	1 %
<b>Total</b>	<b>5,194</b>	<b>1,504</b>	<b>6,698</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>1,815</i>	<i>1,081</i>	<i>2,896</i>	

**Persons Newly Diagnosed with HIV/AIDS  
Louisiana**

**HIV CASES DIAGNOSED January - December 2009**

• **1,243** persons were newly diagnosed with HIV in Louisiana.

<b>Gender</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	842	68 %	Black, Non-Hispanic	935	75 %
Women	401	32 %	White, Non-Hispanic	226	18 %
<b>Total</b>	<b>1,243</b>	<b>100 %</b>	Hispanic	62	5 %
			Asian/Pacific Islander	8	1 %
			American Indian	5	<1 %
			Unknown	3	<1 %
			Multi-race	4	<1 %
			<b>Total</b>	<b>1,243</b>	<b>100 %</b>

<b>Age at Detection</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk:</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	5	<1 %	Men who have sex with men	366	55 %
13 - 24	280	23 %	Injection drug use	79	12 %
25 - 34	376	30 %	Men who have sex with men and inject drugs	18	3 %
35 - 44	256	21 %	Heterosexual contact	202	30 %
45+	326	26 %	Perinatal	5	1 %
<b>Total</b>	<b>1,243</b>	<b>100 %</b>	<b>Total</b>	<b>670</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>573</i>	

**AIDS CASES DIAGNOSED January - December 2009**

• **798** persons were newly diagnosed with AIDS in Louisiana.

<b>Gender</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	553	69 %	Black, Non-Hispanic	606	76 %
Women	245	31 %	White, Non-Hispanic	138	17 %
<b>Total</b>	<b>798</b>	<b>100 %</b>	Hispanic	38	5 %
			Asian/Pacific Islander	1	<1 %
			American Indian	4	1 %
			Unknown	1	<1 %
			Multi-race	10	1 %
			<b>Total</b>	<b>798</b>	<b>100 %</b>

<b>Age at Diagnosis</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk:</b>	<b>Cases</b>	<b>Percent</b>
13 - 24	73	9 %	Men who have sex with men	235	49 %
25 - 34	226	28 %	Injection drug use	80	17 %
35 - 44	208	26 %	Men who have sex with men and inject drugs	23	5 %
45+	291	36 %	Heterosexual contact	139	29 %
<b>Total</b>	<b>798</b>	<b>100 %</b>	Transfusion/Hemophilia	2	<1 %
			<b>Total</b>	<b>479</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>319</i>	

**Persons Living with HIV/AIDS by Parish  
as of June 30, 2010**

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	91	Sabine	22
Allen	236	St. Bernard	112
Ascension	180	St. Charles	88
Assumption	21	St. Helena	17
Avoyelles	155	St. James	60
Beauregard	41	St. John the Baptist	111
Bienville	31	St. Landry	247
Bossier	160	St. Martin	97
Caddo	929	St. Mary	83
Calcasieu	622	St. Tammany	338
Caldwell	18	Tangipahoa	311
Cameron	5	Tensas	36
Catahoula	24	Terrebonne	191
Claiborne	73	Union	41
Concordia	41	Vermilion	84
De Soto	53	Vernon	48
East Baton Rouge	3,344	Washington	175
East Carroll	39	Webster	52
East Feliciana	151	West Baton Rouge	108
Evangeline	54	West Carroll	11
Franklin	29	West Feliciana	148
Grant	30	Winn	81
Iberia	107		
Iberville	335		
Jackson	37		
Jefferson	1,627		
Jefferson Davis	53		
La Salle	24		
Lafayette	622		
Lafourche	105		
Lincoln	63		
Livingston	150		
Madison	57		
Morehouse	59		
Natchitoches	101		
Orleans	4,499		
Ouachita	531		
Plaquemines	32		
Pointe Coupee	45		
Rapides	408		
Red River	8		
Richland	42		
		<b>Total</b>	<b>17,695</b>



**Persons Living with AIDS by Parish  
as of June 30, 2010**

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	49	Sabine	16
Allen	113	St. Bernard	68
Ascension	95	St. Charles	51
Assumption	15	St. Helena	10
Avoyelles	85	St. James	30
Beauregard	25	St. John the Baptist	63
Bienville	14	St. Landry	142
Bossier	91	St. Martin	58
Caddo	496	St. Mary	51
Calcasieu	364	St. Tammany	195
Caldwell	10	Tangipahoa	165
Cameron	3	Tensas	18
Catahoula	15	Terrebonne	108
Claiborne	37	Union	27
Concordia	21	Vermilion	50
De Soto	31	Vernon	23
East Baton Rouge	1,769	Washington	96
East Carroll	24	Webster	25
East Feliciana	83	West Baton Rouge	63
Evangeline	30	West Carroll	7
Franklin	13	West Feliciana	96
Grant	16	Winn	42
Iberia	61		
Iberville	188		
Jackson	22		
Jefferson	891		
Jefferson Davis	30		
La Salle	14		
Lafayette	322		
Lafourche	69		
Lincoln	31		
Livingston	83		
Madison	28		
Morehouse	30		
Natchitoches	56		
Orleans	2,400		
Ouachita	284		
Plaquemines	22		
Pointe Coupee	30		
Rapides	196		
Red River	7		
Richland	26		
		<b>Total</b>	<b>9,594</b>

**Persons Living with HIV/AIDS**  
**Metro New Orleans**  
**as of June 30, 2010**

*Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes*

- **14,381** cumulative cases have been detected in the New Orleans MSA, including **152** pediatric cases.
- **6,100** cumulative deaths among persons with HIV/AIDS have occurred in the New Orleans MSA, including **51** pediatric deaths
- **6,867** persons are currently living with HIV/AIDS in the New Orleans MSA.  
 Persons living with HIV: **3,147**  
 Persons living with AIDS: **3,720**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	28	<1 %	Black, Non-Hispanic	2,600	1,467	4,067	59 %
13 - 19	46	1 %	White, Non-Hispanic	2,132	235	2367	34 %
20 - 24	258	4 %	Hispanic	266	82	348	5 %
25 - 29	451	7 %	Asian/Pacific Islander	30	7	37	1 %
30 - 34	662	10 %	American Indian	7	1	8	<1 %
35 - 39	777	11 %	Unknown	10	1	11	<1 %
40 - 44	1,014	15 %	Multi-race	22	7	29	<1 %
45 - 49	1,294	19 %	<b>Total</b>	<b>5,067</b>	<b>1,800</b>	<b>6,867</b>	<b>100 %</b>
50 - 54	1,008	15 %					
55 - 59	688	10 %					
60+	641	9 %					
<b>Total</b>	<b>6,867</b>	<b>100 %</b>					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2,553	0	2,553	57 %
Injection drug use	364	238	602	13 %
Men who have sex with men and inject drugs	337	0	337	7 %
Heterosexual contact	277	636	913	20 %
Transfusion/Hemophilia	26	19	45	1 %
Perinatal	29	39	68	2 %
<b>Total</b>	<b>3,586</b>	<b>932</b>	<b>4,518</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>1,481</i>	<i>868</i>	<i>2,349</i>	

**Persons Living with AIDS**  
**Metro New Orleans**  
**as of June 30, 2010**

*Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes*

- **9,855** cumulative AIDS cases have been diagnosed in the New Orleans MSA, including **71** pediatric cases.
- **3,720** persons are currently living with AIDS in the New Orleans MSA.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	4	<1 %	Black, Non-Hispanic	1,404	737	2,141	58 %
13 - 19	13	<1 %	White, Non-Hispanic	1,230	96	1,326	36 %
20 - 24	62	2 %	Hispanic	159	54	213	6 %
25 - 29	145	4 %	Asian/Pacific Islander	10	3	13	<1 %
30 - 34	261	7 %	American Indian	4	1	5	<1 %
35 - 39	395	11 %	Unknown	3	0	3	<1 %
40 - 44	571	15 %	Multi-race	15	4	19	1 %
45 - 49	795	21 %	<b>Total</b>	<b>2,825</b>	<b>895</b>	<b>3,720</b>	<b>100 %</b>
50 - 54	624	17 %					
55 - 59	438	12 %					
60+	412	11 %					
<b>Total</b>	<b>3,720</b>	<b>100 %</b>					

<u>Exposure Category</u>				
Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	540	0	540	34 %
Injection drug use	285	142	427	27 %
Men who have sex with men and inject drugs	137	0	137	9 %
Heterosexual contact	146	311	457	29 %
Transfusion/Hemophilia	5	7	12	1 %
Perinatal	7	5	12	1 %
<b>Total</b>	<b>1,120</b>	<b>465</b>	<b>1,585</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>694</i>	<i>384</i>	<i>1,078</i>	

**Persons Newly Diagnosed with HIV/AIDS  
Metro New Orleans**

*Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes*

**HIV CASES DIAGNOSED January - December 2009**

- 436 persons were newly diagnosed with HIV in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	319	73 %	Black, Non-Hispanic	301	69 %
Women	117	27 %	White, Non-Hispanic	90	21 %
<b>Total</b>	<b>436</b>	<b>100 %</b>	Hispanic	35	8 %
			Asian/Pacific Islander	5	1 %
			American Indian	2	<1 %
			Unknown	1	<1 %
			Multi-race	2	<1 %
			<b>Total</b>	<b>436</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	3	1 %	Men who have sex with men	144	61 %
13 - 24	102	23 %	Injection drug use	22	9 %
25 - 34	136	31 %	Men who have sex with men and inject drugs	6	3 %
35 - 44	94	22 %	Heterosexual contact	63	26 %
45+	101	23 %	Perinatal	3	1 %
<b>Total</b>	<b>436</b>	<b>100 %</b>	<b>Total</b>	<b>238</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>198</i>	

**AIDS CASES DIAGNOSED January - December 2009**

- 266 persons were newly diagnosed with AIDS in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	197	74 %	Black, Non-Hispanic	179	67 %
Women	69	26 %	White, Non-Hispanic	51	19 %
<b>Total</b>	<b>266</b>	<b>100 %</b>	Hispanic	25	9 %
			Asian/Pacific Islander	1	<1 %
			American Indian	3	1 %
			Unknown	1	<1 %
			Multi-race	6	2 %
			<b>Total</b>	<b>266</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	23	9 %	Men who have sex with men	88	54 %
25 - 34	69	26 %	Injection drug use	26	16 %
35 - 44	80	30 %	Men who have sex with men and inject drugs	11	7 %
45+	94	35 %	Heterosexual contact	37	23 %
<b>Total</b>	<b>266</b>	<b>100%</b>	<b>Total</b>	<b>162</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>104</i>	

**Persons Living with HIV/AIDS**  
**Metro Baton Rouge**  
**as of June 30, 2010**

*Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes*

- **6,850** cumulative cases have been detected in the Baton Rouge MSA, including **70** pediatric cases.
- **2,848** cumulative deaths among persons with HIV/AIDS have occurred in the Baton Rouge MSA, including **16** pediatric deaths
- **4,478** persons are currently living with HIV/AIDS in the Baton Rouge MSA.  
 Persons living with HIV: **2,061**  
 Persons living with AIDS: **2,417**

**Age Category**

<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	26	1 %
13 - 19	33	1 %
20 - 24	210	5 %
25 - 29	426	10 %
30 - 34	544	12 %
35 - 39	585	13 %
40 - 44	632	14 %
45 - 49	743	17 %
50 - 54	598	13 %
55 - 59	366	8 %
60+	315	7 %
<b>Total</b>	<b>4,478</b>	<b>100 %</b>

**Race/Ethnicity**

	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Black, Non-Hispanic	2,144	1,506	3,650	82 %
White, Non-Hispanic	595	156	751	17 %
Hispanic	39	11	50	1 %
Asian/Pacific Islander	5	2	7	<1 %
American Indian	2	0	2	<1 %
Unknown	3	1	4	<1 %
Multi-race	12	2	14	<1 %
<b>Total</b>	<b>2,800</b>	<b>1,678</b>	<b>4,478</b>	<b>100 %</b>

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	970	0	970	35 %
Injection drug use	408	246	654	24 %
Men who have sex with men and inject drugs	188	0	188	7 %
Heterosexual contact	273	577	850	31 %
Transfusion/Hemophilia	8	9	17	1 %
Perinatal	31	24	55	2 %
<b>Total</b>	<b>1,878</b>	<b>856</b>	<b>2,734</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>922</i>	<i>822</i>	<i>1,744</i>	

**Persons Living with AIDS**  
**Metro Baton Rouge**  
**as of June 30, 2010**

*Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes*

- **4,581** cumulative AIDS cases have been diagnosed in the Baton Rouge MSA, including **24** pediatric cases.
- **2,417** persons are currently living with AIDS in the Baton Rouge MSA.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>		<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
13 - 19	10	<1 %	Black, Non-Hispanic	1,213	753	1,966	81 %
20 - 24	57	2 %	White, Non-Hispanic	339	71	410	17 %
25 - 29	159	7 %	Hispanic	21	6	27	1 %
30 - 34	231	10 %	Asian/Pacific Islander	2	0	2	<1 %
35 - 39	311	13 %	American Indian	2	0	2	<1 %
40 - 44	370	15 %	Unknown	1	0	1	<1 %
45 - 49	462	19 %	Multi-race	8	1	9	<1 %
50 - 54	372	15 %	<b>Total</b>	1,586	831	2,417	100 %
55 - 59	247	10 %					
60+	198	8 %					
<b>Total</b>	2,417	100 %					

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	540	0	540	34 %
Injection drug use	285	142	427	27 %
Men who have sex with men and inject drugs	137	0	137	9 %
Heterosexual contact	146	311	457	29 %
Transfusion/Hemophilia	5	7	12	1 %
Perinatal	7	5	12	1 %
<b>Total</b>	1,120	465	1,585	100 %
<i>No Identified Risk</i>	466	366	832	

**Persons Newly Diagnosed with HIV/AIDS****Metro Baton Rouge***Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes***HIV CASES DIAGNOSED January - December 2009**

- 333 persons were newly diagnosed with HIV in the Baton Rouge MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	209	63 %	Black, Non-Hispanic	286	86 %
Women	124	37 %	White, Non-Hispanic	40	12 %
<b>Total</b>	<b>333</b>	<b>100 %</b>	Hispanic	4	1 %
			Asian/Pacific Islander	2	1 %
			Multi-race	1	<1 %
			<b>Total</b>	<b>333</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	<1 %	Men who have sex with men	83	45 %
13 - 24	88	26 %	Injection drug use	29	16 %
25 - 34	96	29 %	Men who have sex with men and inject drugs	3	2 %
35 - 44	62	19 %	Heterosexual contact	68	37 %
45+	86	26 %	Perinatal	1	1 %
<b>Total</b>	<b>333</b>	<b>100 %</b>	<b>Total</b>	<b>184</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>149</i>	

**AIDS CASES DIAGNOSED January - December 2009**

- 214 persons were newly diagnosed with AIDS in the Baton Rouge MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	132	62 %	Black, Non-Hispanic	183	86 %
Women	82	38 %	White, Non-Hispanic	29	14 %
<b>Total</b>	<b>214</b>	<b>100 %</b>	Hispanic	2	1 %
			<b>Total</b>	<b>214</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	23	11 %	Men who have sex with men	46	38 %
25 - 34	66	31 %	Injection drug use	29	24 %
35 - 44	47	22 %	Men who have sex with men and inject drugs	6	5 %
45+	78	36 %	Heterosexual contact	40	33 %
<b>Total</b>	<b>214</b>	<b>100 %</b>	<b>Total</b>	<b>121</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>93</i>	

## Persons Living with HIV/AIDS

### Region 1: New Orleans Region

as of June 30, 2010

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

- **13,539** cumulative cases have been detected in Region 1, including **136** pediatric cases.
- **5,742** cumulative deaths among persons in Region 1 with HIV/AIDS have occurred, including **46** pediatric deaths.
- **6,270** persons are currently living with HIV/AIDS in Region 1.  
Persons living with HIV: **2,889**  
Persons living with AIDS: **3,381**

#### Age Category

<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	20	<1 %
13 - 19	37	1 %
20 - 24	234	4 %
25 - 29	414	7 %
30 - 34	609	10 %
35 - 39	705	11 %
40 - 44	913	15 %
45 - 49	1,176	19 %
50 - 54	926	15 %
55 - 59	646	10 %
60+	590	9 %
<b>Total</b>	<b>6,270</b>	<b>100 %</b>

#### Race/Ethnicity

	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Black, Non-Hispanic	2,426	1,356	3,782	60 %
White, Non-Hispanic	1,888	186	2,074	33 %
Hispanic	255	77	332	5 %
Asian/Pacific Islander	29	7	36	1 %
American Indian	7	1	8	<1 %
Unknown	10	1	11	<1 %
Multi-race	20	7	27	<1 %
<b>Total</b>	<b>4,635</b>	<b>1,635</b>	<b>6,270</b>	<b>100 %</b>

#### Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	2,321	0	2,321	56 %
Injection drug use	335	218	553	13 %
Men who have sex with men and inject drugs	319	0	319	8 %
Heterosexual contact	251	577	828	20 %
Transfusion/Hemophilia	23	18	41	1 %
Perinatal	23	30	53	1 %
<b>Total</b>	<b>3,272</b>	<b>843</b>	<b>4,115</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>1,363</i>	<i>792</i>	<i>2,155</i>	



**Persons Living with AIDS  
Region 1: New Orleans Region  
as of June 30, 2010**

*Jefferson, Orleans, Plaquemines, St. Bernard Parishes*

- **9,249** cumulative AIDS cases have been diagnosed in Region 1, including **63** pediatric cases.
- **3,381** persons are currently living with AIDS in Region 1.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>					
0 - 12	4	<1 %	Black, Non-Hispanic	1,296	682	1,978	59 %
13 - 19	10	<1 %	White, Non-Hispanic	1,087	74	1,161	34 %
20 - 24	58	2 %	Hispanic	153	50	203	6 %
25 - 29	135	4 %	Asian/Pacific Islander	10	3	13	<1 %
30 - 34	236	7 %	American Indian	4	1	5	<1 %
35 - 39	357	11 %	Unknown	3	0	3	<1 %
40 - 44	510	15 %	Multi-race	14	4	18	1 %
45 - 49	717	21 %	<b>Total</b>	<b>2,567</b>	<b>814</b>	<b>3,381</b>	<b>100 %</b>
50 - 54	569	17 %					
55 - 59	411	12 %					
60+	374	11 %					
<b>Total</b>	<b>3,381</b>	<b>100 %</b>					

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	1,337	0	1,337	56 %
Injection drug use	214	121	335	14 %
Men who have sex with men and inject drugs	213	0	213	9 %
Heterosexual contact	157	323	480	20 %
Transfusion/Hemophilia	14	10	24	1 %
Perinatal	6	11	17	1 %
<b>Total</b>	<b>1,941</b>	<b>465</b>	<b>2,406</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>626</i>	<i>349</i>	<i>975</i>	

**Persons Newly Diagnosed with HIV/AIDS****Region 1: New Orleans Region***Jefferson, Orleans, Plaquemines, St. Bernard Parishes***HIV CASES DIAGNOSED January - December 2009**

- 393 persons were newly diagnosed with HIV in Region 1.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	288	73 %	Black, Non-Hispanic	271	69 %
Women	105	27 %	White, Non-Hispanic	77	20 %
<b>Total</b>	<b>393</b>	<b>100 %</b>	Hispanic	35	9 %
			Asian/Pacific Islander	5	1 %
			American Indian	2	1 %
			Unknown	1	<1 %
			Multi-race	2	1 %
			<b>Total</b>	<b>393</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	2	1 %	Men who have sex with men	128	60 %
13 - 24	90	23 %	Injection drug use	19	9 %
25 - 34	126	32 %	Men who have sex with men and inject drugs	6	3 %
35 - 44	86	22 %	Heterosexual contact	60	28 %
45+	89	23 %	Perinatal	2	1 %
<b>Total</b>	<b>393</b>	<b>100 %</b>	<b>Total</b>	<b>215</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>178</i>	

**AIDS CASES DIAGNOSED January - December 2009**

- 240 persons were newly diagnosed with AIDS in Region 1.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	179	75 %	Black, Non-Hispanic	162	68 %
Women	61	25 %	White, Non-Hispanic	42	18 %
<b>Total</b>	<b>240</b>	<b>100 %</b>	Hispanic	25	10 %
			Asian/Pacific Islander	1	<1 %
			American Indian	3	1 %
			Unknown	1	<1 %
			Multi-race	6	2 %
			<b>Total</b>	<b>240</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	20	8 %	Men who have sex with men	78	54 %
25 - 34	66	28 %	Injection drug use	21	14 %
35 - 44	71	30 %	Men who have sex with men and inject drugs	11	8 %
45+	83	35 %	Heterosexual contact	35	24 %
<b>Total</b>	<b>240</b>	<b>100 %</b>	<b>Total</b>	<b>145</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>95</i>	

**Persons Living with HIV/AIDS****Region 2: Baton Rouge Region****as of June 30, 2010***Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes*

- **6,625** cumulative cases have been detected in Region 2, including **66** pediatric cases.
- **2,754** cumulative deaths among persons in Region 2 with HIV/AIDS have occurred, including **15** pediatric deaths.
- **4,311** persons are currently living with HIV/AIDS in Region 2.  
Persons living with HIV: **1,987**  
Persons living with AIDS: **2,324**

**Age Category**

<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	25	1 %
13 - 19	33	1 %
20 - 24	204	5 %
25 - 29	415	10 %
30 - 34	529	12 %
35 - 39	562	13 %
40 - 44	607	14 %
45 - 49	710	16 %
50 - 54	572	13 %
55 - 59	353	8 %
60+	301	7 %
<b>Total</b>	<b>4,311</b>	<b>100 %</b>

**Race/Ethnicity**

	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Black, Non-Hispanic	2,111	1,484	3,595	83 %
White, Non-Hispanic	520	122	642	15 %
Hispanic	37	11	48	1 %
Asian/Pacific Islander	5	1	6	<1 %
American Indian	2	0	2	<1 %
Unknown	3	1	4	<1 %
Multi-race	12	2	14	<1 %
<b>Total</b>	<b>2,690</b>	<b>1,621</b>	<b>4,311</b>	<b>100 %</b>

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	922	0	922	35 %
Injection drug use	393	234	627	24 %
Men who have sex with men and inject drugs	179	0	179	7 %
Heterosexual contact	266	556	822	31 %
Transfusion/Hemophilia	7	9	16	1 %
Perinatal	29	23	52	2 %
<b>Total</b>	<b>1,796</b>	<b>822</b>	<b>2,618</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>894</i>	<i>799</i>	<i>1,693</i>	

**Persons Living with AIDS  
Region 2: Baton Rouge Region  
as of June 30, 2010**

*Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes*

- **4,434** cumulative AIDS cases have been diagnosed in Region 2, including **22** pediatric cases.
- **2,324** persons are currently living with AIDS in Region 2.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
13 - 19	10	<1 %	Black, Non-Hispanic	1,194	743	1,937	83 %
20 - 24	56	2 %	White, Non-Hispanic	292	55	347	15 %
25 - 29	155	7 %	Hispanic	20	6	26	1 %
30 - 34	224	10 %	Asian/Pacific Islander	2	0	2	<1 %
35 - 39	300	13 %	American Indian	2	0	2	<1 %
40 - 44	354	15 %	Unknown	1	0	1	<1 %
45 - 49	442	19 %	Multi-race	8	1	9	<1 %
50 - 54	354	15 %	<b>Total</b>	1,519	805	2,324	100 %
55 - 59	239	10 %					
60+	190	8 %					
<b>Total</b>	2,324	100 %					

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	510	0	510	34 %
Injection drug use	271	137	408	27 %
Men who have sex with men and inject drugs	132	0	132	9 %
Heterosexual contact	143	301	444	29 %
Transfusion/Hemophilia	4	7	11	1 %
Perinatal	6	4	10	1 %
<b>Total</b>	1,066	449	1,515	100 %
<i>No Identified Risk</i>	453	356	809	

**Persons Newly Diagnosed with HIV/AIDS****Region 2: Baton Rouge Region***Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes***HIV CASES DIAGNOSED January - December 2009**

- 312 persons were newly diagnosed with HIV in Region 2.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	197	63 %	Black, Non-Hispanic	277	89 %
Women	115	37 %	White, Non-Hispanic	28	9 %
<b>Total</b>	<b>312</b>	<b>100 %</b>	Hispanic	4	1 %
			Asian/Pacific Islander	2	1 %
			Multi-race	1	<1 %
			<b>Total</b>	<b>312</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	<1 %	Men who have sex with men	77	46 %
13 - 24	86	28 %	Injection drug use	29	17 %
25 - 34	90	29 %	Men who have sex with men and inject drugs	2	1 %
35 - 44	56	18%	Heterosexual contact	59	35 %
45+	79	25 %	Perinatal	1	1 %
<b>Total</b>	<b>312</b>	<b>100 %</b>	<b>Total</b>	<b>168</b>	<b>100 %</b>

*No Identified Risk*

144

**AIDS CASES DIAGNOSED January - December 2009**

- 201 persons were newly diagnosed with AIDS in Region 2.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	124	62 %	Black, Non-Hispanic	178	89 %
Women	77	38 %	White, Non-Hispanic	21	10 %
<b>Total</b>	<b>201</b>	<b>100 %</b>	Hispanic	2	1 %
			<b>Total</b>	<b>201</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	23	11 %	Men who have sex with men	43	38 %
25 - 34	63	31 %	Injection drug use	29	26 %
35 - 44	43	21 %	Men who have sex with men and inject drugs	5	4 %
45+	72	36 %	Heterosexual contact	36	32 %
<b>Total</b>	<b>201</b>	<b>100 %</b>	<b>Total</b>	<b>113</b>	<b>100 %</b>

*No Identified Risk*

88

**Persons Living with HIV/AIDS  
Region 3: Houma Region  
as of June 30, 2010**

*Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes*

- **970** cumulative cases have been detected in Region 3, including **16** pediatric cases.
- **443** cumulative deaths among persons in Region 3 with HIV/AIDS have occurred, including **8** pediatric deaths.
- **659** persons are currently living with HIV/AIDS in Region 3.  
Persons living with HIV: **272**  
Persons living with AIDS: **387**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>		<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	4	1 %	Black, Non-Hispanic	226	152	378	57 %
13 - 19	11	2 %	White, Non-Hispanic	206	47	253	38 %
20 - 24	28	4 %	Hispanic	12	4	16	2 %
25 - 29	62	9 %	Asian/Pacific Islander	1	1	2	<1 %
30 - 34	74	11 %	American Indian	1	2	3	<1 %
35 - 39	76	12 %	Unknown	1	1	2	<1 %
40 - 44	102	15 %	Multi-race	3	2	5	1 %
45 - 49	113	17 %	<b>Total</b>	<b>450</b>	<b>209</b>	<b>659</b>	<b>100 %</b>
50 - 54	84	13 %					
55 - 59	60	9 %					
60+	45	7 %					
<b>Total</b>	<b>659</b>	<b>100 %</b>					

**Exposure Category**

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	229	0	229	52 %
Injection drug use	41	24	65	15 %
Men who have sex with men and inject drugs	13	0	13	3 %
Heterosexual contact	33	87	120	27 %
Transfusion/Hemophilia	0	1	1	<1 %
Perinatal	6	6	12	3 %
<b>Total</b>	<b>322</b>	<b>118</b>	<b>440</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>128</i>	<i>91</i>	<i>219</i>	

**Persons Living with AIDS****Region 3: Houma Region****as of June 30, 2010***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes*

- **718** cumulative AIDS cases have been diagnosed in Region 3, including **9** pediatric cases.
- **387** persons are currently living with AIDS in Region 3.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>					
13 - 19	4	1 %	Black, Non-Hispanic	147	83	230	59 %
20 - 24	7	2 %	White, Non-Hispanic	115	25	140	36 %
25 - 29	23	6 %	Hispanic	7	3	10	3 %
30 - 34	37	10 %	Asian/Pacific Islander	0	1	1	<1 %
35 - 39	36	9 %	American Indian	0	2	2	1 %
40 - 44	69	18 %	Multi-race	2	2	4	1 %
45 - 49	72	19 %	<b>Total</b>	271	116	387	100 %
50 - 54	63	16 %					
55 - 59	42	11 %					
60+	34	9 %					
<b>Total</b>	<b>387</b>	<b>100 %</b>					

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	140	0	140	52 %
Injection drug use	27	17	44	16 %
Men who have sex with men and inject drugs	7	0	7	3 %
Heterosexual contact	22	48	70	26 %
Transfusion/Hemophilia	0	1	1	<1 %
Perinatal	2	3	5	2 %
<b>Total</b>	<b>198</b>	<b>69</b>	<b>267</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>73</i>	<i>47</i>	<i>120</i>	

**Persons Newly Diagnosed with HIV/AIDS****Region 3: Houma Region***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes***HIV CASES DIAGNOSED January - December 2009**

- 40 persons were newly diagnosed with HIV in Region 3.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	29	72 %	Black, Non-Hispanic	30	75 %
Women	11	28 %	White, Non-Hispanic	7	18 %
<b>Total</b>	<b>40</b>	<b>100 %</b>	Hispanic	1	2 %
			American Indian	1	2 %
			Unknown	1	2 %
			<b>Total</b>	<b>40</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	10	25 %	Men who have sex with men	11	61 %
25 - 34	10	25 %	Injection drug use	3	17 %
35 - 44	9	22 %	Heterosexual contact	4	22 %
45+	11	28 %	<b>Total</b>	<b>18</b>	<b>100 %</b>
<b>Total</b>	<b>40</b>	<b>100 %</b>	<i>No Identified Risk</i>	<b>22</b>	

**AIDS CASES DIAGNOSED January - December 2009**

- 33 persons were newly diagnosed with AIDS in Region 3.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	24	73 %	Black, Non-Hispanic	23	70 %
Women	9	27 %	White, Non-Hispanic	9	27 %
<b>Total</b>	<b>33</b>	<b>100 %</b>	Hispanic	1	3 %
			<b>Total</b>	<b>33</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	6	18 %	Men who have sex with men	11	55 %
25 - 34	8	24 %	Injection drug use	4	20 %
35 - 44	10	30 %	Heterosexual contact	5	25 %
45+	9	27 %	<b>Total</b>	<b>20</b>	<b>100 %</b>
<b>Total</b>	<b>33</b>	<b>100 %</b>	<i>No Identified Risk</i>	<b>13</b>	



**Persons Living with HIV/AIDS****Region 4: Lafayette Region****as of June 30, 2010***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes*

- **1,900** cumulative cases have been detected in Region 4, including **16** pediatric cases.
- **848** cumulative deaths among persons in Region 4 with HIV/AIDS have occurred, including **9** pediatric deaths.
- **1,302** persons are currently living with HIV/AIDS in Region 4.  
Persons living with HIV: **590**  
Persons living with AIDS: **712**

**Age Category**

<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	3	<1 %
13 - 19	12	1 %
20 - 24	48	4 %
25 - 29	95	7 %
30 - 34	125	10 %
35 - 39	140	11 %
40 - 44	196	15 %
45 - 49	273	21 %
50 - 54	207	16 %
55 - 59	121	9 %
60+	82	6 %
<b>Total</b>	<b>1,302</b>	<b>100 %</b>

**Race/Ethnicity**

	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Black, Non-Hispanic	505	238	743	57 %
White, Non-Hispanic	404	85	489	38 %
Hispanic	48	2	50	4 %
Asian/Pacific Islander	0	2	2	<1 %
American Indian	2	1	3	<1 %
Unknown	3	0	3	<1 %
Multi-race	8	4	12	1 %
<b>Total</b>	<b>970</b>	<b>332</b>	<b>1,302</b>	<b>100 %</b>

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	429	0	429	53 %
Injection drug use	78	37	115	14 %
Men who have sex with men and inject drugs	50	0	50	6 %
Heterosexual contact	59	140	199	25 %
Transfusion/Hemophilia	5	1	6	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	6	6	12	1 %
<b>Total</b>	<b>627</b>	<b>185</b>	<b>812</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>343</i>	<i>147</i>	<i>490</i>	

**Persons Living with AIDS****Region 4: Lafayette Region**

as of June 30, 2010

*Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes*

- **1,264** cumulative AIDS cases have been diagnosed in Region 4, including **9** pediatric cases.
- **712** persons are currently living with AIDS in Region 4.

**Age Category**

<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	1	<1 %
13 - 19	2	<1 %
20 - 24	7	1 %
25 - 29	35	5 %
30 - 34	58	8 %
35 - 39	75	11 %
40 - 44	112	16 %
45 - 49	171	24 %
50 - 54	125	18 %
55 - 59	77	11 %
60+	49	7 %
<b>Total</b>	<b>712</b>	<b>100 %</b>

**Race/Ethnicity**

<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
277	124	401	56 %
246	35	281	39 %
23	0	23	3 %
0	1	1	<1 %
4	2	6	1 %
<b>Total</b>	<b>162</b>	<b>712</b>	<b>100 %</b>

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	260	0	260	54 %
Injection drug use	56	16	72	15 %
Men who have sex with men and inject drugs	34	0	34	7 %
Heterosexual contact	30	75	105	22 %
Transfusion/Hemophilia	3	1	4	1 %
Perinatal	0	3	3	1 %
<b>Total</b>	<b>383</b>	<b>95</b>	<b>478</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>167</i>	<i>67</i>	<i>234</i>	

**Persons Newly Diagnosed with HIV/AIDS****Region 4: Lafayette Region***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes***HIV CASES DIAGNOSED January - December 2009**

- 90 persons were newly diagnosed with HIV in Region 4.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	60	67 %	Black, Non-Hispanic	57	63 %
Women	30	33 %	White, Non-Hispanic	29	32 %
<b>Total</b>	90	100 %	Hispanic	4	4 %
			<b>Total</b>	90	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	21	23 %	Men who have sex with men	36	64 %
25 - 34	23	26 %	Injection drug use	5	9 %
35 - 44	19	21 %	Men who have sex with men and inject drugs	1	2 %
45+	27	30%	Heterosexual contact	14	25 %
<b>Total</b>	90	100 %	<b>Total</b>	56	100 %
			<i>No Identified Risk</i>	34	

**AIDS CASES DIAGNOSED January - December 2009**

- 51 persons were newly diagnosed with AIDS in Region 4.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	35	69 %	Black, Non-Hispanic	34	67 %
Women	16	31 %	White, Non-Hispanic	15	29 %
<b>Total</b>	51	100 %	Hispanic	1	2 %
			Multi-race	1	2 %
			<b>Total</b>	51	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	4	8 %	Men who have sex with men	21	62 %
25 - 34	16	31 %	Injection drug use	3	9 %
35 - 44	13	25 %	Men who have sex with men and inject drugs	2	6 %
45+	18	35 %	Heterosexual contact	8	24 %
<b>Total</b>	51	100 %	<b>Total</b>	34	100 %
			<i>No Identified Risk</i>	17	

**Persons Living with HIV/AIDS**  
**Region 5: Lake Charles Region**  
**as of June 30, 2010**

*Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes*

- **1,214** cumulative cases have been detected in Region 5, including **9** pediatric cases.
- **454** cumulative deaths among persons in Region 5 with HIV/AIDS have occurred, including **1** pediatric deaths.
- **957** persons are currently living with HIV/AIDS in Region 5.  
     Persons living with HIV: **422**  
     Persons living with AIDS: **535**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>		<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
0 - 12	3	<1 %	Black, Non-Hispanic	413	142	555	58 %
13 - 19	11	1 %	White, Non-Hispanic	241	60	301	31 %
20 - 24	38	4 %	Hispanic	82	4	86	9 %
25 - 29	62	6 %	Asian/Pacific Islander	4	0	4	<1 %
30 - 34	116	12 %	American Indian	3	1	4	<1 %
35 - 39	112	12 %	Unknown	1	0	1	<1 %
40 - 44	167	17 %	Multi-race	2	4	6	1 %
45 - 49	186	19 %	<b>Total</b>	<b>746</b>	<b>211</b>	<b>957</b>	<b>100 %</b>
50 - 54	141	15 %					
55 - 59	68	7 %					
60+	53	6 %					
<b>Total</b>	<b>957</b>	<b>100 %</b>					

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	283	0	283	42 %
Injection drug use	103	30	133	20 %
Men who have sex with men and inject drugs	84	0	84	12 %
Heterosexual contact	77	83	160	24 %
Transfusion/Hemophilia	6	1	7	1 %
Perinatal	4	5	9	1 %
<b>Total</b>	<b>557</b>	<b>119</b>	<b>676</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>189</i>	<i>92</i>	<i>281</i>	

**Persons Living with AIDS  
Region 5: Lake Charles Region  
as of June 30, 2010**

*Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes*

- **838** cumulative AIDS cases have been diagnosed in Region 5, including **5** pediatric cases.
- **535** persons are currently living with AIDS in Region 5.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	1	<1 %	Black, Non-Hispanic	237	68	305	57 %
13 - 19	4	1 %	White, Non-Hispanic	152	36	188	35 %
20 - 24	9	2 %	Hispanic	36	1	37	7 %
25 - 29	29	5 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	49	9 %	Multi-race	2	1	3	1 %
35 - 39	65	12 %	<b>Total</b>	429	106	535	100 %
40 - 44	105	20 %					
45 - 49	115	21 %					
50 - 54	84	16 %					
55 - 59	41	8 %					
60+	33	6 %					
<b>Total</b>	535	100 %					

**Exposure Category**

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	178	0	178	43 %
Injection drug use	66	21	87	21 %
Men who have sex with men and inject drugs	57	0	57	14 %
Heterosexual contact	36	42	78	19 %
Transfusion/Hemophilia	5	1	6	1 %
Perinatal	2	2	4	1 %
<b>Total</b>	344	66	410	100 %
<i>No Identified Risk</i>	85	40	125	

## Persons Newly Diagnosed with HIV/AIDS

### Region 5: Lake Charles Region

*Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes*

#### HIV CASES DIAGNOSED January - December 2009

- 53 persons were newly diagnosed with HIV in Region 5.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	40	75 %	Black, Non-Hispanic	33	62 %
Women	13	25 %	White, Non-Hispanic	16	30 %
<b>Total</b>	<b>53</b>	<b>100 %</b>	Hispanic	3	6 %
			Unknown	1	2 %
			<b>Total</b>	<b>53</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	2 %	Men who have sex with men	17	59 %
13 - 24	9	17 %	Injection drug use	5	17 %
25 - 34	17	32 %	Men who have sex with men and inject drugs	1	3 %
35 - 44	15	28 %	Heterosexual contact	5	17 %
45+	11	21 %	Perinatal	1	3 %
<b>Total</b>	<b>53</b>	<b>100%</b>	<b>Total</b>	<b>29</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>24</i>	

#### AIDS CASES DIAGNOSED January - December 2009

- 43 persons were newly diagnosed with AIDS in Region 5.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	30	70 %	Black, Non-Hispanic	28	65 %
Women	13	30 %	White, Non-Hispanic	12	28 %
<b>Total</b>	<b>43</b>	<b>100 %</b>	Hispanic	1	2 %
			Multi-race	2	5 %
			<b>Total</b>	<b>43</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	2	5 %	Men who have sex with men	13	43 %
25 - 34	12	28 %	Injection drug use	8	27 %
35 - 44	12	28 %	Men who have sex with men and inject drugs	2	7 %
45+	17	40 %	Heterosexual contact	6	20 %
<b>Total</b>	<b>43</b>	<b>100 %</b>	Transfusion/Hemophilia	1	3 %
			<b>Total</b>	<b>30</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>13</i>	

**Persons Living with HIV/AIDS**

**Region 6: Alexandria Region**

**as of June 30, 2010**

*Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes*

- **1,262** cumulative cases have been detected in Region 6, including **13** pediatric cases.
- **450** cumulative deaths among persons in Region 6 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **811** persons are currently living with HIV/AIDS in Region 6.  
 Persons living with HIV: **399**  
 Persons living with AIDS: **412**

**Age Category**

<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	2	<1 %
13 - 19	4	<1 %
20 - 24	29	4 %
25 - 29	54	7 %
30 - 34	116	14 %
35 - 39	101	12 %
40 - 44	130	16 %
45 - 49	148	18 %
50 - 54	112	14 %
55 - 59	67	8 %
60+	48	6 %
<b>Total</b>	<b>811</b>	<b>100 %</b>

**Race/Ethnicity**

	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Black, Non-Hispanic	375	192	567	70 %
White, Non-Hispanic	148	47	195	24 %
Hispanic	41	2	43	5 %
Asian/Pacific Islander	2	0	2	<1 %
American Indian	0	1	1	<1 %
Multi-race	3	0	3	<1 %
<b>Total</b>	<b>569</b>	<b>242</b>	<b>811</b>	<b>100 %</b>

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	199	0	199	38 %
Injection drug use	65	29	94	18 %
Men who have sex with men and inject drugs	45	0	45	9 %
Heterosexual contact	68	104	172	33 %
Transfusion/Hemophilia	9	1	10	2 %
Perinatal	4	2	6	1 %
<b>Total</b>	<b>390</b>	<b>136</b>	<b>526</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>179</i>	<i>106</i>	<i>285</i>	

## Persons Living with AIDS

### Region 6: Alexandria Region

as of June 30, 2010

*Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes*

- **785** cumulative AIDS cases have been diagnosed in Region 6, including **4** pediatric cases.
- **412** persons are currently living with AIDS in Region 6.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>					
20 - 24	6	1 %	Black, Non-Hispanic	197	81	278	67 %
25 - 29	18	4 %	White, Non-Hispanic	92	27	119	29 %
30 - 34	44	11 %	Hispanic	13	0	13	3 %
35 - 39	47	11 %	Asian/Pacific Islander	1	0	1	<1 %
40 - 44	77	19 %	Multi-race	1	0	1	<1 %
45 - 49	84	20 %	<b>Total</b>	<b>304</b>	<b>108</b>	<b>412</b>	<b>100 %</b>
50 - 54	64	16 %					
55 - 59	42	10 %					
60+	30	7 %					
<b>Total</b>	<b>412</b>	<b>100 %</b>					

### Exposure Category

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	101	0	101	36 %
Injection drug use	34	17	51	18 %
Men who have sex with men and inject drugs	34	0	34	12 %
Heterosexual contact	36	50	86	31 %
Transfusion/Hemophilia	7	0	7	2 %
Perinatal	1	1	2	1 %
<b>Total</b>	<b>213</b>	<b>68</b>	<b>281</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>91</i>	<i>40</i>	<i>131</i>	



**Persons Newly Diagnosed with HIV/AIDS****Region 6: Alexandria Region**

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

**HIV CASES DIAGNOSED January - December 2009**

- 65 persons were newly diagnosed with HIV in Region 6.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	36	55 %	Black, Non-Hispanic	50	77 %
Women	29	45 %	White, Non-Hispanic	7	11 %
<b>Total</b>	<b>65</b>	<b>100 %</b>	Hispanic	8	12 %
			<b>Total</b>	<b>65</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	5	8 %	Men who have sex with men	9	38 %
25 - 34	21	32 %	Injection drug use	6	25 %
35 - 44	15	23 %	Men who have sex with men and inject drugs	2	8 %
45+	24	37%	Heterosexual contact	7	29 %
<b>Total</b>	<b>65</b>	<b>100 %</b>	<b>Total</b>	<b>24</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>41</i>	

**AIDS CASES DIAGNOSED January - December 2009**

- 41 persons were newly diagnosed with AIDS in Region 6.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	32	78 %	Black, Non-Hispanic	34	83 %
Women	9	22 %	White, Non-Hispanic	5	12 %
<b>Total</b>	<b>41</b>	<b>100 %</b>	Hispanic	2	5 %
			<b>Total</b>	<b>41</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	1	2 %	Men who have sex with men	13	57 %
25 - 34	10	24 %	Injection drug use	3	13 %
35 - 44	12	29 %	Heterosexual contact	6	26 %
45+	18	44 %	Transfusion/Hemophilia	1	4 %
<b>Total</b>	<b>41</b>	<b>100 %</b>	<b>Total</b>	<b>23</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>18</i>	

**Persons Living with HIV/AIDS****Region 7: Shreveport Region**

as of June 30, 2010

*Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes*

- **2,003** cumulative cases have been detected in Region 7, including **27** pediatric cases.
- **886** cumulative deaths among persons in Region 7 with HIV/AIDS have occurred, including **10** pediatric deaths.
- **1,429** persons are currently living with HIV/AIDS in Region 7.  
Persons living with HIV: **656**  
Persons living with AIDS: **773**

**Age Category**

<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	5	<1 %
13 - 19	16	1 %
20 - 24	85	6 %
25 - 29	136	10 %
30 - 34	177	12 %
35 - 39	179	13 %
40 - 44	216	15 %
45 - 49	245	17 %
50 - 54	174	12 %
55 - 59	105	7 %
60+	91	6 %
<b>Total</b>	<b>1,429</b>	<b>100 %</b>

**Race/Ethnicity**

	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Black, Non-Hispanic	690	316	1,006	70 %
White, Non-Hispanic	312	74	386	27 %
Hispanic	21	6	27	2 %
Asian/Pacific Islander	2	0	2	<1 %
American Indian	5	0	5	<1 %
Multi-race	2	1	3	<1 %
<b>Total</b>	<b>1,032</b>	<b>397</b>	<b>1,429</b>	<b>100 %</b>

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	504	0	504	51 %
Injection drug use	65	44	109	11 %
Men who have sex with men and inject drugs	105	0	105	11 %
Heterosexual contact	88	169	257	26 %
Transfusion/Hemophilia	4	3	7	1 %
Perinatal	9	7	16	2 %
<b>Total</b>	<b>775</b>	<b>223</b>	<b>998</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>257</i>	<i>174</i>	<i>431</i>	

**Persons Living with AIDS  
Region 7: Shreveport Region  
as of June 30, 2010**

*Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes*

- **1,338** cumulative AIDS cases have been diagnosed in Region 7, including **19** pediatric cases.
- **773** persons are currently living with AIDS in Region 7.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>					
0 - 12	2	<1 %	Black, Non-Hispanic	396	152	548	71 %
13 - 19	7	1 %	White, Non-Hispanic	172	31	203	26 %
20 - 24	23	3 %	Hispanic	14	3	17	2 %
25 - 29	41	5 %	American Indian	3	0	3	<1 %
30 - 34	74	10 %	Multi-race	1	1	2	<1 %
35 - 39	93	12 %	<b>Total</b>	<b>586</b>	<b>187</b>	<b>773</b>	<b>100 %</b>
40 - 44	124	16 %					
45 - 49	160	21 %					
50 - 54	118	15 %					
55 - 59	75	10 %					
60+	56	7 %					
<b>Total</b>	<b>773</b>	<b>100 %</b>					

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	278	0	278	49 %
Injection drug use	42	22	64	11 %
Men who have sex with men and inject drugs	63	0	63	11 %
Heterosexual contact	65	88	153	27 %
Transfusion/Hemophilia	3	3	6	1 %
Perinatal	4	5	9	2 %
<b>Total</b>	<b>455</b>	<b>118</b>	<b>573</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>131</i>	<i>69</i>	<i>200</i>	

**Persons Newly Diagnosed with HIV/AIDS****Region 7: Shreveport Region***Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes***HIV CASES DIAGNOSED January - December 2009**

- 123 persons were newly diagnosed with HIV in Region 7.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	86	70 %	Black, Non-Hispanic	104	85 %
Women	37	30 %	White, Non-Hispanic	12	10 %
<b>Total</b>	<b>123</b>	<b>100 %</b>	Hispanic	4	3 %
			Asian/Pacific Islander	1	1 %
			American Indian	1	1 %
			Multi-race	1	1 %
			<b>Total</b>	<b>123</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	31	25 %	Men who have sex with men	39	63 %
25 - 34	40	33 %	Injection drug use	1	2 %
35 - 44	26	21 %	Men who have sex with men and inject drugs	2	3 %
45+	26	21 %	Heterosexual contact	20	32 %
<b>Total</b>	<b>123</b>	<b>100 %</b>	<b>Total</b>	<b>62</b>	<b>100 %</b>

*No Identified Risk*

61

**AIDS CASES DIAGNOSED January - December 2009**

- 81 persons were newly diagnosed with AIDS in Region 7.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	57	70 %	Black, Non-Hispanic	68	84 %
Women	24	30 %	White, Non-Hispanic	6	7 %
<b>Total</b>	<b>81</b>	<b>100 %</b>	Hispanic	5	6 %
			American Indian	1	1 %
			Multi-race	1	1 %
			<b>Total</b>	<b>81</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	12	15 %	Men who have sex with men	22	50 %
25 - 34	22	27 %	Injection drug use	1	2 %
35 - 44	21	26 %	Men who have sex with men and inject drugs	1	2 %
45+	26	32 %	Heterosexual contact	20	45 %
<b>Total</b>	<b>81</b>	<b>100 %</b>	<b>Total</b>	<b>44</b>	<b>100 %</b>

*No Identified Risk*

37

**Persons Living with HIV/AIDS****Region 8: Monroe Region****as of June 30, 2010***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes*

- **1,467** cumulative cases have been detected in Region 8, including **16** pediatric cases.
- **592** cumulative deaths among persons in Region 8 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **963** persons are currently living with HIV/AIDS in Region 8.  
Persons living with HIV: **443**  
Persons living with AIDS: **520**

**Age Category**

<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	7	1 %
13 - 19	9	1 %
20 - 24	35	4 %
25 - 29	99	10 %
30 - 34	130	13 %
35 - 39	120	12 %
40 - 44	126	13 %
45 - 49	159	17 %
50 - 54	129	13 %
55 - 59	79	8 %
60+	70	7 %
<b>Total</b>	<b>963</b>	<b>100 %</b>

**Race/Ethnicity**

	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Black, Non-Hispanic	448	286	734	76 %
White, Non-Hispanic	156	49	205	21 %
Hispanic	11	4	15	2 %
Asian/Pacific Islander	2	0	2	<1 %
American Indian	1	0	1	<1 %
Unknown	0	1	1	<1 %
Multi-race	2	3	5	1 %
<b>Total</b>	<b>620</b>	<b>343</b>	<b>963</b>	<b>100 %</b>

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	288	0	288	45 %
Injection drug use	50	34	84	13 %
Men who have sex with men and inject drugs	38	0	38	6 %
Heterosexual contact	65	153	218	34 %
Transfusion/Hemophilia	3	3	6	1 %
Perinatal	4	7	11	2 %
<b>Total</b>	<b>448</b>	<b>197</b>	<b>645</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>172</i>	<i>146</i>	<i>318</i>	

**Persons Living with AIDS****Region 8: Monroe Region****as of June 30, 2010***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes*

- **955** cumulative AIDS cases have been diagnosed in Region 8, including **7** pediatric cases.
- **520** persons are currently living with AIDS in Region 8.

**Age Category**

<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	1	<1 %
13 - 19	2	<1 %
20 - 24	9	2 %
25 - 29	26	5 %
30 - 34	64	12 %
35 - 39	72	14 %
40 - 44	76	15 %
45 - 49	88	17 %
50 - 54	84	16 %
55 - 59	48	9 %
60+	50	10 %
<b>Total</b>	<b>520</b>	<b>100 %</b>

**Race/Ethnicity**

	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Black, Non-Hispanic	257	130	387	74 %
White, Non-Hispanic	96	25	121	23 %
Hispanic	6	2	8	2 %
Asian/Pacific Islander	2	0	2	<1 %
Multi-race	1	1	2	<1 %
<b>Total</b>	<b>362</b>	<b>158</b>	<b>520</b>	<b>100 %</b>

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	158	0	158	43 %
Injection drug use	33	22	55	15 %
Men who have sex with men and inject drugs	28	0	28	8 %
Heterosexual contact	45	75	120	33 %
Transfusion/Hemophilia	2	1	3	1 %
Perinatal	2	0	2	1 %
<b>Total</b>	<b>268</b>	<b>98</b>	<b>366</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>94</i>	<i>60</i>	<i>154</i>	

**Persons Newly Diagnosed with HIV/AIDS****Region 8: Monroe Region***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes***HIV CASES DIAGNOSED January - December 2009**

- 76 persons were newly diagnosed with HIV in Region 8.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	51	67 %	Black, Non-Hispanic	57	75 %
Women	25	33 %	White, Non-Hispanic	16	21 %
<b>Total</b>	<b>76</b>	<b>100 %</b>	Hispanic	2	3 %
			American Indian	1	1 %
			<b>Total</b>	<b>76</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	17	22 %	Men who have sex with men	22	52 %
25 - 34	22	29 %	Injection drug use	4	10 %
35 - 44	12	16 %	Men who have sex with men and inject drugs	2	5 %
45+	25	33%	Heterosexual contact	14	33 %
<b>Total</b>	<b>76</b>	<b>100 %</b>	<b>Total</b>	<b>42</b>	<b>100 %</b>

*No Identified Risk* 34

**AIDS CASES DIAGNOSED January - December 2009**

- 56 persons were newly diagnosed with AIDS in Region 8.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	39	70 %	Black, Non-Hispanic	47	84 %
Women	17	30 %	White, Non-Hispanic	8	14 %
<b>Total</b>	<b>56</b>	<b>100 %</b>	Hispanic	1	2 %
			<b>Total</b>	<b>56</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	4	7 %	Men who have sex with men	17	49 %
25 - 34	18	32 %	Injection drug use	5	14 %
35 - 44	10	18 %	Men who have sex with men and inject drugs	1	3 %
45+	24	43 %	Heterosexual contact	12	34 %
<b>Total</b>	<b>56</b>	<b>100 %</b>	<b>Total</b>	<b>35</b>	<b>100 %</b>

*No Identified Risk* 21

**Persons Living with HIV/AIDS  
Region 9: Hammond/Slidell Region  
as of June 30, 2010**

*Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes*

- **1,312** cumulative cases have been detected in Region 9, including **15** pediatric cases.
- **528** cumulative deaths among persons in Region 9 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **991** persons are currently living with HIV/AIDS in Region 9.  
Persons living with HIV: **442**  
Persons living with AIDS: **549**

**Age Category**

<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	7	1 %
13 - 19	3	<1 %
20 - 24	36	4 %
25 - 29	72	7 %
30 - 34	84	8 %
35 - 39	129	13 %
40 - 44	172	17 %
45 - 49	184	19 %
50 - 54	159	16 %
55 - 59	68	7 %
60+	77	8 %
<b>Total</b>	<b>991</b>	<b>100 %</b>

**Race/Ethnicity**

	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Black, Non-Hispanic	313	173	486	49 %
White, Non-Hispanic	379	93	472	48 %
Hispanic	19	5	24	2 %
Asian/Pacific Islander	1	1	2	<1 %
American Indian	1	0	1	<1 %
Unknown	2	0	2	<1 %
Multi-race	4	0	4	<1 %
<b>Total</b>	<b>719</b>	<b>272</b>	<b>991</b>	<b>100 %</b>

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	365	0	365	53 %
Injection drug use	65	52	117	17 %
Men who have sex with men and inject drugs	48	0	48	7 %
Heterosexual contact	50	93	143	21 %
Transfusion/Hemophilia	6	0	6	1 %
Perinatal	9	7	16	2 %
<b>Total</b>	<b>543</b>	<b>152</b>	<b>695</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>176</i>	<i>120</i>	<i>296</i>	



**Persons Living with AIDS**  
**Region 9: Hammond/Slidell Region**  
**as of June 30, 2010**

*Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes*

- **896** cumulative AIDS cases have been diagnosed in Region 9, including **6** pediatric cases.
- **549** persons are currently living with AIDS in Region 9.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
20 - 24	4	1 %	Black, Non-Hispanic	178	81	259	47 %
25 - 29	23	4 %	White, Non-Hispanic	229	44	273	50 %
30 - 34	38	7 %	Hispanic	9	4	13	2 %
35 - 39	66	12 %	American Indian	1	0	1	<1 %
40 - 44	102	19 %	Multi-race	3	0	3	1 %
45 - 49	119	22 %	<b>Total</b>	420	129	549	100 %
50 - 54	103	19 %					
55 - 59	43	8 %					
60+	51	9 %					
<b>Total</b>	549	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	211	0	211	52 %
Injection drug use	49	28	77	19 %
Men who have sex with men and inject drugs	32	0	32	8 %
Heterosexual contact	26	47	73	18 %
Transfusion/Hemophilia	6	0	6	1 %
Perinatal	2	1	3	1 %
<b>Total</b>	326	76	402	100 %
<i>No Identified Risk</i>	94	53	147	

**Persons Newly Diagnosed with HIV/AIDS****Region 9: Hammond/Slidell Region***Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes***HIV CASES DIAGNOSED January - December 2009**

- 90 persons were newly diagnosed with HIV in Region 9.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	54	60 %	Black, Non-Hispanic	56	62 %
Women	36	40 %	White, Non-Hispanic	34	38 %
<b>Total</b>	<b>90</b>	<b>100 %</b>	<b>Total</b>	<b>90</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	1 %	Men who have sex with men	26	47 %
13 - 24	11	12 %	Injection drug use	7	13 %
25 - 34	26	29 %	Men who have sex with men and inject drugs	2	4 %
35 - 44	18	20%	Heterosexual contact	19	35 %
45+	34	38 %	Perinatal	1	2 %
<b>Total</b>	<b>90</b>	<b>100%</b>	<b>Total</b>	<b>55</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<b>35</b>	

**AIDS CASES DIAGNOSED January - December 2009**

- 52 persons were newly diagnosed with AIDS in Region 9.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	33	63 %	Black, Non-Hispanic	32	62 %
Women	19	37 %	White, Non-Hispanic	20	38 %
<b>Total</b>	<b>52</b>	<b>100 %</b>	<b>Total</b>	<b>52</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	1	2 %	Men who have sex with men	17	49 %
25 - 34	11	21 %	Injection drug use	6	17 %
35 - 44	16	31 %	Men who have sex with men and inject drugs	1	3 %
45+	24	46 %	Heterosexual contact	11	31 %
<b>Total</b>	<b>52</b>	<b>100 %</b>	<b>Total</b>	<b>35</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<b>17</b>	