


Third Quarter 2011

Vol. 9, No. 3



HIV/AIDS Surveillance Program

**DeAnn Gruber, PhD, LCSW**  
*Administrative Director*

**Jessica Fridge, MSPH**  
*Surveillance Program Manager*

Editor/Production:  
**Demerial Banks**  
**William T. Robinson**

Data Management and Analysis:

**Debbie Wendell, MPH, Ph.D.,** *Coordinator*  
**Demerial Banks, MPH,** *Surveillance Epidemiologist*  
**Tania Bechtel,** *Data Manager*  
**Joseph Foxhood,** *Information Systems Developer*  
**George Stephens,** *Computer Technician*  
**Josette Russell,** *Data Manager*  
**Nelly de la Cruz,** *Data Entry Specialist*

Special Projects:

**William T. Robinson, Ph.D.,** *Biostatistician*  
**Jessica Cole, MPH,** *Perinatal Surveillance Coordinator*  
**Rashad Arcement, MSPH,** *Incidence & Resistance Coordinator*

Field Epidemiologists:

**Betsy Shepard, PAC, MPH,** *Epidemiologist Supervisor*

<b>James Hubbard</b>	<b>Region 1</b>	<b>Cheryl Edney, BS MT(ASCP)</b>	<b>Regions 4, 5, 6</b>
<b>Connie Gordon</b>	<b>Regions 1, 3</b>	<b>Gayle Norris, MA</b>	<b>Regions 7, 8</b>
		<b>Gale Terry, LPN</b>	<b>Regions 2, 9</b>

---

**TABLE OF CONTENTS**

<b>Contents</b>	<b>Page</b>
Surveillance Summary	1
Louisiana: Persons Living with HIV/AIDS	2
Persons Living with AIDS	3
Persons newly diagnosed with HIV/AIDS	4
Parish: Persons Living with HIV/AIDS	5
Persons Living with AIDS	6
Metro New Orleans: Persons Living with HIV/AIDS	7
Persons Living with AIDS	8
Persons newly diagnosed with HIV/AIDS	9
Metro Baton Rouge: Persons Living with HIV/AIDS	10
Persons Living with AIDS	11
Persons newly diagnosed with HIV/AIDS	12
Region 1: Persons Living with HIV/AIDS	13
Persons Living with AIDS	14
Persons newly diagnosed with HIV/AIDS	15
Region 2: Persons Living with HIV/AIDS	16
Persons Living with AIDS	17
Persons newly diagnosed with HIV/AIDS	18
Region 3: Persons Living with HIV/AIDS	19
Persons Living with AIDS	20
Persons newly diagnosed with HIV/AIDS	21
Region 4: Persons Living with HIV/AIDS	22
Persons Living with AIDS	23
Persons newly diagnosed with HIV/AIDS	24
Region 5: Persons Living with HIV/AIDS	25
Persons Living with AIDS	26
Persons newly diagnosed with HIV/AIDS	27
Region 6: Persons Living with HIV/AIDS	28
Persons Living with AIDS	29
Persons newly diagnosed with HIV/AIDS	30
Region 7: Persons Living with HIV/AIDS	31
Persons Living with AIDS	32
Persons newly diagnosed with HIV/AIDS	33
Region 8: Persons Living with HIV/AIDS	34
Persons Living with AIDS	35
Persons newly diagnosed with HIV/AIDS	36
Region 9: Persons Living with HIV/AIDS	37
Persons Living with AIDS	38
Persons newly diagnosed with HIV/AIDS	39

## Surveillance Summary

Data in this report includes cases diagnosed with HIV/AIDS and reported as of September 30, 2011<sup>1</sup>.

- As of September 30, 2011, a cumulative total of **31,827** HIV/AIDS cases have been reported in Louisiana, including **322** pediatric cases.
- The cumulative number of deaths among persons diagnosed with HIV/AIDS, reported to the Louisiana Office of Public Health through September 30, 2011, is **13,422** including **109** deaths among pediatric cases.
- A total of **18,533** persons are living with HIV/AIDS in Louisiana; of these individuals, **10,075** persons (54%) have an AIDS diagnosis.
- Among women living with HIV/AIDS, the predominant known mode of transmission is high-risk heterosexual contact followed by injection drug use. Among men living with HIV/AIDS, the predominant mode of transmission is men who have sex with men followed by high-risk heterosexual contact.
- The primary risk factor for new HIV diagnoses in Louisiana is men who have sex with men (MSM). In 2010, of the persons who reported a risk factor, 59% reported being MSM, and an additional 3% reported being MSM and an injection drug user (IDU). As of September 30, 2011, 50% of all people living with HIV infection in Louisiana were MSM.
- Nationally, Louisiana ranked **5<sup>th</sup>** highest in AIDS case rates and **12<sup>th</sup>** in the number of AIDS cases diagnosed in 2009, according to the *CDC 2009 HIV Surveillance Report (Vol. 21)*.
- The Baton Rouge metropolitan area ranked **2<sup>nd</sup>** for AIDS case rates among the largest metropolitan areas in the U.S. in 2009; the New Orleans metropolitan area ranked **9<sup>th</sup>**.
- In 2010, **1,162** new HIV cases were diagnosed in Louisiana. Of these cases, **31%** (n=361) occurred in Region 1 (New Orleans) and **26%** (n=302) occurred in Region 2 (Baton Rouge).
- In 2010, **805** new AIDS cases were diagnosed in Louisiana. Of these cases, **31%** (n=253) occurred in Region 1 (New Orleans) and **30%** (n=238) occurred in Region 2 (Baton Rouge).
- In Louisiana, **28%** of new HIV cases and **34%** of new AIDS cases are among women.
- HIV continues to disproportionately affect African Americans in Louisiana. In 2010, **74%** of newly diagnosed HIV cases and **78%** of newly diagnosed AIDS cases were among African Americans.

<sup>1</sup>Please note: This report reflects only information reported to Louisiana's HIV/AIDS surveillance system and information on persons living with HIV/AIDS (PLWH/A) may not be accurate due to population changes resulting from Hurricane Katrina. In March 2006, the Louisiana Office of Public Health HIV/AIDS Program (OPH-HAP) published the Louisiana HIV/AIDS Surveillance First Quarter 2006 report. In addition to the HIV/AIDS surveillance information, as presented here, this report contained a description of two methodologies used to estimate the impact of Hurricane Katrina on the number of PLWH/A in the New Orleans metropolitan area (see <http://www.dhh.louisiana.gov/offices/publications/pubs-264/1st%20Quarter%202006.pdf> for the full report). Updated estimates were provided in the 2006 Third Quarter Report at: <http://www.dhh.louisiana.gov/offices/publications/pubs-264/Third%20Quarter%202006.pdf>. Additional updated population estimates were presented at the February 2007 Statewide HIV/AIDS Meeting. This presentation can be found at: <http://www.dhh.louisiana.gov/offices/page.asp?ID=264&Detail=7584>. Updated estimates were also presented in the 2005-2006 Annual Report located at <http://www.dhh.louisiana.gov/offices/reports.asp?ID=264&Detail=261>.

More recent estimates indicate that as much as 84% of the pre-Katrina PLWH/A may now be living within the metropolitan area.

**Persons Living with HIV/AIDS**  
**Louisiana**  
**as of September 30, 2011**

- **31,827** cumulative cases have been detected in Louisiana, including **322** pediatric cases.
- **13,422** cumulative deaths among persons with HIV/AIDS have occurred in Louisiana, including **109** pediatric deaths.
- **18,533** persons are currently living with HIV/AIDS in Louisiana.  
 Persons living with HIV: **8,458**  
 Persons living with AIDS: **10,075**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	66	<1 %	Black, Non-Hispanic	7,943	4,511	12,454	67 %
13 - 19	165	1 %	White, Non-Hispanic	4,407	782	5,189	28 %
20 - 24	850	5 %	Hispanic	556	126	682	4 %
25 - 29	1,483	8 %	Asian/Pacific Islander	49	12	61	<1 %
30 - 34	2,074	11 %	American Indian	24	7	31	<1 %
35 - 39	2,146	12 %	Unknown	18	3	21	<1 %
40 - 44	2,572	14 %	Multi-race	67	28	95	1 %
45 - 49	3,205	17 %	<b>Total</b>	<b>13,064</b>	<b>5,469</b>	<b>18,533</b>	<b>100 %</b>
50 - 54	2,693	15 %					
55 - 59	1,757	9 %					
60+	1,522	8 %					
<b>Total</b>	<b>18,533</b>	<b>100 %</b>					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	6,042	0	6,042	50 %
Injection drug use	1,172	677	1,849	15 %
Men who have sex with men and inject drugs	885	0	885	7 %
Heterosexual contact	1,023	2,082	3,105	26 %
Transfusion/Hemophilia	58	37	95	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	90	96	186	2 %
<b>Total</b>	<b>9,270</b>	<b>2,893</b>	<b>12,163</b>	<b>100 %</b>

<i>No Identified Risk</i>	<i>3,794</i>	<i>2,576</i>	<i>6,370</i>	
---------------------------	--------------	--------------	--------------	--

**Persons Living with AIDS**  
**Louisiana**  
as of September 30, 2011

• **21,542** cumulative AIDS cases have been diagnosed in Louisiana, including **168** pediatric cases.

• **10,075** persons are currently living with AIDS in Louisiana.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	11	<1 %	Black, Non-	4,440	2,277	6,717	67 %
13 - 19	52	1 %	White, Non-	2,540	355	2,895	29 %
20 - 24	203	2 %	Hispanic	296	75	371	4 %
25 - 29	538	5 %	Asian/Pacific	20	5	25	<1 %
30 - 34	879	9 %	American Indian	11	2	13	<1 %
35 - 39	1,133	11 %	Unknown	1	1	2	<1 %
40 - 44	1,472	15 %	Multi-race	39	13	52	1 %
45 - 49	1,975	20 %	<b>Total</b>	<b>7,347</b>	<b>2,728</b>	<b>10,075</b>	<b>100 %</b>
50 - 54	1,673	17 %					
55 - 59	1,155	11 %					
60+	984	10 %					
<b>Total</b>	<b>10,075</b>	<b>100 %</b>					

<u>Exposure Category</u>		Men	Women	Total	Percent
<b>Cases with a reported risk:</b>					
Men who have sex with men		3,382	0	3,382	48 %
Injection drug use		800	382	1,182	17 %
Men who have sex with men and inject drugs		599	0	599	9 %
Heterosexual contact		610	1,114	1,724	25 %
Transfusion/Hemophilia		40	24	64	1 %
Perinatal		36	38	74	1 %
<b>Total</b>		<b>5,467</b>	<b>1,558</b>	<b>7,025</b>	<b>100 %</b>
<i>No Identified Risk</i>		<i>1,880</i>	<i>1,170</i>	<i>3,050</i>	

**Persons Newly Diagnosed with HIV/AIDS  
Louisiana**

**HIV CASES DIAGNOSED January - December 2010**

• **1,162** persons were newly diagnosed with HIV in Louisiana.

<b>Gender</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	831	72 %	Black, Non-Hispanic	861	74 %
Women	331	28 %	White, Non-Hispanic	244	21 %
<b>Total</b>	<b>1,162</b>	<b>100 %</b>	Hispanic	34	3 %
			Asian/Pacific Islander	6	1 %
			American Indian	3	<1 %
			Unknown	2	<1 %
			Multi-race	12	1 %
			<b>Total</b>	<b>1,162</b>	<b>100 %</b>

<b>Age at Detection</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk:</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	5	<1 %	Men who have sex with men	431	59 %
13 - 24	299	26 %	Injection drug use	69	9 %
25 - 34	329	28 %	Men who have sex with men and inject drugs	19	3 %
35 - 44	224	19 %	Heterosexual contact	208	28 %
45+	305	26 %	Perinatal	5	1 %
<b>Total</b>	<b>1,162</b>	<b>100 %</b>	<b>Total</b>	<b>732</b>	<b>100 %</b>

<i>No Identified Risk</i>			430
---------------------------	--	--	-----

**AIDS CASES DIAGNOSED January - December 2010**

• **805** persons were newly diagnosed with AIDS in Louisiana.

<b>Gender</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	532	66 %	Black, Non-Hispanic	630	78 %
Women	273	34 %	White, Non-Hispanic	145	18 %
<b>Total</b>	<b>805</b>	<b>100 %</b>	Hispanic	24	3 %
			American Indian	1	<1 %
			Multi-race	5	1 %
			<b>Total</b>	<b>805</b>	<b>100 %</b>

<b>Age at Diagnosis</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk:</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	1	<1 %	Men who have sex with men	212	45 %
13 - 24	89	11 %	Injection drug use	81	17 %
25 - 34	231	29 %	Men who have sex with men and inject drugs	23	5 %
35 - 44	207	26 %	Heterosexual contact	152	32 %
45+	277	34 %	Perinatal	7	1 %
<b>Total</b>	<b>805</b>	<b>100 %</b>	<b>Total</b>	<b>475</b>	<b>100 %</b>

<i>No Identified Risk</i>			330
---------------------------	--	--	-----

**Persons Living with HIV/AIDS by Parish  
as of September 30, 2011**

**Third Quarter 2011**

<b><u>Parish</u></b>	<b><u>Living Cases</u></b>	<b><u>Parish</u></b>	<b><u>Living Cases</u></b>
Acadia	104	Sabine	21
Allen	229	St. Bernard	127
Ascension	192	St. Charles	93
Assumption	23	St. Helena	17
Avoyelles	140	St. James	57
Beauregard	43	St. John the Baptist	119
Bienville	29	St. Landry	259
Bossier	163	St. Martin	102
Caddo	966	St. Mary	81
Calcasieu	670	St. Tammany	365
Caldwell	19	Tangipahoa	331
Cameron	3	Tensas	34
Catahoula	24	Terrebonne	185
Claiborne	61	Union	42
Concordia	40	Vermilion	88
De Soto	54	Vernon	55
East Baton Rouge	3,541	Washington	174
East Carroll	33	Webster	60
East Feliciana	158	West Baton Rouge	108
Evangeline	67	West Carroll	10
Franklin	27	West Feliciana	147
Grant	29	Winn	55
Iberia	116		
Iberville	416		
Jackson	38		
Jefferson	1,695		
Jefferson Davis	63		
La Salle	13		
Lafayette	657		
Lafourche	116		
Lincoln	69		
Livingston	157		
Madison	47		
Morehouse	66		
Natchitoches	115		
Orleans	4,739		
Ouachita	536		
Plaquemines	34		
Pointe Coupee	51		
Rapides	407		
Red River	8		
Richland	43		
		<b>Total</b>	<b>18,533</b>



**Persons Living with AIDS by Parish  
as of September 30, 2011**

**Third Quarter 2011**

<b><u>Parish</u></b>	<b><u>Living Cases</u></b>	<b><u>Parish</u></b>	<b><u>Living Cases</u></b>
Acadia	58	Sabine	16
Allen	115	St. Bernard	81
Ascension	103	St. Charles	48
Assumption	14	St. Helena	9
Avoyelles	72	St. James	32
Beauregard	27	St. John the Baptist	66
Bienville	14	St. Landry	150
Bossier	86	St. Martin	60
Caddo	506	St. Mary	54
Calcasieu	388	St. Tammany	211
Caldwell	10	Tangipahoa	177
Cameron	2	Tensas	15
Catahoula	15	Terrebonne	108
Claiborne	31	Union	30
Concordia	20	Vermilion	56
De Soto	32	Vernon	27
East Baton Rouge	1,898	Washington	94
East Carroll	20	Webster	28
East Feliciana	92	West Baton Rouge	66
Evangeline	36	West Carroll	5
Franklin	10	West Feliciana	93
Grant	15	Winn	30
Iberia	61		
Iberville	248		
Jackson	24		
Jefferson	930		
Jefferson Davis	35		
La Salle	9		
Lafayette	342		
Lafourche	71		
Lincoln	35		
Livingston	86		
Madison	23		
Morehouse	32		
Natchitoches	60		
Orleans	2,525		
Ouachita	289		
Plaquemines	23		
Pointe Coupee	33		
Rapides	197		
Red River	7		
Richland	25		
		<b>Total</b>	<b>10,075</b>

**Persons Living with HIV/AIDS  
Metro New Orleans  
as of September 30, 2011**

*Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes*

- **14,952** cumulative cases have been detected in the New Orleans MSA, including **155** pediatric cases.
- **6,332** cumulative deaths among persons with HIV/AIDS have occurred in the New Orleans MSA, including **52** pediatric deaths
- **7,229** persons are currently living with HIV/AIDS in the New Orleans MSA.  
Persons living with HIV: **3,313**  
Persons living with AIDS: **3,916**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	24	<1 %	Black, Non-Hispanic	2,825	1,505	4,330	60 %
13 - 19	53	1 %	White, Non-Hispanic	2,201	236	2,437	34 %
20 - 24	308	4 %	Hispanic	290	89	379	5 %
25 - 29	517	7 %	Asian/Pacific Islander	28	7	35	<1 %
30 - 34	707	10 %	American Indian	7	0	7	<1 %
35 - 39	782	11 %	Unknown	6	2	8	<1 %
40 - 44	996	14 %	Multi-race	25	8	33	<1 %
45 - 49	1,273	18 %	<b>Total</b>	<b>5,382</b>	<b>1,847</b>	<b>7,229</b>	<b>100 %</b>
50 - 54	1,108	15 %					
55 - 59	750	10 %					
60+	711	10 %					
<b>Total</b>	<b>7,229</b>	<b>100 %</b>					

**Exposure Category**

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	2,767	0	2767	57 %
Injection drug use	374	224	598	12 %
Men who have sex with men and inject drugs	346	0	346	7 %
Heterosexual contact	320	678	998	21 %
Transfusion/Hemophilia	23	18	41	1 %
Perinatal	28	40	68	1 %
<b>Total</b>	<b>3,858</b>	<b>960</b>	<b>4,818</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>1,524</i>	<i>887</i>	<i>2411</i>	

**Persons Living with AIDS  
Metro New Orleans  
as of September 30, 2011**

*Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes*

- **10,249** cumulative AIDS cases have been diagnosed in the New Orleans MSA, including **80** pediatric cases.
- **3,916** persons are currently living with AIDS in the New Orleans MSA.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	4	<1 %	Black, Non-Hispanic	1,507	783	2,290	58 %
13 - 19	16	<1 %	White, Non-Hispanic	1,263	98	1,361	35 %
20 - 24	69	2 %	Hispanic	167	59	226	6 %
25 - 29	168	4 %	Asian/Pacific Islander	11	3	14	<1 %
30 - 34	292	7 %	American Indian	3	0	3	<1 %
35 - 39	399	10 %	Unknown	0	1	1	<1 %
40 - 44	541	14 %	Multi-race	16	5	21	1 %
45 - 49	798	20 %	<b>Total</b>	<b>2,967</b>	<b>949</b>	<b>3,916</b>	<b>100 %</b>
50 - 54	688	18 %					
55 - 59	485	12 %					
60+	456	12 %					
<b>Total</b>	<b>3,916</b>	<b>100 %</b>					

**Exposure Category**

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	603	0	603	35 %
Injection drug use	310	139	449	26 %
Men who have sex with men and inject drugs	142	0	142	8 %
Heterosexual contact	171	333	504	29 %
Transfusion/Hemophilia	6	8	14	1 %
Perinatal	12	6	18	1 %
<b>Total</b>	<b>1,244</b>	<b>486</b>	<b>1,730</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>724</i>	<i>419</i>	<i>1,143</i>	

**Persons Newly Diagnosed with HIV/AIDS  
Metro New Orleans**

*Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes*

**HIV CASES DIAGNOSED January - December 2010**

- 401 persons were newly diagnosed with HIV in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	299	75 %	Black, Non-Hispanic	287	72 %
Women	102	25 %	White, Non-Hispanic	91	23 %
<b>Total</b>	<b>401</b>	<b>100 %</b>	Hispanic	14	3 %
			Asian/Pacific Islander	4	1 %
			Unknown	1	<1 %
			Multi-race	4	1 %
			<b>Total</b>	<b>401</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	2	<1 %	Men who have sex with men	155	60 %
13 - 24	101	25 %	Injection drug use	22	8 %
25 - 34	122	30 %	Men who have sex with men and inject drugs	10	4 %
35 - 44	73	18 %	Heterosexual contact	70	27 %
45+	103	26 %	Perinatal	2	1 %
<b>Total</b>	<b>401</b>	<b>100 %</b>	<b>Total</b>	<b>259</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>142</i>	

**AIDS CASES DIAGNOSED January - December 2010**

- 279 persons were newly diagnosed with AIDS in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	196	70 %	Black, Non-Hispanic	203	73 %
Women	83	30 %	White, Non-Hispanic	59	21 %
<b>Total</b>	<b>279</b>	<b>100 %</b>	Hispanic	14	5 %
			Multi-race	3	1 %
			<b>Total</b>	<b>279</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0-12	1	<1%	Men who have sex with men	84	50%
13 - 24	30	11 %	Injection drug use	18	11 %
25 - 34	77	28 %	Men who have sex with men and inject drugs	11	7 %
35 - 44	68	24 %	Heterosexual contact	51	30 %
45+	103	37 %	Perinatal	4	2 %
<b>Total</b>	<b>279</b>	<b>100 %</b>	<b>Total</b>	<b>168</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>111</i>	

**Persons Living with HIV/AIDS  
Metro Baton Rouge  
as of September 30, 2011**

*Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes*

- **7,256** cumulative cases have been detected in the Baton Rouge MSA, including **73** pediatric cases.
- **3,049** cumulative deaths among persons with HIV/AIDS have occurred in the Baton Rouge MSA, including **19** pediatric deaths
- **4,787** persons are currently living with HIV/AIDS in the Baton Rouge MSA.  
Persons living with HIV: **2,159**  
Persons living with AIDS: **2,628**

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
0 - 12	21	<1 %	Black, Non-Hispanic	2,336	1,566	3,902	82 %
13 - 19	50	1 %	White, Non-Hispanic	632	161	793	17 %
20 - 24	242	5 %	Hispanic	44	11	55	1 %
25 - 29	434	9 %	Asian/Pacific Islander	6	2	8	<1 %
30 - 34	576	12 %	American Indian	2	1	3	<1 %
35 - 39	631	13 %	Unknown	4	1	5	<1 %
40 - 44	657	14 %	Multi-race	15	6	21	<1 %
45 - 49	764	16 %	<b>Total</b>	<b>3,039</b>	<b>1,748</b>	<b>4,787</b>	<b>100 %</b>
50 - 54	636	13 %					
55 - 59	412	9 %					
60+	364	8 %					
<b>Total</b>	<b>4,787</b>	<b>100 %</b>					

**Exposure Category**

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	1,102	0	1,102	38 %
Injection drug use	409	236	645	22 %
Men who have sex with men and inject drugs	197	0	197	7 %
Heterosexual contact	296	602	898	31 %
Transfusion/Hemophilia	9	10	19	1 %
Perinatal	31	24	55	2 %
<b>Total</b>	<b>2,044</b>	<b>872</b>	<b>2,916</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>995</i>	<i>876</i>	<i>1,871</i>	

**Persons Living with AIDS**  
**Metro Baton Rouge**  
**as of September 30, 2011**

*Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes*

- **4,887** cumulative AIDS cases have been diagnosed in the Baton Rouge MSA, including **32** pediatric cases.
- **2,628** persons are currently living with AIDS in the Baton Rouge MSA.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	3	<1 %	Black, Non-Hispanic	1,353	807	2,160	82 %
13 - 19	17	1 %	White, Non-Hispanic	355	68	423	16 %
20 - 24	65	2 %	Hispanic	23	6	29	1 %
25 - 29	168	6 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	247	9 %	American Indian	2	0	2	<1 %
35 - 39	344	13 %	Unknown	1	0	1	<1 %
40 - 44	399	15 %	Multi-race	10	1	11	<1 %
45 - 49	469	18 %	<b>Total</b>	<b>1,746</b>	<b>882</b>	<b>2,628</b>	<b>100 %</b>
50 - 54	396	15 %					
55 - 59	284	11 %					
60+	236	9 %					
<b>Total</b>	<b>2,628</b>	<b>100 %</b>					

<u>Exposure Category</u>				
Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	603	0	603	35 %
Injection drug use	310	139	449	26 %
Men who have sex with men and inject drugs	142	0	142	8 %
Heterosexual contact	171	333	504	29 %
Transfusion/Hemophilia	6	8	14	1 %
Perinatal	12	6	18	1 %
<b>Total</b>	<b>1,244</b>	<b>486</b>	<b>1,730</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>502</i>	<i>396</i>	<i>898</i>	

**Persons Newly Diagnosed with HIV/AIDS  
Metro Baton Rouge**

*Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes*

**HIV CASES DIAGNOSED January - December 2010**

• 314 persons were newly diagnosed with HIV in the Baton Rouge MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	206	66 %	Black, Non-Hispanic	270	86 %
Women	108	34 %	White, Non-Hispanic	34	11 %
<b>Total</b>	<b>314</b>	<b>100 %</b>	Hispanic	4	1 %
			Asian/Pacific Islander	1	<1 %
			Unknown	1	<1 %
			Multi-race	4	1 %
			<b>Total</b>	<b>314</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	2	1 %	Men who have sex with men	96	53 %
13 - 24	82	26 %	Injection drug use	21	12 %
25 - 34	92	29 %	Men who have sex with men and inject drugs	3	2 %
35 - 44	62	20 %	Heterosexual contact	60	33 %
45+	76	24 %	Perinatal	2	1 %
<b>Total</b>	<b>314</b>	<b>100 %</b>	<b>Total</b>	<b>182</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>132</i>	

**AIDS CASES DIAGNOSED January - December 2010**

• 245 persons were newly diagnosed with AIDS in the Baton Rouge MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	150	61 %	Black, Non-Hispanic	222	91 %
Women	95	39 %	White, Non-Hispanic	20	8 %
<b>Total</b>	<b>245</b>	<b>100 %</b>	Hispanic	3	1 %
			<b>Total</b>	<b>245</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	30	12 %	Men who have sex with men	54	39 %
25 - 34	73	30 %	Injection drug use	34	25 %
35 - 44	62	25 %	Men who have sex with men and inject drugs	4	3 %
45+	80	33 %	Heterosexual contact	46	33 %
<b>Total</b>	<b>245</b>	<b>100 %</b>	<b>Total</b>	<b>138</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>107</i>	

## Persons Living with HIV/AIDS

### Region 1: New Orleans Region

as of September 30, 2011

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

- **14,050** cumulative cases have been detected in Region 1, including **139** pediatric cases.
- **5,956** cumulative deaths among persons in Region 1 with HIV/AIDS have occurred, including **47** pediatric deaths.
- **6,595** persons are currently living with HIV/AIDS in Region 1.  
Persons living with HIV: **3,036**  
Persons living with AIDS: **3,559**

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
0 - 12	19	<1 %	Black, Non-Hispanic	2,631	1,395	4,026	61 %
13 - 19	42	1 %	White, Non-Hispanic	1,945	186	2,131	32 %
20 - 24	278	4 %	Hispanic	277	83	360	5 %
25 - 29	469	7 %	Asian/Pacific Islander	27	7	34	1 %
30 - 34	649	10 %	American Indian	7	0	7	<1 %
35 - 39	720	11 %	Unknown	6	1	7	<1 %
40 - 44	897	14 %	Multi-race	22	8	30	<1 %
45 - 49	1,153	17 %	<b>Total</b>	<b>4,915</b>	<b>1,680</b>	<b>6,595</b>	<b>100 %</b>
50 - 54	1,012	15 %					
55 - 59	695	11 %					
60+	661	10 %					
<b>Total</b>	<b>6,595</b>	<b>100 %</b>					

### Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	2,497	0	2,497	57 %
Injection drug use	348	204	552	13 %
Men who have sex with men and inject drugs	328	0	328	7 %
Heterosexual contact	294	619	913	21 %
Transfusion/Hemophilia	21	17	38	1 %
Perinatal	22	34	56	1 %
<b>Total</b>	<b>3,510</b>	<b>874</b>	<b>4,384</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>1,405</i>	<i>806</i>	<i>2,211</i>	



**Persons Living with AIDS**  
**Region 1: New Orleans Region**  
**as of September 30, 2011**

*Jefferson, Orleans, Plaquemines, St. Bernard Parishes*

• **9,607** cumulative AIDS cases have been diagnosed in Region 1, including **71** pediatric cases.

• **3,559** persons are currently living with AIDS in Region 1.

**Age Category**

<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	4	<1 %
13 - 19	12	<1 %
20 - 24	63	2 %
25 - 29	157	4 %
30 - 34	259	7 %
35 - 39	369	10 %
40 - 44	483	14 %
45 - 49	718	20 %
50 - 54	626	18 %
55 - 59	451	13 %
60+	417	12 %
<b>Total</b>	<b>3,559</b>	<b>100 %</b>

**Race/Ethnicity**

	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Black, Non-Hispanic	1,393	727	2,120	60 %
White, Non-Hispanic	1,113	76	1,189	33 %
Hispanic	159	55	214	6 %
Asian/Pacific Islander	11	3	14	<1 %
American Indian	3	0	3	<1 %
Multi-race	14	5	19	1 %
<b>Total</b>	<b>2,693</b>	<b>866</b>	<b>3,559</b>	<b>100 %</b>

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	1,408	0	1,408	56 %
Injection drug use	221	108	329	13 %
Men who have sex with men and inject drugs	216	0	216	9 %
Heterosexual contact	174	354	528	21 %
Transfusion/Hemophilia	12	9	21	1 %
Perinatal	8	15	23	1 %
<b>Total</b>	<b>2,039</b>	<b>486</b>	<b>2,525</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>654</i>	<i>380</i>	<i>1,034</i>	

**Persons Newly Diagnosed with HIV/AIDS****Region 1: New Orleans Region***Jefferson, Orleans, Plaquemines, St. Bernard Parishes***HIV CASES DIAGNOSED January - December 2010**

- 361 persons were newly diagnosed with HIV in Region 1.

<b><u>Gender</u></b>	<b>Cases</b>	<b>Percent</b>	<b><u>Race/Ethnicity</u></b>	<b>Cases</b>	<b>Percent</b>
Men	270	75 %	Black, Non-Hispanic	258	71 %
Women	91	25 %	White, Non-Hispanic	82	23 %
<b>Total</b>	<b>361</b>	<b>100 %</b>	Hispanic	13	4 %
			Asian/Pacific Islander	4	1 %
			Unknown	1	<1 %
			Multi-race	3	1 %
			<b>Total</b>	<b>361</b>	<b>100 %</b>

<b><u>Age at Detection</u></b>	<b>Cases</b>	<b>Percent</b>	<b><u>Cases with a reported risk:</u></b>	<b>Cases</b>	<b>Percent</b>
0 - 12	2	1 %	Men who have sex with men	138	60 %
13 - 24	85	24 %	Injection drug use	20	9 %
25 - 34	117	32 %	Men who have sex with men and inject drugs	9	4 %
35 - 44	65	18 %	Heterosexual contact	61	27 %
45+	92	25 %	Perinatal	2	1 %
<b>Total</b>	<b>361</b>	<b>100 %</b>	<b>Total</b>	<b>230</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>131</i>	

**AIDS CASES DIAGNOSED January - December 2010**

- 253 persons were newly diagnosed with AIDS in Region 1.

<b><u>Gender</u></b>	<b>Cases</b>	<b>Percent</b>	<b><u>Race/Ethnicity</u></b>	<b>Cases</b>	<b>Percent</b>
Men	178	70 %	Black, Non-Hispanic	186	74 %
Women	75	30 %	White, Non-Hispanic	51	20 %
<b>Total</b>	<b>253</b>	<b>100 %</b>	Hispanic	13	5 %
			Multi-race	3	1 %
			<b>Total</b>	<b>253</b>	<b>100 %</b>

<b><u>Age at Diagnosis</u></b>	<b>Cases</b>	<b>Percent</b>	<b><u>Cases with a reported risk:</u></b>	<b>Cases</b>	<b>Percent</b>
0 - 12	1	<1 %	Men who have sex with men	76	51 %
13 - 24	28	11 %	Injection drug use	16	11 %
25 - 34	67	26 %	Men who have sex with men and inject drugs	8	5 %
35 - 44	64	25 %	Heterosexual contact	46	31 %
45+	93	37 %	Perinatal	4	3 %
<b>Total</b>	<b>253</b>	<b>100 %</b>	<b>Total</b>	<b>150</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>103</i>	

**Persons Living with HIV/AIDS****Region 2: Baton Rouge Region****as of September 30, 2011***Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes*

- **7,015** cumulative cases have been detected in Region 2, including **68** pediatric cases.
- **2,945** cumulative deaths among persons in Region 2 with HIV/AIDS have occurred, including **16** pediatric deaths.
- **4,613** persons are currently living with HIV/AIDS in Region 2.  
Persons living with HIV: **2,080**  
Persons living with AIDS: **2,533**

**Age Category**

<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	19	<1 %
13 - 19	50	1 %
20 - 24	235	5 %
25 - 29	426	9 %
30 - 34	562	12 %
35 - 39	603	13 %
40 - 44	632	14 %
45 - 49	734	16 %
50 - 54	608	13 %
55 - 59	397	9 %
60+	347	8 %
<b>Total</b>	<b>4,613</b>	<b>100 %</b>

**Race/Ethnicity**

	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Black, Non-Hispanic	2,295	1,545	3,840	83 %
White, Non-Hispanic	559	126	685	15 %
Hispanic	41	11	52	1 %
Asian/Pacific Islander	6	1	7	<1 %
American Indian	2	1	3	<1 %
Unknown	4	1	5	<1 %
Multi-race	15	6	21	<1 %
<b>Total</b>	<b>2,922</b>	<b>1,691</b>	<b>4,613</b>	<b>100 %</b>

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	1,050	0	1,050	38 %
Injection drug use	393	226	619	22 %
Men who have sex with men and inject drugs	189	0	189	7 %
Heterosexual contact	285	581	866	31 %
Transfusion/Hemophilia	8	10	18	1 %
Perinatal	30	22	52	2 %
<b>Total</b>	<b>1,955</b>	<b>839</b>	<b>2,794</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>967</i>	<i>852</i>	<i>1,819</i>	

**Persons Living with AIDS  
Region 2: Baton Rouge Region  
as of September 30, 2011**

*Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes*

- **4,729** cumulative AIDS cases have been diagnosed in Region 2, including **30** pediatric cases.
- **2,533** persons are currently living with AIDS in Region 2.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	3	<1 %	Black, Non-Hispanic	1,326	798	2,124	84 %
13 - 19	17	1 %	White, Non-Hispanic	312	53	365	14 %
20 - 24	64	3 %	Hispanic	22	6	28	1 %
25 - 29	165	7 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	242	10 %	American Indian	2	0	2	<1 %
35 - 39	329	13 %	Unknown	1	0	1	<1 %
40 - 44	384	15 %	Multi-race	10	1	11	<1 %
45 - 49	451	18 %	<b>Total</b>	1,675	858	2,533	100 %
50 - 54	378	15 %					
55 - 59	272	11 %					
60+	228	9 %					
<b>Total</b>	2,533	100 %					

**Exposure Category**

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	572	0	572	35 %
Injection drug use	295	133	428	26 %
Men who have sex with men and inject drugs	138	0	138	8 %
Heterosexual contact	164	324	488	29 %
Transfusion/Hemophilia	5	8	13	1 %
Perinatal	12	5	17	1 %
<b>Total</b>	1,186	470	1,656	100 %
<i>No Identified Risk</i>	489	388	877	

**Persons Newly Diagnosed with HIV/AIDS****Region 2: Baton Rouge Region***Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes***HIV CASES DIAGNOSED January - December 2010**

- 302 persons were newly diagnosed with HIV in Region 2.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	199	66 %	Black, Non-Hispanic	265	88 %
Women	103	34 %	White, Non-Hispanic	28	9 %
<b>Total</b>	<b>302</b>	<b>100 %</b>	Hispanic	4	1 %
			Unknown	1	<1 %
			Multi-race	4	1 %
			<b>Total</b>	<b>302</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	2	1 %	Men who have sex with men	93	53 %
13 - 24	80	26 %	Injection drug use	19	11 %
25 - 34	87	29 %	Men who have sex with men and inject drugs	3	2 %
35 - 44	62	21 %	Heterosexual contact	58	33 %
45+	71	24 %	Perinatal	2	1 %
<b>Total</b>	<b>302</b>	<b>100 %</b>	<b>Total</b>	<b>175</b>	<b>100 %</b>

*No Identified Risk* 127

**AIDS CASES DIAGNOSED January - December 2010**

- 238 persons were newly diagnosed with AIDS in Region 2.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	144	61 %	Black, Non-Hispanic	218	92 %
Women	94	39 %	White, Non-Hispanic	17	7 %
<b>Total</b>	<b>238</b>	<b>100 %</b>	Hispanic	3	1 %
			<b>Total</b>	<b>238</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	30	13 %	Men who have sex with men	52	39 %
25 - 34	72	30 %	Injection drug use	32	24 %
35 - 44	61	26 %	Men who have sex with men and inject drugs	4	3 %
45+	75	32 %	Heterosexual contact	45	34 %
<b>Total</b>	<b>238</b>	<b>100 %</b>	<b>Total</b>	<b>133</b>	<b>100 %</b>

*No Identified Risk* 105

**Persons Living with HIV/AIDS****Region 3: Houma Region****as of September 30, 2011***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes*

- **1,036** cumulative cases have been detected in Region 3, including **16** pediatric cases.
- **473** cumulative deaths among persons in Region 3 with HIV/AIDS have occurred, including **8** pediatric deaths.
- **674** persons are currently living with HIV/AIDS in Region 3.  
Persons living with HIV: **281**  
Persons living with AIDS: **393**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>		<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
0 - 12	2	<1 %	Black, Non-Hispanic	233	154	387	57 %
13 - 19	9	1 %	White, Non-Hispanic	205	50	255	38 %
20 - 24	41	6 %	Hispanic	16	6	22	3 %
25 - 29	61	9 %	Asian/Pacific Islander	2	1	3	<1 %
30 - 34	79	12 %	American Indian	0	2	2	<1 %
35 - 39	76	11 %	Unknown	1	0	1	<1 %
40 - 44	97	14 %	Multi-race	3	1	4	1 %
45 - 49	105	16 %	<b>Total</b>	460	214	674	100 %
50 - 54	95	14 %					
55 - 59	60	9 %					
60+	49	7 %					
<b>Total</b>	674	100 %					

Exposure Category

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	246	0	246	55 %
Injection drug use	33	21	54	12 %
Men who have sex with men and inject drugs	16	0	16	4 %
Heterosexual contact	30	93	123	27 %
Transfusion/Hemophilia	0	1	1	<1 %
Perinatal	6	4	10	2 %
<b>Total</b>	331	119	450	100 %
<i>No Identified Risk</i>	129	95	224	

**Persons Living with AIDS****Region 3: Houma Region****as of September 30, 2011***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes*

• **773** cumulative AIDS cases have been diagnosed in Region 3, including **10** pediatric cases.

• **393** persons are currently living with AIDS in Region 3.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
13 - 19	3	1 %	Black, Non-Hispanic	144	86	230	59 %
20 - 24	9	2 %	White, Non-Hispanic	116	26	142	36 %
25 - 29	24	6 %	Hispanic	11	3	14	4 %
30 - 34	46	12 %	Asian/Pacific Islander	1	1	2	1 %
35 - 39	34	9 %	American Indian	0	2	2	1 %
40 - 44	60	15 %	Multi-race	2	1	3	1 %
45 - 49	72	18 %	<b>Total</b>	274	119	393	100 %
50 - 54	66	17 %					
55 - 59	42	11 %					
60+	37	9 %					
<b>Total</b>	<b>393</b>	<b>100 %</b>					

**Exposure Category**

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	136	0	136	52 %
Injection drug use	25	14	39	15 %
Men who have sex with men and inject drugs	11	0	11	4 %
Heterosexual contact	20	50	70	27 %
Transfusion/Hemophilia	0	1	1	<1 %
Perinatal	4	3	7	3 %
<b>Total</b>	<b>196</b>	<b>68</b>	<b>264</b>	<b>100 %</b>

<i>No Identified Risk</i>	78	51	129	
---------------------------	----	----	-----	--

**Persons Newly Diagnosed with HIV/AIDS****Region 3: Houma Region***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes***HIV CASES DIAGNOSED January - December 2010**

- 58 persons were newly diagnosed with HIV in Region 3.

<u>Gender</u>	<b>Cases</b>	<b>Percent</b>	<u>Race/Ethnicity</u>	<b>Cases</b>	<b>Percent</b>
Men	38	66 %	Black, Non-Hispanic	39	67 %
Women	20	34 %	White, Non-Hispanic	14	24 %
<b>Total</b>	<b>58</b>	<b>100 %</b>	Hispanic	3	5 %
			Multi-race	2	3 %
			<b>Total</b>	<b>58</b>	<b>100 %</b>

<u>Age at Detection</u>	<b>Cases</b>	<b>Percent</b>	<u>Cases with a reported risk:</u>	<b>Cases</b>	<b>Percent</b>
13 - 24	24	41 %	Men who have sex with men	22	56 %
25 - 34	13	22 %	Injection drug use	1	3 %
35 - 44	11	19 %	Men who have sex with men and inject drugs	1	3 %
45+	10	17 %	Heterosexual contact	15	38 %
<b>Total</b>	<b>58</b>	<b>100 %</b>	<b>Total</b>	<b>39</b>	<b>100 %</b>

*No Identified Risk*

19

**AIDS CASES DIAGNOSED January - December 2010**

- 48 persons were newly diagnosed with AIDS in Region 3.

<u>Gender</u>	<b>Cases</b>	<b>Percent</b>	<u>Race/Ethnicity</u>	<b>Cases</b>	<b>Percent</b>
Men	31	65 %	Black, Non-Hispanic	30	62 %
Women	17	35 %	White, Non-Hispanic	15	31 %
<b>Total</b>	<b>48</b>	<b>100 %</b>	Hispanic	1	2 %
			Multi-race	2	4 %
			<b>Total</b>	<b>48</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<b>Cases</b>	<b>Percent</b>	<u>Cases with a reported risk:</u>	<b>Cases</b>	<b>Percent</b>
13 - 24	3	6 %	Men who have sex with men	10	33 %
25 - 34	18	38 %	Injection drug use	5	17 %
35 - 44	13	27 %	Men who have sex with men and inject drugs	3	10 %
45+	14	29 %	Heterosexual contact	12	40 %
<b>Total</b>	<b>48</b>	<b>100 %</b>	<b>Total</b>	<b>30</b>	<b>100 %</b>

*No Identified Risk*

18



**Persons Living with HIV/AIDS****Region 4: Lafayette Region****as of September 30, 2011***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes*

- **2,007** cumulative cases have been detected in Region 4, including **17** pediatric cases.
- **910** cumulative deaths among persons in Region 4 with HIV/AIDS have occurred, including **10** pediatric deaths.
- **1,393** persons are currently living with HIV/AIDS in Region 4.  
Persons living with HIV: **630**  
Persons living with AIDS: **763**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	4	<1 %	Black, Non-Hispanic	538	253	791	57 %
13 - 19	12	1 %	White, Non-Hispanic	434	94	528	38 %
20 - 24	56	4 %	Hispanic	52	2	54	4 %
25 - 29	99	7 %	Asian/Pacific Islander	0	2	2	<1 %
30 - 34	142	10 %	American Indian	2	1	3	<1 %
35 - 39	132	9 %	Unknown	2	0	2	<1 %
40 - 44	196	14 %	Multi-race	8	5	13	1 %
45 - 49	296	21 %	<b>Total</b>	<b>1,036</b>	<b>357</b>	<b>1,393</b>	<b>100 %</b>
50 - 54	218	16 %					
55 - 59	150	11 %					
60+	88	6 %					
<b>Total</b>	<b>1,393</b>	<b>100 %</b>					

Exposure Category

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	494	0	494	55 %
Injection drug use	74	41	115	13 %
Men who have sex with men and inject drugs	54	0	54	6 %
Heterosexual contact	64	153	217	24 %
Transfusion/Hemophilia	5	1	6	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	6	6	12	1 %
<b>Total</b>	<b>697</b>	<b>202</b>	<b>899</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>339</i>	<i>155</i>	<i>494</i>	

**Persons Living with AIDS****Region 4: Lafayette Region****as of September 30, 2011***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes*

• **1,342** cumulative AIDS cases have been diagnosed in Region 4, including **12** pediatric cases.

• **763** persons are currently living with AIDS in Region 4.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>					
0 - 12	1	<1 %	Black, Non-Hispanic	297	131	428	56 %
13 - 19	4	1 %	White, Non-Hispanic	262	41	303	40 %
20 - 24	10	1 %	Hispanic	26	0	26	3 %
25 - 29	42	6 %	Asian/Pacific Islander	0	1	1	<1 %
30 - 34	61	8 %	Multi-race	3	2	5	1 %
35 - 39	76	10 %	<b>Total</b>	<b>588</b>	<b>175</b>	<b>763</b>	<b>100 %</b>
40 - 44	108	14 %					
45 - 49	183	24 %					
50 - 54	124	16 %					
55 - 59	99	13 %					
60+	55	7 %					
<b>Total</b>	<b>763</b>	<b>100 %</b>					

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	288	0	288	55 %
Injection drug use	51	19	70	13 %
Men who have sex with men and inject drugs	37	0	37	7 %
Heterosexual contact	35	80	115	22 %
Transfusion/Hemophilia	3	1	4	1 %
Perinatal	1	5	6	1 %
<b>Total</b>	<b>415</b>	<b>105</b>	<b>520</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>173</i>	<i>70</i>	<i>243</i>	

**Persons Newly Diagnosed with HIV/AIDS****Region 4: Lafayette Region***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes***HIV CASES DIAGNOSED January - December 2010**

- 94 persons were newly diagnosed with HIV in Region 4.

<b><u>Gender</u></b>	<b>Cases</b>	<b>Percent</b>	<b><u>Race/Ethnicity</u></b>	<b>Cases</b>	<b>Percent</b>
Men	72	77 %	Black, Non-Hispanic	60	64 %
Women	22	23 %	White, Non-Hispanic	32	34 %
<b>Total</b>	<b>94</b>	<b>100 %</b>	Hispanic	1	1 %
			American Indian	1	1 %
			<b>Total</b>	<b>94</b>	<b>100 %</b>

<b><u>Age at Detection</u></b>	<b>Cases</b>	<b>Percent</b>	<b><u>Cases with a reported risk:</u></b>	<b>Cases</b>	<b>Percent</b>
13 - 24	27	29 %	Men who have sex with men	48	77 %
25 - 34	18	19 %	Injection drug use	4	6 %
35 - 44	20	21 %	Heterosexual contact	10	16 %
45+	29	31 %	<b>Total</b>	<b>62</b>	<b>100 %</b>
<b>Total</b>	<b>94</b>	<b>100 %</b>	<i>No Identified Risk</i>	<i>32</i>	

**AIDS CASES DIAGNOSED January - December 2010**

- 61 persons were newly diagnosed with AIDS in Region 4.

<b><u>Gender</u></b>	<b>Cases</b>	<b>Percent</b>	<b><u>Race/Ethnicity</u></b>	<b>Cases</b>	<b>Percent</b>
Men	44	72 %	Black, Non-Hispanic	40	66 %
Women	17	28 %	White, Non-Hispanic	20	33 %
<b>Total</b>	<b>61</b>	<b>100 %</b>	Hispanic	1	2 %
			<b>Total</b>	<b>61</b>	<b>100 %</b>

<b><u>Age at Diagnosis</u></b>	<b>Cases</b>	<b>Percent</b>	<b><u>Cases with a reported risk:</u></b>	<b>Cases</b>	<b>Percent</b>
13 - 24	9	15 %	Men who have sex with men	20	59 %
25 - 34	13	21 %	Injection drug use	4	12 %
35 - 44	18	30 %	Heterosexual contact	8	24 %
45+	21	34 %	Perinatal	2	6 %
<b>Total</b>	<b>61</b>	<b>100 %</b>	<b>Total</b>	<b>34</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>27</i>	

**Persons Living with HIV/AIDS****Region 5: Lake Charles Region****as of September 30, 2011***Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes*

- **1,275** cumulative cases have been detected in Region 5, including **9** pediatric cases.
- **487** cumulative deaths among persons in Region 5 with HIV/AIDS have occurred, including **2** pediatric deaths.
- **1,008** persons are currently living with HIV/AIDS in Region 5.  
Persons living with HIV: **441**  
Persons living with AIDS: **567**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	3	<1 %	Black, Non-Hispanic	427	157	584	58 %
13 - 19	9	1 %	White, Non-Hispanic	256	62	318	32 %
20 - 24	42	4 %	Hispanic	85	6	91	9 %
25 - 29	66	7 %	Asian/Pacific Islander	4	0	4	<1 %
30 - 34	112	11 %	American Indian	3	1	4	<1 %
35 - 39	125	12 %	Unknown	1	0	1	<1 %
40 - 44	158	16 %	Multi-race	3	3	6	1 %
45 - 49	196	19 %	<b>Total</b>	<b>779</b>	<b>229</b>	<b>1,008</b>	<b>100 %</b>
50 - 54	162	16 %					
55 - 59	78	8 %					
60+	57	6 %					
<b>Total</b>	<b>1,008</b>	<b>100 %</b>					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	315	0	315	44 %
Injection drug use	99	30	129	18 %
Men who have sex with men and inject drugs	83	0	83	12 %
Heterosexual contact	82	93	175	24 %
Transfusion/Hemophilia	5	1	6	1 %
Perinatal	2	6	8	1 %
<b>Total</b>	<b>586</b>	<b>130</b>	<b>716</b>	<b>100 %</b>

<i>No Identified Risk</i>	<i>193</i>	<i>99</i>	<i>292</i>	
---------------------------	------------	-----------	------------	--

**Persons Living with AIDS  
Region 5: Lake Charles Region  
as of September 30, 2011**

*Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes*

- **877** cumulative AIDS cases have been diagnosed in Region 5, including **5** pediatric cases.
- **567** persons are currently living with AIDS in Region 5.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	1	<1 %	Black, Non-Hispanic	256	73	329	58 %
13 - 19	3	1 %	White, Non-Hispanic	159	33	192	34 %
20 - 24	10	2 %	Hispanic	39	2	41	7 %
25 - 29	29	5 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	49	9 %	Multi-race	2	1	3	1 %
35 - 39	72	13 %	<b>Total</b>	458	109	567	100 %
40 - 44	99	17 %					
45 - 49	124	22 %					
50 - 54	101	18 %					
55 - 59	45	8 %					
60+	34	6 %					
<b>Total</b>	567	100 %					

**Exposure Category**

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	197	0	197	46 %
Injection drug use	64	22	86	20 %
Men who have sex with men and inject drugs	56	0	56	13 %
Heterosexual contact	43	41	84	19 %
Transfusion/Hemophilia	4	1	5	1 %
Perinatal	1	2	3	1 %
<b>Total</b>	365	66	431	100 %
<i>No Identified Risk</i>	93	43	136	

**Persons Newly Diagnosed with HIV/AIDS**  
**Region 5: Lake Charles Region**  
*Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes*

**HIV CASES DIAGNOSED January - December 2010**

• 49 persons were newly diagnosed with HIV in Region 5.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	36	73 %	Black, Non-Hispanic	28	57 %
Women	13	27 %	White, Non-Hispanic	19	39 %
<b>Total</b>	<b>49</b>	<b>100 %</b>	Hispanic	2	4 %
			<b>Total</b>	<b>49</b>	<b>100 %</b>

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	11	22 %	Men who have sex with men	16	50 %
25 - 34	13	27 %	Injection drug use	4	12 %
35 - 44	9	18 %	Men who have sex with men and inject drugs	2	6 %
45+	16	33 %	Heterosexual contact	10	31 %
<b>Total</b>	<b>49</b>	<b>100 %</b>	<b>Total</b>	<b>32</b>	<b>100 %</b>

*No Identified Risk* 17

**AIDS CASES DIAGNOSED January - December 2010**

• 29 persons were newly diagnosed with AIDS in Region 5.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	15	52 %	Black, Non-Hispanic	20	69 %
Women	14	48 %	White, Non-Hispanic	7	24 %
<b>Total</b>	<b>29</b>	<b>100 %</b>	Hispanic	2	7 %
			<b>Total</b>	<b>29</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	2	7 %	Men who have sex with men	7	37 %
25 - 34	13	45 %	Injection drug use	6	32 %
35 - 44	6	21 %	Men who have sex with men and inject drugs	1	5 %
45+	8	28 %	Heterosexual contact	5	26 %
<b>Total</b>	<b>29</b>	<b>100 %</b>	<b>Total</b>	<b>19</b>	<b>100 %</b>

*No Identified Risk* 10

**Persons Living with HIV/AIDS****Region 6: Alexandria Region****as of September 30, 2011***Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes*

- **1,336** cumulative cases have been detected in Region 6, including **13** pediatric cases.
- **484** cumulative deaths among persons in Region 6 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **763** persons are currently living with HIV/AIDS in Region 6.  
Persons living with HIV: **378**  
Persons living with AIDS: **385**

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
0 - 12	2	<1 %	Black, Non-Hispanic	335	189	524	69 %
13 - 19	6	1 %	White, Non-Hispanic	150	46	196	26 %
20 - 24	27	4 %	Hispanic	31	3	34	4 %
25 - 29	61	8 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	102	13 %	American Indian	0	1	1	<1 %
35 - 39	90	12 %	Multi-race	4	2	6	1 %
40 - 44	101	13 %	<b>Total</b>	<b>522</b>	<b>241</b>	<b>763</b>	<b>100 %</b>
45 - 49	135	18 %					
50 - 54	106	14 %					
55 - 59	81	11 %					
60+	52	7 %					
<b>Total</b>	<b>763</b>	<b>100 %</b>					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	206	0	206	41 %
Injection drug use	55	26	81	16 %
Men who have sex with men and inject drugs	37	0	37	7 %
Heterosexual contact	59	109	168	33 %
Transfusion/Hemophilia	8	1	9	2 %
Perinatal	4	2	6	1 %
<b>Total</b>	<b>369</b>	<b>138</b>	<b>507</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>153</i>	<i>103</i>	<i>256</i>	

## Persons Living with AIDS

### Region 6: Alexandria Region as of September 30, 2011

*Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes*

- **831** cumulative AIDS cases have been diagnosed in Region 6, including **5** pediatric cases.
- **385** persons are currently living with AIDS in Region 6.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
13 - 19	1	<1 %	Black, Non-Hispanic	184	81	265	69 %
20 - 24	8	2 %	White, Non-Hispanic	81	27	108	28 %
25 - 29	13	3 %	Hispanic	9	0	9	2 %
30 - 34	42	11 %	Asian/Pacific Islander	1	0	1	<1 %
35 - 39	43	11 %	Multi-race	1	1	2	1 %
40 - 44	59	15 %	<b>Total</b>	276	109	385	100 %
45 - 49	75	19 %					
50 - 54	65	17 %					
55 - 59	47	12 %					
60+	32	8 %					
<b>Total</b>	<b>385</b>	<b>100 %</b>					

### Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	107	0	107	40 %
Injection drug use	26	16	42	16 %
Men who have sex with men and inject drugs	28	0	28	10 %
Heterosexual contact	30	51	81	30 %
Transfusion/Hemophilia	6	0	6	2 %
Perinatal	1	2	3	1 %
<b>Total</b>	<b>198</b>	<b>69</b>	<b>267</b>	<b>100 %</b>
<i>No Identified Risk</i>	78	40	118	



**Persons Newly Diagnosed with HIV/AIDS****Region 6: Alexandria Region**

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

**HIV CASES DIAGNOSED January - December 2010**

- 62 persons were newly diagnosed with HIV in Region 6.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	47	76 %	Black, Non-Hispanic	32	52 %
Women	15	24 %	White, Non-Hispanic	21	34 %
<b>Total</b>	<b>62</b>	<b>100 %</b>	Hispanic	8	13 %
			Multi-race	1	2 %
			<b>Total</b>	<b>62</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	16	26 %	Men who have sex with men	24	59 %
25 - 34	17	27 %	Injection drug use	3	7 %
35 - 44	15	24 %	Heterosexual contact	14	34 %
45+	14	23 %	<b>Total</b>	<b>41</b>	<b>100 %</b>
<b>Total</b>	<b>62</b>	<b>100 %</b>	<i>No Identified Risk</i>	<i>21</i>	

**AIDS CASES DIAGNOSED January - December 2010**

- 37 persons were newly diagnosed with AIDS in Region 6.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	28	76 %	Black, Non-Hispanic	28	76 %
Women	9	24 %	White, Non-Hispanic	6	16 %
<b>Total</b>	<b>37</b>	<b>100 %</b>	Hispanic	3	8 %
			<b>Total</b>	<b>37</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	4	11 %	Men who have sex with men	10	50 %
25 - 34	12	32 %	Injection drug use	2	10 %
35 - 44	11	30 %	Men who have sex with men and inject drugs	2	10 %
45+	10	27 %	Heterosexual contact	6	30 %
<b>Total</b>	<b>37</b>	<b>100 %</b>	<b>Total</b>	<b>20</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>17</i>	

**Persons Living with HIV/AIDS****Region 7: Shreveport Region****as of September 30, 2011***Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes*

- **2,151** cumulative cases have been detected in Region 7, including **27** pediatric cases.
- **944** cumulative deaths among persons in Region 7 with HIV/AIDS have occurred, including **11** pediatric deaths.
- **1,477** persons are currently living with HIV/AIDS in Region 7.  
Persons living with HIV: **697**  
Persons living with AIDS: **780**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	3	<1 %	Black, Non-Hispanic	709	342	1,051	71 %
13 - 19	22	1 %	White, Non-Hispanic	304	78	382	26 %
20 - 24	108	7 %	Hispanic	20	5	25	2 %
25 - 29	143	10 %	Asian/Pacific Islander	4	0	4	<1 %
30 - 34	191	13 %	American Indian	8	1	9	1 %
35 - 39	171	12 %	Unknown	1	0	1	<1 %
40 - 44	193	13 %	Multi-race	4	1	5	<1 %
45 - 49	232	16 %	<b>Total</b>	<b>1,050</b>	<b>427</b>	<b>1,477</b>	<b>100 %</b>
50 - 54	186	13 %					
55 - 59	124	8 %					
60+	104	7 %					
<b>Total</b>	<b>1,477</b>	<b>100 %</b>					

Exposure Category

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	529	0	529	52 %
Injection drug use	65	45	110	11 %
Men who have sex with men and inject drugs	90	0	90	9 %
Heterosexual contact	84	183	267	26 %
Transfusion/Hemophilia	4	3	7	1 %
Perinatal	8	6	14	1 %
<b>Total</b>	<b>780</b>	<b>237</b>	<b>1,017</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>270</i>	<i>190</i>	<i>460</i>	

**Persons Living with AIDS  
Region 7: Shreveport Region  
as of September 30, 2011**

*Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes*

- **1,414** cumulative AIDS cases have been diagnosed in Region 7, including **19** pediatric cases.
- **780** persons are currently living with AIDS in Region 7.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	1	<1 %	Black, Non-Hispanic	391	166	557	71 %
13 - 19	8	1 %	White, Non-Hispanic	164	34	198	25 %
20 - 24	26	3 %	Hispanic	13	3	16	2 %
25 - 29	54	7 %	Asian/Pacific Islander	1	0	1	<1 %
30 - 34	73	9 %	American Indian	5	0	5	1 %
35 - 39	86	11 %	Multi-race	2	1	3	<1 %
40 - 44	107	14 %	<b>Total</b>	<b>576</b>	<b>204</b>	<b>780</b>	<b>100 %</b>
45 - 49	141	18 %					
50 - 54	125	16 %					
55 - 59	91	12 %					
60+	68	9 %					
<b>Total</b>	<b>780</b>	<b>100 %</b>					

Exposure Category

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	275	0	275	49 %
Injection drug use	46	21	67	12 %
Men who have sex with men and inject drugs	55	0	55	10 %
Heterosexual contact	63	92	155	27 %
Transfusion/Hemophilia	3	3	6	1 %
Perinatal	3	4	7	1 %
<b>Total</b>	<b>445</b>	<b>120</b>	<b>565</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>131</i>	<i>84</i>	<i>215</i>	

**Persons Newly Diagnosed with HIV/AIDS****Region 7: Shreveport Region***Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes***HIV CASES DIAGNOSED January - December 2010**

- 104 persons were newly diagnosed with HIV in Region 7.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	70	67 %	Black, Non-Hispanic	88	85 %
Women	34	33 %	White, Non-Hispanic	11	11 %
<b>Total</b>	104	100 %	Hispanic	2	2 %
			American Indian	2	2 %
			Multi-race	1	1 %
			<b>Total</b>	104	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	34	33 %	Men who have sex with men	35	56 %
25 - 34	27	26 %	Injection drug use	6	10 %
35 - 44	21	20 %	Men who have sex with men and inject drugs	2	3 %
45+	22	21 %	Heterosexual contact	19	31 %
<b>Total</b>	104	100 %	<b>Total</b>	62	100 %

*No Identified Risk* 42

**AIDS CASES DIAGNOSED January - December 2010**

- 53 persons were newly diagnosed with AIDS in Region 7.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	34	64 %	Black, Non-Hispanic	44	83 %
Women	19	36 %	White, Non-Hispanic	8	15 %
<b>Total</b>	53	100 %	American Indian	1	2 %
			<b>Total</b>	53	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	8	15 %	Men who have sex with men	9	30 %
25 - 34	10	19 %	Injection drug use	6	20 %
35 - 44	17	32 %	Men who have sex with men and inject drugs	4	13 %
45+	18	34 %	Heterosexual contact	11	37 %
<b>Total</b>	53	100 %	<b>Total</b>	30	100 %

*No Identified Risk* 23

**Persons Living with HIV/AIDS****Region 8: Monroe Region****as of September 30, 2011***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes*

- **1,551** cumulative cases have been detected in Region 8, including **17** pediatric cases.
- **646** cumulative deaths among persons in Region 8 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **964** persons are currently living with HIV/AIDS in Region 8.  
Persons living with HIV: **446**  
Persons living with AIDS: **518**

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
0 - 12	7	1 %	Black, Non-Hispanic	435	292	727	75 %
13 - 19	9	1 %	White, Non-Hispanic	162	49	211	22 %
20 - 24	33	3 %	Hispanic	12	4	16	2 %
25 - 29	88	9 %	Asian/Pacific Islander	3	0	3	<1 %
30 - 34	144	15 %	American Indian	1	0	1	<1 %
35 - 39	108	11 %	Unknown	1	0	1	<1 %
40 - 44	124	13 %	Multi-race	3	2	5	1 %
45 - 49	159	16 %	<b>Total</b>	<b>617</b>	<b>347</b>	<b>964</b>	<b>100 %</b>
50 - 54	129	13 %					
55 - 59	92	10 %					
60+	71	7 %					
<b>Total</b>	<b>964</b>	<b>100 %</b>					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	307	0	307	46 %
Injection drug use	41	34	75	11 %
Men who have sex with men and inject drugs	41	0	41	6 %
Heterosexual contact	69	153	222	33 %
Transfusion/Hemophilia	2	3	5	1 %
Perinatal	4	9	13	2 %
<b>Total</b>	<b>464</b>	<b>199</b>	<b>663</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>153</i>	<i>148</i>	<i>301</i>	

**Persons Living with AIDS****Region 8: Monroe Region****as of September 30, 2011***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes*

• **1,011** cumulative AIDS cases have been diagnosed in Region 8, including **8** pediatric cases.

• **518** persons are currently living with AIDS in Region 8.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>		<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	1	<1 %	Black, Non-Hispanic	251	132	383	74 %
13 - 19	3	1 %	White, Non-Hispanic	99	23	122	24 %
20 - 24	9	2 %	Hispanic	7	2	9	2 %
25 - 29	29	6 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	68	13 %	Multi-race	1	1	2	<1 %
35 - 39	64	12 %	<b>Total</b>	360	158	518	100 %
40 - 44	75	14 %					
45 - 49	88	17 %					
50 - 54	74	14 %					
55 - 59	58	11 %					
60+	49	9 %					
<b>Total</b>	518	100 %					

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	168	0	168	45 %
Injection drug use	24	21	45	12 %
Men who have sex with men and inject drugs	31	0	31	8 %
Heterosexual contact	48	76	124	33 %
Transfusion/Hemophilia	2	1	3	1 %
Perinatal	3	0	3	1 %
<b>Total</b>	276	98	374	100 %
<i>No Identified Risk</i>	84	60	144	

**Persons Newly Diagnosed with HIV/AIDS****Region 8: Monroe Region***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes***HIV CASES DIAGNOSED January - December 2010**

- 59 persons were newly diagnosed with HIV in Region 8.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	44	75 %	Black, Non-Hispanic	43	73 %
Women	15	25 %	White, Non-Hispanic	15	25 %
<b>Total</b>	<b>59</b>	<b>100 %</b>	Asian/Pacific Islander	1	2 %
			<b>Total</b>	<b>59</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	13	22 %	Men who have sex with men	25	60 %
25 - 34	20	34 %	Injection drug use	4	10 %
35 - 44	9	15 %	Men who have sex with men and inject drugs	2	5 %
45+	17	29 %	Heterosexual contact	11	26 %
<b>Total</b>	<b>59</b>	<b>100 %</b>	<b>Total</b>	<b>42</b>	<b>100 %</b>

*No Identified Risk* 17

**AIDS CASES DIAGNOSED January - December 2010**

- 44 persons were newly diagnosed with AIDS in Region 8.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	27	61 %	Black, Non-Hispanic	38	86 %
Women	17	39 %	White, Non-Hispanic	6	14 %
<b>Total</b>	<b>44</b>	<b>100 %</b>	<b>Total</b>	<b>44</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	4	9 %	Men who have sex with men	10	33 %
25 - 34	16	36 %	Injection drug use	5	17 %
35 - 44	10	23 %	Men who have sex with men and inject drugs	1	3 %
45+	14	32 %	Heterosexual contact	14	47 %
<b>Total</b>	<b>44</b>	<b>100 %</b>	<b>Total</b>	<b>30</b>	<b>100 %</b>

*No Identified Risk* 14

**Persons Living with HIV/AIDS  
Region 9: Hammond/Slidell Region  
as of September 30, 2011**

*Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes*

- **1,398** cumulative cases have been detected in Region 9, including **16** pediatric cases.
- **577** cumulative deaths among persons in Region 9 with HIV/AIDS have occurred, including **7** pediatric deaths.
- **1,044** persons are currently living with HIV/AIDS in Region 9.  
Persons living with HIV: **467**  
Persons living with AIDS: **577**

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
0 - 12	7	1 %	Black, Non-Hispanic	340	184	524	50 %
13 - 19	6	1 %	White, Non-Hispanic	392	91	483	46 %
20 - 24	30	3 %	Hispanic	21	6	27	3 %
25 - 29	70	7 %	Asian/Pacific Islander	1	1	2	<1 %
30 - 34	92	9 %	American Indian	1	0	1	<1 %
35 - 39	121	12 %	Unknown	1	1	2	<1 %
40 - 44	174	17 %	Multi-race	5	0	5	<1 %
45 - 49	194	19 %	<b>Total</b>	<b>761</b>	<b>283</b>	<b>1044</b>	<b>100 %</b>
50 - 54	177	17 %					
55 - 59	80	8 %					
60+	93	9 %					
<b>Total</b>	<b>1044</b>	<b>100 %</b>					

**Exposure Category**

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	397	0	397	54 %
Injection drug use	64	50	114	16 %
Men who have sex with men and inject drugs	47	0	47	6 %
Heterosexual contact	56	98	154	21 %
Transfusion/Hemophilia	5	0	5	1 %
Perinatal	8	7	15	2 %
<b>Total</b>	<b>577</b>	<b>155</b>	<b>732</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>184</i>	<i>128</i>	<i>312</i>	



**Persons Living with AIDS**  
**Region 9: Hammond/Slidell Region**  
**as of September 30, 2011**

*Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes*

- **958** cumulative AIDS cases have been diagnosed in Region 9, including **8** pediatric cases.
- **577** persons are currently living with AIDS in Region 9.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
13 - 19	1	<1 %	Black, Non-Hispanic	198	83	281	49 %
20 - 24	4	1 %	White, Non-Hispanic	234	42	276	48 %
25 - 29	25	4 %	Hispanic	10	4	14	2 %
30 - 34	39	7 %	American Indian	1	0	1	<1 %
35 - 39	60	10 %	Unknown	0	1	1	<1 %
40 - 44	97	17 %	Multi-race	4	0	4	1 %
45 - 49	123	21 %	<b>Total</b>	447	130	577	100 %
50 - 54	114	20 %					
55 - 59	50	9 %					
60+	64	11 %					
<b>Total</b>	<b>577</b>	<b>100 %</b>					

<u>Exposure Category</u>				
Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	231	0	231	55 %
Injection drug use	48	28	76	18 %
Men who have sex with men and inject drugs	27	0	27	6 %
Heterosexual contact	33	46	79	19 %
Transfusion/Hemophilia	5	0	5	1 %
Perinatal	3	2	5	1 %
<b>Total</b>	<b>347</b>	<b>76</b>	<b>423</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>100</i>	<i>54</i>	<i>154</i>	

**Persons Newly Diagnosed with HIV/AIDS****Region 9: Hammond/Slidell Region***Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes***HIV CASES DIAGNOSED January - December 2010**

- 73 persons were newly diagnosed with HIV in Region 9.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	55	75 %	Black, Non-Hispanic	48	66 %
Women	18	25 %	White, Non-Hispanic	22	30 %
<b>Total</b>	<b>73</b>	<b>100 %</b>	Hispanic	1	1 %
			Asian/Pacific Islander	1	1 %
			Multi-race	1	1 %
			<b>Total</b>	<b>73</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	1 %	Men who have sex with men	30	61 %
13 - 24	9	12 %	Injection drug use	8	16 %
25 - 34	17	23 %	Heterosexual contact	10	20 %
35 - 44	12	16 %	Perinatal	1	2 %
45+	34	47 %	<b>Total</b>	<b>49</b>	<b>100 %</b>
<b>Total</b>	<b>73</b>	<b>100 %</b>	<i>No Identified Risk</i>	<b>24</b>	

**AIDS CASES DIAGNOSED January - December 2010**

- 42 persons were newly diagnosed with AIDS in Region 9.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	31	74 %	Black, Non-Hispanic	26	62 %
Women	11	26 %	White, Non-Hispanic	15	36 %
<b>Total</b>	<b>42</b>	<b>100 %</b>	Hispanic	1	2 %
			<b>Total</b>	<b>42</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	1	2 %	Men who have sex with men	18	62 %
25 - 34	10	24 %	Injection drug use	5	17 %
35 - 44	7	17 %	Heterosexual contact	5	17 %
45+	24	57 %	Perinatal	1	3 %
<b>Total</b>	<b>42</b>	<b>100 %</b>	<b>Total</b>	<b>29</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<b>13</b>	