


Fourth Quarter 2011

Vol. 9, No. 4



Louisiana Office of Public Health

STD/HIV Program

DeAnn Gruber, PhD, LCSW

STD/HIV Program Manager

Jessica Fridge, MSPH

Surveillance Program Manager

Editor/Production:

Demerial Banks

William T. Robinson

Data Management and Analysis:

Debbie Wendell, MPH, Ph.D., *Manager*

Demerial Banks, MPH, *Surveillance Epidemiologist*

Tania Bechtel, *Data Manager*

Joseph Foxhood, *Information Systems Developer*

George Stephens, *Computer Technician*

Josette Russell, *Data Manager*

Nelly de la Cruz, *Data Entry Specialist*

Special Projects:

William T. Robinson, Ph.D., *Biostatistician*

Jessica Cole, MPH, *Perinatal Surveillance Coordinator*

Rashad Arcement, MSPH, *Incidence & Resistance Coordinator*

Field Epidemiologists:

Betsy Shepard, PAC, MPH, *Epidemiologist Supervisor*

James Hubbard

Region 1

Cheryl Edney, BS MT(ASCP)

Regions 4, 5, 6

Connie Gordon

Regions 1, 3

Gayle Norris, MA

Regions 7, 8

Gale Terry, LPN

Regions 2, 9

TABLE OF CONTENTS

Contents	Page
Surveillance Summary	1
Louisiana: Persons Living with HIV/AIDS	2
Persons Living with AIDS	3
Persons newly diagnosed with HIV/AIDS	4
Parish: Persons Living with HIV/AIDS	5
Persons Living with AIDS	6
Metro New Orleans: Persons Living with HIV/AIDS	7
Persons Living with AIDS	8
Persons newly diagnosed with HIV/AIDS	9
Metro Baton Rouge: Persons Living with HIV/AIDS	10
Persons Living with AIDS	11
Persons newly diagnosed with HIV/AIDS	12
Region 1: Persons Living with HIV/AIDS	13
Persons Living with AIDS	14
Persons newly diagnosed with HIV/AIDS	15
Region 2: Persons Living with HIV/AIDS	16
Persons Living with AIDS	17
Persons newly diagnosed with HIV/AIDS	18
Region 3: Persons Living with HIV/AIDS	19
Persons Living with AIDS	20
Persons newly diagnosed with HIV/AIDS	21
Region 4: Persons Living with HIV/AIDS	22
Persons Living with AIDS	23
Persons newly diagnosed with HIV/AIDS	24
Region 5: Persons Living with HIV/AIDS	25
Persons Living with AIDS	26
Persons newly diagnosed with HIV/AIDS	27
Region 6: Persons Living with HIV/AIDS	28
Persons Living with AIDS	29
Persons newly diagnosed with HIV/AIDS	30
Region 7: Persons Living with HIV/AIDS	31
Persons Living with AIDS	32
Persons newly diagnosed with HIV/AIDS	33
Region 8: Persons Living with HIV/AIDS	34
Persons Living with AIDS	35
Persons newly diagnosed with HIV/AIDS	36
Region 9: Persons Living with HIV/AIDS	37
Persons Living with AIDS	38
Persons newly diagnosed with HIV/AIDS	39

Surveillance Summary

Data in this report includes cases diagnosed with HIV/AIDS and reported as of December 31, 2011¹.

- As of December 31, 2011, a cumulative total of **32,113** HIV/AIDS cases have been reported in Louisiana, including **323** pediatric cases.
- The cumulative number of deaths among persons diagnosed with HIV/AIDS, reported to the Louisiana Office of Public Health through December 31, 2011, is **13,733** including **111** deaths among pediatric cases.
- A total of **18,602** persons are living with HIV/AIDS in Louisiana; of these individuals, **10,113** persons (54%) have an AIDS diagnosis.
- Among women living with HIV/AIDS, the predominant known mode of transmission is high-risk heterosexual contact followed by injection drug use. Among men living with HIV/AIDS, the predominant mode of transmission is men who have sex with men followed by injection drug use.
- The primary risk factor for new HIV diagnoses in Louisiana is men who have sex with men (MSM). In 2010, of the persons who reported a risk factor, 58% reported being MSM, and an additional 3% reported being MSM and an injection drug user (IDU). As of December 31, 2011, 50% of all people living with HIV infection in Louisiana were MSM.
- Nationally, Louisiana ranked **5th** highest in AIDS case rates and **12th** in the number of AIDS cases diagnosed in 2009, according to the *CDC 2009 HIV Surveillance Report (Vol. 21)*.
- The Baton Rouge metropolitan area ranked **2nd** for AIDS case rates among the largest metropolitan areas in the U.S. in 2009; the New Orleans metropolitan area ranked **9th**.
- In 2010, **1,141** new HIV cases were diagnosed in Louisiana. Of these cases, **31%** (n=352) occurred in Region 1 (New Orleans) and **26%** (n=301) occurred in Region 2 (Baton Rouge).
- In 2010, **801** new AIDS cases were diagnosed in Louisiana. Of these cases, **31%** (n=251) occurred in Region 1 (New Orleans) and **30%** (n=238) occurred in Region 2 (Baton Rouge).
- In Louisiana, **29%** of new HIV cases and **34%** of new AIDS cases are among women.
- HIV continues to disproportionately affect African Americans in Louisiana. In 2010, **74%** of newly diagnosed HIV cases and **78%** of newly diagnosed AIDS cases were among African Americans.

¹Please note: This report reflects only information reported to Louisiana's HIV/AIDS surveillance system and information on persons living with HIV/AIDS (PLWH/A) may not be accurate due to population changes resulting from Hurricane Katrina. In March 2006, the Louisiana Office of Public Health HIV/AIDS Program (OPH-HAP) published the Louisiana HIV/AIDS Surveillance First Quarter 2006 report. In addition to the HIV/AIDS surveillance information, as presented here, this report contained a description of two methodologies used to estimate the impact of Hurricane Katrina on the number of PLWH/A in the New Orleans metropolitan area (see <http://www.dhh.louisiana.gov/offices/publications/pubs-264/1st%20Quarter%202006.pdf> for the full report). Updated estimates were provided in the 2006 Third Quarter Report at: <http://www.dhh.louisiana.gov/offices/publications/pubs-264/Third%20Quarter%202006.pdf>. Additional updated population estimates were presented at the February 2007 Statewide HIV/AIDS Meeting. This presentation can be found at: <http://www.dhh.louisiana.gov/offices/page.asp?ID=264&Detail=7584>. Updated estimates were also presented in the 2005-2006 Annual Report located at <http://www.dhh.louisiana.gov/offices/reports.asp?ID=264&Detail=261>.

More recent estimates indicate that as much as 84% of the pre-Katrina PLWH/A may now be living within the metropolitan area.

Persons Living with HIV/AIDS
Louisiana
as of December 31, 2011

- **32,113** cumulative cases have been detected in Louisiana, including **323** pediatric cases.
- **13,733** cumulative deaths among persons with HIV/AIDS have occurred in Louisiana, including **111** pediatric deaths.
- **18,602** persons are currently living with HIV/AIDS in Louisiana.
Persons living with HIV: **8,489**
Persons living with AIDS: **10,113**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	67	<1 %	Black, Non-Hispanic	7,985	4,569	12,554	67 %
13 - 19	196	1 %	White, Non-Hispanic	4,374	775	5,149	28 %
20 - 24	910	5 %	Hispanic	567	126	693	4 %
25 - 29	1,526	8 %	Asian/Pacific Islander	49	13	62	<1 %
30 - 34	2,112	11 %	American Indian	23	7	30	<1 %
35 - 39	2,155	12 %	Unknown	11	2	13	<1 %
40 - 44	2,568	14 %	Multi-race	73	28	101	1 %
45 - 49	3,183	17 %	Total	13,082	5,520	18,602	100 %
50 - 54	2,673	14 %					
55 - 59	1,738	9 %					
60+	1,474	8 %					
Total	18,602	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	6,124	0	6,124	50 %
Injection drug use	1,143	678	1,821	15 %
Men who have sex with men and inject drugs	872	0	872	7 %
Heterosexual contact	1,022	2,121	3,143	26 %
Transfusion/Hemophilia	54	36	90	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	88	98	186	2 %
Total	9,303	2,934	12,237	100 %
<i>No Identified Risk</i>	<i>3,779</i>	<i>2,586</i>	<i>6,365</i>	

Persons Living with AIDS
Louisiana
as of December 31, 2011

• **21,715** cumulative AIDS cases have been diagnosed in Louisiana, including **170** pediatric cases.

• **10,113** persons are currently living with AIDS in Louisiana.

Age Category **Race/Ethnicity**

Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	12	<1 %	Black, Non-Hispanic	4,468	2,306	6,774	67 %
13 - 19	53	1 %	White, Non-Hispanic	2,512	354	2,866	28 %
20 - 24	220	2 %	Hispanic	304	74	378	4 %
25 - 29	563	6 %	Asian/Pacific	21	5	26	<1 %
30 - 34	900	9 %	American Indian	10	2	12	<1 %
35 - 39	1,163	12 %	Unknown	0	1	1	<1 %
40 - 44	1,480	15 %	Multi-race	43	13	56	1 %
45 - 49	1,968	19 %	Total	7,358	2,755	10,113	100 %
50 - 54	1,660	16 %					
55 - 59	1,138	11 %					
60+	956	9 %					
Total	10,113	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	3,420	0	3,420	49 %
Injection drug use	775	385	1,160	16 %
Men who have sex with men and inject drugs	589	0	589	8 %
Heterosexual contact	613	1,128	1,741	25 %
Transfusion/Hemophilia	38	23	61	1 %
Perinatal	36	41	77	1 %
Total	5,471	1,577	7,048	100 %
<i>No Identified Risk</i>	<i>1,887</i>	<i>1,178</i>	<i>3,065</i>	

**Persons Newly Diagnosed with HIV/AIDS
Louisiana**

HIV CASES DIAGNOSED January - December 2010

• **1,141** persons were newly diagnosed with HIV in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	814	71 %	Black, Non-Hispanic	847	74 %
Women	327	29 %	White, Non-Hispanic	239	21 %
Total	1,141	100 %	Hispanic	33	3 %
			Asian/Pacific Islander	6	1 %
			American Indian	3	<1 %
			Unknown	1	<1 %
			Multi-race	12	1 %
			Total	1,141	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	5	<1 %	Men who have sex with men	426	58 %
13 - 24	297	26 %	Injection drug use	71	10 %
25 - 34	323	28 %	Men who have sex with men and inject drugs	20	3 %
35 - 44	222	19 %	Heterosexual contact	210	29 %
45+	294	26 %	Perinatal	5	1 %
Total	1,141	100 %	Total	732	100 %

<i>No Identified Risk</i>				409	
---------------------------	--	--	--	-----	--

AIDS CASES DIAGNOSED January - December 2010

• **801** persons were newly diagnosed with AIDS in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	529	66 %	Black, Non-Hispanic	626	78 %
Women	272	34 %	White, Non-Hispanic	145	18 %
Total	801	100 %	Hispanic	24	3 %
			American Indian	1	<1 %
			Multi-race	5	1 %
			Total	801	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	213	44 %
13 - 24	89	11 %	Injection drug use	83	17 %
25 - 34	230	29 %	Men who have sex with men and inject drugs	23	5 %
35 - 44	206	26 %	Heterosexual contact	153	32 %
45+	275	34 %	Perinatal	7	1 %
Total	801	100 %	Total	479	100 %

<i>No Identified Risk</i>				322	
---------------------------	--	--	--	-----	--

**Persons Living with HIV/AIDS by Parish
as of December 31, 2011**

Fourth Quarter 2011

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	101	Sabine	21
Allen	233	St. Bernard	135
Ascension	194	St. Charles	100
Assumption	25	St. Helena	14
Avoyelles	139	St. James	58
Beauregard	43	St. John the Baptist	136
Bienville	30	St. Landry	263
Bossier	161	St. Martin	103
Caddo	964	St. Mary	81
Calcasieu	675	St. Tammany	374
Caldwell	19	Tangipahoa	336
Cameron	3	Tensas	33
Catahoula	25	Terrebonne	194
Claiborne	58	Union	40
Concordia	42	Vermilion	88
De Soto	55	Vernon	56
East Baton Rouge	3,583	Washington	178
East Carroll	32	Webster	58
East Feliciana	163	West Baton Rouge	103
Evangeline	69	West Carroll	10
Franklin	28	West Feliciana	150
Grant	30	Winn	54
Iberia	117		
Iberville	431		
Jackson	38		
Jefferson	1,663		
Jefferson Davis	63		
La Salle	14		
Lafayette	664		
Lafourche	119		
Lincoln	69		
Livingston	161		
Madison	43		
Morehouse	66		
Natchitoches	115		
Orleans	4,680		
Ouachita	548		
Plaquemines	34		
Pointe Coupee	52		
Rapides	415		
Red River	8		
Richland	43		
		Total	18,602

**Persons Living with AIDS by Parish
as of December 31, 2011**

Fourth Quarter 2011

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	57	Sabine	16
Allen	117	St. Bernard	85
Ascension	99	St. Charles	52
Assumption	14	St. Helena	9
Avoyelles	73	St. James	33
Beauregard	28	St. John the Baptist	71
Bienville	16	St. Landry	153
Bossier	84	St. Martin	61
Caddo	504	St. Mary	54
Calcasieu	391	St. Tammany	213
Caldwell	10	Tangipahoa	177
Cameron	2	Tensas	15
Catahoula	15	Terrebonne	114
Claiborne	32	Union	28
Concordia	20	Vermilion	55
De Soto	32	Vernon	27
East Baton Rouge	1,929	Washington	95
East Carroll	19	Webster	27
East Feliciana	93	West Baton Rouge	63
Evangeline	37	West Carroll	5
Franklin	10	West Feliciana	94
Grant	18	Winn	29
Iberia	63		
Iberville	257		
Jackson	24		
Jefferson	912		
Jefferson Davis	37		
La Salle	9		
Lafayette	346		
Lafourche	72		
Lincoln	35		
Livingston	90		
Madison	23		
Morehouse	34		
Natchitoches	59		
Orleans	2,496		
Ouachita	295		
Plaquemines	22		
Pointe Coupee	33		
Rapides	199		
Red River	7		
Richland	24		
		Total	10,113

**Persons Living with HIV/AIDS
Metro New Orleans
as of December 31, 2011**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

- **15,044** cumulative cases have been detected in the New Orleans MSA, including **156** pediatric cases.
- **6,502** cumulative deaths among persons with HIV/AIDS have occurred in the New Orleans MSA, including **54** pediatric deaths.
- **7,180** persons are currently living with HIV/AIDS in the New Orleans MSA.
Persons living with HIV: **3,296**
Persons living with AIDS: **3,884**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	25	<1 %	Black, Non-Hispanic	2,808	1,514	4,322	60 %
13 - 19	60	1 %	White, Non-Hispanic	2,154	233	2,387	33 %
20 - 24	327	5 %	Hispanic	300	89	389	5 %
25 - 29	529	7 %	Asian/Pacific Islander	26	7	33	<1 %
30 - 34	720	10 %	American Indian	5	0	5	<1 %
35 - 39	771	11 %	Unknown	5	2	7	<1 %
40 - 44	985	14 %	Multi-race	28	9	37	1 %
45 - 49	1,254	17 %	Total	5,326	1,854	7,180	100 %
50 - 54	1,097	15 %					
55 - 59	736	10 %					
60+	676	9 %					
Total	7,180	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2,761	0	2,761	58 %
Injection drug use	354	214	568	12 %
Men who have sex with men and inject drugs	336	0	336	7 %
Heterosexual contact	320	690	1,010	21 %
Transfusion/Hemophilia	22	17	39	1 %
Perinatal	27	40	67	1 %
Total	3,820	961	4,781	100 %
<i>No Identified Risk</i>	<i>1,506</i>	<i>893</i>	<i>2,399</i>	

**Persons Living with AIDS
Metro New Orleans
as of December 31, 2011**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

- **10,305** cumulative AIDS cases have been diagnosed in the New Orleans MSA, including **81** pediatric cases.
- **3,884** persons are currently living with AIDS in the New Orleans MSA.

<u>Age Category</u>	<u>Race/Ethnicity</u>						
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	4	<1 %	Black, Non-Hispanic	1,501	788	2,289	59 %
13 - 19	15	<1 %	White, Non-Hispanic	1,228	97	1,325	34 %
20 - 24	77	2 %	Hispanic	175	57	232	6 %
25 - 29	179	5 %	Asian/Pacific Islander	10	3	13	<1 %
30 - 34	294	8 %	American Indian	1	0	1	<1 %
35 - 39	400	10 %	Unknown	0	1	1	<1 %
40 - 44	540	14 %	Multi-race	18	5	23	1 %
45 - 49	784	20 %	Total	2,933	951	3,884	100 %
50 - 54	682	18 %					
55 - 59	474	12 %					
60+	435	11 %					
Total	3,884	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	619	0	619	35 %
Injection drug use	305	145	450	26 %
Men who have sex with men and inject drugs	140	0	140	8 %
Heterosexual contact	170	334	504	29 %
Transfusion/Hemophilia	5	8	13	1 %
Perinatal	12	7	13	1 %
Total	1,251	494	1,745	100 %
<i>No Identified Risk</i>	<i>723</i>	<i>422</i>	<i>1,145</i>	

**Persons Newly Diagnosed with HIV/AIDS
Metro New Orleans**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

HIV CASES DIAGNOSED January - December 2010

- 393 persons were newly diagnosed with HIV in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	292	74 %	Black, Non-Hispanic	281	72 %
Women	101	26 %	White, Non-Hispanic	90	23 %
Total	393	100 %	Hispanic	13	3 %
			Asian/Pacific Islander	4	1 %
			Unknown	1	<1 %
			Multi-race	4	1 %
			Total	393	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	2	1 %	Men who have sex with men	150	59 %
13 - 24	100	25 %	Injection drug use	22	9 %
25 - 34	119	30 %	Men who have sex with men and inject drugs	10	4 %
35 - 44	73	19 %	Heterosexual contact	71	28 %
45+	99	25 %	Perinatal	2	1 %
Total	393	100 %	Total	255	100 %
			<i>No Identified Risk</i>	<i>138</i>	

AIDS CASES DIAGNOSED January - December 2010

- 277 persons were newly diagnosed with AIDS in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	194	70 %	Black, Non-Hispanic	201	73 %
Women	83	30 %	White, Non-Hispanic	59	21 %
Total	277	100 %	Hispanic	14	5 %
			Multi-race	3	1 %
			Total	277	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	<1 %	Men who have sex with men	84	50 %
13 - 24	30	11 %	Injection drug use	18	11 %
25 - 34	77	28 %	Men who have sex with men and inject drugs	10	6 %
35 - 44	68	25 %	Heterosexual contact	52	31 %
45+	101	36 %	Perinatal	4	2 %
Total	277	100 %	Total	168	100 %
			<i>No Identified Risk</i>	<i>109</i>	

**Persons Living with HIV/AIDS
Metro Baton Rouge
as of December 31, 2011**

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes

- **7,340** cumulative cases have been detected in the Baton Rouge MSA, including **73** pediatric cases.
- **3,101** cumulative deaths among persons with HIV/AIDS have occurred in the Baton Rouge MSA, including **19** pediatric deaths.
- **4,851** persons are currently living with HIV/AIDS in the Baton Rouge TGA.
Persons living with HIV: **2,184**
Persons living with AIDS: **2,667**

Age Category

Current Age	Cases	Percent
0 - 12	22	<1 %
13 - 19	60	1 %
20 - 24	258	5 %
25 - 29	445	9 %
30 - 34	591	12 %
35 - 39	640	13 %
40 - 44	673	14 %
50 - 54	633	13 %
55 - 59	411	8 %
60+	362	7 %
Total	4,851	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	2,371	1,597	3,968	82 %
White, Non-Hispanic	633	159	792	16 %
Hispanic	47	11	58	1 %
Asian/Pacific Islander	7	2	9	<1 %
American Indian	2	1	3	<1 %
Unknown	1	0	1	<1 %
Multi-race	15	5	20	<1 %
Total	3,076	1,775	4,851	100 %

Exposure Category**Cases with a reported risk:**

	Men	Women	Total	Percent
Men who have sex with men	1,132	0	1,132	38 %
Injection drug use	404	246	650	22 %
Men who have sex with men and inject drugs	199	0	199	7 %
Heterosexual contact	295	614	909	31 %
Transfusion/Hemophilia	7	10	17	1 %
Perinatal	31	25	56	2 %
Total	2,068	895	2,963	100 %

No Identified Risk

<i>1,008</i>	<i>880</i>	<i>1,888</i>
--------------	------------	--------------

**Persons Living with AIDS
Metro Baton Rouge
as of December 31, 2011**

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes

- **4,947** cumulative AIDS cases have been diagnosed in the Baton Rouge MSA, including **32** pediatric cases.
- **2,667** persons are currently living with AIDS in the Baton Rouge MSA.

<u>Age Category</u>	<u>Race/Ethnicity</u>						
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>		<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	4	<1 %	Black, Non-Hispanic	1,374	824	2,198	82 %
13 - 19	18	1 %	White, Non-Hispanic	355	67	422	16 %
20 - 24	67	3 %	Hispanic	25	6	31	1 %
25 - 29	175	7 %	Asian/Pacific Islander	3	0	3	<1 %
30 - 34	257	10 %	American Indian	2	0	2	<1 %
35 - 39	356	13 %	Multi-race	10	1	11	<1 %
40 - 44	411	15 %	Total	1,769	898	2,667	100 %
45 - 49	471	18 %					
50 - 54	391	15 %					
55 - 59	283	11 %					
60+	234	9 %					
Total	2,667	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	619	0	619	35 %
Injection drug use	305	145	450	26 %
Men who have sex with men and inject drugs	140	0	140	8 %
Heterosexual contact	170	334	504	29 %
Transfusion/Hemophilia	5	8	13	1 %
Perinatal	12	7	19	1 %
Total	1,251	494	1,745	100 %
<i>No Identified Risk</i>	<i>518</i>	<i>404</i>	<i>922</i>	

Persons Newly Diagnosed with HIV/AIDS**Metro Baton Rouge***Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes***HIV CASES DIAGNOSED January - December 2010**

- 313 persons were newly diagnosed with HIV in the Baton Rouge MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	204	65 %	Black, Non-Hispanic	269	86 %
Women	109	35 %	White, Non-Hispanic	35	11 %
Total	313	100 %	Hispanic	4	1 %
			Asian/Pacific Islander	1	<1 %
			Multi-race	4	1 %
			Total	313	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	2	1 %	Men who have sex with men	97	51 %
13 - 24	83	27 %	Injection drug use	24	13 %
25 - 34	90	29 %	Men who have sex with men and inject drugs	4	2 %
35 - 44	63	20 %	Heterosexual contact	62	33 %
45+	75	24 %	Perinatal	2	1 %
Total	313	100 %	Total	189	100 %
			<i>No Identified Risk</i>	<i>124</i>	

AIDS CASES DIAGNOSED January - December 2010

- 245 persons were newly diagnosed with AIDS in the Baton Rouge MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	150	61 %	Black, Non-Hispanic	222	91 %
Women	95	39 %	White, Non-Hispanic	20	8 %
Total	245	100 %	Hispanic	3	1 %
			Total	245	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	30	12 %	Men who have sex with men	54	39 %
25 - 34	73	30 %	Injection drug use	34	24 %
35 - 44	62	25 %	Men who have sex with men and inject drugs	5	4 %
45+	80	33 %	Heterosexual contact	47	34 %
Total	245	100 %	Total	140	100 %
			<i>No Identified Risk</i>	<i>105</i>	

Persons Living with HIV/AIDS

Region 1: New Orleans Region

as of December 31, 2011

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

- **14,129** cumulative cases have been detected in Region 1, including **140** pediatric cases.
- **6,120** cumulative deaths among persons in Region 1 with HIV/AIDS have occurred, including **49** pediatric deaths.
- **6,512** persons are currently living with HIV/AIDS in Region 1.
Persons living with HIV: **2,997**
Persons living with AIDS: **3,515**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	20	<1 %	Black, Non-Hispanic	2,603	1,394	3,997	61 %
13 - 19	48	1 %	White, Non-Hispanic	1,888	182	2,070	32 %
20 - 24	289	4 %	Hispanic	286	82	368	6 %
25 - 29	474	7 %	Asian/Pacific Islander	25	7	32	<1 %
30 - 34	657	10 %	American Indian	5	0	5	<1 %
35 - 39	706	11 %	Unknown	5	1	6	<1 %
40 - 44	882	14 %	Multi-race	25	9	34	1 %
45 - 49	1,132	17 %	Total	4,837	1,675	6,512	100 %
50 - 54	999	15 %					
55 - 59	681	10 %					
60+	624	10 %					
Total	6,512	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2,479	0	2,479	57 %
Injection drug use	328	194	522	12 %
Men who have sex with men and inject drugs	315	0	315	7 %
Heterosexual contact	294	624	918	21 %
Transfusion/Hemophilia	19	16	35	1 %
Perinatal	21	33	54	1 %
Total	3,456	867	4,323	100 %
<i>No Identified Risk</i>	<i>1,381</i>	<i>808</i>	<i>2,189</i>	

Persons Living with AIDS
Region 1: New Orleans Region
as of December 31, 2011

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

- **9,659** cumulative AIDS cases have been diagnosed in Region 1, including **72** pediatric cases.
- **3,515** persons are currently living with AIDS in Region 1.

<u>Age Category</u>	<u>Race/Ethnicity</u>			Men	Women	Total	Percent
Current Age	Cases	Percent					
0 - 12	4	<1 %	Black, Non-Hispanic	1,382	727	2,109	60 %
13 - 19	11	<1 %	White, Non-Hispanic	1,076	76	1,152	33 %
20 - 24	67	2 %	Hispanic	166	53	219	6 %
25 - 29	165	5 %	Asian/Pacific Islander	10	3	13	<1 %
30 - 34	260	7 %	American Indian	1	0	1	<1 %
35 - 39	369	10 %	Multi-race	16	5	21	1 %
40 - 44	480	14 %	Total	2,651	864	3,515	100 %
45 - 49	704	20 %					
50 - 54	621	18 %					
55 - 59	439	12 %					
60+	395	11 %					
Total	3,515	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,393	0	1,393	56 %
Injection drug use	202	106	308	12 %
Men who have sex with men and inject drugs	208	0	208	8 %
Heterosexual contact	178	353	531	21 %
Transfusion/Hemophilia	11	8	19	1 %
Perinatal	7	15	22	1 %
Total	1,999	482	2,481	100 %
<i>No Identified Risk</i>	<i>652</i>	<i>382</i>	<i>1,034</i>	

Persons Newly Diagnosed with HIV/AIDS

Region 1: New Orleans Region

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

HIV CASES DIAGNOSED January - December 2010

- 352 persons were newly diagnosed with HIV in Region 1.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	262	74 %	Black, Non-Hispanic	251	71 %
Women	90	26 %	White, Non-Hispanic	81	23 %
Total	352	100 %	Hispanic	12	3 %
			Asian/Pacific Islander	4	1 %
			Unknown	1	<1 %
			Multi-race	3	1 %
			Total	352	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	2	1 %	Men who have sex with men	132	59 %
13 - 24	84	24 %	Injection drug use	20	9 %
25 - 34	113	32 %	Men who have sex with men and inject drugs	9	4 %
35 - 44	65	18 %	Heterosexual contact	62	28 %
45+	88	25 %	Perinatal	2	1 %
Total	352	100%	Total	225	100 %

No Identified Risk

127

AIDS CASES DIAGNOSED January - December 2010

- 251 persons were newly diagnosed with AIDS in Region 1.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	176	70 %	Black, Non-Hispanic	184	73 %
Women	75	30 %	White, Non-Hispanic	51	20 %
Total	251	100 %	Hispanic	13	5 %
			Multi-race	3	1 %
			Total	251	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	<1 %	Men who have sex with men	76	51 %
13 - 24	28	11 %	Injection drug use	16	11 %
25 - 34	67	27 %	Men who have sex with men and inject drugs	7	5 %
35 - 44	64	25 %	Heterosexual contact	47	31 %
45+	91	36 %	Perinatal	4	3 %
Total	251	100 %	Total	150	100 %

No Identified Risk

101

Persons Living with HIV/AIDS
Region 2: Baton Rouge Region
as of December 31, 2011

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes

- **7,096** cumulative cases have been detected in Region 2, including **68** pediatric cases.
- **2,992** cumulative deaths among persons in Region 2 with HIV/AIDS have occurred, including **16** pediatric deaths.
- **4,676** persons are currently living with HIV/AIDS in Region 2.
 Persons living with HIV: **2,108**
 Persons living with AIDS: **2,568**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	20	<1 %	Black, Non-Hispanic	2,332	1,577	3,909	84 %
13 - 19	59	1 %	White, Non-Hispanic	554	126	680	15 %
20 - 24	250	5 %	Hispanic	44	11	55	1 %
25 - 29	437	9 %	Asian/Pacific Islander	7	1	8	<1 %
30 - 34	577	12 %	American Indian	2	1	3	<1 %
35 - 39	613	13 %	Unknown	1	0	1	<1 %
40 - 44	647	14 %	Multi-race	15	5	20	<1 %
45 - 49	726	16 %	Total	2,955	1,721	4,676	100 %
50 - 54	606	13 %					
55 - 59	396	8 %					
60+	345	7 %					
Total	4,676	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,076	0	1,076	38 %
Injection drug use	388	236	624	22 %
Men who have sex with men and inject drugs	191	0	191	7 %
Heterosexual contact	283	593	876	31 %
Transfusion/Hemophilia	6	10	16	1 %
Perinatal	30	23	53	2 %
Total	1,974	862	2,836	100 %
<i>No Identified Risk</i>	<i>981</i>	<i>859</i>	<i>1,840</i>	

**Persons Living with AIDS
Region 2: Baton Rouge Region
as of December 31, 2011**

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes

- **4,786** cumulative AIDS cases have been diagnosed in Region 2, including **30** pediatric cases.
- **2,568** persons are currently living with AIDS in Region 2.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	4	<1 %	Black, Non-Hispanic	1,349	814	2,163	84 %
13 - 19	18	1 %	White, Non-Hispanic	308	51	359	14 %
20 - 24	66	3 %	Hispanic	24	6	30	1 %
25 - 29	172	7 %	Asian/Pacific Islander	3	0	3	<1 %
30 - 34	251	10 %	American Indian	2	0	2	<1 %
35 - 39	340	13 %	Multi-race	10	1	11	<1 %
40 - 44	394	15 %	Total	1,696	872	2,568	100 %
45 - 49	452	18 %					
50 - 54	374	15 %					
55 - 59	271	11 %					
60+	226	9 %					
Total	2,568	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	586	0	586	35 %
Injection drug use	290	139	429	26 %
Men who have sex with men and inject drugs	136	0	136	8 %
Heterosexual contact	163	324	487	29 %
Transfusion/Hemophilia	4	8	12	1 %
Perinatal	12	6	18	1 %
Total	1,191	477	1,668	100 %

<i>No Identified Risk</i>	<i>505</i>	<i>395</i>	<i>900</i>	
---------------------------	------------	------------	------------	--

Persons Newly Diagnosed with HIV/AIDS**Region 2: Baton Rouge Region***Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes***HIV CASES DIAGNOSED January - December 2010**

- 301 persons were newly diagnosed with HIV in Region 2.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	197	65 %	Black, Non-Hispanic	264	88 %
Women	104	35 %	White, Non-Hispanic	29	10 %
Total	301	100 %	Hispanic	4	1 %
			Multi-race	4	1 %
			Total	301	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	2	1 %	Men who have sex with men	94	52 %
13 - 24	81	27 %	Injection drug use	22	12 %
25 - 34	85	28 %	Men who have sex with men and inject drugs	4	2 %
35 - 44	63	21 %	Heterosexual contact	60	33 %
45+	70	23 %	Perinatal	2	1 %
Total	301	100 %	Total	182	100 %
			<i>No Identified Risk</i>	<i>119</i>	

AIDS CASES DIAGNOSED January - December 2010

- 238 persons were newly diagnosed with AIDS in Region 2.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	144	61 %	Black, Non-Hispanic	218	92 %
Women	94	39 %	White, Non-Hispanic	17	7 %
Total	238	100 %	Hispanic	3	1 %
			Total	238	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	30	13 %	Men who have sex with men	52	39 %
25 - 34	72	30 %	Injection drug use	32	24 %
35 - 44	61	26 %	Men who have sex with men and inject drugs	5	4 %
45+	75	32 %	Heterosexual contact	46	34 %
Total	238	100 %	Total	135	100 %
			<i>No Identified Risk</i>	<i>103</i>	

Persons Living with HIV/AIDS**Region 3: Houma Region****as of December 31, 2011***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes*

- **1,054** cumulative cases have been detected in Region 3, including **16** pediatric cases.
- **477** cumulative deaths among persons in Region 3 with HIV/AIDS have occurred, including **8** pediatric deaths.
- **713** persons are currently living with HIV/AIDS in Region 3.
Persons living with HIV: **303**
Persons living with AIDS: **410**

Age Category

Current Age	Cases	Percent
0 - 12	2	<1 %
13 - 19	11	2 %
20 - 24	50	7 %
25 - 29	70	10 %
30 - 34	83	12 %
35 - 39	81	11 %
40 - 44	100	14 %
45 - 49	107	15 %
50 - 54	98	14 %
55 - 59	60	8 %
60+	51	7 %
Total	713	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	250	164	414	58 %
White, Non-Hispanic	216	50	266	37 %
Hispanic	18	5	23	3 %
Asian/Pacific Islander	2	1	3	<1 %
American Indian	1	2	3	<1 %
Multi-race	3	1	4	1 %
Total	490	223	713	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	265	0	265	55 %
Injection drug use	35	21	56	12 %
Men who have sex with men and inject drugs	17	0	17	4 %
Heterosexual contact	31	98	129	27 %
Transfusion/Hemophilia	0	1	1	<1 %
Perinatal	6	5	11	2 %
Total	354	125	479	100 %
<i>No Identified Risk</i>	<i>136</i>	<i>98</i>	<i>234</i>	

Persons Living with AIDS**Region 3: Houma Region****as of December 31, 2011***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes*

- **782** cumulative AIDS cases have been diagnosed in Region 3, including **10** pediatric cases.

- **410** persons are currently living with AIDS in Region 3.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Current Age	Cases	Percent					
13 - 19	3	1 %	Black, Non-Hispanic	153	89	242	59 %
20 - 24	12	3 %	White, Non-Hispanic	119	25	144	35 %
25 - 29	27	7 %	Hispanic	13	3	16	4 %
30 - 34	47	11 %	Asian/Pacific Islander	1	1	2	<1 %
35 - 39	39	10 %	American Indian	1	2	3	1 %
40 - 44	60	15 %	Multi-race	2	1	3	1 %
45 - 49	73	18 %	Total	289	121	410	100 %
50 - 54	69	17 %					
55 - 59	41	10 %					
60+	39	10 %					
Total	410	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	144	0	144	51 %
Injection drug use	27	14	41	15 %
Men who have sex with men and inject drugs	12	0	12	4 %
Heterosexual contact	22	52	74	26 %
Transfusion/Hemophilia	0	1	1	<1 %
Perinatal	4	4	8	3 %
Total	209	71	280	100 %

<i>No Identified Risk</i>	80	50	130	
---------------------------	----	----	-----	--

Persons Newly Diagnosed with HIV/AIDS**Region 3: Houma Region***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes***HIV CASES DIAGNOSED January - December 2010**

- 57 persons were newly diagnosed with HIV in Region 3.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	38	67 %	Black, Non-Hispanic	39	68 %
Women	19	33 %	White, Non-Hispanic	13	23 %
Total	57	100 %	Hispanic	3	5 %
			Multi-race	2	4 %
			Total	57	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	23	40 %	Men who have sex with men	22	56 %
25 - 34	13	23 %	Injection drug use	1	3 %
35 - 44	11	19 %	Men who have sex with men and inject drugs	1	3 %
45+	10	18 %	Heterosexual contact	15	38 %
Total	57	100 %	Total	39	100 %
			<i>No Identified Risk</i>	<i>18</i>	

AIDS CASES DIAGNOSED January - December 2010

- 48 persons were newly diagnosed with AIDS in Region 3.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	31	65 %	Black, Non-Hispanic	30	62 %
Women	17	35 %	White, Non-Hispanic	15	31 %
Total	48	100 %	Hispanic	1	2 %
			Multi-race	2	4 %
			Total	48	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	3	6 %	Men who have sex with men	10	33 %
25 - 34	18	38 %	Injection drug use	5	17 %
35 - 44	13	27 %	Men who have sex with men and inject drugs	3	10 %
45+	14	29 %	Heterosexual contact	12	40 %
Total	48	100 %	Total	30	100 %
			<i>No Identified Risk</i>	<i>18</i>	

Persons Living with HIV/AIDS**Region 4: Lafayette Region****as of December 31, 2011***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes*

- **2,024** cumulative cases have been detected in Region 4, including **17** pediatric cases.
- **929** cumulative deaths among persons in Region 4 with HIV/AIDS have occurred, including **10** pediatric deaths.
- **1,405** persons are currently living with HIV/AIDS in Region 4.
Persons living with HIV: **633**
Persons living with AIDS: **772**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	4	<1 %	Black, Non-Hispanic	542	260	802	57 %
13 - 19	13	1 %	White, Non-Hispanic	434	94	528	38 %
20 - 24	58	4 %	Hispanic	51	3	54	4 %
25 - 29	102	7 %	Asian/Pacific Islander	0	2	2	<1 %
30 - 34	147	10 %	American Indian	2	1	3	<1 %
35 - 39	136	10 %	Unknown	1	0	1	<1 %
40 - 44	199	14 %	Multi-race	10	5	15	1 %
45 - 49	295	21 %	Total	1,040	365	1,405	100 %
50 - 54	216	15 %					
55 - 59	151	11 %					
60+	84	6 %					
Total	1,405	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	500	0	500	54 %
Injection drug use	72	44	116	13 %
Men who have sex with men and inject drugs	57	0	57	6 %
Heterosexual contact	67	160	227	25 %
Transfusion/Hemophilia	5	1	6	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	6	6	12	1 %
Total	707	212	919	100 %
<i>No Identified Risk</i>	<i>333</i>	<i>153</i>	<i>486</i>	

Persons Living with AIDS**Region 4: Lafayette Region****as of December 31, 2011***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes*

- **1,353** cumulative AIDS cases have been diagnosed in Region 4, including **12** pediatric cases.

- **772** persons are currently living with AIDS in Region 4.

Age Category Race/Ethnicity

Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	1	<1 %	Black, Non-Hispanic	303	134	437	57 %
13 - 19	4	1 %	White, Non-Hispanic	264	39	303	39 %
20 - 24	11	1 %	Hispanic	24	1	25	3 %
25 - 29	44	6 %	Asian/Pacific Islander	0	1	1	<1 %
30 - 34	63	8 %	Multi-race	4	2	6	1 %
35 - 39	79	10 %	Total	595	177	772	100 %
40 - 44	114	15 %					
45 - 49	180	23 %					
50 - 54	125	16 %					
55 - 59	99	13 %					
60+	52	7 %					
Total	772	100 %					

Exposure Category**Cases with a reported risk:**

	Men	Women	Total	Percent
Men who have sex with men	296	0	296	55 %
Injection drug use	48	21	69	13 %
Men who have sex with men and inject drugs	40	0	40	7 %
Heterosexual contact	35	84	119	22 %
Transfusion/Hemophilia	3	1	4	1 %
Perinatal	1	5	6	1 %
Total	423	111	534	100 %

No Identified Risk

172 66 238

Persons Newly Diagnosed with HIV/AIDS

Region 4: Lafayette Region

Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes

HIV CASES DIAGNOSED January - December 2010

• 90 persons were newly diagnosed with HIV in Region 4.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	69	77 %	Black, Non-Hispanic	59	66 %
Women	21	23 %	White, Non-Hispanic	29	32 %
Total	90	100 %	Hispanic	1	1 %
			American Indian	1	1 %
			Total	90	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	27	30 %	Men who have sex with men	49	79 %
25 - 34	18	20 %	Injection drug use	3	5 %
35 - 44	20	22 %	Heterosexual contact	10	16 %
45+	25	28 %	Total	62	100 %
Total	90	100 %	<i>No Identified Risk</i>	28	

AIDS CASES DIAGNOSED January - December 2010

• 61 persons were newly diagnosed with AIDS in Region 4.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	44	72 %	Black, Non-Hispanic	40	66 %
Women	17	28 %	White, Non-Hispanic	20	33 %
Total	61	100 %	Hispanic	1	2 %
			Total	61	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	9	15 %	Men who have sex with men	20	59 %
25 - 34	13	21 %	Injection drug use	4	12 %
35 - 44	18	30 %	Heterosexual contact	8	24 %
45+	21	34 %	Perinatal	2	6 %
Total	61	100 %	Total	34	100 %
			<i>No Identified Risk</i>	27	

**Persons Living with HIV/AIDS
Region 5: Lake Charles Region
as of December 31, 2011**

Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes

- **1,289** cumulative cases have been detected in Region 5, including **9** pediatric cases.
- **499** cumulative deaths among persons in Region 5 with HIV/AIDS have occurred, including **2** pediatric deaths.
- **1,017** persons are currently living with HIV/AIDS in Region 5.
Persons living with HIV: **442**
Persons living with AIDS: **575**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	3	<1 %	Black, Non-Hispanic	436	157	593	58 %
13 - 19	10	1 %	White, Non-Hispanic	256	63	319	31 %
20 - 24	45	4 %	Hispanic	83	6	89	9 %
25 - 29	69	7 %	Asian/Pacific Islander	4	0	4	<1 %
30 - 34	117	12 %	American Indian	3	1	4	<1 %
35 - 39	127	12 %	Multi-race	5	3	8	1 %
40 - 44	155	15 %	Total	787	230	1,017	100 %
45 - 49	195	19 %					
50 - 54	161	16 %					
55 - 59	79	8 %					
60+	56	6 %					
Total	1,017	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	324	0	324	45 %
Injection drug use	99	31	130	18 %
Men who have sex with men and inject drugs	79	0	79	11 %
Heterosexual contact	84	96	180	25 %
Transfusion/Hemophilia	5	1	6	1 %
Perinatal	3	6	9	1 %
Total	594	134	728	100 %
<i>No Identified Risk</i>	<i>193</i>	<i>96</i>	<i>289</i>	

**Persons Living with AIDS
Region 5: Lake Charles Region
as of December 31, 2011**

Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes

• **886** cumulative AIDS cases have been diagnosed in Region 5, including **5** pediatric cases.

• **575** persons are currently living with AIDS in Region 5.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
0 - 12	1	<1 %	Black, Non-Hispanic	260	75	335	58 %
13 - 19	4	1 %	White, Non-Hispanic	159	36	195	34 %
20 - 24	10	2 %	Hispanic	37	2	39	7 %
25 - 29	31	5 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	53	9 %	Multi-race	3	1	4	1 %
35 - 39	74	13 %	Total	461	114	575	100 %
40 - 44	97	17 %					
45 - 49	126	22 %					
50 - 54	101	18 %					
55 - 59	44	8 %					
60+	34	6 %					
Total	575	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	202	0	202	46 %
Injection drug use	63	23	86	19 %
Men who have sex with men and inject drugs	55	0	55	12 %
Heterosexual contact	46	44	90	20 %
Transfusion/Hemophilia	4	1	5	1 %
Perinatal	2	2	4	1 %
Total	372	70	442	100 %
<i>No Identified Risk</i>	89	44	133	

Persons Newly Diagnosed with HIV/AIDS**Region 5: Lake Charles Region***Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes***HIV CASES DIAGNOSED January - December 2010**

- 49 persons were newly diagnosed with HIV in Region 5.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	36	73 %	Black, Non-Hispanic	28	57 %
Women	13	27 %	White, Non-Hispanic	19	39 %
Total	49	100 %	Hispanic	2	4 %
			Total	49	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	11	22 %	Men who have sex with men	16	50 %
25 - 34	13	27 %	Injection drug use	4	12 %
35 - 44	9	18 %	Men who have sex with men and inject drugs	2	6 %
45+	16	33 %	Heterosexual contact	10	31 %
Total	49	100 %	Total	32	100 %

No Identified Risk 17

AIDS CASES DIAGNOSED January - December 2010

- 29 persons were newly diagnosed with AIDS in Region 5.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	15	52 %	Black, Non-Hispanic	20	69 %
Women	14	48 %	White, Non-Hispanic	7	24 %
Total	29	100 %	Hispanic	2	7 %
			Total	29	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	2	7 %	Men who have sex with men	7	37 %
25 - 34	13	45 %	Injection drug use	6	32 %
35 - 44	6	21 %	Men who have sex with men and inject drugs	1	5 %
45+	8	28 %	Heterosexual contact	5	26 %
Total	29	100 %	Total	19	100 %

No Identified Risk 10

Persons Living with HIV/AIDS**Region 6: Alexandria Region****as of December 31, 2011***Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes*

- **1,362** cumulative cases have been detected in Region 6, including **13** pediatric cases.
- **495** cumulative deaths among persons in Region 6 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **775** persons are currently living with HIV/AIDS in Region 6.
Persons living with HIV: **385**
Persons living with AIDS: **390**

Age Category

Current Age	Cases	Percent
0 - 12	2	<1 %
13 - 19	9	1 %
20 - 24	30	4 %
25 - 29	65	8 %
30 - 34	102	13 %
35 - 39	91	12 %
40 - 44	99	13 %
45 - 49	137	18 %
50 - 54	108	14 %
55 - 59	80	10 %
60+	52	7 %
Total	775	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	339	193	532	69 %
White, Non-Hispanic	150	50	200	26 %
Hispanic	31	3	34	4 %
Asian/Pacific Islander	2	0	2	<1 %
American Indian	0	1	1	<1 %
Unknown	1	0	1	<1 %
Multi-race	3	2	5	1 %
Total	526	249	775	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	210	0	210	41 %
Injection drug use	51	26	77	15 %
Men who have sex with men and inject drugs	38	0	38	7 %
Heterosexual contact	59	113	172	34 %
Transfusion/Hemophilia	7	1	8	2 %
Perinatal	4	3	7	1 %
Total	369	143	512	100 %

<i>No Identified Risk</i>	<i>157</i>	<i>106</i>	<i>263</i>	
---------------------------	------------	------------	------------	--

Persons Living with AIDS

Region 6: Alexandria Region as of December 31, 2011

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

- **839** cumulative AIDS cases have been diagnosed in Region 6, including **5** pediatric cases.
- **390** persons are currently living with AIDS in Region 6.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
13 - 19	1	<1 %	Black, Non-Hispanic	185	83	268	69 %
20 - 24	9	2 %	White, Non-Hispanic	82	28	110	28 %
25 - 29	13	3 %	Hispanic	9	0	9	2 %
30 - 34	43	11 %	Asian/Pacific Islander	1	0	1	<1 %
35 - 39	48	12 %	Multi-race	1	1	2	1 %
40 - 44	55	14 %	Total	278	112	390	100 %
45 - 49	75	19 %					
50 - 54	67	17 %					
55 - 59	46	12 %					
60+	33	8 %					
Total	390	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	106	0	106	40 %
Injection drug use	26	16	42	16 %
Men who have sex with men and inject drugs	29	0	29	11 %
Heterosexual contact	30	53	83	31 %
Transfusion/Hemophilia	5	0	5	2 %
Perinatal	1	2	3	1 %
Total	197	71	268	100 %
<i>No Identified Risk</i>	81	41	122	

Persons Newly Diagnosed with HIV/AIDS**Region 6: Alexandria Region**

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

HIV CASES DIAGNOSED January - December 2010

- **61** persons were newly diagnosed with HIV in Region 6.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	47	77 %	Black, Non-Hispanic	32	52 %
Women	14	23 %	White, Non-Hispanic	20	33 %
Total	61	100 %	Hispanic	8	13 %
			Multi-race	1	2 %
			Total	61	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	16	26 %	Men who have sex with men	24	59 %
25 - 34	17	28 %	Injection drug use	3	7 %
35 - 44	14	23 %	Heterosexual contact	14	34 %
45+	14	23 %	Total	41	100 %
Total	61	100 %	<i>No Identified Risk</i>	<i>20</i>	

AIDS CASES DIAGNOSED January - December 2010

- **36** persons were newly diagnosed with AIDS in Region 6.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	27	75 %	Black, Non-Hispanic	27	75 %
Women	9	25 %	White, Non-Hispanic	6	17 %
Total	36	100 %	Hispanic	3	8 %
			Total	36	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	4	11 %	Men who have sex with men	9	45 %
25 - 34	12	33 %	Injection drug use	3	15 %
35 - 44	10	28 %	Men who have sex with men and inject drugs	2	10 %
45+	10	28 %	Heterosexual contact	6	30 %
Total	36	100 %	Total	20	100 %
			<i>No Identified Risk</i>	<i>16</i>	

Persons Living with HIV/AIDS**Region 7: Shreveport Region****as of December 31, 2011***Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes*

- **2,173** cumulative cases have been detected in Region 7, including **26** pediatric cases.
- **968** cumulative deaths among persons in Region 7 with HIV/AIDS have occurred, including **11** pediatric deaths.
- **1,470** persons are currently living with HIV/AIDS in Region 7.
Persons living with HIV: **693**
Persons living with AIDS: **777**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	2	<1 %	Black, Non-Hispanic	701	345	1,046	71 %
13 - 19	27	2 %	White, Non-Hispanic	306	75	381	26 %
20 - 24	115	8 %	Hispanic	19	5	24	2 %
25 - 29	147	10 %	Asian/Pacific Islander	5	0	5	<1 %
30 - 34	192	13 %	American Indian	8	1	9	1 %
35 - 39	169	11 %	Multi-race	4	1	5	<1 %
40 - 44	189	13 %	Total	1,043	427	1,470	100 %
45 - 49	230	16 %					
50 - 54	177	12 %					
55 - 59	122	8 %					
60+	100	7 %					
Total	1,470	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	539	0	539	53 %
Injection drug use	64	43	107	11 %
Men who have sex with men and inject drugs	86	0	86	8 %
Heterosexual contact	79	182	261	26 %
Transfusion/Hemophilia	4	3	7	1 %
Perinatal	6	7	13	1 %
Total	778	235	1,013	100 %
<i>No Identified Risk</i>	<i>265</i>	<i>192</i>	<i>457</i>	

**Persons Living with AIDS
Region 7: Shreveport Region
as of December 31, 2011**

Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes

- **1,428** cumulative AIDS cases have been diagnosed in Region 7, including **19** pediatric cases.
- **777** persons are currently living with AIDS in Region 7.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
0 - 12	1	<1 %	Black, Non-Hispanic	386	166	552	71 %
13 - 19	8	1 %	White, Non-Hispanic	166	34	200	26 %
20 - 24	30	4 %	Hispanic	12	3	15	2 %
25 - 29	54	7 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	73	9 %	American Indian	5	0	5	1 %
35 - 39	86	11 %	Multi-race	2	1	3	<1 %
40 - 44	107	14 %	Total	573	204	777	100 %
45 - 49	142	18 %					
50 - 54	119	15 %					
55 - 59	91	12 %					
60+	66	8 %					
Total	777	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	281	0	281	50 %
Injection drug use	46	18	64	11 %
Men who have sex with men and inject drugs	53	0	53	9 %
Heterosexual contact	60	94	154	27 %
Transfusion/Hemophilia	3	3	6	1 %
Perinatal	3	5	8	1 %
Total	446	120	566	100 %
<i>No Identified Risk</i>	<i>127</i>	<i>84</i>	<i>211</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 7: Shreveport Region***Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes***HIV CASES DIAGNOSED January - December 2010**

- 101 persons were newly diagnosed with HIV in Region 7.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	68	67 %	Black, Non-Hispanic	85	84 %
Women	33	33 %	White, Non-Hispanic	11	11 %
Total	101	100 %	Hispanic	2	2 %
			American Indian	2	2 %
			Multi-race	1	1 %
			Total	101	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	33	33 %	Men who have sex with men	35	56 %
25 - 34	27	27 %	Injection drug use	7	11 %
35 - 44	20	20 %	Men who have sex with men and inject drugs	2	3 %
45+	21	21 %	Heterosexual contact	18	29 %
Total	101	100 %	Total	62	100 %
			<i>No Identified Risk</i>	<i>39</i>	

AIDS CASES DIAGNOSED January - December 2010

- 53 persons were newly diagnosed with AIDS in Region 7.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	35	66 %	Black, Non-Hispanic	44	83 %
Women	18	34 %	White, Non-Hispanic	8	15 %
Total	53	100 %	American Indian	1	2 %
			Total	53	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	8	15 %	Men who have sex with men	11	34 %
25 - 34	10	19 %	Injection drug use	7	22 %
35 - 44	17	32 %	Men who have sex with men and inject drugs	4	12 %
45+	18	34 %	Heterosexual contact	10	31 %
Total	53	100 %	Total	32	100 %
			<i>No Identified Risk</i>	<i>21</i>	

Persons Living with HIV/AIDS**Region 8: Monroe Region****as of December 31, 2011***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes*

- **1,567** cumulative cases have been detected in Region 8, including **17** pediatric cases.
- **658** cumulative deaths among persons in Region 8 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **969** persons are currently living with HIV/AIDS in Region 8.
Persons living with HIV: **447**
Persons living with AIDS: **522**

<u>Age Category</u>	<u>Race/Ethnicity</u>			Men	Women	Total	Percent
Current Age	Cases	Percent					
0 - 12	7	1 %	Black, Non-Hispanic	436	292	728	75 %
13 - 19	11	1 %	White, Non-Hispanic	167	46	213	22 %
20 - 24	36	4 %	Hispanic	13	4	17	2 %
25 - 29	89	9 %	Asian/Pacific Islander	3	1	4	<1 %
30 - 34	144	15 %	American Indian	1	0	1	<1 %
35 - 39	111	11 %	Unknown	1	0	1	<1 %
40 - 44	121	12 %	Multi-race	3	2	5	1 %
45 - 49	159	16 %	Total	624	345	969	100 %
50 - 54	132	14 %					
55 - 59	90	9 %					
60+	69	7 %					
Total	969	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	316	0	316	47 %
Injection drug use	41	35	76	11 %
Men who have sex with men and inject drugs	39	0	39	6 %
Heterosexual contact	69	151	220	33 %
Transfusion/Hemophilia	2	3	5	1 %
Perinatal	4	8	12	2 %
Total	471	197	668	100 %
<i>No Identified Risk</i>	<i>153</i>	<i>148</i>	<i>301</i>	

Persons Living with AIDS

Region 8: Monroe Region

as of December 31, 2011

Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes

• **1,018** cumulative AIDS cases have been diagnosed in Region 8, including **8** pediatric cases.

• **522** persons are currently living with AIDS in Region 8.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
0 - 12	1	<1 %	Black, Non-Hispanic	250	134	384	74 %
13 - 19	3	1 %	White, Non-Hispanic	102	23	125	24 %
20 - 24	10	2 %	Hispanic	7	2	9	2 %
25 - 29	31	6 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	69	13 %	Multi-race	1	1	2	<1 %
35 - 39	68	13 %	Total	362	160	522	100 %
40 - 44	72	14 %					
45 - 49	88	17 %					
50 - 54	75	14 %					
55 - 59	58	11 %					
60+	47	9 %					
Total	522	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	172	0	172	46 %
Injection drug use	25	23	48	13 %
Men who have sex with men and inject drugs	29	0	29	8 %
Heterosexual contact	48	75	123	33 %
Transfusion/Hemophilia	2	1	3	1 %
Perinatal	3	0	3	1 %
Total	279	99	378	100 %
<i>No Identified Risk</i>	83	61	144	

Persons Newly Diagnosed with HIV/AIDS**Region 8: Monroe Region***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes***HIV CASES DIAGNOSED January - December 2010**

- 58 persons were newly diagnosed with HIV in Region 8.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	43	74 %	Black, Non-Hispanic	42	72 %
Women	15	26 %	White, Non-Hispanic	15	26 %
Total	58	100 %	Asian/Pacific Islander	1	2 %
			Total	58	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	13	22 %	Men who have sex with men	25	61 %
25 - 34	20	34 %	Injection drug use	3	7 %
35 - 44	9	16 %	Men who have sex with men and inject drugs	2	5 %
45+	16	28 %	Heterosexual contact	11	27 %
Total	58	100 %	Total	41	100 %
			<i>No Identified Risk</i>	<i>17</i>	

AIDS CASES DIAGNOSED January - December 2010

- 43 persons were newly diagnosed with AIDS in Region 8.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	26	60 %	Black, Non-Hispanic	37	86 %
Women	17	40 %	White, Non-Hispanic	6	14 %
Total	43	100 %	Total	43	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	4	9 %	Men who have sex with men	10	33 %
25 - 34	15	35 %	Injection drug use	5	17 %
35 - 44	10	23 %	Men who have sex with men and inject drugs	1	3 %
45+	14	33 %	Heterosexual contact	14	47 %
Total	43	100 %	Total	30	100 %
			<i>No Identified Risk</i>	<i>13</i>	

Persons Living with HIV/AIDS
Region 9: Hammond/Slidell Region
as of December 31, 2011

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

- **1,411** cumulative cases have been detected in Region 9, including **17** pediatric cases.
- **595** cumulative deaths among persons in Region 9 with HIV/AIDS have occurred, including **7** pediatric deaths.
- **1,063** persons are currently living with HIV/AIDS in Region 9.
 Persons living with HIV: **479**
 Persons living with AIDS: **584**

<u>Age Category</u>	<u>Race/Ethnicity</u>			<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
0 - 12	7	1 %	Black, Non-Hispanic	346	187	533	50 %
13 - 19	8	1 %	White, Non-Hispanic	403	89	492	46 %
20 - 24	37	3 %	Hispanic	22	7	29	3 %
25 - 29	73	7 %	Asian/Pacific Islander	1	1	2	<1 %
30 - 34	93	9 %	American Indian	1	0	1	<1 %
35 - 39	121	11 %	Unknown	0	1	1	<1 %
40 - 44	176	17 %	Multi-race	5	0	5	<1 %
45 - 49	201	19 %	Total	778	285	1,063	100 %
50 - 54	176	17 %					
55 - 59	78	7 %					
60+	93	9 %					
Total	1,063	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	415	0	415	55 %
Injection drug use	65	48	113	15 %
Men who have sex with men and inject drugs	50	0	50	7 %
Heterosexual contact	56	104	160	21 %
Transfusion/Hemophilia	6	0	6	1 %
Perinatal	8	7	15	2 %
Total	600	159	759	100 %
<i>No Identified Risk</i>	<i>178</i>	<i>126</i>	<i>304</i>	

Persons Living with AIDS
Region 9: Hammond/Slidell Region
as of December 31, 2011

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

- **964** cumulative AIDS cases have been diagnosed in Region 9, including **9** pediatric cases.
- **584** persons are currently living with AIDS in Region 9.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
13 - 19	1	<1 %	Black, Non-Hispanic	200	84	284	49 %
20 - 24	5	1 %	White, Non-Hispanic	236	42	278	48 %
25 - 29	26	4 %	Hispanic	12	4	16	3 %
30 - 34	41	7 %	American Indian	1	0	1	<1 %
35 - 39	60	10 %	Unknown	0	1	1	<1 %
40 - 44	101	17 %	Multi-race	4	0	4	1 %
45 - 49	128	22 %	Total	453	131	584	100 %
50 - 54	109	19 %					
55 - 59	49	8 %					
60+	64	11 %					
Total	584	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	240	0	240	56 %
Injection drug use	48	25	73	17 %
Men who have sex with men and inject drugs	27	0	27	6 %
Heterosexual contact	31	49	80	19 %
Transfusion/Hemophilia	6	0	6	1 %
Perinatal	3	2	5	1 %
Total	355	76	431	100 %
<i>No Identified Risk</i>	98	55	153	

Persons Newly Diagnosed with HIV/AIDS**Region 9: Hammond/Slidell Region***Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes***HIV CASES DIAGNOSED January - December 2010**

- 72 persons were newly diagnosed with HIV in Region 9.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	54	75 %	Black, Non-Hispanic	47	65 %
Women	18	25 %	White, Non-Hispanic	22	31 %
Total	72	100 %	Hispanic	1	1 %
			Asian/Pacific Islander	1	1 %
			Multi-race	1	1 %
			Total	72	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	1	1 %	Men who have sex with men	29	60 %
13 - 24	9	12 %	Injection drug use	8	17 %
25 - 34	17	24 %	Heterosexual contact	10	21 %
35 - 44	11	15 %	Perinatal	1	2 %
45+	34	47 %	Total	48	100 %
Total	72	100 %	<i>No Identified Risk</i>	24	

AIDS CASES DIAGNOSED January - December 2010

- 42 persons were newly diagnosed with AIDS in Region 9.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	31	74 %	Black, Non-Hispanic	26	62 %
Women	11	26 %	White, Non-Hispanic	15	36 %
Total	42	100 %	Hispanic	1	2 %
			Total	42	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	1	2 %	Men who have sex with men	18	62 %
25 - 34	10	24 %	Injection drug use	5	17 %
35 - 44	7	17 %	Heterosexual contact	5	17 %
45+	24	57 %	Perinatal	1	3 %
Total	42	100 %	Total	29	100 %
			<i>No Identified Risk</i>	13	