

LA HAP

LA HAP stands for Louisiana Health Access Program, which is the AIDS Drug Assistance Program (ADAP) for the state of Louisiana. LA HAP is a federally funded program that provides access to medications for uninsured persons and assistance with premiums and cost shares for insured persons for the purpose of ensuring that clients access health care and achieve viral suppression. Please visit www.lahap.org for more information regarding the program.

LA HAP publishes quarterly factsheets for the entire state and each public health region. All LA HAP factsheets for the fourth quarter of 2017 are complied in this document.

TABLE OF CONTENTS

| Contents | Page |
|----------------------------|------|
| Statewide Quarterly Report | . 1 |
| Enrollment | . 2 |
| Utilization | . 3 |
| Outcomes | . 4 |
| Region 1 Quarterly Report | . 5 |
| Enrollment | . 6 |
| Utilization | . 7 |
| Outcomes | . 8 |
| Region 2 Quarterly Report | . 9 |
| Enrollment | 10 |
| Utilization | . 11 |
| Outcomes | . 12 |
| Region 3 Quarterly Report | . 13 |
| Enrollment | 14 |
| Utilization | . 15 |
| Outcomes | . 16 |
| Region 4 Quarterly Report | . 17 |
| Enrollment | 18 |
| Utilization | . 19 |
| Outcomes | . 20 |
| Region 5 Quarterly Report | . 21 |
| Enrollment | . 22 |
| Utilization | . 23 |
| Outcomes | . 24 |
| Region 6 Quarterly Report | . 25 |
| Enrollment | . 26 |
| Utilization | . 27 |
| Outcomes | . 28 |
| Region 7 Quarterly Report | . 29 |
| Enrollment | . 30 |
| Utilization | . 31 |
| Outcomes | . 32 |
| Region 8 Quarterly Report | . 33 |
| Enrollment | . 34 |
| Utilization | . 35 |
| Outcomes | . 36 |
| Region 9 Quarterly Report | . 37 |
| Enrollment | 38 |
| Utilization | . 39 |
| Outcomes | . 40 |



Louisiana Health Access Program Statewide Quarterly Report October 1, 2017 - December 31, 2017

ENROLLMENT SUMMARY

During the quarter, 3,743 clients were enrolled in the Louisiana Health Access Program (LA HAP) of which 3% (n=122) were first time enrollees.

There were 188 clients who disenrolled from the program.


A total of 106 clients enrolled in the program to receive health insurance assistance who had previously been receiving uninsured assistance during the quarter.

There were 47 clients enrolled in the program to receive uninsured assistance only who had previously been insured during the quarter.

The majority of clients live in the New Orleans and Baton Rouge regions, 38% (n=1,438) clients and 25% (n=928) clients respectively.

ENROLLED CLIENTS BY PARISH

No. Clients 1-3 5-7 14-28 29-50



UTILIZATION SUMMARY

LA HAP assisted with 34,470 claims including 22,277 (65%) drug claims, 3,083 (9%) copays, 448 (1%) deductibles and 8,662 (25%) premiums. Of these, 32,028 (93%) were for insured claims and 2,242 (7%) were for uninsured claims.

There were an average of 11.3 claims per person.

There were 2,776 clients who utilized health insurance assistance and 524 clients who utilized uninsured assistance.

CLINICAL OUTCOMES SUMMARY


Nearly all clients (99%, n=3,685) were defined as in care. These clients had at least one CD4 or viral load test reported in the past year.

Eighty-nine percent (n=3,346) of clients were virally suppressed. These clients had a viral load test reported in the past year with the most recent result <200 copies/mL.

Clients who are insured are more likely to be virally suppressed compared to those clients who are uninsured; 92% of insured clients were virally suppressed compared to 81% of uninsured clients.

The regions with the highest percentage of clients virally suppressed were New Orleans (91%), Lafayette (90%), and Houma (90%).

CARE CONTINUUM FOR CLIENTS BY INSURANCE STATUS



*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and Decenber 31, 2017

†Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and Decenber 31, 2017 with the most recent result <200 copies/mL



Louisiana Health Access Program Statewide Quarterly Report October 1, 2017 - December 31, 2017


ENROLLMENT

SUMMARY

| Active | 3,743 |
|------------------|-------|
| Newly Enrolled | 122 |
| Disenrolled | 188 |
| Gained Insurance | 106 |
| Lost Insurance | 47 |

DISENROLLMENT REASON

| | n | % |
|----------------------------|-----|-------|
| Deceased | 4 | 2.1% |
| Did not recertify | 138 | 73.4% |
| Eligible for Medicaid | 28 | 14.8% |
| Incarcerated | 3 | 1.5% |
| Income exceeds program max | 11 | 5.8% |
| Moved out of state | 4 | 2.1% |
| Total | 188 | 100% |



GENDER

| | Active | | Newly Enrolled | | Disen | rolled | Gained I | nsurance | Lost Insurance | |
|-------------|--------|-------|----------------|-------|-------|--------|----------|----------|----------------|-------|
| | n | % | n | % | n | % | n | % | n | % |
| Female | 829 | 22.1% | 18 | 14.7% | 30 | 15.9% | 27 | 25.4% | 10 | 21.2% |
| Male | 2,877 | 76.8% | 101 | 82.7% | 155 | 82.4% | 78 | 73.5% | 37 | 78.7% |
| Transgender | 37 | 0.9% | 3 | 2.4% | 3 | 1.5% | 1 | 0.9% | 0 | 0.0% |
| Total | 3,743 | 100% | 122 | 100% | 188 | 100% | 106 | 100% | 47 | 100% |

RACE/ETHNICITY

| | Active | | Newly Enrolled | | Disen | rolled | Gained I | nsurance | Lost Insurance | |
|----------|--------|-------|----------------|-------|-------|--------|----------|----------|----------------|-------|
| | n | % | n | % | n | % | n | % | n | % |
| Black | 2,236 | 59.7% | 71 | 58.1% | 135 | 71.8% | 78 | 73.5% | 36 | 76.5% |
| Hispanic | 294 | 7.8% | 13 | 10.6% | 12 | 6.3% | 4 | 3.7% | 0 | 0.0% |
| White | 1,168 | 31.2% | 33 | 27.0% | 40 | 21.2% | 22 | 20.7% | 11 | 23.4% |
| Other | 45 | 1.2% | 5 | 4.0% | 1 | 0.5% | 2 | 1.8% | 0 | 0.0% |
| Total | 3,743 | 100% | 122 | 100% | 188 | 100% | 106 | 100% | 47 | 100% |

AGE GROUP

| | Active | | Newly Enrolled | | Disen | rolled | Gained I | nsurance | Lost Insurance | |
|-------|--------|-------|----------------|-------|-------|--------|----------|----------|----------------|-------|
| | n | % | n | % | n | % | n | % | n | % |
| 13-24 | 100 | 2.6% | 11 | 9.0% | 11 | 5.8% | 4 | 3.7% | 4 | 8.5% |
| 25-44 | 1,503 | 40.1% | 66 | 54.0% | 102 | 54.2% | 59 | 55.6% | 25 | 53.1% |
| 45-64 | 1,846 | 49.3% | 41 | 33.6% | 65 | 34.5% | 39 | 36.7% | 16 | 34.0% |
| 65+ | 294 | 7.8% | 4 | 3.2% | 10 | 5.3% | 4 | 3.7% | 2 | 4.2% |
| Total | 3,743 | 100% | 122 | 100% | 188 | 100% | 106 | 100% | 47 | 100% |



524

Louisiana Health Access Program Statewide Quarterly Report October 1, 2017 - December 31, 2017


UTILIZATION


Uninsured Clients

SUMMARY No. Claims 34,470 No. Claims per Person 11.3 Insured Claims 32,028 Uninsured Claims 2,442 Insured Clients 2,776

CLAIM TYPES

| | n | % |
|------------|--------|-------|
| Drug | 22,277 | 64.6% |
| Copay | 3,083 | 8.9% |
| Deductible | 448 | 1.3% |
| Premium | 8,662 | 25.1% |
| Total | 34,470 | 100% |





GENDER

| | No. C | laims | No. Claims per | Insured | l Claims | Uninsure | ed Claims | Insured | Clients | Uninsure | ed Clients |
|-------------|--------|-------|----------------------|---------|----------|----------|-----------|---------|---------|----------|------------|
| | n | % | Person | n | % | n | % | n | % | n | % |
| Female | 7,403 | 21.4% | 11.1 | 6,878 | 21.4% | 525 | 21.4% | 606 | 21.8% | 102 | 19.4% |
| Male | 26,740 | 77.5% | 11.3 | 24,843 | 77.5% | 1,897 | 77.6% | 2,143 | 77.1% | 418 | 79.7% |
| Transgender | 327 | 0.9% | 11.3 | 307 | 0.9% | 20 | 0.8% | 27 | 0.9% | 4 | 0.7% |
| Total | 34,470 | 100% | 11.3 | 32,028 | 100% | 2,442 | 100% | 2,776 | 100% | 524 | 100% |

RACE/ETHNICITY

| | No. C | laims | No. Claims per | Insured | l Claims | Uninsure | ed Claims | Insured | l Clients | Uninsure | ed Clients |
|----------|--------|-------|----------------------|---------|----------|----------|-----------|---------|-----------|----------|------------|
| | n | % | Person | n | % | n | % | n | % | n | % |
| Black | 17,669 | 51.2% | 10.1 | 16,279 | 50.8% | 1,390 | 56.9% | 1,572 | 56.6% | 321 | 61.2% |
| Hispanic | 2,494 | 7.2% | 9.5 | 1,841 | 5.7% | 653 | 26.7% | 207 | 7.4% | 113 | 21.5% |
| White | 13,903 | 40.3% | 13.8 | 13,549 | 42.3% | 354 | 14.4% | 961 | 34.6% | 80 | 15.2% |
| Other | 404 | 1.1% | 10.1 | 359 | 1.1% | 45 | 1.8% | 36 | 1.2% | 10 | 1.9% |
| Total | 34,470 | 100% | 11.3 | 32,028 | 100% | 2,442 | 100% | 2,776 | 100% | 524 | 100% |

AGE GROUP

| | No. Claims | | No. Claims | | No. Claims per | Insured | l Claims | Uninsure | ed Claims | Insured | l Clients | Uninsure | ed Clients |
|-------|------------|-------|------------|--------|----------------------|---------|----------|----------|-----------|---------|-----------|----------|------------|
| | n | % | Person | n | % | n | % | n | % | n | % | | |
| 13-24 | 394 | 1.1% | 5.3 | 289 | 0.9% | 105 | 4.2% | 59 | 2.1% | 26 | 4.9% | | |
| 25-44 | 10,432 | 30.2% | 8.5 | 9,023 | 28.1% | 1,409 | 57.6% | 1,057 | 38.0% | 316 | 60.3% | | |
| 45-64 | 19,708 | 57.1% | 12.9 | 18,799 | 58.6% | 909 | 37.2% | 1,420 | 51.1% | 180 | 34.3% | | |
| 65+ | 3,936 | 11.4% | 16.3 | 3,917 | 12.2% | 19 | 0.7% | 240 | 8.6% | 2 | 0.3% | | |
| Total | 34,470 | 100% | 11.3 | 32,028 | 100% | 2,442 | 100% | 2,776 | 100% | 524 | 100% | | |

SUMMARY

| | n | % |
|---------------------|-------|--------|
| In Care* | 3,685 | 98.5% |
| Virally Suppressed† | 3,346 | 89.4% |
| Total | 3,743 | 100.0% |

*Clients defined as 'In Care' had at least one CD4 or Viral Load

reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL

GENDER

| | | | | No. Virally | % Virally |
|-------------|-------|--------------|------------|-------------------------|-------------------------|
| | Total | No. In Care* | % In Care* | Suppressed [†] | Suppressed [†] |
| Female | 829 | 818 | 98.7% | 748 | 90.2% |
| Male | 2,877 | 2,832 | 98.4% | 2,569 | 89.3% |
| Transgender | 37 | 35 | 94.6% | 29 | 78.4% |
| Total | 3,743 | 3,685 | 98.5% | 3,346 | 89.4% |

*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL


CARE CONTINUUM FOR CLIENTS BY GENDER Total No In Care* No Virally Suppressed* 100% 99% 90% 100% 98% 89% 100% 95% 78% Female Male Transgender

RACE/ETHNICITY

| | | | | No. Virally | % Virally |
|----------|-------|--------------|------------|-------------------------|-------------------------|
| | Total | No. In Care* | % In Care* | Suppressed [†] | Suppressed [†] |
| Black | 2,236 | 2,199 | 98.3% | 1,961 | 87.7% |
| Hispanic | 294 | 290 | 98.6% | 264 | 89.8% |
| White | 1,168 | 1,152 | 98.6% | 1,081 | 92.6% |
| Other | 45 | 44 | 97.8% | 40 | 88.9% |
| Total | 3,743 | 3,685 | 98.5% | 3,346 | 89.4% |

*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL




AGE GROUP

| | | | | No. Virally | % Virally |
|-------|-------|--------------|------------|-------------------------|-------------------------|
| | Total | No. In Care* | % In Care* | Suppressed [†] | Suppressed [†] |
| 13-14 | 100 | 95 | 95.0% | 78 | 78.0% |
| 25-44 | 1,503 | 1,476 | 98.2% | 1,305 | 86.8% |
| 45-64 | 1,846 | 1,825 | 98.9% | 1,690 | 91.5% |
| 65+ | 294 | 289 | 98.3% | 273 | 92.9% |
| Total | 3,743 | 3,685 | 98.5% | 3,346 | 89.4% |

*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL




INSURANCE STATUS

| | | | | No. Virally | % Virally |
|--------------|-------|--------------|------------------------|-------------------------|-------------------------|
| | Total | No. In Care* | % In Care [*] | Suppressed [†] | Suppressed [†] |
| Insured | 2,943 | 2,901 | 98.6% | 2,693 | 91.5% |
| Transitioned | 137 | 136 | 99.3% | 119 | 86.9% |
| Uninsured | 663 | 648 | 97.7% | 534 | 80.5% |
| Total | 3,743 | 3,685 | 98.5% | 3,346 | 89.4% |

*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL



Louisiana Health Access Program New Orleans Region 1 Quarterly Report October 1, 2017 - December 31, 2017

ENROLLMENT SUMMARY

During the quarter, 1,438 clients from the New Orleans Region were enrolled in the Louisiana Health Access Program (LA HAP) of which 3% (n=42) were first time enrollees.

There were 77 clients who disenrolled from the program. The majority 83% (n=64) did not recertify, and another 9% (n=7) were eligible for Medicaid.

A total of 33 clients enrolled in the program to receive health insurance assistance who had previously been uninsured during the quarter.

There were 21 clients whe enrolled in the program to receive uninsured assistance only who had previously been insured during the quarter.

The largest number of clients enrolled in LA HAP reside in the New Orleans Region.



CLAIM TYPES Premium, 29.5% Deductible, 0.9% Drug, 60.8% Copay, 8.8%

CLINICAL OUTCOMES SUMMARY

A total of 99% (n=1,420) of clients were defined as in care. These clients had at least one CD4 or viral load test reported in the past year.

Ninety-one percent (n=1,305) of clients were virally suppressed. These clients had a viral load test reported in the past year with the most recent result <200 copies/mL. The New Orleans Region had the highest percentage of clients virally suppressed in the state.

Clients who are insured are more likely to be virally suppressed compared to those clients who are uninsured; 92% of insured clients were virally suppressed compared to 85% of uninsured clients.

UTILIZATION SUMMARY


LA HAP assisted with 12,485 claims including 7,591 (61%) drug claims, 1,103 (9%) copays, 107 (1%) deductibles and 3,684 (30%) premiums. Of these, 11,427 (92%) were for insured claims and 1,058 (8%) were for uninsured claims.

There were an average of 10.8 claims per person.

There were 1,062 clients who utilized health insurance assistance and 215 clients who utilized uninsured assistance.

Thirty-six percent of all LA HAP claims were for clients from the New Orleans Region.

CARE CONTINUUM FOR INSURED & UNINSURED CLIENTS



*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017 †Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL



Louisiana Health Access Program New Orleans Region 1 Quarterly Report October 1, 2017 - December 31, 2017


ENROLLMENT

SUMMARY

| Active | 1,438 |
|------------------|-------|
| Newly Enrolled | 42 |
| Disenrolled | 77 |
| Gained Insurance | 33 |
| Lost Insurance | 21 |

DISENROLLMENT REASON

| | n | % |
|----------------------------|----|-------|
| Deceased | 1 | 1.2% |
| Did not recertify | 64 | 83.1% |
| Eligible for Medicaid | 7 | 9.0% |
| Income exceeds program max | 5 | 6.4% |
| Total | 77 | 100% |



GENDER

| | Active | | Newly I | Newly Enrolled | | Disenrolled | | Gained Insurance | | Lost Insurance | |
|-------------|--------|-------|---------|----------------|----|-------------|----|------------------|----|----------------|--|
| | n | % | n | % | n | % | n | % | n | % | |
| Female | 241 | 16.7% | 3 | 7.1% | 12 | 15.5% | 4 | 12.1% | 3 | 14.2% | |
| Male | 1,180 | 82.0% | 38 | 90.4% | 65 | 84.4% | 28 | 84.8% | 18 | 85.7% | |
| Transgender | 17 | 1.1% | 1 | 2.3% | 0 | 0.0% | 1 | 3.0% | 0 | 0.0% | |
| Total | 1,438 | 100% | 42 | 100% | 77 | 100% | 33 | 100% | 21 | 100% | |

RACE/ETHNICITY

| | Active | | Newly Enrolled | | Disenrolled | | Gained Insurance | | Lost Insurance | |
|----------|--------|-------|----------------|-------|-------------|-------|------------------|-------|----------------|-------|
| | n | % | n | % | n | % | n | % | n | % |
| Black | 731 | 50.8% | 19 | 45.2% | 50 | 64.9% | 23 | 69.6% | 15 | 71.4% |
| Hispanic | 216 | 15.0% | 9 | 21.4% | 11 | 14.2% | 2 | 6.0% | 0 | 0.0% |
| White | 467 | 32.4% | 12 | 28.5% | 15 | 19.4% | 8 | 24.2% | 6 | 28.5% |
| Other | 24 | 1.6% | 2 | 4.7% | 1 | 1.2% | 0 | 0.0% | 0 | 0.0% |
| Total | 1,438 | 100% | 42 | 100% | 77 | 100% | 33 | 100% | 21 | 100% |

AGE GROUP

| | Active | | Newly Enrolled | | Disenrolled | | Gained Insurance | | Lost Insurance | |
|-------|--------|-------|----------------|-------|-------------|-------|------------------|-------|----------------|-------|
| | n | % | n | % | n | % | n | % | n | % |
| 13-24 | 36 | 2.5% | 2 | 4.7% | 3 | 3.8% | 2 | 6.0% | 1 | 4.7% |
| 25-44 | 589 | 40.9% | 21 | 50.0% | 41 | 53.2% | 18 | 54.5% | 13 | 61.9% |
| 45-64 | 697 | 48.4% | 15 | 35.7% | 28 | 36.3% | 13 | 39.3% | 7 | 33.3% |
| 65+ | 116 | 8.0% | 4 | 9.5% | 5 | 6.4% | 0 | 0.0% | 0 | 0.0% |
| Total | 1,438 | 100% | 42 | 100% | 77 | 100% | 33 | 100% | 21 | 100% |

| | Act | ive | Newly Enrolled | | Disenrolled | | Gained I | nsurance | Lost Insurance | |
|-----------------|-------|-------|----------------|-------|-------------|-------|----------|----------|----------------|-------|
| | n | % | n | % | n | % | n | % | n | % |
| New Orleans | 1,438 | 38.4% | 42 | 34.4% | 77 | 40.9% | 33 | 31.1% | 21 | 44.6% |
| Baton Rouge | 928 | 24.7% | 31 | 25.4% | 39 | 20.7% | 38 | 35.8% | 12 | 25.5% |
| Houma | 182 | 4.8% | 1 | 0.8% | 12 | 6.3% | 6 | 5.6% | 4 | 8.5% |
| Lafayette | 282 | 7.5% | 8 | 6.5% | 9 | 4.7% | 5 | 4.7% | 3 | 6.3% |
| Lake Charles | 145 | 3.8% | 3 | 2.4% | 7 | 3.7% | 3 | 2.8% | 1 | 2.1% |
| Alexandria | 95 | 2.5% | 6 | 4.9% | 6 | 3.1% | 4 | 3.7% | 1 | 2.1% |
| Shreveport | 260 | 6.9% | 9 | 7.3% | 17 | 9.0% | 9 | 8.4% | 4 | 8.5% |
| Monroe | 175 | 4.6% | 11 | 9.0% | 8 | 4.2% | 2 | 1.8% | 0 | 0.0% |
| Hammond/Slidell | 238 | 6.3% | 11 | 9.0% | 13 | 6.9% | 6 | 5.6% | 1 | 2.1% |
| Total | 3,743 | 100% | 122 | 100% | 188 | 100% | 106 | 100% | 47 | 100% |



Louisiana Health Access Program New Orleans Region 1 Quarterly Report October 1, 2017 - December 31, 2017


UTILIZATION


SUMMARY

| No. Claims | 12,485 |
|-----------------------|--------|
| No. Claims per Person | 10.8 |
| Insured Claims | 11,427 |
| Uninsured Claims | 1,058 |
| Insured Clients | 1,062 |
| Uninsured Clients | 215 |

CLAIM TYPES

| | n | % |
|------------|--------|-------|
| Drug | 7,591 | 60.8% |
| Copay | 1,103 | 8.8% |
| Deductible | 107 | 0.9% |
| Premium | 3,684 | 29.5% |
| Total | 12,485 | 100% |





GENDER

| | | | No. | | | | | | | | |
|-------------|------------|-------|--------|---------|----------|------------------|-------|-----------------|-------|-------------------|-------|
| | | | Claims | | | | | | | | |
| | No. Claims | | per | Insured | l Claims | Uninsured Claims | | Insured Clients | | Uninsured Clients | |
| | n | % | Person | n | % | n | % | n | % | n | % |
| Female | 1,975 | 15.8% | 10.3 | 1,739 | 15.2% | 236 | 22.3% | 177 | 16.6% | 38 | 17.6% |
| Male | 10,362 | 82.9% | 10.9 | 9,556 | 83.6% | 806 | 76.1% | 873 | 82.2% | 175 | 81.3% |
| Transgender | 148 | 1.1% | 11.4 | 132 | 1.1% | 16 | 1.5% | 12 | 1.1% | 2 | 0.9% |
| Total | 12,485 | 100% | 10.8 | 11,427 | 100% | 1,058 | 100% | 1,062 | 100% | 215 | 100% |

RACE/ETHNICITY

| | No. C | laims | No. Claims per | Insured | l Claims | Uninsure | ed Claims | Insured | l Clients | Uninsure | ed Clients |
|----------|--------|-------|----------------------|---------|----------|----------|-----------|---------|-----------|----------|------------|
| | n | % | Person | n | % | n | % | n | % | n | % |
| Black | 5,136 | 41.1% | 9.3 | 4,632 | 40.5% | 504 | 47.6% | 496 | 46.7% | 114 | 53.0% |
| Hispanic | 1,925 | 15.4% | 10.1 | 1,512 | 13.2% | 413 | 39.0% | 162 | 15.2% | 70 | 32.5% |
| White | 5,196 | 41.6% | 13.2 | 5,062 | 44.2% | 134 | 12.6% | 385 | 36.2% | 29 | 13.4% |
| Other | 228 | 1.8% | 12.0 | 221 | 1.9% | 7 | 0.6% | 19 | 1.7% | 2 | 0.9% |
| Total | 12,485 | 100% | 10.8 | 11,427 | 100% | 1,058 | 100% | 1,062 | 100% | 215 | 100% |

AGE GROUP

| NOT GROOT | No. C | laims | No. Claims per | Insured | l Claims | Uninsure | ed Claims | Insured | l Clients | Uninsure | ed Clients |
|-----------|--------|-------|----------------------|---------|----------|----------|-----------|---------|-----------|----------|------------|
| | n | % | Person | n | % | n | % | n | % | n | % |
| 13-24 | 172 | 1.3% | 6.6 | 116 | 1.0% | 56 | 5.2% | 19 | 1.7% | 11 | 5.1% |
| 25-44 | 4,098 | 32.8% | 8.7 | 3,473 | 30.3% | 625 | 59.0% | 416 | 39.1% | 129 | 60.0% |
| 45-64 | 7,018 | 56.2% | 12.3 | 6,641 | 58.1% | 377 | 35.6% | 537 | 50.5% | 75 | 34.8% |
| 65+ | 1,197 | 9.5% | 13.3 | 1,197 | 10.4% | 0 | 0.0% | 90 | 8.4% | 0 | 0.0% |
| Total | 12,485 | 100% | 10.8 | 11,427 | 100% | 1,058 | 100% | 1,062 | 100% | 215 | 100% |

UTILIZATION BY REGION FOR ALL LA HAP REGIONS


| UTILIZATION BY REGION FOR ALL LA HAP REGIONS | | | | | | | | | | | |
|--|------------|-------|--------|---------|--------|------------------|-------|-----------------|-------|-------------------|-------|
| | | | No. | | | | | | | | |
| | | | Claims | | | | | | | | |
| | No. Claims | | per | Insured | Claims | Uninsured Claims | | Insured Clients | | Uninsured Clients | |
| | n | % | Person | n | | | % | n | % | n | % |
| New Orleans | 12,485 | 36.2% | 10.8 | 11,427 | 35.6% | 1,058 | 43.3% | 1,062 | 38.2% | 215 | 41.0% |
| Baton Rouge | 9,418 | 27.3% | 12.2 | 8,943 | 27.9% | 475 | 19.4% | 722 | 26.0% | 112 | 21.3% |
| Houma | 1,717 | 4.9% | 11.0 | 1,584 | 4.9% | 133 | 5.4% | 141 | 5.0% | 23 | 4.3% |
| Lafayette | 3,190 | 9.2% | 13.0 | 3,016 | 9.4% | 174 | 7.1% | 211 | 7.6% | 42 | 8.0% |
| Lake Charles | 1,028 | 2.9% | 8.4 | 992 | 3.0% | 36 | 1.4% | 110 | 3.9% | 15 | 2.8% |
| Alexandria | 605 | 1.7% | 8.4 | 537 | 1.6% | 68 | 2.7% | 63 | 2.2% | 15 | 2.8% |
| Shreveport | 2,139 | 6.2% | 10.3 | 1,908 | 5.9% | 231 | 9.4% | 180 | 6.4% | 45 | 8.5% |
| Monroe | 1,522 | 4.4% | 10.9 | 1,410 | 4.4% | 112 | 4.5% | 121 | 4.3% | 26 | 4.9% |
| Hammond/Slidell | 2,366 | 6.8% | 12.5 | 2,211 | 6.9% | 155 | 6.3% | 166 | 5.9% | 31 | 5.9% |
| Total | 34,470 | 100% | 11.3 | 32,028 | 100% | 2,442 | 100% | 2,776 | 100% | 524 | 100% |

SUMMARY

| | n | % | | |
|---------------------|-------|-------|--|--|
| In Care* | 1,420 | 98.7% | | |
| Virally Suppressed† | 1,305 | 90.8% | | |
| Total | 1,438 | 100% | | |

^{*}Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL




GENDER

| | | | | No. Virally | % Virally |
|-------------|-------|--------------|------------------------|-------------------------|-------------------------|
| | Total | No. In Care* | % In Care [*] | Suppressed [†] | Suppressed [†] |
| Female | 241 | 237 | 98.3% | 225 | 93.4% |
| Male | 1,180 | 1,166 | 98.8% | 1,066 | 90.3% |
| Transgender | 17 | 17 | 100.0% | 14 | 82.4% |
| Total | 1,438 | 1,420 | 98.7% | 1,305 | 90.8% |

*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL




RACE/ETHNICITY

| | | | | No. Virally | % Virally | | | | | |
|----------|-------|--------------|------------------------|-------------------------|-------------------------|--|--|--|--|--|
| | Total | No. In Care* | % In Care [*] | Suppressed [†] | Suppressed [†] | | | | | |
| Black | 731 | 724 | 99.0% | 650 | 88.9% | | | | | |
| Hispanic | 216 | 214 | 99.1% | 196 | 90.7% | | | | | |
| White | 467 | 458 | 98.1% | 437 | 93.6% | | | | | |
| Other | 24 | 24 | 100.0% | 22 | 91.7% | | | | | |
| Total | 1,438 | 1,420 | 98.7% | 1,305 | 90.8% | | | | | |

*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL




AGE GROUP

| | | | | No. Virally | % Virally |
|-------|-------|--------------|------------------------|-------------------------|-------------------------|
| | Total | No. In Care* | % In Care [*] | Suppressed [†] | Suppressed [†] |
| 13-24 | 36 | 35 | 97.2% | 29 | 80.6% |
| 25-44 | 589 | 582 | 98.8% | 522 | 88.6% |
| 45-64 | 697 | 690 | 99.0% | 646 | 92.7% |
| 65+ | 116 | 113 | 97.4% | 108 | 93.1% |
| Total | 1,438 | 1,420 | 98.7% | 1,305 | 90.8% |
| | | | | | |

*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL




INSURANCE STATUS

| | | | | No. Virally | % Virally |
|--------------|-------|--------------|------------------------|-------------------------|-------------------------|
| | Total | No. In Care* | % In Care [*] | Suppressed [†] | Suppressed [†] |
| Insured | 1,124 | 1,109 | 98.7% | 1,035 | 92.1% |
| Transitioned | 46 | 46 | 100.0% | 42 | 91.3% |
| Uninsured | 268 | 265 | 98.9% | 228 | 85.1% |
| Total | 1,438 | 1,420 | 98.7% | 1,305 | 90.8% |

*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL





Louisiana Health Access Program Baton Rouge Region 2 Quarterly Report October 1, 2017 - December 31, 2017

ENROLLMENT SUMMARY


During the quarter, 928 clients from the Baton Rouge Region were enrolled in the Louisiana Health Access Program (LA HAP) of which 3% (n=31) were first time enrollees.

There were 39 clients who disenrolled from the program. The majority 67% (n=26) did not recertify, and another 23% (n=9) were eligible for Medicaid.

A total of 38 clients enrolled in the program to receive health insurance assistance who had previously been receiving uninsured assistance during the quarter.

There were 12 clients who enrolled in the program to receive uninsured assistance only who had previously been insured during the quarter.

The second largest number of clients enrolled in LA HAP reside in the Baton Rouge Region.




CLINICAL OUTCOMES SUMMARY

Nearly all clients (99%, n=921) were defined as in care. These clients had at least one CD4 or viral load test reported in the past year.

Ninety percent (n=835) of clients were virally suppressed. These clients had a viral load test reported in the past year with the most recent result <200 copies/mL. The percentage of clients virally suppressed in Baton Rouge is similar to the statewide percentage of 89%.

Clients who are insured are more likely to be virally suppressed compared to those clients who are uninsured; 92% of insured clients were virally suppressed compared to 80% of uninsured clients.

ENROLLED CLIENTS BY PARISH



UTILIZATION SUMMARY


LA HAP assisted with 9,418 claims including 6,499 (69%) drug claims, 529 (6%) copays, 127 (1%) deductibles and 2,263 (24%) premiums. Of these, 8,943 (95%) were for insured claims and 475 (5%) were for uninsured claims.

There were an average of 12.2 claims per person.

There were 722 clients who utilized health insurance assistance and 112 clients who utilized uninsured assistance.

Twenty-seven percent of all LA HAP claims were for clients from the Baton Rouge Region.

CARE CONTINUUM FOR CLIENTS BY INSURANCE STATUS



*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017 †Clients defined as 'Virally Suppressed' had at least one Viral Load reported

†Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL



Louisiana Health Access Program Baton Rouge Region 2 Quarterly Report October 1, 2017 - December 31, 2017


ENROLLMENT

SUMMARY

| Active | 928 |
|------------------|-----|
| Newly Enrolled | 31 |
| Disenrolled | 39 |
| Gained Insurance | 38 |
| Lost Insurance | 12 |

DISENROLLMENT REASON

| | n | % |
|----------------------------|----|-------|
| Deceased | 1 | 2.5% |
| Did not recertify | 26 | 66.6% |
| Eligible for Medicaid | 9 | 23.0% |
| Incarcerated | 1 | 2.5% |
| Income exceeds program max | 2 | 5.1% |
| Total | 39 | 100% |



GENDER

| | Active | | Newly I | Enrolled | Disenrolled Gained Insu | | | nsurance | irance Lost Insurance | | |
|-------------|--------|-------|---------|----------|-------------------------|-------|----|----------|-----------------------|-------|--|
| | n | % | n | % | n | % | n | % | n | % | |
| Female | 308 | 33.1% | 8 | 25.8% | 7 | 17.9% | 13 | 34.2% | 5 | 41.6% | |
| Male | 614 | 66.1% | 23 | 74.1% | 32 | 82.0% | 25 | 65.7% | 7 | 58.3% | |
| Transgender | 6 | 0.6% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | |
| Total | 928 | 100% | 31 | 100% | 39 | 100% | 38 | 100% | 12 | 100% | |

RACE/ETHNICITY

| | Active | | Newly I | Enrolled | Disenrolled Gained Insurance | | | Lost Insurance | | |
|----------|--------|-------|---------|----------|------------------------------|-------|----|----------------|----|-------|
| | n | % | n | % | n | % | n | % | n | % |
| Black | 759 | 81.7% | 27 | 87.0% | 34 | 87.1% | 34 | 89.4% | 11 | 91.6% |
| Hispanic | 33 | 3.5% | 1 | 3.2% | 1 | 2.5% | 1 | 2.6% | 0 | 0.0% |
| White | 132 | 14.2% | 3 | 9.6% | 4 | 10.2% | 3 | 7.8% | 1 | 8.3% |
| Other | 4 | 0.4% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Total | 928 | 100% | 31 | 100% | 39 | 100% | 38 | 100% | 12 | 100% |

AGE GROUP

| | Active | | Newly Enrolled | | Disenrolled | | Gained Insurance | | Lost Insurance | |
|-------|--------|-------|----------------|-------|-------------|-------|------------------|-------|----------------|-------|
| | n | % | n | % | n | % | n | % | n | % |
| 13-24 | 28 | 3.0% | 3 | 9.6% | 1 | 2.5% | 2 | 5.2% | 1 | 8.3% |
| 25-44 | 403 | 43.4% | 18 | 58.0% | 28 | 71.7% | 20 | 52.6% | 6 | 50.0% |
| 45-64 | 430 | 46.3% | 10 | 32.2% | 10 | 25.6% | 15 | 39.4% | 3 | 25.0% |
| 65+ | 67 | 7.2% | 0 | 0.0% | 0 | 0.0% | 1 | 2.6% | 2 | 16.6% |
| Total | 928 | 100% | 31 | 100% | 39 | 100% | 38 | 100% | 12 | 100% |

| | Act | ive | Newly I | nrolled | Disen | rolled | Gained I | nsurance | Lost Ins | surance |
|----------------|-------|-------|---------|---------|-------|--------|----------|----------|----------|---------|
| | n | % | n | % | n | % | n | % | n | % |
| New Orleans | 1,438 | 38.4% | 42 | 34.4% | 77 | 40.9% | 33 | 31.1% | 21 | 44.6% |
| Baton Rouge | 928 | 24.7% | 31 | 25.4% | 39 | 20.7% | 38 | 35.8% | 12 | 25.5% |
| Houma | 182 | 4.8% | 1 | 0.8% | 12 | 6.3% | 6 | 5.6% | 4 | 8.5% |
| Lafayette | 282 | 7.5% | 8 | 6.5% | 9 | 4.7% | 5 | 4.7% | 3 | 6.3% |
| Lake Charles | 145 | 3.8% | 3 | 2.4% | 7 | 3.7% | 3 | 2.8% | 1 | 2.1% |
| Alexandria | 95 | 2.5% | 6 | 4.9% | 6 | 3.1% | 4 | 3.7% | 1 | 2.1% |
| Shreveport | 260 | 6.9% | 9 | 7.3% | 17 | 9.0% | 9 | 8.4% | 4 | 8.5% |
| Monroe | 175 | 4.6% | 11 | 9.0% | 8 | 4.2% | 2 | 1.8% | 0 | 0.0% |
| Hammond/Slidel | 238 | 6.3% | 11 | 9.0% | 13 | 6.9% | 6 | 5.6% | 1 | 2.1% |
| Total | 3,743 | 100% | 122 | 100% | 188 | 100% | 106 | 100% | 47 | 100% |



Louisiana Health Access Program Baton Rouge Region 2 Quarterly Report October 1, 2017 - December 31, 2017


UTILIZATION

SUMMARY


| No. Claims | 9,418 |
|-----------------------|-------|
| No. Claims per Person | 12.2 |
| Insured Claims | 8,943 |
| Uninsured Claims | 475 |
| Insured Clients | 722 |
| Uninsured Clients | 112 |

CLAIM TYPES

| OLJ IIIVI T T T LO | | |
|--------------------|-------|-------|
| | n | % |
| Drug | 6,499 | 69.0% |
| Copay | 529 | 5.6% |
| Deductible | 127 | 1.3% |
| Premium | 2,263 | 24.0% |
| Total | 9,418 | 100% |



Drug, 69.0%



GENDER

| | | | No. Claims | | | | | | | | |
|-------------|-------|-------|---------------|---------|--------|----------|----------|---------|---------|----------|------------|
| | No. C | laims | per | Insured | Claims | Uninsure | d Claims | Insured | Clients | Uninsure | ed Clients |
| | n | % | Person | n | % | n | % | n | % | n | % |
| Female | 3,326 | 35.3% | 13.1 | 3,212 | 35.9% | 114 | 24.0% | 239 | 33.1% | 26 | 23.2% |
| Male | 6,008 | 63.7% | 11.8 | 5,649 | 63.1% | 359 | 75.5% | 477 | 66.0% | 85 | 75.8% |
| Transgender | 84 | 0.8% | 14.0 | 82 | 0.9% | 2 | 0.4% | 6 | 0.8% | 1 | 0.8% |
| Total | 9,418 | 100% | 12.2 | 8,943 | 100% | 475 | 100% | 722 | 100% | 112 | 100% |

RACE/ETHNICITY

| | No. C | laims | No. Claims per | Insured | Claims | Uninsure | ed Claims | Insured | l Clients | Uninsure | ed Clients |
|----------|-------|-------|----------------------|---------|--------|----------|-----------|---------|-----------|----------|------------|
| | n | % | Person | n | % | n | % | n | % | n | % |
| Black | 7,153 | 75.9% | 11.6 | 6,832 | 76.3% | 321 | 67.5% | 579 | 80.1% | 87 | 77.6% |
| Hispanic | 208 | 2.2% | 6.7 | 89 | 0.9% | 119 | 25.0% | 24 | 3.3% | 18 | 16.0% |
| White | 1,978 | 21.0% | 17.2 | 1,955 | 21.8% | 23 | 4.8% | 115 | 15.9% | 6 | 5.3% |
| Other | 79 | 0.8% | 19.8 | 67 | 0.7% | 12 | 2.5% | 4 | 0.5% | 1 | 0.8% |
| Total | 9,418 | 100% | 12.2 | 8,943 | 100% | 475 | 100% | 722 | 100% | 112 | 100% |

AGE GROUP

| THE SHOOT | No. C | laims | No. Claims per | Insured | l Claims | Uninsure | ed Claims | Insured | l Clients | Uninsure | ed Clients |
|-----------|-------|-------|----------------------|---------|----------|----------|-----------|---------|-----------|----------|------------|
| | n | % | Person | n | % | n | % | n | % | n | % |
| 13-24 | 116 | 1.2% | 4.6 | 100 | 1.1% | 16 | 3.3% | 24 | 3.3% | 5 | 4.4% |
| 25-44 | 3,169 | 33.6% | 9.5 | 2,873 | 32.1% | 296 | 62.3% | 310 | 42.9% | 69 | 61.6% |
| 45-64 | 5,057 | 53.6% | 14.3 | 4,894 | 54.7% | 163 | 34.3% | 333 | 46.1% | 38 | 33.9% |
| 65+ | 1,076 | 11.4% | 19.6 | 1,076 | 12.0% | 0 | 0.0% | 55 | 7.6% | 0 | 0.0% |
| Total | 9,418 | 100% | 12.2 | 8,943 | 100% | 475 | 100% | 722 | 100% | 112 | 100% |

UTILIZATION BY REGION FOR ALL LA HAP REGIONS


| UTILIZATION BY REGI | ON I OK A | ILL LA IIA | | J | | | | | | | |
|---------------------|-----------|------------|--------|---------|--------|----------|----------|---------|---------|----------|-----------|
| | | | No. | | | | | | | | |
| | | | Claims | | | | | | | | |
| | No. C | laims | per | Insured | Claims | Uninsure | d Claims | Insured | Clients | Uninsure | d Clients |
| | n | % | Person | n | % | n | % | n | % | n | % |
| New Orleans | 12,485 | 36.2% | 10.8 | 11,427 | 35.6% | 1,058 | 43.3% | 1,062 | 38.2% | 215 | 41.0% |
| Baton Rouge | 9,418 | 27.3% | 12.2 | 8,943 | 27.9% | 475 | 19.4% | 722 | 26.0% | 112 | 21.3% |
| Houma | 1,717 | 4.9% | 11.0 | 1,584 | 4.9% | 133 | 5.4% | 141 | 5.0% | 23 | 4.3% |
| Lafayette | 3,190 | 9.2% | 13.0 | 3,016 | 9.4% | 174 | 7.1% | 211 | 7.6% | 42 | 8.0% |
| Lake Charles | 1,028 | 2.9% | 8.4 | 992 | 3.0% | 36 | 1.4% | 110 | 3.9% | 15 | 2.8% |
| Alexandria | 605 | 1.7% | 8.4 | 537 | 1.6% | 68 | 2.7% | 63 | 2.2% | 15 | 2.8% |
| Shreveport | 2,139 | 6.2% | 10.3 | 1,908 | 5.9% | 231 | 9.4% | 180 | 6.4% | 45 | 8.5% |
| Monroe | 1,522 | 4.4% | 10.9 | 1,410 | 4.4% | 112 | 4.5% | 121 | 4.3% | 26 | 4.9% |
| Hammond/Slidell | 2,366 | 6.8% | 12.5 | 2,211 | 6.9% | 155 | 6.3% | 166 | 5.9% | 31 | 5.9% |
| Total | 34,470 | 100% | 11.3 | 32,028 | 100% | 2,442 | 100% | 2,776 | 100% | 524 | 100% |

SUMMARY

| | n | % |
|---------------------|-----|-------|
| In Care* | 921 | 99.2% |
| Virally Suppressed† | 835 | 90.0% |
| Total | 928 | 100% |

^{*}Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL




GENDER

| | | | | No. Virally | % Virally |
|-------------|-------|--------------|------------------------|-------------------------|-------------------------|
| | Total | No. In Care* | % In Care [*] | Suppressed [†] | Suppressed [†] |
| Female | 308 | 305 | 99.0% | 272 | 88.3% |
| Male | 614 | 610 | 99.3% | 557 | 90.7% |
| Transgender | 6 | 6 | 100.0% | 6 | 100.0% |
| Total | 928 | 921 | 99.2% | 835 | 90.0% |

*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL




RACE/ETHNICITY

| | | | | No. Virally | % Virally |
|----------|-------|--------------|------------------------|-------------------------|-------------------------|
| | Total | No. In Care* | % In Care [*] | Suppressed [†] | Suppressed [†] |
| Black | 759 | 753 | 99.2% | 678 | 89.3% |
| Hispanic | 33 | 32 | 97.0% | 28 | 84.8% |
| White | 132 | 132 | 100.0% | 126 | 95.5% |
| Other | 4 | 4 | 100.0% | 3 | 75.0% |
| Total | 928 | 921 | 99.2% | 835 | 90.0% |

*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL




AGE GROUP

| | | | | No. Virally | % Virally |
|-------|-------|--------------|------------------------|-------------------------|-------------------------|
| | Total | No. In Care* | % In Care [*] | Suppressed [†] | Suppressed [†] |
| 13-24 | 28 | 28 | 100.0% | 25 | 89.3% |
| 25-44 | 403 | 398 | 98.8% | 354 | 87.8% |
| 45-64 | 430 | 428 | 99.5% | 394 | 91.6% |
| 65+ | 67 | 67 | 100.0% | 62 | 92.5% |
| Total | 928 | 921 | 99.2% | 835 | 90.0% |

*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL




INSURANCE STATUS

| | | | | No. Virally | % Virally |
|--------------|-------|--------------|------------------------|-------------------------|-------------------------|
| | Total | No. In Care* | % In Care [*] | Suppressed [†] | Suppressed [†] |
| Insured | 737 | 732 | 99.3% | 678 | 92.0% |
| Transitioned | 45 | 45 | 100.0% | 40 | 88.9% |
| Uninsured | 146 | 144 | 98.6% | 117 | 80.1% |
| Total | 928 | 921 | 99.2% | 835 | 90.0% |

*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL





Louisiana Health Access Program Houma Region 3 Quarterly Report October 1, 2017 - December 31, 2017

ENROLLMENT SUMMARY


During the quarter, 182 clients from the Houma Region were enrolled in the Louisiana Health Access Program (LA HAP).

There were 12 clients who disenrolled from the program.

A total of 6 clients enrolled in the program to receive health insurance assistance who had previously been uninsured during the quarter.

There were 4 clients who enrolled in the program to receive uninsured assistance only who had previously been insured during the quarter.

Clients living in the Houma Region account for 5% of LA HAP enrollees.



ENROLLED CLIENTS BY PARISH

CLAIM TYPES Premium, 26.6% Deductible, 0.9% Copay, 12.1% Drug, 60.4%

UTILIZATION SUMMARY

LA HAP assisted with 1,717 claims including 1,037 (60%) drug claims, 208 (12%) copays, 15 (1%) deductibles and 457 (27%) premiums. Of these, 1,584 (92%) were for insured claims and 133 (8%) were for uninsured claims.

There were an average of 11.0 claims per person.

There were 141 clients who utilized health insurance assistance and 23 clients who utilized uninsured assistance.

Five percent of all LA HAP claims were for clients from the Houma Region.


CLINICAL OUTCOMES SUMMARY

Nearly all clients (181/182) were defined as in care. These clients had at least one CD4 or viral load test reported in the past year.

Ninety percent (n=164) of clients were virally suppressed. These clients had a viral load test reported in the past year with the most recent result <200 copies/mL. The percentage of clients virally suppressed in Houma is similar to the statewide percentage of 89%.

Only 86% of black clients achieved viral suppression compared to 97% of white clients despite having similar in care percentages.

CARE CONTINUUM FOR CLIENTS BY RACE/ETHNICITY ■ Total ■ % In Care* ■ % Virally Suppressed†



*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017 †Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL



Louisiana Health Access Program Houma Region 3 Quarterly Report October 1, 2017 - December 31, 2017


ENROLLMENT

SUMMARY

| Active | 182 |
|------------------|-----|
| Newly Enrolled | 1 |
| Disenrolled | 12 |
| Gained Insurance | 6 |
| Lost Insurance | 4 |

DISENROLLMENT REASON

| | n | % |
|----------------------------|----|-------|
| Deceased | 0 | 0.0% |
| Did not recertify | 4 | 33.3% |
| Eligible for Medicaid | 4 | 33.3% |
| Incarcerated | 1 | 8.3% |
| Income exceeds program max | 2 | 16.6% |
| Moved out of state | 1 | 8.3% |
| Total | 12 | 100% |



GENDER

| | Act | Active | | nrolled | Disen | rolled | Gained I | Gained Insurance Lost Insu | | |
|-------------|-----|--------|---|---------|-------|--------|----------|----------------------------|---|-------|
| | n | % | n | n % | | % | n | % | n | % |
| Female | 44 | 24.1% | 0 | 0.0% | 2 | 16.6% | 3 | 50.0% | 1 | 25.0% |
| Male | 136 | 74.7% | 1 | 100.0% | 10 | 83.3% | 3 | 50.0% | 3 | 75.0% |
| Transgender | 2 | 1.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Total | 182 | 100% | 1 | 100% | 12 | 100% | 6 | 100% | 4 | 100% |

RACE/ETHNICITY

| | Active | | Newly I | nrolled | Disen | Disenrolled Gained Insurance | | | Lost Ins | Lost Insurance | |
|----------|--------|-------|---------|---------|-------|------------------------------|---|-------|----------|----------------|--|
| | n | % | n | n % | | % | n | % | n | % | |
| Black | 104 | 57.1% | 1 | 100.0% | 8 | 66.6% | 5 | 83.3% | 3 | 75.0% | |
| Hispanic | 12 | 6.5% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | |
| White | 63 | 34.6% | 0 | 0.0% | 4 | 33.3% | 1 | 16.6% | 1 | 25.0% | |
| Other | 3 | 1.6% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | |
| Total | 182 | 100% | 1 | 100% | 12 | 100% | 6 | 100% | 4 | 100% | |

AGE GROUP

| | Active | | Newly I | Enrolled | Disen | rolled | Gained I | nsurance | Lost Insurance | | | |
|-------|--------|-------|---------|----------|-------|--------|----------|----------|----------------|-------|--|--|
| | n | % | n | n % | | % | n | % | n | % | | |
| 13-24 | 3 | 1.6% | 0 | 0.0% | 1 | 8.3% | 0 | 0.0% | 0 | 0.0% | | |
| 25-44 | 70 | 38.4% | 1 | 100.0% | 5 | 41.6% | 5 | 83.3% | 2 | 50.0% | | |
| 45-64 | 97 | 53.2% | 0 | 0.0% | 5 | 41.6% | 1 | 16.6% | 2 | 50.0% | | |
| 65+ | 12 | 6.5% | 0 | 0.0% | 1 | 8.3% | 0 | 0.0% | 0 | 0.0% | | |
| Total | 182 | 100% | 1 | 100% | 12 | 100% | 6 | 100% | 4 | 100% | | |

| | Act | ive | Newly I | nrolled | Disen | rolled | Gained I | nsurance | Lost Ins | surance |
|-----------------|-------|-------|---------|---------|-------|--------|----------|----------|----------|---------|
| | n | % | n | % | n | % | n | % | n | % |
| New Orleans | 1,438 | 38.4% | 42 | 34.4% | 77 | 40.9% | 33 | 31.1% | 21 | 44.6% |
| Baton Rouge | 928 | 24.7% | 31 | 25.4% | 39 | 20.7% | 38 | 35.8% | 12 | 25.5% |
| Houma | 182 | 4.8% | 1 | 0.8% | 12 | 6.3% | 6 | 5.6% | 4 | 8.5% |
| Lafayette | 282 | 7.5% | 8 | 6.5% | 9 | 4.7% | 5 | 4.7% | 3 | 6.3% |
| Lake Charles | 145 | 3.8% | 3 | 2.4% | 7 | 3.7% | 3 | 2.8% | 1 | 2.1% |
| Alexandria | 95 | 2.5% | 6 | 4.9% | 6 | 3.1% | 4 | 3.7% | 1 | 2.1% |
| Shreveport | 260 | 6.9% | 9 | 7.3% | 17 | 9.0% | 9 | 8.4% | 4 | 8.5% |
| Monroe | 175 | 4.6% | 11 | 9.0% | 8 | 4.2% | 2 | 1.8% | 0 | 0.0% |
| Hammond/Slidell | 238 | 6.3% | 11 | 9.0% | 13 | 6.9% | 6 | 5.6% | 1 | 2.1% |
| Total | 3,743 | 100% | 122 | 100% | 188 | 100% | 106 | 100% | 47 | 100% |



Louisiana Health Access Program Houma Region 3 Quarterly Report October 1, 2017 - December 31, 2017


UTILIZATION


SUMMARY

| No. Claims | 1,717 |
|-----------------------|-------|
| No. Claims per Person | 11.0 |
| Insured Claims | 1,584 |
| Uninsured Claims | 133 |
| Insured Clients | 141 |
| Uninsured Clients | 23 |

CLAIM TYPES

| | n | % |
|------------|-------|-------|
| Drug | 1,037 | 60.4% |
| Copay | 208 | 12.1% |
| Deductible | 15 | 0.9% |
| Premium | 457 | 26.6% |
| Total | 1,717 | 100% |





GENDER

| | No. C | Claims | No. Claims per | Insured | l Claims | Uninsure | ed Claims | Insured | l Clients | Uninsure | ed Clients |
|-------------|-------|--------|----------------------|---------|----------|----------|-----------|---------|-----------|----------|------------|
| | n | % | Person | n | % | n | % | n | % | n | % |
| Female | 459 | 26.7% | 12.1 | 422 | 26.6% | 37 | 27.8% | 34 | 24.1% | 7 | 30.4% |
| Male | 1,252 | 72.9% | 10.8 | 1,156 | 72.9% | 96 | 72.1% | 105 | 74.4% | 16 | 69.5% |
| Transgender | 6 | 0.3% | 3.0 | 6 | 0.3% | 0 | 0.0% | 2 | 1.4% | 0 | 0.0% |
| Total | 1,717 | 100% | 11.0 | 1,584 | 100% | 133 | 100% | 141 | 100% | 23 | 100% |

RACE/ETHNICITY

| | No. Claims | | No. Claims per | Claims | | Uninsured Claims | | Insured Clients | | Uninsured Clients | |
|----------|------------|-------|----------------------|--------|-------|------------------|-------|-----------------|-------|-------------------|-------|
| | n | % | Person | n | % | n | % | n | % | n | % |
| Black | 789 | 45.9% | 9.3 | 721 | 45.5% | 68 | 51.1% | 76 | 53.9% | 14 | 60.8% |
| Hispanic | 151 | 8.7% | 13.7 | 116 | 7.3% | 35 | 26.3% | 10 | 7.0% | 4 | 17.3% |
| White | 751 | 43.7% | 13.2 | 727 | 45.8% | 24 | 18.0% | 53 | 37.5% | 4 | 17.3% |
| Other | 26 | 1.5% | 8.7 | 20 | 1.2% | 6 | 4.5% | 2 | 1.4% | 1 | 4.3% |
| Total | 1,717 | 100% | 11.0 | 1,584 | 100% | 133 | 100% | 141 | 100% | 23 | 100% |

AGE GROUP

| | No. C | Claims | No. Claims per | Insured | l Claims | Uninsure | ed Claims | Insured | l Clients | Uninsure | ed Clients |
|-------|-------|--------|----------------------|---------|----------|----------|-----------|---------|-----------|----------|------------|
| | n | % | Person | n | % | n | % | n | % | n | % |
| 13-24 | 11 | 0.6% | 5.5 | 11 | 0.6% | 0 | 0.0% | 2 | 1.4% | 0 | 0.0% |
| 25-44 | 410 | 23.8% | 7.2 | 330 | 20.8% | 80 | 60.1% | 47 | 33.3% | 15 | 65.2% |
| 45-64 | 1,086 | 63.2% | 12.6 | 1,033 | 65.2% | 53 | 39.8% | 81 | 57.4% | 8 | 34.7% |
| 65+ | 210 | 12.2% | 19.1 | 210 | 13.2% | 0 | 0.0% | 11 | 7.8% | 0 | 0.0% |
| Total | 1,717 | 100% | 11.0 | 1,584 | 100% | 133 | 100% | 141 | 100% | 23 | 100% |

UTILIZATION BY REGION FOR ALL LA HAP REGIONS

| OTILIZATION DT KI | LOIOIVIO | \ | | OIVO | | | | | | | |
|-------------------|----------|-------|--------|----------------|-------|------------------|-------|-----------------|-------|-------------------|-------|
| | | | No. | | | | | | | | |
| | | | Claims | | | | | | | | |
| | No. C | laims | per | Insured Claims | | Uninsured Claims | | Insured Clients | | Uninsured Clients | |
| | n | % | Person | n | % | n | % | n | % | n | % |
| New Orleans | 12,485 | 36.2% | 10.8 | 11,427 | 35.6% | 1,058 | 43.3% | 1,062 | 38.2% | 215 | 41.0% |
| Baton Rouge | 9,418 | 27.3% | 12.2 | 8,943 | 27.9% | 475 | 19.4% | 722 | 26.0% | 112 | 21.3% |
| Houma | 1,717 | 4.9% | 11.0 | 1,584 | 4.9% | 133 | 5.4% | 141 | 5.0% | 23 | 4.3% |
| Lafayette | 3,190 | 9.2% | 13.0 | 3,016 | 9.4% | 174 | 7.1% | 211 | 7.6% | 42 | 8.0% |
| Lake Charles | 1,028 | 2.9% | 8.4 | 992 | 3.0% | 36 | 1.4% | 110 | 3.9% | 15 | 2.8% |
| Alexandria | 605 | 1.7% | 8.4 | 537 | 1.6% | 68 | 2.7% | 63 | 2.2% | 15 | 2.8% |
| Shreveport | 2,139 | 6.2% | 10.3 | 1,908 | 5.9% | 231 | 9.4% | 180 | 6.4% | 45 | 8.5% |
| Monroe | 1,522 | 4.4% | 10.9 | 1,410 | 4.4% | 112 | 4.5% | 121 | 4.3% | 26 | 4.9% |
| Hammond/Slidell | 2,366 | 6.8% | 12.5 | 2,211 | 6.9% | 155 | 6.3% | 166 | 5.9% | 31 | 5.9% |
| Total | 34,470 | 100% | 11.3 | 32,028 | 100% | 2,442 | 100% | 2,776 | 100% | 524 | 100% |

SUMMARY

| | n | % |
|---------------------|-----|-------|
| In Care* | 181 | 99.5% |
| Virally Suppressed† | 164 | 90.1% |
| Total | 182 | 100% |

Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017


CARE CONTINUUM FOR CLIENTS FOR REGION 3 & STATE Total % In Care* % Virally Suppressed† 100% 100% 99% 89% Houma Region 3 Statewide

GENDER

| | | | | No. Virally | % Virally |
|--------|-------|--------------|------------|-------------------------|-------------------------|
| | Total | No. In Care* | % In Care* | Suppressed [†] | Suppressed [†] |
| Female | 44 | 44 | 100.0% | 38 | 86.4% |
| Male | 136 | 135 | 99.3% | 125 | 91.9% |
| Total | 182 | 181 | 99.5% | 164 | 90.1% |

^{*}Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL




RACE/ETHNICITY

| | | | | No. Virally | % Virally |
|----------|-------|--------------|------------------------|-------------------------|------------|
| | Total | No. In Care* | % In Care [*] | Suppressed [†] | Suppressed |
| Black | 104 | 103 | 99.0% | 89 | 85.6% |
| Hispanic | 12 | 12 | 100.0% | 11 | 91.7% |
| White | 63 | 63 | 100.0% | 61 | 96.8% |
| Total | 182 | 181 | 99.5% | 164 | 90.1% |

^{*}Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

CARE CONTINUUM FOR CLIENTS BY RACE/ETHNICITY




AGE GROUP

| | | | | No. Virally | % Virally |
|-------|-------|--------------|------------------------|-------------------------|-------------------------|
| | Total | No. In Care* | % In Care [*] | Suppressed [†] | Suppressed [†] |
| 25-44 | 70 | 70 | 100.0% | 63 | 90.0% |
| 45-64 | 97 | 96 | 99.0% | 89 | 91.8% |
| 65+ | 12 | 12 | 100.0% | 11 | 91.7% |
| Total | 182 | 181 | 99.5% | 164 | 90.1% |
| * | | | | | |

^{*}Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL



45-64

25-44


Insured

INSURANCE STATUS

| | Total | No. In Care* | % In Care [*] | No. Virally Suppressed [†] | % Virally Suppressed [†] |
|--------------|-------|--------------|------------------------|--|-----------------------------------|
| Insured | 147 | 146 | 99.3% | 135 | 91.8% |
| Transitioned | 9 | 9 | 100.0% | 7 | 77.8% |
| Uninsured | 26 | 26 | 100.0% | 22 | 84.6% |
| Total | 182 | 181 | 99.5% | 164 | 90.1% |

^{*}Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL



Transitioned

65+

Uninsured

 $^{^{\}dagger}$ Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL

 $^{^\}dagger$ Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL

Louisiana Health Access Program Lafayette Region 4 Quarterly Report October 1, 2017 - December 31, 2017

ENROLLMENT SUMMARY


During the quarter, 282 clients from the Lafayette Region were enrolled in the Louisiana Health Access Program (LA HAP), of which 3% (n=8) were first time enrollees.

There were 9 clients who disenrolled from the program.

A total of 5 clients enrolled in the program to receive health insurance assistance who had previously been uninsured during the quarter.

There were 3 clients who enrolled in the program to receive uninsured assistance only who had previously been insured during the quarter.

Clients living in the Lafayette Region account for 8% of LA HAP enrollees.




CLINICAL OUTCOMES SUMMARY

A total of 98% (n=276) of clients were defined as in care. These clients had at least one CD4 or viral load test reported in the past year.

Ninety percent (n=255) of clients were virally suppressed. These clients had a viral load test reported in the past year with the most recent result <200 copies/mL. The percentage of clients virally suppressed in the Lafayette region is similar to the statewide percentage of 89%.

Clients who are insured are more likely to be virally suppressed compared to those clients who are uninsured; 92% of insured clients were virally suppressed compared to 82% of uninsured clients.

ENROLLED CLIENTS BY PARISH



UTILIZATION SUMMARY


LA HAP assisted with 3,190 claims including 2,317 (73%) drug claims, 281 (9%) copays, 58 (2%) deductibles and 534 (17%) premiums. Of these, 3,016 (95%) were for insured claims and 174 (5%) were for uninsured claims.

There were an average of 13.0 claims per person.

There were 211 clients who utilized health insurance assistance and 42 clients who utilized uninsured assistance.

Nine percent of all LA HAP claims were for clients from the Lafayette Region.

CARE CONTINUUM FOR CLIENTS BY INSURANCE STATUS



*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017 *Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31 2017 with the most recent result <200 copies/mL



Louisiana Health Access Program Lafayette Region 4 Quarterly Report October 1, 2017 - December 31, 2017


ENROLLMENT

SUMMARY

| Active | 282 |
|------------------|-----|
| Newly Enrolled | 8 |
| Disenrolled | 9 |
| Gained Insurance | 5 |
| Lost Insurance | 3 |

DISENROLLMENT REASON

| | n | % |
|----------------------------|---|-------|
| Deceased | 0 | 0.0% |
| Did not recertify | 7 | 77.7% |
| Eligible for Medicaid | 1 | 11.1% |
| Income exceeds program max | 0 | 0.0% |
| Moved out of state | 1 | 11.1% |
| Total | 9 | 100% |



GENDER

| | Act | Active | | nrolled | Disenrolled Gained Insuran | | | nsurance | Lost Insurance | | |
|-------------|-----|--------|---|---------|----------------------------|-------|---|----------|----------------|--------|--|
| | n | % | n | % | n | % | n | % | n | % | |
| Female | 37 | 13.1% | 0 | 0.0% | 1 | 11.1% | 0 | 0.0% | 0 | 0.0% | |
| Male | 240 | 85.1% | 7 | 87.5% | 7 | 77.7% | 5 | 100.0% | 3 | 100.0% | |
| Transgender | 5 | 1.7% | 1 | 12.5% | 1 | 11.1% | 0 | 0.0% | 0 | 0.0% | |
| Total | 282 | 100% | 8 | 100% | 9 | 100% | 5 | 100% | 3 | 100% | |

RACE/ETHNICITY

| | Ac | Active | | Enrolled | Disen | rolled | Gained I | nsurance | Lost Insurance | |
|----------|-----|--------|---|----------|-------|--------|----------|----------|----------------|--------|
| | n | % | n | % | n | % | n | % | n | % |
| Black | 129 | 45.7% | 5 | 62.5% | 6 | 66.6% | 4 | 80.0% | 3 | 100.0% |
| Hispanic | 8 | 2.8% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| White | 143 | 50.7% | 2 | 25.0% | 3 | 33.3% | 1 | 20.0% | 0 | 0.0% |
| Other | 2 | 0.7% | 1 | 12.5% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Total | 282 | 100% | 8 | 100% | 9 | 100% | 5 | 100% | 3 | 100% |

AGE GROUP

| | Ac | Active | | Enrolled | Disenrolled Gained Insurance | | Lost Insurance | | | | |
|-------|-----|--------|---|----------|------------------------------|-------|----------------|-------|---|--------|--|
| | n | % | n | % | n | % | n | % | n | % | |
| 13-24 | 5 | 1.7% | 1 | 12.5% | 1 | 11.1% | 0 | 0.0% | 0 | 0.0% | |
| 25-44 | 102 | 36.1% | 3 | 37.5% | 5 | 55.5% | 2 | 40.0% | 3 | 100.0% | |
| 45-64 | 146 | 51.7% | 4 | 50.0% | 3 | 33.3% | 3 | 60.0% | 0 | 0.0% | |
| 65+ | 29 | 10.2% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | |
| Total | 282 | 100% | 8 | 100% | 9 | 100% | 5 | 100% | 3 | 100% | |

| | Act | Active | | nrolled | Disen | rolled | Gained I | nsurance | Lost Insurance | |
|----------------|-------|--------|-----|---------|-------|--------|----------|----------|----------------|-------|
| | n | % | n | % | n | % | n | % | n | % |
| New Orleans | 1,438 | 38.4% | 42 | 34.4% | 77 | 40.9% | 33 | 31.1% | 21 | 44.6% |
| Baton Rouge | 928 | 24.7% | 31 | 25.4% | 39 | 20.7% | 38 | 35.8% | 12 | 25.5% |
| Houma | 182 | 4.8% | 1 | 0.8% | 12 | 6.3% | 6 | 5.6% | 4 | 8.5% |
| Lafayette | 282 | 7.5% | 8 | 6.5% | 9 | 4.7% | 5 | 4.7% | 3 | 6.3% |
| Lake Charles | 145 | 4% | 3 | 2% | 7 | 4% | 3 | 3% | 1 | 2% |
| Alexandria | 95 | 3% | 6 | 5% | 6 | 3% | 4 | 4% | 1 | 2% |
| Shreveport | 260 | 7% | 9 | 7% | 17 | 9% | 9 | 8% | 4 | 9% |
| Monroe | 175 | 5% | 11 | 9% | 8 | 4% | 2 | 2% | 0 | 0% |
| Hammond/Slidel | 238 | 6% | 11 | 9% | 13 | 7% | 6 | 6% | 1 | 2% |
| Total | 3,743 | 100% | 122 | 100% | 188 | 100% | 106 | 100% | 47 | 100% |



Louisiana Health Access Program Lafayette Region 4 Quarterly Report October 1, 2017 - December 31, 2017

UTILIZATION

SUMMARY


| No. Claims | 3,190 |
|-----------------------|-------|
| No. Claims per Person | 13.0 |
| Insured Claims | 3,016 |
| Uninsured Claims | 174 |
| Insured Clients | 211 |
| Uninsured Clients | 42 |

CLAIM TYPES

| | n | % |
|------------|-------|-------|
| Drug | 2,317 | 72.6% |
| Copay | 281 | 8.8% |
| Deductible | 58 | 1.8% |
| Premium | 534 | 16.7% |
| Total | 3,190 | 100% |



_ Drug, 72.6%



GENDER

| | | | No. Claims | | | | | | | | |
|-------------|-------|--------|---------------|-------|--------|-----|-----------|-----|---------|----|-----------|
| | | Claims | per | | Claims | | ed Claims | | Clients | | d Clients |
| | n | % | Person | n | % | n | % | n | % | n | % |
| Female | 319 | 10.0% | 11.4 | 294 | 9.7% | 25 | 14.3% | 21 | 9.9% | 7 | 16.6% |
| Male | 2,795 | 87.6% | 13.1 | 2,648 | 87.7% | 147 | 84.4% | 186 | 88.1% | 34 | 80.9% |
| Transgender | 76 | 2.3% | 15.2 | 74 | 2.4% | 2 | 1.1% | 4 | 1.8% | 1 | 2.3% |
| Total | 3,190 | 100% | 13.0 | 3,016 | 100% | 174 | 100% | 211 | 100% | 42 | 100% |

RACE/ETHNICITY

| | No. C | laims | No. Claims per | Insured | l Claims | Uninsure | ed Claims | Insured | l Clients | Uninsure | ed Clients |
|----------|-------|-------|----------------------|---------|----------|----------|-----------|---------|-----------|----------|------------|
| | n | % | Person | n | % | n | % | n | % | n | % |
| Black | 1,203 | 37.7% | 11.3 | 1,113 | 36.9% | 90 | 51.7% | 89 | 42.1% | 22 | 52.3% |
| Hispanic | 40 | 1.2% | 5.7 | 14 | 0.4% | 26 | 14.9% | 1 | 0.4% | 6 | 14.2% |
| White | 1,937 | 60.7% | 14.8 | 1,885 | 62.5% | 52 | 29.8% | 119 | 56.3% | 13 | 30.9% |
| Other | 10 | 0.3% | 5.0 | 4 | 0.1% | 6 | 3.4% | 2 | 0.9% | 1 | 2.3% |
| Total | 3,190 | 100% | 13.0 | 3,016 | 100% | 174 | 100% | 211 | 100% | 42 | 100% |

AGE GROUP

| | No. C | Claims | No. Claims per | Insured | l Claims | Uninsure | ed Claims | Insured | l Clients | Uninsure | ed Clients |
|-------|-------|--------|----------------------|---------|----------|----------|-----------|---------|-----------|----------|------------|
| | n | % | Person | n | % | n | % | n | % | n | % |
| 13-24 | 20 | 0.6% | 4.0 | 9 | 0.2% | 11 | 6.3% | 3 | 1.4% | 3 | 7.1% |
| 25-44 | 799 | 25.0% | 9.3 | 712 | 23.6% | 87 | 50.0% | 66 | 31.2% | 23 | 54.7% |
| 45-64 | 1,915 | 60.0% | 14.8 | 1,839 | 60.9% | 76 | 43.6% | 116 | 54.9% | 16 | 38.0% |
| 65+ | 456 | 14.2% | 17.5 | 456 | 15.1% | 0 | 0.0% | 26 | 12.3% | 0 | 0.0% |
| Total | 3,190 | 100% | 13.0 | 3,016 | 100% | 174 | 100% | 211 | 100% | 42 | 100% |

UTILIZATION BY REGION FOR ALL LA HAP REGIONS


| | | | No. | | | | | | | | |
|-----------------|--------|-------|--------|---------|--------|----------|-----------|---------|---------|----------|------------|
| | | | Claims | | | | | | | | |
| | No. C | laims | per | Insured | Claims | Uninsure | ed Claims | Insured | Clients | Uninsure | ed Clients |
| | n | % | Person | n | % | n | % | n | % | n | % |
| New Orleans | 12,485 | 36.2% | 10.8 | 11,427 | 35.6% | 1,058 | 43.3% | 1,062 | 38.2% | 215 | 41.0% |
| Baton Rouge | 9,418 | 27.3% | 12.2 | 8,943 | 27.9% | 475 | 19.4% | 722 | 26.0% | 112 | 21.3% |
| Houma | 1,717 | 4.9% | 11.0 | 1,584 | 4.9% | 133 | 5.4% | 141 | 5.0% | 23 | 4.3% |
| Lafayette | 3,190 | 9.2% | 13.0 | 3,016 | 9.4% | 174 | 7.1% | 211 | 7.6% | 42 | 8.0% |
| Lake Charles | 1,028 | 2.9% | 8.4 | 992 | 3.0% | 36 | 1.4% | 110 | 3.9% | 15 | 2.8% |
| Alexandria | 605 | 1.7% | 8.4 | 537 | 1.6% | 68 | 2.7% | 63 | 2.2% | 15 | 2.8% |
| Shreveport | 2,139 | 6.2% | 10.3 | 1,908 | 5.9% | 231 | 9.4% | 180 | 6.4% | 45 | 8.5% |
| Monroe | 1,522 | 4.4% | 10.9 | 1,410 | 4.4% | 112 | 4.5% | 121 | 4.3% | 26 | 4.9% |
| Hammond/Slidell | 2,366 | 6.8% | 12.5 | 2,211 | 6.9% | 155 | 6.3% | 166 | 5.9% | 31 | 5.9% |
| Total | 34,470 | 100% | 11.3 | 32,028 | 100% | 2,442 | 100% | 2,776 | 100% | 524 | 100% |

SUMMARY

| | n | % |
|---------------------|-----|-------|
| In Care* | 276 | 97.9% |
| Virally Suppressed† | 255 | 90.4% |
| Total | 282 | 100% |

^{*}Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL




GENDER

| | | | | No. Virally | % Virally |
|-------------|-------|--------------|------------------------|-------------------------|-------------------------|
| | Total | No. In Care* | % In Care [*] | Suppressed [†] | Suppressed [†] |
| Female | 37 | 37 | 100.0% | 37 | 100.0% |
| Male | 240 | 234 | 97.5% | 213 | 88.8% |
| Transgender | 5 | 5 | 100.0% | 5 | 100.0% |
| Total | 282 | 276 | 97.9% | 255 | 90.4% |

*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL

CARE CONTINUUM FOR CLIENTS BY GENDER




RACE/ETHNICITY

| | | | | No. Virally | % Virally |
|----------|-------|-------------|-----------|-------------|--------------|
| | Total | No. In Care | % In Care | Suppressed | Suppressed ' |
| Black | 129 | 126 | 97.7% | 116 | 89.9% |
| Hispanic | 8 | 8 | 100.0% | 8 | 100.0% |
| White | 143 | 140 | 97.9% | 129 | 90.2% |
| Total | 282 | 276 | 97.9% | 255 | 90.4% |

*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL

CARE CONTINUUM FOR CLIENTS BY RACE/ETHNICITY




AGE GROUP

| | | | | No. Virally | % Virally |
|-------|-------|--------------|------------------------|-------------------------|-------------------------|
| | Total | No. In Care* | % In Care [*] | Suppressed [†] | Suppressed [†] |
| 13-24 | 5 | 5 | 100.0% | 5 | 100.0% |
| 25-44 | 102 | 98 | 96.1% | 89 | 87.3% |
| 45-64 | 146 | 145 | 99.3% | 135 | 92.5% |
| 65+ | 29 | 28 | 96.6% | 26 | 89.7% |
| Total | 282 | 276 | 97.9% | 255 | 90.4% |

*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL






INSURANCE STATUS

| | | | | No. Virally | % Virally |
|--------------|-------|--------------|------------------------|-------------------------|-------------------------|
| | Total | No. In Care* | % In Care [*] | Suppressed [†] | Suppressed [†] |
| Insured | 228 | 224 | 98.2% | 210 | 92.1% |
| Transitioned | 8 | 8 | 100.0% | 8 | 100.0% |
| Uninsured | 46 | 44 | 95.7% | 37 | 80.4% |
| Total | 282 | 276 | 97.9% | 255 | 90.4% |

*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL

CARE CONTINUUM FOR CLIENTS BY INSURANCE STATUS ■ % In Care* % Virally Suppressed† Total





Louisiana Health Access Program Quarterly Report for Lake Charles Region 5 October 1, 2017 - December 31, 2017

ENROLLMENT SUMMARY

During the quarter, 145 clients from the Lake Charles Region were enrolled in the Louisiana Health Access Program (LA HAP).

There were 7 clients who disenrolled from the program.

There were 3 clients enrolled in the program to receive health insurance assistance who had previously been uninsured during the quarter.

Only 1 client enrolled in the program to receive uninsured assistance only who had previously been insured during the quarter.

Clients living in the Lake Charles Region account for 4% of LA HAP enrollees.



CLAIM TYPES Premium, 30.7% Deductible, 3.9% Copay, 21.6%

CLINICAL OUTCOMES SUMMARY

A total of 99% (n=143) of clients were defined as in care. These clients had at least one CD4 or viral load test reported in the past year.

Eighty-eight percent (n=127) of clients were virally suppressed. These clients had a viral load test reported in the past year with the most recent result <200 copies/mL. The percentage of clients virally suppressed in the Lake Charles region is similar to the statewide percentage of 89%.

Clients who are insured are more likely to be virally suppressed compared to those clients who are uninsured; 90% of insured clients were virally suppressed compared to 79% of uninsured clients.

UTILIZATION SUMMARY


LA HAP assisted with 1,028 claims including 450 (44%) drug claims, 222 (22%) copays, 40 (4%) deductibles and 316 (31%) premiums. Of these, 992 (96%) were for insured claims and 36 (4%) were for uninsured claims.

There were an average of 8.4 claims per person.

There were 110 clients who utilized health insurance assistance and 15 clients who utilized uninsured assistance.

Three percent of LA HAP claims were for clients from the Lake Charles Region.

CARE CONTINUUM FOR CLIENTS BY INSURANCE STATUS



*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

†Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL



Louisiana Health Access Program Quarterly Report for Lake Charles Region 5 October 1, 2017 - December 31, 2017


ENROLLMENT

SUMMARY

| Active | 145 |
|------------------|-----|
| Newly Enrolled | 3 |
| Disenrolled | 7 |
| Gained Insurance | 3 |
| Lost Insurance | 1 |

DISENROLLMENT REASON

| | n | % |
|----------------------------|---|-------|
| Deceased | 0 | 0.0% |
| Did not recertify | 6 | 85.7% |
| Eligible for Medicaid | 0 | 0.0% |
| Incarcerated | 1 | 14.2% |
| Income exceeds program max | 0 | 0.0% |
| Total | 7 | 100% |



GENDER

| | Active | | Newly Enrolled | | Disenrolled | | Gained I | nsurance | Lost Insurance | | |
|--------|--------|-------|----------------|-------|-------------|-------|----------|----------|----------------|--------|--|
| | n | % | n | % | n | % | n | % | n | % | |
| Female | 36 | 24.8% | 1 | 33.3% | 2 | 28.5% | 1 | 33.3% | 0 | 0.0% | |
| Male | 109 | 75.1% | 2 | 66.6% | 5 | 71.4% | 2 | 66.6% | 1 | 100.0% | |
| Total | 145 | 100% | 3 | 100% | 7 | 100% | 3 | 100% | 1 | 100% | |

RACE/ETHNICITY

| | Act | tive | Newly Enrolled | | Disen | rolled | Gained I | nsurance | Lost Insurance | | |
|----------|-----|-------|----------------|-------|-------|--------|----------|----------|----------------|--------|--|
| | n | % | n | % | n | % | n | % | n | % | |
| Black | 77 | 53.1% | 0 | 0.0% | 4 | 57.1% | 1 | 33.3% | 1 | 100.0% | |
| Hispanic | 2 | 1.3% | 1 | 33.3% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | |
| White | 65 | 44.8% | 2 | 66.6% | 3 | 42.8% | 2 | 66.6% | 0 | 0.0% | |
| Other | 1 | 0.6% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | |
| Total | 145 | 100% | 3 | 100% | 7 | 100% | 3 | 100% | 1 | 100% | |

AGE GROUP

| | Act | tive | Newly I | Enrolled | Disen | rolled | Gained I | nsurance | Lost Insurance | | |
|-------|-----|-------|---------|----------|-------|--------|----------|----------|----------------|--------|--|
| | n | % | n | % | n | % | n | % | n | % | |
| 13-24 | 1 | 0.6% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 100.0% | |
| 25-44 | 50 | 34.4% | 2 | 66.6% | 4 | 57.1% | 3 | 100.0% | 0 | 0.0% | |
| 45-64 | 78 | 53.7% | 1 | 33.3% | 3 | 42.8% | 0 | 0.0% | 0 | 0.0% | |
| 65+ | 16 | 11.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | |
| Total | 145 | 100% | 3 | 100% | 7 | 100% | 3 | 100% | 1 | 100% | |

| | Act | ive | Newly | Enrolled | Disen | rolled | Gained I | nsurance | Lost Insurance | |
|-----------------|-------|-------|-------|----------|-------|--------|----------|----------|----------------|-------|
| | n | % | n | % | n | % | n | % | n | % |
| New Orleans | 1,438 | 38.4% | 42 | 34.4% | 77 | 40.9% | 33 | 31.1% | 21 | 44.6% |
| Baton Rouge | 928 | 24.7% | 31 | 25.4% | 39 | 20.7% | 38 | 35.8% | 12 | 25.5% |
| Houma | 182 | 4.8% | 1 | 0.8% | 12 | 6.3% | 6 | 5.6% | 4 | 8.5% |
| Lafayette | 282 | 7.5% | 8 | 6.5% | 9 | 4.7% | 5 | 4.7% | 3 | 6.3% |
| Lake Charles | 145 | 3.8% | 3 | 2.4% | 7 | 3.7% | 3 | 2.8% | 1 | 2.1% |
| Alexandria | 95 | 2.5% | 6 | 4.9% | 6 | 3.1% | 4 | 3.7% | 1 | 2.1% |
| Shreveport | 260 | 6.9% | 9 | 7.3% | 17 | 9.0% | 9 | 8.4% | 4 | 8.5% |
| Monroe | 175 | 4.6% | 11 | 9.0% | 8 | 4.2% | 2 | 1.8% | 0 | 0.0% |
| Hammond/Slidell | 238 | 6.3% | 11 | 9.0% | 13 | 6.9% | 6 | 5.6% | 1 | 2.1% |
| Total | 3,743 | 100% | 122 | 100% | 188 | 100% | 106 | 100% | 47 | 100% |




Louisiana Health Access Program Quarterly Report for Lake Charles Region 5 October 1, 2017 - December 31, 2017


UTILIZATION

SUMMARY


| No. Claims | 1,028 |
|-----------------------|-------|
| No. Claims per Person | 8.4 |
| Insured Claims | 992 |
| Uninsured Claims | 36 |
| Insured Clients | 110 |
| Uninsured Clients | 15 |

CLAIM TYPES





Copay, 21.6%



GENDER

| | | | No. Claims | | | | | | | | |
|--------|-------|--------|---------------|---------|----------|----------|-----------|---------|-----------|----------|------------|
| | No. C | Claims | per | Insured | l Claims | Uninsure | ed Claims | Insured | l Clients | Uninsure | ed Clients |
| | n | % | Person | n | % | n | % | n | % | n | % |
| Female | 274 | 26.6% | 9.4 | 270 | 27.2% | 4 | 11.1% | 28 | 25.4% | 1 | 6.6% |
| Male | 754 | 73.3% | 8.0 | 722 | 72.7% | 32 | 88.8% | 82 | 74.5% | 14 | 93.3% |
| Total | 1,028 | 100% | 8.4 | 992 | 100% | 36 | 100% | 110 | 100% | 15 | 100% |

RACE/ETHNICITY

| | No. C | Claims | No. Claims per | Insured | l Claims | Uninsure | ed Claims | Insured | l Clients | Uninsure | ed Clients |
|----------|-------|--------|----------------------|---------|----------|----------|-----------|---------|-----------|----------|------------|
| | n | % | Person | n | % | n | % | n | % | n | % |
| Black | 544 | 52.9% | 8.5 | 523 | 52.7% | 21 | 58.3% | 56 | 50.9% | 9 | 60.0% |
| Hispanic | 7 | 0.6% | 3.5 | 3 | 0.3% | 4 | 11.1% | 1 | 0.9% | 1 | 6.6% |
| White | 7 | 0.6% | 7.0 | 7 | 0.7% | 0 | 0.0% | 1 | 0.9% | 0 | 0.0% |
| Other | 470 | 45.7% | 8.4 | 459 | 46.2% | 11 | 30.5% | 52 | 47.2% | 5 | 33.3% |
| Total | 1,028 | 100% | 8.4 | 992 | 100% | 36 | 100% | 110 | 100% | 15 | 100% |

AGE GROUP

| | No. C | laims | No. Claims per | Insured | l Claims | Uninsur | ed Claims | Insured | l Clients | Uninsure | ed Clients |
|-------|-------|-------|----------------------|---------|----------|---------|-----------|---------|-----------|----------|------------|
| | n | % | Person | n | % | n | % | n | % | n | % |
| 13-24 | 1 | 0.0% | 1.0 | 1 | 0.1% | 0 | 0.0% | 1 | 0.9% | 0 | 0.0% |
| 25-44 | 273 | 26.5% | 6.7 | 253 | 25.5% | 20 | 55.5% | 34 | 30.9% | 9 | 60.0% |
| 45-64 | 596 | 57.9% | 8.6 | 580 | 58.4% | 16 | 44.4% | 63 | 57.2% | 6 | 40.0% |
| 65+ | 158 | 15.3% | 13.2 | 158 | 15.9% | 0 | 0.0% | 12 | 10.9% | 0 | 0.0% |
| Total | 1,028 | 100% | 8.4 | 992 | 100% | 36 | 100% | 110 | 100% | 15 | 100% |

UTILIZATION BY REGION FOR ALL LA HAP REGIONS


| THEIR TON BY REGION FOR ALL LA FIAI REGIONS | | | | | | | | | | | |
|---|------------|-------|--------|---------|--------|----------|-----------|-----------------|-------|-------------------|-------|
| | | | No. | | | | | | | | |
| | | | Claims | | | | | | | | |
| | No. Claims | | per | Insured | Claims | Uninsure | ed Claims | Insured Clients | | Uninsured Clients | |
| | n | % | Person | n | % | n | % | n | % | n | % |
| New Orleans | 12,485 | 36.2% | 10.8 | 11,427 | 35.6% | 1,058 | 43.3% | 1,062 | 38.2% | 215 | 41.0% |
| Baton Rouge | 9,418 | 27.3% | 12.2 | 8,943 | 27.9% | 475 | 19.4% | 722 | 26.0% | 112 | 21.3% |
| Houma | 1,717 | 4.9% | 11.0 | 1,584 | 4.9% | 133 | 5.4% | 141 | 5.0% | 23 | 4.3% |
| Lafayette | 3,190 | 9.2% | 13.0 | 3,016 | 9.4% | 174 | 7.1% | 211 | 7.6% | 42 | 8.0% |
| Lake Charles | 1,028 | 2.9% | 8.4 | 992 | 3.0% | 36 | 1.4% | 110 | 3.9% | 15 | 2.8% |
| Alexandria | 605 | 1.7% | 8.4 | 537 | 1.6% | 68 | 2.7% | 63 | 2.2% | 15 | 2.8% |
| Shreveport | 2,139 | 6.2% | 10.3 | 1,908 | 5.9% | 231 | 9.4% | 180 | 6.4% | 45 | 8.5% |
| Monroe | 1,522 | 4.4% | 10.9 | 1,410 | 4.4% | 112 | 4.5% | 121 | 4.3% | 26 | 4.9% |
| Hammond/Slidell | 2,366 | 6.8% | 12.5 | 2,211 | 6.9% | 155 | 6.3% | 166 | 5.9% | 31 | 5.9% |
| Total | 34,470 | 100% | 11.3 | 32,028 | 100% | 2,442 | 100% | 2,776 | 100% | 524 | 100% |

SUMMARY

| | n | % |
|---------------------|-----|-------|
| In Care* | 143 | 98.6% |
| Virally Suppressed† | 127 | 87.6% |
| Total | 145 | 100% |

^{*}Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL




GENDER

| | | | | No. Virally | % Virally |
|--------|-------|--------------|------------------------|-------------------------|-------------------------|
| | Total | No. In Care* | % In Care [*] | Suppressed [†] | Suppressed [†] |
| Female | 36 | 36 | 100.0% | 32 | 88.9% |
| Male | 109 | 107 | 98.2% | 95 | 87.2% |
| Total | 145 | 143 | 98.6% | 127 | 87.6% |

*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL




RACE/ETHNICITY

| | | | | No. Virally | % Virally |
|-------|-------|--------------|------------------------|-------------------------|-------------------------|
| | Total | No. In Care* | % In Care [*] | Suppressed [†] | Suppressed [†] |
| Black | 77 | 76 | 98.7% | 67 | 87.0% |
| White | 145 | 143 | 98.6% | 127 | 87.6% |
| Total | 65 | 65 | 100.0% | 58 | 89.2% |

*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

CARE CONTINUUM FOR CLIENTS BY RACE/ETHNICITY





AGE GROUP

| | | | | No. Virally | % Virally |
|-------|-------|--------------|------------|-------------------------|-------------------------|
| | Total | No. In Care* | % In Care* | Suppressed [†] | Suppressed [†] |
| 25-44 | 50 | 50 | 100.0% | 42 | 84.0% |
| 45-64 | 78 | 76 | 97.4% | 71 | 91.0% |
| 65+ | 16 | 16 | 100.0% | 14 | 87.5% |
| Total | 145 | 143 | 98.6% | 127 | 87.6% |

*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL






INSURANCE STATUS

| | | | | No. Virally | % Virally |
|-----------|-------|--------------|------------------------|-------------------------|-------------------------|
| | Total | No. In Care* | % In Care [*] | Suppressed [†] | Suppressed [†] |
| Insured | 122 | 121 | 99.2% | 110 | 90.2% |
| Uninsured | 19 | 18 | 94.7% | 15 | 78.9% |
| Total | 145 | 143 | 98.6% | 127 | 87.6% |
| | | | | | |

*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL

CARE CONTINUUM FOR CLIENTS BY INSURANCE STATUS



 $^{^\}dagger$ Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL



Louisiana Health Access Program Alexandria Region 6 Quarterly Report October 1, 2017 - December 31, 2017

ENROLLMENT SUMMARY

During the quarter, 95 clients from the Alexandria Region were enrolled in the Louisiana Health Access Program (LA HAP) of which 6% (n=6) were first time enrollees.


There were 6 clients who disenrolled from the program.

A total of 4 clients were enrolled in the program to receive health insurance assistance who had previously been uninsured during the quarter.

There was 1 client enrolled in the program to receive uninsured assistance only who had previously been insured during the quarter.

Clients living in the Alexandria Region account for 3% of LA HAP enrollees.





UTILIZATION SUMMARY

LA HAP assisted with 605 claims including 388 (64%) drug claims, 37 (6%) copays, 7 (1%) deductibles and 173 (29%) premiums. Of these, 537 (89%) were for insured claims and 68 (11%) were for uninsured claims.

There were an average of 8.4 claims per person.

There were 63 clients who utilized health insurance assistance and 15 clients who utilized uninsured assistance.

Two percent of LA HAP claims were for clients from the Alexandria Region.


CLINICAL OUTCOMES SUMMARY

A total of 97% (n=92) of clients were defined as in care. These clients had at least one CD4 or viral load test reported in the past year.

Eighty-five percent (n=81) of clients were virally suppressed. These clients had a viral load test reported in the past year with the most recent result <200 copies/mL. The Alexandria Region had the second lowest percentage of clients virally suppressed in the state.

Clients who are insured are more likely to be virally suppressed compared to those clients who are uninsured; 89% of insured clients were virally suppressed compared to only 74% of uninsured clients.

CARE CONTINUUM FOR INSURED & UNINSURED CLIENTS



*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

†Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL




Louisiana Health Access Program Alexandria Region 6 Quarterly Report October 1, 2017 - December 31, 2017

ENROLLMENT

| SUMMARY | |
|------------------|----|
| Active | 95 |
| Newly Enrolled | 6 |
| Disenrolled | 6 |
| Gained Insurance | 4 |
| Lost Insurance | 1 |

DISENROLLMENT REASON

| | n | % |
|----------------------------|---|-------|
| Deceased | 0 | 0.4% |
| Did not recertify | 5 | 83.3% |
| Eligible for Medicaid | 1 | 16.6% |
| Income exceeds program max | 0 | 0.4% |
| Total | 6 | 100% |



GENDER

| | Ac | tive | Newly Enrolled | | Disen | rolled | Gained I | nsurance | Lost Insurance | |
|--------|----|-------|----------------|-------|-------|--------|----------|----------|----------------|--------|
| | n | % | n | % | n | n % | | % | n | % |
| Female | 28 | 29.4% | 1 | 16.6% | 1 | 16.6% | 1 | 25.0% | 0 | 0.0% |
| Male | 67 | 70.5% | 5 | 83.3% | 5 | 83.3% | 3 | 75.0% | 1 | 100.0% |
| Total | 95 | 100% | 6 | 100% | 6 | 100% | 4 | 100% | 1 | 100% |

RACE/ETHNICITY

| | Act | tive | Newly E | nrolled | Disen | rolled | Gained I | nsurance | Lost In | surance |
|----------|-----|-------|---------|---------|-------|--------|----------|----------|---------|---------|
| | n | % | n | n % | | % | n | % | n | % |
| Black | 57 | 60.0% | 2 | 33.3% | 4 | 66.6% | 2 | 50.0% | 0 | 0.0% |
| Hispanic | 3 | 3.1% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| White | 34 | 35.7% | 4 | 66.6% | 2 | 33.3% | 1 | 25.0% | 1 | 100.0% |
| Other | 1 | 1.0% | 0 | 0.0% | 0 | 0.0% | 1 | 25.0% | 0 | 0.0% |
| Total | 95 | 100% | 6 | 100% | 6 | 100% | 4 | 100% | 1 | 100% |

AGE GROUP

| | Act | tive | Newly Enrolled | | Disen | rolled | Gained I | nsurance | Lost Ins | surance |
|-------|-----|-------|----------------|-------|-------|--------|----------|----------|----------|---------|
| | n | % | n | n % | | % | n | % | n | % |
| 13-24 | 3 | 3.1% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 25-44 | 47 | 49.4% | 5 | 83.3% | 5 | 83.3% | 2 | 50.0% | 0 | 0.0% |
| 45-64 | 40 | 42.1% | 1 | 16.6% | 1 | 16.6% | 2 | 50.0% | 1 | 100.0% |
| 65+ | 5 | 5.2% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Total | 95 | 100% | 6 | 100% | 6 | 100% | 4 | 100% | 1 | 100% |

| | Act | ive | Newly I | Inrolled | Disen | rolled | Gained I | nsurance | Lost Ins | surance |
|----------------|-------|-------|---------|----------|-------|--------|----------|----------|----------|---------|
| | n | % | n | % | n | % | n | % | n | % |
| New Orleans | 1,438 | 38.4% | 42 | 34.4% | 77 | 40.9% | 33 | 31.1% | 21 | 44.6% |
| Baton Rouge | 928 | 24.7% | 31 | 25.4% | 39 | 20.7% | 38 | 35.8% | 12 | 25.5% |
| Houma | 182 | 4.8% | 1 | 0.8% | 12 | 6.3% | 6 | 5.6% | 4 | 8.5% |
| Lafayette | 282 | 7.5% | 8 | 6.5% | 9 | 4.7% | 5 | 4.7% | 3 | 6.3% |
| Lake Charles | 145 | 3.8% | 3 | 2.4% | 7 | 3.7% | 3 | 2.8% | 1 | 2.1% |
| Alexandria | 95 | 2.5% | 6 | 4.9% | 6 | 3.1% | 4 | 3.7% | 1 | 2.1% |
| Shreveport | 260 | 6.9% | 9 | 7.3% | 17 | 9.0% | 9 | 8.4% | 4 | 8.5% |
| Monroe | 175 | 4.6% | 11 | 9.0% | 8 | 4.2% | 2 | 1.8% | 0 | 0.0% |
| Hammond/Slidel | 238 | 6.3% | 11 | 9.0% | 13 | 6.9% | 6 | 5.6% | 1 | 2.1% |
| Total | 3,743 | 100% | 122 | 100% | 188 | 100% | 106 | 100% | 47 | 100% |



Louisiana Health Access Program Alexandria Region 6 Quarterly Report October 1, 2017 - December 31, 2017

UTILIZATION

 SUMMARY
 605

 No. Claims
 605


 No. Claims per Person
 8.4


 Insured Claims
 537


 Uninsured Claims
 68

 Insured Clients
 63

 Uninsured Clients
 15







GENDER

| | | | No. Claims | | | | | | | | |
|--------|-------|-------|---------------|---------|----------|----------|----------|---------|---------|----------|-----------|
| | No. C | laims | per | Insured | l Claims | Uninsure | d Claims | Insured | Clients | Uninsure | d Clients |
| | n | % | Person | n | % | n | % | n | % | n | % |
| Female | 200 | 33.0% | 8.3 | 189 | 35.1% | 11 | 16.1% | 22 | 34.9% | 3 | 20.0% |
| Male | 405 | 66.9% | 8.4 | 348 | 64.8% | 57 | 83.8% | 41 | 65.0% | 12 | 80.0% |
| Total | 605 | 100% | 8.4 | 537 | 100% | 68 | 100% | 63 | 100% | 15 | 100% |

RACE/ETHNICITY

| | No. C | Claims | No. Claims per | Insured | l Claims | Uninsure | ed Claims | Insured | l Clients | Uninsure | ed Clients |
|----------|-------|--------|----------------------|---------|----------|----------|-----------|---------|-----------|----------|------------|
| | n | % | Person | n | % | n | % | n | % | n | % |
| Black | 313 | 51.7% | 7.3 | 271 | 50.4% | 42 | 61.7% | 38 | 60.3% | 8 | 53.3% |
| Hispanic | 20 | 3.3% | 6.7 | 10 | 1.8% | 10 | 14.7% | 2 | 3.1% | 2 | 13.3% |
| White | 262 | 43.3% | 10.5 | 248 | 46.1% | 14 | 20.5% | 22 | 34.9% | 4 | 26.6% |
| Other | 10 | 1.6% | 10.0 | 8 | 1.4% | 2 | 2.9% | 1 | 1.5% | 1 | 6.6% |
| Total | 605 | 100% | 8.4 | 537 | 100% | 68 | 100% | 63 | 100% | 15 | 100% |

AGE GROUP

| | No. C | Claims | No. Claims per | Insured | l Claims | Uninsure | ed Claims | Insured | l Clients | Uninsure | ed Clients |
|-------|-------|--------|----------------------|---------|----------|----------|-----------|---------|-----------|----------|------------|
| | n | % | Person | n | % | n | % | n | % | n | % |
| 13-24 | 24 | 3.9% | 8.0 | 24 | 4.4% | 0 | 0.0% | 3 | 4.7% | 0 | 0.0% |
| 25-44 | 159 | 26.2% | 5.0 | 124 | 23.0% | 35 | 51.4% | 25 | 39.6% | 11 | 73.3% |
| 45-64 | 331 | 54.7% | 10.0 | 298 | 55.4% | 33 | 48.5% | 31 | 49.2% | 4 | 26.6% |
| 65+ | 91 | 15.0% | 22.8 | 91 | 16.9% | 0 | 0.0% | 4 | 6.3% | 0 | 0.0% |
| Total | 605 | 100% | 8.4 | 537 | 100% | 68 | 100% | 63 | 100% | 15 | 100% |

UTILIZATION BY REGION FOR ALL LA HAP REGIONS

| OTILIZATION DT KI | | | | 0.10 | | | | | | | No. | | | | | | | | | | |
|-------------------|------------|-------|--------|----------------|-------|------------------|-------|-----------------|-------|-------------------|-------|--|--|--|--|--|--|--|--|--|--|
| | | | _ | | | | | | | | | | | | | | | | | | |
| | | | Claims | | | | | | | | | | | | | | | | | | |
| | No. Claims | | per | Insured Claims | | Uninsured Claims | | Insured Clients | | Uninsured Clients | | | | | | | | | | | |
| | n | % | Person | n % | | n | % | n | % | n | % | | | | | | | | | | |
| New Orleans | 12,485 | 36.2% | 10.8 | 11,427 | 35.6% | 1,058 | 43.3% | 1,062 | 38.2% | 215 | 41.0% | | | | | | | | | | |
| Baton Rouge | 9,418 | 27.3% | 12.2 | 8,943 | 27.9% | 475 | 19.4% | 722 | 26.0% | 112 | 21.3% | | | | | | | | | | |
| Houma | 1,717 | 4.9% | 11.0 | 1,584 | 4.9% | 133 | 5.4% | 141 | 5.0% | 23 | 4.3% | | | | | | | | | | |
| Lafayette | 3,190 | 9.2% | 13.0 | 3,016 | 9.4% | 174 | 7.1% | 211 | 7.6% | 42 | 8.0% | | | | | | | | | | |
| Lake Charles | 1,028 | 2.9% | 8.4 | 992 | 3.0% | 36 | 1.4% | 110 | 3.9% | 15 | 2.8% | | | | | | | | | | |
| Alexandria | 605 | 1.7% | 8.4 | 537 | 1.6% | 68 | 2.7% | 63 | 2.2% | 15 | 2.8% | | | | | | | | | | |
| Shreveport | 2,139 | 6.2% | 10.3 | 1,908 | 5.9% | 231 | 9.4% | 180 | 6.4% | 45 | 8.5% | | | | | | | | | | |
| Monroe | 1,522 | 4.4% | 10.9 | 1,410 | 4.4% | 112 | 4.5% | 121 | 4.3% | 26 | 4.9% | | | | | | | | | | |
| Hammond/Slidell | 2,366 | 6.8% | 12.5 | 2,211 | 6.9% | 155 | 6.3% | 166 | 5.9% | 31 | 5.9% | | | | | | | | | | |
| Total | 34,470 | 100% | 11.3 | 32,028 | 100% | 2,442 | 100% | 2,776 | 100% | 524 | 100% | | | | | | | | | | |

SUMMARY

| | n | % |
|---------------------|----|-------|
| In Care* | 92 | 96.8% |
| Virally Suppressed† | 81 | 85.3% |
| Total | 95 | 100% |

^{*}Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017


CARE CONTINUUM FOR CLIENTS FOR REGION 6 & STATE Total Mn Care* No Virally Suppressed† 100% 99% 85% Alexandria Region 6 Statewide

GENDER

| | | | | No. Virally | % Virally |
|--------|-------|--------------|------------|-------------------------|-------------------------|
| | Total | No. In Care* | % In Care* | Suppressed [†] | Suppressed [†] |
| Female | 28 | 28 | 100.0% | 24 | 85.7% |
| Male | 67 | 64 | 95.5% | 57 | 85.1% |
| Total | 95 | 92 | 96.8% | 81 | 85.3% |

^{*}Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL




RACE/ETHNICITY

| | | | | No. Virally | % Virally | |
|-------|-------|--------------|------------------------|-------------------------|-------------------------|--|
| | Total | No. In Care* | % In Care [*] | Suppressed [†] | Suppressed [†] | |
| Black | 57 | 54 | 94.7% | 46 | 80.7% | |
| White | 34 | 34 | 100.0% | 31 | 91.2% | |
| Total | 95 | 92 | 96.8% | 81 | 85.3% | |

^{*}Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017


CARE CONTINUUM FOR CLIENTS BY RACE/ETHNICITY




AGE GROUP

| | | | | No. Virally | % Virally | |
|-------|-------|--------------|------------------------|-------------------------|-------------------------|--|
| | Total | No. In Care* | % In Care [*] | Suppressed [†] | Suppressed [†] | |
| 25-44 | 47 | 44 | 93.6% | 36 | 76.6% | |
| 45-64 | 40 | 40 | 100.0% | 37 | 92.5% | |
| 65+ | 5 | 5 | 100.0% | 5 | 100.0% | |
| Total | 95 | 92 | 96.8% | 81 | 85.3% | |
| | | | | | | |

^{*}Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017






INSURANCE STATUS

| | | | | No. Virally | % Virally |
|--------------|-------|--------------|------------------------|-------------------------|-------------------------|
| | Total | No. In Care* | % In Care [*] | Suppressed [†] | Suppressed [†] |
| Insured | 63 | 61 | 96.8% | 56 | 88.9% |
| Transitioned | 5 | 5 | 100.0% | 5 | 100.0% |
| Uninsured | 27 | 26 | 96.3% | 20 | 74.1% |
| Total | 95 | 92 | 96.8% | 81 | 85.3% |
| * | | | | | |

^{*}Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

CARE CONTINUUM FOR CLIENTS BY INSURANCE STATUS



[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL

Louisiana Health Access Program Shreveport Region 7 Quarterly Report October 1, 2017 - December 31, 2017

ENROLLMENT SUMMARY

During the quarter, 260 clients from the Shreveport Region were enrolled in the Louisiana Health Access Program (LA HAP) of which 3% (n=9) were first time enrollees.


There were 17 clients who disenrolled from the program.


A total of 9 clients enrolled in the program to receive health insurance assistance who had previously been uninsured during the quarter.

There were 4 clients enrolled in the program to receive uninsured assistance only who had previously been insured during the quarter.

Clients living in the Shreveport Region account for 7% of LA HAP enrollees.

ENROLLED CLIENTS BY PARISH





UTILIZATION SUMMARY

LA HAP assisted with 2,139 claims including 1,283 (60%) drug claims, 312 (15%) copays, 41 (2%) deductibles and 503 (24%) premiums. Of these, 1,908 (89%) were for insured claims and 231 (11%) were for uninsured claims.

There were an average of 10.3 claims per person.

There were 180 clients who utilized health insurance assistance and 45 clients who utilized uninsured assistance.

Six percent of all LA HAP claims were for clients from the Shreveport Region.

CLINICAL OUTCOMES SUMMARY


A total of 97% (n=251) of clients were defined as in care. These clients had at least one CD4 or viral load test reported in the past year.

Eighty-three percent (n=216) of clients were virally suppressed. These clients had a viral load test reported in the past year with the most recent result <200 copies/mL. The Shreveport Region had the lowest percentage of clients virally suppressed in the state.

Clients who are insured are more likely to be virally suppressed compared to those clients who are uninsured; 87% of insured clients were virally suppressed compared to 73% of uninsured clients.

Only 81% of male clients achieved viral suppression compared to 91% of female clients despite having similar in care percentages.

CARE CONTINUUM FOR INSURED & UNINSURED CLIENTS



*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017 †Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL



Louisiana Health Access Program Shreveport Region 7 Quarterly Report October 1, 2017 - December 31, 2017


ENROLLMENT

SUMMARY

| Active | 260 |
|------------------|-----|
| Newly Enrolled | 9 |
| Disenrolled | 17 |
| Gained Insurance | 9 |
| Lost Insurance | 4 |

DISENROLLMENT REASON

| | n | % |
|-----------------------|----|-------|
| Deceased | 2 | 11.7% |
| Did not recertify | 11 | 64.7% |
| Eligible for Medicaid | 4 | 23.5% |
| Incarcerated | 0 | 0.0% |
| Moved out of state | 0 | 0.0% |
| Total | 17 | 100% |



GENDER

| | Active | | Newly Enrolled | | Disenrolled | | Gained Insurance | | Lost Insurance | |
|-------------|--------|-------|----------------|-------|-------------|-------|------------------|-------|----------------|-------|
| | n | % | n | % | n | % | n | % | n | % |
| Female | 55 | 21.1% | 1 | 11.1% | 2 | 11.7% | 4 | 44.4% | 1 | 25.0% |
| Male | 203 | 78.0% | 8 | 88.8% | 14 | 82.3% | 5 | 55.5% | 3 | 75.0% |
| Transgender | 2 | 0.7% | 0 | 0.0% | 1 | 5.8% | 0 | 0.0% | 0 | 0.0% |
| Total | 260 | 100% | 9 | 100% | 17 | 100% | 9 | 100% | 4 | 100% |

RACE/ETHNICITY

| | Ac | Active | | Newly Enrolled | | Disenrolled | | Gained Insurance | | Lost Insurance | |
|----------|-----|--------|---|----------------|----|-------------|---|------------------|---|----------------|--|
| | n | % | n | % | n | % | n | % | n | % | |
| Black | 170 | 65.3% | 6 | 66.6% | 13 | 76.4% | 6 | 66.6% | 3 | 75.0% | |
| Hispanic | 6 | 2.3% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | |
| White | 81 | 31.1% | 3 | 33.3% | 4 | 23.5% | 3 | 33.3% | 1 | 25.0% | |
| Other | 3 | 1.1% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | |
| Total | 260 | 100% | 9 | 100% | 17 | 100% | 9 | 100% | 4 | 100% | |

AGE GROUP

| AGE GROOT | | | | | | | | | | | |
|-----------|--------|-------|----------------|-------|-------------|-------|------------------|-------|----------------|-------|--|
| | Active | | Newly Enrolled | | Disenrolled | | Gained Insurance | | Lost Insurance | | |
| | n | % | n | % | n | % | n | % | n | % | |
| 13-24 | 14 | 5.3% | 2 | 22.2% | 5 | 29.4% | 0 | 0.0% | 1 | 25.0% | |
| 25-44 | 100 | 38.4% | 5 | 55.5% | 5 | 29.4% | 3 | 33.3% | 1 | 25.0% | |
| 45-64 | 127 | 48.8% | 2 | 22.2% | 5 | 29.4% | 4 | 44.4% | 2 | 50.0% | |
| 65+ | 19 | 7.3% | 0 | 0.0% | 2 | 11.7% | 2 | 22.2% | 0 | 0.0% | |
| Total | 260 | 100% | 9 | 100% | 17 | 100% | 9 | 100% | 4 | 100% | |

| | Act | ive | Newly I | Enrolled | Disen | rolled | Gained Insurance | | Lost Insurance | |
|----------------|-------|-------|---------|----------|-------|--------|------------------|-------|----------------|-------|
| | n | % | n | % | n | % | n | % | n | % |
| New Orleans | 1,438 | 38.4% | 42 | 34.4% | 77 | 40.9% | 33 | 31.1% | 21 | 44.6% |
| Baton Rouge | 928 | 24.7% | 31 | 25.4% | 39 | 20.7% | 38 | 35.8% | 12 | 25.5% |
| Houma | 182 | 4.8% | 1 | 0.8% | 12 | 6.3% | 6 | 5.6% | 4 | 8.5% |
| Lafayette | 282 | 7.5% | 8 | 6.5% | 9 | 4.7% | 5 | 4.7% | 3 | 6.3% |
| Lake Charles | 145 | 3.8% | 3 | 2.4% | 7 | 3.7% | 3 | 2.8% | 1 | 2.1% |
| Alexandria | 95 | 2.5% | 6 | 4.9% | 6 | 3.1% | 4 | 3.7% | 1 | 2.1% |
| Shreveport | 260 | 6.9% | 9 | 7.3% | 17 | 9.0% | 9 | 8.4% | 4 | 8.5% |
| Monroe | 175 | 4.6% | 11 | 9.0% | 8 | 4.2% | 2 | 1.8% | 0 | 0.0% |
| Hammond/Slidel | 238 | 6.3% | 11 | 9.0% | 13 | 6.9% | 6 | 5.6% | 1 | 2.1% |
| Total | 3,743 | 100% | 122 | 100% | 188 | 100% | 106 | 100% | 47 | 100% |




Louisiana Health Access Program Shreveport Region 7 Quarterly Report October 1, 2017 - December 31, 2017

UTILIZATION


SUMMARY


| No. Claims | 2,139 |
|-----------------------|-------|
| No. Claims per Person | 10.3 |
| Insured Claims | 1,908 |
| Uninsured Claims | 231 |
| Insured Clients | 180 |
| Uninsured Clients | 45 |

CLAIM TYPES









GENDER

| | No. C | Claims | No. Claims per | Insured | Claims | Uninsure | ed Claims | Insured | l Clients | Uninsure | ed Clients |
|-------------|-------|--------|----------------------|---------|--------|----------|-----------|---------|-----------|----------|------------|
| | n | % | Person | n | % | n | % | n | % | n | % |
| Female | 418 | 19.5% | 9.3 | 377 | 19.7% | 41 | 17.7% | 40 | 22.2% | 7 | 15.5% |
| Male | 1,711 | 79.9% | 10.6 | 1,521 | 79.7% | 190 | 82.2% | 138 | 76.6% | 38 | 84.4% |
| Transgender | 10 | 0.4% | 5.0 | 10 | 0.5% | 0 | 0.0% | 2 | 1.1% | 0 | 0.0% |
| Total | 2,139 | 100% | 10.3 | 1,908 | 100% | 231 | 100% | 180 | 100% | 45 | 100% |

RACE/ETHNICITY

| | No. C | laims | No. Claims per | Insured | Claims | Uninsure | ed Claims | Insured | l Clients | Uninsure | ed Clients |
|----------|-------|-------|----------------------|---------|--------|----------|-----------|---------|-----------|----------|------------|
| | n | % | Person | n | % | n | % | n | % | n | % |
| Black | 1,036 | 48.4% | 7.8 | 855 | 44.8% | 181 | 78.3% | 110 | 61.1% | 34 | 75.5% |
| Hispanic | 72 | 3.3% | 12.0 | 58 | 3.0% | 14 | 6.0% | 4 | 2.2% | 3 | 6.6% |
| White | 1,022 | 47.7% | 15.3 | 988 | 51.7% | 34 | 14.7% | 64 | 35.5% | 7 | 15.5% |
| Other | 9 | 0.4% | 3.0 | 7 | 0.3% | 2 | 0.8% | 2 | 1.1% | 1 | 2.2% |
| Total | 2,139 | 100% | 10.3 | 1,908 | 100% | 231 | 100% | 180 | 100% | 45 | 100% |

AGE GROUP

| | No. C | laims | No. Claims per | Insured | Claims | Uninsure | ed Claims | Insured | l Clients | Uninsure | ed Clients |
|-------|-------|-------|----------------------|---------|--------|----------|-----------|---------|-----------|----------|------------|
| | n | % | Person | n | % | n | % | n | % | n | % |
| 13-24 | 27 | 1.2% | 3.9 | 12 | 0.6% | 15 | 6.4% | 3 | 1.6% | 5 | 11.1% |
| 25-44 | 600 | 28.0% | 7.4 | 478 | 25.0% | 122 | 52.8% | 65 | 36.1% | 26 | 57.7% |
| 45-64 | 1,330 | 62.1% | 12.8 | 1,252 | 65.6% | 78 | 33.7% | 97 | 53.8% | 13 | 28.8% |
| 65+ | 182 | 8.5% | 11.4 | 166 | 8.7% | 16 | 6.9% | 15 | 8.3% | 1 | 2.2% |
| Total | 2,139 | 100% | 10.3 | 1,908 | 100% | 231 | 100% | 180 | 100% | 45 | 100% |

UTILIZATION BY REGION FOR ALL LA HAP REGIONS


| TILIZATION BY REGION FOR ALL LA HAP REGIONS | | | | | | | | | | | |
|---|------------|-------|--------|---------|--------|----------|-----------|---------|---------|----------|-----------|
| | | | No. | | | | | | | | |
| | | | Claims | | | | | | | | |
| | No. Claims | | per | Insured | Claims | Uninsure | ed Claims | Insured | Clients | Uninsure | d Clients |
| | n | % | Person | n | % | n | % | n | % | n | % |
| New Orleans | 12,485 | 36.2% | 10.8 | 11,427 | 35.6% | 1,058 | 43.3% | 1,062 | 38.2% | 215 | 41.0% |
| Baton Rouge | 9,418 | 27.3% | 12.2 | 8,943 | 27.9% | 475 | 19.4% | 722 | 26.0% | 112 | 21.3% |
| Houma | 1,717 | 4.9% | 11.0 | 1,584 | 4.9% | 133 | 5.4% | 141 | 5.0% | 23 | 4.3% |
| Lafayette | 3,190 | 9.2% | 13.0 | 3,016 | 9.4% | 174 | 7.1% | 211 | 7.6% | 42 | 8.0% |
| Lake Charles | 1,028 | 2.9% | 8.4 | 992 | 3.0% | 36 | 1.4% | 110 | 3.9% | 15 | 2.8% |
| Alexandria | 605 | 1.7% | 8.4 | 537 | 1.6% | 68 | 2.7% | 63 | 2.2% | 15 | 2.8% |
| Shreveport | 2,139 | 6.2% | 10.3 | 1,908 | 5.9% | 231 | 9.4% | 180 | 6.4% | 45 | 8.5% |
| Monroe | 1,522 | 4.4% | 10.9 | 1,410 | 4.4% | 112 | 4.5% | 121 | 4.3% | 26 | 4.9% |
| Hammond/Slidell | 2,366 | 6.8% | 12.5 | 2,211 | 6.9% | 155 | 6.3% | 166 | 5.9% | 31 | 5.9% |
| Total | 34,470 | 100% | 11.3 | 32,028 | 100% | 2,442 | 100% | 2,776 | 100% | 524 | 100% |

SUMMARY

| | n | % |
|---------------------|-----|-------|
| In Care* | 251 | 96.5% |
| Virally Suppressed† | 216 | 83.1% |
| Total | 260 | 100% |

^{*}Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL




GENDER

| | | | | No. Virally | % Virally |
|--------|-------|--------------|------------------------|-------------------------|-------------------------|
| | Total | No. In Care* | % In Care [*] | Suppressed [†] | Suppressed [†] |
| Female | 55 | 54 | 98.2% | 50 | 90.9% |
| Male | 203 | 196 | 96.6% | 165 | 81.3% |
| Total | 260 | 251 | 96.5% | 216 | 83.1% |

*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL




RACE/ETHNICITY

| | | | | No. Virally | % Virally | | | | |
|----------|-------|--------------|------------------------|-------------------------|------------|--|--|--|--|
| | Total | No. In Care* | % In Care [*] | Suppressed [†] | Suppressed | | | | |
| Black | 170 | 163 | 95.9% | 137 | 80.6% | | | | |
| Hispanic | 6 | 6 | 100.0% | 6 | 100.0% | | | | |
| White | 81 | 79 | 97.5% | 70 | 86.4% | | | | |
| Total | 260 | 251 | 96.5% | 216 | 83.1% | | | | |

*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL




AGE GROUP

| | | | | No. Virally | % Virally |
|-------|-------|--------------|------------------------|-------------------------|-------------------------|
| | Total | No. In Care* | % In Care [*] | Suppressed [†] | Suppressed [†] |
| 13-24 | 14 | 13 | 92.9% | 8 | 57.1% |
| 25-44 | 100 | 95 | 95.0% | 78 | 78.0% |
| 45-64 | 127 | 124 | 97.6% | 111 | 87.4% |
| 65+ | 19 | 19 | 100.0% | 19 | 100.0% |
| Total | 260 | 251 | 96.5% | 216 | 83.1% |
| | | | | | |

*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL




INSURANCE STATUS

| INSOIGHTEE STATES | | | | | | | | | |
|-------------------|-------|--------------|------------------------|-------------------------|-------------------------|--|--|--|--|
| | | | | No. Virally | % Virally | | | | |
| | Total | No. In Care* | % In Care [*] | Suppressed [†] | Suppressed ¹ | | | | |
| Insured | 193 | 187 | 96.9% | 167 | 86.5% | | | | |
| Transitioned | 11 | 10 | 90.9% | 8 | 72.7% | | | | |
| Uninsured | 56 | 54 | 96.4% | 41 | 73.2% | | | | |
| Total | 260 | 251 | 96.5% | 216 | 83.1% | | | | |

^{*}Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL





Louisiana Health Access Program Monroe Region 8 Quarterly Report October 1, 2017 - December 31, 2017

ENROLLMENT SUMMARY

During the quarter, 175 clients from the Monroe Region were enrolled in the Louisiana Health Access Program (LA HAP), of which 6% (n=11) were first time enrollees.

There were 8 clients who disenrolled from the program.

There were 2 clients enrolled in the program to receive health insurance assistance who had previously been uninsured during the quarter.

Clients living in the Monroe Region account for 5% of LA HAP enrollees.



CLAIM TYPES Premium, 18.9% Deductible, 1.8% Copay, 8.5% Drug, 70.8%

UTILIZATION SUMMARY

LA HAP assisted with 1,522 claims including 1,077 (71%) drug claims, 129 (9%) copays, 28 (2%) deductibles and 288 (19%) premiums. Of these, 1,410 (93%) were for insured claims and 112 (7%) were for uninsured claims.

There were an average of 10.9 claims per person.

There were 121 clients who utilized health insurance assistance and 26 clients who utilized uninsured assistance.

Four percent of LA HAP claims were for clients from the Monroe Region.

CLINICAL OUTCOMES SUMMARY

A total of 96% (n=168) of clients were defined as in care. These clients had at least one CD4 or viral load test reported in the past year.


Eighty-seven percent (n=152) of clients were virally suppressed. These clients had a viral load test reported in the past year with the most recent result <200 copies/mL. The Monroe Region had the third lowest percentage of clients virally suppressed in the state.

Clients who are insured are more likely to be virally suppressed compared to those clients who are uninsured; 90% of insured clients were virally suppressed compared to 78% of uninsured clients.

Insured

*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

CARE CONTINUUM FOR FOR CLIENTS BY INSURANCE STATUS



*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017 †Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL



Louisiana Health Access Program Monroe Region 8 Quarterly Report October 1, 2017 - December 31, 2017


ENROLLMENT

SUMMARY

| Active | 175 |
|------------------|-----|
| Newly Enrolled | 11 |
| Disenrolled | 8 |
| Gained Insurance | 2 |
| Lost Insurance | 0 |

DISENROLLMENT REASON

| | n | % |
|----------------------------|---|--------|
| Deceased | 0 | 0.0% |
| Did not recertify | 8 | 100.0% |
| Eligible for Medicaid | 0 | 0.0% |
| Income exceeds program max | 0 | 0.0% |
| Moved out of state | 0 | 0.0% |
| Total | 8 | 100% |



GENDER

| | Active | | Newly E | nrolled | Disen | rolled | Gained I | nsurance | Lost Insurance | | |
|-------------|--------|-------|---------|---------|-------|--------|----------|----------|----------------|------|--|
| | n | % | n | n % | | % | n | % | n | % | |
| Female | 36 | 20.5% | 2 | 18.1% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | |
| Male | 138 | 78.8% | % 9 | 81.8% | 8 | 100.0% | 2 | 100.0% | 0 | 0.0% | |
| Transgender | 1 | 0.5% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | |
| Total | 175 | 100% | 11 | 100% | 8 | 100% | 2 | 100% | 0 | 0% | |

RACE/ETHNICITY

| | Ac | Active | | Enrolled | Disen | rolled | Gained I | Gained Insurance Lost Insurar | | |
|----------|-----|--------|----|----------|-------|--------|----------|-------------------------------|---|------|
| | n | % | n | % | n | % | n | % | n | % |
| Black | 117 | 66.8% | 6 | 54.5% | 8 | 100.0% | 2 | 100.0% | 0 | 0.0% |
| Hispanic | 8 | 4.5% | 2 | 18.1% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| White | 48 | 27.4% | 2 | 18.1% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Other | 2 | 1.1% | 1 | 9.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Total | 175 | 100% | 11 | 100% | 8 | 100% | 2 | 100% | 0 | 0% |

AGE GROUP

| | Ac | Active | | Enrolled | Disen | rolled | Gained I | Gained Insurance Lost Insurar | | |
|-------|-----|--------|----|----------|-------|--------|----------|-------------------------------|---|------|
| | n | % | n | % | n | % | n | % | n | % |
| 13-24 | 5 | 2.8% | 2 | 18.1% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 25-44 | 71 | 40.5% | 6 | 54.5% | 4 | 50.0% | 1 | 50.0% | 0 | 0.0% |
| 45-64 | 91 | 52.0% | 3 | 27.2% | 4 | 50.0% | 1 | 50.0% | 0 | 0.0% |
| 65+ | 8 | 4.5% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Total | 175 | 100% | 11 | 100% | 8 | 100% | 2 | 100% | 0 | 0% |

| | Act | Active | | nrolled | Disen | rolled | Gained I | nsurance | Lost Ins | surance |
|----------------|-------|--------|-----|---------|-------|--------|----------|----------|----------|---------|
| | n | % | n | % | n | % | n | % | n | % |
| New Orleans | 1,438 | 38.4% | 42 | 34.4% | 77 | 40.9% | 33 | 31.1% | 21 | 44.6% |
| Baton Rouge | 928 | 24.7% | 31 | 25.4% | 39 | 20.7% | 38 | 35.8% | 12 | 25.5% |
| Houma | 182 | 4.8% | 1 | 0.8% | 12 | 6.3% | 6 | 5.6% | 4 | 8.5% |
| Lafayette | 282 | 7.5% | 8 | 6.5% | 9 | 4.7% | 5 | 4.7% | 3 | 6.3% |
| Lake Charles | 145 | 3.8% | 3 | 2.4% | 7 | 3.7% | 3 | 2.8% | 1 | 2.1% |
| Alexandria | 95 | 2.5% | 6 | 4.9% | 6 | 3.1% | 4 | 3.7% | 1 | 2.1% |
| Shreveport | 260 | 6.9% | 9 | 7.3% | 17 | 9.0% | 9 | 8.4% | 4 | 8.5% |
| Monroe | 175 | 4.6% | 11 | 9.0% | 8 | 4.2% | 2 | 1.8% | 0 | 0.0% |
| Hammond/Slidel | 238 | 6.3% | 11 | 9.0% | 13 | 6.9% | 6 | 5.6% | 1 | 2.1% |
| Total | 3,743 | 100% | 122 | 100% | 188 | 100% | 106 | 100% | 47 | 100% |




Louisiana Health Access Program Monroe Region 8 Quarterly Report October 1, 2017 - December 31, 2017


UTILIZATION


SUMMARY

| No. Claims | 1,522 |
|-----------------------|-------|
| No. Claims per Person | 10.9 |
| Insured Claims | 1,410 |
| Uninsured Claims | 112 |
| Insured Clients | 121 |
| Uninsured Clients | 26 |

CLAIM TYPES







GENDER

| | | | No. Claims | | | | | | | | |
|--------|-------|-------|---------------|---------|----------|----------|----------|---------|-----------|----------|------------|
| | No. C | laims | per | Insured | l Claims | Uninsure | d Claims | Insured | l Clients | Uninsure | ed Clients |
| | n | % | Person | n | % | n | % | n | % | n | % |
| Female | 231 | 15.1% | 8.6 | 198 | 14.0% | 33 | 29.4% | 23 | 19.0% | 7 | 26.9% |
| Male | 1,291 | 84.8% | 11.4 | 1,212 | 85.9% | 79 | 70.5% | 98 | 80.9% | 19 | 73.0% |
| Total | 1,522 | 100% | 10.9 | 1,410 | 100% | 112 | 100% | 121 | 100% | 26 | 100% |

RACE/ETHNICITY

| | No. C | laims | No. Claims per | Insured | Claims | Uninsure | ed Claims | Insured | l Clients | Uninsure | ed Clients |
|----------|-------|-------|----------------------|---------|--------|----------|-----------|---------|-----------|----------|------------|
| | n | % | Person | n | % | n | % | n | % | n | % |
| Black | 896 | 58.8% | 10.3 | 826 | 58.5% | 70 | 62.5% | 80 | 66.1% | 14 | 53.8% |
| Hispanic | 25 | 1.6% | 3.6 | 0 | 0.0% | 25 | 22.3% | 0 | 0.0% | 7 | 26.9% |
| White | 587 | 38.5% | 13.3 | 575 | 40.7% | 12 | 10.7% | 40 | 33.0% | 4 | 15.3% |
| Other | 14 | 0.9% | 7.0 | 9 | 0.6% | 5 | 4.4% | 1 | 0.8% | 1 | 3.8% |
| Total | 1,522 | 100% | 10.9 | 1,410 | 100% | 112 | 100% | 121 | 100% | 26 | 100% |

AGE GROUP

| | No. C | laims | No. Claims per | Insured | l Claims | Uninsure | ed Claims | Insured | l Clients | Uninsure | ed Clients |
|-------|-------|-------|----------------------|---------|----------|----------|-----------|---------|-----------|----------|------------|
| | n | % | Person | n | % | n | % | n | % | n | % |
| 13-24 | 17 | 1.1% | 5.7 | 10 | 0.7% | 7 | 6.2% | 2 | 1.6% | 2 | 7.6% |
| 25-44 | 438 | 28.7% | 7.6 | 368 | 26.0% | 70 | 62.5% | 48 | 39.6% | 16 | 61.5% |
| 45-64 | 958 | 62.9% | 13.3 | 926 | 65.6% | 32 | 28.5% | 65 | 53.7% | 7 | 26.9% |
| 65+ | 109 | 7.1% | 15.6 | 106 | 7.5% | 3 | 2.6% | 6 | 4.9% | 1 | 3.8% |
| Total | 1,522 | 100% | 10.9 | 1,410 | 100% | 112 | 100% | 121 | 100% | 26 | 100% |

UTILIZATION BY REGION FOR ALL LA HAP REGIONS


| THEEATION OF REGION FOR ALE LATING REGIONS | | | | | | | | | | | |
|--|------------|-------|--------|---------|--------|------------------|-------|-----------------|-------|-------------------|-------|
| | | | No. | | | | | | | | |
| | | | Claims | | | | | | | | |
| | No. Claims | | per | Insured | Claims | Uninsured Claims | | Insured Clients | | Uninsured Clients | |
| | n | % | Person | n | % | n | % | n | % | n | % |
| New Orleans | 12,485 | 36.2% | 10.8 | 11,427 | 35.6% | 1,058 | 43.3% | 1,062 | 38.2% | 215 | 41.0% |
| Baton Rouge | 9,418 | 27.3% | 12.2 | 8,943 | 27.9% | 475 | 19.4% | 722 | 26.0% | 112 | 21.3% |
| Houma | 1,717 | 4.9% | 11.0 | 1,584 | 4.9% | 133 | 5.4% | 141 | 5.0% | 23 | 4.3% |
| Lafayette | 3,190 | 9.2% | 13.0 | 3,016 | 9.4% | 174 | 7.1% | 211 | 7.6% | 42 | 8.0% |
| Lake Charles | 1,028 | 2.9% | 8.4 | 992 | 3.0% | 36 | 1.4% | 110 | 3.9% | 15 | 2.8% |
| Alexandria | 605 | 1.7% | 8.4 | 537 | 1.6% | 68 | 2.7% | 63 | 2.2% | 15 | 2.8% |
| Shreveport | 2,139 | 6.2% | 10.3 | 1,908 | 5.9% | 231 | 9.4% | 180 | 6.4% | 45 | 8.5% |
| Monroe | 1,522 | 4.4% | 10.9 | 1,410 | 4.4% | 112 | 4.5% | 121 | 4.3% | 26 | 4.9% |
| Hammond/Slidell | 2,366 | 6.8% | 12.5 | 2,211 | 6.9% | 155 | 6.3% | 166 | 5.9% | 31 | 5.9% |
| Total | 34,470 | 100% | 11.3 | 32,028 | 100% | 2,442 | 100% | 2,776 | 100% | 524 | 100% |

SUMMARY

| | n | % |
|---------------------|-----|-------|
| In Care* | 168 | 96.0% |
| Virally Suppressed† | 152 | 86.9% |
| Total | 175 | 100% |

^{*}Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL




GENDER

| | | | | No. Virally | % Virally |
|--------|-------|--------------|------------------------|-------------------------|-------------------------|
| | Total | No. In Care* | % In Care [*] | Suppressed [†] | Suppressed [†] |
| Female | 36 | 34 | 94.4% | 30 | 83.3% |
| Male | 138 | 133 | 96.4% | 122 | 88.4% |
| Total | 175 | 168 | 96.0% | 152 | 86.9% |

*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL




RACE/ETHNICITY

| | | | | No. Virally | % Virally |
|----------|-------|--------------|------------------------|-------------------------|-------------------------|
| | Total | No. In Care* | % In Care [*] | Suppressed [†] | Suppressed [†] |
| Black | 117 | 111 | 94.9% | 101 | 86.3% |
| Hispanic | 8 | 8 | 100.0% | 6 | 75.0% |
| White | 48 | 47 | 97.9% | 44 | 91.7% |
| Total | 175 | 168 | 96.0% | 152 | 86.9% |

*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL




AGE GROUP

| | | | | No. Virally | % Virally |
|-------|-------|--------------|------------------------|-------------------------|-------------------------|
| | Total | No. In Care* | % In Care [*] | Suppressed [†] | Suppressed [†] |
| 13-24 | 5 | 5 | 100.0% | 5 | 100.0% |
| 25-44 | 71 | 68 | 95.8% | 58 | 81.7% |
| 45-64 | 91 | 88 | 96.7% | 82 | 90.1% |
| 65+ | 8 | 7 | 87.5% | 7 | 87.5% |
| Total | 175 | 168 | 96.0% | 152 | 86.9% |
| * | | | | | |

*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL




INSURANCE STATUS

| | | | | No. Virally | % Virally |
|-----------|-------|--------------|------------|-------------------------|-------------------------|
| | Total | No. In Care* | % In Care* | Suppressed [†] | Suppressed [†] |
| Insured | 137 | 132 | 96.4% | 123 | 89.8% |
| Uninsured | 36 | 34 | 94.4% | 28 | 77.8% |
| Total | 175 | 168 | 96.0% | 152 | 86.9% |

*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

 † Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL





Louisiana Health Access Program Hammond/Slidell Region 9 Quarterly Report October 1, 2017 - December 31, 2017

ENROLLMENT SUMMARY

During the quarter, 238 clients from the Hammond/Slidell Region were enrolled in the Louisiana Health Access Program (LA HAP), of which 5% (n=11) were first time enrollees.

There were 13 clients who disenrolled from the program.

Six clients enrolled in the program to receive health insurance assistance who had previously been uninsured during the quarter.

There was 1 client enrolled in the program to receive uninsured assistance only who had previously been insured during the quarter.

Clients living in the Hammond/Slidell Region account for 6% of LA HAP enrollees.

ENROLLED CLIENTS BY PARISH



CLAIM TYPES Premium, 18.8% Deductible, 1.1% Copay, 11.1% Drug, 69.1%

UTILIZATION SUMMARY

LA HAP assisted with 2,366 claims including 1,635 (69%) drug claims, 262 (11%) copays, 25 (1%) deductibles and 444 (19%) premiums. Of these, 2,211 (93%) were for insured claims and 155 (7%) were for uninsured claims.

There were an average of 12.5 claims per person.

There were 166 clients who utilized health insurance assistance and 31 clients who utilized uninsured assistance.

Seven percent of LA HAP claims were for clients from the Hammond/Slidell Region.


CLINICAL OUTCOMES SUMMARY

A total of 98% (n=233) of clients were defined as in care. These clients had at least one CD4 or viral load test reported in the past year.

Eighty-nine percent (n=211) of clients were virally suppressed. These clients had a viral load test reported in the past year with the most recent result <200 copies/mL. The percentage of clients virally suppressed in the Hammond/Slidell Region is the same as the statewide percentage.

Clients who are insured are more likely to be virally suppressed compared to those clients who are uninsured; 93% of insured clients were virally suppressed compared to 69% of uninsured clients.

CARE CONTINUUM FOR INSURED & UNINSURED CLIENTS



*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017 †Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL



Louisiana Health Access Program Hammond/Slidell Region 9 Quarterly Report October 1, 2017 - December 31, 2017


ENROLLMENT

SUMMARY

| Active | 238 |
|------------------|-----|
| Newly Enrolled | 11 |
| Disenrolled | 13 |
| Gained Insurance | 6 |
| Lost Insurance | 1 |

DISENROLLMENT REASON

| | n | % |
|----------------------------|----|-------|
| Deceased | 0 | 0.0% |
| Did not recertify | 7 | 53.8% |
| Eligible for Medicaid | 2 | 15.3% |
| Income exceeds program max | 2 | 15.3% |
| Moved out of state | 2 | 15.3% |
| Total | 13 | 100% |



GENDER

| | Active | | Newly Enrolled | | Disen | rolled | Gained I | nsurance | Lost Insurance | | |
|-------------|--------|-------|----------------|-------|-------|--------|----------|----------|----------------|--------|--|
| | n | % | n | % | % n % | | n | % | n | % | |
| Female | 44 | 18.4% | 2 | 18.1% | 3 | 23.0% | 1 | 16.6% | 0 | 0.0% | |
| Male | 190 | 79.8% | 8 | 72.7% | 9 | 69.2% | 5 | 83.3% | 1 | 100.0% | |
| Transgender | 4 | 1.6% | 1 | 9.0% | 1 | 7.6% | 0 | 0.0% | 0 | 0.0% | |
| Total | 238 | 100% | 11 | 100% | 13 | 100% | 6 | 100% | 1 | 100% | |

RACE/ETHNICITY

| | Ac | Active | | Newly Enrolled | | rolled | Gained I | nsurance | Lost Insurance | | |
|----------|-----|--------|----|----------------|----|--------|----------|----------|----------------|--------|--|
| | n | % | n | % | n | % | n | % | n | % | |
| Black | 92 | 38.6% | 5 | 45.4% | 8 | 61.5% | 1 | 16.6% | 0 | 0.0% | |
| Hispanic | 6 | 2.5% | 0 | 0.0% | 0 | 0.0% | 1 | 16.6% | 0 | 0.0% | |
| White | 135 | 56.7% | 5 | 45.4% | 5 | 38.4% | 3 | 50.0% | 1 | 100.0% | |
| Other | 5 | 2.1% | 1 | 9.0% | 0 | 0.0% | 1 | 16.6% | 0 | 0.0% | |
| Total | 238 | 100% | 11 | 100% | 13 | 100% | 6 | 100% | 1 | 100% | |

AGE GROUP

| | Ac | Active | | Newly Enrolled | | rolled | Gained I | nsurance | Lost Insurance | | | |
|-------|-----|--------|----|----------------|----|--------|----------|----------|----------------|--------|--|--|
| | n | % | n | % | n | % | n | % | n | % | | |
| 13-24 | 5 | 2.1% | 1 | 9.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | | |
| 25-44 | 71 | 29.8% | 5 | 45.4% | 5 | 38.4% | 5 | 83.3% | 0 | 0.0% | | |
| 45-64 | 140 | 58.8% | 5 | 45.4% | 6 | 46.1% | 0 | 0.0% | 1 | 100.0% | | |
| 65+ | 22 | 9.2% | 0 | 0.0% | 2 | 15.3% | 1 | 16.6% | 0 | 0.0% | | |
| Total | 238 | 100% | 11 | 100% | 13 | 100% | 6 | 100% | 1 | 100% | | |

| | Act | ive | Newly I | Enrolled | Disen | rolled | Gained I | nsurance | Lost In: | surance |
|----------------|-------|-------|---------|----------|-------|--------|----------|----------|----------|---------|
| | n | % | n | % | n | % | n | % | n | % |
| New Orleans | 1,438 | 38.4% | 42 | 34.4% | 77 | 40.9% | 33 | 31.1% | 21 | 44.6% |
| Baton Rouge | 928 | 24.7% | 31 | 25.4% | 39 | 20.7% | 38 | 35.8% | 12 | 25.5% |
| Houma | 182 | 4.8% | 1 | 0.8% | 12 | 6.3% | 6 | 5.6% | 4 | 8.5% |
| Lafayette | 282 | 7.5% | 8 | 6.5% | 9 | 4.7% | 5 | 4.7% | 3 | 6.3% |
| Lake Charles | 145 | 3.8% | 3 | 2.4% | 7 | 3.7% | 3 | 2.8% | 1 | 2.1% |
| Alexandria | 95 | 2.5% | 6 | 4.9% | 6 | 3.1% | 4 | 3.7% | 1 | 2.1% |
| Shreveport | 260 | 6.9% | 9 | 7.3% | 17 | 9.0% | 9 | 8.4% | 4 | 8.5% |
| Monroe | 175 | 4.6% | 11 | 9.0% | 8 | 4.2% | 2 | 1.8% | 0 | 0.0% |
| Hammond/Slidel | 238 | 6.3% | 11 | 9.0% | 13 | 6.9% | 6 | 5.6% | 1 | 2.1% |
| Total | 3,743 | 100% | 122 | 100% | 188 | 100% | 106 | 100% | 47 | 100% |




Louisiana Health Access Program Hammond/Slidell Region 9 Quarterly Report October 1, 2017 - December 31, 2017


UTILIZATION


SUMMARY No. Claims

2,366 No. Claims per Person 12.5 Insured Claims 2,211 **Uninsured Claims** 155 **Insured Clients** 166 **Uninsured Clients** 31

CLAIM TYPES







GENDER

| | | | No. | | | | | | | | |
|-------------|-------|--------|--------|---------|----------|----------|-----------|---------|-----------|----------|------------|
| | | | Claims | | | | | | | | |
| | No. C | Claims | per | Insured | l Claims | Uninsure | ed Claims | Insured | l Clients | Uninsure | ed Clients |
| | n | % | Person | n | % | n | % | n | % | n | % |
| Female | 201 | 8.4% | 7.2 | 177 | 8.0% | 24 | 15.4% | 22 | 13.2% | 6 | 19.3% |
| Male | 2,162 | 91.3% | 13.4 | 2,031 | 91.8% | 131 | 84.5% | 143 | 86.1% | 25 | 80.6% |
| Transgender | 3 | 0.1% | 3.0 | 3 | 0.1% | 0 | 0.0% | 1 | 0.6% | 0 | 0.0% |
| Total | 2,366 | 100% | 12.5 | 2,211 | 100% | 155 | 100% | 166 | 100% | 31 | 100% |

RACE/ETHNICITY

| | No. C | laims | No. Claims per | Insured | Claims | Uninsure | ed Claims | Insured | l Clients | Uninsure | ed Clients |
|----------|-------|-------|----------------------|---------|--------|----------|-----------|---------|-----------|----------|------------|
| | n | % | Person | n | % | n | % | n | % | n | % |
| Black | 599 | 25.3% | 9.4 | 506 | 22.8% | 93 | 60.0% | 48 | 28.9% | 19 | 61.2% |
| Hispanic | 46 | 1.9% | 9.2 | 39 | 1.7% | 7 | 4.5% | 3 | 1.8% | 2 | 6.4% |
| White | 1,700 | 71.8% | 14.7 | 1,650 | 74.6% | 50 | 32.2% | 111 | 66.8% | 8 | 25.8% |
| Other | 21 | 0.8% | 4.2 | 16 | 0.7% | 5 | 3.2% | 4 | 2.4% | 2 | 6.4% |
| Total | 2,366 | 100% | 12.5 | 2,211 | 100% | 155 | 100% | 166 | 100% | 31 | 100% |

AGE GROUP

| | No. C | Claims | No. Claims per | Insured | Claims | Uninsure | ed Claims | Insured | Clients | Uninsure | ed Clients |
|-------|-------|--------|----------------------|---------|--------|----------|-----------|---------|---------|----------|------------|
| | n | % | Person | n | % | n | % | n | % | n | % |
| 13-24 | 6 | 0.2% | 3.0 | 6 | 0.2% | 0 | 0.0% | 2 | 1.2% | 0 | 0.0% |
| 25-44 | 486 | 20.5% | 8.0 | 412 | 18.6% | 74 | 47.7% | 46 | 27.7% | 18 | 58.0% |
| 45-64 | 1,417 | 59.8% | 13.4 | 1,336 | 60.4% | 81 | 52.2% | 97 | 58.4% | 13 | 41.9% |
| 65+ | 457 | 19.3% | 21.8 | 457 | 20.6% | 0 | 0.0% | 21 | 12.6% | 0 | 0.0% |
| Total | 2,366 | 100% | 12.5 | 2,211 | 100% | 155 | 100% | 166 | 100% | 31 | 100% |

LITHIZATION BY REGION FOR ALL LA HAP REGIONS


| UTILIZATION BY REGION FOR ALL LA HAP REGIONS | | | | | | | | | | | | |
|--|------------|-------|--------|----------------|-------|------------------|-------|-----------------|-------|-------------------|-------|--|
| | | | No. | | | | | | | | | |
| | | | Claims | | | | | | | | | |
| | No. Claims | | per | Insured Claims | | Uninsured Claims | | Insured Clients | | Uninsured Clients | | |
| | n | % | Person | n | % | n | % | n | % | n | % | |
| New Orleans | 12,485 | 36.2% | 10.8 | 11,427 | 35.6% | 1,058 | 43.3% | 1,062 | 38.2% | 215 | 41.0% | |
| Baton Rouge | 9,418 | 27.3% | 12.2 | 8,943 | 27.9% | 475 | 19.4% | 722 | 26.0% | 112 | 21.3% | |
| Houma | 1,717 | 4.9% | 11.0 | 1,584 | 4.9% | 133 | 5.4% | 141 | 5.0% | 23 | 4.3% | |
| Lafayette | 3,190 | 9.2% | 13.0 | 3,016 | 9.4% | 174 | 7.1% | 211 | 7.6% | 42 | 8.0% | |
| Lake Charles | 1,028 | 2.9% | 8.4 | 992 | 3.0% | 36 | 1.4% | 110 | 3.9% | 15 | 2.8% | |
| Alexandria | 605 | 1.7% | 8.4 | 537 | 1.6% | 68 | 2.7% | 63 | 2.2% | 15 | 2.8% | |
| Shreveport | 2,139 | 6.2% | 10.3 | 1,908 | 5.9% | 231 | 9.4% | 180 | 6.4% | 45 | 8.5% | |
| Monroe | 1,522 | 4.4% | 10.9 | 1,410 | 4.4% | 112 | 4.5% | 121 | 4.3% | 26 | 4.9% | |
| Hammond/Slidell | 2,366 | 6.8% | 12.5 | 2,211 | 6.9% | 155 | 6.3% | 166 | 5.9% | 31 | 5.9% | |
| Total | 34,470 | 100% | 11.3 | 32,028 | 100% | 2,442 | 100% | 2,776 | 100% | 524 | 100% | |

SUMMARY

| | n | % |
|---------------------|-----|-------|
| In Care* | 233 | 97.9% |
| Virally Suppressed† | 211 | 88.7% |
| Total | 238 | 100% |

^{*}Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

least one Viral Load reported between January 1, 2017 and



GENDER

| | | | | No. Virally | % Virally |
|--------|-------|--------------|------------------------|-------------------------|-------------------------|
| | Total | No. In Care* | % In Care [*] | Suppressed [†] | Suppressed [†] |
| Female | 44 | 43 | 97.7% | 39 | 88.6% |
| Male | 190 | 187 | 98.4% | 170 | 89.5% |
| Total | 238 | 233 | 97.9% | 211 | 88.7% |

*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

CARE CONTINUUM FOR CLIENTS BY GENDER ■ Total ■ % In Care* ■ % Virally Suppressed† 100% 100% 98% 90% 89%

RACE/ETHNICITY

| | | | | No. Virally | % Virally | |
|----------|-------|--------------|------------------------|-------------------------|--------------|--|
| | Total | No. In Care* | % In Care [*] | Suppressed [†] | Suppressed 1 | |
| Black | 92 | 89 | 96.7% | 78 | 84.8% | |
| Hispanic | 6 | 6 | 100.0% | 6 | 100.0% | |
| White | 135 | 134 | 99.3% | 123 | 91.1% | |
| Total | 238 | 233 | 97.9% | 211 | 88.7% | |


*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL



Female

13-24




AGE GROUP

| | | | | No. Virally | % Virally |
|-------|-------|--------------|------------------------|-------------------------|-------------------------|
| | Total | No. In Care* | % In Care [*] | Suppressed [†] | Suppressed [†] |
| 13-24 | 5 | 2 | 40.0% | 2 | 40.0% |
| 25-44 | 71 | 71 | 100.0% | 65 | 91.5% |
| 45-64 | 140 | 138 | 98.6% | 123 | 87.9% |
| 65+ | 22 | 22 | 100.0% | 21 | 95.5% |
| Total | 238 | 233 | 97.9% | 211 | 88.7% |
| | | | | | |

*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL



45-64

65+


25-44

INSURANCE STATUS

| | | | | No. Virally | % Virally | |
|--------------|-------|--------------|------------------------|-------------------------|-------------------------|--|
| | Total | No. In Care* | % In Care [*] | Suppressed [†] | Suppressed [†] | |
| Insured | 192 | 189 | 98.4% | 178 | 92.7% | |
| Transitioned | 7 | 7 | 100.0% | 6 | 85.7% | |
| Uninsured | 39 | 37 | 94.9% | 27 | 69.2% | |
| Total | 238 | 233 | 97.9% | 211 | 88.7% | |

*Clients defined as 'In Care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL



[†]Clients defined as 'Virally Suppressed' had at

[†]Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL