



Louisiana Ryan White HIV/AIDS Part B CBO Program Statewide Quarterly Report October 1, 2017 - December 31, 2017

Community Based Organizations (CBOs) funded by Louisiana's Ryan White (RW) Part B program served 1,955 persons living with HIV, approximately 9% (1,955/21,803) of persons living with HIV in Louisiana.

The program served a larger proportion of persons who are female, white, and older compared to the larger HIV+ population in Louisiana.

Sixty-nine percent (n=1,355) of clients served live below the federal poverty level (FPL).

The majority of clients served (94%) had health insurance.

CHARACTERISTICS OF CLIENTS SERVED

NUMBER OF CLIENTS SERVED* 1,955

Gender

	n	%
Female	627	32.1%
Male	1,301	66.5%
Transgender	27	1.4%

Race/Ethnicity

	n	%
Black	1,285	65.7%
Hispanic	32	1.6%
White	587	30.0%
Other	51	2.6%

Age Group

	n	%
0-12	1	0.1%
13-24	93	4.8%
25-44	780	39.9%
45-64	989	50.6%
65+	92	4.7%

Percentage of FPL

	n	%
Below 100	1,355	69.3%
100-199	510	26.1%
200-299	85	4.3%
300+	5	0.3%

Primary Health Insurance Type

	n	%
Medicaid	1,073	54.9%
Medicare	545	27.9%
Other Public	17	0.9%
Private	210	10.7%
Uninsured	106	5.4%
Unknown	4	0.2%

TOTAL HIV+ POPULATION FOR THE STATE

NUMBER OF PEOPLE LIVING WITH HIV† 21,803

Gender


	n	%
Female	6,266	28.7%
Male	15,291	70.1%
Transgender	246	1.1%

Race/Ethnicity

	n	%
Black	14,920	68.4%
Hispanic	997	4.6%
White	5,607	25.7%
Other	279	1.3%

Age Group

	n	%
0-12	46	0.2%
13-24	1,042	4.8%
25-44	9,397	43.1%
45-64	10,010	45.9%
65+	1,308	6.0%



* Includes all clients who received a service between October 1, 2017 and December 31, 2017 from a RW Part B CBO.

† Includes all persons diagnosed with HIV on or before December 31, 2017 who were last known to be alive and living in Louisiana.



Louisiana Ryan White HIV/AIDS Part B CBO Program
Statewide Quarterly Report
October 1, 2017 - December 31, 2017

UTILIZATION



Non-medical case management was provided to 94% (n=1,845) of clients.

Food bank/home-delivered meals and medical transportation were the second and third most utilized services with 55% (n=1,115) and 41% (n=809) respectively of clients receiving these services.


Encounters for non-medical case management were most frequently classified as follow-up or monitoring, followed by treatment adherence counseling, referral/advocacy, and case conferencing.

SERVICES PROVIDED

	No. Clients	No. Units	Units per Client	No. Encounters	Encounters per Client
Emergency Financial Assistance	60	14,811	246.9	68	1.1
Food Bank/Home-Delivered Meals	1,115	50,110	44.9	2,496	2.2
Housing Assistance	265	181,555	685.1	581	2.2
Medical Transportation Services	809	75,385	93.2	2,708	3.3
Mental Health Services	45	215	4.8	194	4.3
Non-Medical Case Management	1,845	26,628	14.4	12,081	6.5
Oral Health Care	122	56,520	463.3	188	1.5
Psychosocial Support	63	676	10.7	270	4.3
Substance Use Services	21	369	17.6	136	6.5



No. of Encounters and Clients by Type of Encounter for Non-Medical Case Management, Oct 2017 - Dec 2017





Louisiana Ryan White HIV/AIDS Part B CBO Program

Statewide Quarterly Report

October 1, 2017 - December 31, 2017

CLINICAL OUTCOMES

A total of 95% (1,862/1,955) of clients were defined as in care. These clients had at least one CD4 or viral load test reported in the past year.

Seventy-six percent (1,499/1,955) of clients were virally suppressed. These clients had a viral load test reported in the past year with the most recent result <200 copies/mL.

For clients served by RW Part B CBO program who were in care, 81% (1,499/1,862) were virally suppressed. For the larger HIV+ population living in Louisiana who were in care, 83% (12,716/15,370) were virally suppressed.

Clients who are white, older and have higher incomes were more likely to be virally suppressed.

Clients who are uninsured are less likely to be virally suppressed. Only 65% (69/106) of those who are uninsured achieved viral suppression compared to 89% (186/210) of those with private health insurance.


Clients Served by RW Part B CBOs vs Louisiana HIV+ Population

	Total	No. In Care*	% In Care*	No. VS†	% VS†
Served by RW Part B CBOs	1,955	1,862	95.2%	1,499	76.7%
LA HIV+ Population*	20,755	15,370	74.1%	12,716	61.3%

*Clients defined as 'in care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017.

†Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL.

‡Includes persons diagnosed before January 1, 2017 and last known to be alive and living in Louisiana as of December 31, 2017.




Gender

	Total	No. In Care*	% In Care*	No. VS†	% VS†
Female	627	607	96.8%	483	77.0%
Male	1,301	1,230	94.5%	997	76.6%
Transgender	27	25	92.6%	19	70.4%

*Clients defined as 'in care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017.

†Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL.




Race/Ethnicity

	Total	No. In Care*	% In Care*	No. VS†	% VS†
Black	1,285	1,221	95.0%	953	74.2%
Hispanic	32	28	87.5%	24	75.0%
White	587	563	95.9%	480	81.8%

*Clients defined as 'in care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017.

†Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL.





Louisiana Ryan White HIV/AIDS Part B CBO Program Statewide Quarterly Report October 1, 2017 - December 31, 2017


CLINICAL OUTCOMES

Age Group

	Total	No. In Care*	% In Care*	No. VS†	% VS†
13-24	93	88	94.6%	63	67.7%
25-44	780	738	94.6%	545	69.9%
45-64	989	948	95.9%	809	81.8%
65+	92	87	94.6%	81	88.0%

*Clients defined as 'in care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017.

†Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL.




Percentage of FPL

	Total	No. In Care*	% In Care*	No. VS†	% VS†
Below 100	1,355	1,294	95.5%	999	73.7%
100-199	510	484	94.9%	423	82.9%
200+	90	84	93.3%	77	85.6%

*Clients defined as 'in care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017.

†Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL.




Primary Health Insurance Type

	Total	No. In Care*	% In Care*	No. VS†	% VS†
Medicaid	1,073	1,021	95.2%	792	73.8%
Medicare	545	533	97.8%	448	82.2%
Private	210	203	96.7%	186	88.6%
Uninsured	106	100	94.3%	69	65.1%

*Clients defined as 'in care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017.

†Clients defined as 'Virally Suppressed' had at least one Viral Load reported between January 1, 2017 and December 31, 2017 with the most recent result <200 copies/mL.





Louisiana Ryan White HIV/AIDS Part B CBO Program

Statewide Quarterly Report

October 1, 2017 - December 31, 2017

UNMET NEED

Unmet need includes persons who are defined as out of care. These persons know their positive HIV status and are not receiving HIV-related medical care. Persons living with HIV who have no evidence of receiving a viral load test or CD4 count within a 12-month period meet the definition of unmet need.

Twenty-six percent (5,385/20,755) of PLWH in Louisiana met the definition for unmet need between January 1, 2017 and December 31, 2017.

Males, Hispanics, and persons 65 years and older were most likely not to be receiving HIV-related medical care.

Regions supported by Ryan White Part B CBOs with the largest proportion of people with unmet need include Lake Charles and Shreveport.

NUMBER OF PEOPLE LIVING WITH HIV WHO MEET UNMET NEED CRITERIA * 5,385

Gender

	No. In Care*	% In Care*	No. Not In Care†	% Not In Care†
Female	4,659	77.4%	1,359	22.5%
Male	10,518	72.5%	3,988	27.4%
Transgender	193	83.5%	38	16.4%

*Persons defined as 'in care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017.

†Persons defined as 'not in care' or meeting criteria for 'unmet need' did not have a CD4 or Viral Load reported between January 1, 2017 and December 31, 2017.

Age Group

	No. In Care*	% In Care*	No. Not In Care†	% Not In Care†
0-12	39	90.6%	4	9.3%
13-24	596	73.2%	218	26.7%
25-44	6,521	73.9%	2,303	26.0%
45-64	7,303	74.6%	2,484	25.3%
65+	911	70.7%	376	29.2%

*Persons defined as 'in care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017.

†Persons defined as 'not in care' or meeting criteria for 'unmet need' did not have a CD4 or Viral Load reported between January 1, 2017 and December 31, 2017.

Race/Ethnicity

	No. In Care*	% In Care*	No. Not In Care†	% Not In Care†
Black	10,624	74.8%	3,578	25.1%
Hispanic	489	52.9%	434	47.0%
White	4,070	75.9%	1,292	24.0%
Other	187	69.7%	81	30.2%

*Persons defined as 'in care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017.

†Persons defined as 'not in care' or meeting criteria for 'unmet need' did not have a CD4 or Viral Load reported between January 1, 2017 and December 31, 2017.

Region of Current Residence

	No. In Care*	% In Care*	No. Not In Care†	% Not In Care†
Region 1	5,363	74.4%	1,839	25.5%
Region 2	3,959	80.1%	978	19.8%
Region 3	666	76.0%	210	23.9%
Region 4	1,178	74.4%	405	25.5%
Region 5	600	60.0%	400	40.0%
Region 6	654	70.3%	276	29.6%
Region 7	1,191	65.1%	636	34.8%
Region 8	746	69.4%	328	30.5%
Region 9	1,013	76.3%	313	23.6%

*Persons defined as 'in care' had at least one CD4 or Viral Load reported between January 1, 2017 and December 31, 2017.

†Persons defined as 'not in care' or meeting criteria for 'unmet need' did not have a CD4 or Viral Load reported between January 1, 2017 and December 31, 2017.