

Community Based Organizations (CBOs) funded by Louisiana's Ryan White (RW) Part B program served 2,835 persons living with HIV, approximately 13% (2,835/22,489) of persons living with HIV in Louisiana.

The program served a larger proportion of persons who are female and white compared to the larger HIV+ population in Louisiana.

69% (n=1,942) of clients served live below the federal poverty level (FPL).

The majority of clients served (93%) had health insurance.

CHARACTERISTICS OF CLIENTS SERVED NUMBER OF CLIENTS SERVED 2,835*

GENDER	n	%
Female	863	30.4%
Male	1,929	68.0%
Transgender	43	1.5%
RACE/ETHNICITY	n	%
Black	1,842	65.0%
Hispanic	63	2.2%
White	864	30.5%
Other	66	2.3%
AGE GROUP	n	%
0-12	2	0.1%
13-24	139	4.9%
25-44	1,232	43.5%
45-64	1,305	46.0%
65+	157	5.5%
PERCENTAGE OF FPL	n	%
Below 100	1,942	68.5%
100-199	659	23.2%
200-299	168	5.9%
300+	66	2.3%
HEALTH INSURANCE TYPE	n	%

Medicaid

Medicare

Private

Uninsured


Unknown

Other Public

TOTAL HIV+ POPULATION FOR THE STATE NUMBER OF PEOPLE LIVING WITH HIV 22,489†

GENDER	n	%
Female	6,407	28.5%
Male	15,748	70.0%
Transgender	334	1.5%
RACE/ETHNICITY	n	%
Black	15,348	68.2%
Hispanic	1,206	5.4%
White	5,618	25.0%
Other	317	1.4%
AGE GROUP	n	%
0-12	32	0.1%
13-24	901	4.0%
25-44	9,752	43.4%
45-64	10,155	45.2%
65+	1,649	7.3%

Primary Health Insurance Type for RW Part B Clients Served by CBOs



^{*}Includes all clients who received a service between January 01, 2019 and December 31, 2019 from a RW Part B CBO.

1,514

762

20

340

184

15

53.4%

26.9%

0.7%

12.0%

6.5%

0.5%

[†]Includes all persons diagnosed with HIV on or before December 31, 2019 who were last known to be alive and living in Louisiana.



UTILIZATION


Non-medical case management was provided to 96% (n=2,731) of clients.

Food bank/home-delivered meals and health education were the second and third most utilized services with 80% (n=2,181) and 42% (n=1,179) respectively of clients receiving these services.

Encounters for non-medical case management were most frequently classified as other, followed by coordinated transportation, and case conferencing.

			Units per	No.	Encounters
SERVICES PROVIDED	No. Clients	No. Units	Client	Encounters	per Client
Emergency Financial Assistance	324	113,215	349.4	440	1.4
Food Bank/Home-Delivered Meals	2,181	663,840	304.4	16,456	7.5
Health Education	1,179	7,514	6.4	3,126	2.7
Housing Assistance	908	1,424,582	1,568.9	4,628	5.1
Linguistic Services	4	333	83.3	17	4.3
Medical Case Management	220	5,022	22.8	2,279	10.4
Medical Transportation Services	1,523	517,736	339.9	17,643	11.6
Mental Health Services	32	201	6.3	201	6.3
Non-Medical Case Management	2,731	116,993	42.8	54,516	20.0
Oral Health Care	295	314,851	1,067.3	540	1.8
Outreach Services	382	933	2.4	741	1.9
Professional Services	4	755	188.8	5	1.3
Psychosocial Support	280	2,799	10.0	2,149	7.7
Referral	528	1,513	2.9	1,499	2.8
Substance Use Services	26	314	12.1	184	7.1

No. of Clients and Encounters by Type of Encounter for Non-Medical Case Management





Louisiana Ryan White HIV/AIDS Part B CBO Program Statewide Annual Report January 01, 2019 - December 31, 2019

Cantinuum Lagand
Continuum Legend
■ Total
■ % In Care*
% Virally Suppressed†

CLINICAL OUTCOMES


A total of 93% (2,649/2,835) of clients were defined as in care. These clients had at least one CD4 or viral load test reported in the past year.

79% (2,227/2,835) of clients were virally suppressed. These clients had a viral load test reported in the past year with the most recent result <200 copies/mL.

For clients served by RW Part B CBO program who were in care, 84% (2,227/2,649) were virally suppressed. For the larger HIV+ population living in Louisiana who were in care, 86% (13,720/15,956) were virally suppressed.

Clients who are white and Hispanic, older, and have higher incomes were more likely to be virally suppressed.

Clients who are uninsured are less likely to be virally suppressed. Only 65% (119/184) of those who are uninsured achieved viral suppression compared to 91% (308/340) of those with private health insurance.



^{*}Persons defined as 'in care' had at least one CD4 or Viral Load reported between January 01, 2019 and December 31, 2019.


†Persons defined as 'Virally Suppressed' had at least one Viral Load reported between January 01, 2019 and December 31, 2019 with the most recent result <200 copies/mL.

‡Includes persons diagnosed before January 01, 2019, last known to be alive and living in Louisiana as of December 31, 2019, and who've had a lab reported within the last 5 years (on or after January 01, 2015).

GENDER	Total	No. In Care*	% In Care*	No. Virally Suppressed†	% Virally Suppressed†
Female	863	813	94.2%	692	80.2%
Male	1,929	1,795	93.1%	1,501	77.8%
Transgender	43	41	95.3%	34	79.1%

^{*}Clients defined as In Care had at least one CD4 or viral load reported between January 01, 2019 and December 31, 2019.


 \dagger Clients defined as Virally Suppressed had at least one viral load reported between January 01, 2019 and December 31, 2019 with the most recent result <200 copies/mL.




^{*}Clients defined as In Care had at least one CD4 or viral load reported between January 01, 2019 and December 31, 2019.

 \dagger Clients defined as Virally Suppressed had at least one viral load reported between January 01, 2019 and December 31, 2019 with the most recent result <200 copies/mL.

CARE CONTINUUM BY GENDER



CARE CONTINUUM BY RACE/ETHNICITY



Louisiana Ryan White HIV/AIDS Part B CBO Program Statewide Annual Report January 01, 2019 - December 31, 2019


Continuum Legend Total % In Care* % Virally Suppressed†

CLINICAL OUTCOMES

AGE GROUP	Total	No. In Care*	% In Care*	No. Virally Suppressed†	% Virally Suppressed†
13-24	139	129	92.8%	99	71.2%
25-44	1,232	1,137	92.3%	909	73.8%
45-64	1,305	1,232	94.4%	1,079	82.7%
65+	157	149	94.9%	138	87.9%

*Clients defined as In Care had at least one CD4 or viral load reported between January 01, 2019 and December 31, 2019.

 \dagger Clients defined as Virally Suppressed had at least one viral load reported between January 01, 2019 and December 31, 2019 with the most recent result <200 copies/mL.



PERCENTAGE OF FPL	Total	No. In Care*	% In Care*	No. Virally Suppressed†	% Virally Suppressed†
Below 100	1,942	1,810	93.2%	1,476	76.0%
100-199	659	622	94.4%	555	84.2%
200-299	168	153	91.1%	139	82.7%
300+	66	64	97.0%	57	86.4%

*Clients defined as In Care had at least one CD4 or viral load reported between January 01, 2019 and December 31, 2019.

 \dagger Clients defined as Virally Suppressed had at least one viral load reported between January 01, 2019 and December 31, 2019 with the most recent result <200 copies/mL.

Below 100 100-199 200-299 300+


CARE CONTINUUM BY PERCENTAGE OF FPL

HEALTH INSURANCE TYPE	Total	No. In Care*	% In Care*	No. Virally Suppressed†	% Virally Suppressed†
Medicaid	1,514	1,420	93.8%	1,146	75.7%
Medicare	762	724	95.0%	636	83.5%
Private	340	334	98.2%	308	90.6%
Uninsured	184	151	82.1%	119	64.7%
Unknown	15	13	86.7%	12	80.0%

^{*}Clients defined as In Care had at least one CD4 or viral load reported between January 01, 2019 and December 31, 2019.

 \dagger Clients defined as Virally Suppressed had at least one viral load reported between January 01, 2019 and December 31, 2019 with the most recent result <200 copies/mL.

CARE CONTINUUM BY HEALTH INSURANCE TYPE





UNMET NEED

Unmet need includes persons who are defined as out of care. These persons know their positive HIV status and are not receiving HIV-related medical care. Persons living with HIV who have no evidence of receiving a viral load test or CD4 count within a 12-month period meet the definition of unmet need. Furthermore, unmet need has been defined here only to include persons with a lab reported to the health department within the last 5 years (on or after January 01, 2015).

14% (2,577/18,533) of PLWH in Louisiana met the definition for unmet need between January 01, 2019 and December 31, 2019.

Males, Hispanics, and persons 13-44 years old were most likely not to be receiving HIV-related medical care.

Regions supported by Ryan White Part B CBOs with the largest proportion of people with unmet need include Shreveport and Monroe.

RACE/ETHNICITY

Black

NUMBER OF PERSONS LIVING WITH HIV WHO MEET UNMET NEED CRITERIA* 2,577

	In Care*		Not In	Care†
GENDER	n	pct	n	pct
Female	4,807	87.6%	682	12.4%
Male	10,880	85.4%	1,859	14.6%
Transgender	269	88.2%	36	11.8%

^{*}Persons defined as 'in care' had at least one CD4 or Viral Load reported between January 01, 2019 and December 31, 2019. †Persons defined as 'not in care' or meeting criteria for 'unmet need' did not have a CD4 or Viral Load reported between January 01, 2019 and December 31, 2019.

Hispanic	581	78.8%	156	21.2%		
White	4,047	88.0%	554	12.0%		
Other	229	89.8%	26	10.2%		
*Persons defined as 'in care' had at least one CD4 or Viral Load						
reported between January 01, 2019 and December 31, 2019.						
+Persons defined as 'not in care' or meeting criteria for 'unmet need'						

In Care*

11,099 85.8%

n

Not In Care†

did not have a CD4 or Viral Load reported between January 01, 2019 and December 31, 2019.

	In Care*		Not In Care†	
AGE GROUP	n	pct	n	pct
0-12	31	100.0%		
13-24	583	83.3%	117	16.7%
25-44	6,962	82.1%	1,517	17.9%
45-64	7,271	89.8%	829	10.2%
65+	1,109	90.7%	114	9.3%

^{*}Persons defined as 'in care' had at least one CD4 or Viral Load reported between January 01, 2019 and December 31, 2019. †Persons defined as 'not in care' or meeting criteria for 'unmet need' did not have a CD4 or Viral Load reported between January 01, 2019 and December 31, 2019.

	In C	are*	Not In Care†	
Region	n	pct	n	pct
Region 1	5,417	86.0%	880	14.0%
Region 2	4,056	90.2%	440	9.8%
Region 3	672	86.6%	104	13.4%
Region 4	1,318	87.6%	186	12.4%
Region 5	634	85.4%	108	14.6%
Region 6	688	83.2%	139	16.8%
Region 7	1,307	78.4%	361	21.6%
Region 8	762	79.8%	193	20.2%
Region 9	1,102	87.0%	165	13.0%

^{*}Persons defined as 'in care' had at least one CD4 or Viral Load reported between January 01, 2019 and December 31, 2019. †Persons defined as 'not in care' or meeting criteria for 'unmet need' did not have a CD4 or Viral Load reported between January 01, 2019 and December 31, 2019.

*Includes persons that meet the following criteria: 1) diagnosed before January 01, 2019; 2) are last known to be alive and living in Louisiana as of December 31, 2019; 3) had a lab reported within the last 5 years (on or after January 01, 2015); 4) had no CD4 or Viral Load reported between January 01, 2019 and December 31, 2019.