


First Quarter 2011

Vol. 9, No. 1



HIV/AIDS Surveillance Program

DeAnn Gruber, PhD, LCSW

Administrative Director

Jessica Fridge, MSPH

Interim HIV/AIDS Surveillance Program Manager

Editor/Production:

Demerial Banks

William T. Robinson

Data Management and Analysis:

Debbie Wendell, MPH, Ph.D., *Coordinator*

Tania Bechtel, *Data Manager*

Joseph Foxhood, *Information Systems Developer*

George Stephens, *Computer Technician*

Josette Russell, *Data Manager*

Demerial Banks, *Surveillance Epidemiologist*

Special Projects:

William T. Robinson, Ph.D., *Biostatistician*

Jessica Cole, MPH, *Perinatal Surveillance Coordinator*

Field Epidemiologists:

Betsy Shepard, PAC, MPH, *Epidemiologist Supervisor*

James Hubbard

Region 1

Cheryl Edney, BS MT(ASCP)

Regions 4, 5, 6

Connie Gordon

Regions 1, 3

Gayle Norris, MA

Regions 7, 8

Gale Terry, LPN

Regions 2, 9

TABLE OF CONTENTS

Contents	Page
Surveillance Summary	1
Louisiana: Persons Living with HIV/AIDS	2
Persons Living with AIDS	3
Persons newly diagnosed with HIV/AIDS	4
Parish: Persons Living with HIV/AIDS	5
Persons Living with AIDS	6
Metro New Orleans: Persons Living with HIV/AIDS	7
Persons Living with AIDS	8
Persons newly diagnosed with HIV/AIDS	9
Metro Baton Rouge: Persons Living with HIV/AIDS	10
Persons Living with AIDS	11
Persons newly diagnosed with HIV/AIDS	12
Region 1: Persons Living with HIV/AIDS	13
Persons Living with AIDS	14
Persons newly diagnosed with HIV/AIDS	15
Region 2: Persons Living with HIV/AIDS	16
Persons Living with AIDS	17
Persons newly diagnosed with HIV/AIDS	18
Region 3: Persons Living with HIV/AIDS	19
Persons Living with AIDS	20
Persons newly diagnosed with HIV/AIDS	21
Region 4: Persons Living with HIV/AIDS	22
Persons Living with AIDS	23
Persons newly diagnosed with HIV/AIDS	24
Region 5: Persons Living with HIV/AIDS	25
Persons Living with AIDS	26
Persons newly diagnosed with HIV/AIDS	27
Region 6: Persons Living with HIV/AIDS	28
Persons Living with AIDS	29
Persons newly diagnosed with HIV/AIDS	30
Region 7: Persons Living with HIV/AIDS	31
Persons Living with AIDS	32
Persons newly diagnosed with HIV/AIDS	33
Region 8: Persons Living with HIV/AIDS	34
Persons Living with AIDS	35
Persons newly diagnosed with HIV/AIDS	36
Region 9: Persons Living with HIV/AIDS	37
Persons Living with AIDS	38
Persons newly diagnosed with HIV/AIDS	39

Surveillance Summary

Data in this report includes cases diagnosed with HIV/AIDS and reported as of March 31, 2011¹.

- As of March 31, 2011, a cumulative total of **31,161** HIV/AIDS cases have been reported in Louisiana, including **317** pediatric cases.
- The cumulative number of deaths among persons diagnosed with HIV/AIDS, reported to the Louisiana Office of Public Health through March 31, 2011, is **12,800** including **103** deaths among pediatric cases.
- A total of **18,540** persons are living with HIV/AIDS in Louisiana; of these individuals, **10,141** persons (55%) have an AIDS diagnosis.
- Among women living with HIV/AIDS, the predominant known mode of transmission is high-risk heterosexual contact followed by injection drug use. Among men living with HIV/AIDS, the predominant mode of transmission is men who have sex with men followed by injection drug use.
- The primary risk factor for new HIV diagnoses in Louisiana is men who have sex with men (MSM). In 2010, of the persons who reported a risk factor, 46% reported being MSM, and an additional 5% reported being MSM and an injection drug user (IDU). As of March 31, 2011, 49% of all people living with HIV infection in Louisiana were MSM.
- Nationally, Louisiana ranked **5th** highest in AIDS case rates and **12th** in the number of AIDS cases diagnosed in 2009, according to the CDC 2009 HIV Surveillance Report (Vol. 21).
- New Orleans ranked **9th** for estimated AIDS case rates among the largest metropolitan areas in the U.S. in 2009; Baton Rouge ranked **2nd**.
- In 2010, **1,186** new HIV cases were diagnosed in Louisiana. Of these cases, **31%** (n=368) occurred in Region 1 (New Orleans) and **26%** (n=305) occurred in Region 2 (Baton Rouge).
- In 2010, **802** new AIDS cases were diagnosed in Louisiana. Of these cases, **31%** (n=250) occurred in Region 1 (New Orleans) and **30%** (n=237) occurred in Region 2 (Baton Rouge).
- In Louisiana, **28%** of new HIV cases and **34%** of new AIDS cases are among women.
- HIV continues to disproportionately affect African Americans in Louisiana. In 2010, **74%** of newly diagnosed HIV cases and **78%** of newly diagnosed AIDS cases were among African Americans.

¹Please note: This report reflects only information reported to Louisiana's HIV/AIDS surveillance system and information on persons living with HIV/AIDS (PLWH/A) may not be accurate due to population changes resulting from Hurricane Katrina. In March 2006, the Louisiana Office of Public Health HIV/AIDS Program (OPH-HAP) published the Louisiana HIV/AIDS Surveillance First Quarter 2006 report. In addition to the HIV/AIDS surveillance information, as presented here, this report contained a description of two methodologies used to estimate the impact of Hurricane Katrina on the number of PLWH/A in the New Orleans metropolitan area (see <http://www.dhh.louisiana.gov/offices/publications/pubs-264/1st%20Quarter%202006.pdf> for the full report). Updated estimates were provided in the 2006 Third Quarter Report at: <http://www.dhh.louisiana.gov/offices/publications/pubs-264/Third%20Quarter%202006.pdf>. Additional updated population estimates were presented at the February 2007 Statewide HIV/AIDS Meeting. This presentation can be found at: <http://www.dhh.louisiana.gov/offices/page.asp?ID=264&Detail=7584>. Updated estimates were also presented in the 2005-2006 Annual Report located at <http://www.dhh.louisiana.gov/offices/reports.asp?ID=264&Detail=261>.

More recent estimates indicate that as much as 84% of the pre-Katrina PLWH/A may now be living within the metropolitan area.

Persons Living with HIV/AIDS

Louisiana

as of March 31, 2011

- **31,161** cumulative cases have been detected in Louisiana, including **317** pediatric cases.
- **12,800** cumulative deaths among persons with HIV/AIDS have occurred in Louisiana, including **103** pediatric deaths.
- **18,540** persons are currently living with HIV/AIDS in Louisiana.
 Persons living with HIV: **8,399**
 Persons living with AIDS: **10,141**

Age Category

Current Age	Cases	Percent
0 - 12	63	<1 %
13 - 19	144	1 %
20 - 24	734	4 %
25 - 29	1,414	8 %
30 - 34	2,022	11 %
35 - 39	2,151	12 %
40 - 44	2,592	14 %
45 - 49	3,252	18 %
50 - 54	2,731	15 %
55 - 59	1,818	10 %
60+	1,619	9 %
Total	18,540	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	7,925	4,529	12,454	67 %
White, Non-Hispanic	4,429	778	5,207	28 %
Hispanic	548	120	668	4 %
Asian/Pacific Islander	48	12	60	<1 %
American Indian	24	5	29	<1 %
Unknown	21	7	28	<1 %
Multi-race	66	28	94	1 %
Total	13,061	5,479	18,540	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	5,943	0	5,943	49 %
Injection drug use	1,210	713	1,923	16 %
Men who have sex with men and inject drugs	901	0	901	7 %
Heterosexual contact	1,001	2,073	3,074	25 %
Transfusion/Hemophilia	64	38	102	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	91	94	185	2 %
Total	9,210	2,919	12,129	100 %
<i>No Identified Risk</i>	<i>3,851</i>	<i>2,560</i>	<i>6,411</i>	

Persons Living with AIDS
Louisiana
as of March 31, 2011

• **21,059** cumulative AIDS cases have been diagnosed in Louisiana, including **160** pediatric cases.

• **10,141** persons are currently living with AIDS in Louisiana.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	8	<1 %	Black, Non-Hispanic	4,448	2,297	6,745	67 %
13 - 19	45	<1 %	White, Non-Hispanic	2,577	360	2,937	29 %
20 - 24	172	2 %	Hispanic	293	73	366	4 %
25 - 29	491	5 %	Asian/Pacific	19	5	24	<1 %
30 - 34	848	8 %	American Indian	12	2	14	<1 %
35 - 39	1,117	11 %	Unknown	3	0	3	<1 %
40 - 44	1,499	15 %	Multi-race	39	13	52	1 %
45 - 49	2,013	20 %	Total	7,391	2,750	10,141	100 %
50 - 54	1,711	17 %					
55 - 59	1,191	12 %					
60+	1,046	10 %					
Total	10,141	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	3,373	0	3,373	48 %
Injection drug use	817	413	1,230	17 %
Men who have sex with men and inject drugs	614	0	614	9 %
Heterosexual contact	589	1,110	1,699	24 %
Transfusion/Hemophilia	45	25	70	1 %
Perinatal	34	37	71	1 %
Total	5,472	1,585	7,057	100 %
<i>No Identified Risk</i>	<i>1,919</i>	<i>1,165</i>	<i>3,084</i>	

**Persons Newly Diagnosed with HIV/AIDS
Louisiana**

HIV CASES DIAGNOSED January - December 2010

• **1,186** persons were newly diagnosed with HIV in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	851	72 %	Black, Non-Hispanic	880	74 %
Women	335	28 %	White, Non-Hispanic	247	21 %
Total	1,186	100 %	Hispanic	34	3 %
			Asian/Pacific Islander	6	1 %
			American Indian	3	<1 %
			Unknown	4	<1 %
			Multi-race	12	1 %
			Total	1,186	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	5	<1 %	Men who have sex with men	405	61 %
13 - 24	301	25 %	Injection drug use	61	9 %
25 - 34	338	28 %	Men who have sex with men and inject drugs	15	2 %
35 - 44	235	20 %	Heterosexual contact	177	27 %
45+	307	26 %	Perinatal	5	1 %
Total	1,186	100 %	Total	663	100 %
			<i>No Identified Risk</i>	523	

AIDS CASES DIAGNOSED January - December 2010

• **802** persons were newly diagnosed with AIDS in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	529	66 %	Black, Non-Hispanic	627	78 %
Women	273	34 %	White, Non-Hispanic	144	18 %
Total	802	100 %	Hispanic	25	3 %
			American Indian	1	<1 %
			Multi-race	5	1 %
			Total	802	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	199	46 %
13 - 24	88	11 %	Injection drug use	76	17 %
25 - 34	230	29 %	Men who have sex with men and inject drugs	21	5 %
35 - 44	208	26 %	Heterosexual contact	134	31 %
45+	275	34 %	Perinatal	6	1 %
Total	802	100 %	Total	436	100 %
			<i>No Identified Risk</i>	366	

**Persons Living with HIV/AIDS
as of March 31, 2011**

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	103	Sabine	23
Allen	230	St. Bernard	125
Ascension	190	St. Charles	86
Assumption	23	St. Helena	17
Avoyelles	135	St. James	57
Beauregard	41	St. John the Baptist	111
Bienville	33	St. Landry	262
Bossier	167	St. Martin	104
Caddo	932	St. Mary	79
Calcasieu	667	St. Tammany	344
Caldwell	16	Tangipahoa	331
Cameron	4	Tensas	35
Catahoula	25	Terrebonne	190
Claiborne	62	Union	43
Concordia	42	Vermilion	86
De Soto	53	Vernon	55
East Baton Rouge	3,523	Washington	174
East Carroll	35	Webster	56
East Feliciana	157	West Baton Rouge	113
Evangeline	58	West Carroll	12
Franklin	28	West Feliciana	153
Grant	29	Winn	61
Iberia	113		
Iberville	413		
Jackson	39		
Jefferson	1,729		
Jefferson Davis	63		
La Salle	31		
Lafayette	671		
Lafourche	103		
Lincoln	64		
Livingston	149		
Madison	52		
Morehouse	67		
Natchitoches	114		
Orleans	4,777		
Ouachita	540		
Plaquemines	33		
Pointe Coupee	49		
Rapides	411		
Red River	7		
Richland	43		
		Total	18,540

Persons Living with AIDS
as of March 31, 2011

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	57	Sabine	17
Allen	115	St. Bernard	77
Ascension	101	St. Charles	49
Assumption	16	St. Helena	10
Avoyelles	70	St. James	31
Beauregard	27	St. John the Baptist	62
Bienville	15	St. Landry	151
Bossier	92	St. Martin	60
Caddo	493	St. Mary	52
Calcasieu	382	St. Tammany	195
Caldwell	10	Tangipahoa	178
Cameron	2	Tensas	16
Catahoula	16	Terrebonne	112
Claiborne	30	Union	27
Concordia	22	Vermilion	54
De Soto	33	Vernon	27
East Baton Rouge	1,898	Washington	95
East Carroll	20	Webster	26
East Feliciana	86	West Baton Rouge	67
Evangeline	32	West Carroll	6
Franklin	12	West Feliciana	99
Grant	13	Winn	31
Iberia	61		
Iberville	242		
Jackson	24		
Jefferson	955		
Jefferson Davis	33		
La Salle	17		
Lafayette	355		
Lafourche	66		
Lincoln	34		
Livingston	80		
Madison	27		
Morehouse	33		
Natchitoches	59		
Orleans	2,592		
Ouachita	291		
Plaquemines	22		
Pointe Coupee	32		
Rapides	201		
Red River	6		
Richland	26		

Total 10,141

Persons Living with HIV/AIDS
Metro New Orleans
as of March 31, 2011

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

- **14,698** cumulative cases have been detected in the New Orleans MSA, including **153** pediatric cases.
- **6,123** cumulative deaths among persons with HIV/AIDS have occurred in the New Orleans MSA, including **51** pediatric deaths
- **7,262** persons are currently living with HIV/AIDS in the New Orleans MSA.
 Persons living with HIV: **3,279**
 Persons living with AIDS: **3,983**

Age Category

Current Age	Cases	Percent
0 - 12	23	<1 %
13 - 19	40	1 %
20 - 24	263	4 %
25 - 29	485	7 %
30 - 34	685	9 %
35 - 39	788	11 %
40 - 44	1,017	14 %
45 - 49	1,300	18 %
50 - 54	1,117	15 %
55 - 59	782	11 %
60+	762	10 %
Total	7,262	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	2,811	1,539	4,350	60 %
White, Non-Hispanic	2,220	235	2,455	34 %
Hispanic	280	85	365	5 %
Asian/Pacific Islander	30	7	37	1 %
American Indian	8	0	8	<1 %
Unknown	12	2	14	<1 %
Multi-race	25	8	33	<1 %
Total	5,386	1,876	7,262	100%

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2,744	0	2,744	57 %
Injection drug use	374	243	617	13 %
Men who have sex with men and inject drugs	357	0	357	7 %
Heterosexual contact	301	672	973	20 %
Transfusion/Hemophilia	26	19	45	1 %
Perinatal	27	38	65	1 %
Total	3,829	972	4,801	100 %
 <i>No Identified Risk</i>	 <i>1,557</i>	 <i>904</i>	 <i>2,461</i>	

Persons Living with AIDS
Metro New Orleans
as of March 31, 2011

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

- **10,072** cumulative AIDS cases have been diagnosed in the New Orleans MSA, including **78** pediatric cases.
- **3,983** persons are currently living with AIDS in the New Orleans MSA.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	4	<1 %	Black, Non-Hispanic	1,526	806	2,332	59 %
13 - 19	13	<1 %	White, Non-Hispanic	1,286	97	1,383	35 %
20 - 24	62	2 %	Hispanic	168	58	226	6 %
25 - 29	152	4 %	Asian/Pacific Islander	11	3	14	<1 %
30 - 34	283	7 %	American Indian	4	0	4	<1 %
35 - 39	401	10 %	Unknown	3	0	3	<1 %
40 - 44	555	14 %	Multi-race	16	5	21	1 %
45 - 49	813	20 %	Total	3,014	969	3,983	100 %
50 - 54	703	18 %					
55 - 59	508	13 %					
60+	489	12 %					
Total	3,983	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	589	0	589	34 %
Injection drug use	311	144	455	27 %
Men who have sex with men and inject drugs	147	0	147	9 %
Heterosexual contact	159	329	488	29 %
Transfusion/Hemophilia	6	8	14	1 %
Perinatal	11	5	16	1 %
Total	1,223	486	1,709	100 %
 <i>No Identified Risk</i>	 <i>745</i>	 <i>422</i>	 <i>1,167</i>	

**Persons Newly Diagnosed with HIV/AIDS
Metro New Orleans**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

HIV CASES DIAGNOSED January - December 2010

• 411 persons were newly diagnosed with HIV in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	305	74 %	Black, Non-Hispanic	299	73 %
Women	106	26 %	White, Non-Hispanic	90	22 %
Total	411	100 %	Hispanic	13	3 %
			Asian/Pacific Islander	4	1 %
			Unknown	2	<1 %
			Multi-race	3	1 %
			Total	411	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	2	<1 %	Men who have sex with men	147	65 %
13 - 24	103	25 %	Injection drug use	19	8 %
25 - 34	125	30 %	Men who have sex with men and inject drugs	8	4 %
35 - 44	77	19 %	Heterosexual contact	51	22 %
45+	104	25 %	Perinatal	2	1 %
Total	411	100 %	Total	227	100 %

No Identified Risk 184

AIDS CASES DIAGNOSED January - December 2010

• 276 persons were newly diagnosed with AIDS in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	193	70 %	Black, Non-Hispanic	202	73 %
Women	83	30 %	White, Non-Hispanic	57	21 %
Total	276	100%	Hispanic	14	5 %
			Multi-race	3	1 %
			Total	276	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	<1 %	Men who have sex with men	79	53 %
13 - 24	29	11 %	Injection drug use	16	11 %
25 - 34	76	28 %	Men who have sex with men and inject drugs	11	7 %
35 - 44	69	25 %	Heterosexual contact	39	26 %
45+	101	37 %	Perinatal	3	2 %
Total	276	100 %	Total	148	100%

No Identified Risk 128

Persons Living with AIDS
Metro Baton Rouge
as of March 31, 2011

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes

- **4,757** cumulative AIDS cases have been diagnosed in the Baton Rouge MSA, including **27** pediatric cases.
- **2,615** persons are currently living with AIDS in the Baton Rouge MSA.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
13 - 19	15	1 %	Black, Non-Hispanic	1,340	804	2,144	82 %
20 - 24	54	2 %	White, Non-Hispanic	361	69	430	16 %
25 - 29	164	6 %	Hispanic	21	5	26	1 %
30 - 34	235	9 %	Asian/Pacific Islander	2	0	2	<1 %
35 - 39	336	13 %	American Indian	2	0	2	<1 %
40 - 44	396	15 %	Multi-race	10	1	11	<1 %
45 - 49	473	18 %	Total	1,736	879	2,615	100 %
50 - 54	410	16 %					
55 - 59	281	11 %					
60+	251	10 %					
Total	2,615	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	589	0	589	34 %
Injection drug use	311	144	455	27 %
Men who have sex with men and inject drugs	147	0	147	9 %
Heterosexual contact	159	329	488	29 %
Transfusion/Hemophilia	6	8	14	1 %
Perinatal	11	5	16	1 %
Total	1,223	486	1,709	100 %
<i>No Identified Risk</i>	513	393	906	

Persons Newly Diagnosed with HIV/AIDS**Metro Baton Rouge***Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes***HIV CASES DIAGNOSED January - December 2010**

- 317 persons were newly diagnosed with HIV in the Baton Rouge MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	209	66 %	Black, Non-Hispanic	269	85 %
Women	108	34 %	White, Non-Hispanic	37	12 %
Total	317	100 %	Hispanic	4	1 %
			Asian/Pacific Islander	1	<1 %
			Unknown	2	1 %
			Multi-race	4	1 %
			Total	317	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	2	1 %	Men who have sex with men	90	53 %
13 - 24	82	26 %	Injection drug use	17	10 %
25 - 34	92	29 %	Men who have sex with men and inject drugs	3	2 %
35 - 44	65	21 %	Heterosexual contact	58	34 %
45+	76	24 %	Perinatal	2	1 %
Total	317	100 %	Total	170	100 %
			<i>No Identified Risk</i>	<i>147</i>	

AIDS CASES DIAGNOSED January - December 2010

- 244 persons were newly diagnosed with AIDS in the Baton Rouge MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	150	61 %	Black, Non-Hispanic	221	91 %
Women	94	39 %	White, Non-Hispanic	20	8 %
Total	244	100 %	Hispanic	3	1 %
			Total	244	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	30	12 %	Men who have sex with men	50	39 %
25 - 34	73	30 %	Injection drug use	31	24 %
35 - 44	61	25 %	Men who have sex with men and inject drugs	4	3 %
45+	80	33 %	Heterosexual contact	43	34 %
Total	244	100 %	Total	128	100 %
			<i>No Identified Risk</i>	<i>116</i>	

Persons Living with HIV/AIDS

Region 1: New Orleans Region

as of March 31, 2011

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

- **13,825** cumulative cases have been detected in Region 1, including **137** pediatric cases.
- **5,764** cumulative deaths among persons in Region 1 with HIV/AIDS have occurred, including **46** pediatric deaths.
- **6,664** persons are currently living with HIV/AIDS in Region 1.
Persons living with HIV: **3,018**
Persons living with AIDS: **3,646**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	18	<1 %	Black, Non-Hispanic	2,626	1,435	4,061	61 %
13 - 19	32	<1 %	White, Non-Hispanic	1,978	189	2,167	33 %
20 - 24	241	4 %	Hispanic	269	80	349	5 %
25 - 29	442	7 %	Asian/Pacific Islander	29	7	36	1 %
30 - 34	633	9 %	American Indian	8	0	8	<1 %
35 - 39	729	11 %	Unknown	11	2	13	<1 %
40 - 44	919	14 %	Multi-race	22	8	30	<1 %
45 - 49	1,187	18 %	Total	4,943	1,721	6,664	100 %
50 - 54	1,029	15 %					
55 - 59	726	11 %					
60+	708	11 %					
Total	6,664	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2,499	0	2,499	57 %
Injection drug use	350	225	575	13 %
Men who have sex with men and inject drugs	335	0	335	8 %
Heterosexual contact	275	615	890	20 %
Transfusion/Hemophilia	23	18	41	1 %
Perinatal	22	32	54	1 %
Total	3,504	890	4,394	100 %
<i>No Identified Risk</i>	<i>1,439</i>	<i>831</i>	<i>2,270</i>	

**Persons Living with AIDS
Region 1: New Orleans Region
as of March 31, 2011**

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

• **9,448** cumulative AIDS cases have been diagnosed in Region 1, including **69** pediatric cases.

• **3,646** persons are currently living with AIDS in Region 1.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	4	<1 %	Black, Non-Hispanic	1,417	753	2,170	60 %
13 - 19	9	<1 %	White, Non-Hispanic	1,144	77	1,221	33 %
20 - 24	58	2 %	Hispanic	161	54	215	6 %
25 - 29	144	4 %	Asian/Pacific Islander	11	3	14	<1 %
30 - 34	257	7 %	American Indian	4	0	4	<1 %
35 - 39	373	10 %	Unknown	2	0	2	<1 %
40 - 44	500	14 %	Multi-race	15	5	20	1 %
45 - 49	735	20 %	Total	2,754	892	3,646	100 %
50 - 54	645	18 %					
55 - 59	474	13 %					
60+	447	12 %					
Total	3,646	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,436	0	1,436	56 %
Injection drug use	227	127	354	14 %
Men who have sex with men and inject drugs	224	0	224	9 %
Heterosexual contact	167	352	519	20 %
Transfusion/Hemophilia	14	10	24	1 %
Perinatal	8	15	23	1 %
Total	2,076	504	2,580	100 %
<i>No Identified Risk</i>	678	388	1,066	

Persons Newly Diagnosed with HIV/AIDS**Region 1: New Orleans Region***Jefferson, Orleans, Plaquemines, St. Bernard Parishes***HIV CASES DIAGNOSED January - December 2010**

- 368 persons were newly diagnosed with HIV in Region 1.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	274	74 %	Black, Non-Hispanic	269	73 %
Women	94	26 %	White, Non-Hispanic	80	22 %
Total	368	100 %	Hispanic	12	3 %
			Asian/Pacific Islander	4	1 %
			Unknown	1	<1 %
			Multi-race	2	1 %
			Total	368	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	2	1 %	Men who have sex with men	130	64 %
13 - 24	86	23 %	Injection drug use	19	9 %
25 - 34	120	33 %	Men who have sex with men and inject drugs	7	3 %
35 - 44	69	19 %	Heterosexual contact	46	23%
45+	91	25 %	Perinatal	2	1 %
Total	368	100%	Total	204	100%

No Identified Risk

164

AIDS CASES DIAGNOSED January - December 2010

- 250 persons were newly diagnosed with AIDS in Region 1.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	175	70 %	Black, Non-Hispanic	185	74 %
Women	75	30 %	White, Non-Hispanic	49	20 %
Total	250	100 %	Hispanic	13	5 %
			Multi-race	3	1 %
			Total	250	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	71	55 %
13 - 24	27	11 %	Injection drug use	14	11 %
25 - 34	66	26 %	Men who have sex with men and inject drugs	8	6 %
35 - 44	65	26 %	Heterosexual contact	34	26 %
45+	91	36 %	Perinatal	3	2 %
Total	250	100 %	Total	130	100 %

No Identified Risk

120

**Persons Living with HIV/AIDS
Region 2: Baton Rouge Region
as of March 31, 2011**

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes

- **6,858** cumulative cases have been detected in Region 2, including **67** pediatric cases.
- **2,801** cumulative deaths among persons in Region 2 with HIV/AIDS have occurred, including **16** pediatric deaths.
- **4,598** persons are currently living with HIV/AIDS in Region 2.
Persons living with HIV: **2,073**
Persons living with AIDS: **2,525**

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
0 - 12	19	<1 %	Black, Non-Hispanic	2,284	1,543	3,827	83 %
13 - 19	48	1 %	White, Non-Hispanic	560	125	685	15 %
20 - 24	201	4 %	Hispanic	40	10	50	1 %
25 - 29	417	9 %	Asian/Pacific Islander	5	1	6	<1 %
30 - 34	547	12 %	American Indian	2	0	2	<1 %
35 - 39	604	13 %	Unknown	2	4	6	<1 %
40 - 44	623	14 %	Multi-race	15	7	22	<1 %
45 - 49	744	16 %	Total	2,908	1,690	4,598	100 %
50 - 54	619	13 %					
55 - 59	405	9 %					
60+	371	8 %					
Total	4,598	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	1,016	0	1,016	36 %
Injection drug use	415	238	653	23 %
Men who have sex with men and inject drugs	196	0	196	7 %
Heterosexual contact	278	583	861	31 %
Transfusion/Hemophilia	8	10	18	1 %
Perinatal	30	23	53	2 %
Total	1,943	854	2,797	100 %
<i>No Identified Risk</i>	<i>965</i>	<i>836</i>	<i>1,801</i>	

**Persons Living with AIDS
Region 2: Baton Rouge Region
as of March 31, 2011**

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes

- **4,606** cumulative AIDS cases have been diagnosed in Region 2, including **25** pediatric cases.
- **2,525** persons are currently living with AIDS in Region 2.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
13 - 19	15	1 %	Black, Non-Hispanic	1,317	795	2,112	84 %
20 - 24	53	2 %	White, Non-Hispanic	318	54	372	15 %
25 - 29	161	6 %	Hispanic	21	5	26	1 %
30 - 34	230	9 %	Asian/Pacific Islander	2	0	2	<1 %
35 - 39	324	13 %	American Indian	2	0	2	<1 %
40 - 44	384	15 %	Multi-race	10	1	11	<1 %
45 - 49	456	18 %	Total	1,670	855	2,525	100 %
50 - 54	389	15 %					
55 - 59	270	11 %					
60+	243	10 %					
Total	2,525	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	561	0	561	34 %
Injection drug use	298	138	436	27 %
Men who have sex with men and inject drugs	142	0	142	9 %
Heterosexual contact	154	320	474	29 %
Transfusion/Hemophilia	5	8	13	1 %
Perinatal	10	4	14	1 %
Total	1,170	470	1,640	100 %
<i>No Identified Risk</i>	500	385	885	

Persons Newly Diagnosed with HIV/AIDS**Region 2: Baton Rouge Region***Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes***HIV CASES DIAGNOSED January - December 2010**

- 305 persons were newly diagnosed with HIV in Region 2.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	202	66 %	Black, Non-Hispanic	264	87 %
Women	103	34 %	White, Non-Hispanic	31	10 %
Total	305	100 %	Hispanic	4	1 %
			Unknown	2	1 %
			Multi-race	4	1 %
			Total	305	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	2	1 %	Men who have sex with men	87	53 %
13 - 24	80	26 %	Injection drug use	15	9 %
25 - 34	87	29 %	Men who have sex with men and inject drugs	3	2 %
35 - 44	65	21 %	Heterosexual contact	56	34%
45+	71	23 %	Perinatal	2	1 %
Total	305	100 %	Total	163	100 %

			<i>No Identified Risk</i>	<i>142</i>	
--	--	--	---------------------------	------------	--

AIDS CASES DIAGNOSED January - December 2010

- 237 persons were newly diagnosed with AIDS in Region 2.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	144	61 %	Black, Non-Hispanic	217	92 %
Women	93	39 %	White, Non-Hispanic	17	7 %
Total	237	100 %	Hispanic	3	1 %
			Total	237	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	30	13 %	Men who have sex with men	48	39 %
25 - 34	72	30 %	Injection drug use	29	24 %
35 - 44	60	25 %	Men who have sex with men and inject drugs	4	3 %
45+	75	32 %	Heterosexual contact	42	34 %
Total	237	100 %	Total	123	100 %

			<i>No Identified Risk</i>	<i>114</i>	
--	--	--	---------------------------	------------	--

Persons Living with HIV/AIDS**Region 3: Houma Region****as of March 31, 2011***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes*

- **1,000** cumulative cases have been detected in Region 3, including **16** pediatric cases.
- **443** cumulative deaths among persons in Region 3 with HIV/AIDS have occurred, including **8** pediatric deaths.
- **649** persons are currently living with HIV/AIDS in Region 3.
Persons living with HIV: **261**
Persons living with AIDS: **388**

Age Category

Current Age	Cases	Percent
0 - 12	2	<1 %
13 - 19	7	1 %
20 - 24	32	5 %
25 - 29	59	9 %
30 - 34	77	12 %
35 - 39	72	11 %
40 - 44	92	14 %
45 - 49	106	16 %
50 - 54	91	14 %
55 - 59	58	9 %
60+	53	8 %
Total	649	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	229	145	374	58 %
White, Non-Hispanic	201	45	246	38 %
Hispanic	13	5	18	3 %
Asian/Pacific Islander	1	1	2	<1 %
American Indian	0	2	2	<1 %
Unknown	1	1	2	<1 %
Multi-race	3	2	5	1 %
Total	448	201	649	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	240	0	240	55 %
Injection drug use	37	20	57	13 %
Men who have sex with men and inject drugs	17	0	17	4 %
Heterosexual contact	26	90	116	26 %
Transfusion/Hemophilia	0	1	1	<1 %
Perinatal	5	4	9	2 %
Total	325	115	440	100 %

<i>No Identified Risk</i>	<i>123</i>	<i>86</i>	<i>209</i>	
---------------------------	------------	-----------	------------	--

Persons Living with AIDS**Region 3: Houma Region****as of March 31, 2011***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes*

- **747** cumulative AIDS cases have been diagnosed in Region 3, including **10** pediatric cases.

- **388** persons are currently living with AIDS in Region 3.

Age Category

Current Age	Cases	Percent	<u>Race/Ethnicity</u>	Men	Women	Total	Percent
13 - 19	3	1 %	Black, Non-Hispanic	144	81	225	58 %
20 - 24	7	2 %	White, Non-Hispanic	117	27	144	37 %
25 - 29	20	5 %	Hispanic	9	3	12	3 %
30 - 34	45	12 %	Asian/Pacific Islander	0	1	1	<1 %
35 - 39	31	8 %	American Indian	0	2	2	1 %
40 - 44	59	15 %	Multi-race	2	2	4	1 %
45 - 49	74	19 %	Total	272	116	388	100 %
50 - 54	66	17 %					
55 - 59	41	11 %					
60+	42	11 %					
Total	388	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	138	0	138	52 %
Injection drug use	27	14	41	15 %
Men who have sex with men and inject drugs	12	0	12	4 %
Heterosexual contact	18	51	69	26 %
Transfusion/Hemophilia	0	1	1	<1 %
Perinatal	3	3	6	2 %
Total	198	69	267	100 %
<i>No Identified Risk</i>	74	47	121	

Persons Newly Diagnosed with HIV/AIDS**Region 3: Houma Region***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes***HIV CASES DIAGNOSED January - December 2010**

- 58 persons were newly diagnosed with HIV in Region 3.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	38	66 %	Black, Non-Hispanic	38	66 %
Women	20	34 %	White, Non-Hispanic	15	26 %
Total	58	100 %	Hispanic	3	5 %
			Multi-race	2	3 %
			Total	58	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	24	41 %	Men who have sex with men	22	65 %
25 - 34	13	22 %	Injection drug use	1	3 %
35 - 44	12	21 %	Men who have sex with men and inject drugs	1	3 %
45+	9	16 %	Heterosexual contact	10	29%
Total	58	100 %	Total	34	100 %
			<i>No Identified Risk</i>	<i>24</i>	

AIDS CASES DIAGNOSED January - December 2010

- 47 persons were newly diagnosed with AIDS in Region 3.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	30	64 %	Black, Non-Hispanic	29	62 %
Women	17	36 %	White, Non-Hispanic	15	32 %
Total	47	100 %	Hispanic	1	2 %
			Multi-race	2	4 %
			Total	47	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	3	6 %	Men who have sex with men	10	36 %
25 - 34	18	38 %	Injection drug use	5	18 %
35 - 44	13	28 %	Men who have sex with men and inject drugs	3	11 %
45+	13	28 %	Heterosexual contact	10	36 %
Total	47	100 %	Total	28	100 %
			<i>No Identified Risk</i>	<i>19</i>	

Persons Living with HIV/AIDS

Region 4: Lafayette Region

as of March 31, 2011

Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes

- **1,969** cumulative cases have been detected in Region 4, including **16** pediatric cases.
- **850** cumulative deaths among persons in Region 4 with HIV/AIDS have occurred, including **9** pediatric deaths.
- **1,397** persons are currently living with HIV/AIDS in Region 4.
Persons living with HIV: **627**
Persons living with AIDS: **770**

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
0 - 12	4	<1 %	Black, Non-Hispanic	544	259	803	57 %
13 - 19	13	1 %	White, Non-Hispanic	430	94	524	38 %
20 - 24	51	4 %	Hispanic	48	2	50	4 %
25 - 29	93	7 %	Asian/Pacific Islander	0	2	2	<1 %
30 - 34	139	10 %	American Indian	2	1	3	<1 %
35 - 39	131	9 %	Unknown	2	0	2	<1 %
40 - 44	197	14 %	Multi-race	9	4	13	1 %
45 - 49	297	21 %	Total	1,035	362	1,397	100 %
50 - 54	227	16 %					
55 - 59	152	11 %					
60+	93	7 %					
Total	1,397	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	473	0	473	54 %
Injection drug use	76	41	117	13 %
Men who have sex with men and inject drugs	52	0	52	6 %
Heterosexual contact	62	157	219	25 %
Transfusion/Hemophilia	5	1	6	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	6	7	13	1 %
Total	674	207	881	100 %
<i>No Identified Risk</i>	<i>361</i>	<i>155</i>	<i>516</i>	

**Persons Living with AIDS
Region 4: Lafayette Region
as of March 31, 2011**

Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes

- **1,309** cumulative AIDS cases have been diagnosed in Region 4, including **11** pediatric cases.
- **770** persons are currently living with AIDS in Region 4.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Current Age	Cases	Percent					
0 - 12	1	<1 %	Black, Non-Hispanic	303	135	438	57 %
13 - 19	4	1 %	White, Non-Hispanic	260	41	301	39 %
20 - 24	8	1 %	Hispanic	24	0	24	3 %
25 - 29	38	5 %	Asian/Pacific Islander	0	1	1	<1 %
30 - 34	61	8 %	Multi-race	4	2	6	1 %
35 - 39	74	10 %	Total	591	179	770	100 %
40 - 44	112	15 %					
45 - 49	186	24 %					
50 - 54	128	17 %					
55 - 59	101	13 %					
60+	57	7 %					
Total	770	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	285	0	285	55 %
Injection drug use	53	21	74	14 %
Men who have sex with men and inject drugs	35	0	35	7 %
Heterosexual contact	33	82	115	22 %
Transfusion/Hemophilia	3	1	4	1 %
Perinatal	1	4	5	1 %
Total	410	108	518	100 %
 <i>No Identified Risk</i>	 <i>181</i>	 <i>71</i>	 <i>252</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 4: Lafayette Region***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes***HIV CASES DIAGNOSED January - December 2010**

- 99 persons were newly diagnosed with HIV in Region 4.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	77	78 %	Black, Non-Hispanic	63	64 %
Women	22	22 %	White, Non-Hispanic	33	33 %
Total	99	100 %	Hispanic	2	2 %
			American Indian	1	1 %
			Total	99	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	27	27 %	Men who have sex with men	40	77 %
25 - 34	21	21 %	Injection drug use	4	8 %
35 - 44	21	21 %	Heterosexual contact	8	15 %
45+	30	30 %	Total	52	100 %
Total	99	100 %	<i>No Identified Risk</i>	47	

AIDS CASES DIAGNOSED January - December 2010

- 64 persons were newly diagnosed with AIDS in Region 4.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	47	73 %	Black, Non-Hispanic	41	64 %
Women	17	27 %	White, Non-Hispanic	21	33 %
Total	64	100 %	Hispanic	2	3 %
			Total	64	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	9	14 %	Men who have sex with men	17	59 %
25 - 34	14	22 %	Injection drug use	4	14 %
35 - 44	18	28 %	Heterosexual contact	6	21 %
45+	23	36 %	Perinatal	2	7 %
Total	64	100 %	Total	29	100 %
			<i>No Identified Risk</i>	35	

Persons Living with HIV/AIDS**Region 5: Lake Charles Region****as of March 31, 2011***Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes*

- **1,246** cumulative cases have been detected in Region 5, including **9** pediatric cases.
- **456** cumulative deaths among persons in Region 5 with HIV/AIDS have occurred, including **2** pediatric deaths.
- **1,005** persons are currently living with HIV/AIDS in Region 5.
Persons living with HIV: **446**
Persons living with AIDS: **559**

Age Category

Current Age	Cases	Percent
0 - 12	2	<1 %
13 - 19	8	1 %
20 - 24	40	4 %
25 - 29	63	6 %
30 - 34	107	11 %
35 - 39	125	12 %
40 - 44	163	16 %
45 - 49	197	20 %
50 - 54	160	16 %
55 - 59	82	8 %
60+	58	6 %
Total	1,005	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	428	153	581	58 %
White, Non-Hispanic	256	64	320	32 %
Hispanic	83	6	89	9 %
Asian/Pacific Islander	4	0	4	<1 %
American Indian	3	1	4	<1 %
Unknown	2	0	2	<1 %
Multi-race	3	2	5	<1 %
Total	779	226	1,005	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	307	0	307	43 %
Injection drug use	105	31	136	19 %
Men who have sex with men and inject drugs	83	0	83	12 %
Heterosexual contact	84	92	176	25 %
Transfusion/Hemophilia	6	1	7	1 %
Perinatal	2	5	7	1 %
Total	587	129	716	100 %
<i>No Identified Risk</i>	<i>192</i>	<i>97</i>	<i>289</i>	

**Persons Living with AIDS
Region 5: Lake Charles Region
as of March 31, 2011**

Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes

- **850** cumulative AIDS cases have been diagnosed in Region 5, including **5** pediatric cases.
- **559** persons are currently living with AIDS in Region 5.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>		<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	1	<1 %	Black, Non-Hispanic	252	73	325	58 %
13 - 19	3	1 %	White, Non-Hispanic	155	36	191	34 %
20 - 24	8	1 %	Hispanic	36	2	38	7 %
25 - 29	25	4 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	47	8 %	Multi-race	2	1	3	1 %
35 - 39	69	12 %	Total	447	112	559	100 %
40 - 44	101	18 %					
45 - 49	125	22 %					
50 - 54	96	17 %					
55 - 59	49	9 %					
60+	35	6 %					
Total	559	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	188	0	188	44 %
Injection drug use	67	24	91	21 %
Men who have sex with men and inject drugs	56	0	56	13 %
Heterosexual contact	43	44	87	20 %
Transfusion/Hemophilia	5	1	6	1 %
Perinatal	1	2	3	1 %
Total	360	71	431	100 %

<i>No Identified Risk</i>	87	41	128	
---------------------------	----	----	-----	--

Persons Newly Diagnosed with HIV/AIDS
Region 5: Lake Charles Region
Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes

HIV CASES DIAGNOSED January - December 2010

- 51 persons were newly diagnosed with HIV in Region 5.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	38	75 %	Black, Non-Hispanic	30	59 %
Women	13	25 %	White, Non-Hispanic	19	37 %
Total	51	100 %	Hispanic	2	4 %
			Total	51	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	11	22 %	Men who have sex with men	17	57 %
25 - 34	14	27 %	Injection drug use	4	13 %
35 - 44	10	20 %	Men who have sex with men and inject drugs	1	3 %
45+	16	31 %	Heterosexual contact	8	27 %
Total	51	100 %	Total	30	100 %
			<i>No Identified Risk</i>	<i>21</i>	

AIDS CASES DIAGNOSED January - December 2010

- 29 persons were newly diagnosed with AIDS in Region 5.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	15	52 %	Black, Non-Hispanic	20	69 %
Women	14	48 %	White, Non-Hispanic	7	24 %
Total	29	100 %	Hispanic	2	7 %
			Total	29	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	2	7 %	Men who have sex with men	7	37 %
25 - 34	13	45 %	Injection drug use	6	32 %
35 - 44	6	21 %	Men who have sex with men and inject drugs	1	5 %
45+	8	28 %	Heterosexual contact	5	26 %
Total	29	100 %	Total	19	100 %
			<i>No Identified Risk</i>	<i>10</i>	

Persons Living with HIV/AIDS

Region 6: Alexandria Region

as of March 31, 2011

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

- **1,301** cumulative cases have been detected in Region 6, including **13** pediatric cases.
- **451** cumulative deaths among persons in Region 6 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **789** persons are currently living with HIV/AIDS in Region 6.
Persons living with HIV: **392**
Persons living with AIDS: **397**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	2	<1 %	Black, Non-Hispanic	348	191	539	68 %
13 - 19	4	1 %	White, Non-Hispanic	149	47	196	25 %
20 - 24	25	3 %	Hispanic	44	3	47	6 %
25 - 29	58	7 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	107	14 %	American Indian	0	1	1	<1 %
35 - 39	96	12 %	Multi-race	3	1	4	1 %
40 - 44	106	13 %	Total	546	243	789	100 %
45 - 49	141	18 %					
50 - 54	111	14 %					
55 - 59	85	11 %					
60+	54	7 %					
Total	789	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	207	0	207	40 %
Injection drug use	57	27	84	16 %
Men who have sex with men and inject drugs	37	0	37	7 %
Heterosexual contact	66	109	175	34 %
Transfusion/Hemophilia	9	1	10	2 %
Perinatal	4	2	6	1 %
Total	380	139	519	100 %
<i>No Identified Risk</i>	<i>166</i>	<i>104</i>	<i>270</i>	

Persons Living with AIDS

**Region 6: Alexandria Region
as of March 31, 2011**

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

• **807** cumulative AIDS cases have been diagnosed in Region 6, including **5** pediatric cases.

• **397** persons are currently living with AIDS in Region 6.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
20 - 24	7	2 %	Black, Non-Hispanic	187	84	271	68 %
25 - 29	12	3 %	White, Non-Hispanic	84	26	110	28 %
30 - 34	44	11 %	Hispanic	14	0	14	4 %
35 - 39	43	11 %	Asian/Pacific Islander	1	0	1	<1 %
40 - 44	60	15 %	Multi-race	1	0	1	<1 %
45 - 49	79	20 %	Total	287	110	397	100 %
50 - 54	70	18 %					
55 - 59	48	12 %					
60+	34	9 %					
Total	397	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	102	0	102	38 %
Injection drug use	29	15	44	16 %
Men who have sex with men and inject drugs	29	0	29	11 %
Heterosexual contact	34	50	84	31 %
Transfusion/Hemophilia	7	0	7	3 %
Perinatal	1	2	3	1 %
Total	202	67	269	100 %

<i>No Identified Risk</i>	85	43	128	
---------------------------	----	----	-----	--

Persons Newly Diagnosed with HIV/AIDS**Region 6: Alexandria Region***Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes***HIV CASES DIAGNOSED January - December 2010**

- 63 persons were newly diagnosed with HIV in Region 6.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	48	76 %	Black, Non-Hispanic	34	54 %
Women	15	24 %	White, Non-Hispanic	20	32 %
Total	63	100 %	Hispanic	8	13 %
			Multi-race	1	2 %
			Total	63	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	16	25 %	Men who have sex with men	23	56 %
25 - 34	18	29 %	Injection drug use	2	5 %
35 - 44	15	24 %	Heterosexual contact	16	39 %
45+	14	22 %	Total	41	100 %
Total	63	100 %	<i>No Identified Risk</i>	22	

AIDS CASES DIAGNOSED January - December 2010

- 38 persons were newly diagnosed with AIDS in Region 6.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	28	74 %	Black, Non-Hispanic	29	76 %
Women	10	26 %	White, Non-Hispanic	6	16 %
Total	38	100 %	Hispanic	3	8 %
			Total	38	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	4	11 %	Men who have sex with men	10	48 %
25 - 34	12	32 %	Injection drug use	2	10 %
35 - 44	12	32 %	Men who have sex with men and inject drugs	2	10 %
45+	10	26 %	Heterosexual contact	7	33 %
Total	38	100 %	Total	21	100 %
			<i>No Identified Risk</i>	17	

Persons Living with HIV/AIDS

Region 7: Shreveport Region

as of March 31, 2011

Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes

- **2,080** cumulative cases have been detected in Region 7, including **27** pediatric cases.
- **903** cumulative deaths among persons in Region 7 with HIV/AIDS have occurred, including **10** pediatric deaths.
- **1,447** persons are currently living with HIV/AIDS in Region 7.
 Persons living with HIV: **676**
 Persons living with AIDS: **771**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	3	<1 %	Black, Non-Hispanic	688	333	1021	71 %
13 - 19	17	1 %	White, Non-Hispanic	308	78	386	27 %
20 - 24	86	6 %	Hispanic	19	5	24	2 %
25 - 29	134	9 %	Asian/Pacific Islander	3	0	3	<1 %
30 - 34	181	13 %	American Indian	7	0	7	<1 %
35 - 39	175	12 %	Unknown	1	0	1	<1 %
40 - 44	198	14 %	Multi-race	4	1	5	<1 %
45 - 49	231	16 %	Total	1,030	417	1,447	100 %
50 - 54	187	13 %					
55 - 59	128	9 %					
60+	107	7 %					
Total	1447	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	519	0	519	52 %
Injection drug use	63	47	110	11 %
Men who have sex with men and inject drugs	92	0	92	9 %
Heterosexual contact	85	178	263	26 %
Transfusion/Hemophilia	4	3	7	1 %
Perinatal	8	7	15	1 %
Total	771	235	1,006	100 %
<i>No Identified Risk</i>	<i>259</i>	<i>182</i>	<i>441</i>	

**Persons Living with AIDS
Region 7: Shreveport Region
as of March 31, 2011**

Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes

• **1,374** cumulative AIDS cases have been diagnosed in Region 7, including **19** pediatric cases.

• **771** persons are currently living with AIDS in Region 7.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Current Age	Cases	Percent					
0 - 12	1	<1 %	Black, Non-Hispanic	385	160	545	71 %
13 - 19	8	1 %	White, Non-Hispanic	167	35	202	26 %
20 - 24	20	3 %	Hispanic	13	3	16	2 %
25 - 29	47	6 %	Asian/Pacific Islander	1	0	1	<1 %
30 - 34	64	8 %	American Indian	5	0	5	1 %
35 - 39	85	11 %	Multi-race	1	1	2	<1 %
40 - 44	113	15 %	Total	572	199	771	100 %
45 - 49	143	19 %					
50 - 54	128	17 %					
55 - 59	94	12 %					
60+	68	9 %					
Total	771	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	279	0	279	49 %
Injection drug use	43	23	66	12 %
Men who have sex with men and inject drugs	56	0	56	10 %
Heterosexual contact	63	91	154	27 %
Transfusion/Hemophilia	3	3	6	1 %
Perinatal	3	5	8	1 %
Total	447	122	569	100 %
<i>No Identified Risk</i>	<i>125</i>	<i>77</i>	<i>202</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 7: Shreveport Region***Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes***HIV CASES DIAGNOSED January - December 2010**

- 108 persons were newly diagnosed with HIV in Region 7.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	74	69 %	Black, Non-Hispanic	90	83 %
Women	34	31 %	White, Non-Hispanic	12	11 %
Total	108	100 %	Hispanic	2	2 %
			American Indian	2	2 %
			Multi-race	2	2 %
			Total	108	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	34	31 %	Men who have sex with men	35	64 %
25 - 34	29	27 %	Injection drug use	6	11 %
35 - 44	23	21 %	Men who have sex with men and inject drugs	1	2 %
45+	22	20 %	Heterosexual contact	13	24 %
Total	108	100 %	Total	55	100 %
			<i>No Identified Risk</i>	<i>53</i>	

AIDS CASES DIAGNOSED January - December 2010

- 52 persons were newly diagnosed with AIDS in Region 7.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	33	63 %	Black, Non-Hispanic	43	83 %
Women	19	37 %	White, Non-Hispanic	8	15 %
Total	52	100 %	American Indian	1	2 %
			Total	52	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	8	15 %	Men who have sex with men	9	32 %
25 - 34	10	19 %	Injection drug use	6	21 %
35 - 44	17	33 %	Men who have sex with men and inject drugs	2	7 %
45+	17	33 %	Heterosexual contact	11	39 %
Total	52	100 %	Total	28	100 %
			<i>No Identified Risk</i>	<i>24</i>	

Persons Living with HIV/AIDS**Region 8: Monroe Region****as of March 31, 2011***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes*

- **1,514** cumulative cases have been detected in Region 8, including **16** pediatric cases.
- **598** cumulative deaths among persons in Region 8 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **974** persons are currently living with HIV/AIDS in Region 8.
Persons living with HIV: **448**
Persons living with AIDS: **526**

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
0 - 12	6	1 %	Black, Non-Hispanic	447	292	739	76 %
13 - 19	9	1 %	White, Non-Hispanic	162	49	211	22 %
20 - 24	30	3 %	Hispanic	11	4	15	2 %
25 - 29	82	8 %	Asian/Pacific Islander	3	0	3	<1 %
30 - 34	144	15 %	American Indian	1	0	1	<1 %
35 - 39	106	11 %	Multi-race	2	3	5	1 %
40 - 44	126	13 %	Total	626	348	974	100 %
45 - 49	165	17 %					
50 - 54	128	13 %					
55 - 59	99	10 %					
60+	79	8 %					
Total	974	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	304	0	304	46 %
Injection drug use	45	33	78	12 %
Men who have sex with men and inject drugs	40	0	40	6 %
Heterosexual contact	67	155	222	34 %
Transfusion/Hemophilia	3	3	6	1 %
Perinatal	4	7	11	2 %
Total	463	198	661	100 %
<i>No Identified Risk</i>	<i>163</i>	<i>150</i>	<i>313</i>	

Persons Living with AIDS**Region 8: Monroe Region****as of March 31, 2011***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes*

- **988** cumulative AIDS cases have been diagnosed in Region 8, including **8** pediatric cases.

- **526** persons are currently living with AIDS in Region 8.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	1	<1 %	Black, Non-Hispanic	257	133	390	74 %
13 - 19	2	<1 %	White, Non-Hispanic	100	24	124	24 %
20 - 24	9	2 %	Hispanic	6	2	8	2 %
25 - 29	20	4 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	67	13 %	Multi-race	1	1	2	<1 %
35 - 39	64	12 %	Total	366	160	526	100 %
40 - 44	78	15 %					
45 - 49	93	18 %					
50 - 54	74	14 %					
55 - 59	63	12 %					
60+	55	10 %					
Total	526	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	166	0	166	45 %
Injection drug use	28	22	50	13 %
Men who have sex with men and inject drugs	30	0	30	8 %
Heterosexual contact	46	75	121	32 %
Transfusion/Hemophilia	2	1	3	1 %
Perinatal	3	0	3	1 %
Total	275	98	373	100 %

<i>No Identified Risk</i>	91	62	153	
---------------------------	----	----	-----	--

Persons Newly Diagnosed with HIV/AIDS**Region 8: Monroe Region***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes***HIV CASES DIAGNOSED January - December 2010**

- 59 persons were newly diagnosed with HIV in Region 8.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	44	75 %	Black, Non-Hispanic	44	75 %
Women	15	25 %	White, Non-Hispanic	14	24 %
Total	59	100 %	Asian/Pacific Islander	1	2 %
			Total	59	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	13	22 %	Men who have sex with men	23	57 %
25 - 34	20	34 %	Injection drug use	4	10 %
35 - 44	8	14 %	Men who have sex with men and inject drugs	2	5 %
45+	18	31 %	Heterosexual contact	11	28 %
Total	59	100 %	Total	40	100 %
			<i>No Identified Risk</i>	<i>19</i>	

AIDS CASES DIAGNOSED January - December 2010

- 44 persons were newly diagnosed with AIDS in Region 8.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	27	61 %	Black, Non-Hispanic	38	86 %
Women	17	39 %	White, Non-Hispanic	6	14 %
Total	44	100 %	Total	44	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	4	9 %	Men who have sex with men	10	33 %
25 - 34	16	36 %	Injection drug use	5	17 %
35 - 44	10	23 %	Men who have sex with men and inject drugs	1	3 %
45+	14	32 %	Heterosexual contact	14	47 %
Total	44	100 %	Total	30	100 %

No Identified Risk *14*

**Persons Living with HIV/AIDS
Region 9: Hammond/Slidell Region
as of March 31, 2011**

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

- **1,361** cumulative cases have been detected in Region 9, including **16** pediatric cases.
- **534** cumulative deaths among persons in Region 9 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **1,015** persons are currently living with HIV/AIDS in Region 9.
Persons living with HIV: **457**
Persons living with AIDS: **558**

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
0 - 12	7	1 %	Black, Non-Hispanic	330	178	508	50 %
13 - 19	6	1 %	White, Non-Hispanic	385	87	472	47 %
20 - 24	28	3 %	Hispanic	20	5	25	2 %
25 - 29	66	7 %	Asian/Pacific Islander	1	1	2	<1 %
30 - 34	86	8 %	American Indian	1	0	1	<1 %
35 - 39	113	11 %	Unknown	2	0	2	<1 %
40 - 44	168	17 %	Multi-race	5	0	5	<1 %
45 - 49	183	18 %	Total	744	271	1,015	100 %
50 - 54	179	18 %					
55 - 59	83	8 %					
60+	96	9 %					
Total	1,015	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	377	0	377	53 %
Injection drug use	62	51	113	16 %
Men who have sex with men and inject drugs	49	0	49	7 %
Heterosexual contact	58	94	152	21 %
Transfusion/Hemophilia	6	0	6	1 %
Perinatal	10	7	17	2 %
Total	562	152	714	100 %
<i>No Identified Risk</i>	<i>182</i>	<i>119</i>	<i>301</i>	

Persons Living with AIDS
Region 9: Hammond/Slidell Region
as of March 31, 2011

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

- **930** cumulative AIDS cases have been diagnosed in Region 9, including **8** pediatric cases.
- **558** persons are currently living with AIDS in Region 9.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Current Age	Cases	Percent					
13 - 19	1	<1 %	Black, Non-Hispanic	185	83	268	48 %
20 - 24	2	<1 %	White, Non-Hispanic	232	40	272	49 %
25 - 29	24	4 %	Hispanic	9	4	13	2 %
30 - 34	33	6 %	American Indian	1	0	1	<1 %
35 - 39	54	10 %	Unknown	1	0	1	<1 %
40 - 44	92	16 %	Multi-race	3	0	3	1 %
45 - 49	121	22 %	Total	431	127	558	100 %
50 - 54	115	21 %					
55 - 59	51	9 %					
60+	65	12 %					
Total	558	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	218	0	218	53 %
Injection drug use	45	29	74	18 %
Men who have sex with men and inject drugs	30	0	30	7 %
Heterosexual contact	31	45	76	19 %
Transfusion/Hemophilia	6	0	6	1 %
Perinatal	4	2	6	1 %
Total	334	76	410	100 %
<i>No Identified Risk</i>	<i>97</i>	<i>51</i>	<i>148</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 9: Hammond/Slidell Region***Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes***HIV CASES DIAGNOSED January - December 2010**

- 75 persons were newly diagnosed with HIV in Region 9.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	56	75 %	Black, Non-Hispanic	48	64 %
Women	19	25 %	White, Non-Hispanic	23	31 %
Total	75	100 %	Hispanic	1	1 %
			Asian/Pacific Islander	1	1 %
			Unknown	1	1 %
			Multi-race	1	1 %
			Total	75	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	1 %	Men who have sex with men	28	64 %
13 - 24	10	13 %	Injection drug use	6	14 %
25 - 34	16	21 %	Heterosexual contact	9	20 %
35 - 44	12	16 %	Perinatal	1	2 %
45+	36	48 %	Total	44	100 %
Total	75	100 %			

No Identified Risk 31

AIDS CASES DIAGNOSED January - December 2010

- 41 persons were newly diagnosed with AIDS in Region 9.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	30	73 %	Black, Non-Hispanic	25	61 %
Women	11	27 %	White, Non-Hispanic	15	37 %
Total	41	100 %	Hispanic	1	2 %
			Total	41	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	1	2 %	Men who have sex with men	17	61 %
25 - 34	9	22 %	Injection drug use	5	18 %
35 - 44	7	17 %	Heterosexual contact	5	18 %
45+	24	59 %	Perinatal	1	4 %
Total	41	100 %	Total	28	100 %

No Identified Risk 13