


Second Quarter 2011

Vol. 9, No. 2



STD/HIV Surveillance Program

DeAnn Gruber, PhD, LCSW
Administrative Director

Jessica Fridge, MPH
Surveillance Program Manager

Editor/Production:
Demerial Banks
William T. Robinson

Data Management and Analysis:

Debbie Wendell, MPH, Ph.D., *Coordinator*
Demerial Banks, MPH, *Epidemiologist*
Tania Bechtel, *Data Manager*
Joseph Foxhood, *Information Systems Developer*
George Stephens, *Computer Technician*
Josette Russell, *Data Manager*
Nelly de la Cruz, *Data Entry Specialist*

Special Projects:

William T. Robinson, Ph.D., *Biostatistician*
Jessica Cole, MPH, *Perinatal Surveillance Coordinator*
Rashad Arcement, *Incidence and Resistance Coordinataor*

Field Epidemiologists:

Betsy Shepard, PAC, MPH, *Epidemiologist Supervisor*

James Hubbard	Region 1	Cheryl Edney, BS MT(ASCP)	Regions 4, 5, 6
Connie Gordon	Regions 1, 3	Gayle Norris, MA	Regions 7, 8
		Gale Terry, LPN	Regions 2, 9

TABLE OF CONTENTS

Contents	Page
Surveillance Summary	1
Louisiana: Persons Living with HIV/AIDS	2
Persons Living with AIDS	3
Persons newly diagnosed with HIV/AIDS	4
Parish: Persons Living with HIV/AIDS	5
Persons Living with AIDS	6
Metro New Orleans: Persons Living with HIV/AIDS	7
Persons Living with AIDS	8
Persons newly diagnosed with HIV/AIDS	9
Metro Baton Rouge: Persons Living with HIV/AIDS	10
Persons Living with AIDS	11
Persons newly diagnosed with HIV/AIDS	12
Region 1: Persons Living with HIV/AIDS	13
Persons Living with AIDS	14
Persons newly diagnosed with HIV/AIDS	15
Region 2: Persons Living with HIV/AIDS	16
Persons Living with AIDS	17
Persons newly diagnosed with HIV/AIDS	18
Region 3: Persons Living with HIV/AIDS	19
Persons Living with AIDS	20
Persons newly diagnosed with HIV/AIDS	21
Region 4: Persons Living with HIV/AIDS	22
Persons Living with AIDS	23
Persons newly diagnosed with HIV/AIDS	24
Region 5: Persons Living with HIV/AIDS	25
Persons Living with AIDS	26
Persons newly diagnosed with HIV/AIDS	27
Region 6: Persons Living with HIV/AIDS	28
Persons Living with AIDS	29
Persons newly diagnosed with HIV/AIDS	30
Region 7: Persons Living with HIV/AIDS	31
Persons Living with AIDS	32
Persons newly diagnosed with HIV/AIDS	33
Region 8: Persons Living with HIV/AIDS	34
Persons Living with AIDS	35
Persons newly diagnosed with HIV/AIDS	36
Region 9: Persons Living with HIV/AIDS	37
Persons Living with AIDS	38
Persons newly diagnosed with HIV/AIDS	39

Surveillance Summary

Data in this report includes cases diagnosed with HIV/AIDS and reported as of June 30, 2011¹.

- As of June 30, 2011, a cumulative total of **31,496** HIV/AIDS cases have been reported in Louisiana, including **318** pediatric cases.
- The cumulative number of deaths among persons diagnosed with HIV/AIDS, reported to the Louisiana Office of Public Health through June 30, 2011, is **13,378** including **106** deaths among pediatric cases.*
- A total of **18,276** persons are living with HIV/AIDS in Louisiana; of these individuals, **9,931** persons (54%) have an AIDS diagnosis.*
- Among women living with HIV/AIDS, the predominant known mode of transmission is high-risk heterosexual contact followed by injection drug use. Among men living with HIV/AIDS, the predominant mode of transmission is men who have sex with men followed by high-risk heterosexual contact.
- The primary risk factor for new HIV diagnoses in Louisiana is men who have sex with men (MSM). In 2010, of the persons who reported a risk factor, 59% reported being MSM, and an additional 2% reported being MSM and an injection drug user (IDU). As of June 30, 2011, 49% of all people living with HIV infection in Louisiana were MSM.
- Nationally, Louisiana ranked **5th** highest in AIDS case rates and **12th** in the number of AIDS cases diagnosed in 2009, according to the CDC *2009 HIV Surveillance Report (Vol. 21)*.
- New Orleans ranked **9th** for estimated AIDS case rates among the largest metropolitan areas in the U.S. in 2009; Baton Rouge ranked **2nd**.
- In 2010, **1,174** new HIV cases were diagnosed in Louisiana. Of these cases, **31%** (n=365) occurred in Region 1 (New Orleans) and **26%** (n=306) occurred in Region 2 (Baton Rouge).
- In 2010, **804** new AIDS cases were diagnosed in Louisiana. Of these cases, **31%** (n=250) occurred in Region 1 (New Orleans) and **30%** (n=238) occurred in Region 2 (Baton Rouge).
- In Louisiana, **28%** of new HIV cases and **34%** of new AIDS cases are among women.
- HIV continues to disproportionately affect African Americans in Louisiana. In 2010, **74%** of newly diagnosed HIV cases and **78%** of newly diagnosed AIDS cases were among African Americans.

* A match was conducted with vital records to obtain deaths that occurred in 2009 and 2010 among persons living with HIV/AIDS. The results from this match were added to the surveillance system between the First Quarter 2011 report and the current report. The addition of the matched deaths explains why the total number of persons living with HIV/AIDS in Louisiana decreased between the two Quarterly Reports and why the number of deaths increased by over 500.

¹Please note: This report reflects only information reported to Louisiana's HIV/AIDS surveillance system and information on persons living with HIV/AIDS (PLWH/A) may not be accurate due to population changes resulting from Hurricane Katrina. In March 2006, the Louisiana Office of Public Health HIV/AIDS Program (OPH-HAP) published the Louisiana HIV/AIDS Surveillance First Quarter 2006 report. In addition to the HIV/AIDS surveillance information, as presented here, this report contained a description of two methodologies used to estimate the impact of Hurricane Katrina on the number of PLWH/A in the New Orleans metropolitan area (see <http://www.dhh.louisiana.gov/offices/publications/pubs-264/1st%20Quarter%202006.pdf> for the full report). Updated estimates were provided in the 2006 Third Quarter Report at: <http://www.dhh.louisiana.gov/offices/publications/pubs-264/Third%20Quarter%202006.pdf>. Additional updated population estimates were presented at the February 2007 Statewide HIV/AIDS Meeting. This presentation can be found at: <http://www.dhh.louisiana.gov/offices/page.asp?ID=264&Detail=7584>. Updated estimates were also presented in the 2009 HIV/AIDS Program Report.

Persons Living with HIV/AIDS
Louisiana
as of June 30, 2011

- **31,496** cumulative cases have been detected in Louisiana, including **318** pediatric cases.
- **13,378** cumulative deaths among persons with HIV/AIDS have occurred in Louisiana, including **106** pediatric deaths.
- **18,276** persons are currently living with HIV/AIDS in Louisiana.
Persons living with HIV: **8,345**
Persons living with AIDS: **9,931**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	64	<1 %	Black, Non-Hispanic	7,838	4,448	12,286	67 %
13 - 19	159	1 %	White, Non-Hispanic	4,359	763	5,122	28 %
20 - 24	791	4 %	Hispanic	542	122	664	4 %
25 - 29	1,437	8 %	Asian/Pacific Islander	49	12	61	<1 %
30 - 34	2,045	11 %	American Indian	23	6	29	<1 %
35 - 39	2,124	12 %	Unknown	14	4	18	<1 %
40 - 44	2,545	14 %	Multi-race	66	30	96	1 %
45 - 49	3,179	17 %	Total	12,891	5,385	18,276	100 %
50 - 54	2,667	15 %					
55 - 59	1,751	10 %					
60+	1,514	8 %					
Total	18,276	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	5,943	0	5,943	49 %
Injection drug use	1,171	675	1,846	15 %
Men who have sex with men and inject drugs	883	0	883	7 %
Heterosexual contact	1,013	2,058	3,071	26 %
Transfusion/Hemophilia	58	37	95	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	90	92	182	2 %
Total	9,158	2,863	12,021	100 %
<i>No Identified Risk</i>	3,733	2,522	6,255	

**Persons Newly Diagnosed with HIV/AIDS
Louisiana**

HIV CASES DIAGNOSED January - December 2010

• **1,174** persons were newly diagnosed with HIV in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	842	72 %	Black, Non-Hispanic	868	74 %
Women	332	28 %	White, Non-Hispanic	248	21 %
Total	1,174	100 %	Hispanic	34	3 %
			Asian/Pacific Islander	6	1 %
			American Indian	3	<1 %
			Unknown	3	<1 %
			Multi-race	12	1 %
			Total	1,174	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	5	<1 %	Men who have sex with men	435	59 %
13 - 24	299	25 %	Injection drug use	70	10 %
25 - 34	335	29 %	Men who have sex with men and inject drugs	17	2 %
35 - 44	228	19 %	Heterosexual contact	208	28 %
45+	307	26 %	Perinatal	5	1 %
Total	1,174	100 %	Total	735	100 %

			<i>No Identified Risk</i>	<i>439</i>	
--	--	--	---------------------------	------------	--

AIDS CASES DIAGNOSED January - December 2010

• **804** persons were newly diagnosed with AIDS in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	531	66 %	Black, Non-Hispanic	628	78 %
Women	273	34 %	White, Non-Hispanic	145	18 %
Total	804	100 %	Hispanic	25	3 %
			American Indian	1	<1 %
			Multi-race	5	1 %
			Total	804	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	211	45 %
13 - 24	87	11 %	Injection drug use	81	17 %
25 - 34	231	29 %	Men who have sex with men and inject drugs	23	5 %
35 - 44	207	26 %	Heterosexual contact	151	32 %
45+	278	35 %	Perinatal	6	1 %
Total	804	100 %	Total	472	100 %

			<i>No Identified Risk</i>	<i>332</i>	
--	--	--	---------------------------	------------	--

Persons Living with HIV/AIDS by Parish
as of June 30, 2011

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	99	Sabine	21
Allen	228	St. Bernard	126
Ascension	191	St. Charles	86
Assumption	22	St. Helena	17
Avoyelles	137	St. James	56
Beauregard	41	St. John the Baptist	112
Bienville	30	St. Landry	253
Bossier	164	St. Martin	99
Caddo	942	St. Mary	76
Calcasieu	651	St. Tammany	345
Caldwell	16	Tangipahoa	325
Cameron	2	Tensas	35
Catahoula	24	Terrebonne	178
Claiborne	59	Union	41
Concordia	38	Vermilion	86
De Soto	49	Vernon	56
East Baton Rouge	3,491	Washington	170
East Carroll	33	Webster	59
East Feliciana	154	West Baton Rouge	111
Evangeline	64	West Carroll	11
Franklin	27	West Feliciana	146
Grant	27	Winn	55
Iberia	112		
Iberville	400		
Jackson	40		
Jefferson	1,714		
Jefferson Davis	63		
La Salle	13		
Lafayette	647		
Lafourche	104		
Lincoln	65		
Livingston	149		
Madison	48		
Morehouse	65		
Natchitoches	114		
Orleans	4,729		
Ouachita	525		
Plaquemines	34		
Pointe Coupee	50		
Rapides	399		
Red River	7		
Richland	41		
		Total	18,276

Persons Living with AIDS by Parish
as of June 30, 2011

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	55	Sabine	16
Allen	114	St. Bernard	78
Ascension	103	St. Charles	48
Assumption	15	St. Helena	9
Avoyelles	70	St. James	30
Beauregard	26	St. John the Baptist	61
Bienville	14	St. Landry	145
Bossier	86	St. Martin	57
Caddo	495	St. Mary	50
Calcasieu	379	St. Tammany	196
Caldwell	10	Tangipahoa	173
Cameron	1	Tensas	16
Catahoula	15	Terrebonne	104
Claiborne	29	Union	27
Concordia	18	Vermilion	54
De Soto	31	Vernon	27
East Baton Rouge	1,868	Washington	91
East Carroll	20	Webster	28
East Feliciana	89	West Baton Rouge	68
Evangeline	34	West Carroll	6
Franklin	10	West Feliciana	93
Grant	15	Winn	29
Iberia	59		
Iberville	240		
Jackson	25		
Jefferson	940		
Jefferson Davis	33		
La Salle	9		
Lafayette	339		
Lafourche	63		
Lincoln	32		
Livingston	80		
Madison	24		
Morehouse	32		
Natchitoches	58		
Orleans	2,535		
Ouachita	283		
Plaquemines	23		
Pointe Coupee	32		
Rapides	190		
Red River	6		
Richland	24		

Total **9,931**

Persons Living with HIV/AIDS
Metro New Orleans
as of June 30, 2011

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

- **14,829** cumulative cases have been detected in the New Orleans MSA, including **154** pediatric cases.
- **6,322** cumulative deaths among persons with HIV/AIDS have occurred in the New Orleans MSA, including **51** pediatric deaths
- **7,202** persons are currently living with HIV/AIDS in the New Orleans MSA.
 Persons living with HIV: **3,291**
 Persons living with AIDS: **3,911**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	24	<1 %	Black, Non-Hispanic	2,810	1,514	4,324	60 %
13 - 19	48	1 %	White, Non-Hispanic	2,193	235	2,428	34 %
20 - 24	286	4 %	Hispanic	281	85	366	5 %
25 - 29	501	7 %	Asian/Pacific Islander	30	7	37	1 %
30 - 34	696	10 %	American Indian	7	0	7	<1 %
35 - 39	783	11 %	Unknown	6	1	7	<1 %
40 - 44	1,005	14 %	Multi-race	25	8	33	<1 %
45 - 49	1,286	18 %	Total	5,352	1,850	7,202	100 %
50 - 54	1,108	15 %					
55 - 59	752	10 %					
60+	713	10 %					
Total	7,202	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2,756	0	2,756	57 %
Injection drug use	366	229	595	12 %
Men who have sex with men and inject drugs	351	0	351	7 %
Heterosexual contact	315	677	992	21 %
Transfusion/Hemophilia	23	18	41	1 %
Perinatal	27	39	66	1 %
Total	3,838	963	4,801	100 %
<i>No Identified Risk</i>	<i>1,514</i>	<i>887</i>	<i>2,401</i>	

**Persons Newly Diagnosed with HIV/AIDS
Metro New Orleans**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

HIV CASES DIAGNOSED January - December 2010

• 405 persons were newly diagnosed with HIV in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	302	75 %	Black, Non-Hispanic	292	72 %
Women	103	25 %	White, Non-Hispanic	92	23 %
Total	405	100 %	Hispanic	13	3 %
			Asian/Pacific Islander	4	1 %
			Unknown	1	<1 %
			Multi-race	3	1 %
			Total	405	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	2	<1 %	Men who have sex with men	158	61 %
13 - 24	101	25 %	Injection drug use	23	9 %
25 - 34	125	31 %	Men who have sex with men and inject drugs	8	3 %
35 - 44	74	18 %	Heterosexual contact	70	27 %
45+	103	25 %	Perinatal	2	1 %
Total	405	100 %	Total	261	100 %
			<i>No Identified Risk</i>	<i>144</i>	

AIDS CASES DIAGNOSED January - December 2010

• 276 persons were newly diagnosed with AIDS in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	193	70 %	Black, Non-Hispanic	201	73 %
Women	83	30 %	White, Non-Hispanic	58	21 %
Total	276	100 %	Hispanic	14	5 %
			Multi-race	3	1 %
			Total	276	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	<1 %	Men who have sex with men	83	50 %
13 - 24	28	10 %	Injection drug use	18	11 %
25 - 34	76	28 %	Men who have sex with men and inject drugs	11	7 %
35 - 44	68	25 %	Heterosexual contact	50	30 %
45+	103	37 %	Perinatal	3	2 %
Total	276	100 %	Total	165	100 %
			<i>No Identified Risk</i>	<i>111</i>	

Persons Living with AIDS
Metro Baton Rouge
as of June 30, 2011

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes

- **4,840** cumulative AIDS cases have been diagnosed in the Baton Rouge MSA, including **31** pediatric cases.
- **2,582** persons are currently living with AIDS in the Baton Rouge MSA.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	3	<1 %	Black, Non-Hispanic	1,327	791	2,118	82 %
13 - 19	15	1 %	White, Non-Hispanic	355	67	422	16 %
20 - 24	61	2 %	Hispanic	21	6	27	1 %
25 - 29	170	7 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	243	9 %	American Indian	2	0	2	<1 %
35 - 39	335	13 %	Unknown	1	0	1	<1 %
40 - 44	389	15 %	Multi-race	9	1	10	<1 %
45 - 49	458	18 %	Total	1,717	865	2,582	100 %
50 - 54	394	15 %					
55 - 59	279	11 %					
60+	235	9 %					
Total	2,582	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	590	0	590	35 %
Injection drug use	306	133	439	26 %
Men who have sex with men and inject drugs	139	0	139	8 %
Heterosexual contact	170	329	499	29 %
Transfusion/Hemophilia	6	8	14	1 %
Perinatal	12	6	18	1 %
Total	1,223	476	1,699	100 %
<i>No Identified Risk</i>	494	389	883	

Persons Newly Diagnosed with HIV/AIDS**Metro Baton Rouge***Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes***HIV CASES DIAGNOSED January - December 2010**

- 318 persons were newly diagnosed with HIV in the Baton Rouge MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	209	66 %	Black, Non-Hispanic	270	85 %
Women	109	34 %	White, Non-Hispanic	37	12 %
Total	318	100 %	Hispanic	4	1 %
			Asian/Pacific Islander	1	<1 %
			Unknown	2	1 %
			Multi-race	4	1 %
			Total	318	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	2	1 %	Men who have sex with men	96	52 %
13 - 24	82	26 %	Injection drug use	22	12 %
25 - 34	92	29 %	Men who have sex with men and inject drugs	3	2 %
35 - 44	65	20 %	Heterosexual contact	60	33 %
45+	77	24 %	Perinatal	2	1 %
Total	318	100 %	Total	183	100 %

No Identified Risk

135

AIDS CASES DIAGNOSED January - December 2010

- 245 persons were newly diagnosed with AIDS in the Baton Rouge MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	150	61 %	Black, Non-Hispanic	222	91 %
Women	95	39 %	White, Non-Hispanic	20	8 %
Total	245	100 %	Hispanic	3	1 %
			Total	245	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	30	12 %	Men who have sex with men	54	39 %
25 - 34	73	30 %	Injection drug use	34	25 %
35 - 44	62	25 %	Men who have sex with men and inject drugs	4	3 %
45+	80	33 %	Heterosexual contact	46	33 %
Total	245	100 %	Total	138	100 %

No Identified Risk

107

Persons Living with HIV/AIDS**Region 1: New Orleans Region**

as of June 30, 2011

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

- **13,939** cumulative cases have been detected in Region 1, including **138** pediatric cases.
- **5,948** cumulative deaths among persons in Region 1 with HIV/AIDS have occurred, including **46** pediatric deaths.
- **6,603** persons are currently living with HIV/AIDS in Region 1.
Persons living with HIV: **3,027**
Persons living with AIDS: **3,576**

Age Category

Current Age	Cases	Percent
0 - 12	19	<1 %
13 - 19	38	1 %
20 - 24	259	4 %
25 - 29	453	7 %
30 - 34	641	10 %
35 - 39	725	11 %
40 - 44	910	14 %
45 - 49	1,174	18 %
50 - 54	1,020	15 %
55 - 59	698	11 %
60+	666	10 %
Total	6,603	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	2,620	1,410	4,030	61 %
White, Non-Hispanic	1,957	188	2,145	32 %
Hispanic	269	79	348	5 %
Asian/Pacific Islander	29	7	36	1 %
American Indian	7	0	7	<1 %
Unknown	6	1	7	<1 %
Multi-race	22	8	30	<1 %
Total	4,910	1,693	6,603	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2,510	0	2,510	57 %
Injection drug use	341	211	552	13 %
Men who have sex with men and inject drugs	332	0	332	8 %
Heterosexual contact	290	621	911	21 %
Transfusion/Hemophilia	21	17	38	1 %
Perinatal	21	33	54	1 %
Total	3,515	882	4,397	100 %
<i>No Identified Risk</i>	<i>1,395</i>	<i>811</i>	<i>2,206</i>	

Persons Living with AIDS
Region 1: New Orleans Region
as of June 30, 2011

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

- **9,541** cumulative AIDS cases have been diagnosed in Region 1, including **69** pediatric cases.
- **3,576** persons are currently living with AIDS in Region 1.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	4	<1 %	Black, Non-Hispanic	1,401	732	2,133	60 %
13 - 19	10	<1 %	White, Non-Hispanic	1,120	76	1,196	33 %
20 - 24	62	2 %	Hispanic	158	52	210	6 %
25 - 29	149	4 %	Asian/Pacific Islander	11	3	14	<1 %
30 - 34	254	7 %	American Indian	3	0	3	<1 %
35 - 39	372	10 %	Multi-race	15	5	20	1 %
40 - 44	489	14 %	Total	2,708	868	3,576	100 %
45 - 49	731	20 %					
50 - 54	629	18 %					
55 - 59	454	13 %					
60+	422	12 %					
Total	3,576	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,425	0	1,425	56 %
Injection drug use	219	114	333	13 %
Men who have sex with men and inject drugs	219	0	219	9 %
Heterosexual contact	175	353	528	21 %
Transfusion/Hemophilia	12	9	21	1 %
Perinatal	7	15	22	1 %
Total	2,057	491	2,548	100 %
<i>No Identified Risk</i>	<i>651</i>	<i>377</i>	<i>1,028</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 1: New Orleans Region***Jefferson, Orleans, Plaquemines, St. Bernard Parishes***HIV CASES DIAGNOSED January - December 2010**

- 365 persons were newly diagnosed with HIV in Region 1.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	273	75 %	Black, Non-Hispanic	263	72 %
Women	92	25 %	White, Non-Hispanic	83	23 %
Total	365	100 %	Hispanic	12	3 %
			Asian/Pacific Islander	4	1 %
			Unknown	1	<1 %
			Multi-race	2	1 %
			Total	365	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	2	1 %	Men who have sex with men	141	61 %
13 - 24	85	23 %	Injection drug use	21	9 %
25 - 34	120	33 %	Men who have sex with men and inject drugs	7	3 %
35 - 44	66	18 %	Heterosexual contact	62	27 %
45+	92	25 %	Perinatal	2	1 %
Total	365	100 %	Total	233	00 %

No Identified Risk 132

AIDS CASES DIAGNOSED January - December 2010

- 250 persons were newly diagnosed with AIDS in Region 1.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	175	70 %	Black, Non-Hispanic	184	74 %
Women	75	30 %	White, Non-Hispanic	50	20 %
Total	250	100 %	Hispanic	13	5 %
			Multi-race	3	1 %
			Total	250	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	75	51 %
13 - 24	26	10 %	Injection drug use	16	11 %
25 - 34	66	26 %	Men who have sex with men and inject drugs	8	5 %
35 - 44	64	26 %	Heterosexual contact	45	31 %
45+	93	37 %	Perinatal	3	2 %
Total	250	100 %	Total	147	100 %

No Identified Risk 103

Persons Living with HIV/AIDS**Region 2: Baton Rouge Region**

as of June 30, 2011

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes

- **6,941** cumulative cases have been detected in Region 2, including **67** pediatric cases.
- **2,931** cumulative deaths among persons in Region 2 with HIV/AIDS have occurred, including **16** pediatric deaths.
- **4,543** persons are currently living with HIV/AIDS in Region 2.
Persons living with HIV: **2,050**
Persons living with AIDS: **2,493**

Age Category

Current Age	Cases	Percent
0 - 12	19	<1 %
13 - 19	48	1 %
20 - 24	221	5 %
25 - 29	420	9 %
30 - 34	555	12 %
35 - 39	598	13 %
40 - 44	616	14 %
45 - 49	727	16 %
50 - 54	598	13 %
55 - 59	396	9 %
60+	345	8 %
Total	4,543	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	2,261	1,517	3,778	83 %
White, Non-Hispanic	556	123	679	15 %
Hispanic	39	11	50	1 %
Asian/Pacific Islander	5	1	6	<1 %
American Indian	2	0	2	<1 %
Unknown	3	3	6	<1 %
Multi-race	15	7	22	<1 %
Total	2,881	1,662	4,543	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,027	0	1,027	37 %
Injection drug use	399	222	621	23 %
Men who have sex with men and inject drugs	186	0	186	7 %
Heterosexual contact	284	571	855	31 %
Transfusion/Hemophilia	8	10	18	1 %
Perinatal	30	22	52	2 %
Total	1,934	825	2,759	100 %
<i>No Identified Risk</i>	<i>947</i>	<i>837</i>	<i>1,784</i>	

**Persons Living with AIDS
Region 2: Baton Rouge Region
as of June 30, 2011**

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes

- **4,687** cumulative AIDS cases have been diagnosed in Region 2, including **29** pediatric cases.
- **2,493** persons are currently living with AIDS in Region 2.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	3	<1 %	Black, Non-Hispanic	1,303	782	2,085	84 %
13 - 19	15	1 %	White, Non-Hispanic	314	53	367	15 %
20 - 24	60	2 %	Hispanic	20	6	26	1 %
25 - 29	167	7 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	238	10 %	American Indian	2	0	2	<1 %
35 - 39	322	13 %	Unknown	1	0	1	<1 %
40 - 44	376	15 %	Multi-race	9	1	10	<1 %
45 - 49	442	18 %	Total	1,651	842	2,493	100 %
50 - 54	375	15 %					
55 - 59	267	11 %					
60+	228	9 %					
Total	2,493	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	563	0	563	35 %
Injection drug use	291	128	419	26 %
Men who have sex with men and inject drugs	134	0	134	8 %
Heterosexual contact	163	320	483	30 %
Transfusion/Hemophilia	5	8	13	1 %
Perinatal	12	5	17	1 %
Total	1,168	461	1,629	100 %
<i>No Identified Risk</i>	<i>483</i>	<i>381</i>	<i>864</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 2: Baton Rouge Region***Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes***HIV CASES DIAGNOSED January - December 2010**

- 306 persons were newly diagnosed with HIV in Region 2.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	202	66 %	Black, Non-Hispanic	265	87 %
Women	104	34 %	White, Non-Hispanic	31	10 %
Total	306	100 %	Hispanic	4	1 %
			Unknown	2	1 %
			Multi-race	4	1 %
			Total	306	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	2	1 %	Men who have sex with men	93	53 %
13 - 24	80	26 %	Injection drug use	20	11 %
25 - 34	87	28 %	Men who have sex with men and inject drugs	3	2 %
35 - 44	65	21 %	Heterosexual contact	58	33 %
45+	72	24 %	Perinatal	2	1 %
Total	306	100 %	Total	176	100 %

			<i>No Identified Risk</i>	<i>130</i>	
--	--	--	---------------------------	------------	--

AIDS CASES DIAGNOSED January - December 2010

- 238 persons were newly diagnosed with AIDS in Region 2.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	144	61 %	Black, Non-Hispanic	218	92 %
Women	94	39 %	White, Non-Hispanic	17	7 %
Total	238	100 %	Hispanic	3	1 %
			Total	238	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	30	13 %	Men who have sex with men	52	39 %
25 - 34	72	30 %	Injection drug use	32	24 %
35 - 44	61	26 %	Men who have sex with men and inject drugs	4	3 %
45+	75	32 %	Heterosexual contact	45	34 %
Total	238	100 %	Total	133	100 %

			<i>No Identified Risk</i>	<i>105</i>	
--	--	--	---------------------------	------------	--

Persons Living with HIV/AIDS**Region 3: Houma Region****as of June 30, 2011***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes*

- **1,017** cumulative cases have been detected in Region 3, including **16** pediatric cases.
- **471** cumulative deaths among persons in Region 3 with HIV/AIDS have occurred, including **8** pediatric deaths.
- **634** persons are currently living with HIV/AIDS in Region 3.
Persons living with HIV: **263**
Persons living with AIDS: **371**

Age Category

Current Age	Cases	Percent
0 - 12	2	<1 %
13 - 19	8	1 %
20 - 24	36	6 %
25 - 29	60	9 %
30 - 34	79	12 %
35 - 39	70	11 %
40 - 44	87	14 %
45 - 49	99	16 %
50 - 54	89	14 %
55 - 59	57	9 %
60+	47	7 %
Total	634	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	223	142	365	58 %
White, Non-Hispanic	193	46	239	38 %
Hispanic	15	6	21	3 %
Asian/Pacific Islander	1	1	2	<1 %
American Indian	0	2	2	<1 %
Unknown	1	0	1	<1 %
Multi-race	3	1	4	1 %
Total	436	198	634	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	228	0	228	54 %
Injection drug use	34	19	53	12 %
Men who have sex with men and inject drugs	16	0	16	4 %
Heterosexual contact	29	89	118	28 %
Transfusion/Hemophilia	0	1	1	<1 %
Perinatal	6	4	10	2 %
Total	313	113	426	100 %
<i>No Identified Risk</i>	<i>123</i>	<i>85</i>	<i>208</i>	

Persons Living with AIDS**Region 3: Houma Region****as of June 30, 2011***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes*

- **760** cumulative AIDS cases have been diagnosed in Region 3, including **10** pediatric cases.
- **371** persons are currently living with AIDS in Region 3.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Current Age	Cases	Percent					
13 - 19	3	1 %	Black, Non-Hispanic	139	77	216	58 %
20 - 24	7	2 %	White, Non-Hispanic	110	26	136	37 %
25 - 29	23	6 %	Hispanic	10	3	13	4 %
30 - 34	47	13 %	Asian/Pacific Islander	0	1	1	<1 %
35 - 39	30	8 %	American Indian	0	2	2	1 %
40 - 44	54	15 %	Multi-race	2	1	3	1 %
45 - 49	68	18 %	Total	261	110	371	100 %
50 - 54	63	17 %					
55 - 59	39	11 %					
60+	37	10 %					
Total	371	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	129	0	129	52 %
Injection drug use	24	12	36	14 %
Men who have sex with men and inject drugs	11	0	11	4 %
Heterosexual contact	19	47	66	26 %
Transfusion/Hemophilia	0	1	1	<1 %
Perinatal	4	3	7	3 %
Total	187	63	250	100 %
<i>No Identified Risk</i>	<i>74</i>	<i>47</i>	<i>121</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 3: Houma Region***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes***HIV CASES DIAGNOSED January - December 2010**

- 58 persons were newly diagnosed with HIV in Region 3.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	38	66 %	Black, Non-Hispanic	39	67 %
Women	20	34 %	White, Non-Hispanic	14	24 %
Total	58	100 %	Hispanic	3	5 %
			Multi-race	2	3 %
			Total	58	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	24	41 %	Men who have sex with men	22	58 %
25 - 34	13	22 %	Injection drug use	1	3 %
35 - 44	11	19 %	Men who have sex with men and inject drugs	1	3 %
45+	10	17%	Heterosexual contact	14	37 %
Total	58	100 %	Total	38	100 %

No Identified Risk 20

AIDS CASES DIAGNOSED January - December 2010

- 48 persons were newly diagnosed with AIDS in Region 3.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	31	65 %	Black, Non-Hispanic	30	62 %
Women	17	35 %	White, Non-Hispanic	15	31 %
Total	48	100 %	Hispanic	1	2 %
			Multi-race	2	4 %
			Total	48	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	3	6 %	Men who have sex with men	10	33 %
25 - 34	18	38 %	Injection drug use	5	17 %
35 - 44	13	27 %	Men who have sex with men and inject drugs	3	10 %
45+	14	29 %	Heterosexual contact	12	40 %
Total	48	100 %	Total	30	100 %

No Identified Risk 18

**Persons Living with HIV/AIDS
Region 4: Lafayette Region
as of June 30, 2011**

Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes

- **1,982** cumulative cases have been detected in Region 4, including **16** pediatric cases.
- **908** cumulative deaths among persons in Region 4 with HIV/AIDS have occurred, including **9** pediatric deaths.
- **1,360** persons are currently living with HIV/AIDS in Region 4.
Persons living with HIV: **617**
Persons living with AIDS: **743**

Current Age	Cases	Percent	<u>Age Category</u>	<u>Race/Ethnicity</u>		Total	Percent
				Men	Women		
0 - 12	4	<1 %	Black, Non-Hispanic	527	246	773	57 %
13 - 19	12	1 %	White, Non-Hispanic	425	90	515	38 %
20 - 24	53	4 %	Hispanic	50	2	52	4 %
25 - 29	92	7 %	Asian/Pacific Islander	0	2	2	<1 %
30 - 34	138	10 %	American Indian	2	1	3	<1 %
35 - 39	127	9 %	Unknown	2	0	2	<1 %
40 - 44	190	14 %	Multi-race	8	5	13	1 %
45 - 49	291	21 %	Total	1,014	346	1,360	100 %
50 - 54	218	16 %					
55 - 59	148	11 %					
60+	87	6 %					
Total	1,360	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	477	0	477	54 %
Injection drug use	74	41	115	13 %
Men who have sex with men and inject drugs	53	0	53	6 %
Heterosexual contact	63	153	216	25 %
Transfusion/Hemophilia	5	1	6	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	6	6	12	1 %
Total	678	202	880	100 %
<i>No Identified Risk</i>	<i>336</i>	<i>144</i>	<i>480</i>	

Persons Living with AIDS**Region 4: Lafayette Region****as of June 30, 2011***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes*

- **1,326** cumulative AIDS cases have been diagnosed in Region 4, including **11** pediatric cases.
- **743** persons are currently living with AIDS in Region 4.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Current Age	Cases	Percent					
0 - 12	1	<1 %	Black, Non-Hispanic	292	123	415	56 %
13 - 19	4	1 %	White, Non-Hispanic	258	39	297	40 %
20 - 24	8	1 %	Hispanic	25	0	25	3 %
25 - 29	38	5 %	Asian/Pacific Islander	0	1	1	<1 %
30 - 34	60	8 %	Multi-race	3	2	5	1 %
35 - 39	71	10 %	Total	578	165	743	100 %
40 - 44	104	14 %					
45 - 49	180	24 %					
50 - 54	124	17 %					
55 - 59	99	13 %					
60+	54	7 %					
Total	743	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	282	0	282	56 %
Injection drug use	51	19	70	14 %
Men who have sex with men and inject drugs	35	0	35	7 %
Heterosexual contact	34	78	112	22 %
Transfusion/Hemophilia	3	1	4	1 %
Perinatal	1	4	5	1 %
Total	406	102	508	100 %
<i>No Identified Risk</i>	<i>172</i>	<i>63</i>	<i>235</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 4: Lafayette Region***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes***HIV CASES DIAGNOSED January - December 2010**

- 97 persons were newly diagnosed with HIV in Region 4.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	75	77 %	Black, Non-Hispanic	61	63 %
Women	22	23 %	White, Non-Hispanic	33	34 %
Total	97	100 %	Hispanic	2	2 %
			American Indian	1	1 %
			Total	97	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	27	28 %	Men who have sex with men	49	78 %
25 - 34	19	20 %	Injection drug use	4	6 %
35 - 44	21	22 %	Heterosexual contact	10	16 %
45+	30	31 %	Total	63	100 %
Total	97	100 %	<i>No Identified Risk</i>	<i>34</i>	

AIDS CASES DIAGNOSED January - December 2010

- 63 persons were newly diagnosed with AIDS in Region 4.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	46	73 %	Black, Non-Hispanic	40	63 %
Women	17	27 %	White, Non-Hispanic	21	33 %
Total	63	100 %	Hispanic	2	3 %
			Total	63	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	9	14 %	Men who have sex with men	20	59 %
25 - 34	14	22 %	Injection drug use	4	12 %
35 - 44	18	29 %	Heterosexual contact	8	24 %
45+	22	35 %	Perinatal	2	6 %
Total	63	100 %	Total	34	100 %
			<i>No Identified Risk</i>	<i>29</i>	

Persons Living with HIV/AIDS
Region 5: Lake Charles Region
as of June 30, 2011

Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes

- **1,256** cumulative cases have been detected in Region 5, including **9** pediatric cases.
- **484** cumulative deaths among persons in Region 5 with HIV/AIDS have occurred, including **2** pediatric deaths.
- **985** persons are currently living with HIV/AIDS in Region 5.
 Persons living with HIV: **432**
 Persons living with AIDS: **553**

Age Category

Current Age	Cases	Percent
0 - 12	2	<1 %
13 - 19	8	1 %
20 - 24	41	4 %
25 - 29	61	6 %
30 - 34	111	11 %
35 - 39	125	13 %
40 - 44	157	16 %
45 - 49	190	19 %
50 - 54	157	16 %
55 - 59	78	8 %
60+	55	6 %
Total	985	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	420	150	570	58 %
White, Non-Hispanic	252	59	311	32 %
Hispanic	84	6	90	9 %
Asian/Pacific Islander	4	0	4	<1 %
American Indian	3	1	4	<1 %
Multi-race	3	3	6	1 %
Total	766	219	985	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	305	0	305	44 %
Injection drug use	101	29	130	19 %
Men who have sex with men and inject drugs	82	0	82	12 %
Heterosexual contact	81	90	171	24 %
Transfusion/Hemophilia	5	1	6	1 %
Perinatal	2	5	7	1 %
Total	576	125	701	100 %
<i>No Identified Risk</i>	<i>190</i>	<i>94</i>	<i>284</i>	

**Persons Living with AIDS
Region 5: Lake Charles Region
as of June 30, 2011**

Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes

- **868** cumulative AIDS cases have been diagnosed in Region 5, including **5** pediatric cases.
- **553** persons are currently living with AIDS in Region 5.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
0 - 12	1	<1 %	Black, Non-Hispanic	250	73	323	58 %
13 - 19	3	1 %	White, Non-Hispanic	153	32	185	33 %
20 - 24	8	1 %	Hispanic	38	2	40	7 %
25 - 29	27	5 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	49	9 %	Multi-race	2	1	3	1 %
35 - 39	71	13 %	Total	445	108	553	100 %
40 - 44	99	18 %					
45 - 49	120	22 %					
50 - 54	95	17 %					
55 - 59	46	8 %					
60+	34	6 %					
Total	553	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	187	0	187	45 %
Injection drug use	64	21	85	20 %
Men who have sex with men and inject drugs	55	0	55	13 %
Heterosexual contact	42	41	83	20 %
Transfusion/Hemophilia	4	1	5	1 %
Perinatal	1	2	3	1 %
Total	353	65	418	100 %
<i>No Identified Risk</i>	92	43	135	

Persons Newly Diagnosed with HIV/AIDS
Region 5: Lake Charles Region
Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes

HIV CASES DIAGNOSED January - December 2010

- 49 persons were newly diagnosed with HIV in Region 5.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	36	73 %	Black, Non-Hispanic	28	57 %
Women	13	27 %	White, Non-Hispanic	19	39 %
Total	49	100 %	Hispanic	2	4 %
			Total	49	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	11	22 %	Men who have sex with men	16	50 %
25 - 34	13	27 %	Injection drug use	4	12 %
35 - 44	9	18 %	Men who have sex with men and inject drugs	2	6 %
45+	16	33 %	Heterosexual contact	10	31 %
Total	49	100 %	Total	32	100 %
			<i>No Identified Risk</i>	<i>17</i>	

AIDS CASES DIAGNOSED January - December 2010

- 29 persons were newly diagnosed with AIDS in Region 5.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	15	52 %	Black, Non-Hispanic	20	69 %
Women	14	48 %	White, Non-Hispanic	7	24 %
Total	29	100 %	Hispanic	2	7 %
			Total	29	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	2	7 %	Men who have sex with men	7	37 %
25 - 34	13	45 %	Injection drug use	6	32 %
35 - 44	6	21 %	Men who have sex with men and inject drugs	1	5 %
45+	8	28 %	Heterosexual contact	5	26 %
Total	29	100 %	Total	19	100 %
			<i>No Identified Risk</i>	<i>10</i>	

Persons Living with HIV/AIDS**Region 6: Alexandria Region****as of June 30, 2011***Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes*

- **1,321** cumulative cases have been detected in Region 6, including **13** pediatric cases.
- **483** cumulative deaths among persons in Region 6 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **749** persons are currently living with HIV/AIDS in Region 6.
Persons living with HIV: **376**
Persons living with AIDS: **373**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	2	<1 %	Black, Non-Hispanic	331	184	515	69 %
13 - 19	6	1 %	White, Non-Hispanic	147	44	191	26 %
20 - 24	26	3 %	Hispanic	32	3	35	5 %
25 - 29	58	8 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	102	14 %	American Indian	0	1	1	<1 %
35 - 39	86	11 %	Multi-race	3	2	5	1 %
40 - 44	103	14 %	Total	515	234	749	100 %
45 - 49	131	17 %					
50 - 54	105	14 %					
55 - 59	81	11 %					
60+	49	7 %					
Total	749	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	205	0	205	41 %
Injection drug use	54	25	79	16 %
Men who have sex with men and inject drugs	37	0	37	7 %
Heterosexual contact	60	106	166	33 %
Transfusion/Hemophilia	8	1	9	2 %
Perinatal	4	2	6	1 %
Total	368	134	502	100 %
<i>No Identified Risk</i>	<i>147</i>	<i>100</i>	<i>247</i>	

Persons Living with AIDS

Region 6: Alexandria Region

as of June 30, 2011

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

- **821** cumulative AIDS cases have been diagnosed in Region 6, including **5** pediatric cases.
- **373** persons are currently living with AIDS in Region 6.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Current Age	Cases	Percent					
20 - 24	8	2 %	Black, Non-Hispanic	176	78	254	68 %
25 - 29	12	3 %	White, Non-Hispanic	81	26	107	29 %
30 - 34	42	11 %	Hispanic	9	0	9	2 %
35 - 39	39	10 %	Asian/Pacific Islander	1	0	1	<1 %
40 - 44	59	16 %	Multi-race	1	1	2	1 %
45 - 49	72	19 %	Total	268	105	373	100 %
50 - 54	64	17 %					
55 - 59	47	13 %					
60+	30	8 %					
Total	373	100 %					

<u>Exposure Category</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Cases with a reported risk:				
Men who have sex with men	103	0	103	39 %
Injection drug use	27	15	42	16 %
Men who have sex with men and inject drugs	28	0	28	11 %
Heterosexual contact	30	49	79	30 %
Transfusion/Hemophilia	6	0	6	2 %
Perinatal	1	2	3	1 %
Total	195	66	261	100 %
<i>No Identified Risk</i>	73	39	112	

Persons Newly Diagnosed with HIV/AIDS**Region 6: Alexandria Region***Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes***HIV CASES DIAGNOSED January - December 2010**

- 61 persons were newly diagnosed with HIV in Region 6.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	47	77 %	Black, Non-Hispanic	32	52 %
Women	14	23 %	White, Non-Hispanic	20	33 %
Total	61	100 %	Hispanic	8	13 %
			Multi-race	1	2 %
			Total	61	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	16	26 %	Men who have sex with men	24	60 %
25 - 34	17	28 %	Injection drug use	2	5 %
35 - 44	14	23 %	Heterosexual contact	14	35 %
45+	14	23 %	Total	40	100 %
Total	61	100 %	<i>No Identified Risk</i>	<i>21</i>	

AIDS CASES DIAGNOSED January - December 2010

- 37 persons were newly diagnosed with AIDS in Region 6.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	28	76 %	Black, Non-Hispanic	28	76 %
Women	9	24 %	White, Non-Hispanic	6	16 %
Total	37	100 %	Hispanic	3	8 %
			Total	37	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	4	11 %	Men who have sex with men	10	50 %
25 - 34	12	32 %	Injection drug use	2	10 %
35 - 44	11	30 %	Men who have sex with men and inject drugs	2	10 %
45+	10	27 %	Heterosexual contact	6	30 %
Total	37	100 %	Total	20	100 %
			<i>No Identified Risk</i>	<i>17</i>	

Persons Living with HIV/AIDS

Region 7: Shreveport Region

as of June 30, 2011

Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes

- **2,119** cumulative cases have been detected in Region 7, including **27** pediatric cases.
- **943** cumulative deaths among persons in Region 7 with HIV/AIDS have occurred, including **11** pediatric deaths.
- **1,445** persons are currently living with HIV/AIDS in Region 7.
 Persons living with HIV: **682**
 Persons living with AIDS: **763**

Age Category

Current Age	Cases	Percent
0 - 12	3	<1 %
13 - 19	21	1 %
20 - 24	98	7 %
25 - 29	139	10 %
30 - 34	186	13 %
35 - 39	170	12 %
40 - 44	195	13 %
45 - 49	225	16 %
50 - 54	180	12 %
55 - 59	124	9 %
60+	104	7 %
Total	1,445	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	694	334	1,028	71 %
White, Non-Hispanic	300	76	376	26 %
Hispanic	19	5	24	2 %
Asian/Pacific Islander	4	0	4	<1 %
American Indian	7	1	8	1 %
Multi-race	4	1	5	<1 %
Total	1,028	417	1,445	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	517	0	517	52 %
Injection drug use	64	44	108	11 %
Men who have sex with men and inject drugs	89	0	89	9 %
Heterosexual contact	84	181	265	26 %
Transfusion/Hemophilia	4	3	7	1 %
Perinatal	8	6	14	1 %
Total	766	234	1,000	100 %
<i>No Identified Risk</i>	<i>262</i>	<i>183</i>	<i>445</i>	

**Persons Living with AIDS
Region 7: Shreveport Region
as of June 30, 2011**

Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes

- **1,400** cumulative AIDS cases have been diagnosed in Region 7, including **19** pediatric cases.
- **763** persons are currently living with AIDS in Region 7.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	1	<1 %	Black, Non-Hispanic	383	162	545	71 %
13 - 19	7	1 %	White, Non-Hispanic	162	32	194	25 %
20 - 24	23	3 %	Hispanic	13	3	16	2 %
25 - 29	48	6 %	Asian/Pacific Islander	1	0	1	<1 %
30 - 34	72	9 %	American Indian	5	0	5	1 %
35 - 39	85	11 %	Multi-race	1	1	2	<1 %
40 - 44	108	14 %	Total	565	198	763	100 %
45 - 49	137	18 %					
50 - 54	122	16 %					
55 - 59	92	12 %					
60+	68	9 %					
Total	763	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	269	0	269	49 %
Injection drug use	44	20	64	12 %
Men who have sex with men and inject drugs	54	0	54	10 %
Heterosexual contact	63	90	153	28 %
Transfusion/Hemophilia	3	3	6	1 %
Perinatal	3	4	7	1 %
Total	436	117	553	100 %
<i>No Identified Risk</i>	129	81	210	

Persons Newly Diagnosed with HIV/AIDS**Region 7: Shreveport Region***Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes***HIV CASES DIAGNOSED January - December 2010**

- 106 persons were newly diagnosed with HIV in Region 7.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	72	68 %	Black, Non-Hispanic	89	84 %
Women	34	32 %	White, Non-Hispanic	11	10 %
Total	106	100 %	Hispanic	2	2 %
			American Indian	2	2 %
			Multi-race	2	2 %
			Total	106	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	34	32 %	Men who have sex with men	36	57 %
25 - 34	29	27 %	Injection drug use	6	10 %
35 - 44	21	20 %	Men who have sex with men and inject drugs	2	3 %
45+	22	21 %	Heterosexual contact	19	30 %
Total	106	100 %	Total	63	100 %
			<i>No Identified Risk</i>	<i>43</i>	

AIDS CASES DIAGNOSED January - December 2010

- 53 persons were newly diagnosed with AIDS in Region 7.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	34	64 %	Black, Non-Hispanic	44	83 %
Women	19	36 %	White, Non-Hispanic	8	15 %
Total	53	100 %	American Indian	1	2 %
			Total	53	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	8	15 %	Men who have sex with men	9	30 %
25 - 34	10	19 %	Injection drug use	6	20 %
35 - 44	17	32 %	Men who have sex with men and inject drugs	4	13 %
45+	18	34 %	Heterosexual contact	11	37 %
Total	53	100 %	Total	30	100 %
			<i>No Identified Risk</i>	<i>23</i>	

Persons Living with HIV/AIDS
Region 8: Monroe Region
as of June 30, 2011

Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes

- **1,530** cumulative cases have been detected in Region 8, including **16** pediatric cases.
- **643** cumulative deaths among persons in Region 8 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **947** persons are currently living with HIV/AIDS in Region 8.
 Persons living with HIV: **438**
 Persons living with AIDS: **509**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	6	1 %	Black, Non-Hispanic	430	286	716	76 %
13 - 19	10	1 %	White, Non-Hispanic	156	49	205	22 %
20 - 24	28	3 %	Hispanic	12	4	16	2 %
25 - 29	84	9 %	Asian/Pacific Islander	3	0	3	<1 %
30 - 34	144	15 %	American Indian	1	0	1	<1 %
35 - 39	106	11 %	Multi-race	3	3	6	1 %
40 - 44	120	13 %	Total	605	342	947	100 %
45 - 49	160	17 %					
50 - 54	127	13 %					
55 - 59	90	10 %					
60+	72	8 %					
Total	947	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	299	0	299	46 %
Injection drug use	42	35	77	12 %
Men who have sex with men and inject drugs	40	0	40	6 %
Heterosexual contact	65	152	217	33 %
Transfusion/Hemophilia	2	3	5	1 %
Perinatal	4	7	11	2 %
Total	452	197	649	100 %
<i>No Identified Risk</i>	<i>153</i>	<i>145</i>	<i>298</i>	

Persons Living with AIDS**Region 8: Monroe Region**

as of June 30, 2011

Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes

- **1,001** cumulative AIDS cases have been diagnosed in Region 8, including **8** pediatric cases.
- **509** persons are currently living with AIDS in Region 8.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
0 - 12	1	<1 %	Black, Non-Hispanic	247	130	377	74 %
13 - 19	3	1 %	White, Non-Hispanic	95	24	119	23 %
20 - 24	9	2 %	Hispanic	7	2	9	2 %
25 - 29	24	5 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	66	13 %	Multi-race	1	1	2	<1 %
35 - 39	64	13 %	Total	352	157	509	100 %
40 - 44	74	15 %					
45 - 49	90	18 %					
50 - 54	72	14 %					
55 - 59	57	11 %					
60+	49	10 %					
Total	509	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	162	0	162	44 %
Injection drug use	26	22	48	13 %
Men who have sex with men and inject drugs	31	0	31	8 %
Heterosexual contact	45	76	121	33 %
Transfusion/Hemophilia	2	1	3	1 %
Perinatal	3	0	3	1 %
Total	269	99	368	100 %
<i>No Identified Risk</i>	<i>83</i>	<i>58</i>	<i>141</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 8: Monroe Region***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes***HIV CASES DIAGNOSED January - December 2010**

- 59 persons were newly diagnosed with HIV in Region 8.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	44	75 %	Black, Non-Hispanic	43	73 %
Women	15	25 %	White, Non-Hispanic	15	25 %
Total	59	100 %	Asian/Pacific Islander	1	2 %
			Total	59	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	13	22 %	Men who have sex with men	24	59 %
25 - 34	20	34 %	Injection drug use	4	10 %
35 - 44	9	15 %	Men who have sex with men and inject drugs	2	5 %
45+	17	29 %	Heterosexual contact	11	27 %
Total	59	100 %	Total	41	100 %

No Identified Risk 18

AIDS CASES DIAGNOSED January - December 2010

- 44 persons were newly diagnosed with AIDS in Region 8.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	27	61 %	Black, Non-Hispanic	38	86 %
Women	17	39 %	White, Non-Hispanic	6	14 %
Total	44	100 %	Total	44	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	4	9 %	Men who have sex with men	10	33 %
25 - 34	16	36 %	Injection drug use	5	17 %
35 - 44	10	23 %	Men who have sex with men and inject drugs	1	3 %
45+	14	32 %	Heterosexual contact	14	47 %
Total	44	100 %	Total	30	100 %

No Identified Risk 14

Persons Living with HIV/AIDS
Region 9: Hammond/Slidell Region
as of June 30, 2011

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

- **1,382** cumulative cases have been detected in Region 9, including **16** pediatric cases.
- **567** cumulative deaths among persons in Region 9 with HIV/AIDS have occurred, including **6** pediatric deaths.
- **1,006** persons are currently living with HIV/AIDS in Region 9.
 Persons living with HIV: **457**
 Persons living with AIDS: **549**

Age Category

Current Age	Cases	Percent
0 - 12	7	1 %
13 - 19	7	1 %
20 - 24	29	3 %
25 - 29	70	7 %
30 - 34	88	9 %
35 - 39	117	12 %
40 - 44	167	17 %
45 - 49	180	18 %
50 - 54	173	17 %
55 - 59	79	8 %
60+	89	9 %
Total	1,006	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	331	179	510	51 %
White, Non-Hispanic	372	88	460	46 %
Hispanic	21	6	27	3 %
Asian/Pacific Islander	1	1	2	<1 %
American Indian	1	0	1	<1 %
Unknown	1	0	1	<1 %
Multi-race	5	0	5	<1 %
Total	732	274	1,006	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	374	0	374	53 %
Injection drug use	62	49	111	16 %
Men who have sex with men and inject drugs	48	0	48	7 %
Heterosexual contact	57	95	152	22 %
Transfusion/Hemophilia	5	0	5	1 %
Perinatal	9	7	16	2 %
Total	555	151	706	100 %
<i>No Identified Risk</i>	<i>177</i>	<i>123</i>	<i>300</i>	

Persons Living with AIDS
Region 9: Hammond/Slidell Region
as of June 30, 2011

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

- **944** cumulative AIDS cases have been diagnosed in Region 9, including **8** pediatric cases.
- **549** persons are currently living with AIDS in Region 9.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
13 - 19	1	<1 %	Black, Non-Hispanic	189	79	268	49 %
20 - 24	2	<1 %	White, Non-Hispanic	224	39	263	48 %
25 - 29	25	5 %	Hispanic	10	4	14	3 %
30 - 34	36	7 %	American Indian	1	0	1	<1 %
35 - 39	57	10 %	Multi-race	3	0	3	1 %
40 - 44	91	17 %	Total	427	122	549	100 %
45 - 49	118	21 %					
50 - 54	110	20 %					
55 - 59	48	9 %					
60+	61	11 %					
Total	549	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	215	0	215	53 %
Injection drug use	46	27	73	18 %
Men who have sex with men and inject drugs	29	0	29	7 %
Heterosexual contact	33	44	77	19 %
Transfusion/Hemophilia	5	0	5	1 %
Perinatal	3	2	5	1 %
Total	331	73	404	100 %
<i>No Identified Risk</i>	96	49	145	

Persons Newly Diagnosed with HIV/AIDS**Region 9: Hammond/Slidell Region***Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes***HIV CASES DIAGNOSED January - December 2010**

- 73 persons were newly diagnosed with HIV in Region 9.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	55	75 %	Black, Non-Hispanic	48	66 %
Women	18	25 %	White, Non-Hispanic	22	30 %
Total	73	100 %	Hispanic	1	1 %
			Asian/Pacific Islander	1	1 %
			Multi-race	1	1 %
			Total	73	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	1 %	Men who have sex with men	30	61 %
13 - 24	9	12 %	Injection drug use	8	16 %
25 - 34	17	23 %	Heterosexual contact	10	20 %
35 - 44	12	16%	Perinatal	1	2 %
45+	34	47 %	Total	49	100 %
Total	73	100 %	<i>No Identified Risk</i>	<i>24</i>	

AIDS CASES DIAGNOSED January - December 2010

- 42 persons were newly diagnosed with AIDS in Region 9.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	31	74 %	Black, Non-Hispanic	26	62 %
Women	11	26 %	White, Non-Hispanic	15	36 %
Total	42	100 %	Hispanic	1	2 %
			Total	42	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	1	2 %	Men who have sex with men	18	62 %
25 - 34	10	24 %	Injection drug use	5	17 %
35 - 44	7	17 %	Heterosexual contact	5	17 %
45+	24	57 %	Perinatal	1	3 %
Total	42	100 %	Total	29	100 %
			<i>No Identified Risk</i>	<i>13</i>	