


Third Quarter 2009

Vol. 7, No. 3



HIV/AIDS Surveillance Program

M. Beth Scalco, LCSW MPA
HIV/AIDS Program Administrative Director

Amy Zapata, MPH
HIV/AIDS Surveillance Program Manager

Editor/Production:
Jessica Fridge
William T. Robinson

Data Management and Analysis:

Debbie Wendell, MPH, Ph.D., *Coordinator*
Jessica Fridge, MSPH, *Surveillance Data Supervisor*
Tania Bechtel, *Data Manager*
Joseph Foxhood, *Information Systems Developer*
George Stephens, *Computer Technician*
Josette Russell, *Data Manager*

Special Projects:

William T. Robinson, Ph.D., *Biostatistician*
C. Greg Gaines, Ph.D., *Laboratory Surveillance Coordinator*
Sam Ramirez, MPH, *Epidemiologist/Incidence & Resistance Coordinator*

Field Epidemiologists:

Betsy Shepard, PAC, MPH, *Epidemiologist Supervisor*

James Hubbard	Region 1	Cheryl Edney, BS MT(ASCP)	Regions 4, 5, 6
Connie Gordon	Regions 1, 3	Gayle Norris, MA	Regions 7, 8
Tanya Brown, RHIA	Region 2	Gale Terry, LPN	Regions 2, 9

TABLE OF CONTENTS

Contents	Page
Surveillance Summary	1
Louisiana: Persons Living with HIV/AIDS	2
Persons Living with AIDS	3
Persons newly diagnosed with HIV/AIDS	4
Parish: Persons Living with HIV/AIDS	5
Persons Living with AIDS	6
Metro New Orleans: Persons Living with HIV/AIDS	7
Persons Living with AIDS	8
Persons newly diagnosed with HIV/AIDS	9
Region 1: Persons Living with HIV/AIDS	10
Persons Living with AIDS	11
Persons newly diagnosed with HIV/AIDS	12
Region 2: Persons Living with HIV/AIDS	13
Persons Living with AIDS	14
Persons newly diagnosed with HIV/AIDS	15
Region 3: Persons Living with HIV/AIDS	16
Persons Living with AIDS	17
Persons newly diagnosed with HIV/AIDS	18
Region 4: Persons Living with HIV/AIDS	19
Persons Living with AIDS	20
Persons newly diagnosed with HIV/AIDS	21
Region 5: Persons Living with HIV/AIDS	22
Persons Living with AIDS	23
Persons newly diagnosed with HIV/AIDS	24
Region 6: Persons Living with HIV/AIDS	25
Persons Living with AIDS	26
Persons newly diagnosed with HIV/AIDS	27
Region 7: Persons Living with HIV/AIDS	28
Persons Living with AIDS	29
Persons newly diagnosed with HIV/AIDS	30
Region 8: Persons Living with HIV/AIDS	31
Persons Living with AIDS	32
Persons newly diagnosed with HIV/AIDS	33
Region 9: Persons Living with HIV/AIDS	34
Persons Living with AIDS	35
Persons newly diagnosed with HIV/AIDS	36

Surveillance Summary

Data in this report includes cases diagnosed with HIV/AIDS and reported as of September 30, 2009¹.

- As of September 30, 2009, a cumulative total of **29,548** HIV/AIDS cases have been reported in Louisiana, including **312** pediatric cases.
- The cumulative number of deaths among persons diagnosed with HIV/AIDS, reported to the Louisiana Office of Public Health through September 30, 2009, is **12,267** including **100** deaths among pediatric cases.
- A total of **17,029** persons are living with HIV/AIDS in Louisiana; of these individuals, **9,093** persons (53%) have an AIDS diagnosis.
- Among women living with HIV/AIDS, the predominant known mode of transmission is high-risk heterosexual contact followed by injection drug use. Among men living with HIV/AIDS, the predominant mode of transmission is men who have sex with men followed by injection drug use.
- Nationally, Louisiana ranked **5th** highest in AIDS case rates and **11th** in the number of AIDS cases diagnosed in 2007, according to the CDC 2007 HIV/AIDS Surveillance Report (Vol. 19).
- New Orleans ranked **2nd** for AIDS case rates among the largest metropolitan areas in the U.S. in 2007; Baton Rouge ranked **3rd**.
- In 2008, **1,162** new HIV cases were diagnosed in Louisiana. Of these cases, **33%** (n=387) occurred in Region 1 (New Orleans) and **26%** (n=302) occurred in Region 2 (Baton Rouge).
- In 2008, **865** new AIDS cases were diagnosed in Louisiana. Of these cases, **32%** (n=273) occurred in Region 1 (New Orleans) and **29%** (n=251) occurred in Region 2 (Baton Rouge).
- In Louisiana, **33%** of new HIV cases and **34%** of new AIDS cases are among women.
- HIV continues to disproportionately affect African Americans in Louisiana. In 2008, **72%** of newly diagnosed HIV cases and **70%** of newly diagnosed AIDS cases were among African Americans.

¹Please note: This report reflects only information reported to Louisiana's HIV/AIDS surveillance system and information on persons living with HIV/AIDS (PLWH/A) may not be accurate due to population changes resulting from Hurricane Katrina. In March 2006, the Louisiana Office of Public Health HIV/AIDS Program (OPH-HAP) published the Louisiana HIV/AIDS Surveillance First Quarter 2006 report. In addition to the HIV/AIDS surveillance information, as presented here, this report contained a description of two methodologies used to estimate the impact of Hurricane Katrina on the number of PLWH/A in the New Orleans metropolitan area (see <http://www.dhh.louisiana.gov/offices/publications/pubs-264/1st%20Quarter%202006.pdf> for the full report). Updated estimates were provided in the 2006 Third Quarter Report at: <http://www.dhh.louisiana.gov/offices/publications/pubs-264/Third%20Quarter%202006.pdf>. Additional updated population estimates were presented at the February 2007 Statewide HIV/AIDS Meeting. This presentation can be found at: <http://www.dhh.louisiana.gov/offices/page.asp?ID=264&Detail=7584>. Updated estimates were also presented in the 2005-2006 Annual Report located at <http://www.dhh.louisiana.gov/offices/reports.asp?ID=264&Detail=261>. More recent estimates indicate that as much as 84% of the pre-Katrina PLWH/A may now be living within the metropolitan area.

Persons Living with HIV/AIDS Louisiana

- **29,548** cumulative cases have been detected in Louisiana, including **312** pediatric cases.
- **12,267** cumulative deaths among persons with HIV/AIDS have occurred in Louisiana, including **100** pediatric deaths.
- **17,029** persons are currently living with HIV/AIDS in Louisiana.
Persons living with HIV: **7,936**
Persons living with AIDS: **9,093**

Age Category

Current Age	Cases	Percent
0 - 12	75	<1 %
13 - 19	166	1 %
20 - 24	715	4 %
25 - 29	1,389	8 %
30 - 34	1,856	11 %
35 - 39	2,141	13 %
40 - 44	2,720	16 %
45 - 49	3,126	18 %
50 - 54	2,314	14 %
55 - 59	1,351	8 %
60+	1,176	7 %
Total	17,029	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	7,161	4,162	11,323	66 %
White, Non-Hispanic	4,173	748	4,921	29 %
Hispanic	490	105	595	3 %
Asian/Pacific Islander	42	11	53	<1 %
American Indian	20	6	26	<1 %
Unknown	38	6	44	<1 %
Multi-race	47	20	67	<1 %
Total	11,971	5,058	17,029	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	5,187	0	5,187	48 %
Injection drug use	1,152	672	1,824	17 %
Men who have sex with men and inject drugs	853	0	853	8 %
Heterosexual contact	866	1,805	2,671	25 %
Transfusion/Hemophilia	68	41	109	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	93	87	180	2 %
Total	8,219	2,606	10,825	100 %
<i>No Identified Risk</i>	<i>3,752</i>	<i>2,452</i>	<i>6,204</i>	

Persons Living with AIDS Louisiana

- **19,871** cumulative AIDS cases have been diagnosed in Louisiana, including **144** pediatric cases.
- **9,093** persons are currently living with AIDS in Louisiana.

Age Category

Current Age	Cases	Percent
0 - 12	9	<1 %
13 - 19	46	1 %
20 - 24	170	2 %
25 - 29	459	5 %
30 - 34	779	9 %
35 - 39	1,096	12 %
40 - 44	1,598	18 %
45 - 49	1,907	21 %
50 - 54	1,424	16 %
55 - 59	861	9 %
60+	744	8 %
Total	9,093	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	3,917	1,983	5,900	65 %
White, Non-	2,435	347	2,782	31 %
Hispanic	261	62	323	4 %
Asian/Pacific	18	5	23	<1 %
American Indian	9	3	12	<1 %
Unknown	8	1	9	<1 %
Multi-race	33	11	44	<1 %
Total	6,681	2,412	9,093	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2,985	0	2,985	47 %
Injection drug use	758	390	1,148	18 %
Men who have sex with men and inject drugs	569	0	569	9 %
Heterosexual contact	499	966	1,465	23 %
Transfusion/Hemophilia	48	26	74	1 %
Perinatal	25	27	52	1 %
Total	4,884	1,409	6,293	100 %
<i>No Identified Risk</i>	<i>1,797</i>	<i>1,003</i>	<i>2,800</i>	

**Persons Newly Diagnosed with HIV/AIDS
Louisiana**

HIV CASES DIAGNOSED January - December 2008

• **1,162** persons were newly diagnosed with HIV in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	776	67 %	Black, Non-Hispanic	838	72 %
Women	386	33 %	White, Non-Hispanic	235	20 %
Total	1,162	100 %	Hispanic	67	6 %
			Asian/Pacific Islander	5	<1 %
			American Indian	1	<1 %
			Unknown	6	1 %
			Multi-race	10	1 %
			Total	1,162	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	5	<1 %	Men who have sex with men	328	60 %
13 - 24	245	21 %	Injection drug use	49	9 %
25 - 34	344	30 %	Men who have sex with men and inject drugs	11	2 %
35 - 44	251	22 %	Heterosexual contact	156	28 %
45+	317	27 %	Perinatal	5	1 %
Total	1,162	100 %	Total	549	100 %
			<i>No Identified Risk</i>	<i>613</i>	

AIDS CASES DIAGNOSED January - December 2008

• **865** persons were newly diagnosed with AIDS in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	570	66 %	Black, Non-Hispanic	609	70 %
Women	295	34 %	White, Non-Hispanic	206	24 %
Total	865	100 %	Hispanic	41	5 %
			Asian/Pacific Islander	3	<1 %
			Unknown	2	<1 %
			Multi-race	4	<1 %
			Total	865	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	213	46 %
13 - 24	65	8 %	Injection drug use	83	18 %
25 - 34	233	27 %	Men who have sex with men and inject drugs	21	5 %
35 - 44	255	29 %	Heterosexual contact	138	30 %
45+	311	36 %	Transfusion/Hemophilia	3	1 %
Total	865	100 %	Perinatal	4	1 %
			Total	462	100 %
			<i>No Identified Risk</i>	<i>403</i>	

Persons Living with HIV/AIDS by Parish

Third Quarter 2009

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	95	Sabine	22
Allen	232	St. Bernard	99
Ascension	163	St. Charles	81
Assumption	21	St. Helena	20
Avoyelles	178	St. James	61
Beauregard	34	St. John the Baptist	103
Bienville	31	St. Landry	242
Bossier	167	St. Martin	98
Caddo	923	St. Mary	76
Calcasieu	579	St. Tammany	328
Caldwell	48	Tangipahoa	271
Cameron	5	Tensas	35
Catahoula	26	Terrebonne	177
Claiborne	77	Union	43
Concordia	40	Vermilion	78
De Soto	56	Vernon	42
East Baton Rouge	3,192	Washington	170
East Carroll	42	Webster	50
East Feliciana	141	West Baton Rouge	114
Evangeline	60	West Carroll	10
Franklin	25	West Feliciana	149
Grant	29	Winn	92
Iberia	103		
Iberville	288		
Jackson	37		
Jefferson	1,568		
Jefferson Davis	53		
La Salle	17		
Lafayette	593		
Lafourche	100		
Lincoln	59		
Livingston	138		
Madison	57		
Morehouse	62		
Natchitoches	90		
Orleans	4,323		
Ouachita	491		
Plaquemines	30		
Pointe Coupee	47		
Rapides	400		
Red River	9		
Richland	36		
		Total	17,029

Persons Living with AIDS by Parish

Third Quarter 2009

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	52	Sabine	17
Allen	114	St. Bernard	55
Ascension	85	St. Charles	45
Assumption	15	St. Helena	10
Avoyelles	96	St. James	31
Beauregard	19	St. John the Baptist	61
Bienville	14	St. Landry	140
Bossier	94	St. Martin	54
Caddo	511	St. Mary	48
Calcasieu	330	St. Tammany	189
Caldwell	21	Tangipahoa	151
Cameron	3	Tensas	18
Catahoula	15	Terrebonne	98
Claiborne	45	Union	29
Concordia	23	Vermilion	48
De Soto	34	Vernon	22
East Baton Rouge	1,631	Washington	93
East Carroll	26	Webster	23
East Feliciana	82	West Baton Rouge	68
Evangeline	33	West Carroll	7
Franklin	12	West Feliciana	96
Grant	16	Winn	49
Iberia	55		
Iberville	153		
Jackson	21		
Jefferson	841		
Jefferson Davis	27		
La Salle	11		
Lafayette	300		
Lafourche	62		
Lincoln	29		
Livingston	74		
Madison	28		
Morehouse	27		
Natchitoches	47		
Orleans	2,255		
Ouachita	263		
Plaquemines	21		
Pointe Coupee	31		
Rapides	193		
Red River	7		
Richland	23		
		Total	9,093

Persons Living with HIV/AIDS

Metro New Orleans

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, and St. Charles Parishes

- **14,153** cumulative cases have been detected in the New Orleans MSA, including **152** pediatric cases.
- **5,961** cumulative deaths among persons with HIV/AIDS have occurred in the New Orleans MSA, including **50** pediatric deaths.
- **6,593** persons are currently living with HIV/AIDS in the New Orleans MSA.
Persons living with HIV: **3,095**
Persons living with AIDS: **3,498**

Age Category

Current Age	Cases	Percent
0 - 12	27	<1 %
13 - 19	51	1 %
20 - 24	241	4 %
25 - 29	444	7 %
30 - 34	630	10 %
35 - 39	801	12 %
40 - 44	1,046	16 %
45 - 49	1,264	19 %
50 - 54	938	14 %
55 - 59	596	9 %
60+	555	8 %
Total	6,593	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	2,441	1,379	3,820	58 %
White, Non-Hispanic	2,114	238	2,352	36 %
Hispanic	254	75	329	5 %
Asian/Pacific Islander	28	7	35	1 %
American Indian	6	1	7	<1 %
Unknown	23	3	26	<1 %
Multi-race	18	6	24	<1 %
Total	4,884	1,709	6,593	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2,427	0	2,427	57 %
Injection drug use	347	226	573	13 %
Men who have sex with men and inject drugs	325	0	325	8 %
Heterosexual contact	243	577	820	19 %
Transfusion/Hemophilia	29	19	48	1 %
Perinatal	28	34	62	1 %
Total	3,399	856	4,255	100 %
<i>No Identified Risk</i>	<i>1,485</i>	<i>853</i>	<i>2,338</i>	

Persons Living with AIDS Metro New Orleans

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, and St. Charles Parishes

- **9,662** cumulative AIDS cases have been diagnosed in the New Orleans MSA, including **71** pediatric cases.
- **3,498** persons are currently living with AIDS in the New Orleans MSA.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	4	<1 %	Black, Non-Hispanic	1,279	666	1,945	56 %
13 - 19	13	<1 %	White, Non-Hispanic	1,210	101	1,311	37 %
20 - 24	47	1 %	Hispanic	150	48	198	6 %
25 - 29	142	4 %	Asian/Pacific Islander	11	3	14	<1 %
30 - 34	242	7 %	American Indian	3	1	4	<1 %
35 - 39	396	11 %	Unknown	8	1	9	<1 %
40 - 44	587	17 %	Multi-race	13	4	17	<1 %
45 - 49	781	22 %	Total	2,674	824	3,498	100 %
50 - 54	571	16 %					
55 - 59	365	10 %					
60+	350	10 %					
Total	3,498	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,391	0	1,391	56 %
Injection drug use	218	127	345	14 %
Men who have sex with men and inject drugs	213	0	213	9 %
Heterosexual contact	149	320	469	19 %
Transfusion/Hemophilia	20	10	30	1 %
Perinatal	8	11	19	1 %
Total	1,999	468	2,467	100 %
<i>No Identified Risk</i>	675	356	1,031	

Persons Newly Diagnosed with HIV/AIDS
Metro New Orleans

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, and St. Charles Parishes

HIV CASES DIAGNOSED January - December 2008

- 422 persons were newly diagnosed with HIV in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	295	70 %	Black, Non-Hispanic	271	64 %
Women	127	30 %	White, Non-Hispanic	101	24 %
Total	422	100 %	Hispanic	38	9 %
			Asian/Pacific Islander	3	1 %
			Unknown	3	1 %
			Multi-race	6	1 %
			Total	422	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	3	1 %	Men who have sex with men	145	66 %
13 - 24	89	21 %	Injection drug use	20	9 %
25 - 34	130	31 %	Men who have sex with men and inject drugs	5	2 %
35 - 44	95	23 %	Heterosexual contact	46	21 %
45+	105	25 %	Perinatal	3	1 %
Total	422	100 %	Total	219	100 %
			<i>No Identified Risk</i>	<i>203</i>	

AIDS CASES DIAGNOSED January - December 2008

- 291 persons were newly diagnosed with AIDS in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	201	69 %	Black, Non-Hispanic	183	63 %
Women	90	31 %	White, Non-Hispanic	78	27 %
Total	291	100 %	Hispanic	28	10 %
			Unknown	2	1 %
			Total	291	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	<1 %	Men who have sex with men	82	51 %
13 - 24	19	7 %	Injection drug use	23	14 %
25 - 34	79	27 %	Men who have sex with men and inject drugs	7	4 %
35 - 44	86	30 %	Heterosexual contact	46	29 %
45+	106	36 %	Transfusion/Hemophilia	1	1 %
Total	291	100 %	Perinatal	1	1 %
			Total	160	100 %
			<i>No Identified Risk</i>	<i>131</i>	

Persons Living with HIV/AIDS
Region 1: New Orleans Region

- **13,340** cumulative cases have been detected in Region 1, including **136** pediatric cases.
- **5,610** cumulative deaths among persons in Region 1 with HIV/AIDS have occurred, including **46** pediatric deaths.
- **6,020** persons are currently living with HIV/AIDS in Region 1.
Persons living with HIV: **2,848**
Persons living with AIDS: **3,172**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	19	<1 %	Black, Non-Hispanic	2,281	1,271	3,552	59 %
13 - 19	46	1 %	White, Non-Hispanic	1,877	189	2,066	34 %
20 - 24	217	4 %	Hispanic	242	72	314	5 %
25 - 29	404	7 %	Asian/Pacific Islander	27	7	34	1 %
30 - 34	582	10 %	American Indian	6	1	7	<1 %
35 - 39	716	12 %	Unknown	23	3	26	<1 %
40 - 44	953	16 %	Multi-race	15	6	21	<1 %
45 - 49	1,151	19 %	Total	4,471	1,549	6,020	100 %
50 - 54	867	14 %					
55 - 59	555	9 %					
60+	510	8 %					
Total	6,020	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2,215	0	2215	57 %
Injection drug use	316	208	524	14 %
Men who have sex with men and inject drugs	308	0	308	8 %
Heterosexual contact	215	522	737	19 %
Transfusion/Hemophilia	26	18	44	1 %
Perinatal	22	25	47	1 %
Total	3,102	773	3,875	100 %
<i>No Identified Risk</i>	<i>1,369</i>	<i>776</i>	<i>2,145</i>	

Persons Living with AIDS
Region 1: New Orleans Region

- **9,080** cumulative AIDS cases have been diagnosed in Region 1, including **63** pediatric cases.
- **3,172** persons are currently living with AIDS in Region 1.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	4	<1 %	Black, Non-Hispanic	1,177	613	1,790	56 %
13 - 19	10	<1 %	White, Non-Hispanic	1,071	79	1,150	36 %
20 - 24	43	1 %	Hispanic	143	47	190	6 %
25 - 29	130	4 %	Asian/Pacific Islander	11	3	14	<1 %
30 - 34	220	7 %	American Indian	3	1	4	<1 %
35 - 39	350	11 %	Unknown	8	1	9	<1 %
40 - 44	528	17 %	Multi-race	11	4	15	<1 %
45 - 49	707	22 %	Total	2,424	748	3,172	100 %
50 - 54	525	17 %					
55 - 59	337	11 %					
60+	318	10 %					
Total	3,172	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,268	0	1,268	57 %
Injection drug use	196	115	311	14 %
Men who have sex with men and inject drugs	199	0	199	9 %
Heterosexual contact	129	290	419	19 %
Transfusion/Hemophilia	17	9	26	1 %
Perinatal	6	8	14	1 %
Total	1,815	422	2,237	100 %
<i>No Identified Risk</i>	609	326	935	

Persons Newly Diagnosed with HIV/AIDS
Region 1: New Orleans Region

HIV CASES DIAGNOSED January - December 2008

- 387 persons were newly diagnosed with HIV in Region 1.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	273	71 %	Black, Non-Hispanic	251	65 %
Women	114	29 %	White, Non-Hispanic	88	23 %
Total	387	100 %	Hispanic	36	9 %
			Asian/Pacific Islander	3	1 %
			Unknown	3	1 %
			Multi-race	6	2 %
			Total	387	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	2	1 %	Men who have sex with men	135	66 %
13 - 24	83	21 %	Injection drug use	18	9 %
25 - 34	118	30 %	Men who have sex with men and inject drugs	4	2 %
35 - 44	83	21 %	Heterosexual contact	46	22 %
45+	101	26 %	Perinatal	2	1 %
Total	387	100 %	Total	205	100 %
			<i>No Identified Risk</i>	<i>182</i>	

AIDS CASES DIAGNOSED January - December 2008

- 273 persons were newly diagnosed with AIDS in Region 1.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	188	69 %	Black, Non-Hispanic	172	63 %
Women	85	31 %	White, Non-Hispanic	72	26 %
Total	273	100 %	Hispanic	27	10 %
			Unknown	2	1 %
			Total	273	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	<1 %	Men who have sex with men	78	51 %
13 - 24	18	7 %	Injection drug use	21	14 %
25 - 34	73	27 %	Men who have sex with men and inject drugs	6	4 %
35 - 44	79	29 %	Heterosexual contact	45	30 %
45+	102	37 %	Transfusion/Hemophilia	1	1 %
Total	273	100 %	Perinatal	1	1 %
			Total	152	100 %
			<i>No Identified Risk</i>	<i>121</i>	

Persons Living with HIV/AIDS
Region 2: Baton Rouge Region

- **6,401** cumulative cases have been detected in Region 2, including **64** pediatric cases.
- **2,653** cumulative deaths among persons in Region 2 with HIV/AIDS have occurred, including **15** pediatric deaths.
- **4,094** persons are currently living with HIV/AIDS in Region 2.
Persons living with HIV: **1,948**
Persons living with AIDS: **2,146**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	24	1 %	Black, Non-Hispanic	1,984	1,429	3,413	83 %
13 - 19	47	1 %	White, Non-Hispanic	503	114	617	15 %
20 - 24	206	5 %	Hispanic	33	11	44	1 %
25 - 29	398	10 %	Asian/Pacific Islander	3	1	4	<1 %
30 - 34	505	12 %	American Indian	2	0	2	<1 %
35 - 39	537	13 %	Unknown	5	0	5	<1 %
40 - 44	594	15 %	Multi-race	7	2	9	<1 %
45 - 49	706	17 %	Total	2,537	1,557	4,094	100 %
50 - 54	517	13 %					
55 - 59	303	7 %					
60+	257	6 %					
Total	4,094	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	820	0	820	34 %
Injection drug use	370	222	592	25 %
Men who have sex with men and inject drugs	166	0	166	7 %
Heterosexual contact	232	510	742	31 %
Transfusion/Hemophilia	9	11	20	1 %
Perinatal	28	21	49	2 %
Total	1,625	764	2,389	100 %
<i>No Identified Risk</i>	<i>912</i>	<i>793</i>	<i>1,705</i>	

Persons Living with AIDS
Region 2: Baton Rouge Region

- **4,255** cumulative AIDS cases have been diagnosed in Region 2, including **22** pediatric cases.
- **2,146** persons are currently living with AIDS in Region 2.

Age Category

Current Age	Cases	Percent
13 - 19	16	1 %
20 - 24	56	3 %
25 - 29	131	6 %
30 - 34	215	10 %
35 - 39	278	13 %
40 - 44	354	16 %
45 - 49	427	20 %
50 - 54	310	14 %
55 - 59	195	9 %
60+	164	8 %
Total	2,146	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	1,089	685	1,774	83 %
White, Non-Hispanic	286	50	336	16 %
Hispanic	19	6	25	1 %
Asian/Pacific Islander	2	0	2	<1 %
American Indian	2	0	2	<1 %
Multi-race	6	1	7	<1 %
Total	1,404	742	2,146	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	450	0	450	33 %
Injection drug use	258	129	387	28 %
Men who have sex with men and inject drugs	114	0	114	8 %
Heterosexual contact	126	274	400	29 %
Transfusion/Hemophilia	5	8	13	1 %
Perinatal	6	4	10	1 %
Total	959	415	1,374	100 %
<i>No Identified Risk</i>	<i>445</i>	<i>327</i>	<i>772</i>	

Persons Newly Diagnosed with HIV/AIDS
Region 2: Baton Rouge Region

HIV CASES DIAGNOSED January - December 2008

- 302 persons were newly diagnosed with HIV in Region 2.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	176	58 %	Black, Non-Hispanic	267	88 %
Women	126	42 %	White, Non-Hispanic	28	9 %
Total	302	100 %	Hispanic	4	1 %
			Unknown	1	<1 %
			Multi-race	2	1 %
			Total	302	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	2	1 %	Men who have sex with men	67	49 %
13 - 24	71	24 %	Injection drug use	14	10 %
25 - 34	90	30 %	Men who have sex with men and inject drugs	1	1 %
35 - 44	62	21 %	Heterosexual contact	52	38 %
45+	77	25 %	Perinatal	2	1 %
Total	302	100 %	Total	136	100 %
			<i>No Identified Risk</i>	<i>166</i>	

AIDS CASES DIAGNOSED January - December 2008

- 251 persons were newly diagnosed with AIDS in Region 2.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	142	57 %	Black, Non-Hispanic	214	85 %
Women	109	43 %	White, Non-Hispanic	33	13 %
Total	251	100 %	Hispanic	3	1 %
			Multi-race	1	<1 %
			Total	251	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	29	12 %	Men who have sex with men	40	31 %
25 - 34	61	24 %	Injection drug use	31	24 %
35 - 44	68	27 %	Men who have sex with men and inject drugs	6	5 %
45+	93	37 %	Heterosexual contact	51	40 %
Total	251	100 %	Total	128	100 %
			<i>No Identified Risk</i>	<i>123</i>	

Persons Living with HIV/AIDS

Region 3: Houma Region

- **928** cumulative cases have been detected in Region 3, including **17** pediatric cases.
- **433** cumulative deaths among persons in Region 3 with HIV/AIDS have occurred, including **7** pediatric deaths.
- **619** persons are currently living with HIV/AIDS in Region 3.
Persons living with HIV: **259**
Persons living with AIDS: **360**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	5	1 %	Black, Non-Hispanic	210	143	353	57 %
13 - 19	5	1 %	White, Non-Hispanic	198	41	239	39 %
20 - 24	31	5 %	Hispanic	11	5	16	3 %
25 - 29	59	10 %	Asian/Pacific Islander	1	1	2	<1 %
30 - 34	65	11 %	American Indian	2	2	4	1 %
35 - 39	78	13 %	Unknown	1	1	2	<1 %
40 - 44	101	16 %	Multi-race	2	1	3	<1 %
45 - 49	112	18 %	Total	425	194	619	100 %
50 - 54	73	12 %					
55 - 59	47	8 %					
60+	43	7 %					
Total	619	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	213	0	213	51 %
Injection drug use	41	22	63	15 %
Men who have sex with men and inject drugs	14	0	14	3 %
Heterosexual contact	32	79	111	27 %
Transfusion/Hemophilia	0	1	1	<1 %
Perinatal	6	7	13	3 %
Total	306	109	415	100 %
<i>No Identified Risk</i>	<i>119</i>	<i>85</i>	<i>204</i>	

Persons Living with AIDS

Region 3: Houma Region

- 685 cumulative AIDS cases have been diagnosed in Region 3, including 9 pediatric cases.
- 360 persons are currently living with AIDS in Region 3.

Age Category

Current Age	Cases	Percent
13 - 19	3	1 %
20 - 24	8	2 %
25 - 29	25	7 %
30 - 34	28	8 %
35 - 39	39	11 %
40 - 44	66	18 %
45 - 49	70	19 %
50 - 54	55	15 %
55 - 59	35	10 %
60+	31	9 %
Total	360	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	137	75	212	59 %
White, Non-Hispanic	109	22	131	36 %
Hispanic	8	2	10	3 %
Asian/Pacific Islander	0	1	1	<1 %
American Indian	1	2	3	1 %
Multi-race	2	1	3	1 %
Total	257	103	360	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	134	0	134	53 %
Injection drug use	26	15	41	16 %
Men who have sex with men and inject drugs	8	0	8	3 %
Heterosexual contact	20	42	62	25 %
Transfusion/Hemophilia	0	1	1	<1 %
Perinatal	2	3	5	2 %
Total	190	61	251	100 %
<i>No Identified Risk</i>	67	42	109	

**Persons Newly Diagnosed with HIV/AIDS
Region 3: Houma Region**

HIV CASES DIAGNOSED January - December 2008

• 46 persons were newly diagnosed with HIV in Region 3.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	28	61 %	Black, Non-Hispanic	28	61 %
Women	18	39 %	White, Non-Hispanic	13	28 %
Total	46	100 %	Hispanic	3	7 %
			Asian/Pacific Islander	1	2 %
			Unknown	1	2 %
			Total	46	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	10	22 %	Men who have sex with men	10	62 %
25 - 34	16	35 %	Injection drug use	2	12 %
35 - 44	12	26 %	Heterosexual contact	4	25 %
45+	8	17 %	Total	16	100 %
Total	46	100 %	<i>No Identified Risk</i>	<i>30</i>	

AIDS CASES DIAGNOSED January - December 2008

• 32 persons were newly diagnosed with AIDS in Region 3.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	22	69 %	Black, Non-Hispanic	17	53 %
Women	10	31 %	White, Non-Hispanic	12	38 %
Total	32	100 %	Hispanic	1	3 %
			Asian/Pacific Islander	1	3 %
			Multi-race	1	3 %
			Total	32	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	5	16 %	Men who have sex with men	8	53 %
25 - 34	6	19 %	Injection drug use	5	33 %
35 - 44	10	31 %	Heterosexual contact	2	13 %
45+	11	34 %	Total	15	100 %
Total	32	100 %	<i>No Identified Risk</i>	<i>17</i>	

Persons Living with HIV/AIDS

Region 4: Lafayette Region

- **1,846** cumulative cases have been detected in Region 4, including **16** pediatric cases.
- **810** cumulative deaths among persons in Region 4 with HIV/AIDS have occurred, including **9** pediatric deaths.
- **1,269** persons are currently living with HIV/AIDS in Region 4.
Persons living with HIV: **587**
Persons living with AIDS: **682**

Age Category

<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	3	<1 %
13 - 19	9	1 %
20 - 24	43	3 %
25 - 29	107	8 %
30 - 34	114	9 %
35 - 39	134	11 %
40 - 44	239	19 %
45 - 49	265	21 %
50 - 54	180	14 %
55 - 59	104	8 %
60+	71	6 %
Total	1,269	100 %

Race/Ethnicity

	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Black, Non-Hispanic	492	231	723	57 %
White, Non-Hispanic	396	84	480	38 %
Hispanic	47	2	49	4 %
Asian/Pacific Islander	0	2	2	<1 %
American Indian	1	1	2	<1 %
Unknown	2	0	2	<1 %
Multi-race	7	4	11	1 %
Total	945	324	1,269	100 %

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	382	0	382	51 %
Injection drug use	75	32	107	14 %
Men who have sex with men and inject drugs	44	0	44	6 %
Heterosexual contact	61	133	194	26 %
Transfusion/Hemophilia	5	1	6	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	6	6	12	2 %
Total	573	173	746	100 %
<i>No Identified Risk</i>	<i>372</i>	<i>151</i>	<i>523</i>	

Persons Living with AIDS
Region 4: Lafayette Region

- **1,220** cumulative AIDS cases have been diagnosed in Region 4, including **9** pediatric cases.
- **682** persons are currently living with AIDS in Region 4.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	1	<1 %	Black, Non-Hispanic	264	117	381	56 %
13 - 19	1	<1 %	White, Non-Hispanic	239	36	275	40 %
20 - 24	8	1 %	Hispanic	19	0	19	3 %
25 - 29	37	5 %	Asian/Pacific Islander	0	1	1	<1 %
30 - 34	59	9 %	Multi-race	4	2	6	1 %
35 - 39	67	10 %	Total	526	156	682	100 %
40 - 44	139	20 %					
45 - 49	156	23 %					
50 - 54	108	16 %					
55 - 59	65	10 %					
60+	41	6 %					
Total	682	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	236	0	236	52 %
Injection drug use	53	17	70	16 %
Men who have sex with men and inject drugs	32	0	32	7 %
Heterosexual contact	34	72	106	24 %
Transfusion/Hemophilia	3	1	4	1 %
Perinatal	0	3	3	1 %
Total	358	93	451	100 %
<i>No Identified Risk</i>	168	63	231	

Persons Newly Diagnosed with HIV/AIDS**Region 4: Lafayette Region****HIV CASES DIAGNOSED January - December 2008**

- 79 persons were newly diagnosed with HIV in Region 4.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	57	72 %	Black, Non-Hispanic	51	65 %
Women	22	28 %	White, Non-Hispanic	22	28 %
Total	79	100 %	Hispanic	5	6 %
			Multi-race	1	1 %
			Total	79	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	14	18 %	Men who have sex with men	11	42 %
25 - 34	15	19 %	Injection drug use	5	19 %
35 - 44	16	20 %	Heterosexual contact	10	38 %
45+	34	43 %	Total	26	100 %
Total	79	100 %	<i>No Identified Risk</i>	53	

AIDS CASES DIAGNOSED January - December 2008

- 64 persons were newly diagnosed with AIDS in Region 4.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	46	72 %	Black, Non-Hispanic	40	62 %
Women	18	28 %	White, Non-Hispanic	22	34 %
Total	64	100 %	Hispanic	1	2 %
			Asian/Pacific Islander	1	2 %
			Total	64	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	3	5 %	Men who have sex with men	16	57 %
25 - 34	20	31 %	Injection drug use	4	14 %
35 - 44	20	31 %	Men who have sex with men and inject drugs	1	4 %
45+	21	33 %	Heterosexual contact	7	25 %
Total	64	100 %	Total	28	100 %
			<i>No Identified Risk</i>	36	

**Persons Living with HIV/AIDS
Region 5: Lake Charles Region**

- **1,180** cumulative cases have been detected in Region 5, including **9** pediatric cases.
- **430** cumulative deaths among persons in Region 5 with HIV/AIDS have occurred, including **1** pediatric deaths.
- **903** persons are currently living with HIV/AIDS in Region 5.
Persons living with HIV: **410**
Persons living with AIDS: **493**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	3	<1 %	Black, Non-Hispanic	380	142	522	58 %
13 - 19	15	2 %	White, Non-Hispanic	227	60	287	32 %
20 - 24	34	4 %	Hispanic	78	1	79	9 %
25 - 29	60	7 %	Asian/Pacific Islander	4	0	4	<1 %
30 - 34	98	11 %	American Indian	2	1	3	<1 %
35 - 39	114	13 %	Unknown	2	0	2	<1 %
40 - 44	173	19 %	Multi-race	3	3	6	1 %
45 - 49	175	19 %	Total	696	207	903	100 %
50 - 54	127	14 %					
55 - 59	53	6 %					
60+	51	6 %					
Total	903	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	259	0	259	42 %
Injection drug use	95	29	124	20 %
Men who have sex with men and inject drugs	70	0	70	11 %
Heterosexual contact	73	80	153	25 %
Transfusion/Hemophilia	5	1	6	1 %
Perinatal	4	5	9	1 %
Total	506	115	621	100 %
<i>No Identified Risk</i>	<i>190</i>	<i>92</i>	<i>282</i>	

Persons Living with AIDS
Region 5: Lake Charles Region

- **805** cumulative AIDS cases have been diagnosed in Region 5, including **5** pediatric cases.
- **493** persons are currently living with AIDS in Region 5.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	1	<1 %	Black, Non-Hispanic	214	65	279	57 %
13 - 19	5	1 %	White, Non-Hispanic	141	34	175	35 %
20 - 24	9	2 %	Hispanic	34	0	34	7 %
25 - 29	23	5 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	39	8 %	Multi-race	2	1	3	1 %
35 - 39	61	12 %	Total	393	100	493	100 %
40 - 44	111	23 %					
45 - 49	107	22 %					
50 - 54	70	14 %					
55 - 59	36	7 %					
60+	31	6 %					
Total	493	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	164	0	164	43 %
Injection drug use	62	21	83	22 %
Men who have sex with men and inject drugs	45	0	45	12 %
Heterosexual contact	34	43	77	20 %
Transfusion/Hemophilia	4	1	5	1 %
Perinatal	2	2	4	1 %
Total	311	67	378	100 %
<i>No Identified Risk</i>	82	33	115	

**Persons Newly Diagnosed with HIV/AIDS
Region 5: Lake Charles Region**

HIV CASES DIAGNOSED January - December 2008

• 61 persons were newly diagnosed with HIV in Region 5.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	44	72 %	Black, Non-Hispanic	33	54 %
Women	17	28 %	White, Non-Hispanic	23	38 %
Total	61	100 %	Hispanic	4	7 %
			American Indian	1	2 %
			Total	61	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	14	23 %	Men who have sex with men	16	70 %
25 - 34	15	25 %	Injection drug use	2	9 %
35 - 44	17	28 %	Men who have sex with men and inject drugs	1	4 %
45+	15	25 %	Heterosexual contact	4	17 %
Total	61	100 %	Total	23	100 %
			<i>No Identified Risk</i>	38	

AIDS CASES DIAGNOSED January - December 2008

• 40 persons were newly diagnosed with AIDS in Region 5.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	26	65 %	Black, Non-Hispanic	25	62 %
Women	14	35 %	White, Non-Hispanic	13	32 %
Total	40	100 %	Hispanic	2	5 %
			Total	40	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	4	10 %	Men who have sex with men	10	45 %
25 - 34	13	32 %	Injection drug use	3	14 %
35 - 44	11	28 %	Men who have sex with men and inject drugs	1	5 %
45+	12	30 %	Heterosexual contact	7	32 %
Total	40	100 %	Perinatal	1	5 %
			Total	22	100 %
			<i>No Identified Risk</i>	18	

Persons Living with HIV/AIDS

Region 6: Alexandria Region

- **1,216** cumulative cases have been detected in Region 6, including **13** pediatric cases.
- **426** cumulative deaths among persons in Region 6 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **824** persons are currently living with HIV/AIDS in Region 6.
Persons living with HIV: **399**
Persons living with AIDS: **425**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	2	<1 %	Black, Non-Hispanic	389	191	580	70 %
13 - 19	4	<1 %	White, Non-Hispanic	146	50	196	24 %
20 - 24	25	3 %	Hispanic	37	2	39	5 %
25 - 29	73	9 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	108	13 %	American Indian	0	1	1	<1 %
35 - 39	114	14 %	Unknown	1	0	1	<1 %
40 - 44	133	16 %	Multi-race	5	0	5	1 %
45 - 49	142	17 %	Total	580	244	824	100 %
50 - 54	124	15 %					
55 - 59	58	7 %					
60+	41	5 %					
Total	824	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	193	0	193	36 %
Injection drug use	73	34	107	20 %
Men who have sex with men and inject drugs	55	0	55	10 %
Heterosexual contact	64	99	163	31 %
Transfusion/Hemophilia	9	1	10	2 %
Perinatal	4	2	6	1 %
Total	398	136	534	100 %
<i>No Identified Risk</i>	<i>182</i>	<i>108</i>	<i>290</i>	

**Persons Living with AIDS
Region 6: Alexandria Region**

- 752 cumulative AIDS cases have been diagnosed in Region 6, including 4 pediatric cases.
- 425 persons are currently living with AIDS in Region 6.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
13 - 19	1	<1 %	Black, Non-Hispanic	202	79	281	66 %
20 - 24	4	1 %	White, Non-Hispanic	97	30	127	30 %
25 - 29	26	6 %	Hispanic	13	0	13	3 %
30 - 34	42	10 %	Asian/Pacific Islander	1	0	1	<1 %
35 - 39	57	13 %	Multi-race	3	0	3	1 %
40 - 44	81	19 %	Total	316	109	425	100 %
45 - 49	78	18 %					
50 - 54	73	17 %					
55 - 59	38	9 %					
60+	25	6 %					
Total	425	100 %					

<u>Exposure Category</u>				
Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	100	0	100	34 %
Injection drug use	39	21	60	20 %
Men who have sex with men and inject drugs	41	0	41	14 %
Heterosexual contact	34	49	83	28 %
Transfusion/Hemophilia	7	0	7	2 %
Perinatal	1	1	2	1 %
Total	222	71	293	100 %
<i>No Identified Risk</i>	94	38	132	

Persons Newly Diagnosed with HIV/AIDS
Region 6: Alexandria Region

HIV CASES DIAGNOSED January - December 2008

• 48 persons were newly diagnosed with HIV in Region 6.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	35	73 %	Black, Non-Hispanic	27	56 %
Women	13	27 %	White, Non-Hispanic	11	23 %
Total	48	100 %	Hispanic	9	19 %
			Multi-race	1	2 %
			Total	48	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	11	23 %	Men who have sex with men	13	62 %
25 - 34	17	35 %	Injection drug use	1	5 %
35 - 44	8	17 %	Men who have sex with men and inject drugs	2	10 %
45+	12	25 %	Heterosexual contact	5	24 %
Total	48	100 %	Total	21	100 %
			<i>No Identified Risk</i>	27	

AIDS CASES DIAGNOSED January - December 2008

• 37 persons were newly diagnosed with AIDS in Region 6.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	27	73 %	Black, Non-Hispanic	25	68 %
Women	10	27 %	White, Non-Hispanic	8	22 %
Total	37	100 %	Hispanic	3	8 %
			Multi-race	1	3 %
			Total	37	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
25 - 34	13	35 %	Men who have sex with men	6	29 %
35 - 44	12	32 %	Injection drug use	7	33 %
45+	12	32 %	Men who have sex with men and inject drugs	2	10 %
Total	37	100 %	Heterosexual contact	5	24 %
			Transfusion/Hemophilia	1	5 %
			Total	21	100 %
			<i>No Identified Risk</i>	16	

Persons Living with HIV/AIDS
Region 7: Shreveport Region

- **1,940** cumulative cases have been detected in Region 7, including **27** pediatric cases.
- **826** cumulative deaths among persons in Region 7 with HIV/AIDS have occurred, including **10** pediatric deaths.
- **1,425** persons are currently living with HIV/AIDS in Region 7.
Persons living with HIV: **633**
Persons living with AIDS: **792**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	5	<1 %	Black, Non-Hispanic	686	310	996	70 %
13 - 19	22	2 %	White, Non-Hispanic	318	75	393	28 %
20 - 24	87	6 %	Hispanic	16	7	23	2 %
25 - 29	133	9 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	171	12 %	American Indian	5	0	5	<1 %
35 - 39	188	13 %	Unknown	2	1	3	<1 %
40 - 44	228	16 %	Multi-race	2	1	3	<1 %
45 - 49	246	17 %	Total	1,031	394	1,425	100 %
50 - 54	172	12 %					
55 - 59	90	6 %					
60+	83	6 %					
Total	1,425	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	502	0	502	51 %
Injection drug use	73	45	118	12 %
Men who have sex with men and inject drugs	109	0	109	11 %
Heterosexual contact	83	151	234	24 %
Transfusion/Hemophilia	4	4	8	1 %
Perinatal	9	7	16	2 %
Total	780	207	987	100 %
<i>No Identified Risk</i>	<i>251</i>	<i>187</i>	<i>438</i>	

**Persons Living with AIDS
Region 7: Shreveport Region**

- **1,293** cumulative AIDS cases have been diagnosed in Region 7, including **19** pediatric cases.
- **792** persons are currently living with AIDS in Region 7.

Age Category

Current Age	Cases	Percent
0 - 12	2	<1 %
13 - 19	8	1 %
20 - 24	25	3 %
25 - 29	42	5 %
30 - 34	74	9 %
35 - 39	106	13 %
40 - 44	138	17 %
45 - 49	162	20 %
50 - 54	120	15 %
55 - 59	66	8 %
60+	49	6 %
Total	792	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	412	149	561	71 %
White, Non-Hispanic	181	31	212	27 %
Hispanic	11	4	15	2 %
American Indian	2	0	2	<1 %
Multi-race	1	1	2	<1 %
Total	607	185	792	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	288	0	288	49 %
Injection drug use	49	24	73	12 %
Men who have sex with men and inject drugs	67	0	67	11 %
Heterosexual contact	60	81	141	24 %
Transfusion/Hemophilia	3	4	7	1 %
Perinatal	4	5	9	2 %
Total	471	114	585	100 %
<i>No Identified Risk</i>	<i>136</i>	<i>71</i>	<i>207</i>	

**Persons Newly Diagnosed with HIV/AIDS
Region 7: Shreveport Region**

HIV CASES DIAGNOSED January - December 2008

• 117 persons were newly diagnosed with HIV in Region 7.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	80	68 %	Black, Non-Hispanic	95	81 %
Women	37	32 %	White, Non-Hispanic	19	16 %
Total	117	100 %	Hispanic	3	3 %
			Total	117	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	27	23 %	Men who have sex with men	32	59 %
25 - 34	34	29 %	Injection drug use	3	6 %
35 - 44	20	17 %	Men who have sex with men and inject drugs	2	4 %
45+	36	31 %	Heterosexual contact	17	31 %
Total	117	100 %	Total	54	100 %
			<i>No Identified Risk</i>	63	

AIDS CASES DIAGNOSED January - December 2008

• 82 persons were newly diagnosed with AIDS in Region 7.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	60	73 %	Black, Non-Hispanic	60	73 %
Women	22	27 %	White, Non-Hispanic	19	23 %
Total	82	100 %	Hispanic	2	2 %
			Multi-race	1	1 %
			Total	82	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	3	4 %	Men who have sex with men	29	58 %
25 - 34	24	29 %	Injection drug use	6	12 %
35 - 44	22	27 %	Men who have sex with men and inject drugs	2	4 %
45+	33	40 %	Heterosexual contact	11	22 %
Total	82	100 %	Perinatal	2	4 %
			Total	50	100 %
			<i>No Identified Risk</i>	32	

Persons Living with HIV/AIDS
Region 8: Monroe Region

- **1,436** cumulative cases have been detected in Region 8, including **16** pediatric cases.
- **571** cumulative deaths among persons in Region 8 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **945** persons are currently living with HIV/AIDS in Region 8.
Persons living with HIV: **441**
Persons living with AIDS: **504**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	7	1 %	Black, Non-Hispanic	439	292	731	77 %
13 - 19	14	1 %	White, Non-Hispanic	149	46	195	21 %
20 - 24	39	4 %	Hispanic	8	3	11	1 %
25 - 29	97	10 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	130	14 %	American Indian	1	0	1	<1 %
35 - 39	122	13 %	Unknown	1	1	2	<1 %
40 - 44	134	14 %	Multi-race	0	3	3	<1 %
45 - 49	148	16 %	Total	600	345	945	100 %
50 - 54	125	13 %					
55 - 59	69	7 %					
60+	60	6 %					
Total	945	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	268	0	268	44 %
Injection drug use	43	35	78	13 %
Men who have sex with men and inject drugs	40	0	40	7 %
Heterosexual contact	60	148	208	34 %
Transfusion/Hemophilia	3	4	7	1 %
Perinatal	5	8	13	2 %
Total	419	195	614	100 %
<i>No Identified Risk</i>	<i>181</i>	<i>150</i>	<i>331</i>	

**Persons Living with AIDS
Region 8: Monroe Region**

- **927** cumulative AIDS cases have been diagnosed in Region 8, including **7** pediatric cases.
- **504** persons are currently living with AIDS in Region 8.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	1	<1 %	Black, Non-Hispanic	250	130	380	75 %
13 - 19	2	<1 %	White, Non-Hispanic	90	24	114	23 %
20 - 24	9	2 %	Hispanic	5	2	7	1 %
25 - 29	27	5 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	68	13 %	Multi-race	0	1	1	<1 %
35 - 39	67	13 %	Total	347	157	504	100 %
40 - 44	78	15 %					
45 - 49	81	16 %					
50 - 54	85	17 %					
55 - 59	44	9 %					
60+	42	8 %					
Total	504	100 %					

<u>Exposure Category</u>				
Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	150	0	150	44 %
Injection drug use	25	22	47	14 %
Men who have sex with men and inject drugs	28	0	28	8 %
Heterosexual contact	38	74	112	33 %
Transfusion/Hemophilia	2	2	4	1 %
Perinatal	2	0	2	1 %
Total	245	98	343	100 %
<i>No Identified Risk</i>	102	59	161	

**Persons Newly Diagnosed with HIV/AIDS
Region 8: Monroe Region**

HIV CASES DIAGNOSED January - December 2008

• 56 persons were newly diagnosed with HIV in Region 8.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	39	70 %	Black, Non-Hispanic	46	82 %
Women	17	30 %	White, Non-Hispanic	6	11 %
Total	56	100 %	Hispanic	3	5 %
			Asian/Pacific Islander	1	2 %
			Total	56	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	9	16 %	Men who have sex with men	25	74 %
25 - 34	20	36 %	Heterosexual contact	9	26 %
35 - 44	12	21 %	Total	34	100 %
45+	15	27 %			
Total	56	100 %	<i>No Identified Risk</i>	22	

AIDS CASES DIAGNOSED January - December 2008

• 43 persons were newly diagnosed with AIDS in Region 8.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	27	63 %	Black, Non-Hispanic	31	72 %
Women	16	37 %	White, Non-Hispanic	9	21 %
Total	43	100 %	Hispanic	2	5 %
			Asian/Pacific Islander	1	2 %
			Total	43	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	2	5 %	Men who have sex with men	13	57 %
25 - 34	12	28 %	Injection drug use	3	13 %
35 - 44	16	37 %	Men who have sex with men and inject drugs	1	4 %
45+	13	30 %	Heterosexual contact	6	26 %
Total	43	100 %	Total	23	100 %
			<i>No Identified Risk</i>	20	

Persons Living with HIV/AIDS
Region 9: Hammond/Slidell Region

- **1,249** cumulative cases have been detected in Region 9, including **14** pediatric cases.
- **507** cumulative deaths among persons in Region 9 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **927** persons are currently living with HIV/AIDS in Region 9.
 Persons living with HIV: **410**
 Persons living with AIDS: **517**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	7	1 %	Black, Non-Hispanic	298	153	451	49 %
13 - 19	4	<1 %	White, Non-Hispanic	358	89	447	48 %
20 - 24	32	3 %	Hispanic	18	2	20	2 %
25 - 29	57	6 %	Asian/Pacific Islander	1	0	1	<1 %
30 - 34	83	9 %	American Indian	1	0	1	<1 %
35 - 39	137	15 %	Unknown	1	0	1	<1 %
40 - 44	165	18 %	Multi-race	6	0	6	1 %
45 - 49	181	20 %	Total	683	244	927	100 %
50 - 54	129	14 %					
55 - 59	72	8 %					
60+	60	6 %					
Total	927	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	333	0	333	52 %
Injection drug use	66	45	111	17 %
Men who have sex with men and inject drugs	47	0	47	7 %
Heterosexual contact	46	83	129	20 %
Transfusion/Hemophilia	7	0	7	1 %
Perinatal	9	6	15	2 %
Total	508	134	642	100 %
<i>No Identified Risk</i>	<i>175</i>	<i>110</i>	<i>285</i>	

Persons Living with AIDS
Region 9: Hammond/Slidell Region

- **854** cumulative AIDS cases have been diagnosed in Region 9, including **6** pediatric cases.
- **517** persons are currently living with AIDS in Region 9.

Age Category

Current Age	Cases	Percent
20 - 24	8	2 %
25 - 29	17	3 %
30 - 34	34	7 %
35 - 39	70	14 %
40 - 44	103	20 %
45 - 49	119	23 %
50 - 54	78	15 %
55 - 59	45	9 %
60+	43	8 %
Total	517	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	170	70	240	46 %
White, Non-Hispanic	221	41	262	51 %
Hispanic	9	1	10	2 %
American Indian	1	0	1	<1 %
Multi-race	4	0	4	1 %
Total	405	112	517	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	193	0	193	51 %
Injection drug use	50	26	76	20 %
Men who have sex with men and inject drugs	35	0	35	9 %
Heterosexual contact	24	41	65	17 %
Transfusion/Hemophilia	7	0	7	2 %
Perinatal	2	1	3	1 %
Total	311	68	379	100 %
<i>No Identified Risk</i>	<i>94</i>	<i>44</i>	<i>138</i>	

**Persons Newly Diagnosed with HIV/AIDS
Region 9: Hammond/Slidell Region**

HIV CASES DIAGNOSED January - December 2008

• 66 persons were newly diagnosed with HIV in Region 9.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	44	67 %	Black, Non-Hispanic	40	61 %
Women	22	33 %	White, Non-Hispanic	25	38 %
Total	66	100 %	Unknown	1	2 %
			Total	66	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	2 %	Men who have sex with men	19	56 %
13 - 24	6	9 %	Injection drug use	4	12 %
25 - 34	19	29 %	Men who have sex with men and inject drugs	1	3 %
35 - 44	21	32 %	Heterosexual contact	9	26 %
45+	19	29 %	Perinatal	1	3 %
Total	66	100 %	Total	34	100 %
			<i>No Identified Risk</i>	32	

AIDS CASES DIAGNOSED January - December 2008

• 43 persons were newly diagnosed with AIDS in Region 9.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	32	74 %	Black, Non-Hispanic	25	58 %
Women	11	26 %	White, Non-Hispanic	18	42 %
Total	43	100 %	Total	43	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	1	2 %	Men who have sex with men	13	57 %
25 - 34	11	26 %	Injection drug use	3	13 %
35 - 44	17	40 %	Men who have sex with men and inject drugs	2	9 %
45+	14	33 %	Heterosexual contact	4	17 %
Total	43	100 %	Transfusion/Hemophilia	1	4 %
			Total	23	100 %
			<i>No Identified Risk</i>	20	