


Third Quarter 2010

Vol. 8, No. 3



HIV/AIDS Surveillance Program

**DeAnn Gruber, PhD, LCSW**  
*Administrative Director*

**Amy Zapata, MPH**  
*HIV/AIDS Surveillance Program Manager*

Editor/Production:  
**Jessica Fridge**  
**William T. Robinson**

Data Management and Analysis:

**Debbie Wendell, MPH, Ph.D.,** *Coordinator*  
**Jessica Fridge, MSPH,** *Surveillance Data Supervisor*  
**Tania Bechtel,** *Data Manager*  
**Joseph Foxhood,** *Information Systems Developer*  
**George Stephens,** *Computer Technician*  
**Josette Russell,** *Data Manager*

Special Projects:

**William T. Robinson, Ph.D.,** *Biostatistician*  
**Jessica Cole, MPH,** *Perinatal Surveillance Coordinator*

Field Epidemiologists:

**Betsy Shepard, PAC, MPH,** *Epidemiologist Supervisor*

<b>James Hubbard</b>	<b>Region 1</b>	<b>Cheryl Edney, BS MT(ASCP)</b>	<b>Regions 4, 5, 6</b>
<b>Connie Gordon</b>	<b>Regions 1, 3</b>	<b>Gayle Norris, MA</b>	<b>Regions 7, 8</b>
		<b>Gale Terry, LPN</b>	<b>Regions 2, 9</b>

---

**TABLE OF CONTENTS**

<b>Contents</b>	<b>Page</b>
Surveillance Summary	1
Louisiana: Persons Living with HIV/AIDS	2
Persons Living with AIDS	3
Persons newly diagnosed with HIV/AIDS	4
Parish: Persons Living with HIV/AIDS	5
Persons Living with AIDS	6
Metro New Orleans: Persons Living with HIV/AIDS	7
Persons Living with AIDS	8
Persons newly diagnosed with HIV/AIDS	9
Metro Baton Rouge: Persons Living with HIV/AIDS	10
Persons Living with AIDS	11
Persons newly diagnosed with HIV/AIDS	12
Region 1: Persons Living with HIV/AIDS	13
Persons Living with AIDS	14
Persons newly diagnosed with HIV/AIDS	15
Region 2: Persons Living with HIV/AIDS	16
Persons Living with AIDS	17
Persons newly diagnosed with HIV/AIDS	18
Region 3: Persons Living with HIV/AIDS	19
Persons Living with AIDS	20
Persons newly diagnosed with HIV/AIDS	21
Region 4: Persons Living with HIV/AIDS	22
Persons Living with AIDS	23
Persons newly diagnosed with HIV/AIDS	24
Region 5: Persons Living with HIV/AIDS	25
Persons Living with AIDS	26
Persons newly diagnosed with HIV/AIDS	27
Region 6: Persons Living with HIV/AIDS	28
Persons Living with AIDS	29
Persons newly diagnosed with HIV/AIDS	30
Region 7: Persons Living with HIV/AIDS	31
Persons Living with AIDS	32
Persons newly diagnosed with HIV/AIDS	33
Region 8: Persons Living with HIV/AIDS	34
Persons Living with AIDS	35
Persons newly diagnosed with HIV/AIDS	36
Region 9: Persons Living with HIV/AIDS	37
Persons Living with AIDS	38
Persons newly diagnosed with HIV/AIDS	39

## Surveillance Summary

Data in this report includes cases diagnosed with HIV/AIDS and reported as of September 31, 2010<sup>1</sup>.

- As of September 31, 2010, a cumulative total of **30,555** HIV/AIDS cases have been reported in Louisiana, including **316** pediatric cases.
- The cumulative number of deaths among persons diagnosed with HIV/AIDS, reported to the Louisiana Office of Public Health through September 31, 2010, is **12,729** including **102** deaths among pediatric cases.
- A total of **17,944** persons are living with HIV/AIDS in Louisiana; of these individuals, **9,800** persons (55%) have an AIDS diagnosis.
- Among women living with HIV/AIDS, the predominant known mode of transmission is high-risk heterosexual contact followed by injection drug use. Among men living with HIV/AIDS, the predominant mode of transmission is men who have sex with men followed by high-risk heterosexual contact.
- The primary risk factor for new HIV diagnoses in Louisiana is men who have sex with men (MSM). In 2009, of the persons who reported a risk factor, 54% reported being MSM, and an additional 3% reported being MSM and an injection drug user (IDU). As of September 31, 2010, 48% of all people living with HIV infection in Louisiana were MSM.
- Nationally, Louisiana ranked **4<sup>th</sup>** highest in AIDS case rates and **11<sup>th</sup>** in the number of AIDS cases diagnosed in 2008, according to the *CDC 2008 HIV Surveillance Report (Vol. 20)*.
- The Baton Rouge metropolitan area ranked **2<sup>nd</sup>** for AIDS case rates among the largest metropolitan areas in the U.S. in 2008; the New Orleans metropolitan area ranked **3<sup>rd</sup>**.
- In 2009, **1,220** new HIV cases were diagnosed in Louisiana. Of these cases, **32%** (n=389) occurred in Region 1 (New Orleans) and **25%** (n=308) occurred in Region 2 (Baton Rouge).
- In 2009, **791** new AIDS cases were diagnosed in Louisiana. Of these cases, **30%** (n=238) occurred in Region 1 (New Orleans) and **25%** (n=201) occurred in Region 2 (Baton Rouge).
- In Louisiana, **33%** of new HIV cases and **31%** of new AIDS cases are among women.
- HIV continues to disproportionately affect African Americans in Louisiana. In 2009, **75%** of newly diagnosed HIV cases and **76%** of newly diagnosed AIDS cases were among African Americans.

<sup>1</sup>Please note: This report reflects only information reported to Louisiana's HIV/AIDS surveillance system and information on persons living with HIV/AIDS (PLWH/A) may not be accurate due to population changes resulting from Hurricane Katrina. In March 2006, the Louisiana Office of Public Health HIV/AIDS Program (OPH-HAP) published the Louisiana HIV/AIDS Surveillance First Quarter 2006 report. In addition to the HIV/AIDS surveillance information, as presented here, this report contained a description of two methodologies used to estimate the impact of Hurricane Katrina on the number of PLWH/A in the New Orleans metropolitan area (see <http://www.dhh.louisiana.gov/offices/publications/pubs-264/1st%20Quarter%202006.pdf> for the full report). Updated estimates were provided in the 2006 Third Quarter Report at: <http://www.dhh.louisiana.gov/offices/publications/pubs-264/Third%20Quarter%202006.pdf>. Additional updated population estimates were presented at the February 2007 Statewide HIV/AIDS Meeting. This presentation can be found at: <http://www.dhh.louisiana.gov/offices/page.asp?ID=264&Detail=7584>. Updated estimates were also presented in the 2005-2006 Annual Report located at <http://www.dhh.louisiana.gov/offices/reports.asp?ID=264&Detail=261>.

More recent estimates indicate that as much as 84% of the pre-Katrina PLWH/A may now be living within the metropolitan area.

**Persons Living with HIV/AIDS**  
**Louisiana**  
**as of September 31, 2010**

- **30,555** cumulative cases have been detected in Louisiana, including **316** pediatric cases.
- **12,729** cumulative deaths among persons with HIV/AIDS have occurred in Louisiana, including **102** pediatric deaths.
- **17,944** persons are currently living with HIV/AIDS in Louisiana.  
 Persons living with HIV: **8,144**  
 Persons living with AIDS: **9,800**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	78	<1 %	Black, Non-Hispanic	7,621	4,408	12,029	67 %
13 - 19	149	1 %	White, Non-Hispanic	4,302	769	5,071	28 %
20 - 24	792	4 %	Hispanic	534	117	651	4 %
25 - 29	1,455	8 %	Asian/Pacific Islander	47	12	59	<1 %
30 - 34	1,987	11 %	American Indian	24	5	29	<1 %
35 - 39	2,148	12 %	Unknown	18	6	24	<1 %
40 - 44	2,650	15 %	Multi-race	57	24	81	<1 %
45 - 49	3,222	18 %	<b>Total</b>	<b>12,603</b>	<b>5,341</b>	<b>17,944</b>	<b>100 %</b>
50 - 54	2,521	14 %					
55 - 59	1,573	9 %					
60+	1,369	8 %					
<b>Total</b>	<b>17,944</b>	<b>100 %</b>					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	5,646	0	5,646	48 %
Injection drug use	1,199	706	1,905	16 %
Men who have sex with men and inject drugs	888	0	888	8 %
Heterosexual contact	967	1,989	2,956	25 %
Transfusion/Hemophilia	63	37	100	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	93	94	187	2 %
<b>Total</b>	<b>8,856</b>	<b>2,827</b>	<b>11,683</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>3,747</i>	<i>2,514</i>	<i>6,261</i>	



**Persons Newly Diagnosed with HIV/AIDS  
Louisiana**

**HIV CASES DIAGNOSED January - December 2009**

• 1,220 persons were newly diagnosed with HIV in Louisiana.

<b>Gender</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	823	67 %	Black, Non-Hispanic	921	75 %
Women	397	33 %	White, Non-Hispanic	221	18 %
<b>Total</b>	<b>1,220</b>	<b>100 %</b>	Hispanic	60	5 %
			Asian/Pacific Islander	6	<1 %
			American Indian	5	<1 %
			Unknown	3	<1 %
			Multi-race	4	<1 %
			<b>Total</b>	<b>1,220</b>	<b>100 %</b>

<b>Age at Detection</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk:</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	5	<1 %	Men who have sex with men	363	54 %
13 - 24	278	23 %	Injection drug use	78	12 %
25 - 34	370	30 %	Men who have sex with men and inject drugs	17	3 %
35 - 44	249	20 %	Heterosexual contact	204	31 %
45+	318	26 %	Perinatal	5	1 %
<b>Total</b>	<b>1,220</b>	<b>100 %</b>	<b>Total</b>	<b>667</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>553</i>	

**AIDS CASES DIAGNOSED January - December 2009**

• 791 persons were newly diagnosed with AIDS in Louisiana.

<b>Gender</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	547	69 %	Black, Non-Hispanic	600	76 %
Women	244	31 %	White, Non-Hispanic	137	17 %
<b>Total</b>	<b>791</b>	<b>100 %</b>	Hispanic	38	5 %
			Asian/Pacific Islander	1	<1 %
			American Indian	4	1 %
			Unknown	1	<1 %
			Multi-race	10	1 %
			<b>Total</b>	<b>791</b>	<b>100 %</b>

<b>Age at Diagnosis</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk:</b>	<b>Cases</b>	<b>Percent</b>
13 - 24	73	9 %	Men who have sex with men	233	49 %
25 - 34	224	28 %	Injection drug use	80	17 %
35 - 44	206	26 %	Men who have sex with men and inject drugs	23	5 %
45+	288	36 %	Heterosexual contact	141	29 %
<b>Total</b>	<b>791</b>	<b>100 %</b>	Transfusion/Hemophilia	2	<1 %
			<b>Total</b>	<b>479</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>312</i>	

**Persons Living with HIV/AIDS by Parish  
as of September 31, 2010**

**Third Quarter 2010**

<b><u>Parish</u></b>	<b><u>Living Cases</u></b>	<b><u>Parish</u></b>	<b><u>Living Cases</u></b>
Acadia	95	Sabine	22
Allen	237	St. Bernard	118
Ascension	181	St. Charles	91
Assumption	21	St. Helena	17
Avoyelles	155	St. James	60
Beauregard	41	St. John the Baptist	120
Bienville	31	St. Landry	249
Bossier	164	St. Martin	102
Caddo	937	St. Mary	83
Calcasieu	626	St. Tammany	342
Caldwell	17	Tangipahoa	319
Cameron	4	Tensas	36
Catahoula	24	Terrebonne	192
Claiborne	71	Union	41
Concordia	42	Vermilion	85
De Soto	52	Vernon	49
East Baton Rouge	3,385	Washington	176
East Carroll	40	Webster	51
East Feliciana	151	West Baton Rouge	109
Evangeline	56	West Carroll	11
Franklin	29	West Feliciana	148
Grant	30	Winn	79
Iberia	111		
Iberville	350		
Jackson	37		
Jefferson	1,644		
Jefferson Davis	54		
La Salle	27		
Lafayette	629		
Lafourche	110		
Lincoln	65		
Livingston	156		
Madison	56		
Morehouse	60		
Natchitoches	105		
Orleans	4,560		
Ouachita	543		
Plaquemines	33		
Pointe Coupee	46		
Rapides	416		
Red River	8		
Richland	43		
		<b>Total</b>	<b>17,944</b>



**Persons Living with AIDS by Parish  
as of September 31, 2010**

**Third Quarter 2010**

<b><u>Parish</u></b>	<b><u>Living Cases</u></b>	<b><u>Parish</u></b>	<b><u>Living Cases</u></b>
Acadia	51	Sabine	16
Allen	114	St. Bernard	73
Ascension	97	St. Charles	54
Assumption	15	St. Helena	10
Avoyelles	85	St. James	30
Beauregard	26	St. John the Baptist	66
Bienville	14	St. Landry	146
Bossier	93	St. Martin	60
Caddo	498	St. Mary	52
Calcasieu	366	St. Tammany	197
Caldwell	10	Tangipahoa	172
Cameron	2	Tensas	18
Catahoula	15	Terrebonne	111
Claiborne	36	Union	26
Concordia	21	Vermilion	52
De Soto	31	Vernon	25
East Baton Rouge	1,809	Washington	97
East Carroll	25	Webster	25
East Feliciana	84	West Baton Rouge	66
Evangeline	32	West Carroll	7
Franklin	13	West Feliciana	97
Grant	16	Winn	40
Iberia	62		
Iberville	199		
Jackson	23		
Jefferson	907		
Jefferson Davis	30		
La Salle	17		
Lafayette	330		
Lafourche	72		
Lincoln	32		
Livingston	89		
Madison	28		
Morehouse	32		
Natchitoches	59		
Orleans	2,454		
Ouachita	287		
Plaquemines	22		
Pointe Coupee	30		
Rapides	200		
Red River	7		
Richland	26		
		<b>Total</b>	<b>9,800</b>

**Persons Living with HIV/AIDS**  
**Metro New Orleans**  
**as of September 31, 2010**

*Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes*

- **14,469** cumulative cases have been detected in the New Orleans MSA, including 153 pediatric cases.
- **6,107** cumulative deaths among persons with HIV/AIDS have occurred in the New Orleans MSA, including 51 pediatric deaths
- **6,968** persons are currently living with HIV/AIDS in the New Orleans MSA.  
 Persons living with HIV: **3,165**  
 Persons living with AIDS: **3,803**

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
0 - 12	29	<1 %	Black, Non-Hispanic	2,651	1,495	4,146	60 %
13 - 19	53	1 %	White, Non-Hispanic	2,151	234	2,385	34 %
20 - 24	277	4 %	Hispanic	271	83	354	5 %
25 - 29	473	7 %	Asian/Pacific Islander	30	7	37	1 %
30 - 34	672	10 %	American Indian	7	0	7	<1 %
35 - 39	789	11 %	Unknown	8	2	10	<1 %
40 - 44	1,026	15 %	Multi-race	22	7	29	<1 %
45 - 49	1,297	19 %	<b>Total</b>	<b>5,140</b>	<b>1,828</b>	<b>6,968</b>	<b>100 %</b>
50 - 54	1,013	15 %					
55 - 59	693	10 %					
60+	646	9 %					
<b>Total</b>	<b>6,968</b>	<b>100 %</b>					

**Exposure Category**

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	2,601	0	2,601	57 %
Injection drug use	367	237	604	13 %
Men who have sex with men and inject drugs	342	0	342	7 %
Heterosexual contact	279	645	924	20 %
Transfusion/Hemophilia	26	19	45	1 %
Perinatal	29	40	69	2 %
<b>Total</b>	<b>3,644</b>	<b>941</b>	<b>4,585</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>1,496</i>	<i>887</i>	<i>2,383</i>	

**Persons Living with AIDS  
Metro New Orleans  
as of September 31, 2010**

*Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes*

• **9,935** cumulative AIDS cases have been diagnosed in the New Orleans MSA, including **71** pediatric cases.

• **3,803** persons are currently living with AIDS in the New Orleans MSA.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	5	<1 %	Black, Non-Hispanic	1,436	762	2,198	58 %
13 - 19	14	<1 %	White, Non-Hispanic	1,249	97	1,346	35 %
20 - 24	67	2 %	Hispanic	164	56	220	6 %
25 - 29	157	4 %	Asian/Pacific Islander	11	3	14	<1 %
30 - 34	267	7 %	American Indian	4	0	4	<1 %
35 - 39	410	11 %	Unknown	2	0	2	<1 %
40 - 44	585	15 %	Multi-race	15	4	19	<1 %
45 - 49	804	21 %	<b>Total</b>	2,881	922	3,803	100 %
50 - 54	633	17 %					
55 - 59	444	12 %					
60+	417	11 %					
<b>Total</b>	3,803	100 %					

**Exposure Category**

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	559	0	559	34 %
Injection drug use	293	144	437	27 %
Men who have sex with men and inject drugs	136	0	136	8 %
Heterosexual contact	152	317	469	29 %
Transfusion/Hemophilia	5	7	12	1 %
Perinatal	7	4	11	1 %
<b>Total</b>	1,152	472	1,624	100 %
<i>No Identified Risk</i>	714	402	1,116	

**Persons Newly Diagnosed with HIV/AIDS  
Metro New Orleans**

*Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes*

**HIV CASES DIAGNOSED January - December 2009**

- 432 persons were newly diagnosed with HIV in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	315	73 %	Black, Non-Hispanic	300	69 %
Women	117	27 %	White, Non-Hispanic	88	20 %
<b>Total</b>	<b>432</b>	<b>100 %</b>	Hispanic	35	8 %
			Asian/Pacific Islander	4	1 %
			American Indian	2	<1 %
			Unknown	1	<1 %
			Multi-race	2	<1 %
			<b>Total</b>	<b>432</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	3	1 %	Men who have sex with men	146	61 %
13 - 24	100	23 %	Injection drug use	21	9 %
25 - 34	138	32 %	Men who have sex with men and inject drugs	5	2 %
35 - 44	92	21 %	Heterosexual contact	64	27 %
45+	99	23 %	Perinatal	3	1 %
<b>Total</b>	<b>432</b>	<b>100 %</b>	<b>Total</b>	<b>239</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>193</i>	

**AIDS CASES DIAGNOSED January - December 2009**

- 264 persons were newly diagnosed with AIDS in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	195	74 %	Black, Non-Hispanic	177	67 %
Women	69	26 %	White, Non-Hispanic	51	19 %
<b>Total</b>	<b>264</b>	<b>100 %</b>	Hispanic	25	9 %
			Asian/Pacific Islander	1	<1 %
			American Indian	3	1 %
			Unknown	1	<1 %
			Multi-race	6	2 %
			<b>Total</b>	<b>264</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	23	9 %	Men who have sex with men	87	54 %
25 - 34	69	26 %	Injection drug use	26	16 %
35 - 44	78	30 %	Men who have sex with men and inject drugs	11	7 %
45+	94	36 %	Heterosexual contact	38	23 %
<b>Total</b>	<b>264</b>	<b>100 %</b>	<b>Total</b>	<b>162</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>102</i>	



**Persons Living with AIDS**  
**Metro Baton Rouge**  
**as of September 31, 2010**

*Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes*

- **4,658** cumulative AIDS cases have been diagnosed in the Baton Rouge MSA, including **24** pediatric cases.
- **2,481** persons are currently living with AIDS in the Baton Rouge MSA.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
13 - 19	10	<1 %	Black, Non-Hispanic	1,253	771	2,024	82 %
20 - 24	65	3 %	White, Non-Hispanic	344	71	415	17 %
25 - 29	166	7 %	Hispanic	22	6	28	1 %
30 - 34	241	10 %	Asian/Pacific Islander	2	0	2	<1 %
35 - 39	318	13 %	American Indian	2	0	2	<1 %
40 - 44	377	15 %	Unknown	1	0	1	<1 %
45 - 49	471	19 %	Multi-race	8	1	9	<1 %
50 - 54	380	15 %	<b>Total</b>	1,632	849	2,481	100 %
55 - 59	252	10 %					
60+	201	8 %					
<b>Total</b>	2,481	100 %					

**Exposure Category**

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	559	0	559	34 %
Injection drug use	293	144	437	27 %
Men who have sex with men and inject drugs	136	0	136	8 %
Heterosexual contact	152	317	469	29 %
Transfusion/Hemophilia	5	7	12	1 %
Perinatal	7	4	11	1 %
<b>Total</b>	1,152	472	1,624	100 %
<i>No Identified Risk</i>	480	377	857	

**Persons Newly Diagnosed with HIV/AIDS  
Metro Baton Rouge**

*Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes*

**HIV CASES DIAGNOSED January - December 2009**

• 329 persons were newly diagnosed with HIV in the Baton Rouge MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	205	62 %	Black, Non-Hispanic	282	86 %
Women	124	38 %	White, Non-Hispanic	40	12 %
<b>Total</b>	<b>329</b>	<b>100 %</b>	Hispanic	4	1 %
			Asian/Pacific Islander	2	1 %
			Multi-race	1	<1 %
			<b>Total</b>	<b>329</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	<1 %	Men who have sex with men	81	44 %
13 - 24	88	27 %	Injection drug use	29	16 %
25 - 34	94	29 %	Men who have sex with men and inject drugs	3	2 %
35 - 44	62	19 %	Heterosexual contact	69	38 %
45+	84	26 %	Perinatal	1	1 %
<b>Total</b>	<b>329</b>	<b>100 %</b>	<b>Total</b>	<b>183</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>146</i>	

**AIDS CASES DIAGNOSED January - December 2009**

• 214 persons were newly diagnosed with AIDS in the Baton Rouge MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	132	62 %	Black, Non-Hispanic	184	86 %
Women	82	38 %	White, Non-Hispanic	28	13 %
<b>Total</b>	<b>214</b>	<b>100 %</b>	Hispanic	2	1 %
			<b>Total</b>	<b>214</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	23	11 %	Men who have sex with men	47	39 %
25 - 34	66	31 %	Injection drug use	29	24 %
35 - 44	48	22 %	Men who have sex with men and inject drugs	6	5 %
45+	77	36 %	Heterosexual contact	40	33 %
<b>Total</b>	<b>214</b>	<b>100 %</b>	<b>Total</b>	<b>122</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>92</i>	

## Persons Living with HIV/AIDS

### Region 1: New Orleans Region

as of September 31, 2010

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

- **13,617** cumulative cases have been detected in Region 1, including **137** pediatric cases.
- **5,749** cumulative deaths among persons in Region 1 with HIV/AIDS have occurred, including **46** pediatric deaths.
- **6,355** persons are currently living with HIV/AIDS in Region 1.  
Persons living with HIV: **2,899**  
Persons living with AIDS: **3,456**

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
0 - 12	21	<1 %	Black, Non-Hispanic	2,467	1,380	3,847	61 %
13 - 19	42	1 %	White, Non-Hispanic	1,906	185	2,091	33 %
20 - 24	252	4 %	Hispanic	260	78	338	5 %
25 - 29	432	7 %	Asian/Pacific Islander	29	7	36	1 %
30 - 34	618	10 %	American Indian	7	0	7	<1 %
35 - 39	714	11 %	Unknown	7	2	9	<1 %
40 - 44	924	15 %	Multi-race	20	7	27	<1 %
45 - 49	1,179	19 %	<b>Total</b>	<b>4,696</b>	<b>1,659</b>	<b>6,355</b>	<b>100 %</b>
50 - 54	929	15 %					
55 - 59	649	10 %					
60+	595	9 %					
<b>Total</b>	<b>6,355</b>	<b>100 %</b>					

### Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	2,361	0	2,361	57 %
Injection drug use	339	217	556	13 %
Men who have sex with men and inject drugs	323	0	323	8 %
Heterosexual contact	252	583	835	20 %
Transfusion/Hemophilia	23	18	41	1 %
Perinatal	23	31	54	1 %
<b>Total</b>	<b>3,321</b>	<b>849</b>	<b>4,170</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>1,375</i>	<i>810</i>	<i>2,185</i>	



**Persons Living with AIDS  
Region 1: New Orleans Region  
as of September 31, 2010**

*Jefferson, Orleans, Plaquemines, St. Bernard Parishes*

• **9,323** cumulative AIDS cases have been diagnosed in Region 1, including **63** pediatric cases.

• **3,456** persons are currently living with AIDS in Region 1.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	5	<1 %	Black, Non-Hispanic	1,323	707	2,030	59 %
13 - 19	11	<1 %	White, Non-Hispanic	1,104	74	1,178	34 %
20 - 24	62	2 %	Hispanic	158	52	210	6 %
25 - 29	145	4 %	Asian/Pacific Islander	11	3	14	<1 %
30 - 34	240	7 %	American Indian	4	0	4	<1 %
35 - 39	371	11 %	Unknown	2	0	2	<1 %
40 - 44	524	15 %	Multi-race	14	4	18	1 %
45 - 49	726	21 %	<b>Total</b>	2,616	840	3,456	100 %
50 - 54	578	17 %					
55 - 59	415	12 %					
60+	379	11 %					
<b>Total</b>	3,456	100 %					

**Exposure Category**

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	1,357	0	1,357	56 %
Injection drug use	218	121	339	14 %
Men who have sex with men and inject drugs	215	0	215	9 %
Heterosexual contact	159	331	490	20 %
Transfusion/Hemophilia	14	10	24	1 %
Perinatal	7	11	18	1 %
<b>Total</b>	1,970	473	2,443	100 %
<i>No Identified Risk</i>	646	367	1,013	

## Persons Newly Diagnosed with HIV/AIDS

### Region 1: New Orleans Region

*Jefferson, Orleans, Plaquemines, St. Bernard Parishes*

#### HIV CASES DIAGNOSED January - December 2009

- 389 persons were newly diagnosed with HIV in Region 1.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	284	73 %	Black, Non-Hispanic	270	69 %
Women	105	27 %	White, Non-Hispanic	75	19 %
<b>Total</b>	<b>389</b>	<b>100 %</b>	Hispanic	35	9 %
			Asian/Pacific Islander	4	1 %
			American Indian	2	1 %
			Unknown	1	<1 %
			Multi-race	2	1 %
			<b>Total</b>	<b>389</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	2	1 %	Men who have sex with men	130	60 %
13 - 24	88	23 %	Injection drug use	18	8 %
25 - 34	128	33 %	Men who have sex with men and inject drugs	5	2 %
35 - 44	84	22%	Heterosexual contact	61	28 %
45+	87	22 %	Perinatal	2	1 %
<b>Total</b>	<b>389</b>	<b>100 %</b>	<b>Total</b>	<b>216</b>	<b>100 %</b>

*No Identified Risk* 173

#### AIDS CASES DIAGNOSED January - December 2009

- 238 persons were newly diagnosed with AIDS in Region 1.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	177	74 %	Black, Non-Hispanic	160	67 %
Women	61	26 %	White, Non-Hispanic	42	18 %
<b>Total</b>	<b>238</b>	<b>100 %</b>	Hispanic	25	11 %
			Asian/Pacific Islander	1	<1 %
			American Indian	3	1 %
			Unknown	1	<1 %
			Multi-race	6	3 %
			<b>Total</b>	<b>238</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	20	8 %	Men who have sex with men	77	53 %
25 - 34	66	28 %	Injection drug use	21	14 %
35 - 44	69	29 %	Men who have sex with men and inject drugs	11	8 %
45+	83	35 %	Heterosexual contact	36	25 %
<b>Total</b>	<b>238</b>	<b>100 %</b>	<b>Total</b>	<b>145</b>	<b>100 %</b>

*No Identified Risk* 93

**Persons Living with HIV/AIDS****Region 2: Baton Rouge Region****as of September 31, 2010***Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes*

- **6,699** cumulative cases have been detected in Region 2, including **67** pediatric cases.
- **2,767** cumulative deaths among persons in Region 2 with HIV/AIDS have occurred, including **16** pediatric deaths.
- **4,370** persons are currently living with HIV/AIDS in Region 2.  
Persons living with HIV: **1,988**  
Persons living with AIDS: **2,382**

**Age Category**

<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	26	1 %
13 - 19	35	1 %
20 - 24	219	5 %
25 - 29	430	10 %
30 - 34	536	12 %
35 - 39	565	13 %
40 - 44	611	14 %
45 - 49	716	16 %
50 - 54	573	13 %
55 - 59	354	8 %
60+	305	7 %
<b>Total</b>	<b>4,370</b>	<b>100 %</b>

**Race/Ethnicity**

	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Black, Non-Hispanic	2,150	1,498	3,648	83 %
White, Non-Hispanic	525	123	648	15 %
Hispanic	38	11	49	1 %
Asian/Pacific Islander	5	1	6	<1 %
American Indian	2	0	2	<1 %
Unknown	2	1	3	<1 %
Multi-race	12	2	14	<1 %
<b>Total</b>	<b>2,734</b>	<b>1,636</b>	<b>4,370</b>	<b>100 %</b>

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	944	0	944	36 %
Injection drug use	391	235	626	24 %
Men who have sex with men and inject drugs	180	0	180	7 %
Heterosexual contact	269	560	829	31 %
Transfusion/Hemophilia	7	9	16	1 %
Perinatal	29	23	52	2 %
<b>Total</b>	<b>1,820</b>	<b>827</b>	<b>2,647</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>914</i>	<i>809</i>	<i>1,723</i>	

**Persons Living with AIDS  
Region 2: Baton Rouge Region  
as of September 31, 2010**

*Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes*

- **4,506** cumulative AIDS cases have been diagnosed in Region 2, including **22** pediatric cases.
- **2,382** persons are currently living with AIDS in Region 2.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
13 - 19	10	<1 %	Black, Non-Hispanic	1,231	761	1,992	84 %
20 - 24	64	3 %	White, Non-Hispanic	295	55	350	15 %
25 - 29	161	7 %	Hispanic	21	6	27	1 %
30 - 34	234	10 %	Asian/Pacific Islander	2	0	2	<1 %
35 - 39	306	13 %	American Indian	2	0	2	<1 %
40 - 44	361	15 %	Multi-race	8	1	9	<1 %
45 - 49	448	19 %	<b>Total</b>	<b>1,559</b>	<b>823</b>	<b>2,382</b>	<b>100 %</b>
50 - 54	362	15 %					
55 - 59	243	10 %					
60+	193	8 %					
<b>Total</b>	<b>2,382</b>	<b>100 %</b>					

**Exposure Category**

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	527	0	527	34 %
Injection drug use	278	139	417	27 %
Men who have sex with men and inject drugs	131	0	131	8 %
Heterosexual contact	147	307	454	29 %
Transfusion/Hemophilia	4	7	11	1 %
Perinatal	6	3	9	1 %
<b>Total</b>	<b>1,093</b>	<b>456</b>	<b>1,549</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>466</i>	<i>367</i>	<i>833</i>	

**Persons Newly Diagnosed with HIV/AIDS****Region 2: Baton Rouge Region***Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes***HIV CASES DIAGNOSED January - December 2009**

- 308 persons were newly diagnosed with HIV in Region 2.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	193	63 %	Black, Non-Hispanic	273	89 %
Women	115	37 %	White, Non-Hispanic	28	9 %
<b>Total</b>	<b>308</b>	<b>100 %</b>	Hispanic	4	1 %
			Asian/Pacific Islander	2	1 %
			Multi-race	1	<1 %
			<b>Total</b>	<b>308</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	<1 %	Men who have sex with men	75	45 %
13 - 24	86	28 %	Injection drug use	29	17 %
25 - 34	88	29 %	Men who have sex with men and inject drugs	2	1 %
35 - 44	56	18 %	Heterosexual contact	60	36 %
45+	77	25 %	Perinatal	1	1 %
<b>Total</b>	<b>308</b>	<b>100 %</b>	<b>Total</b>	<b>167</b>	<b>100 %</b>

			<i>No Identified Risk</i>	<i>141</i>	
--	--	--	---------------------------	------------	--

**AIDS CASES DIAGNOSED January - December 2009**

- 201 persons were newly diagnosed with AIDS in Region 2.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	124	62 %	Black, Non-Hispanic	179	89 %
Women	77	38 %	White, Non-Hispanic	20	10 %
<b>Total</b>	<b>201</b>	<b>100 %</b>	Hispanic	2	1 %
			<b>Total</b>	<b>201</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	23	11 %	Men who have sex with men	44	39 %
25 - 34	63	31 %	Injection drug use	29	25 %
35 - 44	44	22 %	Men who have sex with men and inject drugs	5	4 %
45+	71	35 %	Heterosexual contact	36	32 %
<b>Total</b>	<b>201</b>	<b>100 %</b>	<b>Total</b>	<b>114</b>	<b>100 %</b>

			<i>No Identified Risk</i>	<i>87</i>	
--	--	--	---------------------------	-----------	--

**Persons Living with HIV/AIDS****Region 3: Houma Region****as of September 31, 2010***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes*

- **984** cumulative cases have been detected in Region 3, including **16** pediatric cases.
- **444** cumulative deaths among persons in Region 3 with HIV/AIDS have occurred, including **8** pediatric deaths.
- **677** persons are currently living with HIV/AIDS in Region 3.  
Persons living with HIV: **277**  
Persons living with AIDS: **400**

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
0 - 12	4	1 %	Black, Non-Hispanic	234	160	394	58 %
13 - 19	13	2 %	White, Non-Hispanic	209	46	255	38 %
20 - 24	32	5 %	Hispanic	12	4	16	2 %
25 - 29	66	10 %	Asian/Pacific Islander	1	1	2	<1 %
30 - 34	77	11 %	American Indian	1	2	3	<1 %
35 - 39	79	12 %	Unknown	1	1	2	<1 %
40 - 44	103	15 %	Multi-race	3	2	5	1 %
45 - 49	115	17 %	<b>Total</b>	461	216	677	100 %
50 - 54	84	12 %					
55 - 59	59	9 %					
60+	45	7 %					
<b>Total</b>	677	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	239	0	239	52 %
Injection drug use	40	23	63	14 %
Men who have sex with men and inject drugs	15	0	15	3 %
Heterosexual contact	33	93	126	28 %
Transfusion/Hemophilia	0	1	1	<1 %
Perinatal	6	6	12	3 %
<b>Total</b>	333	123	456	100 %
<i>No Identified Risk</i>	128	93	221	

**Persons Living with AIDS****Region 3: Houma Region****as of September 31, 2010***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes*

• **730** cumulative AIDS cases have been diagnosed in Region 3, including **9** pediatric cases.

• **400** persons are currently living with AIDS in Region 3.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>		<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
13 - 19	4	1 %	Black, Non-Hispanic	152	86	238	60 %
20 - 24	10	2 %	White, Non-Hispanic	118	27	145	36 %
25 - 29	24	6 %	Hispanic	7	3	10	2 %
30 - 34	40	10 %	Asian/Pacific Islander	0	1	1	<1 %
35 - 39	39	10 %	American Indian	0	2	2	<1 %
40 - 44	69	17 %	Multi-race	2	2	4	1 %
45 - 49	74	18 %	<b>Total</b>	279	121	400	100 %
50 - 54	63	16 %					
55 - 59	42	10 %					
60+	35	9 %					
<b>Total</b>	400	100 %					

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	144	0	144	51 %
Injection drug use	29	17	46	16 %
Men who have sex with men and inject drugs	10	0	10	4 %
Heterosexual contact	22	52	74	26 %
Transfusion/Hemophilia	0	1	1	<1 %
Perinatal	2	3	5	2 %
<b>Total</b>	207	73	280	100 %
<i>No Identified Risk</i>	72	48	120	

**Persons Newly Diagnosed with HIV/AIDS****Region 3: Houma Region***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes***HIV CASES DIAGNOSED January - December 2009**

- 40 persons were newly diagnosed with HIV in Region 3.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	29	72 %	Black, Non-Hispanic	30	75 %
Women	11	28 %	White, Non-Hispanic	7	18 %
<b>Total</b>	<b>40</b>	<b>100 %</b>	Hispanic	1	2 %
			American Indian	1	2 %
			Unknown	1	2 %
			<b>Total</b>	<b>40</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	10	25 %	Men who have sex with men	11	61 %
25 - 34	10	25 %	Injection drug use	3	17 %
35 - 44	9	22 %	Heterosexual contact	4	22 %
45+	11	28 %	<b>Total</b>	<b>18</b>	<b>100 %</b>
<b>Total</b>	<b>40</b>	<b>100 %</b>	<i>No Identified Risk</i>	<b>22</b>	

**AIDS CASES DIAGNOSED January - December 2009**

- 33 persons were newly diagnosed with AIDS in Region 3.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	24	73 %	Black, Non-Hispanic	23	70 %
Women	9	27 %	White, Non-Hispanic	9	27 %
<b>Total</b>	<b>33</b>	<b>100 %</b>	Hispanic	1	3 %
			<b>Total</b>	<b>33</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	6	18 %	Men who have sex with men	11	55 %
25 - 34	8	24 %	Injection drug use	4	20 %
35 - 44	10	30 %	Heterosexual contact	5	25 %
45+	9	27 %	<b>Total</b>	<b>20</b>	<b>100 %</b>
<b>Total</b>	<b>33</b>	<b>100 %</b>	<i>No Identified Risk</i>	<b>13</b>	



**Persons Living with HIV/AIDS****Region 4: Lafayette Region****as of September 31, 2010***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes*

- **1,927** cumulative cases have been detected in Region 4, including **16** pediatric cases.
- **848** cumulative deaths among persons in Region 4 with HIV/AIDS have occurred, including **9** pediatric deaths.
- **1,327** persons are currently living with HIV/AIDS in Region 4.  
Persons living with HIV: **594**  
Persons living with AIDS: **733**

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
0 - 12	3	<1 %	Black, Non-Hispanic	517	240	757	57 %
13 - 19	13	1 %	White, Non-Hispanic	413	87	500	38 %
20 - 24	51	4 %	Hispanic	48	3	51	4 %
25 - 29	98	7 %	Asian/Pacific Islander	0	2	2	<1 %
30 - 34	127	10 %	American Indian	2	1	3	<1 %
35 - 39	147	11 %	Unknown	2	0	2	<1 %
40 - 44	194	15 %	Multi-race	8	4	12	1 %
45 - 49	279	21 %	<b>Total</b>	990	337	1,327	100 %
50 - 54	209	16 %					
55 - 59	123	9 %					
60+	83	6 %					
<b>Total</b>	1,327	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	441	0	441	53 %
Injection drug use	77	37	114	14 %
Men who have sex with men and inject drugs	49	0	49	6 %
Heterosexual contact	59	144	203	25 %
Transfusion/Hemophilia	5	1	6	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	6	6	12	1 %
<b>Total</b>	637	189	826	100 %
<i>No Identified Risk</i>	353	148	501	

**Persons Living with AIDS****Region 4: Lafayette Region****as of September 31, 2010***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes*

• **1,281** cumulative AIDS cases have been diagnosed in Region 4, including **9** pediatric cases.

• **733** persons are currently living with AIDS in Region 4.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>		<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
0 - 12	1	<1 %	Black, Non-Hispanic	285	127	412	56 %
13 - 19	2	<1 %	White, Non-Hispanic	252	38	290	40 %
20 - 24	9	1 %	Hispanic	24	0	24	3 %
25 - 29	36	5 %	Asian/Pacific Islander	0	1	1	<1 %
30 - 34	63	9 %	Multi-race	4	2	6	1 %
35 - 39	80	11 %	<b>Total</b>	565	168	733	100 %
40 - 44	112	15 %					
45 - 49	175	24 %					
50 - 54	128	17 %					
55 - 59	77	11 %					
60+	50	7 %					
<b>Total</b>	733	100 %					

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	268	0	268	55 %
Injection drug use	56	18	74	15 %
Men who have sex with men and inject drugs	35	0	35	7 %
Heterosexual contact	30	77	107	22 %
Transfusion/Hemophilia	3	1	4	1 %
Perinatal	0	3	3	1 %
<b>Total</b>	392	99	491	100 %
<i>No Identified Risk</i>	173	69	242	

**Persons Newly Diagnosed with HIV/AIDS**

**Region 4: Lafayette Region**

*Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes*

**HIV CASES DIAGNOSED January - December 2009**

• 89 persons were newly diagnosed with HIV in Region 4.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	60	67 %	Black, Non-Hispanic	57	64 %
Women	29	33 %	White, Non-Hispanic	28	31 %
<b>Total</b>	<b>89</b>	<b>100 %</b>	Hispanic	4	4 %
			<b>Total</b>	<b>89</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	21	24 %	Men who have sex with men	38	66 %
25 - 34	22	25 %	Injection drug use	5	9 %
35 - 44	19	21 %	Men who have sex with men and inject drugs	1	2 %
45+	27	30 %	Heterosexual contact	14	24 %
<b>Total</b>	<b>89</b>	<b>100 %</b>	<b>Total</b>	<b>58</b>	<b>100 %</b>

			<i>No Identified Risk</i>	<i>31</i>	
--	--	--	---------------------------	-----------	--

**AIDS CASES DIAGNOSED January - December 2009**

• 51 persons were newly diagnosed with AIDS in Region 4.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	35	69 %	Black, Non-Hispanic	34	67 %
Women	16	31 %	White, Non-Hispanic	15	29 %
<b>Total</b>	<b>51</b>	<b>100 %</b>	Hispanic	1	2 %
			Multi-race	1	2 %
			<b>Total</b>	<b>51</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	4	8 %	Men who have sex with men	21	62 %
25 - 34	16	31 %	Injection drug use	3	9 %
35 - 44	13	25 %	Men who have sex with men and inject drugs	2	6 %
45+	18	35 %	Heterosexual contact	8	24 %
<b>Total</b>	<b>51</b>	<b>100 %</b>	<b>Total</b>	<b>34</b>	<b>100 %</b>

			<i>No Identified Risk</i>	<i>17</i>	
--	--	--	---------------------------	-----------	--

**Persons Living with HIV/AIDS****Region 5: Lake Charles Region****as of September 31, 2010***Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes*

- **1,219** cumulative cases have been detected in Region 5, including **9** pediatric cases.
- **455** cumulative deaths among persons in Region 5 with HIV/AIDS have occurred, including **1** pediatric deaths.
- **962** persons are currently living with HIV/AIDS in Region 5.  
Persons living with HIV: **424**  
Persons living with AIDS: **538**

**Age Category**

<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	3	<1 %
13 - 19	10	1 %
20 - 24	40	4 %
25 - 29	61	6 %
30 - 34	117	12 %
35 - 39	115	12 %
40 - 44	168	17 %
45 - 49	188	20 %
50 - 54	141	15 %
55 - 59	67	7 %
60+	52	5 %
<b>Total</b>	<b>962</b>	<b>100 %</b>

**Race/Ethnicity**

	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Black, Non-Hispanic	415	147	562	58 %
White, Non-Hispanic	239	60	299	31 %
Hispanic	82	4	86	9 %
Asian/Pacific Islander	4	0	4	<1 %
American Indian	3	1	4	<1 %
Unknown	1	0	1	<1 %
Multi-race	2	4	6	1 %
<b>Total</b>	<b>746</b>	<b>216</b>	<b>962</b>	<b>100 %</b>

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	282	0	282	41 %
Injection drug use	103	31	134	20 %
Men who have sex with men and inject drugs	85	0	85	12 %
Heterosexual contact	79	87	166	24 %
Transfusion/Hemophilia	6	1	7	1 %
Perinatal	3	5	8	1 %
<b>Total</b>	<b>558</b>	<b>124</b>	<b>682</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>188</i>	<i>92</i>	<i>280</i>	

**Persons Living with AIDS  
Region 5: Lake Charles Region  
as of September 31, 2010**

*Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes*

- **842** cumulative AIDS cases have been diagnosed in Region 5, including **5** pediatric cases.
- **538** persons are currently living with AIDS in Region 5.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>		<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
0 - 12	1	<1 %	Black, Non-Hispanic	240	71	311	58 %
13 - 19	3	1 %	White, Non-Hispanic	150	35	185	34 %
20 - 24	9	2 %	Hispanic	36	1	37	7 %
25 - 29	30	6 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	50	9 %	Multi-race	2	1	3	1 %
35 - 39	67	12 %	<b>Total</b>	430	108	538	100 %
40 - 44	106	20 %					
45 - 49	118	22 %					
50 - 54	82	15 %					
55 - 59	40	7 %					
60+	32	6 %					
<b>Total</b>	<b>538</b>	<b>100 %</b>					

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	178	0	178	43 %
Injection drug use	66	23	89	21 %
Men who have sex with men and inject drugs	57	0	57	14 %
Heterosexual contact	40	42	82	20 %
Transfusion/Hemophilia	5	1	6	1 %
Perinatal	1	2	3	1 %
<b>Total</b>	<b>347</b>	<b>68</b>	<b>415</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>83</i>	<i>40</i>	<i>123</i>	

**Persons Newly Diagnosed with HIV/AIDS****Region 5: Lake Charles Region***Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes***HIV CASES DIAGNOSED January - December 2009**

• 51 persons were newly diagnosed with HIV in Region 5.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	39	76 %	Black, Non-Hispanic	31	61 %
Women	12	24 %	White, Non-Hispanic	16	31 %
<b>Total</b>	<b>51</b>	<b>100 %</b>	Hispanic	3	6 %
			Unknown	1	2 %
			<b>Total</b>	<b>51</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	2 %	Men who have sex with men	16	57 %
13 - 24	9	18 %	Injection drug use	5	18 %
25 - 34	15	29 %	Men who have sex with men and inject drugs	1	4 %
35 - 44	15	29%	Heterosexual contact	5	18 %
45+	11	22 %	Perinatal	1	4 %
<b>Total</b>	<b>51</b>	<b>100 %</b>	<b>Total</b>	<b>28</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<b>23</b>	

**AIDS CASES DIAGNOSED January - December 2009**

• 42 persons were newly diagnosed with AIDS in Region 5.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	29	69 %	Black, Non-Hispanic	27	64 %
Women	13	31 %	White, Non-Hispanic	12	29 %
<b>Total</b>	<b>42</b>	<b>100 %</b>	Hispanic	1	2 %
			Multi-race	2	5 %
			<b>Total</b>	<b>42</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	2	5 %	Men who have sex with men	12	41 %
25 - 34	11	26 %	Injection drug use	8	28 %
35 - 44	12	29 %	Men who have sex with men and inject drugs	2	7 %
45+	17	40 %	Heterosexual contact	6	21 %
<b>Total</b>	<b>42</b>	<b>100 %</b>	Transfusion/Hemophilia	1	3 %
			<b>Total</b>	<b>29</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<b>13</b>	

**Persons Living with HIV/AIDS****Region 6: Alexandria Region****as of September 31, 2010***Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes*

- **1,274** cumulative cases have been detected in Region 6, including **13** pediatric cases.
- **450** cumulative deaths among persons in Region 6 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **822** persons are currently living with HIV/AIDS in Region 6.  
Persons living with HIV: **403**  
Persons living with AIDS: **419**

**Age Category**

<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	2	<1 %
13 - 19	4	<1 %
20 - 24	33	4 %
25 - 29	57	7 %
30 - 34	116	14 %
35 - 39	101	12 %
40 - 44	131	16 %
45 - 49	150	18 %
50 - 54	113	14 %
55 - 59	67	8 %
60+	48	6 %
<b>Total</b>	<b>822</b>	<b>100 %</b>

**Race/Ethnicity**

	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Black, Non-Hispanic	377	193	570	69 %
White, Non-Hispanic	152	48	200	24 %
Hispanic	42	2	44	5 %
Asian/Pacific Islander	2	0	2	<1 %
American Indian	0	1	1	<1 %
Multi-race	4	1	5	1 %
<b>Total</b>	<b>577</b>	<b>245</b>	<b>822</b>	<b>100 %</b>

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	205	0	205	38 %
Injection drug use	67	28	95	18 %
Men who have sex with men and inject drugs	44	0	44	8 %
Heterosexual contact	71	106	177	33 %
Transfusion/Hemophilia	9	1	10	2 %
Perinatal	4	2	6	1 %
<b>Total</b>	<b>400</b>	<b>137</b>	<b>537</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>177</i>	<i>108</i>	<i>285</i>	





**Persons Newly Diagnosed with HIV/AIDS****Region 6: Alexandria Region***Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes***HIV CASES DIAGNOSED January - December 2009**

- 64 persons were newly diagnosed with HIV in Region 6.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	35	55 %	Black, Non-Hispanic	49	77 %
Women	29	45 %	White, Non-Hispanic	7	11 %
<b>Total</b>	<b>64</b>	<b>100 %</b>	Hispanic	8	12 %
			<b>Total</b>	<b>64</b>	<b>100 %</b>

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	5	8 %	Men who have sex with men	9	38 %
25 - 34	21	33 %	Injection drug use	6	25 %
35 - 44	14	22 %	Men who have sex with men and inject drugs	2	8 %
45+	24	38 %	Heterosexual contact	7	29 %
<b>Total</b>	<b>64</b>	<b>100 %</b>	<b>Total</b>	<b>24</b>	<b>100 %</b>

	<i>No Identified Risk</i>	40
--	---------------------------	----

**AIDS CASES DIAGNOSED January - December 2009**

- 41 persons were newly diagnosed with AIDS in Region 6.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	32	78 %	Black, Non-Hispanic	34	83 %
Women	9	22 %	White, Non-Hispanic	5	12 %
<b>Total</b>	<b>41</b>	<b>100 %</b>	Hispanic	2	5 %
			<b>Total</b>	<b>41</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	1	2 %	Men who have sex with men	13	57 %
25 - 34	10	24 %	Injection drug use	3	13 %
35 - 44	12	29 %	Heterosexual contact	6	26 %
45+	18	44 %	Transfusion/Hemophilia	1	4 %
<b>Total</b>	<b>41</b>	<b>100 %</b>	<b>Total</b>	<b>23</b>	<b>100 %</b>

	<i>No Identified Risk</i>	18
--	---------------------------	----

**Persons Living with HIV/AIDS****Region 7: Shreveport Region****as of September 31, 2010***Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes*

- **2,020** cumulative cases have been detected in Region 7, including **27** pediatric cases.
- **894** cumulative deaths among persons in Region 7 with HIV/AIDS have occurred, including **10** pediatric deaths.
- **1,441** persons are currently living with HIV/AIDS in Region 7.  
Persons living with HIV: **662**  
Persons living with AIDS: **779**

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
0 - 12	5	<1 %	Black, Non-Hispanic	688	323	1,011	70 %
13 - 19	19	1 %	White, Non-Hispanic	312	77	389	27 %
20 - 24	91	6 %	Hispanic	21	6	27	2 %
25 - 29	137	10 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	176	12 %	American Indian	7	0	7	<1 %
35 - 39	176	12 %	Unknown	1	1	2	<1 %
40 - 44	217	15 %	Multi-race	2	1	3	<1 %
45 - 49	246	17 %	<b>Total</b>	<b>1,033</b>	<b>408</b>	<b>1,441</b>	<b>100 %</b>
50 - 54	177	12 %					
55 - 59	104	7 %					
60+	93	6 %					
<b>Total</b>	<b>1,441</b>	<b>100 %</b>					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	503	0	503	50 %
Injection drug use	66	46	112	11 %
Men who have sex with men and inject drugs	105	0	105	11 %
Heterosexual contact	85	169	254	25 %
Transfusion/Hemophilia	4	3	7	1 %
Perinatal	9	7	16	2 %
<b>Total</b>	<b>772</b>	<b>225</b>	<b>997</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>261</i>	<i>183</i>	<i>444</i>	

**Persons Living with AIDS  
Region 7: Shreveport Region  
as of September 31, 2010**

*Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes*

- **1,346** cumulative AIDS cases have been diagnosed in Region 7, including **19** pediatric cases.
- **779** persons are currently living with AIDS in Region 7.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	2	<1 %	Black, Non-Hispanic	397	154	551	71 %
13 - 19	9	1 %	White, Non-Hispanic	169	34	203	26 %
20 - 24	22	3 %	Hispanic	14	3	17	2 %
25 - 29	44	6 %	Asian/Pacific Islander	1	0	1	<1 %
30 - 34	75	10 %	American Indian	5	0	5	1 %
35 - 39	92	12 %	Multi-race	1	1	2	<1 %
40 - 44	126	16 %	<b>Total</b>	<b>587</b>	<b>192</b>	<b>779</b>	<b>100 %</b>
45 - 49	158	20 %					
50 - 54	118	15 %					
55 - 59	74	9 %					
60+	59	8 %					
<b>Total</b>	<b>779</b>	<b>100 %</b>					

**Exposure Category**

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	277	0	277	48 %
Injection drug use	43	23	66	12 %
Men who have sex with men and inject drugs	64	0	64	11 %
Heterosexual contact	63	88	151	26 %
Transfusion/Hemophilia	3	3	6	1 %
Perinatal	4	5	9	2 %
<b>Total</b>	<b>454</b>	<b>119</b>	<b>573</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>133</i>	<i>73</i>	<i>206</i>	

**Persons Newly Diagnosed with HIV/AIDS****Region 7: Shreveport Region***Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes***HIV CASES DIAGNOSED January - December 2009**

- 115 persons were newly diagnosed with HIV in Region 7.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	79	69 %	Black, Non-Hispanic	100	87 %
Women	36	31 %	White, Non-Hispanic	11	10 %
<b>Total</b>	<b>115</b>	<b>100 %</b>	Hispanic	2	2 %
			American Indian	1	1 %
			Multi-race	1	1 %
			<b>Total</b>	<b>115</b>	<b>100 %</b>

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	31	27 %	Men who have sex with men	36	61 %
25 - 34	37	32 %	Injection drug use	1	2 %
35 - 44	23	20 %	Men who have sex with men and inject drugs	2	3 %
45+	24	21 %	Heterosexual contact	20	34 %
<b>Total</b>	<b>115</b>	<b>100 %</b>	<b>Total</b>	<b>59</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>56</i>	

**AIDS CASES DIAGNOSED January - December 2009**

- 78 persons were newly diagnosed with AIDS in Region 7.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	54	69 %	Black, Non-Hispanic	65	83 %
Women	24	31 %	White, Non-Hispanic	6	8 %
<b>Total</b>	<b>78</b>	<b>100 %</b>	Hispanic	5	6 %
			American Indian	1	1 %
			Multi-race	1	1 %
			<b>Total</b>	<b>78</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	12	15 %	Men who have sex with men	21	48 %
25 - 34	21	27 %	Injection drug use	1	2 %
35 - 44	20	26 %	Men who have sex with men and inject drugs	1	2 %
45+	25	32 %	Heterosexual contact	21	48 %
<b>Total</b>	<b>78</b>	<b>100 %</b>	<b>Total</b>	<b>44</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>34</i>	

**Persons Living with HIV/AIDS****Region 8: Monroe Region****as of September 31, 2010***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes*

- **1,480** cumulative cases have been detected in Region 8, including **16** pediatric cases.
- **594** cumulative deaths among persons in Region 8 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **978** persons are currently living with HIV/AIDS in Region 8.  
Persons living with HIV: **451**  
Persons living with AIDS: **527**

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
0 - 12	7	1 %	Black, Non-Hispanic	451	291	742	76 %
13 - 19	9	1 %	White, Non-Hispanic	161	50	211	22 %
20 - 24	41	4 %	Hispanic	11	4	15	2 %
25 - 29	99	10 %	Asian/Pacific Islander	3	0	3	<1 %
30 - 34	133	14 %	American Indian	1	0	1	<1 %
35 - 39	119	12 %	Unknown	0	1	1	<1 %
40 - 44	129	13 %	Multi-race	2	3	5	1 %
45 - 49	160	16 %	<b>Total</b>	<b>629</b>	<b>349</b>	<b>978</b>	<b>100 %</b>
50 - 54	132	13 %					
55 - 59	79	8 %					
60+	70	7 %					
<b>Total</b>	<b>978</b>	<b>100 %</b>					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	293	0	293	45 %
Injection drug use	51	36	87	13 %
Men who have sex with men and inject drugs	39	0	39	6 %
Heterosexual contact	67	153	220	34 %
Transfusion/Hemophilia	3	3	6	1 %
Perinatal	4	7	11	2 %
<b>Total</b>	<b>457</b>	<b>199</b>	<b>656</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>172</i>	<i>150</i>	<i>322</i>	

**Persons Living with AIDS****Region 8: Monroe Region****as of September 31, 2010***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes*

• **961** cumulative AIDS cases have been diagnosed in Region 8, including **7** pediatric cases.

• **527** persons are currently living with AIDS in Region 8.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	1	<1 %	Black, Non-Hispanic	260	132	392	74 %
13 - 19	2	<1 %	White, Non-Hispanic	98	25	123	23 %
20 - 24	10	2 %	Hispanic	6	2	8	2 %
25 - 29	26	5 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	64	12 %	Multi-race	1	1	2	<1 %
35 - 39	72	14 %	<b>Total</b>	367	160	527	100 %
40 - 44	79	15 %					
45 - 49	89	17 %					
50 - 54	86	16 %					
55 - 59	48	9 %					
60+	50	9 %					
<b>Total</b>	527	100 %					

Exposure Category

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	161	0	161	43 %
Injection drug use	34	23	57	15 %
Men who have sex with men and inject drugs	29	0	29	8 %
Heterosexual contact	46	76	122	33 %
Transfusion/Hemophilia	2	1	3	1 %
Perinatal	2	0	2	1 %
<b>Total</b>	274	100	374	100 %
<i>No Identified Risk</i>	93	60	153	

**Persons Newly Diagnosed with HIV/AIDS****Region 8: Monroe Region***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes***HIV CASES DIAGNOSED January - December 2009**

- 73 persons were newly diagnosed with HIV in Region 8.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	49	67 %	Black, Non-Hispanic	55	75 %
Women	24	33 %	White, Non-Hispanic	15	21 %
<b>Total</b>	<b>73</b>	<b>100 %</b>	Hispanic	2	3 %
			American Indian	1	1 %
			<b>Total</b>	<b>73</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	17	23 %	Men who have sex with men	20	50 %
25 - 34	22	30 %	Injection drug use	4	10 %
35 - 44	11	15 %	Men who have sex with men and inject drugs	2	5 %
45+	23	32%	Heterosexual contact	14	35 %
<b>Total</b>	<b>73</b>	<b>100 %</b>	<b>Total</b>	<b>40</b>	<b>100 %</b>

*No Identified Risk* 33

**AIDS CASES DIAGNOSED January - December 2009**

- 55 persons were newly diagnosed with AIDS in Region 8.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	39	71 %	Black, Non-Hispanic	46	84 %
Women	16	29 %	White, Non-Hispanic	8	15 %
<b>Total</b>	<b>55</b>	<b>100 %</b>	Hispanic	1	2 %
			<b>Total</b>	<b>55</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	4	7 %	Men who have sex with men	17	49 %
25 - 34	18	33 %	Injection drug use	5	14 %
35 - 44	10	18 %	Men who have sex with men and inject drugs	1	3 %
45+	23	42 %	Heterosexual contact	12	34 %
<b>Total</b>	<b>55</b>	<b>100 %</b>	<b>Total</b>	<b>35</b>	<b>100 %</b>

*No Identified Risk* 20

**Persons Living with HIV/AIDS  
Region 9: Hammond/Slidell Region  
as of September 31, 2010**

*Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes*

- **1,328** cumulative cases have been detected in Region 9, including **15** pediatric cases.
- **528** cumulative deaths among persons in Region 9 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **1,010** persons are currently living with HIV/AIDS in Region 9.  
Persons living with HIV: **445**  
Persons living with AIDS: **565**

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
0 - 12	7	1 %	Black, Non-Hispanic	321	176	497	49 %
13 - 19	4	<1 %	White, Non-Hispanic	385	93	478	47 %
20 - 24	33	3 %	Hispanic	19	5	24	2 %
25 - 29	74	7 %	Asian/Pacific Islander	1	1	2	<1 %
30 - 34	87	9 %	American Indian	1	0	1	<1 %
35 - 39	132	13 %	Unknown	4	0	4	<1 %
40 - 44	173	17 %	Multi-race	4	0	4	<1 %
45 - 49	188	19 %	<b>Total</b>	<b>735</b>	<b>275</b>	<b>1,010</b>	<b>100 %</b>
50 - 54	163	16 %					
55 - 59	71	7 %					
60+	78	8 %					
<b>Total</b>	<b>1,010</b>	<b>100 %</b>					

**Exposure Category**

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	377	0	377	53 %
Injection drug use	65	53	118	17 %
Men who have sex with men and inject drugs	48	0	48	7 %
Heterosexual contact	52	94	146	21 %
Transfusion/Hemophilia	6	0	6	1 %
Perinatal	9	7	16	2 %
<b>Total</b>	<b>557</b>	<b>154</b>	<b>711</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>178</i>	<i>121</i>	<i>299</i>	



**Persons Living with AIDS**  
**Region 9: Hammond/Slidell Region**  
**as of September 31, 2010**

*Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes*

- **911** cumulative AIDS cases have been diagnosed in Region 9, including **6** pediatric cases.
- **565** persons are currently living with AIDS in Region 9.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
20 - 24	4	1 %	Black, Non-Hispanic	185	83	268	47 %
25 - 29	26	5 %	White, Non-Hispanic	234	45	279	49 %
30 - 34	38	7 %	Hispanic	9	4	13	2 %
35 - 39	67	12 %	American Indian	1	0	1	<1 %
40 - 44	103	18 %	Unknown	1	0	1	<1 %
45 - 49	122	22 %	Multi-race	3	0	3	1 %
50 - 54	106	19 %	<b>Total</b>	433	132	565	100 %
55 - 59	46	8 %					
60+	53	9 %					
<b>Total</b>	565	100 %					

**Exposure Category**

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	221	0	221	53 %
Injection drug use	49	29	78	19 %
Men who have sex with men and inject drugs	31	0	31	7 %
Heterosexual contact	27	48	75	18 %
Transfusion/Hemophilia	6	0	6	1 %
Perinatal	2	1	3	1 %
<b>Total</b>	336	78	414	100 %
<i>No Identified Risk</i>	97	54	151	

**Persons Newly Diagnosed with HIV/AIDS****Region 9: Hammond/Slidell Region***Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes***HIV CASES DIAGNOSED January - December 2009**

• 90 persons were newly diagnosed with HIV in Region 9.

<u>Gender</u>	<b>Cases</b>	<b>Percent</b>	<u>Race/Ethnicity</u>	<b>Cases</b>	<b>Percent</b>
Men	54	60 %	Black, Non-Hispanic	56	62 %
Women	36	40 %	White, Non-Hispanic	34	38 %
<b>Total</b>	<b>90</b>	<b>100 %</b>	<b>Total</b>	<b>90</b>	<b>100 %</b>

<u>Age at Detection</u>	<b>Cases</b>	<b>Percent</b>	<u>Cases with a reported risk:</u>	<b>Cases</b>	<b>Percent</b>
0 - 12	1	1 %	Men who have sex with men	27	48 %
13 - 24	11	12 %	Injection drug use	7	12 %
25 - 34	26	29 %	Men who have sex with men and inject drugs	2	4 %
35 - 44	18	20 %	Heterosexual contact	19	34 %
45+	34	38 %	Perinatal	1	2 %
<b>Total</b>	<b>90</b>	<b>100%</b>	<b>Total</b>	<b>56</b>	<b>100 %</b>

*No Identified Risk* 34

**AIDS CASES DIAGNOSED January - December 2009**

• 52 persons were newly diagnosed with AIDS in Region 9.

<u>Gender</u>	<b>Cases</b>	<b>Percent</b>	<u>Race/Ethnicity</u>	<b>Cases</b>	<b>Percent</b>
Men	33	63 %	Black, Non-Hispanic	32	62 %
Women	19	37 %	White, Non-Hispanic	20	38 %
<b>Total</b>	<b>52</b>	<b>100 %</b>	<b>Total</b>	<b>52</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<b>Cases</b>	<b>Percent</b>	<u>Cases with a reported risk:</u>	<b>Cases</b>	<b>Percent</b>
13 - 24	1	2 %	Men who have sex with men	17	49 %
25 - 34	11	21 %	Injection drug use	6	17 %
35 - 44	16	31 %	Men who have sex with men and inject drugs	1	3 %
45+	24	46 %	Heterosexual contact	11	31 %
<b>Total</b>	<b>52</b>	<b>100 %</b>	<b>Total</b>	<b>35</b>	<b>100 %</b>

*No Identified Risk* 17